

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

**Technical Report
On the
River Stage Property**

Brooks Lake and Dash Lake Areas, Ontario, Canada

Prepared for:

Peloton Minerals Corporation

Prepared by:

D. Cullen, P.Ge. and J. Garry Clark, P.Ge.

Clark Exploration Consulting

941 Cobalt Crescent

Thunder Bay, ON

P7B 5Z4

January 11, 2018

TABLE OF CONTENTS

| | |
|--|-----------|
| 1.0: Introduction | 1 |
| 2.0: Property Description, Location and Accessibility | 2 |
| 3.0: Property History | 5 |
| 4.0: Regional and Local Geology | 6 |
| 5.0: Sampling Program and Procedures..... | 8 |
| 6.0: Conclusions and Recommendations..... | 9 |
| 6.0: References..... | 10 |

TABLE OF FIGURES

| | |
|--|----------|
| Figure 1. River Stage Property Location..... | 3 |
| Figure 2: River Stage Claims | 4 |
| Figure 3: River Stage Property Compilation..... | 7 |

Appendices

| |
|---|
| Appendix I: Sample Descriptions and Assays |
| Appendix II: Assay Certificates |
| Appendix III: Daily Log |

1.0: Introduction

In October 2017, employees of Clark Exploration in Thunder Bay conducted a property inspection of the River Stage Property (the “Property”) belonging to Peloton Minerals Corporation (“Peloton”) for the purpose of determining the presence of gold mineralization similar to the Cameron Lake deposit approximately 20 km to the north.

The River Stage Property of Peloton consists of five (5) claims in the Brooks Lake Area and Dash Lake Area of the Kenora Mining Division, northwestern Ontario. The centre of the Property is located approximately at UTM co-ordinates 455620e, 5441710n (NAD 83, Zone 15).

The rocks in the area of the Property comprise a sequence of mafic and lesser felsic metavolcanic rocks, and complexly interbedded clastic and chemical metasedimentary rocks which are folded into a broad northeast-trending anticline. The Phinney-Dash Lake complex, a synvolcanic quartz-feldspar porphyry intrusion and related extrusive and exhalative rocks, occupies the axial zone of the northeastern portion of this anticline and fed the felsic volcanism that immediately overlies it to the east and south. Metamorphic grade in the area is middle greenschist facies.

Previous work on what is now Peloton’s Property have returned anomalous but low assay values of gold, as well as copper and zinc values. During the work that is the subject of this report, a total of 51 rock samples and 21 soil samples were retrieved. While some samples exhibited encouraging sulphide mineralization and alteration, assay results were disappointing, with the highest assay from the rock samples being 39 ppb gold, and the highest soil assay being 34 ppb gold.

2.0: Property Description, Location and Accessibility

The River Stage Property of Peloton consists of five (5) claims in the Brooks Lake Area and Dash Lake Area of the Kenora Mining Division, northwestern Ontario. The centre of the Property is located approximately at UTM co-ordinates 455620e, 5441710n (NAD 83, Zone 15).

The Property claims are unpatented, totalling 1024 hectares in area. Unpatented mineral claims include the mineral rights but they do not include the surface rights; the surface rights are held by the Crown. The claims are held 100% by Perry English, and have been optioned by Peloton.

Access to the Property is east from Nestor Falls on the Airport Rd. to the Pipestone - Tri Lake Rd., and east on the Pipestone - Tri Lake Rd. for about 17 km to the Derby Rd., and east for about 13 km to the Phinney Rd., which crosses the Property in two places. The Pipestone – Tri Lake Road requires a permit from the Ministry of Natural Resources from January 1st to September 30th.

Table 1: River Stage Claims


| Claim No. | Township/Area | Date Recorded | Due Date | Work Required | Unit Size |
|------------------|----------------------|----------------------|-----------------|----------------------|------------------|
| 4276597 | Brooks Lake | May 18, 2016 | May 18, 2019 | \$6,400 | 16 |
| 4276598 | Brooks Lake | May 18, 2016 | May 18, 2019 | \$4,000 | 10 |
| 4276599 | Brooks Lake | May 18, 2016 | May 18, 2019 | \$2,800 | 7 |
| 4276556 | Dash Lake | April 4, 2016 | April 4, 2019 | \$6,400 | 16 |
| 4276557 | Dash Lake | April 4, 2016 | April 4, 2019 | \$6,000 | 15 |
| Total | | | | \$25,600 | 64 |

Permits are required for almost all stages of mineral exploration, development and mining in Ontario, but not for the prospecting and mapping as carried out in the work described in this Report.

Figure 1. River Stage Property Location



Figure 2: River Stage Claims



3.0: Property History

- 1969: Canadian Nickel Company Ltd. drilled on hole on the current claim 4276556 (?). Exact location is not clear, and no assays were reported; however, massive sulphides were reported.
- 1984: Loydex Resources Inc. prospected and geologically mapped claims that covered portions of Peloton's claims 4276599, 4276556 and 4276557. The work returned low but anomalous gold assays, with the highest value from a rock sample being 274 ppb gold, and the highest value from a soil sample being 457 ppb gold.
- 1988 – 1990: Noranda Exploration carried out airborne magnetic and VLF-EM surveys, followed by prospecting and lithogeochemical sampling on a large property that covered a portion of claim 427657. Williams (1990) concluded that there was little potential for the area.
- 1993 - 1998: Phelps Dodge Corporation of Canada carried out a DIGHEM^V airborne geophysical survey over a property that covered portions of Peloton's claims 4276599, 4276556 and 4276557. They also drilled three drill holes, with the best assay being 1470 ppm Cu and 115 ppm Zn over 1.5 ft. in a mineralized zone 8 ft (Barton 2001).
- 1999 - 2001: B. Barton diamond drilled 7 holes with a small packsack drill. The best assay reported was from hole #2 which ran at 2.4307% Zn and 330 ppb Au from 36 to 39.5 feet. This hole was drilled on the east shore of Phinney Lake and may be just west of the boundary of the northeast portion of claim 4276556 (i.e. it may have been off of Peloton's Property).


4.0: Regional and Local Geology

The River Stage Property is located at the western end of the Late Archaean Savant Lake-Crow Lake Belt in the Western Wabigoon Subprovince of the Superior Province in north western Ontario. The Wabigoon Subprovince is a 900 km long, east-west trending, composite volcanic and plutonic terrane comprising distinct eastern and western domains separated by rocks of Mesoarchean age. Rocks of the Western Wabigoon Subprovince separate gneissic terranes of the Quetico Subprovince to the south and greenstones of the English River Subprovince to the north.

The Western Wabigoon Subprovince is dominated by mafic volcanic rocks that mostly range in composition from tholeiitic to calc-alkaline, with large tonalitic plutonic intrusions. The volcanic rocks were largely deposited between about 2.74 and 2.72 Ga and are interpreted to represent oceanic crust (tholeiites) and volcanic arcs (calc-alkaline rocks) and are overlain by volcano-sedimentary sequences deposited at about 2.71 to 2.70 Ga. These rocks are locally overlain unconformably by coarse clastic sedimentary rocks but these do not have a widespread distribution, most likely due to erosion.

Edwards [1980] states that the rocks in the area of the Property comprise a sequence of mafic and lesser felsic metavolcanic rocks, and complexly interbedded clastic and chemical metasedimentary rocks which are folded into a broad northeast-trending anticline. The Phinney-Dash Lake complex, a synvolcanic quartz-feldspar porphyry intrusion and related extrusive and exhalative rocks, occupies the axial zone of the northeastern portion of this anticline and fed the felsic volcanism that immediately overlies it to the east and south. Metamorphic grade in the area is middle greenschist facies.

Figure 3: River Stage Property Work Summary



5.0: Sampling Program and Procedures

The work was carried out from October 16th to the 21st of 2017 by employees of Clark Exploration Consulting of Thunder Bay, Ontario. The employees were D. Cullen, M. Marostica, G. Warren, and C. Brown, all of Thunder Bay. Assaying was performed by AGAT Laboratories in Thunder Bay. The daily log for the program is in Appendix III.

The sampling done during the author's Property visit consisted generally of grab samples (i.e. samples taken somewhat randomly that do not represent the size or width of mineralization) of outcrop which was most often found along the roads on the Property. Soil samples were retrieved with a soil auger, and placed in paper soil sample bags.

The rock samples were described, bagged, tagged and taped up at each sample location, and were then placed in rice bags for transport to AGAT's facility in Thunder Bay.

The sample analyses were carried out at AGAT's facility in Thunder Bay, using AGAT's assay procedure (202-052) fire assay - trace Au, ICP-OES finish (ppb).

During the program, a total of 51 rock samples and 21 soil samples were retrieved. While some samples exhibited encouraging sulphide mineralization and alteration, assay results were disappointing, with the highest assay from the rock samples being 39 ppb, and the highest soil assay being 34 ppb.

Sample descriptions with assays are located in Appendix I, and assay certificates are in Appendix II.

6.0: Conclusions and Recommendations

During the work program on Peloton's River Stage Property, a total of 51 rock samples and 21 soil samples were retrieved. While some samples exhibited encouraging sulphide mineralization and alteration, assay results were disappointing, with the highest assay from the rock samples being 39 ppb, and the highest soil assay being 34 ppb.

6.0: References

Note: in the references listed below the terms “AFRI File” and AFRO ID” refer to the assessment report’s identification numbers for the files as found in the MNDM’s Assessment File Research Image Database (AFRI) retrieved from <http://www.geologyontario.mndm.gov.on.ca>.

Barton, B.C., 1999: Report of 1999 Diamond Drilling at the Phinney Dash Lake Property, Ontario. AFRI File 52F04SE2001.

Edwards, G.R. 1980: Geology of the Schistose Lake Area, District of Kenora; Ontario Geological Survey Report 194, 67p. Accompanied by Map 2421, scale 1:31 680 or 1 inch to 1/2 mile.

Gingerich, J., 1988: Noranda Exploration Company, Limited, Assessment Report on the Airborne Magnetic and VLF-EM Survey Flown by Questor Surveys Limited in the Straw Lake Area, Northwestern Ontario Division. AFRI File 52F03NE0009.

Nelson, L.J., 1984: Report on the Geology of the Loydex Resources Inc. Phinney Lake Property, Phinney Lake, Ontario. AFRI File 52F04NE0024.

Smith, P.A., 1994: DIGHEM^V Survey for Phelps Dodge Corporation of Canada Ltd., Phinney-Dash Lake Property, Ontario. AFRI File 52F04SE0014.

Williams, G., 1990: Noranda Exploration Company, Limited, Assessment Report on Geochemical Surveys; Manitou Joint Venture, Straw Lake Area, Northwestern Ontario Division. AFRI File 52F04NE0005.

Appendix I
Sample Descriptions and Assays

| Sample No. | UTMs (NAD 83, Zone 15) | | Sample Description | Assay (ppb Au) |
|------------|------------------------|----------|---|----------------|
| | Easting | Northing | | |
| 192807 | 455374 | 5440039 | Sample is from a large outcrop of strongly sheared mafic volcanic - shearing/foliation is ~75° az, dip vertical to 80° north; sample is 50-60% calcite and minor Fe-carb in grey, fine grained mafic volcanic; trace pyrite | <1 |
| 192808 | 455389 | 5440048 | Dark green mafic volcanic (aphanitic) with 7-10% disseminated medium to coarse grained blebs and cubes that appear to have replaced pyrite; same outcrop as above, but a couple metres north of strong shearing | <1 |
| 192809 | 455387 | 5440040 | Same outcrop as above; from strong shear zone at 75° az and 80-90° dip; medium green; aphanitic to fine grained mafic volcanic with 0.5 - 1 cm qz-carb vein with sme purple colour in vein and trace to 0.5% pyrite in both vein and wallrock | <1 |
| 192810 | 455377 | 5440035 | Same outcrop; strongly sheared medium green mafic volcanic with 0.5 cm carb-Fe carb (+ qz) vein and fine grained disseminated Fe carb in wallrock; no sulphides seen | <1 |
| 192811 | 454225 | 5438884 | West boundary of claim 4276557; quartz porphyry (volcanic? - mapped as a massive granodiorite to granite); ~5-10% clear quartz phenocrysts 0.3 to 1 cm in fine grained matrix of 30% pink feldspar (potassic?) and 65% mafics | <1 |
| 192812 | 454350 | 5438990 | Rock chip sample; looks like possibly fine grained version of the previous sample (its ~120m east) - mafic to intermediate volcanic; no sulphides | 2 |
| 192813 | 454385 | 5438944 | Intermediate to mafic volcanic similar to above but with occasional Fe-carb (+ qz?) stringers and veinlets up to 2mm, with trace pyrite; sample is from a shallow dipping shear, dipping east | <1 |

| | | | | |
|--------|--------|---------|--|----|
| 192814 | 454407 | 5438974 | Intermediate to mafic volcanic; weakly sheared @ 75 - 90 with minor Fe-carb (+ qz) stringers ~1mm, and trace pyrite | <1 |
| 192815 | 454431 | 5439016 | Fine grained mafic volcanic in weak shear; very fine grained disseminated pyrite throughout - 0.5 to 1% overall | <1 |
| 192816 | 454469 | 5439114 | Mafic volcanic; fine grained; massive; darker green than previous samples in the west end; occasional bleb of pyrite - trace overall | 1 |
| 192817 | 454474 | 5439171 | Dark green, fine grained mafic volcanic with rare thin (1mm) quartz stringers and trace disseminated pyrite | <1 |
| 192818 | 454446 | 5439210 | Dark green, fine grained mafic volcanic with trace to 0.5% fine grained disseminated pyrite (+ chalcopyrite?) | 2 |
| 192819 | 454446 | 5439207 | As above with occasional patches of disseminated pyrite up to 1 cm | <1 |
| 192820 | 454452 | 5439207 | As above | <1 |
| 192821 | 454440 | 5439249 | Felsic volcanic - quartz porphyry; ~5% anhedral quartz phenocrysts (clear) up to ~1cm in a light grey felsic matrix; fine rusty FeOx spots up to 1mm near weathered surface but no sulphides visible | <1 |
| 192822 | 454462 | 5439287 | Intermediate to mafic volcanic in weak to moderate shear (at 75° azimuth and 70° N dip) with common thin (<1mm) irregular quartz stringers cross-cutting foliation and trace pyrite blebs | <1 |
| 192823 | 454436 | 5439335 | Felsic to intermediate volcanic; light grey-green; aphanitic; common FeOx staining mainly along margins of weathered surfaces and fractures; trace patchy disseminated pyrite | <1 |
| 192824 | 454437 | 5439372 | Intermediate to mafic volcanic with weak to moderate calcite veining and 0.5 to 1% disseminated pyrite (+cpy) in moderate shear at 75-90 strike-dip; outcrop has better carb and Fe-carb veining but couldn't break off a sample | <1 |

| | | | | |
|--------|--------|---------|--|----|
| 192825 | 455493 | 5439985 | Intermediate volcanic adjacent to strong shear (at 75-90 strike and dip); light grey; aphanitic with occasional chlorite blebs and stringers; occasional quartz-carb veins up to ~1cm; trace pyrite (+cpy) | <1 |
| 192826 | 455969 | 5443448 | Conglomerate? Looks like clastic sediment with moderate carb and trace pyrite; occasional pebble-sized clast of intermediate to felsic composition | <1 |
| 192827 | 455868 | 5443426 | Conglomerate; strained (elongated) clasts of felsic to intermediate volcanic parallel to foliation at 75-90; clasts are subrounded to subangular up to ~1cm; trace to 0.5% disseminated pyrite | 4 |
| 192828 | 455808 | 5443363 | Conglomerate? Rusty - FeOx with clasts up to 2cm of mafic volcanic and 7-10% disseminated and stringer pyrite | <1 |
| 192829 | 455810 | 5443296 | Looks more like greywacke; medium to dark green with abundant clear quartz clasts ~1-2mm (looks like glass); no sulphides | <1 |
| 192830 | 455799 | 5443304 | Clastic sediment or mafic volcanic - looks more like sediment; strong FeOx throughout but only trace sulphides visible; occasional carb veining; ~15m west of 192829 | <1 |
| 192831 | 455777 | 5443267 | Mafic volcanic - massive; fine grained medium green-grey; 0.5 to 1cm wide quartz-carb vein with minor Fe-carb; trace pyrite | <1 |
| 192832 | 455595 | 5443090 | Mafic volcanic as above with strong FeOx associated with ~1cm quartz-carb vein but only trace pyrite visible | <1 |
| 192833 | 455615 | 5442940 | Intermediate volcanic; fine to medium grained with abundant medium grained mafics; medium to light green; moderate Fe-carb and quartz; occasional coarse pyrite cubes up to 2-3mm | 1 |
| 192834 | 455624 | 5442908 | Massive mafic volcanic; medium to dark green; fine grained; no sulphides visible | <1 |

| | | | | |
|--------|--------|---------|---|----|
| 192835 | 455623 | 5442800 | Mafic volcanic - moderately sheared/foliated at 75-90; abundant irregular quartz-Fe carb veinlets and fractures and pervasive alteration; no sulphides visible | <1 |
| 192836 | 455645 | 5442780 | Mafic volcanic; massive to weakly foliated; medium to dark green; fine grained with 7-10% fine disseminated FeOx spots up to 1mm | <1 |
| 192837 | 455754 | 5442756 | Mafic volcanic with abundant strong FeOx and Fe-carb; some sulphide visible but mostly highly oxidized and rotted - just massive rust remaining - looks like it may have been semi-massive pyrite in places | <1 |
| 177851 | 455352 | 5440038 | Brittle, fine grained, crystalline, green mafic volcanic with Fe carb alteration throughout. Outcrop is part of prominent shear zone with foliation (080, 75N). | 39 |
| 177852 | 455353 | 5440039 | Same outcrop as above. Fine grained, mafic volcanic with some Fe carb alteration and visible sulfide mineralization. Outcrop displaying slaty cleavage. | <1 |
| 177853 | 455336 | 5440040 | Fine grained, mafic volcanic, Fe carb alteration and containing trace sulfides. | <1 |
| 177854 | 455343 | 5440044 | Still in same shear zone as above. Fine grained, mafic volcanic with low carbonate and silicification. | <1 |
| 177855 | 455347 | 5440036 | Same foliated fabric as above. Fine grained, mafic volcanic with hematite staining and moderate Fe carb alteration, trace sulfides and 1-2mm wide stringers of white/milky calcite. | <1 |
| 177856 | 455356 | 5440400 | Fine grained, crystalline mafic volcanic with carbonate and fg quartz veining. | <1 |
| 177857 | 455340 | 5440057 | Fine grained, green, mafic volcanic with Fe carb alteration. Outcrop shows same fabric oriented roughly 075,80N | <1 |
| 177858 | 455340 | 5440048 | Sampled near the bottom end of exposed ridge on NW face. Fine grained mafic volcanic with strong Fe carb alteration and moderate silicification throughout. | <1 |

| | | | | |
|--------|--------|---------|---|----|
| 177859 | 454808 | 5439796 | New outcrop from previous. Sample is massive, fg mafic volcanic with strong Fe carb alteration, Fe oxidation, silicification and possible vfgr sulfides. | <1 |
| 177860 | 454816 | 5439789 | Same outcrop as above. Fine grained, massive, mafic volcanic displaying blotchy silicification and Fe carb alteration. | <1 |
| 177861 | 454707 | 5439728 | Aphanitic, dark green mafic volcanic with <2mm calcite veining and Fe carb alteration. Within groundmass is fine to medium grained, cubic pyrite. Slaty texture and weakly foliated. | <1 |
| 177862 | 454703 | 5439755 | Same outcrop as above weakly foliated with brittle cleavage plane 080,75N. Hand sample is aphanitic, green and mafic volcanic with fine grained quartz and feldspar stringers. | <1 |
| 177863 | 454712 | 5439757 | Aphanitic, massive, mafic, green volcanic with fine grained, 1mm wide calcite stringers and coarse grained, euhedral pinkish feldspar phenocrysts showing approx 90 degree cleavage. | 3 |
| 177864 | 454444 | 5439544 | Outcrop is about 10m eastward of road. Sample is aphanitic, green mafic volcanic with Fe carb alteration, fg qtz veining up to 5cm long, trace sulfides and also trace of unknown, fg, black-greenish-brown mineral. | <1 |
| 177865 | 454432 | 5439513 | South end of same outcrop as above. Aphanitic, mafic volcanic matrix with f-mg quartz and plg, with qtz veining up to 5mm wide. | 4 |
| 177866 | 454420 | 5439497 | New outcrop eastward of road. Fine grained, mafic volcanic with Fe carb alteration and silicification. Fine to med grained qtz and plg can be viewed as well as fg, cubic pyrite. Outcrop displays foliation 070,75N. | <1 |
| 177867 | 454418 | 5439492 | Same outcrop as above, but foliation more pronounced. Brittle, fine grained, mafic volcanic with Fe carb alteration and silicification, and trace to fg sulfides. | <1 |

| | | | | |
|--------|--------|---------|--|----|
| 177868 | 454422 | 5439501 | Same outcrop but massive. Sample is fine grained mafic volcanic with minor carbonate throughout. | 1 |
| 177869 | 455486 | 5439984 | Outcrop strongly weathered. Aphanitic, mafic volcanic with Fe oxides/ hematite staining. Fe carb alteration, trace sulfides. | <1 |
| 177870 | 455276 | 5441762 | Small scattered outcrop. Probably buried large boulder. Sample is massive, fine grained, inter-felsic crystalline volcanic. Qtz, plg, and biotite can be seen within vfgr, green groundmass. | <1 |

Appendix II
Assay Certificates



CLIENT NAME: MISC AGAT CLIENT ON, ON

ATTENTION TO: Greg Warren

PROJECT: Sand Hill

AGAT WORK ORDER: 17B276603

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Dec 04, 2017

PAGES (INCLUDING COVER): 6

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 17B276603

PROJECT: Sand Hill

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: Greg Warren

(200-) Sample Login Weight

| DATE SAMPLED: Oct 25, 2017 | DATE RECEIVED: Oct 26, 2017 | DATE REPORTED: Dec 04, 2017 | SAMPLE TYPE: Soil |
|------------------------------|-----------------------------|-----------------------------|-------------------|
| Analyte: Sample Login Weight | Unit: kg | RDL: 0.01 | |
| Sample ID (AGAT ID) | | | |
| 177893 (8853363) | | .56 | |
| 177894 (8853364) | | .54 | |
| 177895 (8853365) | | .61 | |
| 177896 (8853366) | | .5 | |
| 177897 (8853367) | | .49 | |
| 177898 (8853368) | | .48 | |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276603

PROJECT: Sand Hill

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: Greg Warren

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppb)

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Soil

| Analyte: | Unit: | RDL: |
|---------------------|-------|------|
| Au | ppb | 1 |
| Sample ID (AGAT ID) | | |
| 177893 (8853363) | | 15 |
| 177894 (8853364) | | 3 |
| 177895 (8853365) | | 6 |
| 177896 (8853366) | | <1 |
| 177897 (8853367) | | 6 |
| 177898 (8853368) | | 1 |

Comments: RDL - Reported Detection Limit

Certified By:



CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: Greg Warren

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppb)

| Parameter | Sample ID | REPLICATE #1 | | RPD | | | | | | | | | |
|-----------|-----------|--------------|-----------|-----|--|--|--|--|--|--|--|--|--|
| | | Original | Replicate | | | | | | | | | | |
| Au | 8853363 | 15 | 4 | | | | | | | | | | |



AGAT Laboratories

Quality Assurance - Certified Reference materials
 AGAT WORK ORDER: 17B276603
 PROJECT: Sand Hill

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: Greg Warren

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppb)

| Parameter | CRM #1 (ref.GS6D) | | | | | | | | | | | | | |
|-----------|-------------------|--------|----------|------------|--|--|--|--|--|--|--|--|--|--|
| | Expect | Actual | Recovery | Limits | | | | | | | | | | |
| Au | 6090 | 5711 | 94% | 90% - 110% | | | | | | | | | | |



Method Summary

CLIENT NAME: MISC AGAT CLIENT ON

AGAT WORK ORDER: 17B276603

PROJECT: Sand Hill

ATTENTION TO: Greg Warren

SAMPLING SITE:

SAMPLED BY:

| PARAMETER | AGAT S.O.P | LITERATURE REFERENCE | ANALYTICAL TECHNIQUE |
|---------------------|---------------|--|----------------------|
| Solid Analysis | | | |
| Sample Login Weight | MIN-12009 | | BALANCE |
| Au | MIN-200-12006 | BUGBEE, E: A Textbook of Fire Assaying | ICP-OES |

CLIENT NAME: MISC AGAT CLIENT ON, ON

ATTENTION TO: gjclark@tbaytel.net

PROJECT: Sand Hill

AGAT WORK ORDER: 17B276595

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Dec 04, 2017

PAGES (INCLUDING COVER): 6

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 17B276595

PROJECT: Sand Hill

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: gjclark@tbaytel.net

(200-) Sample Login Weight

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| Sample ID (AGAT ID) | Analyte: | Sample Login Weight |
|---------------------|----------|---------------------|
| | Unit: | kg |
| | RDL: | 0.01 |
| 177892 (8853285) | | 0.94 |
| 177899 (8853286) | | 1.70 |
| 177900 (8853287) | | 1.24 |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276595

PROJECT: Sand Hill

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: gjclark@tbaytel.net

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppm)

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| Sample ID (AGAT ID) | Analyte: | Unit: | RDL: |
|---------------------|----------|-------|--------|
| | Au | ppm | 0.001 |
| 177892 (8853285) | | | <0.001 |
| 177899 (8853286) | | | <0.001 |
| 177900 (8853287) | | | 0.030 |

Comments: RDL - Reported Detection Limit

Certified By:



CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: gjclark@tbaytel.net

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppm)

| Parameter | Sample ID | REPLICATE #1 | | | | | | | | | | | | |
|-----------|-----------|--------------|-----------|-----|--|--|--|--|--|--|--|--|--|--|
| | | Original | Replicate | RPD | | | | | | | | | | |
| Au | 8853285 | < 0.001 | 0.010 | | | | | | | | | | | |



AGAT Laboratories

Quality Assurance - Certified Reference materials
 AGAT WORK ORDER: 17B276595
 PROJECT: Sand Hill

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: gjclark@tbaytel.net

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppm)

| Parameter | CRM #1 (ref.GSP7J) | | | | Expect | Actual | Recovery | Limits | | | | | | | |
|-----------|--------------------|--------|----------|------------|--------|--------|----------|--------|--|--|--|--|--|--|--|
| | Expect | Actual | Recovery | Limits | | | | | | | | | | | |
| Au | 0.722 | 0.729 | 101% | 90% - 110% | | | | | | | | | | | |



Method Summary

CLIENT NAME: MISC AGAT CLIENT ON

AGAT WORK ORDER: 17B276595

PROJECT: Sand Hill

ATTENTION TO: gjclark@tbaytel.net

SAMPLING SITE:

SAMPLED BY:

| PARAMETER | AGAT S.O.P | LITERATURE REFERENCE | ANALYTICAL TECHNIQUE |
|---------------------|---------------|--|----------------------|
| Solid Analysis | | | |
| Sample Login Weight | MIN-12009 | | BALANCE |
| Au | MIN-200-12006 | BUGBEE, E: A Textbook of Fire Assaying | ICP-OES |

Certificate of Analysis

AGAT WORK ORDER: 17B276554

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(200-) Sample Login Weight

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| Sample ID (AGAT ID) | Analyte: Unit: RDL: | Sample Login Weight kg 0.01 |
|---------------------|---------------------------|---|
| 177851 (8853077) | | 1.16 |
| 177852 (8853078) | | 1.52 |
| 177853 (8853079) | | 1.60 |
| 177854 (8853080) | | 1.38 |
| 177855 (8853081) | | 1.28 |
| 177856 (8853082) | | 0.96 |
| 177857 (8853083) | | 0.98 |
| 177858 (8853084) | | 1.02 |
| 177859 (8853085) | | 0.30 |
| 177860 (8853086) | | 0.28 |
| 177861 (8853087) | | 1.04 |
| 177862 (8853088) | | 1.64 |
| 177863 (8853089) | | 1.64 |
| 177864 (8853090) | | 1.58 |
| 177865 (8853091) | | 1.64 |
| 177866 (8853092) | | 1.38 |
| 177867 (8853093) | | 1.42 |
| 177868 (8853094) | | 0.54 |
| 177869 (8853095) | | 0.72 |
| 177870 (8853096) | | 0.20 |
| 192807 (8853097) | | 1.22 |
| 192808 (8853098) | | 1.22 |
| 192809 (8853099) | | 1.42 |
| 192810 (8853100) | | 1.02 |
| 192811 (8853101) | | 1.30 |
| 192812 (8853102) | | 1.06 |
| 192813 (8853103) | | 1.06 |
| 192814 (8853104) | | 1.46 |
| 192815 (8853105) | | 1.46 |
| 192816 (8853106) | | 1.00 |
| 192817 (8853107) | | 1.30 |

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276554

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(200-) Sample Login Weight

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| Sample ID (AGAT ID) | Analyte: Unit: RDL: | Sample Login Weight kg 0.01 |
|---------------------|---------------------------|---|
| 192818 (8853108) | | 2.34 |
| 192819 (8853109) | | 1.86 |
| 192820 (8853110) | | 1.34 |
| 192821 (8853111) | | 1.54 |
| 192822 (8853112) | | 1.48 |
| 192823 (8853113) | | 1.12 |
| 192824 (8853114) | | 1.18 |
| 192825 (8853115) | | 1.56 |
| 192826 (8853116) | | 1.04 |
| 192827 (8853117) | | 1.16 |
| 192828 (8853118) | | 1.42 |
| 192829 (8853119) | | 1.30 |
| 192830 (8853120) | | 0.86 |
| 192831 (8853121) | | 1.22 |
| 192832 (8853122) | | 0.96 |
| 192833 (8853123) | | 1.20 |
| 192834 (8853124) | | 0.76 |
| 192835 (8853125) | | 1.00 |
| 192836 (8853126) | | 0.90 |
| 192837 (8853127) | | 0.84 |
| 192838 (8853128) | | 1.24 |
| 192839 (8853129) | | 1.00 |
| 192840 (8853130) | | 1.06 |
| 192841 (8853131) | | 0.94 |
| 192842 (8853132) | | 0.66 |
| 192843 (8853133) | | 0.92 |
| 192844 (8853134) | | 2.08 |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276554

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(202-052) Fire Assay - Trace Au, ICP-OES finish (ppb)

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| Sample ID (AGAT ID) | Analyte: Unit: RDL: | Au ppb 1 | DIG - FA | FIRE ASSAY | WGH-FA |
|---------------------|---------------------------|----------------|----------|---------------|--------|
| 177851 (8853077) | | 39 | Y | Y | Y |
| 177852 (8853078) | | <1 | Y | Y | Y |
| 177853 (8853079) | | <1 | Y | Y | Y |
| 177854 (8853080) | | <1 | Y | Y | Y |
| 177855 (8853081) | | <1 | Y | Y | Y |
| 177856 (8853082) | | <1 | Y | Y | Y |
| 177857 (8853083) | | <1 | Y | Y | Y |
| 177858 (8853084) | | <1 | Y | Y | Y |
| 177859 (8853085) | | <1 | Y | Y | Y |
| 177860 (8853086) | | <1 | Y | Y | Y |
| 177861 (8853087) | | <1 | Y | Y | Y |
| 177862 (8853088) | | <1 | Y | Y | Y |
| 177863 (8853089) | | 3 | Y | Y | Y |
| 177864 (8853090) | | <1 | Y | Y | Y |
| 177865 (8853091) | | 4 | Y | Y | Y |
| 177866 (8853092) | | <1 | Y | Y | Y |
| 177867 (8853093) | | <1 | Y | Y | Y |
| 177868 (8853094) | | 1 | Y | Y | Y |
| 177869 (8853095) | | <1 | Y | Y | Y |
| 177870 (8853096) | | <1 | Y | Y | Y |
| 192807 (8853097) | | <1 | Y | Y | Y |
| 192808 (8853098) | | <1 | Y | Y | Y |
| 192809 (8853099) | | <1 | Y | Y | Y |
| 192810 (8853100) | | <1 | Y | Y | Y |
| 192811 (8853101) | | <1 | Y | Y | Y |
| 192812 (8853102) | | 2 | Y | Y | Y |
| 192813 (8853103) | | <1 | Y | Y | Y |
| 192814 (8853104) | | <1 | Y | Y | Y |
| 192815 (8853105) | | <1 | Y | Y | Y |
| 192816 (8853106) | | 1 | Y | Y | Y |
| 192817 (8853107) | | <1 | Y | Y | Y |
| 192818 (8853108) | | 2 | Y | Y | Y |

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276554

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(221-) Prep. - Thunder Bay - Rock

| DATE SAMPLED: Oct 25, 2017 | DATE RECEIVED: Oct 26, 2017 | | | DATE REPORTED: Dec 04, 2017 | | | SAMPLE TYPE: Rock | | | |
|----------------------------|-----------------------------|-------------------|-----------------------------------|-----------------------------------|--|------------------|--|---------|--|--|
| Analyte: | Drying @ 60°C | Drying @ 105°C | Crush to 75% passing 2mm | Crush to 90% passing 2mm | Crush to misc. (see special instructions) | Split to 250g | Split to misc. (see special instructions) | Transit | Pulverize to 85% passing 75µm | Pulverize to misc. (see special instructions) |
| Unit: RDL: | | | | | | | | | | |
| 177851 (8853077) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177852 (8853078) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177853 (8853079) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177854 (8853080) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177855 (8853081) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177856 (8853082) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177857 (8853083) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177858 (8853084) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177859 (8853085) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177860 (8853086) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177861 (8853087) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177862 (8853088) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177863 (8853089) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177864 (8853090) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177865 (8853091) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177866 (8853092) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177867 (8853093) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177868 (8853094) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177869 (8853095) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 177870 (8853096) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192807 (8853097) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192808 (8853098) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192809 (8853099) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192810 (8853100) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192811 (8853101) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192812 (8853102) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192813 (8853103) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192814 (8853104) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192815 (8853105) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |
| 192816 (8853106) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y |

Certified By:

Sherin Houssef

Certificate of Analysis

AGAT WORK ORDER: 17B276554

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(221-) Prep. - Thunder Bay - Rock

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017

DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Rock

| | Drying @ 60°C | Drying @ 105°C | Crush to 75% passing 2mm | Crush to 90% passing 2mm | Crush to misc. (see special instructions) | Split to 250g | Split to misc. (see special instructions) | Transit | Pulverize to 85% passing 75µm | Pulverize to misc. (see special instructions) | |
|---------------------|------------------|-------------------|-----------------------------------|-----------------------------------|--|---------------|--|---------|--|--|--|
| Analyte: | Unit: RDL: | | | | | | | | | | |
| Sample ID (AGAT ID) | | | | | | | | | | | |
| 192817 (8853107) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192818 (8853108) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192819 (8853109) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192820 (8853110) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192821 (8853111) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192822 (8853112) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192823 (8853113) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192824 (8853114) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192825 (8853115) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192826 (8853116) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192827 (8853117) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192828 (8853118) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192829 (8853119) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192830 (8853120) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192831 (8853121) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192832 (8853122) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192833 (8853123) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192834 (8853124) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192835 (8853125) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192836 (8853126) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192837 (8853127) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192838 (8853128) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192839 (8853129) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192840 (8853130) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192841 (8853131) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192842 (8853132) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192843 (8853133) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |
| 192844 (8853134) | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276537

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(200-) Sample Login Weight

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017


DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Soil

| Sample ID (AGAT ID) | Analyte: | Sample Login Weight |
|---------------------|----------|---------------------|
| | Unit: | kg |
| | RDL: | 0.01 |
| 177871 (8852642) | | .62 |
| 177872 (8852643) | | .61 |
| 177873 (8852644) | | .58 |
| 177874 (8852645) | | .52 |
| 177875 (8852646) | | .55 |
| 177876 (8852647) | | .65 |
| 177877 (8852648) | | .51 |
| 177878 (8852649) | | .54 |
| 177879 (8852650) | | .5 |
| 177880 (8852651) | | .59 |
| 177881 (8852652) | | .6 |
| 177882 (8852653) | | .61 |
| 177883 (8852654) | | .59 |
| 177884 (8852655) | | .62 |
| 177885 (8852656) | | .63 |
| 177886 (8852657) | | .6 |
| 177887 (8852658) | | .57 |
| 177888 (8852659) | | .5 |
| 177889 (8852660) | | .58 |
| 177890 (8852661) | | .51 |
| 177891 (8852662) | | .52 |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276537

PROJECT:


CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

| (202-052) Fire Assay - Trace Au, ICP-OES finish (ppb) | | | | | |
|---|---------------------------|-----------------------------|----------|-----------------------------|--------|
| DATE SAMPLED: Oct 25, 2017 | | DATE RECEIVED: Oct 26, 2017 | | DATE REPORTED: Dec 04, 2017 | |
| | | SAMPLE TYPE: Soil | | | |
| Sample ID (AGAT ID) | Analyte: Unit: RDL: | Au ppb 1 | DIG - FA | FIRE ASSAY | WGH-FA |
| 177871 (8852642) | | 7 | Y | Y | Y |
| 177872 (8852643) | | 8 | Y | Y | Y |
| 177873 (8852644) | | 34 | Y | Y | Y |
| 177874 (8852645) | | 1 | Y | Y | Y |
| 177875 (8852646) | | <1 | Y | Y | Y |
| 177876 (8852647) | | 1 | Y | Y | Y |
| 177877 (8852648) | | 11 | Y | Y | Y |
| 177878 (8852649) | | <1 | Y | Y | Y |
| 177879 (8852650) | | <1 | Y | Y | Y |
| 177880 (8852651) | | 1 | Y | Y | Y |
| 177881 (8852652) | | <1 | Y | Y | Y |
| 177882 (8852653) | | <1 | Y | Y | Y |
| 177883 (8852654) | | 1 | Y | Y | Y |
| 177884 (8852655) | | <1 | Y | Y | Y |
| 177885 (8852656) | | 2 | Y | Y | Y |
| 177886 (8852657) | | 8 | Y | Y | Y |
| 177887 (8852658) | | 4 | Y | Y | Y |
| 177888 (8852659) | | 3 | Y | Y | Y |
| 177889 (8852660) | | 2 | Y | Y | Y |
| 177890 (8852661) | | 1 | Y | Y | Y |
| 177891 (8852662) | | 2 | Y | Y | Y |

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 17B276537

PROJECT:

CLIENT NAME: MISC AGAT CLIENT ON

ATTENTION TO: .

(221-) Prep. - Thunder Bay - Soil

DATE SAMPLED: Oct 25, 2017

DATE RECEIVED: Oct 26, 2017


DATE REPORTED: Dec 04, 2017

SAMPLE TYPE: Soil

| | Analyte: | Drying @ 60°C | Drying @ 105°C | Seive to 80 mesh | Seive to 200 mesh | Seive to 230 mesh | Seive to misc. mesh (see special instructions) | Transit |
|---------------------|---------------|------------------|-------------------|---------------------|----------------------|----------------------|---|---------|
| Sample ID (AGAT ID) | Unit: RDL: | | | | | | | |
| 177871 (8852642) | | Y | Y | Y | Y | Y | Y | Y |
| 177872 (8852643) | | Y | Y | Y | Y | Y | Y | Y |
| 177873 (8852644) | | Y | Y | Y | Y | Y | Y | Y |
| 177874 (8852645) | | Y | Y | Y | Y | Y | Y | Y |
| 177875 (8852646) | | Y | Y | Y | Y | Y | Y | Y |
| 177876 (8852647) | | Y | Y | Y | Y | Y | Y | Y |
| 177877 (8852648) | | Y | Y | Y | Y | Y | Y | Y |
| 177878 (8852649) | | Y | Y | Y | Y | Y | Y | Y |
| 177879 (8852650) | | Y | Y | Y | Y | Y | Y | Y |
| 177880 (8852651) | | Y | Y | Y | Y | Y | Y | Y |
| 177881 (8852652) | | Y | Y | Y | Y | Y | Y | Y |
| 177882 (8852653) | | Y | Y | Y | Y | Y | Y | Y |
| 177883 (8852654) | | Y | Y | Y | Y | Y | Y | Y |
| 177884 (8852655) | | Y | Y | Y | Y | Y | Y | Y |
| 177885 (8852656) | | Y | Y | Y | Y | Y | Y | Y |
| 177886 (8852657) | | Y | Y | Y | Y | Y | Y | Y |
| 177887 (8852658) | | Y | Y | Y | Y | Y | Y | Y |
| 177888 (8852659) | | Y | Y | Y | Y | Y | Y | Y |
| 177889 (8852660) | | Y | Y | Y | Y | Y | Y | Y |
| 177890 (8852661) | | Y | Y | Y | Y | Y | Y | Y |
| 177891 (8852662) | | Y | Y | Y | Y | Y | Y | Y |

Comments: RDL - Reported Detection Limit

Certified By:



Appendix III

Daily Log

River Stage Daily Log – October 2017

| Date | Activity | Claims |
|-------------|---|--|
| October 16 | Travel to Nestor Falls | All |
| October 17 | Drove roads and found property boundaries; did several traverses to get an idea of amount of outcrop | 4276597, 4276598, 4276599, 4276556, 4276557, 4282551 |
| October 18 | Both crews prospected and sampled on claims 4276556 and 4276557 | 4276556 and 4276557 |
| October 19 | Both crews continued to prospect and sample claims 4276556 and 4276557 | 4276556 and 4276557 |
| October 20 | D. Cullen and G. Warren prospected and sampled 4276598, and M.Marostica and C. Brown prospected/sampled 4276556 and 4276599 | 4276598, 4276556 and 4276599 |
| October 21 | D. Cullen and G. Warren prospected and sampled 4276597 and 4276598, M.Marostica and C. Brown soil sampled on 44276556 | 4276597, 4276598 and 4276556 |
| October 24 | De-mob and travel back to T.Bay | All |

| Sample No. | UTMs (NAD 83, Zone 15) | | Assay (ppb Au) |
|------------|------------------------|----------|----------------|
| | Easting | Northing | |
| 177871 | 455372 | 5439995 | 7 |
| 177872 | 455377 | 5439969 | 8 |
| 177873 | 455389 | 5439954 | 34 |
| 177874 | 455387 | 5439941 | 1 |
| 177875 | 455388 | 5439926 | <1 |
| 177876 | 455934 | 5439920 | 1 |
| 177877 | 455398 | 5439906 | 11 |
| 177878 | 455409 | 543885 | <1 |
| 177879 | 455410 | 5439876 | <1 |
| 177880 | 454686 | 5439768 | 1 |
| 177881 | 454690 | 5439795 | <1 |
| 177882 | 454680 | 5439805 | <1 |
| 177883 | 454680 | 5439813 | 1 |
| 177884 | 454678 | 5439834 | <1 |
| 177885 | No GPS reading | | 2 |
| 177886 | 454659 | 5439880 | 8 |
| 177887 | 454438 | 5439570 | 4 |
| 177888 | 454424 | 5439609 | 3 |
| 177889 | 454409 | 5439619 | 2 |
| 177890 | 454417 | 5439635 | 1 |
| 177891 | 454416 | 5439653 | 2 |