



We are committed to providing <u>accessible customer service</u>. If you need accessible formats or communications supports, please <u>contact us</u>.

Nous tenons à améliorer <u>l'accessibilité des services à la clientèle</u>. Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez <u>nous contacter</u>.

Abstract

Under advice of a metallurgist, we crushed a large sample of material from the Gold showing GPS 517252mE, 5190045mN. The purpose was to determine if the gold is tied up in the sulphides. The material was crusted to 100 mesh. On sample #1674821 was taken from the crushed material. We then panned a large portion of the material and produced a gravity concentrate sample #1674822. The results confirmed that the gold appears to be associated with the sulphides even though no gold is visible. The samples were taken last fall in Aylmer Township on legacy claim 4203306, single cell 177357 UTM 51725ZmE, 5190045mN.





LOCATION AND ACCESS

Aylmer Township is located north of Lake Wanapitei, Sudbury Mining Division. Access to the mining claims in Aylmer Township is via Highway 545 North of Capreol and onto the Portelance Road. You travel north for 18 km after the turnoff for the Wanapitei First Nation. You then leave the Portelance Road and turn South over the bridge of the Wanapitei River onto the Poupore Road. You travel on the Poupore Road for 11 km to 13 km to access the claims in difference areas.




Figure 2: IOCG Joint Venture Group claim map



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221
Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: PRECAMBRIAN EQUIPMENT LIMITED 2355 LASALLE BLVD. SUDBURY ON P3A 2A9

Page: 1 Total # Pages: 2 (A) Plus Appendix Pages Finalized Date: 25-FEB-2019 This copy reported on 8-AUG-2019 Account: PREEQU

CERTIFICATE SD19038333

Project: Aylmer

This report is for 2 Concentrate samples submitted to our lab in Sudbury, ON, Canada on 14-FEB-2019.

The following have access to data associated with this certificate: FRED DELABBIO

| SAMPLE PREPARATION | | | | | | |
|--------------------|--------------------------------|--|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | |
| WEI-21 | Received Sample Weight | | | | | |
| PUL-QC | Pulverizing QC Test | | | | | |
| LOG-21 | Sample logging - ClientBarCode | | | | | |
| PUL-31 | Pulverize split to 85% <75 um | | | | | |

| ANALYTICAL PROCEDURES | | | | | | |
|-----------------------|--------------------------------|----------|--|--|--|--|
| ALS CODE | DESCRIPTION | | | | | |
| Co-OG62 | Ore Grade Co - Four Acid | 10 | | | | |
| ME-OG62 | Ore Grade Elements - Four Acid | ICP-AES | | | | |
| Cu-OG62 | Ore Grade Cu - Four Acid | | | | | |
| PGM-ICP27 | Ore grade Pt, Pd and Au by ICP | ICP-AES | | | | |
| Au-GRA21 | Au 30g FA-GRAV finish | WST-\$IM | | | | |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221
www.alsglobal.com/geochemistry

To: PRECAMBRIAN EQUIPMENT LIMITED 2355 LASALLE BLVD. SUDBURY ON P3A 2A9 Page: 2 - A Total # Pages: 2 (A) Plus Appendix Pages Finalized Date: 25-FEB-2019 Account: PREEQU

Project: Aylmer

| (ALS |) | | CERTIFICATE OF ANALYSIS SD19038333 | | | | | | | | | | |
|-------------------|-----------------------------------|-----------------------------------|------------------------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|-----------------------------|---------------------------------|--------------|--------|------------|--|
| | | | 2 | | | | | | CERTI | FICATE OF AN | ALYSIS | SD19038333 | |
| ample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg 0.02 | PGM-ICP27 Au ppm 0.01 | PGM-ICP27 Pt ppm 0.01 | PGM-ICP27 Pd ppm 0.01 | Au-GRA21 Au ppm 0.05 | Co-OG62 Co % 0.0005 | Cu-OG62 Cu % 0.001 | PUL-QC Pass75um % 0.01 | | | • | |
| 674821 674822 | | 0.15 0.09 | 39.0 >100 | 0.02 0.01 | <0.01 0.01 | 125.0 | 0.0502 0.0612 | 0,005 0,006 | 97.6 | | | | |
| | | | | | | ŧ | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | - | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | - | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

^{*****} See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Var.couver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: PRECAMBRIAN EQUIPMENT LIMITED
2355 LASALLE BLVD.
SUDBURY ON P3A 2A9

Page: Appendix 1 Total # Appendix Pages: 1 Finalized Date: 25-FEB-2019 Account: PREEQU

Project: Aylmer

CERTIFICATE OF ANALYSIS SD19038333

| | CERTIFICATE COMMENTS | * | |
|--------------------|--|---------|--|
| Applies to Method: | LABORATORY ADDRESSES Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada. LOG-21 PUL-31 PUL-QC | WEI-21 | |
| Applies to Method: | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-GRA21 Co-OG62 Cu-OG62 PGM-ICP27 | ME-OG62 | |
| | | | |
| ± | | | |
| | ** | | |
| | | | |
| | | | |
| | | | |
| | | | |

SD19038333 - Finalized

CLIENT : PREEQU - Precambrian Equipment Limited

of SAMPLES: 2

DATE RECEIVED: 2019-02-14 DATE FINALIZED: 2019-02-25 PROJECT: Aylmer CERTIFICATE COMMENTS:

PO NUMBER:

SAMPLE DESCRIPTION 1674821 1674822

| PGM-ICP2 | 7 PGM | I-ICP27 | PGM-IC | P27 A | u-GRA21 | Co | -OG62 | Cu-0 | OG62 |
|----------|-------|---------|--------|-------|---------|----|--------|------|-------|
| Au · | Pt | | Pd | Α | λu | Co | | Cu | |
| ppm | ppm | | ppm | p | pm | % | | % | |
| | 39 | 0.02 | < 0.01 | | | | 0.0502 | | 0.005 |
| >100 | | 0.01 | | 0.01 | 12 | 5 | 0.0612 | | 0.006 |

SD19038333 - Finalized

CLIENT: PREEQU - Precambrian Equipment Limited

of SAMPLES: 2

DATE RECEIVED: 2019-02-14 DATE FINALIZED: 2019-02-25

PROJECT : Aylmer CERTIFICATE COMMENTS :

PO NUMBER:

| | PGIVI-ICP27 | PGM-ICP27 | PGM-ICP27 | Au-GRA21 | C0-UG62 | Cu-OG62 |
|-------------|-------------|-----------|-----------|----------|---------|---------|
| SAMPLE | Au | Pt | Pd | Au | Co | Cu |
| DESCRIPTION | ppm | ppm | ppm | ppm | % | % |
| 674821 | 39 | 0.02 | < 0.01 | | | |
| 1674821 | 38.9 | 0.01 | < 0.01 | | | |
| 1674822 | >100 | 0.01 | 0.01 | | | |
| 1674822 | >100 | 0.01 | < 0.01 | | | |
| | | | | | | |

SD19038333 - Finalized

CLIENT: PREEQU - Precambrian Equipment Limited

of SAMPLES ; 2

DATE RECEIVED: 2019-02-14 DATE FINALIZED: 2019-02-25

PROJECT : Aylmer CERTIFICATE COMMENTS :

PO NUMBER:

| | PGM-ICP2 | 7 PGM-ICP2 | 7 PGM-ICP2 | 7 Au-GRA21 | Co-OG62 | Cu-OG62 |
|-------------|----------|------------|------------|------------|----------|---------|
| SAMPLE | Au | Pt | Pd | Au | Co | Cu |
| DESCRIPTION | ppm | ppm | ppm | ppm | % | % |
| GPP-14 | 0. | 93 0. | 52 0 | .5 | | |
| GPP-14 | 0.9 | 92 0. | 51 0.4 | 19 | | |
| JK-17 | | | | 1.95 | 5 | |
| OREAS-133b | | | | | 0.0017 | 0.032 |
| OREAS-133b | | | | | 0.0017 | 0.032 |
| OREAS 684 | 0.3 | 25 3. | 73 1.6 | 39 | | |
| OREAS 684 | 0.3 | 25 3. | 37 1.7 | 71 | | |
| EMOG-17 | | | | | 0.0755 | 0.827 |
| EMOG-17 | | | | | 0.0762 | 0.823 |
| OREAS-134b | | | | | 0.0106 | 0.135 |
| OREAS 932 | | | | | 0.0065 | 6.13 |
| OREAS 932 | | | | | 0.0064 | 6.02 |
| OREAS-134b | | | | | 0.0103 | 0.133 |
| AMIS0160 | | | | | 3.09 | 1.985 |
| G915-10 | | | | 49.1 | 1 | |
| MP-1b | | | | | < 0.0005 | 3.04 |
| AMIS0160 | | | | | 3.1 | 2.02 |
| BLANK | < 0.01 | < 0.01 | < 0.01 | | | |
| BLANK | < 0.01 | < 0.01 | <0.01 | | | |
| BLANK | | | | < 0.05 | | |
| BLANK | | | | | < 0.0005 | < 0.001 |
| BLANK | | | | | < 0.0005 | < 0.001 |
| | | | | | | |