ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

CERTIFICATE SD18104611

Project: IRON MASK

This report is for 212 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

To: **BATTERY MINERAL RESOURCES LTD.**
ATTN: PETER DOYLE
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7904		1.59	0.03	7.17	3.0	150	2.34	0.04	0.36	0.04	292	6.9	16	0.40	6.0	1.61
7905		1.56	0.04	6.48	3.3	60	1.35	0.05	0.29	0.03	212	9.3	18	0.13	6.7	1.43
7906		1.34	0.06	5.80	3.9	30	1.52	0.08	0.15	0.03	88.6	14.8	18	0.09	7.1	1.23
7907		1.05	0.01	5.67	2.8	30	3.81	0.04	0.12	0.03	83.3	4.9	12	0.08	7.8	0.75
7908		1.62	0.02	6.87	2.6	50	1.55	0.05	0.25	0.03	195.5	6.9	13	0.13	7.6	1.42
7909		1.26	0.03	6.91	2.9	60	2.03	0.04	0.22	0.03	173.0	7.5	11	0.22	9.2	1.66
7910		1.14	0.03	5.69	3.2	30	1.69	0.06	0.13	0.03	197.0	7.4	13	0.09	13.2	1.25
7911		1.19	0.03	6.48	2.9	70	2.00	0.05	0.17	0.03	196.0	10.0	12	0.30	10.0	1.44
7912		1.48	0.02	6.67	4.0	50	1.66	0.05	0.22	0.03	212	12.0	12	0.16	10.1	1.26
7913		1.92	0.04	6.56	7.7	60	1.74	0.10	0.18	0.02	72.6	27.9	14	0.19	21.2	1.40
7914		1.99	0.01	6.85	3.4	40	1.56	0.05	0.23	0.03	120.5	9.9	14	0.12	7.7	1.47
7915		1.92	0.03	6.76	2.5	60	1.78	0.03	0.25	0.03	168.5	5.2	12	0.17	3.0	1.41
7916		1.95	0.02	7.12	4.7	70	1.76	0.05	0.27	0.03	171.5	11.3	11	0.20	9.0	1.44
7917		1.08	0.03	6.97	2.9	70	1.70	0.04	0.27	0.02	149.5	5.8	11	0.22	6.0	1.40
7918		1.18	0.02	6.89	4.2	70	1.95	0.04	0.23	0.03	151.5	8.9	15	0.20	5.2	1.19
7919		1.22	0.04	5.85	7.3	40	2.21	0.07	0.16	0.04	55.0	13.8	16	0.07	10.5	0.47
7920		1.21	0.02	6.41	2.7	30	2.24	0.04	0.42	0.02	63.3	3.7	11	0.10	7.1	0.64
7921		1.17	0.02	6.60	2.4	80	2.13	0.03	0.34	0.03	89.9	4.4	12	0.40	6.0	1.27
7922		1.82	0.02	6.40	4.3	60	1.98	0.04	0.15	0.04	80.4	8.7	12	0.29	9.2	1.40
7923		1.85	0.04	6.28	3.1	60	1.66	0.03	0.11	0.02	97.5	4.1	12	0.23	2.7	1.05
7924		2.06	0.03	6.74	3.2	70	1.58	0.02	0.17	0.03	129.5	5.3	11	0.32	3.1	1.24
7925		0.97	<0.01	0.11	0.4	20	0.09	0.01	32.3	<0.02	1.42	0.9	2	<0.05	1.2	0.10
7926		2.41	0.03	6.98	3.4	80	2.04	0.03	1.33	0.02	108.0	16.6	12	0.64	22.6	2.42
7927		1.17	0.02	6.37	2.5	30	1.90	0.06	0.71	0.02	120.0	12.2	14	0.10	26.1	1.18
7928		1.81	0.07	6.83	3.5	160	1.11	0.18	4.01	0.03	22.7	47.7	55	1.28	109.5	6.57
7929		1.35	0.09	7.26	1.8	150	0.55	0.12	6.48	0.05	17.80	46.6	49	1.04	143.0	8.01
7930		2.79	0.08	7.18	2.0	60	0.78	0.13	6.41	0.04	17.65	41.1	51	0.20	119.5	8.17
7931		2.19	0.10	7.22	1.5	80	0.63	0.10	6.55	0.07	18.40	42.5	51	0.27	145.5	8.32
7932		2.35	0.07	7.06	1.8	110	0.63	0.09	6.73	0.07	17.25	41.8	44	0.62	113.0	8.31
7933		2.61	0.08	7.18	2.1	160	0.60	0.08	6.78	0.07	19.30	45.7	34	1.02	148.5	8.64
7934		2.33	0.09	7.25	2.0	160	0.51	0.08	6.76	0.10	19.25	46.1	40	0.94	140.5	8.49
7935		2.43	0.07	7.18	1.1	120	0.50	0.09	6.64	0.06	18.50	45.3	41	0.78	111.0	8.43
7936		2.35	0.10	6.98	1.8	140	0.48	0.08	6.81	0.08	16.95	45.5	41	0.80	135.0	8.30
7937		2.37	0.10	7.21	1.8	130	0.52	0.09	6.94	0.08	17.25	45.8	39	0.76	145.0	8.31
7938		2.36	0.10	7.14	1.6	130	0.47	0.08	6.62	0.10	15.70	43.0	43	0.48	140.0	7.96
7939		1.03	0.05	6.84	2.7	40	0.51	0.07	5.67	0.09	16.75	39.2	33	0.06	89.8	8.73
7940		0.96	0.04	6.85	3.2	40	0.46	0.08	6.46	0.08	17.55	34.8	29	0.05	61.4	8.41
7941		0.09	4.30	5.29	13.1	110	0.52	0.87	3.33	1.93	17.25	935	258	0.72	>10000	17.80
7942		2.46	0.09	7.41	3.0	100	0.69	0.11	6.62	0.10	20.0	47.3	31	0.45	158.5	9.03
7943		2.36	0.10	7.27	2.6	160	0.63	0.11	6.75	0.13	21.6	49.2	25	1.08	153.0	8.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7904		22.5	0.21	7.0	0.013	0.62	168.0	6.3	0.35	113	2.25	5.35	14.3	3.0	590	13.1
7905		19.40	0.19	4.3	0.010	0.30	123.5	2.6	0.17	69	5.42	5.16	7.0	2.4	490	9.9
7906		16.25	0.11	3.7	0.006	0.20	49.8	1.6	0.10	49	4.48	5.02	6.7	3.0	210	10.3
7907		20.3	0.12	2.8	<0.005	0.17	46.0	1.4	0.08	46	1.44	5.28	29.4	1.7	110	8.1
7908		19.80	0.18	6.6	0.008	0.21	108.5	3.2	0.22	74	3.33	5.85	14.4	3.1	370	10.0
7909		20.1	0.19	6.8	0.009	0.26	95.6	3.8	0.28	83	4.38	5.57	12.9	3.4	330	10.2
7910		16.45	0.21	3.1	0.011	0.16	111.0	1.7	0.12	50	38.9	4.86	7.1	2.0	160	8.9
7911		18.75	0.19	6.4	0.010	0.29	110.0	4.1	0.32	82	5.96	5.41	13.2	3.4	360	9.7
7912		19.35	0.20	6.3	0.010	0.25	116.5	3.7	0.28	85	2.50	5.46	12.7	2.9	350	8.7
7913		18.20	0.14	6.1	0.006	0.25	39.7	4.1	0.32	93	3.20	5.42	12.6	4.4	350	9.4
7914		18.60	0.14	6.4	0.005	0.18	66.0	3.3	0.29	90	3.08	5.55	12.1	3.0	390	10.2
7915		19.90	0.19	6.3	0.008	0.23	91.8	3.8	0.28	87	5.92	5.50	13.2	2.8	350	12.5
7916		20.0	0.20	6.6	0.009	0.29	92.8	3.8	0.28	99	3.55	5.85	13.6	2.8	360	9.6
7917		21.6	0.19	6.6	0.008	0.30	81.0	4.1	0.27	97	3.60	5.79	15.4	2.5	370	10.4
7918		21.6	0.19	6.0	0.010	0.30	83.2	4.1	0.27	93	4.46	5.79	14.8	2.6	330	10.1
7919		19.20	0.14	3.5	<0.005	0.23	30.4	0.9	0.05	41	2.63	5.56	15.0	1.4	70	7.5
7920		20.8	0.13	3.5	<0.005	0.20	34.2	1.4	0.07	65	2.68	5.29	14.5	1.1	50	6.0
7921		17.40	0.15	4.8	0.009	0.32	47.8	4.8	0.32	112	3.25	5.14	11.9	2.2	220	7.9
7922		18.00	0.16	4.6	0.009	0.28	42.3	4.3	0.32	96	2.48	5.26	9.2	3.1	210	7.5
7923		17.60	0.17	4.4	0.007	0.24	52.3	3.8	0.31	82	1.94	5.19	9.4	2.8	200	8.8
7924		19.00	0.18	5.7	0.008	0.27	70.5	4.5	0.38	96	1.31	5.42	12.9	3.0	290	8.6
7925		0.42	0.13	<0.1	<0.005	0.01	1.4	0.9	1.20	86	0.12	0.06	0.2	0.4	60	<0.5
7926		21.4	0.22	5.7	0.013	0.38	58.3	7.5	0.76	247	1.55	4.92	16.8	6.0	260	5.1
7927		16.10	0.23	6.2	0.009	0.11	65.2	3.5	0.37	116	2.60	4.92	13.2	4.3	290	4.5
7928		19.50	0.11	2.4	0.052	0.80	12.1	12.6	2.81	857	1.88	2.53	3.8	61.2	300	25.0
7929		16.55	0.09	1.5	0.064	0.70	7.5	11.8	3.73	1240	0.55	1.41	3.1	87.8	340	4.4
7930		16.15	0.08	1.6	0.113	0.29	7.2	8.5	3.82	1320	0.57	2.05	3.1	72.6	320	3.9
7931		16.65	0.09	1.7	0.087	0.36	8.2	11.1	3.68	1300	0.54	1.75	3.1	79.5	330	5.0
7932		15.70	0.07	1.6	0.079	0.48	7.5	9.8	3.69	1320	0.52	1.61	3.0	77.8	320	4.5
7933		16.30	0.07	1.6	0.064	0.68	8.2	10.3	3.66	1380	0.58	1.54	3.2	76.6	350	4.5
7934		16.60	0.07	1.6	0.065	0.72	8.3	13.2	3.77	1360	0.50	1.53	3.2	79.6	340	5.2
7935		16.25	0.07	1.6	0.059	0.55	7.9	11.7	3.83	1350	0.55	1.70	3.1	80.1	330	3.9
7936		16.10	0.07	1.6	0.054	0.63	7.3	12.0	3.77	1370	0.47	1.48	2.9	83.3	310	3.7
7937		16.05	0.06	1.6	0.058	0.59	7.5	10.8	3.86	1400	0.52	1.49	3.0	81.6	320	4.0
7938		15.20	0.09	1.4	0.050	0.57	7.1	12.6	3.83	1380	0.58	1.53	2.7	82.9	300	4.5
7939		14.65	0.08	1.5	0.077	0.16	7.1	7.8	3.79	1340	0.69	2.83	3.0	73.7	310	7.3
7940		16.35	0.07	1.6	0.090	0.16	7.7	6.2	3.44	1280	0.54	2.64	2.8	64.6	300	7.4
7941		11.30	0.26	1.3	0.119	0.31	7.3	10.1	3.90	957	4.46	1.14	5.0	>10000	450	13.3
7942		18.85	0.14	1.9	0.084	0.43	8.5	12.7	3.77	1480	0.71	2.00	3.5	89.0	360	10.8
7943		18.85	0.13	1.9	0.079	0.66	9.2	11.4	3.59	1500	0.67	1.64	3.6	74.4	370	22.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7904		24.7	<0.002	0.05	0.20	3.6	1	2.1	45.0	0.74	<0.05	75.1	0.204	0.14	10.6	17
7905		8.8	<0.002	0.08	0.16	2.0	1	1.5	23.9	0.39	<0.05	62.0	0.116	0.06	12.7	14
7906		5.5	<0.002	0.14	0.17	1.3	1	1.0	18.2	0.42	<0.05	77.3	0.096	0.04	29.9	11
7907		4.6	<0.002	0.05	0.15	1.4	1	0.9	18.0	5.70	<0.05	33.3	0.067	0.03	12.2	7
7908		6.1	<0.002	0.08	0.18	3.0	1	1.7	24.5	0.95	<0.05	75.0	0.166	0.04	10.9	13
7909		9.0	<0.002	0.07	0.17	2.9	1	1.7	22.4	0.96	<0.05	80.0	0.161	0.06	11.1	14
7910		4.4	<0.002	0.07	0.17	2.0	1	1.3	17.3	0.57	<0.05	57.9	0.093	0.04	14.9	14
7911		10.7	<0.002	0.08	0.15	2.7	1	1.7	21.6	0.88	<0.05	78.2	0.164	0.07	13.2	15
7912		7.3	<0.002	0.09	0.16	2.8	1	1.6	24.9	0.87	<0.05	71.6	0.166	0.06	9.7	14
7913		7.8	<0.002	0.25	0.17	2.2	1	1.7	22.4	0.82	<0.05	72.6	0.166	0.05	9.5	14
7914		5.1	<0.002	0.08	0.18	2.4	1	1.7	21.2	0.80	<0.05	72.1	0.164	0.04	9.4	16
7915		7.6	<0.002	0.04	0.17	2.9	1	1.7	28.1	0.89	<0.05	77.4	0.165	0.05	10.8	13
7916		9.6	<0.002	0.08	0.18	2.8	1	1.8	27.7	0.95	<0.05	73.1	0.172	0.06	10.2	12
7917		9.6	<0.002	0.03	0.20	3.1	1	1.9	29.4	1.17	<0.05	73.8	0.173	0.05	11.4	12
7918		9.6	<0.002	0.06	0.20	3.4	1	1.6	28.8	1.10	<0.05	67.8	0.162	0.07	11.3	9
7919		5.0	<0.002	0.08	0.19	2.6	1	0.6	26.3	1.48	<0.05	31.5	0.041	0.04	8.0	3
7920		4.9	<0.002	0.03	0.17	3.3	1	0.6	20.3	1.75	<0.05	36.9	0.047	0.03	7.2	4
7921		13.2	<0.002	0.01	0.17	2.7	1	0.9	27.1	0.96	<0.05	52.4	0.105	0.08	8.7	10
7922		9.7	<0.002	0.04	0.16	2.2	1	0.9	19.9	0.65	<0.05	52.7	0.112	0.06	11.3	13
7923		8.3	<0.002	0.01	0.21	2.2	1	0.7	20.5	0.76	<0.05	58.1	0.106	0.06	14.5	10
7924		10.4	<0.002	0.01	0.18	3.0	1	1.0	23.0	0.85	<0.05	64.9	0.149	0.07	10.0	12
7925		0.5	<0.002	<0.01	0.08	0.2	2	<0.2	84.7	<0.05	<0.05	0.28	0.005	<0.02	0.2	1
7926		18.0	<0.002	0.10	0.13	4.1	1	1.2	29.2	1.60	<0.05	53.0	0.135	0.13	9.1	28
7927		3.6	<0.002	0.11	0.13	3.2	1	0.8	25.7	0.87	<0.05	64.3	0.147	0.03	10.4	15
7928		45.9	<0.002	0.22	0.32	27.6	1	0.8	109.0	0.26	<0.05	2.90	0.462	0.28	2.1	190
7929		39.4	<0.002	0.09	0.43	34.5	1	0.8	192.0	0.21	<0.05	1.98	0.499	0.24	0.6	238
7930		13.8	<0.002	0.08	0.44	33.9	1	1.0	191.5	0.21	0.05	1.90	0.495	0.08	0.8	243
7931		15.8	<0.002	0.10	0.43	35.2	<1	0.8	199.0	0.22	<0.05	1.95	0.507	0.09	0.6	245
7932		20.3	<0.002	0.08	0.41	34.0	1	0.8	187.0	0.21	<0.05	1.82	0.502	0.15	0.6	243
7933		32.9	0.002	0.10	0.37	35.1	1	0.8	180.5	0.21	<0.05	1.94	0.535	0.30	0.6	255
7934		41.9	0.002	0.09	0.42	36.3	1	0.8	187.5	0.22	<0.05	2.06	0.522	0.29	0.6	249
7935		28.5	<0.002	0.09	0.41	35.8	1	0.8	189.0	0.22	<0.05	1.91	0.512	0.21	0.6	249
7936		25.5	<0.002	0.08	0.36	33.8	1	0.7	184.5	0.21	<0.05	1.71	0.492	0.19	0.5	240
7937		27.3	<0.002	0.09	0.38	35.3	1	0.8	187.0	0.20	<0.05	1.86	0.508	0.16	0.5	244
7938		25.4	<0.002	0.08	0.39	34.5	1	0.7	191.0	0.19	<0.05	1.68	0.485	0.15	0.5	233
7939		4.1	0.002	0.06	0.69	35.0	<1	0.9	244	0.20	<0.05	1.82	0.492	0.03	0.7	232
7940		3.8	0.002	0.06	0.90	32.6	1	0.9	361	0.20	<0.05	1.77	0.455	0.03	0.7	238
7941		10.2	0.043	7.99	3.15	8.5	22	2.4	179.5	0.30	4.78	1.05	0.509	0.17	0.3	76
7942		18.5	<0.002	0.09	0.51	35.5	<1	1.0	238	0.18	<0.05	2.26	0.558	0.17	0.9	262
7943		32.8	<0.002	0.10	0.47	34.5	<1	1.0	202	0.19	<0.05	2.38	0.568	0.28	0.8	264

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7904		0.3	18.7	25	291				79.9	85.4
7905		0.2	12.1	12	174.0					
7906		0.2	14.9	7	137.0					
7907		0.2	23.9	7	79.8					
7908		0.2	16.6	11	258					
7909		0.3	18.3	13	261					
7910		0.2	13.9	9	113.0					
7911		0.3	16.8	15	253					
7912		0.3	15.2	14	247					
7913		0.3	15.4	15	242					
7914		0.3	14.2	15	253					
7915		0.3	14.6	14	249					
7916		0.3	16.2	14	255					
7917		0.2	16.5	15	260					
7918		0.3	18.1	14	235					
7919		0.1	12.9	6	81.3					
7920		0.1	16.0	5	82.9					
7921		0.2	15.3	16	168.0					
7922		0.2	13.7	16	163.0					
7923		0.2	12.1	14	159.0					
7924		0.3	12.7	16	226					
7925		<0.1	2.1	2	1.6					
7926		0.3	15.1	25	215					
7927		0.4	14.4	12	234					
7928		0.4	16.2	72	102.5					
7929		0.3	16.8	88	61.0					
7930		0.4	17.4	88	62.1					
7931		0.4	16.1	92	60.4					
7932		0.3	15.6	89	56.6					
7933		0.3	16.5	89	61.2					
7934		0.3	16.4	94	60.8					
7935		0.3	16.0	90	60.0					
7936		0.3	15.2	93	55.7					
7937		0.3	15.8	96	58.6					
7938		0.3	14.1	100	57.7					
7939		0.5	15.2	92	57.1					
7940		0.5	16.3	82	56.8					
7941		2.7	8.7	135	49.3		1.600	4.47		
7942		0.4	17.8	103	72.8					
7943		0.4	18.7	109	70.9				66.1	92.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7944		2.18	0.13	7.47	2.3	140	0.73	0.10	6.77	0.14	21.7	48.4	50	1.15	147.0	8.60
7945		2.38	0.07	6.79	2.0	140	0.66	0.08	6.32	0.09	21.8	42.6	38	0.99	99.0	8.06
7946		2.03	0.09	7.22	2.2	170	0.68	0.10	6.48	0.10	24.0	49.0	35	1.15	135.5	9.16
7947		2.11	0.11	7.18	3.0	200	0.80	0.12	6.28	0.11	23.7	48.8	34	0.75	153.5	9.14
7948		2.38	0.10	6.84	2.5	130	1.11	0.11	7.35	0.10	31.6	34.8	18	0.22	187.0	8.39
7949		2.22	0.11	7.36	2.4	180	0.77	0.19	6.52	0.26	24.9	50.6	32	1.25	147.0	9.40
7950		1.25	0.08	7.09	1.2	180	1.22	0.27	6.22	0.36	25.5	44.2	24	1.14	101.5	8.34
8001		0.97	0.10	5.39	0.8	80	1.48	0.14	1.81	0.53	32.7	37.9	28	0.77	78.1	6.51
8002		1.33	0.08	1.86	1.0	20	0.46	0.89	0.87	0.28	23.6	23.0	21	0.32	51.6	3.68
8003		0.08	>100	5.13	1575	550	0.69	16.50	0.27	12.95	21.4	90.6	30	1.51	>10000	3.44
8004		0.97	0.50	0.20	0.3	30	0.16	0.02	31.2	0.02	0.95	1.3	2	0.06	23.5	0.11
8005		1.04	0.19	5.57	2.2	30	0.48	0.31	1.66	1.26	6.61	60.6	17	0.63	44.6	12.15
8006		1.16	0.07	7.34	0.7	80	1.18	0.21	3.33	0.07	25.3	46.0	27	0.56	61.7	9.02
8007		1.15	0.06	6.87	1.6	170	0.80	0.32	6.29	0.06	25.1	45.3	16	0.96	68.8	9.11
8008		2.31	0.08	7.05	1.4	160	1.02	0.26	6.48	0.07	27.2	43.6	15	0.68	86.4	8.84
8009		2.51	0.10	7.10	3.3	210	0.84	0.21	6.15	0.09	28.4	51.2	12	1.03	148.5	9.93
8010		2.67	0.08	6.86	3.1	180	0.85	0.20	5.90	0.10	24.6	48.8	12	0.75	134.0	9.46
8011		2.52	0.11	6.93	2.2	180	0.89	0.20	6.49	0.09	23.1	52.0	10	0.94	144.5	10.05
8012		1.55	0.05	6.90	0.9	140	1.56	0.19	7.04	0.06	53.6	34.4	10	0.64	76.4	8.48
8013		1.14	0.19	5.19	1.3	50	2.25	0.18	6.60	0.05	462	77.3	1	0.41	380	12.20
8014		1.58	0.04	6.82	1.0	90	1.66	0.08	5.72	0.07	175.5	36.5	6	0.56	34.6	10.70
8015		2.43	0.10	6.52	1.3	110	1.13	0.14	6.38	0.16	29.3	45.7	3	0.41	130.5	9.57
8016		1.68	0.13	6.73	2.2	140	0.58	0.17	6.42	0.10	16.85	53.5	5	0.99	181.5	10.45
8017		1.16	0.07	6.53	1.2	90	1.55	0.12	6.26	0.11	67.6	44.2	4	0.56	90.6	10.60
8018		1.87	0.04	6.23	3.8	50	1.49	0.06	6.23	0.08	83.0	40.0	3	0.22	35.6	9.30
8019		1.94	0.07	6.81	3.2	110	0.87	0.11	6.16	0.11	24.3	45.4	4	0.25	63.6	9.46
8020		2.20	0.13	6.83	2.4	190	0.72	0.16	6.33	0.11	20.7	52.6	3	1.05	155.0	10.05
8021		2.22	0.08	6.83	1.7	250	0.77	0.17	5.73	0.11	25.3	46.1	4	1.02	83.6	9.82
8022		2.37	0.08	6.56	3.6	190	1.05	0.17	5.66	0.13	32.5	49.5	2	0.64	89.0	11.15
8023		2.36	0.10	5.93	3.6	170	1.04	0.14	4.96	0.15	41.3	52.5	2	0.68	122.0	12.35
8024		2.49	0.11	5.97	3.1	180	0.81	0.15	5.17	0.12	32.9	53.1	3	0.67	140.5	11.75
8025		0.97	<0.01	0.06	<0.2	30	0.06	0.02	32.5	<0.02	0.94	0.7	1	<0.05	1.4	0.11
8026		2.40	0.09	6.30	3.0	180	0.97	0.15	4.68	0.18	48.2	49.9	2	0.67	93.8	11.95
8027		2.32	0.11	6.12	3.1	300	0.83	0.16	5.00	0.16	33.0	57.8	1	1.25	137.0	13.65
8028		2.44	0.09	6.18	2.3	270	0.95	0.16	4.60	0.12	38.7	53.8	2	1.17	95.9	13.45
8029		2.25	0.09	6.40	3.2	300	1.15	0.20	5.05	0.13	37.4	54.8	2	1.43	99.6	12.95
8030		2.53	0.15	6.30	4.9	260	0.86	0.20	5.06	0.18	30.7	58.6	1	1.06	159.5	13.50
8031		2.43	0.13	6.14	4.4	260	0.91	0.18	4.87	0.19	40.6	55.6	2	0.97	131.5	12.30
8032		2.75	0.13	6.05	3.8	250	1.02	0.18	4.75	0.20	38.1	56.2	5	0.96	137.0	12.85
8033		2.50	0.13	6.25	2.8	320	1.04	0.19	4.75	0.21	38.2	54.4	2	1.14	133.0	13.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7944		19.15	0.13	1.9	0.073	0.65	9.3	13.0	3.83	1390	0.64	1.69	3.6	86.4	370	20.2
7945		18.30	0.10	1.9	0.070	0.62	9.2	10.8	3.36	1330	0.68	1.66	3.6	71.0	370	6.8
7946		19.35	0.11	2.2	0.072	0.78	10.3	14.6	3.49	1400	0.76	1.63	4.0	72.3	400	7.4
7947		19.45	0.10	2.0	0.073	0.74	10.1	15.0	3.46	1420	0.64	1.81	3.9	71.7	400	6.5
7948		20.9	0.11	2.8	0.178	0.41	13.1	8.6	2.86	1220	0.62	2.25	5.2	51.6	510	15.8
7949		20.1	0.11	2.1	0.081	0.79	10.8	12.6	3.53	1410	0.63	1.80	4.0	73.1	410	48.1
7950		20.7	0.10	2.1	0.098	0.78	11.1	11.9	3.30	1200	0.53	1.94	4.1	79.2	430	116.0
8001		26.6	0.11	1.8	0.037	0.40	16.9	16.0	3.06	750	9.73	1.54	3.7	62.3	300	119.5
8002		18.70	0.07	0.4	0.019	0.13	11.2	7.5	2.10	405	139.5	0.03	1.2	38.3	50	30.4
8003		33.0	0.30	2.6	3.87	0.99	8.7	24.8	0.05	89	5.21	0.53	7.0	1435	470	1335
8004		0.80	0.08	0.1	<0.005	0.11	1.1	2.3	1.13	82	0.38	0.08	0.3	<0.2	60	1.5
8005		61.6	0.09	2.8	0.039	0.30	2.1	29.2	5.99	1390	58.6	0.70	6.1	82.4	430	187.0
8006		40.1	0.09	2.3	0.063	0.38	11.6	17.1	4.65	1110	19.65	2.36	4.5	69.4	420	9.8
8007		19.90	0.08	2.5	0.091	0.76	10.7	10.0	3.20	1210	0.97	1.82	4.4	63.3	430	5.6
8008		20.0	0.09	2.3	0.096	0.65	11.7	10.5	3.13	1240	0.70	1.98	4.5	59.1	430	6.0
8009		20.8	0.10	2.5	0.076	0.85	12.2	10.3	3.16	1510	0.71	1.83	4.7	61.7	440	6.6
8010		19.10	0.09	2.1	0.079	0.70	10.6	9.9	2.98	1440	0.67	1.86	4.0	55.1	400	5.8
8011		20.0	0.09	1.9	0.095	0.72	10.1	9.0	3.19	1470	0.73	1.83	3.8	60.5	370	4.9
8012		18.10	0.10	3.3	0.234	0.55	29.9	7.3	2.96	1260	0.80	2.55	4.7	44.9	290	5.1
8013		17.10	0.31	6.9	0.452	0.28	269	6.0	4.09	1340	0.15	2.34	4.3	51.5	10	7.0
8014		21.8	0.17	3.2	0.324	0.40	106.0	9.3	3.39	1390	0.37	2.76	4.9	35.4	250	5.0
8015		20.0	0.08	2.7	0.176	0.45	13.4	7.7	3.01	1390	0.60	2.27	4.6	43.8	450	5.8
8016		19.10	0.07	1.4	0.077	0.65	7.5	7.3	3.12	1450	0.51	1.51	3.1	53.3	260	3.8
8017		17.70	0.09	3.0	0.235	0.41	38.6	7.3	3.46	1440	0.63	2.34	4.4	39.2	220	5.6
8018		16.95	0.09	5.9	0.224	0.23	46.7	6.5	3.17	1310	1.94	3.04	5.7	24.7	270	6.1
8019		17.05	0.06	1.8	0.112	0.36	10.5	8.3	2.86	1340	0.56	2.48	3.9	40.0	430	6.7
8020		17.75	0.07	1.9	0.085	0.81	9.0	8.7	3.15	1480	0.49	1.74	3.6	48.5	370	4.9
8021		18.70	0.06	2.3	0.092	0.87	11.2	8.6	2.67	1440	0.82	1.97	4.1	37.8	440	7.1
8022		20.2	0.08	2.7	0.112	0.63	14.4	6.2	2.07	1530	0.46	2.27	5.4	27.1	560	7.3
8023		20.3	0.08	3.6	0.110	0.59	19.1	6.4	1.87	1600	0.82	2.24	7.2	22.6	730	7.4
8024		19.80	0.08	3.2	0.105	0.62	14.4	6.7	1.94	1620	0.74	2.06	5.8	23.2	560	8.3
8025		0.22	0.07	<0.1	<0.005	0.01	1.1	0.8	0.85	76	0.07	0.03	0.1	0.5	50	<0.5
8026		21.0	0.08	4.0	0.112	0.61	22.7	6.8	1.60	1580	0.93	2.52	6.8	14.5	750	8.7
8027		20.3	0.08	2.9	0.106	0.96	15.2	9.0	1.99	1860	0.89	1.84	5.8	19.5	550	6.0
8028		20.4	0.09	3.3	0.099	0.88	17.9	6.7	1.75	1830	0.86	2.24	6.6	12.7	680	5.9
8029		21.3	0.07	3.4	0.113	1.00	17.5	7.0	1.97	1800	0.87	2.14	6.2	19.5	580	5.9
8030		21.0	0.08	2.7	0.097	0.87	13.5	7.6	1.94	1920	0.75	1.98	5.6	22.8	520	6.7
8031		21.2	0.08	3.7	0.101	0.86	18.9	7.5	1.80	1750	1.06	2.10	6.4	19.7	660	7.8
8032		20.9	0.10	3.6	0.110	0.84	17.8	7.3	1.72	1840	1.09	2.13	7.1	18.0	680	7.7
8033		21.1	0.07	3.4	0.112	1.01	18.0	8.1	1.81	1940	0.90	2.13	6.4	13.5	620	7.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7944		31.9	0.002	0.09	0.49	34.4	<1	1.0	197.0	0.21	<0.05	2.41	0.543	0.24	0.8	250
7945		28.3	<0.002	0.08	0.42	32.1	<1	1.0	192.0	0.20	<0.05	2.44	0.548	0.24	0.8	250
7946		39.5	0.002	0.10	0.43	35.0	<1	1.0	198.5	0.23	<0.05	2.72	0.616	0.28	0.8	275
7947		36.5	0.002	0.10	0.45	35.9	<1	1.0	213	0.22	<0.05	2.64	0.609	0.23	0.8	277
7948		16.6	<0.002	0.13	0.67	36.7	<1	1.7	283	0.32	<0.05	3.34	0.915	0.10	1.7	369
7949		39.8	<0.002	0.10	0.45	35.9	<1	1.0	211	0.22	<0.05	2.66	0.629	0.25	0.8	288
7950		38.4	0.002	0.19	0.38	34.8	1	1.2	198.5	0.23	0.06	2.82	0.655	0.20	1.0	301
8001		22.8	0.008	0.34	0.25	24.7	<1	1.1	47.6	0.18	0.05	2.12	0.512	0.15	1.5	218
8002		6.5	0.025	0.17	0.18	10.4	<1	0.6	5.0	<0.05	0.43	0.42	0.097	0.05	2.0	107
8003		30.2	<0.002	7.82	280	4.9	82	2.8	335	0.46	33.3	4.18	0.169	15.40	2.6	37
8004		3.9	<0.002	0.01	0.26	0.3	1	<0.2	80.8	<0.05	<0.05	0.10	0.007	0.05	0.4	1
8005		6.9	0.008	0.20	0.19	8.8	<1	1.9	7.7	0.32	0.14	1.64	0.667	0.36	8.3	254
8006		13.1	0.002	0.20	0.17	30.6	<1	1.8	71.6	0.25	0.06	2.38	0.629	0.12	2.2	243
8007		34.7	<0.002	0.14	0.41	34.4	<1	1.2	212	0.25	<0.05	3.04	0.727	0.19	1.1	351
8008		29.8	0.002	0.12	0.49	35.5	1	1.2	228	0.26	<0.05	2.89	0.693	0.16	1.0	310
8009		41.5	0.002	0.12	0.43	35.6	1	1.2	210	0.29	<0.05	3.21	0.732	0.21	1.0	332
8010		33.2	<0.002	0.11	0.42	34.0	1	1.1	195.5	0.23	<0.05	2.70	0.650	0.18	0.9	302
8011		35.8	0.002	0.13	0.43	38.0	<1	1.0	195.5	0.21	<0.05	2.52	0.813	0.20	0.8	443
8012		25.0	0.002	0.13	0.45	28.7	<1	1.4	173.0	0.29	<0.05	5.34	0.552	0.15	1.9	283
8013		11.6	<0.002	0.91	0.65	6.7	4	1.5	62.3	0.43	0.07	37.2	0.146	0.11	6.0	178
8014		18.1	<0.002	0.08	0.40	30.2	<1	1.7	107.5	0.29	<0.05	11.65	0.618	0.11	3.1	295
8015		19.6	0.002	0.15	0.45	36.0	<1	1.4	153.5	0.26	<0.05	3.26	0.741	0.12	1.6	440
8016		32.2	0.002	0.11	0.39	37.8	<1	0.8	190.5	0.17	<0.05	1.87	0.821	0.20	0.6	485
8017		17.2	<0.002	0.10	0.41	31.0	1	1.3	127.0	0.35	<0.05	5.43	0.642	0.11	1.9	359
8018		7.0	0.004	0.03	0.42	19.3	1	1.3	95.1	0.55	<0.05	11.85	0.352	0.04	3.1	212
8019		13.9	<0.002	0.09	0.50	35.3	<1	1.1	179.5	0.26	<0.05	2.34	0.655	0.08	1.1	324
8020		39.9	0.002	0.12	0.48	37.5	1	0.9	197.5	0.27	<0.05	2.32	0.737	0.20	0.7	405
8021		42.5	<0.002	0.09	0.49	35.0	1	0.9	217	0.31	<0.05	2.90	0.680	0.19	0.9	337
8022		25.7	0.002	0.17	0.48	35.2	1	1.2	219	0.38	<0.05	3.56	0.995	0.13	1.1	443
8023		24.0	0.002	0.16	0.46	36.9	1	1.5	161.0	0.49	<0.05	4.61	1.055	0.14	1.4	460
8024		25.1	0.002	0.15	0.47	35.8	1	1.3	184.0	0.41	<0.05	4.05	1.100	0.13	1.3	545
8025		0.3	<0.002	<0.01	0.08	0.2	1	<0.2	82.0	<0.05	<0.05	0.07	0.007	<0.02	0.1	3
8026		23.3	0.003	0.19	0.48	32.0	1	1.4	174.0	0.51	<0.05	5.74	1.080	0.13	1.6	391
8027		42.6	0.003	0.15	0.44	38.3	1	1.3	167.0	0.43	<0.05	3.80	1.295	0.19	1.2	564
8028		37.3	0.003	0.17	0.42	36.9	1	1.4	184.5	0.49	<0.05	4.43	1.260	0.21	1.3	443
8029		45.9	0.002	0.14	0.47	38.4	1	1.4	192.5	0.44	<0.05	4.32	1.190	0.22	1.3	500
8030		37.4	0.002	0.16	0.40	37.7	1	1.2	201	0.41	<0.05	3.40	1.350	0.16	1.0	617
8031		35.5	0.002	0.17	0.43	35.5	1	1.3	185.5	0.48	<0.05	5.03	1.105	0.15	1.4	504
8032		32.9	0.002	0.19	0.45	36.2	1	1.5	173.5	0.52	<0.05	4.41	1.190	0.14	1.3	471
8033		39.0	0.002	0.15	0.45	38.8	1	1.6	185.0	0.47	<0.05	4.19	1.165	0.18	1.3	408

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7944		0.4	17.5	107	70.1					
7945		0.4	18.1	88	71.1					
7946		0.4	19.8	101	76.4				71.5	
7947		0.4	19.8	101	79.4					
7948		0.5	24.9	81	110.0					
7949		0.4	20.7	131	81.0					
7950		0.5	20.9	143	79.5					
8001		0.4	17.2	193	70.8					
8002		0.1	9.3	124	13.2					
8003		27.8	4.3	2000	93.0	965	4.93			
8004		0.1	2.8	4	2.7					
8005		0.6	17.4	450	107.5					
8006		0.5	22.9	123	88.2					
8007		0.5	20.8	81	95.9					
8008		0.5	21.7	82	85.6					
8009		0.5	22.3	98	98.3					
8010		0.4	20.6	96	81.0					
8011		0.4	19.0	98	72.2					
8012		0.3	22.6	86	126.0					
8013		0.2	29.5	113	264					
8014		0.3	25.2	126	120.5					
8015		0.4	20.8	128	98.3					
8016		0.4	14.8	115	53.3					
8017		0.3	21.2	129	113.0					
8018		0.2	24.7	112	227					
8019		0.4	20.6	120	69.0					
8020		0.4	18.8	130	72.6					
8021		0.4	21.7	139	85.5					
8022		0.4	26.5	131	102.5					
8023		0.5	33.9	137	133.0					
8024		0.6	28.2	135	118.5					
8025		<0.1	1.9	2	1.5					
8026		0.6	33.7	139	154.5					
8027		0.6	27.1	162	114.0					
8028		0.6	30.8	147	140.5					
8029		0.6	30.2	156	127.5					
8030		0.6	26.2	161	107.0					
8031		0.6	31.3	164	137.0					
8032		0.6	32.1	162	136.5					
8033		0.7	31.1	177	121.0				74.0	87.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8034		2.42	0.12	5.72	3.1	310	1.09	0.19	4.37	0.18	40.0	53.6	2	1.13	122.0	12.45
8035		2.65	0.23	5.75	4.2	330	1.11	0.19	4.34	0.14	34.7	54.0	1	1.53	286	13.30
8036		2.38	0.12	6.05	4.7	300	1.25	0.20	4.15	0.15	43.0	52.1	1	1.23	87.6	12.95
8037		2.09	0.17	6.31	3.9	160	1.36	0.16	4.92	0.11	49.7	42.8	1	0.52	91.9	12.20
8038		2.35	0.09	6.08	3.9	210	1.28	0.18	4.84	0.10	50.8	35.2	3	0.49	41.1	11.20
8039		1.09	0.10	6.09	2.7	340	1.27	0.18	4.09	0.10	48.5	40.6	3	1.04	63.0	12.40
8040		1.12	0.08	6.24	2.3	340	1.31	0.20	4.14	0.10	49.9	41.1	3	1.06	64.2	12.60
8041		0.09	3.71	5.42	13.4	120	0.54	0.76	3.44	2.11	16.00	957	275	0.75	>10000	18.20
8042		1.97	0.05	6.05	2.8	320	1.17	0.19	3.96	0.11	45.3	44.2	3	1.08	64.1	12.50
8043		2.11	0.06	5.99	4.7	360	1.24	0.19	3.85	0.11	48.6	50.0	3	1.26	57.2	12.80
8044		2.39	0.07	6.00	3.9	350	1.19	0.20	3.94	0.15	46.7	52.4	2	1.26	53.8	13.30
8045		2.37	0.05	6.06	1.4	340	1.16	0.17	4.12	0.17	43.6	53.1	1	1.48	52.9	13.85
8046		2.70	0.06	5.96	5.6	370	1.24	0.14	4.41	0.18	42.2	60.1	3	1.65	52.0	14.20
8047		2.61	0.05	6.01	2.5	290	1.16	0.13	4.18	0.23	42.1	56.5	2	1.37	49.7	14.20
8048		2.67	0.05	5.97	6.6	290	1.04	0.15	4.32	0.15	41.8	60.8	3	1.30	52.9	14.15
8049		2.80	0.06	5.90	8.5	300	1.07	0.16	4.32	0.13	39.4	64.2	2	1.28	59.6	14.55
8050		2.13	0.05	5.96	12.6	250	1.04	0.20	4.50	0.15	39.4	66.0	4	0.98	61.5	13.90
8051		2.64	0.06	5.99	6.4	290	1.13	0.19	4.30	0.19	40.4	59.1	2	1.07	70.7	13.40
8052		2.29	0.06	6.23	9.1	320	1.05	0.18	4.40	0.17	40.2	63.5	2	1.22	72.3	14.05
8053		2.35	0.10	6.03	5.6	290	1.11	0.18	4.48	0.20	42.6	62.8	2	1.16	77.7	13.60
8054		2.27	0.08	6.00	6.0	280	1.01	0.17	4.57	0.23	39.8	61.3	2	1.02	74.8	13.75
8055		2.34	0.07	5.99	5.9	260	0.90	0.19	4.57	0.20	38.4	61.9	2	1.02	78.5	13.90
8056		2.36	0.09	5.98	7.6	240	1.00	0.22	4.65	0.22	36.4	63.9	1	0.94	78.3	14.20
8057		2.34	0.07	6.10	5.5	250	0.86	0.17	4.84	0.20	36.0	65.4	1	0.88	71.1	14.50
8058		2.20	0.06	5.71	4.4	240	0.82	0.17	4.52	0.18	34.4	61.7	2	0.83	71.1	13.45
8059		2.36	0.06	5.87	4.4	230	0.82	0.17	4.97	0.17	34.8	61.8	2	0.74	72.0	13.50
8060		2.37	0.10	6.21	6.4	250	0.90	0.18	4.97	0.19	35.4	67.8	2	0.83	89.0	14.60
8061		2.55	0.07	5.81	7.1	230	0.92	0.18	4.74	0.16	32.9	65.5	1	0.75	90.4	13.50
8062		2.40	0.07	5.99	6.4	230	0.80	0.18	4.91	0.15	33.5	66.8	3	0.83	92.8	14.25
8063		2.39	0.06	5.83	5.9	200	0.80	0.16	4.73	0.16	31.1	65.3	1	0.81	88.4	13.80
8064		2.31	0.09	5.57	5.5	190	0.76	0.14	4.71	0.13	30.2	64.6	2	0.89	99.3	13.15
8065		2.39	0.08	6.08	5.3	210	0.75	0.13	4.85	0.15	31.9	67.0	2	1.07	83.3	14.70
8066		0.89	0.05	5.76	5.6	150	0.95	0.10	5.01	0.52	33.9	55.6	1	0.94	38.6	13.65
8067		1.31	0.09	5.91	1.2	220	0.80	0.15	4.46	0.11	32.2	76.9	2	1.48	129.0	14.80
8068		2.47	0.07	5.76	1.7	240	0.75	0.13	4.44	0.10	31.0	64.1	3	1.53	94.4	13.90
8069		2.49	0.09	6.12	3.1	140	0.83	0.11	5.03	0.14	32.6	69.8	2	0.87	97.2	14.45
8070		2.39	0.09	5.95	2.8	190	0.81	0.11	5.06	0.11	31.5	67.8	2	1.31	86.1	14.40
8071		2.37	0.07	5.61	2.9	180	0.79	0.11	5.09	0.10	31.3	77.1	3	1.72	89.6	15.75
8072		2.51	0.08	5.27	2.7	220	0.69	0.13	4.78	0.09	29.2	80.3	1	2.16	109.5	16.35
8073		2.51	0.08	5.64	5.9	170	0.82	0.14	5.14	0.14	31.1	84.6	3	1.23	119.0	17.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8034		20.2	0.08	3.5	0.094	0.94	18.6	7.2	1.67	1820	0.97	2.00	6.8	13.6	650	7.1
8035		19.15	0.09	3.2	0.117	1.03	15.5	7.3	1.77	1860	0.66	2.23	6.1	13.5	610	6.1
8036		21.5	0.09	4.0	0.131	0.93	19.8	7.6	1.39	1800	0.84	2.66	7.6	3.6	780	7.3
8037		23.7	0.10	4.5	0.159	0.55	21.9	5.3	1.21	1640	0.91	3.17	9.5	1.4	960	9.3
8038		22.2	0.10	4.7	0.156	0.64	22.5	5.4	0.95	1430	0.85	2.79	9.2	0.7	1100	7.4
8039		21.6	0.10	4.5	0.114	0.90	22.7	6.5	1.09	1720	0.90	2.59	8.7	1.2	890	6.3
8040		21.8	0.12	4.7	0.127	0.92	23.4	6.6	1.10	1740	0.88	2.63	8.8	1.5	910	6.4
8041		10.85	0.22	1.0	0.117	0.32	7.1	8.8	4.02	987	4.43	1.16	4.7	>10000	450	13.2
8042		20.8	0.08	3.8	0.122	0.88	20.8	5.8	1.15	1720	0.82	2.57	7.9	11.3	870	5.5
8043		22.0	0.08	4.5	0.118	0.99	22.7	6.9	1.17	1740	0.94	2.40	8.3	2.8	840	6.4
8044		21.7	0.09	4.3	0.115	1.00	22.0	7.1	1.23	1780	0.94	2.26	8.1	2.7	820	7.2
8045		21.4	0.07	4.2	0.104	1.02	20.6	7.4	1.33	1780	0.83	2.15	7.6	3.8	760	6.7
8046		21.9	0.10	4.0	0.105	1.06	19.7	9.8	1.53	1940	0.96	1.90	7.2	2.9	700	7.0
8047		21.9	0.09	4.0	0.109	0.95	19.2	7.5	1.50	1940	0.87	2.23	7.4	2.7	740	17.6
8048		21.9	0.10	3.9	0.109	0.94	18.9	7.7	1.48	1940	0.89	2.04	7.3	3.1	720	6.5
8049		21.3	0.09	3.9	0.109	0.96	18.8	7.1	1.52	1980	0.86	2.01	7.0	3.4	700	5.8
8050		21.1	0.09	3.7	0.159	0.82	18.3	5.8	1.59	2000	5.74	2.38	6.8	4.8	710	5.5
8051		22.1	0.10	3.8	0.136	0.90	18.6	6.7	1.45	1800	1.45	2.30	7.2	8.2	700	6.4
8052		21.8	0.10	4.3	0.113	1.03	19.0	7.6	1.51	1880	1.07	2.19	7.0	4.1	710	6.2
8053		24.8	0.09	4.2	0.111	0.97	20.3	8.6	1.52	1880	1.06	2.02	7.6	5.3	660	8.2
8054		23.0	0.11	3.8	0.096	0.93	18.2	7.8	1.56	1900	1.12	2.01	7.0	4.9	650	7.3
8055		23.1	0.11	3.7	0.097	0.89	17.8	7.8	1.58	1880	1.07	2.00	6.9	5.3	640	6.7
8056		22.8	0.11	3.5	0.094	0.85	16.9	7.5	1.61	1900	0.95	1.98	6.5	5.7	590	6.8
8057		22.7	0.11	3.5	0.091	0.85	15.9	8.1	1.69	1910	0.73	1.93	6.4	6.7	590	7.2
8058		22.0	0.09	3.5	0.092	0.81	15.5	7.9	1.61	1770	0.91	1.80	6.0	6.3	550	6.5
8059		22.0	0.09	3.3	0.092	0.75	15.6	7.7	1.69	1800	0.76	1.89	6.1	6.8	550	6.2
8060		23.2	0.13	3.3	0.095	0.79	15.7	7.9	1.78	1940	0.98	1.99	6.3	8.1	570	6.3
8061		21.9	0.10	3.0	0.090	0.71	14.6	8.0	1.69	1780	0.89	1.81	5.8	8.4	540	5.7
8062		22.7	0.09	3.1	0.102	0.69	14.9	8.0	1.79	1860	1.06	1.85	5.8	9.9	540	5.6
8063		21.6	0.08	2.9	0.087	0.61	14.0	8.0	1.80	1820	0.77	1.88	5.6	10.3	520	4.9
8064		21.0	0.09	2.7	0.088	0.58	13.4	6.7	1.71	1680	0.86	1.78	5.4	11.3	500	4.2
8065		22.3	0.09	3.0	0.088	0.67	13.9	8.1	1.94	1820	0.84	2.02	5.6	12.5	520	8.4
8066		22.6	0.09	2.7	0.098	0.62	15.0	11.3	1.83	1680	0.98	1.65	5.9	9.5	550	38.5
8067		21.7	0.10	3.0	0.088	0.75	14.0	7.8	1.84	1710	0.92	2.00	5.8	11.4	550	6.4
8068		21.2	0.10	2.8	0.082	0.75	13.6	8.4	1.80	1600	0.86	1.89	5.4	10.8	510	4.5
8069		23.1	0.09	3.2	0.092	0.53	14.5	7.5	1.91	1840	0.91	2.07	5.8	12.8	540	7.1
8070		22.0	0.09	2.9	0.087	0.67	13.9	7.8	1.91	1790	0.84	1.75	5.5	11.5	520	5.5
8071		23.1	0.09	2.9	0.102	0.73	13.9	8.9	2.12	1900	0.96	1.58	5.8	13.7	500	4.3
8072		21.9	0.10	2.4	0.094	0.83	12.7	7.4	1.99	1750	0.72	1.45	5.4	16.1	490	3.6
8073		23.4	0.10	2.8	0.094	0.62	13.6	7.9	2.20	2020	0.94	1.58	5.9	20.2	510	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8034		36.9	0.004	0.18	0.39	35.2	2	1.4	175.0	0.49	<0.05	4.88	1.195	0.17	1.4	439
8035		41.1	0.002	0.22	0.37	36.2	1	1.3	131.0	0.43	<0.05	3.98	1.240	0.21	1.2	474
8036		33.6	0.004	0.24	0.34	35.7	1	1.4	139.0	0.56	<0.05	4.93	1.165	0.16	1.5	187
8037		15.1	0.002	0.18	0.42	35.2	<1	1.6	145.0	0.68	<0.05	5.38	1.170	0.10	1.7	97
8038		17.0	<0.002	0.14	0.45	30.6	1	1.3	173.5	0.64	<0.05	5.82	0.999	0.10	1.8	51
8039		30.9	<0.002	0.17	0.29	30.5	1	1.3	187.0	0.62	<0.05	5.67	1.075	0.14	1.8	105
8040		31.7	0.002	0.20	0.33	30.8	1	1.4	186.0	0.61	<0.05	6.16	1.070	0.16	1.8	104
8041		10.4	0.045	8.14	2.80	8.2	20	2.4	180.0	0.25	3.99	1.07	0.529	0.18	0.3	78
8042		31.1	0.003	0.18	0.30	30.0	1	1.2	181.0	0.57	<0.05	5.02	1.070	0.14	1.6	122
8043		38.3	<0.002	0.19	0.29	32.8	1	1.5	172.5	0.61	<0.05	5.88	1.125	0.19	1.8	128
8044		38.0	<0.002	0.25	0.34	33.6	1	1.5	179.0	0.59	<0.05	5.32	1.155	0.20	1.6	145
8045		40.1	0.004	0.20	0.31	35.9	1	1.4	178.0	0.56	<0.05	5.25	1.220	0.18	1.6	170
8046		42.7	0.004	0.21	0.30	35.8	1	1.5	156.0	0.52	<0.05	4.88	1.255	0.22	1.5	141
8047		35.7	<0.002	0.19	0.31	37.0	1	1.5	154.0	0.54	<0.05	4.82	1.285	0.17	1.5	176
8048		35.6	0.002	0.21	0.32	37.7	1	1.5	169.0	0.51	<0.05	4.88	1.390	0.18	1.5	220
8049		35.7	0.003	0.22	0.32	37.8	1	1.5	170.0	0.53	<0.05	4.66	1.480	0.19	1.4	279
8050		29.9	0.005	0.23	0.34	38.0	2	1.7	161.5	0.49	<0.05	4.47	1.470	0.16	1.7	294
8051		35.2	0.002	0.23	0.34	37.1	1	1.6	181.0	0.53	<0.05	4.75	1.310	0.14	1.5	253
8052		39.4	0.003	0.23	0.39	37.7	1	1.6	178.5	0.52	<0.05	4.52	1.360	0.19	1.4	268
8053		41.7	0.004	0.23	0.47	43.1	1	1.8	186.5	0.55	<0.05	4.83	1.320	0.18	1.5	272
8054		37.0	0.003	0.23	0.47	41.0	1	1.7	191.0	0.48	<0.05	4.31	1.350	0.16	1.3	297
8055		35.8	0.004	0.23	0.50	41.7	1	1.6	193.0	0.48	<0.05	4.33	1.380	0.16	1.3	329
8056		32.5	0.004	0.24	0.52	41.7	1	1.6	192.5	0.47	<0.05	4.22	1.430	0.15	1.3	361
8057		31.4	0.007	0.25	0.48	42.5	1	1.4	193.5	0.46	<0.05	4.16	1.500	0.15	1.3	400
8058		29.5	0.006	0.22	0.43	40.4	1	1.4	180.5	0.44	<0.05	3.84	1.345	0.14	1.2	356
8059		25.4	0.008	0.23	0.53	41.7	1	1.4	193.0	0.43	<0.05	3.84	1.390	0.15	1.2	373
8060		25.1	0.007	0.26	0.49	43.1	1	1.5	195.0	0.44	<0.05	3.92	1.465	0.14	1.2	430
8061		23.3	0.007	0.25	0.49	40.7	1	1.4	180.0	0.41	<0.05	3.60	1.365	0.13	1.1	438
8062		24.4	0.007	0.24	0.54	43.0	2	1.5	196.5	0.43	<0.05	3.72	1.435	0.16	1.2	488
8063		24.0	0.005	0.22	0.50	41.2	1	1.3	186.0	0.39	<0.05	3.42	1.415	0.16	1.0	511
8064		24.9	0.007	0.22	0.47	40.1	1	1.2	176.0	0.38	<0.05	3.27	1.360	0.16	1.0	510
8065		30.0	0.008	0.21	0.43	43.1	1	1.3	181.5	0.39	<0.05	3.48	1.480	0.21	1.1	575
8066		24.2	0.003	0.06	0.41	42.4	1	1.5	124.0	0.42	<0.05	3.60	1.400	0.18	1.1	459
8067		40.3	0.007	0.38	0.39	43.0	1	1.3	133.0	0.41	<0.05	3.61	1.465	0.39	1.1	518
8068		42.4	0.009	0.21	0.39	41.3	1	1.2	163.5	0.38	<0.05	3.43	1.400	0.26	1.1	530
8069		23.7	0.008	0.24	0.54	43.4	1	1.3	175.0	0.40	<0.05	3.66	1.495	0.22	1.1	572
8070		38.0	0.009	0.22	0.45	43.1	1	1.3	174.0	0.40	<0.05	3.46	1.540	0.27	1.1	564
8071		46.4	0.007	0.22	0.53	46.5	1	1.3	137.5	0.40	<0.05	3.37	1.755	0.32	1.0	706
8072		54.1	0.009	0.25	0.50	45.4	1	1.2	116.5	0.38	<0.05	3.15	1.940	0.35	1.0	849
8073		33.5	0.007	0.26	0.48	48.5	2	1.3	152.5	0.43	<0.05	3.36	2.02	0.22	1.0	926

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8034		0.6	30.8	152	135.0					
8035		0.6	28.6	141	127.0					
8036		0.6	35.5	128	144.0					
8037		0.9	41.8	105	160.5					
8038		0.6	42.5	89	178.0					
8039		0.5	38.3	105	170.0					
8040		0.5	39.0	109	172.0					
8041		2.0	9.2	139	46.9		1.670	4.59		
8042		0.5	35.9	111	144.5					
8043		0.6	37.9	119	170.5					
8044		0.6	36.6	127	161.5					
8045		0.6	35.2	146	154.0					
8046		0.7	34.4	160	144.0					
8047		0.7	34.4	169	145.5					
8048		0.8	33.9	158	144.0					
8049		0.7	32.4	166	141.0					
8050		0.8	32.2	174	136.5					
8051		0.7	33.3	169	141.5					
8052		0.7	32.7	185	140.0					
8053		0.8	34.8	199	148.5					
8054		0.7	32.5	213	135.5					
8055		0.8	31.4	216	131.0					
8056		0.8	29.8	224	124.0					
8057		0.7	29.7	191	125.5					
8058		0.6	28.5	179	115.5					
8059		0.7	28.5	189	117.0					
8060		0.7	29.0	211	118.5					
8061		0.6	27.0	186	128.0					
8062		0.6	27.9	185	112.5					
8063		0.6	26.0	179	100.5					
8064		0.6	25.3	159	96.7					
8065		0.5	26.5	186	106.5					
8066		0.6	27.6	260	99.2					
8067		0.6	26.7	171	103.0					
8068		0.6	25.6	164	100.5					
8069		0.6	27.2	172	105.5					
8070		0.6	25.9	167	102.5					
8071		0.5	26.2	174	99.8					
8072		0.6	24.4	165	87.8					
8073		0.5	26.4	173	105.0				75.2	95.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8074		2.60	0.10	6.03	2.9	150	0.76	0.14	5.15	0.12	32.1	68.9	1	0.92	137.5	14.45
8075		0.98	<0.01	0.16	<0.2	20	0.17	0.01	32.5	<0.02	1.07	0.8	1	<0.05	1.6	0.14
8076		2.53	0.09	6.11	4.0	170	0.72	0.14	5.50	0.11	31.9	70.1	1	0.95	128.0	15.30
8077		2.20	0.19	5.73	2.4	250	0.70	0.22	5.36	0.13	30.8	81.4	1	1.82	239	16.65
8078		2.09	0.18	6.15	5.2	200	0.83	0.14	4.64	0.19	30.7	68.5	1	1.18	229	14.90
8079		1.10	0.11	6.06	3.2	220	0.77	0.13	4.56	0.12	29.7	61.5	5	1.39	181.5	14.55
8080		1.15	0.12	6.14	3.7	220	0.89	0.13	4.66	0.09	29.3	61.3	1	1.46	181.5	14.85
8081		0.07	>100	3.96	1865	460	0.66	151.5	0.32	54.2	28.8	15.1	30	1.76	9980	2.77
8082		2.57	0.48	5.97	9.0	180	0.67	0.34	5.18	0.19	28.0	68.5	1	0.75	213	14.25
8083		2.56	0.18	5.75	8.2	130	0.72	0.21	5.24	0.12	28.0	69.1	1	0.61	209	14.25
8084		2.53	0.16	5.92	11.3	150	0.75	0.21	5.11	0.14	31.2	67.1	2	0.63	212	13.95
8085		2.46	0.15	5.98	9.7	170	0.69	0.22	5.19	0.13	28.9	70.2	2	0.85	202	14.45
8086		2.59	0.17	5.93	3.9	200	0.66	0.24	5.37	0.11	29.3	71.0	2	1.35	223	14.75
8087		2.57	0.20	5.72	4.8	220	0.63	0.27	5.31	0.12	27.7	78.7	1	1.74	313	15.85
8088		2.38	0.14	6.18	5.0	220	0.84	0.26	5.21	0.17	31.2	68.6	3	1.12	212	14.35
8089		2.59	0.14	6.18	4.6	200	0.78	0.23	5.06	0.14	28.1	63.2	2	0.81	204	13.55
8090		2.48	0.14	6.03	5.9	230	0.78	0.28	4.99	0.12	27.3	68.0	3	1.03	221	14.40
8091		2.40	0.17	6.31	2.4	150	1.30	0.25	4.83	0.09	27.3	64.8	1	0.64	268	13.25
8092		2.37	0.13	5.60	2.2	80	1.25	0.12	6.40	0.08	25.0	48.4	1	0.57	202	11.80
8093		2.34	0.15	6.03	2.2	170	1.35	0.26	4.54	0.12	27.0	61.7	2	0.86	232	14.30
8094		2.39	0.12	6.32	5.5	180	0.90	0.33	5.30	0.09	28.2	69.3	2	0.79	220	14.45
8095		2.45	0.13	6.30	25.3	190	0.96	0.35	4.66	0.06	27.1	90.6	1	0.94	247	13.95
8096		2.44	0.13	6.12	3.4	250	0.85	0.32	4.74	0.13	28.5	57.8	2	0.78	232	13.80
8097		2.63	0.15	6.10	4.5	250	0.80	0.27	5.08	0.10	26.4	59.7	2	0.61	269	14.35
8098		1.88	0.07	6.37	4.1	180	0.94	0.24	5.66	0.18	31.9	52.3	2	0.43	103.0	11.40
8099		2.48	0.13	6.61	5.2	200	0.88	0.27	5.12	0.28	28.8	56.6	1	0.61	184.5	12.30
8100		2.61	0.13	6.46	6.1	220	0.77	0.20	4.93	0.13	30.1	61.5	3	0.53	237	13.20
8101		2.62	0.12	6.62	4.6	210	0.88	0.19	4.96	0.16	33.8	63.9	3	0.48	253	13.45
8102		2.33	0.13	6.28	4.6	180	0.86	0.18	4.42	0.10	30.3	58.3	3	0.40	237	12.85
8103		2.51	0.11	6.22	5.8	160	0.74	0.19	4.47	0.10	31.8	59.7	4	0.40	217	12.20
8104		2.41	0.12	6.44	3.3	170	0.79	0.18	4.46	0.08	29.4	57.7	3	0.45	224	12.35
8105		1.69	0.12	6.80	4.8	160	0.76	0.18	4.51	0.08	28.9	60.0	4	0.44	261	12.65
8106		1.33	0.17	6.57	14.3	220	0.61	0.27	3.28	0.06	17.80	75.1	18	0.63	341	18.60
8107		1.89	0.12	8.27	3.5	130	0.87	0.18	4.85	0.08	25.2	39.2	3	0.31	260	7.99
8108		2.61	0.07	6.92	3.3	160	0.89	0.24	4.51	0.07	30.5	48.2	4	0.60	154.0	10.15
8109		2.49	0.07	7.18	3.0	150	1.07	0.24	4.85	0.10	30.6	47.1	5	0.55	143.5	10.25
8110		2.10	0.09	7.07	1.8	180	1.03	0.31	4.69	0.11	30.6	45.4	4	0.85	145.5	9.65
8111		1.46	0.11	6.97	1.8	190	1.07	0.40	4.71	0.08	29.6	43.1	5	1.20	152.5	9.49
8112		1.21	0.08	7.09	1.3	230	1.49	0.37	4.42	0.09	27.3	40.4	4	2.44	152.0	9.41
8113		2.37	0.08	7.03	1.7	230	1.58	0.20	5.87	0.06	29.7	37.2	4	3.13	132.0	8.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8074		22.7	0.10	2.9	0.093	0.54	14.2	7.4	1.95	1710	0.80	1.91	5.3	16.5	540	5.0
8075		0.58	0.11	0.1	<0.005	0.02	1.2	1.2	1.38	84	0.09	0.09	0.2	0.6	50	0.5
8076		22.4	0.08	2.7	0.094	0.59	14.0	7.9	2.14	1900	0.80	1.76	5.4	16.5	530	5.2
8077		23.0	0.08	2.6	0.096	0.80	13.4	7.6	2.23	1880	0.84	1.46	5.6	25.0	510	4.3
8078		22.9	0.09	2.7	0.094	0.67	13.8	9.1	2.06	1770	0.77	2.00	5.3	21.2	530	5.0
8079		22.6	0.09	2.7	0.090	0.73	13.2	8.1	2.13	1720	0.93	2.10	5.0	21.0	480	3.7
8080		23.1	0.08	2.8	0.102	0.76	13.1	8.5	2.20	1740	0.66	2.12	5.1	21.1	490	4.0
8081		23.3	0.19	2.7	11.00	0.63	13.3	20.3	0.08	137	6.11	0.41	7.7	108.5	530	1985
8082		21.2	0.08	2.6	0.096	0.54	12.3	7.2	2.08	1770	0.71	1.72	5.1	22.9	480	7.4
8083		22.0	0.09	2.6	0.102	0.45	12.4	6.6	2.06	1700	0.71	1.83	5.1	24.2	470	5.2
8084		22.4	0.09	3.1	0.091	0.52	13.8	8.0	2.05	1660	0.83	1.85	5.3	26.1	510	5.6
8085		21.5	0.11	2.8	0.089	0.60	12.6	8.2	2.16	1720	0.74	1.72	5.0	24.7	480	5.4
8086		21.8	0.10	2.6	0.085	0.69	12.8	7.6	2.18	1740	0.86	1.58	5.1	26.8	460	4.6
8087		21.8	0.09	2.5	0.098	0.81	12.0	7.7	2.27	1740	0.74	1.38	5.0	33.0	430	4.2
8088		22.1	0.10	2.8	0.095	0.76	13.9	9.3	2.18	1750	0.78	1.69	5.0	29.1	480	5.6
8089		20.7	0.09	2.5	0.091	0.67	12.2	8.1	2.14	1700	1.45	1.76	4.9	32.6	530	8.8
8090		21.5	0.09	2.7	0.102	0.80	11.6	9.8	2.20	1670	0.94	1.67	5.0	31.3	490	5.8
8091		21.9	0.08	2.5	0.146	0.55	12.0	9.7	2.38	1520	0.78	2.18	4.7	28.4	490	5.1
8092		19.90	0.08	2.5	0.156	0.39	10.9	7.5	2.24	1520	0.82	2.36	4.6	28.9	460	3.2
8093		22.3	0.09	2.6	0.152	0.64	11.6	9.1	2.24	1520	0.74	2.15	4.9	33.2	480	4.3
8094		22.0	0.08	2.6	0.092	0.65	12.1	8.2	2.30	1660	0.67	1.85	4.8	32.9	500	4.6
8095		21.4	0.09	2.4	0.095	0.74	11.6	9.6	2.37	1580	0.65	2.20	4.5	33.6	470	5.9
8096		20.7	0.08	2.8	0.098	0.82	12.3	11.2	2.27	1640	0.87	1.92	4.9	34.3	520	5.7
8097		20.7	0.08	2.5	0.100	0.82	11.1	10.3	2.42	1740	0.70	1.81	4.7	38.2	480	5.9
8098		18.80	0.09	2.9	0.130	0.63	13.0	8.0	2.39	1470	0.50	2.19	4.8	26.7	560	51.7
8099		20.5	0.08	2.7	0.109	0.77	12.3	10.5	2.37	1540	0.73	2.24	4.8	33.3	510	98.4
8100		21.4	0.10	3.0	0.094	0.85	13.1	10.7	2.21	1740	0.88	1.90	5.5	39.5	540	7.3
8101		23.0	0.09	3.1	0.095	0.86	14.8	12.6	2.27	1780	0.90	1.96	5.9	41.4	590	8.4
8102		20.9	0.09	2.8	0.084	0.75	13.4	11.4	2.12	1640	0.92	2.00	5.2	39.7	550	6.8
8103		21.2	0.10	2.7	0.087	0.68	13.8	11.8	2.06	1660	0.81	1.91	5.1	41.5	550	6.9
8104		20.6	0.07	2.6	0.090	0.77	12.7	12.5	2.11	1640	0.73	2.00	4.9	43.7	530	6.5
8105		22.0	0.09	2.6	0.089	0.78	12.8	12.3	2.04	1580	0.90	2.12	5.3	45.0	540	7.2
8106		28.9	0.12	1.5	0.089	1.00	7.6	14.9	1.11	1640	1.01	2.05	6.6	96.9	400	7.9
8107		21.0	0.09	2.4	0.061	0.65	10.2	11.7	1.56	942	0.74	3.03	3.2	38.8	540	11.8
8108		19.05	0.10	2.6	0.077	0.85	13.3	14.0	2.21	1430	0.67	2.13	4.4	34.3	540	10.9
8109		19.85	0.07	2.7	0.088	0.77	13.4	13.1	2.40	1500	0.83	2.30	5.0	37.4	540	15.6
8110		19.85	0.08	2.5	0.086	0.98	13.6	18.1	2.40	1380	0.78	2.26	4.7	38.8	490	17.3
8111		19.30	0.08	2.2	0.088	1.20	13.4	22.8	2.41	1290	0.67	2.01	4.5	40.5	480	15.0
8112		19.00	0.10	2.3	0.101	1.69	12.1	28.3	2.41	1280	0.58	2.26	4.9	42.0	500	12.2
8113		18.10	0.09	2.3	0.102	1.73	13.9	29.3	2.28	1380	0.97	2.64	5.7	41.1	490	12.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8074		26.1	0.004	0.20	0.49	43.1	1	1.3	183.0	0.37	<0.05	3.60	1.525	0.17	1.1	702
8075		0.7	<0.002	<0.01	0.09	0.3	1	<0.2	82.1	<0.05	<0.05	0.12	0.011	<0.02	0.2	4
8076		26.7	0.007	0.20	0.44	44.5	1	1.3	183.0	0.39	<0.05	3.42	1.600	0.16	1.0	723
8077		48.0	0.009	0.24	0.52	47.0	1	1.3	151.5	0.40	<0.05	3.25	1.865	0.30	1.0	963
8078		33.8	0.004	0.17	0.45	41.4	1	1.3	164.5	0.36	<0.05	3.31	1.500	0.20	1.0	787
8079		37.8	<0.002	0.09	0.38	42.8	1	1.3	146.0	0.34	<0.05	3.31	1.385	0.21	1.0	728
8080		39.0	0.002	0.09	0.40	43.4	1	1.3	146.5	0.36	<0.05	3.43	1.395	0.25	1.0	735
8081		24.4	<0.002	3.65	212	4.3	65	12.9	497	0.57	59.4	5.74	0.199	4.01	2.7	33
8082		22.0	0.006	0.20	0.68	43.1	1	1.2	174.0	0.37	0.05	2.97	1.450	0.13	0.9	760
8083		18.2	0.005	0.20	0.51	44.0	1	1.1	175.5	0.37	<0.05	3.01	1.510	0.12	0.9	821
8084		23.5	0.003	0.18	0.47	43.7	2	1.2	178.5	0.40	<0.05	3.39	1.415	0.13	1.1	767
8085		28.7	0.004	0.17	0.48	43.8	1	1.2	178.0	0.36	<0.05	3.18	1.465	0.16	1.0	810
8086		39.6	0.002	0.19	0.51	44.8	1	1.2	173.5	0.37	<0.05	3.22	1.505	0.25	1.0	835
8087		51.2	0.003	0.24	0.47	46.0	2	1.2	158.0	0.37	<0.05	3.02	1.695	0.29	0.9	998
8088		39.3	0.003	0.16	0.47	42.4	1	1.3	180.0	0.35	<0.05	3.36	1.360	0.20	1.0	827
8089		28.9	0.004	0.15	0.44	39.2	1	1.2	185.0	0.33	<0.05	3.14	1.300	0.18	0.9	771
8090		41.4	0.003	0.17	0.44	40.8	1	1.2	177.5	0.34	<0.05	2.95	1.485	0.22	0.9	894
8091		23.9	0.003	0.26	0.40	42.1	1	1.2	128.5	0.32	<0.05	3.01	1.295	0.16	0.9	775
8092		16.5	0.004	0.06	0.26	38.2	1	1.1	58.2	0.32	<0.05	2.79	1.365	0.10	0.9	802
8093		30.4	0.002	0.20	0.36	41.6	1	1.2	112.0	0.34	<0.05	2.94	1.510	0.16	0.9	979
8094		28.5	0.003	0.17	0.41	41.4	1	1.1	189.0	0.35	<0.05	3.18	1.455	0.15	0.9	933
8095		34.4	0.003	0.35	0.48	40.7	2	1.2	148.0	0.31	<0.05	2.97	1.285	0.25	0.9	827
8096		39.2	0.003	0.13	0.40	38.6	1	1.2	171.5	0.36	<0.05	3.25	1.330	0.17	1.0	845
8097		38.9	0.003	0.15	0.49	41.7	1	1.1	183.0	0.34	<0.05	2.89	1.420	0.15	0.8	951
8098		27.0	0.002	0.13	0.64	36.4	1	1.4	235	0.33	<0.05	3.28	1.065	0.12	1.5	630
8099		35.2	0.003	0.15	0.54	39.9	1	1.3	189.0	0.34	<0.05	3.18	1.015	0.16	1.3	590
8100		37.8	0.004	0.16	0.58	38.4	1	1.3	190.0	0.39	<0.05	3.39	1.230	0.19	1.1	779
8101		39.5	0.002	0.16	0.68	40.9	2	1.4	192.0	0.41	<0.05	3.66	1.180	0.18	1.1	722
8102		34.8	0.003	0.15	0.59	37.1	1	1.2	174.5	0.37	<0.05	3.38	1.110	0.17	1.0	683
8103		31.6	0.003	0.14	0.57	35.3	1	1.3	177.5	0.36	<0.05	3.48	1.020	0.14	1.0	633
8104		35.7	0.002	0.15	0.55	33.7	1	1.2	179.0	0.35	<0.05	3.54	1.055	0.17	1.2	688
8105		38.0	0.002	0.16	0.73	32.5	1	1.3	218	0.38	<0.05	3.40	1.135	0.16	1.0	711
8106		36.6	0.005	0.16	0.61	22.4	1	1.3	221	0.47	<0.05	2.00	2.38	0.23	0.6	2320
8107		16.8	0.002	0.12	0.74	21.4	1	1.0	304	0.22	<0.05	2.97	0.477	0.13	1.6	327
8108		45.1	0.002	0.13	0.67	32.0	1	1.2	206	0.29	<0.05	3.51	0.700	0.19	1.1	292
8109		41.3	0.003	0.13	0.75	32.5	1	1.3	227	0.35	<0.05	3.47	0.783	0.19	1.2	307
8110		54.8	0.002	0.12	0.66	32.2	1	1.2	222	0.33	<0.05	3.36	0.684	0.24	1.7	275
8111		67.0	0.002	0.12	0.59	30.9	1	1.2	229	0.31	<0.05	3.15	0.673	0.37	1.3	273
8112		99.7	<0.002	0.11	0.35	31.4	1	1.2	184.0	0.31	<0.05	6.10	0.654	0.53	1.4	275
8113		103.0	0.002	0.11	0.23	28.6	1	1.1	151.0	0.29	<0.05	18.30	0.597	0.57	3.3	261

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8074		0.6	26.7	150	101.0					
8075		0.3	2.4	4	2.3					
8076		0.5	26.0	160	96.2					
8077		0.7	26.1	166	101.5					
8078		0.5	25.0	165	101.0					
8079		0.5	24.4	151	102.5					
8080		0.5	24.7	154	96.3					
8081		16.0	5.8	9120	88.1	298				
8082		0.5	23.7	160	91.1					
8083		0.5	23.9	138	92.0					
8084		0.6	25.4	131	101.5					
8085		0.5	24.1	143	94.8					
8086		0.5	24.4	135	90.7					
8087		0.5	23.2	147	88.2					
8088		0.5	25.1	153	100.0					
8089		0.5	23.9	138	96.6					
8090		0.5	23.1	132	97.1					
8091		0.5	23.8	129	88.9					
8092		0.5	23.2	118	89.9					
8093		0.5	22.8	128	91.0					
8094		0.5	23.6	124	91.7					
8095		0.5	22.8	113	100.0					
8096		0.5	23.5	144	97.1					
8097		0.5	22.8	119	89.1					
8098		0.4	24.3	122	100.5					
8099		0.5	24.6	148	98.1					
8100		0.6	24.3	130	108.0					
8101		0.6	27.5	132	112.0					
8102		0.6	25.3	117	104.0					
8103		0.6	24.7	120	98.6					
8104		0.6	23.7	111	98.4					
8105		0.5	23.8	114	101.0					
8106		0.9	13.7	105	64.2					
8107		0.4	19.6	83	91.5					
8108		0.6	24.7	106	96.1					
8109		0.7	24.4	119	95.6					
8110		0.6	24.6	120	93.1					
8111		0.7	22.4	115	85.5					
8112		0.8	24.9	113	98.8					
8113		1.2	27.3	106	109.0				73.5	89.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8114		2.33	0.09	7.52	1.4	260	1.53	0.15	4.48	0.07	30.2	42.6	6	3.89	167.5	9.33
8115		2.25	0.04	7.31	0.8	180	1.12	0.31	5.44	0.06	24.3	30.9	5	1.90	113.0	6.55
8116		2.21	0.05	7.30	1.1	210	1.22	0.23	4.73	0.05	20.8	37.0	6	2.07	105.5	7.50
8117		2.16	0.05	7.47	1.3	200	1.07	0.18	5.38	0.05	22.2	27.1	6	1.52	73.1	6.17
8118		2.31	0.03	6.94	1.8	160	1.15	0.16	4.73	0.04	36.4	32.1	6	1.22	74.3	6.91
8119		1.12	0.06	7.04	1.7	200	1.19	0.16	4.87	0.06	21.9	38.3	8	1.91	123.0	8.22
8120		0.99	0.07	7.22	1.7	200	1.26	0.18	5.16	0.06	23.9	38.7	6	1.86	129.5	8.38
8121		0.08	>100	4.11	1895	190	0.71	155.0	0.35	56.3	26.0	15.0	34	1.71	9900	2.90
8122		2.43	0.48	7.12	3.9	190	1.17	0.30	2.79	0.13	15.45	43.0	7	3.10	147.0	9.04
8123		2.40	0.17	7.09	1.9	220	0.73	0.28	4.88	0.07	20.6	39.4	7	1.58	126.5	8.29
8124		2.35	0.10	7.42	1.5	200	0.88	0.24	4.97	0.03	21.7	38.4	9	1.53	135.5	8.19
8125		1.00	0.01	0.22	0.2	20	0.13	0.02	29.8	0.02	1.09	1.1	1	<0.05	2.2	0.13
8126		2.25	0.08	7.58	1.6	220	0.75	0.23	4.81	0.05	23.6	44.8	7	1.62	156.0	8.63
8127		2.18	0.08	7.60	1.4	200	0.90	0.20	4.25	0.04	22.4	42.3	7	1.69	150.0	8.30
8128		2.31	0.04	7.71	1.0	170	1.04	0.13	4.29	0.03	22.5	41.3	8	1.62	157.0	7.98
8129		2.23	0.04	7.64	0.9	160	1.14	0.13	5.20	0.02	22.3	40.0	8	1.70	127.5	7.74
8130		1.05	0.03	7.00	0.8	80	1.16	0.08	4.60	0.05	20.6	30.9	9	0.46	29.3	5.67
8131		1.09	0.03	4.40	1.3	60	0.80	0.12	2.61	0.07	11.65	21.5	13	0.38	26.2	3.94
8132		2.09	0.03	5.50	1.6	40	1.14	0.18	1.59	0.02	15.90	39.4	11	0.32	41.0	4.65
8133		2.07	0.02	5.68	1.1	50	1.17	0.08	0.93	0.02	15.65	24.4	13	0.86	10.9	6.23
8134		2.16	0.04	3.54	1.5	40	0.74	0.14	1.10	<0.02	12.15	21.0	17	0.68	28.9	4.14
8135		2.28	0.04	4.23	2.8	60	1.02	0.12	2.14	0.06	16.05	22.3	16	1.19	25.2	5.45
8136		1.57	0.03	6.38	2.5	70	1.30	0.10	1.43	<0.02	20.6	19.1	16	1.38	11.7	7.80
8137		1.94	0.02	6.13	1.7	90	1.15	0.09	1.15	<0.02	29.4	23.2	16	2.17	10.3	8.04
8138		2.02	0.02	7.68	3.8	100	2.13	0.15	3.69	<0.02	50.4	29.5	17	0.97	38.0	7.67
8139		2.09	0.02	7.04	21.1	90	1.76	0.44	2.67	0.02	31.0	47.1	17	1.45	27.0	9.41
8140		2.39	0.01	7.37	1.5	130	1.84	0.16	2.19	<0.02	27.6	23.7	16	2.95	31.6	9.60
8141		2.21	0.02	7.33	3.0	100	2.12	0.33	0.69	0.03	19.90	55.2	19	1.55	18.8	9.91
8142		2.17	0.02	6.56	2.4	60	1.76	0.31	0.28	0.02	19.20	58.4	19	0.80	13.9	9.41
8143		2.23	0.02	5.01	1.3	40	1.17	0.13	0.20	0.02	15.90	24.2	18	0.52	9.4	6.31
8144		2.11	0.01	6.31	2.3	50	1.20	0.22	0.29	0.02	47.2	36.2	18	0.74	5.8	8.95
8145		2.19	0.01	7.11	1.9	80	1.23	0.16	0.25	<0.02	58.1	29.9	21	1.34	3.5	10.10
8146		2.31	0.02	5.78	3.2	60	1.10	0.41	0.66	<0.02	30.1	80.1	20	0.80	10.7	13.00
8147		2.09	0.02	6.25	3.1	40	1.48	0.55	2.07	<0.02	12.60	109.5	20	0.40	16.7	6.71
8148		0.99	0.02	3.70	2.4	20	0.94	0.39	0.16	<0.02	8.30	75.9	19	0.26	2.2	4.79
8149		1.77	0.02	2.95	4.1	10	0.78	0.37	0.24	<0.02	2.91	94.4	27	0.18	3.0	5.06
8150		1.30	0.02	1.90	7.7	10	0.59	0.28	0.16	<0.02	2.01	68.8	21	0.22	3.8	7.28
8151		2.13	0.01	0.59	1.1	10	0.47	0.05	0.14	<0.02	0.76	18.1	36	0.09	1.7	2.05
8152		2.21	0.01	0.17	0.4	10	0.50	0.01	0.03	<0.02	0.06	1.1	30	0.09	0.9	0.38
8153		2.37	0.01	0.39	0.6	10	0.42	0.02	0.06	<0.02	0.44	9.0	30	0.09	1.6	1.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8114		19.65	0.10	2.5	0.115	1.95	13.7	34.7	2.51	1230	0.87	2.94	4.9	46.5	510	10.4
8115		17.80	0.08	2.3	0.075	1.14	11.7	22.5	1.86	1180	66.7	3.17	4.9	49.9	400	13.2
8116		17.35	0.08	2.1	0.088	1.42	9.5	25.1	2.09	1070	11.00	2.91	4.0	52.1	440	13.7
8117		18.05	0.08	2.0	0.069	1.16	10.5	24.5	1.86	1110	19.65	3.45	4.9	41.3	470	16.5
8118		17.35	0.08	2.2	0.090	1.06	18.0	26.2	2.07	938	6.15	2.73	4.1	38.0	410	12.7
8119		18.25	0.09	2.1	0.085	1.46	9.9	32.6	2.52	1040	0.88	2.37	3.9	46.6	430	9.1
8120		18.90	0.09	2.2	0.093	1.50	10.5	32.8	2.56	1080	0.64	2.38	3.9	47.1	430	9.5
8121		23.1	0.21	2.7	11.70	0.63	11.1	19.7	0.09	149	6.61	0.44	7.5	110.5	540	2010
8122		20.0	0.08	2.3	0.091	1.45	6.6	39.2	2.91	899	0.50	2.88	4.0	57.2	420	12.6
8123		18.15	0.08	2.0	0.099	1.49	9.2	34.0	2.52	1110	0.51	1.96	3.7	48.7	410	10.9
8124		18.40	0.11	1.9	0.111	1.45	9.8	32.6	2.54	1140	0.74	2.29	3.8	50.3	410	11.3
8125		0.79	0.10	0.1	<0.005	0.04	1.1	1.7	1.23	81	0.06	0.12	0.2	0.9	60	0.5
8126		19.35	0.10	1.9	0.084	1.53	10.5	38.1	2.59	1120	0.46	2.11	3.8	52.2	430	11.6
8127		19.20	0.11	1.7	0.079	1.45	10.1	37.1	2.52	968	0.48	2.48	3.6	52.2	420	9.0
8128		20.0	0.10	2.0	0.066	1.13	9.8	36.9	2.59	911	0.48	2.98	3.7	54.9	420	6.1
8129		20.5	0.09	2.0	0.064	1.02	9.7	35.5	2.68	919	0.48	2.88	3.8	55.7	430	5.8
8130		22.1	0.09	1.9	0.042	0.40	10.4	28.8	2.34	718	2.79	2.98	3.5	54.5	400	9.0
8131		15.95	0.07	1.1	0.029	0.32	5.6	19.6	1.56	398	8.98	1.84	2.2	40.3	250	13.8
8132		23.1	0.07	1.5	0.034	0.21	7.4	21.9	2.00	326	8.85	2.60	3.0	50.1	320	10.1
8133		26.9	0.08	1.6	0.041	0.45	7.3	24.8	2.45	297	2.82	2.46	3.1	58.2	310	5.4
8134		13.10	0.06	0.9	0.027	0.35	5.9	16.6	1.58	223	10.85	1.49	1.8	38.5	190	6.4
8135		16.50	0.07	1.3	0.033	0.55	7.8	22.1	2.39	491	2.48	1.63	2.8	45.7	230	11.2
8136		31.7	0.08	1.9	0.050	0.71	10.8	36.3	3.55	345	5.03	2.36	3.5	75.7	380	4.7
8137		31.5	0.08	1.6	0.048	1.03	15.5	40.6	3.93	307	0.81	1.87	3.3	91.1	360	4.1
8138		22.7	0.12	2.1	0.045	0.63	27.3	29.7	2.40	416	1.02	3.66	3.9	63.2	450	4.4
8139		22.5	0.09	1.9	0.043	0.78	17.0	28.8	2.44	356	1.01	3.38	3.7	75.0	410	4.3
8140		23.0	0.11	2.0	0.050	1.36	14.9	35.1	3.02	346	0.59	3.36	3.7	70.9	390	3.5
8141		28.7	0.08	2.1	0.035	0.86	10.1	28.4	2.26	233	1.64	3.83	5.3	66.7	400	5.4
8142		26.4	0.08	1.8	0.030	0.49	9.8	22.9	1.88	182	1.30	3.61	3.3	59.4	390	5.2
8143		19.75	0.09	1.4	0.022	0.34	7.7	20.2	1.73	156	3.97	2.53	2.4	46.9	290	3.4
8144		25.5	0.10	1.7	0.026	0.42	25.1	23.3	2.08	189	6.04	3.40	3.0	61.1	360	4.6
8145		27.8	0.12	1.9	0.034	0.79	32.0	29.3	2.40	205	1.69	3.79	3.2	63.8	400	3.8
8146		24.3	0.08	1.5	0.028	0.49	16.5	22.6	1.76	184	3.29	3.21	2.4	51.7	320	5.0
8147		22.5	0.08	1.6	0.029	0.30	6.0	21.9	1.73	267	4.99	3.62	2.5	52.2	340	4.4
8148		16.85	0.06	0.9	0.016	0.15	4.4	13.8	1.09	95	7.99	2.05	1.4	36.8	220	3.2
8149		15.25	<0.05	0.6	0.015	0.08	1.5	11.7	1.02	106	10.10	1.59	0.9	37.6	180	3.8
8150		13.90	<0.05	0.2	0.011	0.09	1.0	11.3	0.99	96	10.10	0.79	0.6	35.6	110	3.7
8151		4.12	<0.05	<0.1	<0.005	0.03	<0.5	4.2	0.28	74	3.66	0.25	0.2	11.5	30	1.9
8152		0.53	<0.05	<0.1	<0.005	0.03	<0.5	1.4	0.03	32	2.08	0.09	<0.1	1.6	<10	1.4
8153		1.70	<0.05	<0.1	<0.005	0.03	<0.5	3.4	0.09	61	4.40	0.22	0.1	4.8	10	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8114		118.5	0.004	0.12	0.27	32.1	1	1.1	132.5	0.31	<0.05	8.38	0.633	0.65	4.4	275
8115		66.0	<0.002	0.27	0.29	23.1	1	0.9	146.0	0.30	<0.05	6.93	0.579	0.41	5.9	211
8116		80.3	0.003	0.27	0.27	25.4	1	1.1	156.0	0.28	<0.05	3.76	0.601	0.48	4.4	238
8117		59.2	0.003	0.10	0.19	22.1	1	0.8	135.0	0.26	<0.05	10.35	0.585	0.33	5.6	191
8118		58.0	0.002	0.11	0.31	25.1	1	1.1	165.5	0.28	<0.05	5.52	0.564	0.36	2.0	218
8119		80.7	0.002	0.10	0.34	28.8	1	1.1	187.0	0.27	<0.05	2.61	0.580	0.47	1.2	244
8120		81.6	0.002	0.11	0.34	29.4	<1	1.1	207	0.27	<0.05	2.74	0.588	0.47	1.3	249
8121		23.4	0.002	3.77	216	4.2	61	12.6	477	0.58	61.6	5.63	0.204	4.28	2.6	36
8122		64.9	0.002	0.11	0.61	29.3	1	1.1	88.6	0.28	0.13	2.22	0.587	0.50	1.0	259
8123		75.4	<0.002	0.09	0.55	27.9	1	1.1	255	0.26	<0.05	2.61	0.555	0.43	1.2	239
8124		76.1	0.002	0.11	0.40	28.2	1	1.2	270	0.27	<0.05	2.53	0.567	0.43	0.9	240
8125		1.5	<0.002	<0.01	0.10	0.3	2	<0.2	79.2	<0.05	<0.05	0.08	0.007	<0.02	0.2	2
8126		84.4	<0.002	0.10	0.39	31.1	1	1.1	293	0.27	<0.05	2.50	0.584	0.43	0.8	247
8127		80.2	0.002	0.10	0.29	30.3	1	1.0	248	0.26	<0.05	2.43	0.542	0.44	0.8	230
8128		64.0	<0.002	0.13	0.20	32.0	1	1.0	147.5	0.27	<0.05	2.47	0.580	0.34	0.8	248
8129		56.4	0.002	0.16	0.17	31.7	1	1.1	141.0	0.27	<0.05	2.45	0.587	0.30	0.8	250
8130		19.8	0.002	0.10	0.19	27.1	1	0.6	112.5	0.25	<0.05	2.30	0.523	0.09	1.1	212
8131		16.7	0.002	0.10	0.27	16.4	1	0.5	54.6	0.15	<0.05	1.40	0.330	0.09	1.2	139
8132		10.8	0.002	0.27	0.23	19.8	1	0.6	45.1	0.19	<0.05	3.12	0.402	0.06	2.7	158
8133		26.3	<0.002	0.10	0.23	22.4	1	1.2	39.8	0.19	<0.05	9.53	0.428	0.15	2.5	200
8134		20.6	0.003	0.16	0.33	14.0	1	0.7	26.1	0.12	<0.05	1.45	0.269	0.12	4.0	115
8135		32.4	<0.002	0.16	0.36	20.2	1	1.0	77.5	0.15	<0.05	56.2	0.344	0.18	17.8	158
8136		40.6	0.003	0.12	0.21	25.1	1	1.3	26.5	0.22	<0.05	4.28	0.495	0.24	3.2	225
8137		58.4	<0.002	0.09	0.19	26.1	1	1.5	30.0	0.22	<0.05	5.92	0.456	0.32	2.4	223
8138		30.5	0.002	0.15	0.20	30.7	1	1.1	147.5	0.27	<0.05	3.34	0.601	0.15	1.7	249
8139		42.0	<0.002	0.55	0.21	32.3	1	1.3	107.5	0.25	0.06	2.90	0.572	0.22	2.0	268
8140		75.2	0.002	0.10	0.22	32.9	1	1.7	84.5	0.25	<0.05	4.20	0.558	0.41	2.3	261
8141		47.4	<0.002	0.36	0.32	27.5	1	1.4	81.4	0.27	<0.05	6.18	0.579	0.26	2.6	257
8142		25.7	<0.002	0.38	0.31	24.4	1	1.0	58.2	0.24	<0.05	2.37	0.510	0.14	1.8	229
8143		16.5	0.002	0.16	0.30	17.7	1	0.9	42.3	0.17	<0.05	1.72	0.367	0.09	1.2	164
8144		22.0	<0.002	0.30	0.28	24.1	1	1.3	40.5	0.21	<0.05	2.09	0.460	0.12	1.6	232
8145		41.3	0.003	0.19	0.29	26.3	1	1.9	51.5	0.23	<0.05	2.32	0.523	0.22	1.7	233
8146		25.4	0.005	0.56	0.32	26.8	1	1.6	42.1	0.18	<0.05	1.85	0.408	0.13	1.4	292
8147		14.9	<0.002	0.79	0.34	19.1	2	1.2	53.5	0.20	0.05	2.04	0.419	0.08	1.6	180
8148		7.4	0.002	0.44	0.35	10.5	1	1.2	22.0	0.10	<0.05	1.17	0.217	0.04	2.2	107
8149		3.9	<0.002	0.60	0.72	9.6	1	0.9	17.9	0.06	0.05	0.76	0.123	0.03	1.4	79
8150		4.6	0.002	0.49	0.78	6.7	1	0.6	12.6	<0.05	0.05	0.39	0.052	0.03	0.7	83
8151		1.2	<0.002	0.14	0.89	2.0	1	0.3	7.3	<0.05	<0.05	0.29	0.011	0.02	0.3	22
8152		1.3	<0.002	0.01	1.24	0.2	1	<0.2	5.7	<0.05	<0.05	0.16	<0.005	0.02	<0.1	2
8153		1.9	<0.002	0.06	0.91	0.8	1	0.2	7.2	<0.05	<0.05	0.45	0.008	0.02	0.2	9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8114		2.4	22.8	113	99.9					
8115		1.2	18.5	84	85.2					
8116		0.5	17.4	88	75.2					
8117		0.6	17.5	73	75.0					
8118		0.4	18.6	69	79.7					
8119		0.4	17.8	83	79.0					
8120		0.5	18.7	84	80.3					
8121		16.1	5.7	9060	87.7	290				
8122		0.5	11.4	112	84.7					
8123		0.5	17.5	88	74.0					
8124		0.4	17.9	87	73.5					
8125		<0.1	2.2	3	1.8					
8126		0.5	19.3	91	74.6					
8127		0.5	18.7	90	70.2					
8128		0.6	16.6	81	78.7					
8129		0.6	15.8	69	77.0					
8130		0.5	14.1	54	73.6					
8131		0.4	8.5	37	44.8					
8132		0.6	9.7	33	59.7					
8133		0.7	8.2	30	70.5					
8134		0.4	5.6	20	38.6					
8135		0.9	14.4	27	68.6					
8136		1.4	8.5	34	72.7					
8137		0.6	9.8	36	75.3					
8138		1.0	13.9	24	87.1					
8139		0.9	13.3	24	77.8					
8140		0.6	11.7	28	86.6					
8141		1.8	8.4	22	130.0					
8142		0.6	6.6	18	71.5					
8143		0.7	4.9	16	54.5					
8144		1.8	6.6	18	64.8					
8145		1.6	7.0	20	72.9					
8146		3.8	6.2	16	59.3					
8147		2.0	10.8	15	66.4					
8148		2.3	4.3	10	35.0					
8149		1.1	3.0	9	23.7					
8150		1.4	0.9	9	9.2					
8151		0.8	0.3	4	2.5					
8152		0.1	0.1	2	<0.5					
8153		0.3	0.3	3	3.3				73.2	97.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8154		2.23	0.01	0.17	0.5	10	0.48	0.03	0.11	<0.02	0.14	11.3	39	0.10	1.3	0.87
8155		2.20	0.01	1.04	1.0	10	0.49	0.05	0.13	<0.02	0.64	24.2	30	0.13	1.3	2.20
8156		2.31	0.01	0.17	1.0	10	0.35	0.03	0.05	<0.02	0.11	3.3	26	0.08	1.1	0.35
8157		1.99	0.01	0.20	0.4	10	0.24	0.01	0.19	0.02	0.16	0.3	36	0.12	1.1	0.44
8158		2.18	0.01	0.38	0.6	10	0.32	0.02	0.06	<0.02	0.34	1.7	27	0.08	0.8	0.68
8159		0.97	0.01	0.32	0.8	10	0.45	0.03	0.07	<0.02	0.11	12.9	34	0.11	1.6	1.03
8160		0.73	0.01	0.28	0.8	10	0.34	0.03	0.07	0.02	0.17	4.2	35	0.11	1.0	0.70
8161		0.09	4.09	5.63	13.3	120	0.62	0.89	3.48	2.01	17.20	979	270	0.82	>10000	18.15
8162		1.49	0.02	0.58	0.8	10	0.62	0.02	0.11	<0.02	0.54	1.9	31	0.16	15.1	1.23
8163		1.29	0.02	4.03	0.2	30	1.24	0.06	0.21	<0.02	12.30	16.9	66	0.54	9.8	7.04
8164		2.35	0.02	5.29	0.7	50	1.54	0.11	1.49	0.06	14.40	18.4	47	1.01	7.1	6.50
8165		2.28	0.02	4.43	0.9	40	1.24	0.06	0.72	0.04	9.25	8.6	57	1.49	6.3	5.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
8154		1.00	<0.05	<0.1	<0.005	0.03	<0.5	2.0	0.05	50	4.12	0.09	0.1	3.6	10	1.6
8155		6.17	<0.05	0.1	0.005	0.04	<0.5	9.2	0.46	89	10.05	0.51	0.2	16.9	50	1.8
8156		0.55	<0.05	<0.1	<0.005	0.03	<0.5	1.4	0.03	36	2.46	0.09	<0.1	2.0	<10	1.1
8157		0.89	<0.05	<0.1	<0.005	0.03	<0.5	0.8	0.04	73	2.51	0.14	0.1	1.5	10	2.6
8158		1.82	<0.05	<0.1	<0.005	0.03	<0.5	2.9	0.12	48	5.12	0.21	0.1	4.8	10	1.4
8159		2.21	<0.05	<0.1	<0.005	0.04	<0.5	3.5	0.18	76	9.32	0.11	0.1	8.2	10	2.8
8160		1.96	<0.05	<0.1	<0.005	0.03	<0.5	3.2	0.16	53	3.51	0.10	<0.1	6.7	10	2.8
8161		12.10	0.28	1.2	0.126	0.32	7.8	9.5	4.10	1020	5.08	1.20	5.1	>10000	470	17.3
8162		4.44	0.05	0.1	<0.005	0.06	<0.5	5.6	0.41	72	2.38	0.16	0.2	26.5	20	2.8
8163		21.1	0.07	0.9	0.021	0.25	6.5	19.5	1.67	116	5.30	1.91	0.9	57.1	170	4.0
8164		27.6	0.06	1.2	0.029	0.39	7.4	25.2	2.69	322	2.77	2.57	1.4	76.4	200	9.0
8165		24.7	0.08	1.0	0.023	0.49	4.7	24.7	2.36	202	3.07	2.01	1.1	73.0	160	7.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8154		1.7	<0.002	0.09	0.95	0.5	1	<0.2	7.3	<0.05	<0.05	0.52	<0.005	0.02	0.1	5
8155		2.0	<0.002	0.15	0.80	2.8	1	0.3	12.7	<0.05	<0.05	0.66	0.018	0.03	0.7	23
8156		1.6	<0.002	0.04	0.85	0.2	1	<0.2	5.4	<0.05	<0.05	0.22	<0.005	0.02	0.1	1
8157		1.9	<0.002	<0.01	0.57	0.4	1	<0.2	11.3	<0.05	<0.05	0.83	<0.005	0.03	0.1	1
8158		1.4	<0.002	0.02	0.68	0.8	1	<0.2	6.7	<0.05	<0.05	0.15	0.009	<0.02	0.2	7
8159		1.6	<0.002	0.10	0.74	0.8	1	<0.2	8.7	<0.05	<0.05	0.12	<0.005	0.03	0.1	8
8160		1.5	<0.002	0.04	0.73	0.7	<1	<0.2	8.6	<0.05	<0.05	0.12	<0.005	0.02	0.1	6
8161		10.7	0.049	8.50	3.21	8.8	22	2.6	185.5	0.33	3.90	1.08	0.532	0.19	0.4	81
8162		2.5	<0.002	0.01	0.80	1.8	<1	0.2	10.8	<0.05	<0.05	0.26	0.012	0.02	0.2	21
8163		14.1	<0.002	0.08	0.55	15.9	<1	0.7	41.5	0.07	<0.05	1.01	0.171	0.08	1.1	158
8164		24.3	<0.002	0.11	0.52	19.0	<1	1.1	170.0	0.09	<0.05	171.5	0.229	0.14	17.4	136
8165		34.0	<0.002	0.05	0.42	17.7	<1	1.2	102.0	0.08	<0.05	94.9	0.208	0.27	9.8	140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8154		0.2	0.3	2	1.5					
8155		0.5	0.6	5	7.3					
8156		<0.1	0.1	2	0.5					
8157		0.1	0.3	3	1.6					
8158		0.1	0.2	3	2.2					
8159		0.1	0.1	5	1.0					
8160		0.1	0.2	4	0.7					
8161		2.4	9.4	144	49.6		1.655	4.70		
8162		0.4	0.3	7	2.8					
8163		0.9	4.5	16	31.1					
8164		0.9	16.2	29	47.3					
8165		0.7	10.7	24	35.8					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104611

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			