ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

CERTIFICATE SD18150164

Project: IRON MASK

This report is for 50 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14329		1.47	0.95	0.57	190.0	10	0.40	0.10	24.1	6.42	13.00	4.8	5	<0.05	35.0	1.38
14330		1.33	0.14	0.57	82.5	10	0.27	0.06	22.8	0.34	11.00	3.1	4	<0.05	8.4	1.64
14331		1.99	0.15	0.95	79.6	10	0.40	0.03	23.3	0.29	14.40	3.1	7	<0.05	9.2	1.39
14332		1.92	0.14	0.91	37.8	10	0.49	0.04	25.2	0.22	16.85	3.0	7	0.09	4.8	1.28
14333		2.08	0.31	1.30	56.9	70	0.51	0.03	25.0	0.14	16.05	2.8	10	0.21	20.4	1.15
14334		2.03	0.37	1.92	42.0	70	1.33	0.06	24.9	0.09	33.2	3.3	13	2.01	22.9	1.24
14335		2.05	0.14	1.60	15.7	110	1.54	0.19	30.0	0.10	17.35	3.2	10	4.23	6.3	1.03
14336		2.08	3.27	2.31	23.4	110	1.67	5.91	28.3	23.1	26.2	5.6	15	4.35	16.9	1.60
14337		2.44	0.18	3.65	16.5	90	2.09	0.46	23.6	0.20	72.2	7.7	27	4.40	29.2	4.14
14338		1.84	3.63	2.98	17.3	50	2.52	6.83	28.3	3.35	127.0	10.3	19	1.14	35.0	3.04
14339		1.58	1.59	2.79	16.0	160	2.28	3.40	24.6	1.42	152.0	15.5	21	0.34	18.7	6.81
14340		1.58	0.39	3.00	12.6	340	1.11	0.48	5.52	0.32	46.8	13.6	16	0.65	79.9	6.65
14341		1.28	0.79	2.28	21.3	260	0.72	1.10	2.07	5.65	41.6	17.8	25	4.13	201	3.54
14342		1.93	1.12	2.32	26.6	360	0.42	1.79	0.23	3.38	63.8	21.4	32	0.23	323	1.65
14343		2.25	0.85	2.22	23.8	500	0.30	1.43	0.31	0.90	49.5	19.5	31	0.27	209	1.21
14344		1.58	0.41	3.76	18.8	1030	1.54	0.75	3.69	0.23	55.6	16.9	55	5.91	154.5	5.74
14345		1.82	1.93	4.68	147.0	410	1.19	3.56	0.34	1.46	118.5	64.0	53	0.39	574	4.23
14346		1.20	0.67	4.88	23.7	580	1.55	0.51	0.43	2.93	296	38.0	65	0.87	111.0	3.36
14347		1.23	0.24	7.00	11.3	360	2.40	0.10	0.71	3.00	221	13.6	13	0.30	37.2	1.69
14348		1.38	0.33	7.18	9.2	460	2.18	0.07	0.95	2.94	229	10.8	12	0.28	18.1	1.44
14349		1.70	0.15	7.53	8.9	350	3.14	0.11	1.42	1.10	242	11.3	11	0.36	7.0	2.03
14350		1.50	3.28	6.70	107.0	540	3.05	0.08	3.28	0.41	252	22.0	12	0.44	12.2	3.49
14351		1.85	0.65	5.61	4.8	140	2.05	0.30	1.07	0.44	184.0	160.0	16	0.26	416	5.64
14352		2.05	0.14	7.23	4.0	630	2.61	0.04	1.43	0.93	236	4.2	12	0.39	6.6	1.39
14353		1.87	0.09	7.70	10.8	510	3.13	0.03	0.73	0.35	295	10.3	14	0.26	14.2	2.06
14354		1.88	0.64	4.21	57.6	150	1.47	0.40	1.65	0.91	114.5	150.5	14	0.19	129.5	3.47
14355		2.05	0.28	5.38	43.5	180	1.53	0.37	1.83	0.74	141.0	55.2	19	0.24	32.1	3.55
14356		1.82	0.04	7.33	2.7	410	2.74	0.03	1.24	0.24	199.0	3.6	17	0.31	4.4	1.78
14357		1.33	0.03	7.34	4.5	190	2.59	0.03	1.73	0.22	172.5	5.3	11	0.30	4.9	1.76
14358		1.14	0.22	6.18	4.8	490	2.70	0.12	5.83	1.09	135.5	26.6	48	1.92	15.3	7.30
14359		0.51	0.13	6.93	2.4	480	1.57	0.26	6.99	0.35	33.0	36.4	45	4.48	85.9	7.31
14360		0.59	0.09	6.92	1.6	530	1.68	0.17	5.13	0.13	17.70	37.6	51	5.65	82.6	8.27
14361		0.08	4.18	5.54	14.1	120	0.47	0.85	3.61	2.12	17.55	990	269	0.74	>10000	18.20
14362		2.04	0.12	7.39	2.2	300	0.77	0.33	5.35	0.03	21.4	46.0	57	6.24	147.5	8.11
14363		2.30	0.06	7.15	2.2	250	1.03	0.24	4.93	0.05	69.1	35.1	42	3.43	93.7	6.77
14364		2.26	0.10	7.20	3.1	190	0.58	0.18	6.62	0.08	19.25	44.0	48	1.25	132.5	8.35
14365		2.22	0.07	7.12	3.2	100	0.46	0.06	6.69	0.17	20.2	45.8	23	0.77	124.5	8.75
14366		2.45	0.08	7.19	2.7	150	0.55	0.07	6.83	0.17	24.2	47.5	29	0.80	143.5	9.22
14367		2.32	0.10	6.99	2.6	200	0.62	0.12	6.20	0.12	26.4	51.7	8	1.49	155.5	10.45
14368		2.45	0.09	6.31	3.9	260	0.94	0.20	5.09	0.14	38.7	57.2	3	0.80	131.5	13.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14329		1.51	<0.05	0.4	0.022	0.01	7.3	1.1	9.30	5490	0.70	0.01	0.9	6.0	40	588
14330		1.61	<0.05	0.5	0.011	0.01	5.8	1.0	10.60	6220	0.10	0.01	0.9	6.8	40	41.7
14331		2.66	<0.05	0.7	0.016	<0.01	6.6	1.9	10.85	5850	0.06	<0.01	1.5	9.6	40	9.1
14332		2.61	<0.05	0.8	0.015	0.01	7.9	1.5	8.14	5320	<0.05	<0.01	1.6	7.9	50	19.0
14333		3.44	<0.05	1.0	0.014	0.03	7.0	1.2	8.50	5000	0.37	<0.01	2.2	9.5	100	37.7
14334		5.05	<0.05	1.5	0.016	0.44	18.3	3.3	7.85	6030	1.13	<0.01	3.4	12.3	110	63.2
14335		4.25	<0.05	1.1	0.016	0.97	8.5	10.3	3.24	7160	0.36	0.01	2.5	11.3	90	19.6
14336		6.35	<0.05	1.8	0.033	0.93	13.1	13.3	3.43	7040	1.19	0.01	3.8	16.0	140	624
14337		9.93	0.11	2.3	0.198	0.75	43.8	9.1	3.33	5640	0.27	0.03	6.2	19.5	220	13.3
14338		8.81	0.10	2.1	0.106	0.25	67.9	5.2	2.51	7660	0.13	0.02	5.3	20.9	180	276
14339		8.57	0.11	2.4	0.304	0.24	80.2	4.3	2.06	8310	0.27	0.14	4.5	22.0	170	100.5
14340		7.69	0.05	1.7	0.456	0.93	19.7	3.5	0.33	1920	2.65	0.92	3.5	11.6	110	38.7
14341		4.61	0.05	0.8	0.452	0.99	17.5	6.4	0.31	736	1.67	0.90	1.6	12.9	80	125.5
14342		3.62	0.06	0.9	0.190	1.96	28.2	1.6	0.09	117	2.28	0.67	1.8	11.8	80	184.5
14343		3.49	0.06	0.8	0.073	2.10	21.2	1.1	0.07	148	2.44	0.54	1.5	10.1	70	149.0
14344		10.10	0.08	1.4	0.281	2.78	22.5	6.3	0.48	1120	2.82	0.70	2.8	19.0	380	44.8
14345		11.10	0.10	3.4	0.103	2.71	59.7	5.1	0.23	127	7.50	2.00	8.3	44.7	290	291
14346		15.55	0.16	3.8	0.031	2.90	155.5	10.1	0.56	160	3.76	1.77	7.9	25.2	280	556
14347		20.6	0.15	6.6	0.018	0.78	125.5	10.0	0.32	140	3.22	4.74	11.5	6.1	400	414
14348		20.6	0.13	7.2	0.027	1.21	126.5	9.2	0.26	159	2.25	4.71	12.7	3.9	450	704
14349		23.9	0.14	7.5	0.025	1.03	132.5	16.8	0.45	222	4.35	4.49	11.3	4.0	470	64.8
14350		22.2	0.16	7.5	0.030	1.48	136.0	20.1	0.40	412	2.50	3.41	9.7	6.9	490	159.0
14351		15.45	0.16	5.4	0.038	0.86	110.0	12.1	0.34	189	1.65	3.19	6.8	250	340	176.0
14352		21.0	0.13	7.6	0.036	1.67	131.5	10.3	0.27	192	1.43	3.95	12.4	3.7	520	157.5
14353		22.7	0.17	8.7	0.025	1.15	166.0	12.8	0.42	146	1.57	4.69	15.6	3.8	570	52.1
14354		11.70	0.08	3.7	0.027	0.40	65.2	7.3	0.38	332	1.45	2.69	5.5	61.9	260	82.7
14355		18.00	0.10	5.2	0.031	0.53	78.9	10.2	0.60	396	1.45	3.16	4.9	50.3	350	108.0
14356		20.5	0.12	7.0	0.019	1.06	112.0	11.8	0.34	190	1.66	4.41	10.7	3.4	420	66.6
14357		20.1	0.12	7.0	0.020	0.64	95.9	9.7	0.28	265	2.28	4.91	10.0	4.0	450	137.0
14358		39.7	0.12	2.2	0.101	1.91	75.2	38.8	2.57	1350	0.84	0.63	6.8	31.0	300	81.2
14359		21.1	0.09	1.4	0.068	2.86	18.6	41.5	3.32	1340	0.57	0.48	2.7	76.3	300	20.2
14360		17.55	0.08	1.4	0.064	3.02	8.3	44.0	3.36	1040	0.43	0.54	2.5	83.4	300	13.6
14361		11.45	0.17	1.3	0.123	0.32	7.3	9.5	4.09	1000	5.00	1.21	4.8	>10000	470	13.5
14362		16.70	0.09	1.7	0.063	2.29	9.9	37.5	4.12	1120	0.55	1.18	3.0	114.0	320	4.0
14363		18.05	0.09	2.7	0.062	1.68	40.3	24.6	3.01	924	0.57	2.17	5.2	70.7	350	6.6
14364		15.75	0.07	1.7	0.074	1.07	8.3	19.5	3.92	1360	0.48	1.55	2.9	83.7	310	5.4
14365		16.75	0.07	2.0	0.083	0.45	8.6	10.6	3.52	1450	0.64	2.04	3.3	70.3	370	8.7
14366		17.75	0.07	2.2	0.074	0.60	10.5	11.8	3.35	1440	0.67	1.79	3.9	68.3	420	5.7
14367		18.70	0.07	2.4	0.080	0.84	11.5	13.2	2.88	1510	0.88	1.74	4.5	47.3	460	6.1
14368		21.2	0.08	3.6	0.107	0.86	17.7	10.9	2.05	1820	0.93	2.11	6.5	23.0	620	7.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14329		0.4	0.002	0.31	1.83	1.0	<1	0.3	55.6	0.06	<0.05	1.10	0.023	0.02	1.6	6
14330		0.6	0.002	0.25	0.70	1.1	<1	0.3	50.5	0.07	0.06	1.09	0.024	0.02	1.1	7
14331		0.7	<0.002	0.16	0.65	1.7	1	0.3	55.1	0.12	<0.05	1.43	0.038	0.02	0.8	11
14332		1.7	<0.002	0.23	0.43	1.6	1	0.4	77.8	0.12	<0.05	2.24	0.036	0.03	1.0	10
14333		3.9	<0.002	0.28	0.75	2.2	1	0.5	96.2	0.18	<0.05	2.87	0.053	0.06	2.0	14
14334		48.0	<0.002	0.12	0.55	3.2	1	0.9	105.5	0.24	<0.05	4.02	0.075	0.95	1.9	20
14335		114.0	<0.002	0.06	0.28	2.6	<1	0.6	124.5	0.19	<0.05	3.17	0.061	2.09	1.5	17
14336		95.1	<0.002	0.30	0.66	3.8	1	0.9	125.5	0.29	0.16	4.95	0.089	2.19	2.2	24
14337		90.0	<0.002	0.10	0.72	5.3	1	1.6	199.5	0.47	<0.05	8.33	0.137	1.82	3.5	36
14338		26.9	<0.002	0.07	0.41	4.8	1	1.3	168.5	0.39	0.06	5.95	0.113	0.58	3.1	29
14339		11.2	<0.002	0.11	0.50	4.2	1	1.9	135.5	0.35	0.06	6.53	0.106	0.22	6.4	27
14340		25.8	0.002	0.25	0.39	1.7	1	0.9	102.0	0.44	<0.05	10.55	0.060	0.36	4.3	11
14341		54.5	<0.002	0.68	0.17	1.3	1	0.8	21.0	0.14	<0.05	3.73	0.046	0.97	4.0	8
14342		55.1	<0.002	0.92	0.12	0.6	<1	0.4	8.5	0.17	<0.05	4.84	0.047	0.55	6.5	7
14343		59.9	0.002	0.67	0.15	0.6	<1	0.3	10.6	0.13	<0.05	3.74	0.041	0.61	6.1	6
14344		141.5	<0.002	0.49	0.22	5.8	<1	1.3	81.9	0.19	<0.05	4.72	0.142	3.87	5.1	52
14345		72.6	0.002	3.51	0.29	2.5	<1	0.9	29.5	0.70	<0.05	23.0	0.135	1.37	13.6	23
14346		89.0	0.003	1.11	0.16	5.3	1	1.7	36.5	0.60	<0.05	23.2	0.152	0.98	28.0	37
14347		38.4	<0.002	0.14	0.12	3.5	1	1.7	124.0	0.94	<0.05	68.4	0.172	0.30	13.1	22
14348		47.5	0.002	0.10	0.19	3.1	<1	1.6	108.0	0.93	<0.05	68.7	0.168	0.29	12.4	19
14349		63.1	<0.002	0.14	0.19	4.3	<1	2.2	118.0	0.90	<0.05	70.8	0.151	0.43	9.1	26
14350		80.7	0.003	1.69	9.69	4.0	<1	2.3	111.0	0.70	<0.05	64.3	0.146	0.70	10.2	27
14351		54.2	<0.002	4.67	0.22	3.0	4	1.5	91.8	0.56	<0.05	49.1	0.081	6.14	7.4	21
14352		79.0	0.002	0.03	0.15	4.3	1	2.6	116.5	0.80	<0.05	68.9	0.160	0.45	11.1	24
14353		55.9	<0.002	0.04	0.13	4.7	<1	2.1	147.5	1.35	<0.05	72.4	0.234	0.32	12.9	29
14354		20.4	0.002	2.08	0.67	2.7	1	0.7	71.2	0.54	0.06	32.0	0.078	0.34	5.0	12
14355		27.9	<0.002	1.21	0.24	4.2	1	1.0	77.1	0.60	0.05	42.3	0.092	0.23	6.5	28
14356		55.2	<0.002	0.03	0.14	4.3	<1	1.9	122.0	1.09	<0.05	65.6	0.176	0.42	8.1	31
14357		33.7	<0.002	0.02	0.16	3.6	1	1.6	106.5	0.94	<0.05	68.6	0.129	0.23	9.7	24
14358		154.5	0.003	0.12	0.50	24.5	<1	2.7	54.4	0.28	<0.05	22.3	0.386	1.01	5.6	203
14359		296	0.002	0.11	0.39	33.0	1	1.4	94.7	0.18	<0.05	1.60	0.462	1.84	0.7	240
14360		313	<0.002	0.06	0.28	32.4	<1	1.2	87.5	0.18	<0.05	1.58	0.465	2.29	0.6	233
14361		10.9	0.047	8.77	2.96	8.1	20	2.7	187.5	0.31	4.20	0.96	0.540	0.18	0.3	81
14362		250	<0.002	0.10	0.31	36.3	<1	0.7	184.5	0.22	<0.05	2.52	0.508	2.22	1.1	247
14363		131.0	<0.002	0.06	0.32	26.2	<1	1.1	199.0	0.38	<0.05	15.25	0.428	1.24	2.7	196
14364		94.0	0.002	0.08	0.36	35.5	1	0.8	239	0.21	<0.05	1.80	0.505	0.72	0.6	251
14365		23.8	<0.002	0.08	0.33	36.9	1	1.0	229	0.25	<0.05	2.06	0.550	0.18	0.7	264
14366		31.8	0.002	0.11	0.30	35.9	1	1.1	202	0.28	<0.05	2.37	0.617	0.21	0.7	278
14367		49.6	0.002	0.12	0.30	38.2	1	1.2	194.0	0.32	<0.05	2.68	0.789	0.39	0.9	333
14368		34.8	0.004	0.16	0.34	40.0	2	1.6	193.0	0.47	<0.05	4.00	1.215	0.22	1.2	527

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14329		0.3	4.1	972	16.6			70.4	94.1
14330		0.3	5.3	67	17.0				91.0
14331		0.3	5.5	60	26.0				
14332		0.3	6.0	48	27.3				
14333		0.5	5.9	34	37.6				
14334		0.3	6.8	39	53.3				
14335		0.1	5.0	60	41.0				
14336		0.2	8.1	3470	64.0				
14337		0.2	14.1	143	86.7				
14338		0.2	23.1	728	79.7				
14339		0.2	25.7	395	87.7				
14340		0.2	8.4	151	58.7				
14341		0.1	4.1	1260	30.2				
14342		0.2	3.8	699	33.7				
14343		0.1	3.1	222	28.9				
14344		0.2	11.3	134	53.0				
14345		0.5	8.9	327	125.0				
14346		0.4	13.0	744	136.5				
14347		0.3	12.8	782	257				
14348		0.3	14.4	596	274				
14349		0.3	15.6	245	290				
14350		0.3	16.6	97	297				
14351		0.2	10.3	100	214				
14352		0.3	14.5	210	299				
14353		0.3	16.7	78	344				
14354		0.1	8.8	216	142.0				
14355		0.1	9.9	182	210				
14356		0.3	12.3	54	273				
14357		0.2	12.9	46	265				
14358		0.4	17.7	211	84.3				
14359		0.3	13.5	115	48.2				
14360		0.3	11.0	92	49.7				
14361		2.4	9.5	139	51.5	1.595	4.60		
14362		0.3	15.9	82	57.6				
14363		0.3	17.5	71	105.5				
14364		0.4	18.2	97	60.8				
14365		0.4	19.7	112	70.2				
14366		0.4	21.6	121	79.2				
14367		0.5	23.6	123	88.9				
14368		0.6	32.1	144	134.0			72.9	91.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14369		2.34	0.07	6.30	6.1	260	0.80	0.18	5.23	0.10	33.6	54.8	2	0.80	81.7	12.75
14370		2.34	0.06	6.12	39.3	130	0.99	0.39	6.05	0.07	33.1	65.8	1	0.46	30.2	11.35
14371		2.44	0.12	6.04	8.3	330	0.93	0.22	4.99	0.26	41.8	55.3	4	0.73	150.0	12.40
14372		2.37	0.13	6.00	6.7	120	0.72	0.27	5.56	0.19	32.2	55.5	1	0.47	246	11.65
14373		2.27	0.05	8.58	2.7	20	0.39	1.29	11.15	0.09	45.0	24.2	4	0.08	94.2	10.40
14374		2.25	0.04	6.93	14.1	40	0.54	0.29	5.24	0.18	26.3	45.5	5	0.08	31.8	9.39
14375		1.10	<0.01	0.07	0.7	20	0.06	0.02	33.2	0.02	1.03	0.7	1	<0.05	1.2	0.12
14376		2.41	0.16	7.11	8.2	100	0.64	0.26	6.05	0.25	31.1	43.0	5	0.42	263	9.38
14377		2.00	0.09	7.52	5.0	180	0.50	0.13	6.88	0.10	23.6	46.5	9	0.77	163.5	8.35
14378		2.18	0.11	7.89	4.2	130	0.51	0.08	6.94	0.11	21.3	47.5	12	0.95	167.0	8.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14369		20.7	0.09	3.3	0.104	0.86	15.6	9.5	1.98	1780	0.87	2.09	6.0	21.2	590	5.7
14370		20.4	0.08	3.3	0.179	0.44	14.9	12.1	2.14	1520	1.89	2.65	6.5	20.1	560	5.7
14371		20.6	0.10	4.1	0.107	1.05	19.9	13.9	1.78	1750	1.24	1.86	6.8	10.8	730	7.2
14372		19.75	0.08	3.3	0.120	0.51	15.3	8.5	2.07	1520	0.70	2.72	5.5	22.4	570	9.0
14373		42.6	0.10	1.4	0.178	0.14	24.5	5.2	1.30	1140	0.72	0.81	2.6	13.9	290	4.2
14374		16.10	0.07	2.1	0.091	0.18	11.5	6.7	2.57	1360	0.63	3.58	3.8	37.7	430	15.2
14375		0.23	0.05	<0.1	<0.005	0.01	1.2	1.0	1.32	111	0.06	0.03	0.1	0.4	60	0.7
14376		17.95	0.06	2.6	0.084	0.39	14.1	9.5	2.49	1440	0.84	2.58	5.1	39.2	530	14.5
14377		18.20	0.07	2.1	0.061	0.69	10.2	12.2	2.82	1310	0.74	1.90	3.7	55.4	400	4.7
14378		18.15	0.07	1.9	0.063	0.44	9.0	10.6	3.04	1320	0.69	1.98	3.4	68.6	360	6.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14369		36.7	0.002	0.16	0.35	40.0	1	1.3	205	0.42	<0.05	3.48	1.285	0.19	1.1	572
14370		15.9	0.003	0.10	0.43	40.9	1	1.8	162.0	0.45	<0.05	3.28	1.385	0.11	1.5	552
14371		37.8	0.002	0.16	0.32	37.7	1	1.9	183.5	0.49	<0.05	4.32	1.060	0.26	1.4	373
14372		14.4	0.004	0.21	0.49	36.6	1	1.5	196.0	0.40	<0.05	3.63	1.290	0.16	1.1	686
14373		1.5	0.002	0.02	1.29	29.6	1	1.4	799	0.19	<0.05	1.89	0.714	0.02	1.2	888
14374		2.4	<0.002	0.02	0.50	36.7	1	1.1	170.5	0.27	<0.05	2.61	0.510	0.03	0.9	277
14375		0.2	<0.002	0.01	0.07	0.2	2	<0.2	82.9	<0.05	<0.05	0.06	0.006	<0.02	0.1	2
14376		12.8	<0.002	0.10	0.46	34.4	1	1.3	215	0.37	<0.05	3.16	0.746	0.11	1.0	295
14377		31.0	0.002	0.12	0.26	33.3	1	1.0	236	0.27	<0.05	2.48	0.590	0.28	0.8	263
14378		14.9	0.002	0.11	0.24	32.0	1	0.9	226	0.25	<0.05	2.24	0.535	0.18	0.6	244

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14369		0.5	28.8	124	120.0				
14370		0.6	29.6	98	117.0				
14371		0.8	33.6	183	149.0				
14372		0.8	27.4	139	116.0				
14373		0.6	28.0	91	49.8				
14374		0.6	21.4	113	72.3				
14375		<0.1	2.1	4	1.5				
14376		0.6	25.3	126	89.3				
14377		0.4	20.3	92	77.7				
14378		0.4	18.2	98	68.9				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 15-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150164

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Cu-OG62	ME-MS61	ME-OG62	Ni-OG62