ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
This copy reported on
25-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18139126

Project: IRON MASK

This report is for 120 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 13-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9541		2.06	0.03	6.52	1.3	350	0.91	0.08	1.88	0.04	26.7	3.9	62	0.62	13.1	2.21
9542		2.07	0.20	7.72	5.2	450	1.41	0.72	2.09	0.09	76.0	45.4	88	0.72	78.4	3.54
9543		2.10	0.62	7.86	38.8	140	1.16	2.17	1.78	0.19	81.0	194.5	92	0.19	295	2.44
9544		2.37	0.64	7.49	24.6	270	0.95	1.71	1.72	0.12	40.6	145.0	95	0.49	281	3.17
9545		2.10	0.04	7.09	3.5	410	1.49	0.30	1.54	0.02	45.1	12.1	68	0.82	30.8	2.81
9546		2.09	0.05	5.97	11.3	110	0.68	0.47	2.07	<0.02	33.3	66.6	76	0.22	23.2	2.89
9547		1.99	0.01	7.06	25.6	90	0.89	0.48	1.00	<0.02	36.2	92.7	83	0.44	3.6	3.90
9548		2.12	0.08	8.17	6.8	30	0.95	0.71	0.38	<0.02	14.50	250	119	<0.05	2.9	2.58
9549		1.93	0.01	7.63	2.3	150	1.92	0.08	0.59	<0.02	48.5	17.4	100	0.40	2.6	4.01
9550		2.05	0.01	7.57	2.5	90	1.63	0.13	0.31	<0.02	38.2	58.4	107	0.14	1.8	4.20
9551		1.96	0.05	8.55	6.9	50	1.36	0.60	0.41	<0.02	14.75	364	117	0.08	7.4	3.57
9552		2.04	<0.01	7.58	3.9	130	1.66	0.11	0.57	<0.02	35.8	26.4	113	0.27	6.9	5.69
9553		1.99	0.03	8.69	8.4	40	0.96	0.41	1.89	<0.02	8.26	205	118	0.05	4.7	6.05
9554		1.66	0.04	8.50	4.7	110	1.21	0.24	0.87	<0.02	22.7	114.5	107	0.21	9.5	4.07
9555		2.16	0.06	8.95	8.7	60	0.97	0.46	1.02	<0.02	31.9	213	133	0.13	3.0	6.53
9556		2.13	0.02	8.06	5.4	70	0.96	0.45	0.88	<0.02	11.80	250	116	0.12	2.3	8.80
9557		1.97	0.01	8.32	3.2	60	0.99	0.23	0.59	<0.02	38.6	127.5	100	0.11	9.5	3.62
9558		1.85	0.05	7.49	3.9	90	0.95	0.32	1.52	<0.02	29.1	63.3	64	0.15	32.4	2.49
9559		0.84	0.05	8.77	5.9	100	0.93	0.33	1.08	<0.02	14.65	163.5	102	0.16	10.6	3.39
9560		0.87	0.05	8.99	3.4	120	1.12	0.27	0.77	<0.02	15.15	96.1	93	0.22	8.2	3.29
9561		0.07	>100	4.77	749	70	0.81	62.8	0.67	26.6	31.7	10.6	42	2.78	5480	2.35
9562		1.78	0.12	7.72	19.8	300	1.28	0.17	2.42	0.04	33.8	55.7	99	1.07	14.0	5.01
9563		1.92	0.11	7.76	6.5	510	1.62	0.45	1.88	0.10	114.5	19.1	108	3.28	138.5	5.23
9564		1.92	0.05	6.57	4.3	2560	2.20	1.89	4.51	0.02	31.6	10.2	65	3.50	24.0	5.52
9565		1.86	0.49	6.90	22.1	2610	2.25	6.76	4.17	0.06	28.1	16.5	66	1.28	91.3	4.86
9566		1.98	0.24	6.95	62.5	890	1.53	3.68	4.07	0.04	47.7	39.6	61	0.57	89.6	4.40
9567		1.54	0.06	7.52	42.4	2060	1.51	0.91	3.50	0.03	55.6	20.0	48	1.03	19.7	3.96
9568		1.80	1.42	6.78	161.5	1660	1.78	24.0	7.02	0.20	198.0	103.5	84	0.37	464	5.18
9569		1.87	0.10	7.24	56.5	1730	1.42	2.09	2.30	0.03	14.10	26.8	67	0.77	10.7	3.12
9570		1.91	0.32	5.75	106.0	3130	1.48	3.49	4.13	0.19	59.2	23.2	21	0.31	11.2	3.34
9571		1.87	0.07	6.63	20.1	2690	1.83	0.52	2.09	0.08	99.0	10.2	47	0.85	5.6	2.11
9572		2.06	0.10	6.93	4.7	1160	1.69	0.22	0.75	0.04	61.5	7.2	87	0.95	7.3	2.78
9573		2.02	0.04	7.07	30.9	1280	1.44	0.37	1.04	0.05	73.8	29.5	69	1.27	47.5	4.16
9574		2.06	0.04	6.56	7.4	1610	1.98	0.33	1.57	0.18	67.5	9.1	78	3.56	33.6	3.56
9575		1.05	0.01	0.07	0.2	20	0.08	0.01	34.8	0.03	1.05	0.9	2	0.08	4.1	0.09
9576		2.00	0.10	7.50	7.5	980	2.58	0.51	0.49	1.78	104.0	22.8	90	3.26	9.3	4.21
9577		2.04	0.29	7.22	5.3	2870	3.41	0.68	4.92	1.32	79.0	15.3	102	2.82	44.3	4.88
9578		2.24	0.32	5.58	17.9	1670	1.21	0.63	1.85	1.63	59.7	31.6	38	2.84	193.0	4.02
9579		1.74	0.20	1.82	5.7	240	1.62	0.40	28.9	1.54	52.3	4.1	13	1.17	16.3	2.27
9580		1.96	0.11	0.58	1.6	50	0.28	0.93	33.6	0.53	27.9	2.0	2	0.76	13.0	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9541		13.40	0.13	1.7	0.028	1.19	11.9	7.2	1.03	392	1.87	4.08	3.8	18.7	290	9.6
9542		19.70	0.19	3.0	0.054	1.35	39.8	8.8	1.44	682	2.07	4.63	5.8	43.5	480	11.7
9543		21.2	0.18	2.5	0.042	0.47	41.5	3.9	0.40	314	8.24	5.95	4.2	41.2	590	11.3
9544		19.25	0.11	2.6	0.045	0.92	21.2	6.6	1.02	512	17.75	4.96	4.1	43.9	500	8.1
9545		16.35	0.14	3.1	0.029	1.14	21.8	9.5	1.34	484	1.82	4.13	6.9	25.9	420	10.7
9546		15.25	0.11	1.9	0.012	0.32	16.9	6.7	0.89	370	4.20	3.95	3.7	29.1	300	5.9
9547		15.25	0.13	2.8	0.014	0.37	17.0	7.8	1.05	240	1.45	4.72	5.0	29.8	430	3.9
9548		21.2	0.12	2.9	0.008	0.12	6.9	5.1	0.66	105	76.0	6.18	4.8	32.5	560	6.2
9549		19.25	0.15	3.2	0.027	0.47	24.7	13.5	1.82	207	4.83	4.35	6.1	48.5	440	3.8
9550		18.25	0.12	2.9	0.015	0.25	17.8	11.5	1.76	217	2.44	4.49	4.4	51.2	480	2.1
9551		19.90	0.11	2.9	0.008	0.19	6.7	4.6	0.64	115	15.95	6.25	4.2	30.4	550	4.3
9552		18.90	0.13	2.6	0.028	0.36	17.0	14.2	2.07	280	2.03	4.09	4.7	58.7	450	2.1
9553		23.0	0.11	2.5	<0.005	0.18	3.6	2.1	0.25	184	10.10	6.78	4.2	21.4	430	5.1
9554		21.4	0.12	2.5	0.013	0.32	10.8	9.6	1.33	230	25.9	5.51	3.8	37.8	570	2.9
9555		22.6	0.11	2.9	0.007	0.22	15.1	6.2	0.92	195	40.2	6.36	4.6	36.4	550	2.7
9556		21.1	0.10	2.5	0.005	0.24	5.6	7.2	1.08	210	15.30	5.46	4.0	43.6	440	2.4
9557		20.4	0.12	2.7	0.009	0.20	19.6	9.5	1.36	184	2.83	5.69	5.2	43.2	550	2.2
9558		18.75	0.09	3.1	0.015	0.29	12.7	4.8	0.70	174	9.65	5.45	4.2	27.2	510	6.2
9559		20.9	0.11	3.3	0.006	0.25	6.8	3.7	0.55	164	17.65	6.52	5.7	22.3	550	3.3
9560		22.8	0.12	3.2	0.011	0.29	7.0	4.5	0.64	157	17.55	6.68	5.1	21.9	540	3.2
9561		22.9	0.19	2.8	5.59	0.72	15.0	22.6	0.20	249	5.19	0.48	8.2	68.1	620	1125
9562		18.35	0.13	2.4	0.049	0.79	16.2	14.2	3.09	739	0.88	3.98	4.7	66.6	560	8.4
9563		19.75	0.21	2.4	0.065	1.86	60.8	12.3	2.28	715	1.41	4.19	4.7	58.8	500	7.4
9564		15.10	0.15	3.1	0.220	4.59	14.4	11.4	1.28	1010	1.14	1.61	5.1	25.0	740	9.5
9565		16.55	0.16	3.1	0.103	4.41	13.1	3.7	1.16	1080	1.37	2.33	5.8	24.8	530	18.8
9566		15.85	0.15	2.9	0.063	1.94	24.4	2.5	1.25	1140	1.36	3.82	5.2	28.6	510	9.0
9567		17.70	0.20	2.6	0.072	2.75	28.5	5.3	1.15	898	1.63	3.59	4.2	22.9	500	8.4
9568		16.20	0.32	2.9	0.145	3.62	90.4	2.3	1.23	1360	1.30	2.23	5.7	31.3	580	27.4
9569		14.50	0.16	3.3	0.047	4.20	5.8	2.9	1.15	689	1.43	3.11	5.1	20.6	500	8.3
9570		12.65	0.20	2.1	0.120	5.49	30.2	1.2	0.42	742	1.55	0.51	6.9	9.0	150	27.2
9571		16.25	0.25	3.6	0.045	4.76	50.9	2.5	0.42	473	2.65	1.74	8.5	13.2	260	12.9
9572		16.15	0.20	4.7	0.017	3.71	32.7	10.5	0.81	181	2.60	2.56	7.0	24.0	520	8.9
9573		16.55	0.21	3.6	0.027	4.19	40.2	15.0	1.06	266	2.10	2.15	7.1	21.4	440	12.8
9574		14.55	0.21	4.8	0.037	4.12	36.1	14.7	1.10	478	2.11	1.76	8.8	25.3	490	29.1
9575		0.27	0.15	<0.1	0.007	0.02	1.2	0.9	1.59	103	0.45	0.02	0.1	2.3	70	2.2
9576		20.7	0.27	5.1	0.034	3.38	55.3	26.3	1.93	245	1.82	2.57	11.5	46.8	530	178.5
9577		18.20	0.27	4.3	0.087	4.79	38.9	5.0	2.10	1940	1.95	2.08	9.7	47.6	550	56.7
9578		13.20	0.19	2.3	0.084	3.98	28.6	4.4	0.99	904	3.56	1.52	6.2	32.0	240	23.6
9579		5.63	0.15	1.2	0.130	0.33	27.1	2.7	3.66	7020	0.14	0.15	2.6	7.8	120	57.6
9580		1.69	0.09	0.3	0.034	0.22	14.6	2.0	1.69	7170	0.07	0.01	0.6	2.9	30	56.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9541		35.2	<0.002	0.06	0.19	7.2	<1	0.7	78.6	0.35	<0.05	4.30	0.175	0.25	1.3	52
9542		48.4	0.002	0.68	0.23	12.2	1	0.9	120.0	0.58	0.05	6.45	0.287	0.29	2.1	81
9543		11.6	<0.002	1.75	0.24	6.2	1	0.7	46.6	0.37	0.14	5.74	0.302	0.10	2.5	26
9544		26.2	0.002	1.17	0.20	9.5	1	0.7	60.9	0.35	0.13	5.04	0.270	0.17	2.2	60
9545		44.2	0.002	0.26	0.20	10.4	<1	1.2	113.0	0.57	0.05	9.61	0.256	0.28	2.1	67
9546		11.2	0.002	1.02	0.17	7.8	1	0.7	47.2	0.33	0.10	3.15	0.251	0.08	1.0	51
9547		16.6	<0.002	1.40	0.24	8.5	1	1.3	46.9	0.46	0.13	4.99	0.236	0.11	1.6	68
9548		2.9	0.006	1.01	0.16	7.3	2	0.5	63.8	0.40	0.12	4.31	0.294	0.03	15.1	44
9549		22.0	0.002	0.10	0.16	13.7	1	1.2	163.0	0.44	<0.05	10.95	0.301	0.12	2.2	91
9550		9.7	<0.002	0.27	0.10	13.0	1	0.8	105.5	0.40	<0.05	3.98	0.276	0.05	1.8	91
9551		6.3	0.003	1.26	0.17	9.2	3	1.0	74.9	0.39	0.11	4.88	0.294	0.04	14.0	59
9552		17.5	0.002	0.19	0.14	16.3	1	0.9	141.0	0.39	<0.05	3.67	0.323	0.08	1.5	125
9553		5.1	<0.002	1.07	0.18	5.9	2	1.9	60.7	0.34	0.08	4.63	0.325	0.04	6.7	116
9554		13.7	0.002	0.46	0.19	11.0	1	0.8	117.5	0.32	0.05	3.15	0.304	0.06	6.1	88
9555		8.1	0.008	1.17	0.16	9.4	2	1.9	54.3	0.32	0.12	3.07	0.339	0.04	2.0	154
9556		9.2	0.002	1.29	0.14	9.7	2	3.3	64.9	0.32	0.06	3.36	0.288	0.04	1.7	207
9557		7.1	0.002	0.76	0.16	11.6	1	0.8	57.1	0.41	0.06	4.02	0.331	0.04	1.7	64
9558		10.0	<0.002	0.31	0.19	6.6	1	0.5	52.9	0.40	<0.05	7.18	0.180	0.06	23.8	43
9559		10.4	0.005	0.81	0.20	6.5	1	1.0	65.5	0.48	0.08	3.95	0.371	0.07	4.3	55
9560		13.7	0.004	0.45	0.19	6.6	1	1.0	77.0	0.42	0.06	4.07	0.341	0.09	4.8	59
9561		28.7	<0.002	2.29	92.9	4.4	36	6.1	506	0.61	40.2	6.95	0.232	1.86	2.5	35
9562		51.8	<0.002	0.36	0.30	17.5	1	1.2	142.5	0.35	0.08	3.47	0.349	0.30	1.1	125
9563		145.5	0.003	0.47	0.24	17.9	1	1.0	118.5	0.37	<0.05	3.96	0.357	0.87	1.4	123
9564		172.5	<0.002	0.08	0.20	7.4	1	1.4	97.0	0.45	<0.05	7.82	0.184	0.86	2.5	48
9565		122.0	<0.002	0.07	0.30	6.5	1	0.9	131.5	0.53	<0.05	8.26	0.179	0.51	3.3	43
9566		55.2	<0.002	0.03	0.32	9.0	<1	0.9	176.5	0.46	<0.05	5.38	0.244	0.23	2.2	64
9567		98.3	<0.002	0.02	0.27	9.0	1	0.9	237	0.30	<0.05	4.78	0.244	0.37	1.5	74
9568		80.9	<0.002	0.10	0.54	13.4	1	1.2	284	0.47	0.11	8.85	0.266	0.29	2.9	82
9569		106.5	<0.002	0.01	0.21	6.3	1	0.6	80.3	0.48	<0.05	5.37	0.183	0.33	2.2	45
9570		185.0	<0.002	0.04	0.32	2.0	<1	0.9	117.5	0.50	0.07	16.05	0.096	0.74	3.5	10
9571		147.0	<0.002	0.01	0.25	4.5	1	0.7	108.5	0.66	<0.05	13.15	0.147	0.68	3.6	25
9572		137.0	<0.002	0.06	0.19	7.2	<1	0.8	55.2	0.66	0.05	9.70	0.223	0.59	4.3	49
9573		175.5	0.002	0.18	0.17	6.2	<1	1.3	72.6	0.60	<0.05	13.75	0.188	0.81	3.6	40
9574		210	<0.002	0.19	0.22	7.3	<1	1.5	75.0	0.74	<0.05	14.35	0.230	1.40	5.1	49
9575		0.9	<0.002	0.01	0.12	0.3	1	<0.2	80.0	<0.05	<0.05	0.09	0.005	0.02	0.1	1
9576		159.5	<0.002	0.47	0.22	10.6	1	2.1	43.0	0.90	0.05	15.95	0.289	1.03	5.6	76
9577		242	0.003	0.39	0.48	12.6	1	2.6	91.6	0.80	0.06	14.90	0.298	1.14	4.5	92
9578		179.0	<0.002	1.07	0.53	8.7	2	1.0	67.6	0.43	<0.05	18.80	0.199	1.04	3.1	65
9579		34.7	<0.002	0.26	0.31	3.0	1	4.2	115.5	0.20	<0.05	3.44	0.068	0.24	1.2	20
9580		21.4	<0.002	0.04	0.17	0.6	1	0.6	81.6	0.05	0.06	1.55	0.011	0.23	0.4	2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9541		0.1	8.6	54	63.2				81.1	95.0
9542		0.3	13.9	87	106.5					
9543		0.4	8.3	28	88.4					
9544		0.4	8.8	45	92.2					
9545		0.3	13.1	48	107.0					
9546		0.3	8.6	19	64.4					
9547		0.3	10.6	19	101.0					
9548		0.5	6.9	9	110.5					
9549		0.4	12.2	17	113.5					
9550		0.5	10.6	18	102.0					
9551		0.6	13.6	8	101.5					
9552		0.7	11.9	24	90.7					
9553		1.0	6.5	6	84.6					
9554		0.7	8.2	17	90.3					
9555		0.9	8.9	14	104.0					
9556		1.8	5.9	16	89.6					
9557		0.5	10.5	16	97.3					
9558		0.4	7.7	11	111.5					
9559		0.6	9.6	10	117.0					
9560		0.6	9.8	11	120.5					
9561		14.1	6.4	4460	93.8	117				
9562		0.6	15.3	69	86.4				76.3	
9563		0.3	16.6	88	86.7					
9564		0.3	16.2	60	115.5					
9565		0.4	13.6	57	110.0					
9566		0.4	12.8	56	102.0					
9567		0.4	11.8	51	94.0					
9568		0.5	16.8	79	99.4					
9569		0.2	8.5	34	117.0					
9570		0.2	9.2	82	73.8					
9571		0.4	11.4	42	126.5					
9572		0.6	12.5	21	173.0					
9573		0.6	10.7	35	130.0					
9574		0.6	15.2	63	176.0					
9575		<0.1	2.1	5	1.6					
9576		1.5	20.6	319	185.0					
9577		1.2	22.3	239	149.5					
9578		1.1	8.3	319	81.5					
9579		0.2	14.2	286	45.2					
9580		0.1	5.4	128	10.4				93.5	93.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9581		2.04	0.23	0.93	2.9	30	0.70	3.66	32.8	0.23	38.1	2.8	3	0.30	16.2	0.97
9582		1.92	0.06	0.71	4.7	20	0.56	0.29	32.7	0.33	30.6	3.4	3	0.06	17.6	0.82
9583		1.56	1.52	0.45	3.8	10	0.39	3.09	34.4	2.31	34.4	4.0	3	<0.05	9.0	0.95
9584		2.58	0.77	0.50	9.5	10	0.88	2.90	32.4	3.75	41.7	3.8	4	<0.05	18.5	1.08
9585		1.99	0.29	0.43	48.6	<10	0.10	0.06	24.1	10.05	12.80	1.8	3	<0.05	1.6	1.55
9586		1.98	0.34	0.29	6.4	<10	0.09	0.05	33.8	1.58	7.62	2.0	3	<0.05	9.0	0.53
9587		2.08	0.22	1.44	59.6	10	20.3	0.15	26.3	0.62	177.0	3.5	10	0.07	24.2	0.89
9588		2.08	0.24	0.80	8.9	<10	0.16	0.10	25.6	0.54	8.80	2.1	5	<0.05	109.0	0.93
9589		2.03	0.50	1.02	11.1	<10	0.14	0.13	24.9	1.39	13.95	2.4	7	<0.05	195.5	0.88
9590		1.78	0.38	1.15	10.6	<10	0.18	0.18	22.5	1.20	17.35	2.9	7	<0.05	12.3	1.55
9591		2.02	0.11	0.66	7.6	<10	0.15	0.22	23.6	1.88	16.85	2.3	4	<0.05	5.5	1.45
9592		1.95	0.02	0.92	7.6	<10	0.26	0.01	23.1	2.63	20.4	2.9	6	<0.05	2.1	1.55
9593		2.03	0.01	0.76	6.1	<10	0.11	0.01	23.2	1.43	21.0	3.3	5	<0.05	2.1	1.57
9594		2.00	0.01	1.07	9.1	<10	0.16	<0.01	22.6	0.03	20.5	4.5	8	<0.05	1.3	1.92
9595		2.14	0.01	1.62	32.8	<10	1.13	0.01	20.9	0.03	29.2	5.6	13	0.05	2.7	1.71
9596		1.92	0.01	0.95	53.8	10	0.09	0.01	22.9	<0.02	14.95	5.4	6	<0.05	1.4	1.73
9597		1.15	0.01	1.15	190.5	10	0.77	0.02	24.6	0.24	57.9	5.6	9	0.08	2.3	1.82
9598		1.33	0.03	1.23	175.5	10	2.51	0.57	25.8	1.56	154.0	12.7	9	0.08	3.2	2.73
9599		0.95	0.01	1.34	113.5	10	0.43	4.48	3.68	3.31	8.57	116.5	13	0.05	4.4	39.0
9600		1.04	0.04	1.40	97.0	20	0.45	0.32	3.80	7.47	8.53	99.0	12	0.05	5.0	37.4
9601		0.08	3.91	5.45	13.8	130	0.60	0.77	3.42	2.02	15.80	971	262	0.73	>10000	17.70
9602		1.57	0.03	2.29	323	10	1.13	0.83	4.25	0.47	4.49	290	22	0.31	17.6	25.6
9603		1.86	0.08	3.25	29.4	10	0.80	1.53	4.91	0.19	1.13	96.7	27	0.09	204	16.85
9604		2.24	0.16	7.44	24.0	270	0.84	0.91	7.87	0.10	16.35	50.5	49	1.54	525	8.93
9605		2.04	0.11	7.63	6.5	240	0.53	0.24	7.29	0.09	16.70	49.3	50	2.58	146.0	8.60
9606		2.19	0.09	7.48	8.2	190	0.52	0.23	7.23	0.10	16.85	48.5	49	2.14	159.0	8.49
9607		2.17	0.08	6.89	6.9	200	1.01	0.24	6.38	0.08	29.5	40.5	25	1.39	146.0	7.73
9608		2.21	0.11	7.57	3.0	200	0.66	0.11	6.70	0.12	23.1	50.5	26	1.56	173.5	9.59
9609		2.17	0.56	5.49	8.4	130	0.74	0.21	6.65	0.15	21.0	44.3	11	1.01	937	7.13
9610		2.34	0.13	6.70	3.7	250	0.84	0.15	5.36	0.16	31.3	52.9	4	0.97	142.5	10.30
9611		1.98	0.20	5.24	3.7	140	0.93	0.34	7.02	0.18	28.9	36.7	4	1.15	237	9.14
9612		2.30	0.05	6.15	6.9	260	1.42	0.29	4.06	0.08	59.6	32.8	8	1.64	27.2	10.45
9613		2.24	0.07	5.93	4.1	130	1.65	0.19	3.37	0.09	66.5	21.9	7	0.70	22.5	10.60
9614		2.14	0.10	5.38	1.7	250	0.98	0.20	9.38	0.09	40.1	33.1	2	1.81	165.0	9.08
9615		2.30	0.08	5.20	19.6	200	1.14	1.47	8.82	0.07	33.6	53.4	1	0.84	72.9	10.40
9616		2.70	0.19	6.62	4.9	240	0.74	0.27	5.81	0.26	28.1	59.7	1	1.27	232	12.15
9617		2.51	0.09	6.90	3.9	200	0.70	0.21	6.13	0.12	25.4	50.1	9	1.27	137.5	9.71
9618		2.49	0.08	7.10	5.4	170	0.73	0.22	6.58	0.09	24.7	48.4	9	1.22	114.5	9.01
9619		2.24	0.08	7.33	5.0	160	0.63	0.16	6.25	0.07	20.6	49.7	12	1.13	123.5	9.02
9620		2.08	0.10	7.54	2.7	170	0.57	0.16	6.80	0.07	20.9	49.2	13	1.39	140.0	8.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9581		2.54	0.10	0.4	0.024	0.11	21.4	2.5	2.87	6450	0.05	0.01	1.2	4.4	40	64.3
9582		2.02	0.09	0.4	0.017	0.01	17.6	1.1	2.87	5300	0.07	0.01	1.1	5.2	40	9.5
9583		1.64	0.08	0.3	0.025	<0.01	18.8	3.0	1.53	10650	0.07	0.01	0.7	5.4	30	593
9584		1.65	0.09	0.4	0.026	<0.01	26.8	0.8	3.30	5420	0.17	0.01	0.9	7.4	40	96.0
9585		1.41	0.07	0.4	0.045	<0.01	7.2	0.8	11.60	7070	<0.05	<0.01	0.7	4.3	30	58.8
9586		0.95	0.09	0.2	0.011	<0.01	4.9	0.8	3.39	5300	0.16	<0.01	0.4	2.4	20	74.3
9587		4.38	0.18	1.0	0.029	0.01	106.0	1.2	8.42	5050	0.26	<0.01	2.4	7.5	190	27.3
9588		2.11	0.11	0.6	0.016	<0.01	5.2	0.6	10.75	4840	0.15	<0.01	1.0	5.3	20	58.5
9589		2.64	0.12	0.7	0.018	<0.01	7.9	1.1	10.30	4640	0.05	<0.01	1.6	5.0	50	83.3
9590		3.09	0.11	0.7	0.021	<0.01	9.3	0.5	12.45	5490	<0.05	<0.01	1.6	5.7	30	73.0
9591		1.88	0.11	0.5	0.016	<0.01	10.0	1.7	12.20	6440	<0.05	<0.01	1.1	4.6	20	80.8
9592		2.61	0.11	0.6	0.021	<0.01	10.2	0.4	12.00	5430	<0.05	<0.01	1.3	5.1	30	2.0
9593		2.41	0.14	0.5	0.025	<0.01	11.6	0.7	12.40	5570	<0.05	<0.01	1.1	5.5	30	1.4
9594		3.28	0.12	0.7	0.027	<0.01	11.2	0.6	12.25	5880	0.14	<0.01	1.5	8.6	40	1.1
9595		4.23	0.13	1.1	0.026	<0.01	15.4	0.6	12.45	5600	0.33	<0.01	2.3	13.1	80	1.9
9596		2.56	0.12	0.6	0.036	<0.01	7.9	0.5	11.70	5770	0.15	<0.01	1.4	7.8	30	1.3
9597		3.52	0.13	0.8	0.071	<0.01	30.8	0.3	9.77	5500	0.05	<0.01	2.2	9.6	60	2.7
9598		4.15	0.20	0.8	0.106	<0.01	88.4	0.8	8.03	5500	0.08	<0.01	1.6	9.9	90	10.4
9599		5.29	0.31	0.9	0.100	<0.01	5.4	3.2	7.81	1720	0.17	0.01	2.1	12.5	30	5.5
9600		5.36	0.20	1.0	0.129	<0.01	5.5	3.3	8.11	1760	0.14	0.01	2.1	11.2	50	5.8
9601		11.25	0.50	1.2	0.115	0.31	7.1	9.7	3.97	998	4.56	1.15	4.9	>10000	480	13.3
9602		15.00	0.25	1.6	0.102	0.03	2.5	2.6	10.75	1510	0.66	0.01	4.3	26.1	140	9.0
9603		15.60	0.08	1.7	0.101	0.04	0.6	2.4	12.05	1560	0.17	0.03	4.4	39.2	150	16.1
9604		16.15	0.07	1.4	0.117	0.73	7.9	12.6	4.55	1770	0.54	1.34	2.8	89.0	320	7.2
9605		16.90	0.08	1.6	0.063	0.85	7.6	9.1	4.09	1560	0.44	1.45	3.0	88.3	350	4.7
9606		17.15	0.09	1.6	0.064	0.72	7.6	7.6	3.94	1500	0.53	1.51	3.1	85.0	350	4.5
9607		16.45	0.10	2.0	0.087	0.72	14.2	11.0	3.35	1200	0.90	2.16	3.2	69.8	350	6.6
9608		18.50	0.10	2.0	0.078	0.87	10.2	10.6	3.55	1600	0.63	1.91	4.1	70.7	460	7.0
9609		15.95	0.11	1.9	0.146	0.55	9.5	12.2	1.80	928	6.28	2.01	3.5	40.3	400	16.3
9610		19.55	0.13	2.8	0.087	0.94	14.4	10.3	2.61	1620	1.36	2.01	5.0	46.7	520	10.9
9611		16.55	0.12	2.3	0.124	0.60	13.4	9.8	1.94	1440	8.86	1.92	3.8	23.5	450	7.7
9612		22.1	0.16	5.5	0.157	0.79	28.6	6.5	0.91	1340	1.96	3.10	10.1	1.4	1080	7.9
9613		22.5	0.16	5.7	0.153	0.37	31.7	4.2	0.61	836	2.07	3.57	12.3	1.0	1490	12.5
9614		19.85	0.15	3.6	0.125	1.07	19.0	9.4	1.81	1620	5.48	2.27	6.7	12.7	600	3.7
9615		18.40	0.13	2.9	0.188	0.73	14.0	8.6	2.29	1560	0.79	1.71	5.1	17.6	480	5.4
9616		20.0	0.12	2.6	0.094	0.84	13.0	8.9	2.49	1710	0.81	1.83	4.8	34.7	480	8.0
9617		17.25	0.10	2.6	0.074	0.72	11.0	9.0	3.01	1600	0.57	1.73	3.9	47.3	450	6.3
9618		18.10	0.10	2.2	0.098	0.64	11.0	8.8	3.46	1540	0.63	1.85	4.1	55.6	420	5.8
9619		16.40	0.11	1.9	0.083	0.64	9.0	14.8	3.87	1360	0.64	2.00	3.6	62.2	390	3.6
9620		17.10	0.11	1.8	0.067	0.66	9.1	9.9	3.68	1400	0.50	1.71	3.4	67.1	350	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9581		11.0	<0.002	0.06	0.27	0.8	1	1.7	104.0	0.09	0.27	2.41	0.021	0.13	0.5	4
9582		1.1	<0.002	0.08	0.26	0.7	1	2.6	102.5	0.08	<0.05	1.83	0.019	<0.02	0.5	4
9583		0.2	<0.002	0.08	0.26	0.6	1	2.8	85.3	0.05	0.16	1.76	0.013	0.02	0.4	3
9584		0.5	<0.002	0.22	0.38	1.0	1	0.4	91.8	0.07	0.13	1.00	0.021	0.02	0.5	4
9585		0.1	<0.002	0.14	0.45	0.8	1	0.3	59.3	0.06	<0.05	0.85	0.018	<0.02	0.4	4
9586		0.3	<0.002	0.11	0.20	0.7	1	0.2	105.5	<0.05	<0.05	0.57	0.012	<0.02	0.2	3
9587		1.2	<0.002	0.04	2.02	2.2	1	1.3	75.6	0.14	<0.05	4.35	0.059	<0.02	2.4	16
9588		0.1	<0.002	0.01	0.32	1.5	1	0.4	54.7	0.09	<0.05	0.99	0.033	<0.02	0.6	8
9589		0.2	<0.002	0.02	0.37	1.8	1	0.4	41.0	0.11	<0.05	1.60	0.041	<0.02	0.9	10
9590		0.1	<0.002	0.01	0.46	2.0	1	0.4	32.3	0.14	<0.05	1.46	0.045	<0.02	0.6	11
9591		0.1	<0.002	<0.01	0.32	1.2	1	0.2	33.2	0.07	<0.05	0.74	0.027	<0.02	0.7	7
9592		0.1	<0.002	0.02	0.44	1.7	<1	0.3	30.6	0.11	<0.05	1.41	0.038	<0.02	0.7	10
9593		0.1	<0.002	0.04	0.44	1.4	1	0.3	28.1	0.09	<0.05	1.48	0.032	<0.02	0.7	9
9594		<0.1	<0.002	<0.01	0.60	2.0	1	0.4	30.9	0.12	<0.05	1.29	0.045	<0.02	0.5	14
9595		0.8	<0.002	0.01	1.04	2.9	1	0.5	30.7	0.19	<0.05	3.51	0.068	<0.02	1.4	17
9596		0.1	<0.002	0.03	0.84	1.7	1	0.3	33.1	0.11	<0.05	1.55	0.039	<0.02	0.5	9
9597		1.4	<0.002	0.04	1.30	2.1	1	0.5	45.9	0.14	<0.05	2.48	0.047	<0.02	0.8	13
9598		0.5	<0.002	0.01	1.58	2.2	1	0.5	75.5	0.14	<0.05	2.95	0.049	<0.02	1.7	12
9599		0.3	<0.002	0.03	0.67	2.4	<1	0.9	14.6	0.16	<0.05	2.66	0.056	<0.02	1.3	16
9600		0.3	<0.002	0.06	0.75	2.6	1	0.9	15.4	0.17	<0.05	3.39	0.056	0.02	1.6	15
9601		10.1	0.050	8.54	2.94	8.4	21	2.5	179.5	0.29	4.10	1.05	0.515	0.18	0.3	78
9602		3.8	<0.002	0.05	0.42	4.5	1	0.6	8.5	0.30	0.11	5.57	0.090	0.02	4.5	27
9603		1.5	<0.002	0.80	0.44	5.0	1	0.3	2.4	0.30	0.08	4.59	0.103	0.07	4.4	35
9604		50.5	0.002	0.10	0.54	35.0	<1	1.2	203	0.20	<0.05	1.68	0.500	0.26	0.8	252
9605		60.3	<0.002	0.09	0.45	36.9	1	0.8	175.5	0.21	<0.05	1.77	0.527	0.34	0.6	258
9606		49.7	<0.002	0.10	0.41	37.1	1	0.8	171.5	0.22	<0.05	1.81	0.523	0.27	0.6	256
9607		42.0	<0.002	0.10	0.39	35.3	1	0.9	142.5	0.22	<0.05	1.99	0.530	0.24	1.0	257
9608		43.8	<0.002	0.09	0.49	37.0	<1	0.9	216	0.28	<0.05	2.33	0.651	0.24	0.7	287
9609		26.1	0.003	0.27	0.17	28.5	1	0.7	80.3	0.26	<0.05	2.25	0.552	0.17	1.5	238
9610		51.6	0.002	0.14	0.67	39.6	1	1.2	209	0.33	<0.05	3.13	0.708	0.24	1.0	332
9611		30.1	0.015	0.10	0.26	29.0	1	1.2	79.9	0.26	<0.05	2.77	0.646	0.16	0.9	353
9612		39.0	<0.002	0.09	0.28	27.8	1	2.3	126.5	0.69	<0.05	6.39	0.968	0.21	2.0	65
9613		17.7	<0.002	0.06	0.32	22.2	<1	2.2	128.5	0.75	<0.05	7.14	0.659	0.10	2.2	5
9614		53.5	0.003	0.06	0.18	34.4	1	1.5	96.8	0.44	<0.05	3.80	1.155	0.27	1.4	428
9615		33.1	<0.002	0.07	0.31	31.5	1	1.4	121.0	0.34	0.07	3.09	1.005	0.17	1.6	512
9616		40.3	0.002	0.16	0.42	41.8	1	1.3	196.5	0.32	<0.05	2.88	1.005	0.23	0.9	592
9617		34.5	<0.002	0.10	0.40	36.4	1	1.1	198.0	0.26	<0.05	2.64	0.613	0.20	0.8	267
9618		32.9	<0.002	0.08	0.51	36.0	1	1.0	224	0.28	<0.05	2.52	0.588	0.18	0.8	264
9619		34.7	0.002	0.06	0.42	35.7	1	0.9	206	0.24	<0.05	2.14	0.539	0.19	0.7	256
9620		36.7	0.002	0.09	0.35	35.4	1	0.9	208	0.23	<0.05	2.12	0.536	0.21	0.7	254

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9581		0.1	5.1	84	15.6					
9582		0.1	5.4	84	13.6					
9583		0.1	9.0	289	8.8					
9584		0.1	7.0	453	15.3					
9585		0.1	3.9	1220	13.9					
9586		0.1	2.6	217	8.4					
9587		0.1	10.0	84	39.0					
9588		0.1	3.7	65	21.3					
9589		0.1	4.1	139	25.5					
9590		0.1	6.1	126	26.7				71.8	
9591		0.1	6.2	249	17.4					
9592		0.1	7.8	556	22.0					
9593		0.1	6.5	581	17.3					
9594		0.1	7.9	354	25.1					
9595		0.2	8.5	267	41.1					
9596		0.1	8.3	278	22.3					
9597		0.5	20.3	302	29.7					
9598		0.5	35.5	311	28.6					
9599		0.2	2.0	443	31.5					
9600		0.2	2.0	863	34.4					
9601		2.4	9.0	138	47.1		1.660	4.72		
9602		0.2	3.3	246	57.7					
9603		0.1	3.9	292	63.3					
9604		0.4	15.3	134	45.3					
9605		0.3	16.0	117	57.6					
9606		0.4	16.5	115	73.1					
9607		0.5	16.3	95	66.9					
9608		0.5	20.4	120	75.0					
9609		0.4	12.9	112	69.2					
9610		0.7	25.7	134	103.5					
9611		0.7	23.4	140	91.6					
9612		0.9	42.9	96	206					
9613		0.9	49.0	55	215					
9614		0.8	35.9	103	135.0					
9615		0.8	25.0	101	107.5					
9616		0.7	23.9	167	98.8					
9617		0.6	22.1	124	84.4					
9618		0.5	21.3	107	82.6					
9619		0.5	18.2	100	68.7					
9620		0.5	18.0	93	68.7				74.7	86.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9621		2.19	0.09	7.65	2.4	120	0.54	0.11	6.70	0.09	19.00	49.8	18	1.07	157.0	8.36
9622		2.46	0.07	5.18	30.1	140	0.93	0.23	8.12	0.10	15.55	72.1	7	0.54	108.5	7.43
9623		2.38	0.07	7.81	1.8	120	0.58	0.07	6.71	0.08	19.00	48.9	21	1.10	123.5	8.11
9624		2.41	0.06	8.04	2.4	110	0.60	0.10	6.35	0.07	17.10	45.0	27	0.93	117.5	7.90
9625		0.90	<0.01	0.07	<0.2	10	0.05	0.01	31.8	<0.02	0.82	0.8	2	<0.05	1.8	0.14
9626		2.26	0.18	7.64	2.2	130	0.63	0.08	7.07	0.12	14.55	45.9	54	0.75	384	8.30
9627		2.46	0.08	7.75	1.9	120	0.41	0.05	7.76	0.11	15.85	49.3	84	1.03	163.0	7.54
9628		2.31	0.07	7.48	2.1	110	0.41	0.04	7.71	0.14	14.05	46.6	162	0.88	142.0	6.85
9629		2.48	0.05	7.94	2.4	100	0.41	0.04	8.36	0.09	13.75	48.7	268	0.82	106.5	7.03
9630		2.19	0.05	7.49	2.7	50	0.75	0.06	6.31	0.10	19.05	37.7	182	0.29	103.0	6.06
9631		2.31	0.06	8.08	1.7	100	0.35	0.05	8.13	0.08	12.65	46.3	83	1.03	122.5	6.93
9632		2.33	0.06	8.29	2.0	120	0.43	0.04	8.33	0.12	14.50	49.2	111	1.16	111.5	7.52
9633		2.38	0.06	7.80	3.8	100	0.42	0.05	7.89	0.06	13.75	47.6	113	0.92	119.5	7.40
9634		2.23	0.05	7.94	1.9	110	0.40	0.06	7.75	0.05	14.55	51.4	89	1.38	116.5	7.86
9635		2.38	0.06	7.59	3.5	140	0.55	0.07	7.27	0.07	19.80	48.1	61	1.53	123.5	8.27
9636		2.24	0.06	7.65	13.4	180	0.61	0.14	7.67	0.05	16.15	48.2	59	1.31	130.0	7.95
9637		2.12	0.06	7.28	25.3	270	1.00	0.31	8.20	0.06	23.2	48.2	59	0.98	101.0	8.03
9638		1.25	0.04	6.46	13.3	1450	1.95	0.70	10.60	0.05	20.4	31.1	49	0.12	55.3	6.69
9639		0.97	0.15	4.57	7.1	330	2.69	0.36	15.75	0.08	57.3	35.3	36	<0.05	92.6	12.95
9640		1.08	0.11	4.80	7.6	370	2.49	0.36	16.45	0.08	66.8	34.0	36	<0.05	87.8	12.70
9641		0.07	>100	4.46	698	110	0.80	58.9	0.64	25.8	33.4	10.1	32	2.70	5150	2.22
9642		1.08	0.29	4.40	4.6	250	4.42	0.43	7.58	0.16	43.4	21.8	44	1.27	201	9.13
9643		1.56	0.34	2.30	12.2	110	0.30	0.19	0.30	0.52	22.4	13.9	33	0.06	627	0.77
9644		1.83	0.11	2.22	18.4	90	0.23	0.26	0.24	0.45	20.3	23.0	41	0.06	142.0	0.79
9645		1.13	0.19	2.30	21.2	70	0.38	0.28	0.57	2.15	77.2	34.4	30	0.29	38.0	1.33
9646		1.75	0.05	2.49	5.6	60	0.48	0.17	0.65	0.38	56.1	23.5	47	0.42	33.7	1.44
9647		1.89	0.05	4.04	5.2	160	2.31	0.19	1.84	0.12	91.4	23.6	77	0.86	55.6	2.17
9648		1.67	0.01	4.27	7.6	90	1.26	0.15	2.76	0.05	87.2	33.0	73	1.15	14.0	2.56
9649		0.94	0.02	4.77	6.9	550	1.23	0.30	1.01	0.04	140.5	11.6	62	0.57	9.3	1.27
9650		0.99	0.13	5.81	17.5	1140	2.22	14.55	1.07	0.30	134.5	31.7	69	1.46	117.0	2.15
9651		2.00	0.09	4.74	11.5	720	1.77	4.42	3.11	<0.02	138.5	28.0	56	1.49	79.4	2.57
9652		2.02	0.01	4.51	6.5	890	2.03	0.32	1.42	0.02	87.7	22.0	35	1.14	4.8	1.47
9653		2.26	0.01	6.13	4.7	1370	3.09	0.27	0.25	<0.02	151.0	14.3	36	1.70	2.7	1.16
9654		1.74	0.01	4.21	6.2	240	1.72	0.24	0.53	<0.02	198.0	26.4	81	1.29	2.9	1.77
9655		2.05	0.02	4.98	5.8	240	1.20	0.22	0.49	0.07	47.8	25.9	79	2.12	2.5	2.79
9656		1.75	<0.01	4.97	2.6	60	1.31	0.11	2.31	0.03	303	21.9	46	0.66	2.7	1.52
9657		1.99	<0.01	6.66	1.9	90	1.34	0.07	0.77	<0.02	144.5	16.7	15	0.39	2.0	2.12
9658		2.00	0.01	6.84	1.0	110	1.36	0.04	0.53	0.02	211	4.4	14	0.83	1.4	1.39
9659		2.42	<0.01	6.88	1.2	210	2.27	0.04	0.31	0.02	196.5	2.2	14	0.76	1.4	1.23
9660		2.49	<0.01	6.69	0.7	830	2.14	0.03	0.33	<0.02	136.5	2.6	15	0.63	2.8	1.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9621		17.10	0.11	1.8	0.066	0.49	8.3	8.2	3.94	1350	0.52	1.86	3.1	83.2	320	4.5
9622		15.40	0.11	2.1	0.100	0.80	6.6	9.1	3.39	1160	2.21	1.68	3.0	46.1	200	9.9
9623		16.80	0.11	1.7	0.063	0.44	8.6	9.0	4.09	1380	0.52	1.86	2.9	87.6	310	3.9
9624		16.90	0.11	1.6	0.063	0.45	7.5	10.2	3.88	1300	0.45	2.07	2.9	87.2	310	4.8
9625		0.25	0.09	<0.1	<0.005	0.01	1.0	1.4	2.39	116	0.07	0.03	0.1	0.9	60	0.6
9626		16.35	0.11	1.4	0.118	0.32	6.4	10.9	4.09	1320	0.39	2.00	2.5	97.2	310	3.6
9627		15.85	0.10	1.4	0.055	0.41	7.0	7.4	4.53	1360	0.45	1.54	2.6	122.5	270	3.6
9628		14.95	0.11	1.3	0.050	0.36	6.4	8.7	4.70	1230	0.39	1.52	2.4	132.0	250	5.8
9629		15.55	0.12	1.6	0.046	0.35	6.3	8.2	5.07	1280	0.53	1.48	2.3	143.5	240	3.9
9630		14.60	0.11	2.1	0.081	0.17	8.0	8.2	3.72	995	0.50	3.03	4.0	94.7	220	9.0
9631		15.25	0.10	1.2	0.048	0.37	5.6	7.2	4.42	1220	0.52	1.53	2.2	118.0	240	3.8
9632		16.60	0.11	1.4	0.052	0.40	6.5	7.6	4.45	1310	0.50	1.56	2.6	116.0	290	3.9
9633		15.10	0.10	1.3	0.047	0.37	6.1	6.6	4.49	1260	0.44	1.49	2.4	125.0	270	3.7
9634		15.95	0.11	1.3	0.057	0.52	6.4	8.6	4.46	1260	0.40	1.49	2.6	133.0	300	2.8
9635		16.25	0.11	2.2	0.061	0.67	8.3	10.1	4.06	1420	0.54	1.57	3.9	108.5	430	4.6
9636		15.85	0.11	1.6	0.051	0.72	6.9	9.2	4.20	1720	1.16	1.82	2.9	103.0	310	4.4
9637		15.60	0.10	1.5	0.068	0.66	10.3	9.9	4.03	2020	0.82	1.81	3.2	92.9	300	5.1
9638		13.15	0.08	1.3	0.102	0.60	8.6	2.7	3.21	2410	1.70	0.87	3.8	68.1	300	8.1
9639		15.40	0.10	2.4	0.484	0.41	27.4	1.9	2.02	4230	0.48	0.18	8.1	28.5	250	8.1
9640		15.75	0.11	2.6	0.464	0.39	33.2	1.8	1.90	4260	0.46	0.18	8.3	27.3	260	9.0
9641		21.5	0.18	2.7	5.57	0.68	16.6	20.2	0.19	236	4.57	0.45	7.8	59.8	590	1050
9642		13.55	0.10	3.0	0.328	0.99	24.1	5.8	2.11	1630	1.45	1.45	8.1	26.7	250	16.8
9643		3.63	0.07	1.1	0.042	0.95	11.3	1.7	0.18	87	2.40	1.18	1.4	6.6	90	86.5
9644		3.54	0.07	0.8	0.014	0.77	9.9	1.9	0.18	72	3.10	1.19	1.2	7.0	80	117.5
9645		5.10	0.11	0.8	0.015	0.52	45.4	4.3	0.41	134	1.95	1.21	1.4	10.4	80	694
9646		6.05	0.09	1.0	0.011	0.49	32.8	5.4	0.49	155	2.69	1.37	1.9	12.0	90	150.0
9647		10.80	0.11	3.0	0.025	0.84	52.3	5.7	0.56	254	2.23	2.44	11.3	19.2	250	186.5
9648		13.75	0.10	2.7	0.026	0.78	49.8	7.0	0.54	257	2.23	2.72	6.5	25.1	230	18.2
9649		11.40	0.16	4.5	0.017	2.54	80.8	4.0	0.31	113	3.09	2.05	7.8	15.8	280	30.3
9650		15.60	0.15	5.5	0.041	3.97	75.7	6.9	0.60	179	2.19	1.78	11.1	48.7	330	112.5
9651		13.30	0.16	4.5	0.036	2.58	76.8	6.7	0.68	418	6.26	1.74	20.2	25.4	770	17.4
9652		11.10	0.15	4.6	0.015	4.24	46.8	5.1	0.45	227	2.84	0.89	12.3	10.5	220	22.4
9653		19.05	0.17	7.1	0.022	5.24	77.1	9.0	0.42	90	3.09	1.09	15.4	10.4	210	23.7
9654		14.50	0.19	3.5	0.015	1.78	114.0	6.4	0.57	168	3.89	2.12	6.7	12.8	320	45.0
9655		18.10	0.10	3.1	0.018	1.51	27.9	9.9	0.99	219	2.19	2.63	6.7	23.2	320	25.2
9656		13.75	0.22	3.5	0.012	0.37	169.0	3.4	0.31	316	2.30	3.80	15.7	5.3	500	20.2
9657		17.50	0.14	5.7	0.009	0.35	83.6	3.7	0.29	131	5.03	5.18	13.9	4.4	400	14.0
9658		21.4	0.18	7.3	0.013	0.51	122.5	5.7	0.41	130	4.90	5.36	14.3	4.3	470	13.4
9659		23.3	0.16	6.9	0.012	0.91	111.0	6.7	0.41	91	2.72	5.11	19.6	3.3	380	11.6
9660		19.25	0.14	5.7	0.013	2.61	81.0	5.6	0.35	98	3.01	3.62	11.7	3.5	300	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9621		27.0	<0.002	0.09	0.37	34.3	1	0.8	209	0.21	<0.05	1.95	0.482	0.17	0.6	238
9622		31.7	<0.002	0.28	0.19	11.3	1	0.6	81.5	0.30	<0.05	6.08	0.150	0.13	1.5	108
9623		23.9	<0.002	0.07	0.29	31.9	1	0.7	194.0	0.20	<0.05	1.83	0.477	0.13	0.6	229
9624		25.2	<0.002	0.08	0.34	31.2	1	0.7	201	0.19	<0.05	1.80	0.453	0.15	0.6	218
9625		0.2	<0.002	<0.01	0.09	0.5	1	<0.2	72.2	<0.05	<0.05	0.06	0.006	<0.02	0.2	2
9626		14.5	<0.002	0.12	0.34	33.7	1	0.7	192.0	0.17	0.05	1.48	0.416	0.10	0.5	212
9627		18.9	<0.002	0.08	0.24	36.5	1	0.6	198.5	0.17	0.05	1.63	0.426	0.16	0.5	224
9628		15.2	0.002	0.07	0.20	35.8	1	0.6	191.5	0.16	0.05	1.46	0.390	0.13	0.4	211
9629		15.7	<0.002	0.06	0.20	37.9	1	0.6	192.5	0.15	<0.05	1.38	0.391	0.13	0.4	215
9630		6.4	<0.002	0.05	0.34	29.5	<1	0.7	181.5	0.33	<0.05	5.24	0.314	0.04	1.5	163
9631		18.3	<0.002	0.07	0.23	34.8	1	0.6	188.0	0.14	<0.05	1.26	0.393	0.14	0.4	210
9632		20.1	<0.002	0.07	0.25	37.5	1	0.6	201	0.18	<0.05	1.50	0.446	0.16	0.5	230
9633		18.9	0.002	0.08	0.27	35.2	1	0.6	189.0	0.17	<0.05	1.39	0.427	0.16	0.4	225
9634		30.9	<0.002	0.08	0.26	35.6	1	0.6	177.0	0.17	<0.05	1.47	0.459	0.24	0.4	229
9635		46.8	<0.002	0.09	0.32	35.5	1	0.8	172.0	0.23	<0.05	1.95	0.503	0.29	0.8	230
9636		57.1	0.002	0.09	0.56	37.5	1	0.7	206	0.19	<0.05	1.64	0.492	0.36	0.5	249
9637		53.0	0.002	0.09	0.76	35.0	1	1.0	220	0.21	<0.05	2.09	0.474	0.30	0.8	230
9638		14.1	<0.002	0.06	1.12	29.6	1	1.2	292	0.23	<0.05	2.20	0.423	0.07	1.0	200
9639		5.2	<0.002	0.18	0.73	7.6	1	4.0	122.5	0.57	<0.05	9.24	0.167	0.10	4.7	44
9640		5.5	<0.002	0.18	0.70	7.8	1	4.1	120.0	0.58	<0.05	10.35	0.170	0.09	5.8	43
9641		29.7	0.002	2.14	86.5	4.7	35	5.8	478	0.56	40.8	6.31	0.218	1.75	2.4	33
9642		57.9	0.002	0.07	0.57	6.9	1	3.4	84.2	0.54	0.07	10.15	0.160	0.42	9.4	39
9643		21.3	<0.002	0.18	0.14	1.0	<1	0.3	8.4	0.12	<0.05	4.69	0.038	0.11	3.9	8
9644		18.7	<0.002	0.18	0.13	1.0	1	0.3	8.5	0.11	<0.05	3.43	0.034	0.09	3.0	8
9645		20.5	<0.002	0.32	0.23	1.5	<1	0.5	11.4	0.12	<0.05	3.46	0.039	0.14	2.9	10
9646		21.7	<0.002	0.18	0.16	1.7	<1	0.6	13.5	0.18	<0.05	4.45	0.051	0.18	2.4	11
9647		45.9	<0.002	0.22	0.18	5.0	1	1.4	40.9	0.44	<0.05	27.5	0.192	0.34	4.8	37
9648		56.6	<0.002	0.39	0.14	4.5	<1	1.9	53.9	0.47	<0.05	18.00	0.158	0.43	6.4	31
9649		74.5	<0.002	0.33	0.18	4.1	<1	1.4	37.5	0.66	<0.05	20.8	0.136	0.41	9.7	25
9650		136.5	0.002	0.39	0.22	6.9	1	2.1	55.5	0.86	0.05	27.1	0.196	0.87	9.4	45
9651		108.0	<0.002	0.38	0.15	5.7	<1	2.1	67.3	0.94	<0.05	47.2	0.167	0.67	13.8	41
9652		139.0	<0.002	0.21	0.14	3.4	1	1.8	58.6	0.77	<0.05	27.7	0.092	0.75	7.3	15
9653		163.5	<0.002	0.15	0.15	5.4	1	3.1	55.8	1.21	<0.05	23.4	0.145	0.97	10.3	18
9654		82.6	<0.002	0.23	0.12	5.4	1	1.6	40.5	0.47	<0.05	24.1	0.139	0.56	12.0	38
9655		106.5	<0.002	0.22	0.11	7.6	1	1.4	44.1	0.48	<0.05	18.75	0.204	0.83	8.8	59
9656		31.8	<0.002	0.12	0.11	4.4	1	1.1	84.4	0.56	<0.05	53.7	0.132	0.23	9.5	26
9657		22.8	<0.002	0.11	0.11	3.1	<1	1.6	78.5	1.02	<0.05	50.6	0.176	0.15	9.0	25
9658		43.2	<0.002	0.03	0.13	4.0	<1	1.9	73.3	1.13	<0.05	73.5	0.203	0.27	12.7	17
9659		56.5	<0.002	0.01	0.13	4.0	<1	2.3	91.8	2.32	<0.05	67.0	0.177	0.33	12.8	16
9660		102.5	<0.002	0.03	0.10	2.9	<1	1.6	81.7	1.06	<0.05	58.9	0.155	0.54	11.3	15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9621		0.5	16.8	92	65.1					
9622		0.2	7.7	63	77.7					
9623		0.4	15.7	91	61.1					
9624		0.4	15.5	90	61.4					
9625		0.1	1.7	4	1.1					
9626		0.4	14.7	91	53.0					85.1
9627		0.3	14.4	85	53.3					90.1
9628		0.4	13.0	75	49.7					
9629		0.3	13.0	77	46.2					
9630		0.3	15.2	62	76.2					
9631		0.3	13.1	75	47.0					
9632		0.3	14.7	84	54.0					
9633		0.3	13.8	78	46.9					
9634		0.3	15.2	79	48.0					
9635		0.5	18.9	80	68.1					
9636		0.6	16.4	86	57.2					
9637		0.6	17.6	87	53.3					
9638		0.5	15.7	90	44.9					
9639		0.5	22.5	85	88.6					
9640		0.6	25.7	77	93.4					
9641		12.9	6.5	4190	90.7	116				
9642		0.4	20.5	89	114.5					
9643		0.2	3.0	113	41.3					
9644		0.3	2.3	97	31.3					
9645		0.2	3.7	466	31.0					
9646		0.1	4.4	88	36.5					
9647		0.7	15.8	38	109.5					
9648		0.5	9.0	23	96.9					
9649		0.5	13.2	16	155.0					
9650		0.9	19.2	99	196.5					
9651		0.8	27.6	27	160.5					
9652		0.5	22.5	15	164.0					
9653		1.4	28.7	11	251					
9654		0.9	13.2	17	124.0					
9655		0.6	8.3	35	111.0					
9656		0.4	24.5	13	141.5					
9657		0.4	15.3	11	232					
9658		0.4	19.2	14	272					
9659		0.6	19.5	12	239					
9660		0.3	14.9	9	199.5				78.8	96.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18139126

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			