ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
This copy reported on
14-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18120186

Project: Iron Mask

This report is for 160 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 23-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8667		1.94	0.05	5.95	5.0	290	1.23	0.25	3.67	0.06	43.3	55.8	5	4.10	74.5	15.05
8668		2.08	0.04	5.98	4.0	240	1.22	0.22	3.73	0.05	43.2	51.3	3	3.19	55.1	14.10
8669		2.05	0.04	5.96	6.2	130	1.42	0.21	4.00	0.08	43.5	48.9	4	1.62	42.7	12.90
8670		2.20	0.04	6.28	10.3	120	1.43	0.25	4.76	0.09	43.0	52.7	5	1.43	52.7	12.35
8671		2.13	0.07	5.47	30.6	80	1.07	0.33	5.56	0.07	39.8	73.2	4	1.19	106.5	10.05
8672		2.28	0.05	5.84	12.8	150	1.14	0.15	5.62	0.05	41.4	49.4	3	2.06	62.5	10.95
8673		2.26	0.04	6.19	10.4	160	1.48	0.19	4.56	0.09	42.4	49.8	6	1.67	58.8	12.70
8674		2.42	0.04	6.13	7.8	200	1.31	0.18	4.80	0.09	40.4	50.1	3	2.09	57.6	12.20
8675		1.01	<0.01	0.17	0.2	20	0.08	0.02	34.0	<0.02	1.13	0.6	1	<0.05	1.8	0.12
8676		2.56	0.05	6.21	16.2	190	1.32	0.18	4.67	0.12	41.2	56.4	3	1.75	56.1	12.35
8677		2.32	0.05	6.25	10.5	240	1.21	0.26	4.60	0.13	40.1	53.5	4	1.54	56.7	13.05
8678		2.51	0.03	6.16	13.5	250	1.18	0.21	4.50	0.11	38.8	56.8	3	1.61	52.6	12.90
8679		1.25	0.04	6.10	8.3	290	1.13	0.23	4.56	0.11	37.6	55.6	3	1.44	60.9	13.00
8680		1.08	0.06	6.20	9.5	300	1.19	0.23	4.59	0.12	38.2	56.4	3	1.45	59.2	13.10
8681		0.07	>100	4.34	683	80	0.76	55.8	0.63	24.8	29.6	10.5	42	2.63	5070	2.22
8682		2.25	0.13	6.30	10.9	250	1.21	0.25	4.58	0.18	38.1	55.2	3	1.24	62.2	13.20
8683		2.28	0.10	6.13	11.8	240	1.14	0.20	4.49	0.12	36.2	55.7	4	1.13	69.1	13.00
8684		2.36	0.07	6.22	9.8	230	1.17	0.19	4.61	0.12	38.9	57.7	3	0.97	76.8	13.20
8685		1.54	0.05	6.25	15.9	290	1.06	0.20	4.71	0.13	37.6	64.8	3	1.14	74.0	13.65
8686		1.26	0.05	6.28	14.1	280	0.87	0.16	4.71	0.23	38.3	63.0	2	1.30	76.5	13.20
8687		1.69	0.07	8.28	1.5	670	1.32	0.03	5.21	0.13	67.9	54.3	71	1.99	80.4	10.80
8688		1.77	0.03	7.78	0.4	600	1.18	0.02	4.65	0.11	61.1	48.0	66	1.20	74.8	10.25
8689		1.64	0.04	8.26	1.5	640	1.08	0.02	4.87	0.11	59.9	53.3	74	1.38	76.2	10.35
8690		1.27	0.04	8.57	1.2	730	1.33	0.01	4.96	0.10	63.4	53.9	74	1.50	78.4	10.80
8691		1.09	0.05	7.98	1.6	700	1.31	0.04	4.71	0.09	66.2	53.0	67	0.74	78.8	10.20
8692		0.57	0.04	7.77	1.7	700	1.32	0.02	4.46	0.12	67.0	48.4	65	0.85	75.6	10.20
8693		0.51	0.05	7.60	2.1	890	1.26	0.04	4.77	0.13	67.3	50.0	65	0.99	73.5	9.64
8694		0.89	0.09	7.92	4.1	810	1.44	0.05	4.83	0.24	68.8	55.7	61	1.61	82.7	10.75
8695		1.04	0.05	6.34	16.5	360	0.98	0.20	4.84	0.26	37.2	64.7	2	1.15	79.8	13.30
8696		2.21	0.05	6.53	11.7	250	0.76	0.21	5.25	0.15	38.5	60.2	3	1.08	76.5	13.55
8697		1.96	0.05	6.65	9.5	280	0.96	0.26	5.38	0.12	38.4	59.5	4	1.36	80.0	13.25
8698		2.31	0.04	6.35	9.5	470	1.04	0.28	5.12	0.08	38.2	67.6	4	2.65	74.7	14.25
8699		1.11	0.04	6.45	8.4	550	1.19	0.31	5.17	0.13	41.8	63.6	2	2.64	76.3	13.05
8700		1.37	0.01	7.03	7.1	200	1.47	0.03	0.61	0.02	43.3	15.3	88	1.08	4.1	4.04
8701		1.20	0.03	7.15	2.8	180	1.47	0.12	0.73	0.13	52.8	13.6	77	0.69	20.8	3.62
8702		2.00	0.02	7.05	9.9	350	1.67	0.10	0.75	0.03	77.3	17.0	60	0.93	11.0	3.01
8703		2.02	0.04	6.59	2.3	390	1.10	0.29	0.48	0.08	47.1	13.2	78	0.76	12.3	2.99
8704		1.99	0.08	6.63	3.4	570	1.90	2.69	0.57	0.17	64.6	9.7	64	0.80	21.8	2.54
8705		2.08	0.07	6.55	4.0	480	1.58	1.02	1.31	0.11	71.3	18.0	81	0.93	70.4	3.29
8706		2.04	0.04	6.43	2.3	880	2.19	0.17	2.86	<0.02	30.3	8.8	60	1.20	40.6	3.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8667		22.7	0.13	4.1	0.130	1.21	19.1	7.9	1.14	1760	1.48	2.12	8.4	1.5	990	5.3
8668		22.8	0.12	4.1	0.111	1.01	19.3	6.7	1.10	1620	1.27	2.23	7.7	0.9	810	5.7
8669		23.8	0.13	4.2	0.128	0.65	19.3	5.3	1.12	1600	1.38	2.46	8.1	0.8	810	5.5
8670		23.9	0.13	4.2	0.151	0.58	19.2	5.3	1.25	1660	1.66	2.71	8.0	1.6	810	6.1
8671		22.4	0.12	3.9	0.130	0.39	18.4	5.2	1.26	1470	3.15	2.28	7.2	7.3	730	5.1
8672		24.4	0.12	4.3	0.133	0.66	19.0	6.7	1.36	1620	5.18	2.38	7.9	3.7	770	4.9
8673		23.5	0.12	4.2	0.155	0.72	19.1	5.5	1.31	1620	1.40	2.57	8.0	1.1	770	6.2
8674		23.6	0.14	4.2	0.162	0.85	18.2	5.9	1.33	1640	1.15	2.53	7.7	1.2	730	5.5
8675		0.66	0.10	0.1	0.007	0.06	1.1	1.0	1.14	88	0.06	0.09	0.4	0.6	50	0.5
8676		23.3	0.10	4.0	0.170	0.80	18.5	6.2	1.36	1640	1.34	2.58	7.4	1.3	740	6.0
8677		24.1	0.12	4.1	0.117	0.83	18.0	7.1	1.38	1650	1.32	2.17	7.6	1.2	750	7.8
8678		24.0	0.13	3.8	0.111	0.88	17.5	6.0	1.35	1640	1.14	2.22	7.4	1.5	700	6.9
8679		23.7	0.12	3.6	0.105	0.88	16.9	6.8	1.38	1700	1.20	2.02	7.4	1.7	670	8.2
8680		23.8	0.14	3.9	0.112	0.90	16.8	6.9	1.40	1700	1.15	2.06	7.2	1.6	690	8.8
8681		22.3	0.15	2.6	5.22	0.68	14.1	19.9	0.19	233	5.00	0.46	7.8	66.6	580	1020
8682		23.7	0.12	3.8	0.107	0.81	16.9	8.1	1.55	1740	1.35	2.20	7.3	1.9	690	15.9
8683		23.2	0.13	3.7	0.111	0.81	16.5	7.4	1.41	1680	1.38	2.21	7.1	2.7	660	10.9
8684		23.9	0.12	3.6	0.107	0.78	17.3	7.8	1.45	1720	1.09	2.26	7.2	2.4	690	9.6
8685		24.6	0.12	3.6	0.110	0.88	16.8	9.6	1.52	1730	1.18	2.02	7.2	3.2	670	12.0
8686		23.4	0.10	3.3	0.106	0.83	16.5	9.7	1.57	1740	1.18	2.14	6.8	3.4	670	12.1
8687		24.9	0.13	5.8	0.091	1.04	29.2	13.3	2.85	1500	1.18	2.32	16.5	86.0	2980	14.1
8688		22.5	0.12	5.5	0.094	0.96	26.5	17.1	3.35	1370	1.08	2.03	15.1	83.0	2760	3.6
8689		22.9	0.11	5.3	0.083	0.99	25.5	15.8	3.25	1460	1.02	2.14	14.8	94.5	2720	4.0
8690		24.2	0.12	5.8	0.094	1.17	27.6	15.2	3.30	1520	1.11	2.24	15.7	96.2	2920	4.2
8691		23.2	0.14	6.1	0.092	1.24	28.9	21.9	3.56	1140	1.14	1.96	16.2	77.0	2980	5.4
8692		22.7	0.13	5.8	0.087	1.31	29.5	27.2	3.83	936	1.09	1.80	15.6	79.2	2840	5.4
8693		21.8	0.12	5.8	0.079	1.83	30.1	23.6	3.40	1210	1.13	1.98	15.6	69.7	2880	7.9
8694		23.5	0.16	5.8	0.103	1.47	30.9	20.5	2.80	1370	1.07	2.08	14.9	62.3	2690	15.7
8695		22.8	0.10	3.4	0.095	0.92	16.3	10.9	1.65	1780	1.01	2.07	6.6	5.4	660	13.4
8696		23.8	0.09	3.4	0.108	0.84	17.1	10.2	1.68	1810	1.26	2.01	6.8	5.5	700	9.8
8697		23.3	0.08	3.3	0.113	0.94	16.5	10.1	1.73	1740	1.12	1.95	6.8	5.6	690	9.4
8698		23.3	0.09	3.1	0.109	1.52	16.6	12.7	1.83	1740	1.15	1.40	6.7	10.0	660	7.8
8699		23.6	0.10	2.9	0.119	1.77	18.8	19.3	1.99	1600	0.96	1.49	6.6	9.9	670	10.8
8700		17.00	0.09	4.0	0.009	0.53	20.4	23.3	1.68	372	1.37	4.00	6.7	28.4	380	3.7
8701		17.35	0.12	4.3	0.013	0.57	26.3	16.8	1.65	352	1.99	4.18	9.9	35.8	610	16.2
8702		17.25	0.14	4.1	0.012	1.08	39.5	10.9	1.41	293	1.79	3.98	7.5	27.8	580	18.0
8703		15.50	0.11	3.6	0.010	1.07	22.6	10.0	1.42	253	1.60	3.72	6.2	31.7	390	25.1
8704		15.60	0.12	4.4	0.011	1.34	31.7	9.4	1.16	205	2.92	3.51	7.6	25.6	340	50.7
8705		15.35	0.15	3.3	0.024	1.52	37.1	10.1	1.29	267	2.27	3.58	5.3	28.7	370	16.0
8706		16.60	0.11	3.0	0.033	1.94	14.1	13.4	1.12	330	0.93	3.00	5.3	17.2	500	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8667		68.7	<0.002	0.23	0.30	30.3	1	1.8	105.0	0.58	<0.05	4.64	1.085	0.55	1.4	32
8668		52.2	<0.002	0.20	0.30	30.9	1	1.7	127.5	0.54	<0.05	4.54	1.065	0.41	1.4	38
8669		27.5	<0.002	0.15	0.26	32.4	1	2.0	126.0	0.57	<0.05	4.69	1.040	0.24	1.4	42
8670		23.2	<0.002	0.19	0.31	35.1	1	2.1	142.0	0.56	<0.05	4.69	1.040	0.22	1.4	50
8671		18.1	<0.002	0.43	0.22	30.0	<1	1.6	121.0	0.52	<0.05	4.18	0.961	0.18	1.4	62
8672		34.0	<0.002	0.19	0.24	33.2	1	1.9	112.5	0.58	<0.05	4.65	1.095	0.27	1.8	75
8673		29.8	0.003	0.20	0.30	35.8	1	2.0	136.5	0.57	<0.05	4.58	1.140	0.26	1.4	76
8674		38.5	<0.002	0.18	0.30	38.1	1	1.8	142.5	0.56	<0.05	4.44	1.140	0.28	1.3	89
8675		1.5	<0.002	<0.01	0.12	0.3	<1	<0.2	85.6	0.05	<0.05	0.24	0.008	0.02	0.2	1
8676		34.5	<0.002	0.19	0.35	38.6	1	1.8	145.5	0.53	<0.05	4.37	1.135	0.30	1.4	97
8677		33.4	<0.002	0.16	0.47	39.7	1	1.8	205	0.57	<0.05	4.37	1.175	0.26	1.3	109
8678		36.6	<0.002	0.17	0.44	40.7	1	1.8	202	0.50	<0.05	4.08	1.185	0.27	1.2	122
8679		34.8	<0.002	0.21	0.41	40.9	2	1.7	207	0.49	<0.05	4.13	1.235	0.27	1.2	141
8680		35.8	0.002	0.21	0.42	41.6	1	1.7	213	0.53	<0.05	4.14	1.235	0.25	1.3	143
8681		26.4	<0.002	2.11	84.9	4.5	35	5.6	459	0.60	38.9	5.96	0.221	1.73	2.3	33
8682		29.6	<0.002	0.16	0.45	41.5	1	1.7	205	0.52	<0.05	4.27	1.265	0.28	1.3	157
8683		28.3	<0.002	0.22	0.40	39.1	2	1.6	180.5	0.53	<0.05	4.08	1.250	0.24	1.2	181
8684		27.0	<0.002	0.27	0.46	40.5	1	1.7	187.5	0.51	<0.05	4.34	1.325	0.32	1.3	196
8685		32.0	0.003	0.25	0.49	41.2	1	1.6	203	0.52	<0.05	4.00	1.385	0.29	1.2	234
8686		30.8	0.007	0.21	0.38	38.8	1	1.7	200	0.45	<0.05	4.42	1.340	0.27	1.3	241
8687		30.8	0.002	0.14	0.32	27.4	1	1.8	441	0.85	<0.05	2.62	1.800	0.28	0.8	234
8688		27.1	<0.002	0.07	0.21	24.6	<1	1.8	414	0.78	<0.05	2.41	1.675	0.20	0.7	217
8689		28.9	<0.002	0.14	0.22	23.5	1	1.6	451	0.75	<0.05	2.36	1.720	0.24	0.6	226
8690		40.4	<0.002	0.08	0.21	25.5	<1	1.7	477	0.88	<0.05	2.51	1.805	0.29	0.7	233
8691		39.7	<0.002	0.16	0.26	26.0	<1	1.8	435	0.90	<0.05	2.60	1.780	0.25	0.7	227
8692		48.4	0.005	0.18	0.37	25.1	1	1.7	416	0.88	<0.05	2.60	1.730	0.35	0.7	216
8693		67.9	<0.002	0.24	0.45	26.0	1	1.6	402	0.88	<0.05	2.60	1.755	0.44	0.7	218
8694		47.4	<0.002	0.44	0.82	30.0	1	1.9	441	0.82	<0.05	3.15	1.815	0.33	0.9	261
8695		34.8	0.006	0.23	0.42	37.1	1	1.7	226	0.44	<0.05	4.33	1.355	0.24	1.3	319
8696		30.2	0.005	0.24	0.48	38.9	1	1.7	250	0.45	<0.05	4.50	1.390	0.23	1.4	339
8697		38.8	0.006	0.28	0.59	38.9	1	1.6	282	0.47	<0.05	4.45	1.385	0.30	1.3	338
8698		71.6	0.006	0.26	0.41	40.0	<1	1.7	212	0.46	<0.05	4.47	1.490	0.50	1.3	469
8699		78.7	0.005	0.32	0.40	40.4	1	1.8	208	0.43	<0.05	4.31	1.425	0.56	1.4	463
8700		22.8	<0.002	0.02	0.11	10.1	<1	0.7	124.0	0.58	<0.05	20.4	0.278	0.15	3.7	76
8701		22.9	0.002	0.11	0.18	12.0	1	1.2	99.9	0.73	<0.05	13.55	0.390	0.18	4.2	92
8702		45.2	<0.002	0.13	0.17	12.1	1	1.3	113.0	0.54	<0.05	18.85	0.433	0.24	4.3	90
8703		36.8	0.002	0.09	0.13	9.1	1	0.9	69.6	0.53	<0.05	10.05	0.244	0.23	3.4	65
8704		42.4	<0.002	0.11	0.14	7.8	<1	0.6	104.5	0.58	<0.05	24.8	0.223	0.24	4.6	54
8705		48.8	0.002	0.41	0.15	9.2	1	0.7	67.4	0.49	<0.05	8.25	0.244	0.44	3.0	67
8706		60.3	<0.002	0.16	0.13	6.6	1	1.1	64.4	0.42	<0.05	7.66	0.182	0.30	2.7	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8667		1.0	33.7	166	154.5				81.5	95.9
8668		0.7	32.2	159	147.0					94.8
8669		0.8	33.8	154	153.0					
8670		0.8	35.0	150	158.5					
8671		1.0	27.9	131	145.0					
8672		0.9	34.2	152	156.5					
8673		0.8	33.9	158	151.5					
8674		0.9	32.5	162	151.5					
8675		<0.1	2.3	3	2.2					
8676		0.8	32.6	173	147.5					
8677		0.9	32.4	184	140.0					
8678		0.8	31.7	185	138.5					
8679		0.7	31.1	195	138.0					
8680		0.7	31.4	196	138.5					
8681		12.7	6.1	4080	88.7	120				
8682		0.7	31.3	205	137.0					
8683		0.9	30.3	214	130.0					
8684		0.7	31.1	228	134.5					
8685		0.7	30.3	244	129.5					
8686		0.7	30.0	284	124.0					
8687		0.2	38.7	181	253					
8688		0.2	34.0	154	233					
8689		0.2	34.5	149	226					
8690		0.2	36.4	157	243					
8691		0.3	36.9	139	253					
8692		0.3	37.1	140	242					
8693		0.3	37.0	132	241					
8694		0.4	40.7	214	238					
8695		0.8	30.9	296	124.0					
8696		1.0	31.5	260	129.0					
8697		0.9	31.2	227	124.0					
8698		1.0	29.9	208	121.5					
8699		1.0	30.8	191	120.5					
8700		0.4	10.9	53	143.5					
8701		0.9	15.4	167	149.0					
8702		1.1	15.3	62	153.0					
8703		0.4	11.6	113	133.5					
8704		0.5	12.0	111	152.5					
8705		0.3	14.4	51	124.5					
8706		0.6	12.2	33	110.0				70.1	96.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8707		2.19	0.01	6.68	1.9	870	1.96	0.17	2.55	0.05	18.90	6.4	66	1.09	8.5	3.27
8708		2.00	0.01	6.58	2.2	660	1.84	0.14	2.13	<0.02	37.3	5.4	64	1.11	10.0	3.02
8709		2.12	0.04	6.58	2.7	1020	2.14	1.13	2.11	0.02	32.5	12.5	62	0.93	89.1	3.22
8710		1.92	0.07	6.13	4.5	790	1.63	1.00	1.78	0.20	26.4	16.6	54	0.93	209	3.01
8711		2.18	0.01	6.76	3.3	790	1.86	0.21	1.87	0.02	35.2	6.6	72	0.77	12.5	2.38
8712		2.09	0.01	6.97	3.0	690	2.09	0.25	1.83	<0.02	31.5	7.2	87	1.09	3.4	2.74
8713		2.45	0.02	6.25	6.7	980	1.87	0.54	3.38	0.06	35.5	9.0	75	1.06	13.1	2.76
8714		2.14	0.01	6.23	3.7	520	1.55	0.11	1.82	0.09	42.6	11.1	66	0.82	8.2	2.60
8715		2.09	0.01	6.51	2.7	410	1.26	0.09	0.41	0.09	47.6	12.0	84	0.89	15.4	2.81
8716		1.89	0.12	6.54	6.6	420	1.30	0.49	1.07	0.03	69.1	20.2	84	1.17	529	3.29
8717		2.25	0.13	6.44	6.8	450	1.42	0.85	0.60	0.12	52.6	19.4	77	1.30	165.0	3.13
8718		2.09	0.04	6.56	12.4	370	1.45	1.17	1.03	0.09	55.0	24.1	83	1.17	28.2	3.24
8719		0.97	0.02	6.49	5.1	420	1.36	0.20	0.64	0.08	87.0	10.5	90	0.93	14.3	2.85
8720		0.95	0.01	6.63	2.6	440	1.44	0.12	0.55	0.06	56.2	9.6	83	1.00	17.1	2.94
8721		0.08	4.08	5.66	15.5	120	0.57	0.80	3.53	2.13	16.45	1020	281	0.81	>10000	18.55
8722		1.94	<0.01	6.55	5.0	360	1.27	0.27	0.76	0.03	48.5	14.4	88	0.98	14.3	3.13
8723		2.19	<0.01	6.74	4.4	330	1.46	0.25	0.68	0.02	45.8	13.0	78	1.01	18.1	3.07
8724		2.31	0.01	6.44	15.8	290	1.40	0.54	0.66	0.07	53.9	17.6	86	1.00	30.4	2.77
8725		1.12	<0.01	0.07	<0.2	20	0.05	0.04	34.1	<0.02	1.10	0.6	2	<0.05	1.4	0.11
8726		2.25	0.03	6.34	16.8	350	1.57	0.88	0.81	0.02	49.8	16.8	77	0.95	117.5	2.51
8727		1.63	<0.01	7.01	1.1	780	2.34	0.14	0.43	<0.02	43.9	7.6	104	1.54	5.4	3.42
8728		1.71	<0.01	7.07	5.3	470	1.71	0.41	0.45	<0.02	44.2	11.7	92	1.34	5.2	3.18
8729		1.72	<0.01	6.72	13.2	400	1.57	0.44	0.40	<0.02	45.9	11.9	95	1.78	15.2	3.44
8730		1.93	0.01	6.35	21.3	200	1.72	0.99	0.62	<0.02	46.5	19.9	68	0.72	57.2	2.92
8731		1.82	<0.01	8.26	1.9	880	3.40	0.13	0.76	<0.02	82.7	17.9	123	3.72	3.4	4.99
8732		2.18	<0.01	8.41	2.8	940	3.54	0.26	0.76	0.06	87.8	20.2	121	4.03	2.3	4.98
8733		1.67	<0.01	8.16	2.3	920	3.42	0.22	0.71	<0.02	77.5	17.1	116	3.35	1.5	4.46
8734		1.11	0.03	6.69	17.2	300	1.60	0.60	1.04	<0.02	49.4	25.3	63	0.57	187.5	2.42
8735		1.44	0.06	6.74	64.3	530	1.28	2.18	0.92	<0.02	40.8	27.9	48	0.74	409	3.28
8736		1.31	<0.01	8.01	2.1	810	1.99	0.20	0.72	<0.02	72.5	10.8	108	1.68	7.9	4.06
8737		1.85	<0.01	7.14	1.2	540	1.64	0.10	0.52	<0.02	56.9	15.3	81	1.18	5.9	4.08
8738		1.82	<0.01	7.23	3.3	500	1.55	0.19	0.91	<0.02	51.4	18.0	89	1.21	20.6	3.71
8739		2.08	<0.01	7.57	1.2	820	1.92	0.09	0.70	<0.02	60.7	18.0	105	2.02	2.8	4.73
8740		2.43	<0.01	6.93	1.9	540	1.67	0.09	0.97	<0.02	75.3	10.8	57	1.02	14.2	2.92
8741		2.33	<0.01	7.24	2.1	510	1.41	0.07	0.65	<0.02	63.6	11.4	87	1.12	32.2	4.05
8742		1.72	<0.01	7.32	1.9	280	1.41	0.14	0.75	<0.02	43.5	25.2	86	0.81	3.7	4.26
8743		1.60	<0.01	7.44	2.2	370	1.74	0.13	0.87	<0.02	103.5	16.2	81	1.03	29.6	3.87
8744		1.63	<0.01	7.44	1.5	410	1.74	0.17	0.79	<0.02	59.5	20.5	106	1.15	36.7	4.11
8745		1.82	<0.01	7.90	1.3	800	2.07	0.19	0.85	<0.02	60.2	27.8	127	2.94	49.2	4.51
8746		2.34	<0.01	8.18	1.2	980	2.14	0.15	0.83	<0.02	67.0	19.7	142	3.30	6.0	4.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8707		16.15	0.11	3.0	0.030	2.31	8.8	12.7	0.97	301	1.47	3.05	5.4	17.4	510	5.6
8708		14.95	0.11	2.7	0.017	2.20	15.3	11.5	0.84	271	1.17	3.28	4.8	16.9	430	6.1
8709		15.40	0.12	2.9	0.032	2.52	14.4	12.1	0.89	278	1.36	2.50	5.3	18.7	470	7.6
8710		13.55	0.13	2.3	0.029	2.50	12.0	12.3	0.82	249	1.60	2.36	3.7	21.2	330	13.3
8711		15.60	0.14	3.3	0.014	3.39	15.3	11.9	0.77	230	1.90	2.79	5.2	36.6	490	7.3
8712		16.40	0.14	4.1	0.011	3.29	13.0	12.7	0.89	249	1.90	3.07	5.8	20.0	530	10.0
8713		14.85	0.14	3.6	0.013	3.44	16.5	14.2	0.83	326	1.36	2.42	5.7	22.9	560	16.8
8714		14.20	0.16	2.4	0.011	1.94	19.8	12.7	0.98	238	1.57	2.98	4.2	22.8	330	16.1
8715		15.50	0.14	3.5	0.010	1.67	23.4	12.8	1.26	164	2.47	3.34	5.6	27.6	350	29.5
8716		15.70	0.12	3.6	0.038	1.34	34.7	11.4	1.32	267	2.09	3.42	6.2	31.3	500	15.9
8717		15.75	0.13	3.7	0.020	1.47	26.6	12.0	1.29	217	1.76	3.25	5.8	28.9	450	31.8
8718		16.00	0.15	3.6	0.009	1.49	27.8	12.7	1.32	246	2.86	3.42	5.9	32.6	350	33.8
8719		15.80	0.14	3.8	0.012	1.44	45.4	12.1	1.26	207	1.90	3.41	5.6	29.0	360	19.8
8720		15.95	0.12	3.8	0.010	1.49	28.8	12.4	1.28	201	1.91	3.44	5.9	31.2	360	19.0
8721		11.70	0.20	1.3	0.125	0.32	7.2	8.9	4.14	1020	4.52	1.23	5.1	>10000	500	15.0
8722		17.20	0.09	3.8	0.011	1.42	25.3	12.9	1.35	225	2.75	3.72	6.3	32.1	390	13.1
8723		17.50	0.10	3.7	0.016	1.35	24.2	12.9	1.29	225	1.75	3.85	6.0	28.0	380	24.3
8724		16.15	0.10	3.8	0.013	1.33	28.9	11.2	1.11	201	2.40	3.82	5.5	26.3	340	65.7
8725		0.24	0.06	<0.1	<0.005	0.01	1.2	0.8	1.09	89	0.14	0.03	0.1	0.7	60	0.7
8726		15.10	0.13	3.3	0.014	1.32	27.7	10.2	1.02	210	2.23	3.68	5.2	24.8	340	15.3
8727		17.60	0.11	4.1	0.027	2.06	21.4	16.4	1.62	243	2.07	2.85	6.9	36.0	400	4.7
8728		18.10	0.10	3.9	0.015	1.52	22.9	15.7	1.51	248	1.90	3.54	6.6	35.2	390	5.9
8729		16.40	0.10	3.7	0.013	1.54	23.7	14.5	1.47	262	2.26	3.53	6.0	34.0	380	4.7
8730		15.40	0.10	3.3	0.013	0.83	24.0	12.4	1.17	252	2.07	3.78	5.8	24.7	320	6.1
8731		25.9	0.14	3.8	0.059	2.86	41.0	24.1	2.18	353	2.01	2.95	13.9	61.8	690	9.3
8732		25.2	0.14	4.0	0.060	3.00	44.5	23.8	2.14	403	1.59	2.93	13.6	61.6	680	20.9
8733		25.1	0.15	3.8	0.052	2.86	38.5	22.1	1.91	341	1.44	3.02	12.1	53.4	640	6.3
8734		14.35	0.08	2.9	0.014	0.91	25.0	10.7	0.97	261	1.46	4.23	5.8	25.3	430	4.9
8735		13.95	0.09	2.8	0.015	1.36	21.0	9.3	0.85	225	1.87	3.88	4.9	25.9	360	7.2
8736		21.8	0.11	4.0	0.032	2.08	36.9	19.3	1.80	339	1.60	3.65	10.5	45.8	580	6.2
8737		18.70	0.10	3.2	0.024	1.36	29.5	18.7	1.70	345	1.13	3.38	6.6	40.3	440	4.4
8738		17.70	0.09	2.8	0.033	1.29	26.3	16.9	1.54	351	1.80	3.64	5.9	37.8	490	4.2
8739		20.4	0.12	3.2	0.041	2.04	32.0	24.4	2.17	384	1.20	2.92	6.5	54.8	550	3.9
8740		17.35	0.11	3.7	0.023	1.35	39.3	13.4	1.16	283	2.26	3.63	8.1	26.6	390	8.3
8741		17.95	0.10	3.6	0.023	1.33	32.3	18.5	1.68	363	2.20	3.57	8.1	38.7	450	5.8
8742		16.60	0.08	3.0	0.012	0.84	21.4	16.5	1.52	363	1.23	4.07	6.4	37.6	460	4.4
8743		18.30	0.13	4.0	0.036	1.06	53.7	17.2	1.60	385	1.41	3.82	9.4	40.7	530	7.5
8744		18.55	0.10	3.5	0.031	1.13	29.8	18.9	1.85	420	1.24	3.65	6.6	50.7	520	4.2
8745		20.8	0.10	3.2	0.036	2.25	30.7	20.5	2.02	440	1.23	3.20	7.4	62.4	610	4.3
8746		22.6	0.11	3.3	0.048	2.62	33.8	22.9	2.19	462	1.53	2.86	7.9	70.6	630	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8707		65.6	<0.002	0.04	0.11	6.6	<1	1.0	66.7	0.43	<0.05	7.07	0.176	0.33	2.5	42
8708		68.4	<0.002	0.02	0.11	6.5	<1	0.7	65.1	0.42	<0.05	6.46	0.175	0.33	2.3	44
8709		74.2	<0.002	0.16	0.12	6.2	<1	1.0	81.9	0.44	<0.05	8.48	0.176	0.31	2.8	39
8710		73.9	<0.002	0.26	0.11	5.3	1	0.6	65.3	0.30	<0.05	4.40	0.133	0.35	1.8	32
8711		79.9	0.002	0.03	0.12	7.1	<1	0.9	56.8	0.44	<0.05	7.21	0.182	0.42	2.7	45
8712		86.7	<0.002	0.04	0.12	7.4	<1	1.1	60.1	0.51	<0.05	9.00	0.201	0.39	3.7	48
8713		84.3	<0.002	0.12	0.12	6.8	1	1.0	67.4	0.50	<0.05	10.65	0.178	0.39	3.6	42
8714		53.8	<0.002	0.09	0.13	6.0	<1	0.7	79.9	0.38	<0.05	5.52	0.168	0.32	2.1	43
8715		52.8	<0.002	0.08	0.14	8.3	<1	0.6	66.0	0.47	<0.05	10.45	0.225	0.29	3.4	61
8716		51.3	<0.002	0.28	0.17	9.4	<1	0.6	103.0	0.52	<0.05	9.62	0.308	0.34	3.4	66
8717		53.0	<0.002	0.33	0.25	8.9	1	0.6	89.6	0.51	0.06	8.91	0.277	0.42	3.1	63
8718		55.0	<0.002	0.38	0.19	9.6	1	0.5	74.1	0.51	<0.05	12.55	0.228	0.34	3.3	67
8719		47.9	<0.002	0.12	0.14	9.1	<1	0.4	74.8	0.52	<0.05	9.67	0.234	0.30	3.3	64
8720		49.8	0.003	0.11	0.13	8.9	1	0.4	76.6	0.60	<0.05	10.25	0.232	0.30	3.4	64
8721		10.5	0.044	8.80	2.87	8.5	23	2.6	196.0	0.30	4.27	1.13	0.555	0.17	0.3	81
8722		51.1	0.002	0.14	0.18	10.0	1	0.4	78.7	0.66	<0.05	9.73	0.256	0.30	3.6	69
8723		51.0	<0.002	0.15	0.16	9.9	1	0.5	80.7	0.60	<0.05	9.52	0.263	0.32	3.2	68
8724		46.8	<0.002	0.25	0.19	8.9	1	0.4	66.4	0.58	<0.05	10.15	0.222	0.32	3.2	62
8725		0.3	<0.002	<0.01	0.08	0.2	1	<0.2	91.5	<0.05	<0.05	0.10	0.005	<0.02	0.1	1
8726		48.9	<0.002	0.29	0.22	7.9	1	0.5	80.2	0.52	<0.05	9.53	0.212	0.31	3.0	57
8727		87.7	<0.002	0.03	0.16	11.5	<1	1.0	89.1	0.67	<0.05	9.84	0.291	0.52	3.5	77
8728		68.6	<0.002	0.09	0.19	11.2	1	0.6	90.1	0.62	<0.05	9.41	0.278	0.39	3.5	76
8729		77.7	0.002	0.16	0.15	10.0	1	0.4	77.7	0.58	<0.05	9.06	0.254	0.49	3.1	70
8730		42.6	<0.002	0.35	0.18	8.4	1	0.4	100.0	0.58	0.07	13.45	0.207	0.29	3.0	56
8731		148.5	<0.002	0.01	0.20	17.9	1	2.8	128.5	1.44	<0.05	19.30	0.431	0.93	6.6	130
8732		161.0	<0.002	0.03	0.22	17.7	1	2.8	147.0	1.42	<0.05	18.65	0.439	0.99	6.9	125
8733		144.5	<0.002	0.04	0.22	16.2	1	2.6	137.0	1.31	<0.05	16.45	0.411	0.91	5.9	119
8734		38.5	<0.002	0.40	0.16	8.3	1	2.0	110.5	0.65	0.05	7.85	0.220	0.23	2.9	63
8735		48.3	<0.002	1.54	0.19	8.5	1	1.8	117.5	0.53	0.35	10.65	0.196	0.30	3.2	55
8736		91.5	0.002	0.10	0.18	14.4	1	2.5	107.0	1.13	<0.05	14.90	0.372	0.55	4.3	111
8737		64.3	<0.002	0.07	0.14	13.0	1	1.4	119.5	0.58	<0.05	13.10	0.297	0.36	2.7	89
8738		63.3	<0.002	0.16	0.15	13.4	1	1.1	135.5	0.58	<0.05	7.79	0.310	0.35	2.6	92
8739		96.2	<0.002	0.03	0.17	14.6	<1	1.3	144.0	0.57	<0.05	8.57	0.356	0.59	2.9	105
8740		62.0	<0.002	0.05	0.19	9.5	<1	1.1	188.0	0.66	<0.05	26.2	0.241	0.38	4.0	65
8741		62.7	<0.002	0.04	0.18	11.3	1	1.2	161.5	0.68	<0.05	18.75	0.290	0.42	3.4	82
8742		43.8	<0.002	0.19	0.16	10.9	1	1.1	148.5	0.60	<0.05	12.40	0.285	0.33	2.9	76
8743		56.1	0.002	0.10	0.19	13.0	1	1.3	241	0.68	<0.05	28.2	0.300	0.38	3.5	84
8744		61.7	<0.002	0.14	0.17	12.3	1	1.2	176.0	0.62	<0.05	8.67	0.313	0.41	3.0	91
8745		125.0	<0.002	0.13	0.22	15.7	1	1.5	204	0.66	<0.05	9.25	0.371	0.90	3.1	113
8746		144.5	<0.002	0.03	0.22	17.5	1	1.7	205	0.69	<0.05	9.95	0.395	1.05	3.5	124

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8707		0.4	11.3	28	108.5				85.8	
8708		0.4	9.9	23	102.0					
8709		0.8	12.6	24	107.5					
8710		0.7	9.6	35	89.3					
8711		0.5	11.8	20	121.5					
8712		0.4	10.7	21	154.0					
8713		0.5	14.9	25	133.5					
8714		0.5	11.2	34	84.0					
8715		0.4	9.8	37	131.0					
8716		0.3	12.3	35	135.0					
8717		0.7	12.8	48	135.0					
8718		0.3	10.3	43	129.0					
8719		0.4	10.9	42	131.5					
8720		0.4	10.7	37	138.0					
8721		2.4	9.3	145	54.6		1.540	4.46		
8722		0.3	10.7	33	141.0				75.8	
8723		0.3	11.5	30	137.0					
8724		0.3	10.9	29	139.5					
8725		<0.1	2.0	2	1.6					
8726		0.4	11.9	24	128.0					
8727		1.0	11.7	32	156.0					
8728		0.7	10.6	31	143.5					
8729		0.4	9.7	33	136.5					
8730		0.3	11.1	25	121.0					
8731		1.3	20.0	44	134.0					
8732		1.4	20.8	51	142.0					
8733		1.4	18.0	41	138.0					
8734		0.5	11.4	22	110.0					
8735		0.6	13.3	21	101.0					
8736		1.0	15.2	36	142.5					
8737		0.6	12.9	34	115.0					
8738		0.5	14.5	31	107.5					
8739		0.8	14.2	41	118.0					
8740		0.5	11.6	25	136.0					
8741		0.5	12.0	37	133.5					
8742		0.4	13.6	34	117.0					
8743		0.9	16.8	35	150.0					
8744		0.7	13.6	40	120.5					
8745		0.9	16.1	45	119.0					
8746		1.2	17.3	49	119.0				76.2	93.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8747		2.11	<0.01	8.13	1.4	670	2.01	0.17	0.83	<0.02	61.5	21.9	137	2.87	34.0	4.76
8748		2.28	<0.01	7.90	1.4	640	2.18	0.12	0.79	<0.02	58.5	19.7	133	2.52	18.6	4.38
8749		2.13	<0.01	7.59	3.6	300	1.71	0.18	0.59	<0.02	56.9	40.3	121	1.01	25.7	4.64
8750		2.10	<0.01	6.88	2.7	90	1.45	0.08	0.40	0.02	43.7	12.2	99	0.47	4.2	3.70
8751		1.10	<0.01	7.07	19.6	130	1.19	0.30	0.64	<0.02	70.1	28.0	111	0.64	25.0	3.82
8752		1.55	<0.01	6.39	2.5	100	1.16	0.07	0.79	<0.02	37.3	7.8	65	0.39	7.3	1.68
8753		0.88	<0.01	6.23	5.9	160	1.04	0.19	0.70	<0.02	25.7	14.7	59	0.46	3.7	1.50
8754		2.23	<0.01	6.11	12.1	170	0.76	0.26	0.99	<0.02	19.25	25.1	49	0.48	10.0	1.58
8755		1.72	<0.01	6.35	2.9	200	0.83	0.07	0.31	<0.02	28.1	8.2	55	0.57	8.8	1.72
8756		1.56	<0.01	6.22	1.6	140	1.05	0.07	0.34	<0.02	20.6	6.6	55	0.46	13.0	1.73
8757		1.48	<0.01	6.65	1.4	150	0.81	0.04	0.32	<0.02	30.0	3.9	66	0.49	4.7	2.06
8758		1.43	0.01	6.55	1.4	110	0.85	0.07	0.49	<0.02	31.4	4.3	64	0.35	49.5	2.57
8759		0.74	0.02	6.98	6.4	180	1.24	0.25	0.88	<0.02	45.2	13.3	67	0.80	146.0	4.03
8760		0.79	0.03	6.89	6.3	170	1.20	0.22	0.91	<0.02	44.4	15.1	66	0.79	384	4.38
8761		0.07	>100	4.45	703	110	0.78	59.3	0.65	26.1	31.6	10.0	31	2.75	5160	2.29
8762		1.44	0.09	7.02	21.3	170	0.97	0.50	0.81	0.02	35.8	17.1	72	0.65	39.8	3.94
8763		2.10	0.13	6.19	21.7	120	1.03	1.48	0.88	0.02	35.3	5.4	63	0.37	425	2.70
8764		1.80	0.02	6.91	7.0	230	1.41	0.75	0.48	0.03	56.9	9.0	92	0.74	52.4	3.47
8765		1.47	0.10	6.55	27.8	240	1.25	0.73	0.70	<0.02	38.0	9.2	67	0.80	710	3.19
8766		1.63	0.05	6.09	21.4	130	0.84	0.60	0.60	<0.02	23.4	18.5	52	0.45	267	2.23
8767		1.21	0.01	6.04	24.7	160	0.66	0.83	0.89	<0.02	24.8	16.4	57	0.43	22.8	1.91
8768		2.25	0.01	6.36	22.4	190	0.74	0.76	0.61	<0.02	31.1	15.1	59	0.50	15.0	2.09
8769		1.46	0.02	6.53	39.2	180	0.70	1.04	0.49	<0.02	34.5	19.1	60	0.54	10.8	2.37
8770		1.31	0.02	6.43	42.0	170	0.70	1.08	0.69	<0.02	28.8	11.4	57	0.53	282	2.21
8771		1.70	0.04	6.78	26.2	180	0.88	1.08	0.62	<0.02	30.9	6.4	63	0.68	412	2.83
8772		1.78	0.04	6.78	36.5	180	0.92	1.90	0.40	<0.02	31.9	4.9	78	0.64	226	3.12
8773		2.15	0.05	5.99	78.5	180	0.83	2.45	0.60	<0.02	24.9	5.2	53	0.62	173.0	2.69
8774		1.22	0.07	6.74	85.0	160	0.90	5.37	0.57	<0.02	37.0	7.1	73	0.72	195.5	3.22
8775		1.00	<0.01	0.07	<0.2	20	<0.05	0.02	35.4	<0.02	0.99	0.6	2	<0.05	1.6	0.10
8776		1.58	0.03	6.72	39.0	140	0.97	4.10	0.50	<0.02	41.1	6.7	65	0.47	306	3.00
8777		2.20	0.02	7.72	16.4	210	1.33	0.58	0.67	<0.02	44.2	7.0	106	0.56	53.4	4.07
8778		1.98	0.09	6.74	110.0	120	0.91	3.10	0.57	0.03	45.9	11.9	58	0.37	103.0	4.10
8779		2.48	0.15	6.67	62.6	140	1.02	19.85	0.70	0.16	27.0	6.8	69	0.43	440	3.22
8780		2.33	0.21	6.39	35.1	160	0.89	8.00	0.58	0.05	17.95	11.0	53	0.36	917	2.97
8781		2.43	0.03	6.25	28.0	150	0.75	3.19	0.49	<0.02	11.60	13.0	58	0.37	51.1	2.34
8782		2.23	0.20	6.43	35.3	180	0.91	1.83	0.69	0.10	23.9	10.2	54	0.41	570	3.02
8783		2.26	0.07	6.10	43.4	150	0.74	1.01	0.52	<0.02	21.7	8.9	54	0.36	204	2.84
8784		2.22	0.12	6.49	36.2	150	0.83	2.90	0.63	0.03	41.4	8.6	73	0.50	382	3.59
8785		2.20	0.06	6.88	38.8	180	1.08	3.79	0.83	<0.02	40.1	9.7	71	0.57	201	3.63
8786		2.15	0.03	6.87	29.5	170	1.35	0.90	1.39	<0.02	48.6	11.0	80	0.68	66.6	3.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8747		21.5	0.12	3.0	0.041	2.23	30.7	24.4	2.23	482	1.37	3.01	7.5	69.5	620	4.3
8748		20.4	0.11	3.1	0.040	2.06	28.9	21.7	2.03	457	1.12	3.00	7.3	62.2	590	4.0
8749		21.7	0.09	3.1	0.032	1.05	27.8	21.9	2.20	475	1.31	3.62	7.0	60.1	530	5.1
8750		18.10	0.07	2.8	0.015	0.50	21.5	17.2	1.73	241	1.35	3.96	5.5	39.6	440	3.0
8751		19.65	0.10	2.8	0.016	0.78	35.7	17.8	1.68	261	1.07	4.17	5.5	39.6	410	4.6
8752		13.45	0.08	2.0	0.009	0.65	18.3	8.4	0.70	146	1.53	4.64	2.9	17.9	310	3.2
8753		12.40	0.05	1.6	0.009	0.89	11.7	6.3	0.57	129	1.67	4.36	2.0	15.7	250	4.1
8754		11.30	0.06	1.3	0.012	0.88	9.4	6.0	0.54	157	1.45	4.18	2.0	14.6	220	5.3
8755		13.55	0.06	1.5	0.009	1.09	12.8	7.9	0.69	107	1.65	4.15	2.3	15.1	240	5.3
8756		12.95	0.06	1.4	0.011	0.84	9.4	8.3	0.71	113	1.73	4.17	1.9	16.8	230	4.5
8757		14.80	0.06	1.9	0.011	0.87	13.4	9.0	0.89	125	1.55	4.35	2.9	21.2	310	2.6
8758		15.30	0.14	1.9	0.013	0.62	14.4	9.5	1.15	185	1.25	4.30	3.4	24.5	350	2.9
8759		18.60	0.12	2.2	0.024	1.02	22.6	16.1	1.89	269	2.00	3.70	4.4	39.2	440	3.4
8760		19.10	0.15	2.4	0.035	1.01	22.4	16.7	2.02	290	1.05	3.58	3.9	45.0	360	3.0
8761		22.4	0.21	2.7	5.53	0.70	14.6	20.5	0.20	246	4.84	0.47	7.7	60.5	590	1080
8762		18.35	0.09	2.3	0.019	0.93	16.8	15.5	1.82	264	1.45	3.82	4.2	34.6	460	3.8
8763		14.55	0.12	2.2	0.033	0.67	16.5	9.2	1.11	216	1.32	3.90	3.6	20.4	310	4.2
8764		18.15	0.14	3.3	0.020	1.10	28.8	13.6	1.56	220	1.22	3.76	5.3	32.4	440	5.1
8765		17.15	0.12	2.3	0.051	1.17	17.7	12.3	1.34	202	1.74	3.54	3.8	26.9	340	5.3
8766		12.75	0.10	1.6	0.019	0.83	11.1	8.5	0.80	154	1.45	4.07	2.3	21.2	240	4.3
8767		12.75	0.12	1.5	0.010	0.91	11.5	7.6	0.61	157	2.00	4.12	2.3	17.6	240	3.7
8768		13.05	0.10	1.7	0.010	1.10	14.4	8.6	0.77	147	1.65	4.21	2.5	17.5	270	3.7
8769		13.80	0.13	1.8	0.009	1.15	16.0	9.7	0.84	140	2.01	4.22	2.5	24.0	290	7.3
8770		13.35	0.13	1.8	0.019	1.03	13.6	9.8	0.81	151	1.84	4.24	2.4	18.8	260	3.0
8771		15.70	0.12	2.2	0.025	1.08	14.2	11.6	1.14	183	1.41	4.16	2.9	23.8	350	4.4
8772		16.15	0.12	2.5	0.018	0.94	14.9	11.7	1.29	171	2.56	4.08	3.4	29.3	400	3.4
8773		12.50	0.10	1.5	0.021	1.04	11.8	10.9	0.95	178	1.41	3.66	2.2	20.5	230	3.7
8774		16.00	0.12	2.2	0.024	1.05	17.5	13.0	1.24	206	1.64	4.15	3.1	32.4	350	6.2
8775		0.26	0.12	<0.1	<0.005	0.01	1.2	1.1	1.21	78	0.15	0.03	0.1	0.3	50	<0.5
8776		15.15	0.16	2.1	0.023	0.80	20.3	10.4	1.25	178	1.50	4.16	2.7	24.0	360	4.6
8777		20.5	0.13	3.8	0.025	1.02	21.1	14.9	2.06	255	1.42	4.39	6.4	34.7	570	9.5
8778		16.50	0.11	1.9	0.019	0.73	23.4	12.8	1.66	232	1.49	3.86	2.8	36.5	320	33.0
8779		15.35	0.11	2.0	0.040	0.88	12.8	10.7	1.28	206	2.09	4.01	2.9	27.8	290	23.8
8780		14.55	0.11	1.6	0.068	0.81	8.8	9.7	1.18	177	2.24	3.83	2.3	24.2	260	20.3
8781		13.00	0.11	1.6	0.013	0.89	5.7	9.6	0.85	141	1.93	4.01	2.2	22.5	240	9.2
8782		14.60	0.11	1.8	0.047	0.98	11.3	10.9	1.18	196	2.30	3.84	2.2	26.6	270	13.3
8783		14.05	0.12	1.6	0.022	0.80	10.5	10.4	1.15	180	1.29	3.64	2.2	24.2	230	4.5
8784		16.75	0.12	1.9	0.039	0.92	19.4	13.0	1.59	237	1.55	3.63	2.8	31.3	310	4.6
8785		16.85	0.12	2.1	0.037	1.02	19.2	14.1	1.71	275	1.88	3.74	3.1	31.6	350	6.5
8786		18.15	0.13	2.4	0.022	1.04	24.4	15.4	1.97	346	1.17	3.64	3.5	39.2	340	6.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8747		125.5	<0.002	0.05	0.26	17.2	1	1.5	233	0.67	<0.05	9.46	0.392	0.92	3.4	124
8748		119.0	<0.002	0.08	0.24	16.1	1	1.4	199.0	0.65	<0.05	9.17	0.370	0.85	3.2	114
8749		57.8	<0.002	0.14	0.17	14.9	1	1.4	143.5	0.67	<0.05	8.70	0.351	0.38	2.8	108
8750		22.8	<0.002	0.05	0.13	11.2	1	0.9	75.0	0.55	<0.05	6.37	0.273	0.16	2.2	79
8751		34.8	<0.002	0.27	0.15	13.0	1	1.9	87.9	0.51	<0.05	6.10	0.300	0.20	3.7	82
8752		21.4	<0.002	0.05	0.13	6.4	1	0.9	85.9	0.30	<0.05	3.97	0.149	0.13	1.3	45
8753		24.0	<0.002	0.13	0.12	5.5	<1	0.7	70.6	0.23	<0.05	3.68	0.102	0.14	1.2	38
8754		25.9	<0.002	0.21	0.12	5.3	1	0.6	73.2	0.20	<0.05	3.01	0.109	0.15	1.2	32
8755		30.2	<0.002	0.05	0.14	5.8	<1	0.6	65.2	0.22	<0.05	3.53	0.121	0.18	1.2	40
8756		23.8	<0.002	0.06	0.12	5.2	1	0.5	72.4	0.19	<0.05	3.18	0.108	0.12	1.1	39
8757		22.9	<0.002	0.01	0.12	6.7	<1	0.5	58.3	0.28	<0.05	3.88	0.160	0.13	1.3	50
8758		18.1	<0.002	0.06	0.10	7.2	1	0.4	54.0	0.35	<0.05	3.93	0.192	0.10	1.3	56
8759		40.7	<0.002	0.20	0.14	12.7	1	0.8	84.1	0.39	<0.05	4.94	0.285	0.21	1.6	80
8760		39.8	<0.002	0.32	0.13	12.0	<1	0.8	71.9	0.37	<0.05	5.28	0.249	0.22	1.7	80
8761		27.6	<0.002	2.23	89.1	4.3	35	6.1	468	0.61	40.7	6.30	0.229	1.84	2.5	34
8762		34.2	<0.002	0.28	0.17	10.6	<1	0.8	73.8	0.40	0.07	5.05	0.246	0.18	1.7	73
8763		22.2	<0.002	0.28	0.13	7.1	1	0.4	77.8	0.37	<0.05	4.88	0.181	0.13	1.8	51
8764		43.8	<0.002	0.17	0.13	9.5	<1	0.7	79.6	0.55	<0.05	6.94	0.264	0.21	2.5	71
8765		45.1	<0.002	0.40	0.16	7.6	1	0.7	71.1	0.38	<0.05	4.88	0.191	0.19	1.8	56
8766		23.8	<0.002	0.52	0.12	5.5	1	0.5	67.7	0.24	<0.05	3.48	0.127	0.13	1.3	40
8767		25.1	<0.002	0.49	0.11	5.5	1	0.6	68.1	0.23	<0.05	3.81	0.122	0.13	1.4	34
8768		28.7	<0.002	0.47	0.11	5.6	1	0.6	57.2	0.26	<0.05	3.94	0.131	0.15	1.6	39
8769		29.8	<0.002	0.63	0.12	6.0	2	0.5	55.9	0.25	<0.05	4.22	0.132	0.14	1.7	39
8770		28.8	<0.002	0.54	0.12	6.0	1	0.3	57.5	0.25	<0.05	4.05	0.121	0.14	1.5	38
8771		36.2	<0.002	0.41	0.17	7.2	1	0.4	55.1	0.29	0.05	4.46	0.157	0.19	1.8	49
8772		30.0	<0.002	0.53	0.16	7.6	1	0.4	55.3	0.34	<0.05	4.88	0.184	0.15	2.0	55
8773		30.1	<0.002	0.78	0.18	5.9	1	0.3	52.5	0.24	<0.05	3.48	0.125	0.16	1.4	39
8774		31.3	<0.002	0.78	0.30	7.9	1	0.4	49.2	0.32	0.06	4.81	0.168	0.18	1.9	55
8775		0.5	<0.002	<0.01	0.08	0.2	2	<0.2	88.0	<0.05	<0.05	0.07	0.005	<0.02	0.2	1
8776		22.6	<0.002	0.57	0.27	6.6	1	0.4	46.7	0.29	0.05	4.67	0.161	0.11	1.8	52
8777		34.4	<0.002	0.22	0.20	11.1	1	0.6	64.8	0.63	<0.05	7.89	0.341	0.16	3.0	87
8778		22.3	<0.002	0.93	0.61	8.7	1	0.3	50.9	0.28	0.05	3.83	0.174	0.12	1.3	62
8779		26.6	<0.002	0.66	0.17	8.8	<1	0.4	67.3	0.29	0.07	3.89	0.175	0.15	1.3	59
8780		22.9	<0.002	0.64	0.15	7.3	1	0.5	55.7	0.22	0.05	4.19	0.138	0.13	1.3	50
8781		23.6	<0.002	0.53	0.13	5.5	1	0.5	66.0	0.23	<0.05	3.90	0.122	0.12	1.3	39
8782		26.8	<0.002	0.66	0.13	7.1	1	0.6	58.7	0.20	<0.05	4.17	0.138	0.15	1.4	49
8783		22.3	<0.002	0.54	0.12	6.6	1	0.4	56.9	0.23	<0.05	4.03	0.132	0.12	1.3	48
8784		28.6	<0.002	0.52	0.14	9.3	1	0.4	59.7	0.32	<0.05	3.93	0.173	0.16	1.4	63
8785		33.5	<0.002	0.41	0.19	10.2	1	0.5	75.1	0.28	<0.05	4.75	0.203	0.19	1.5	69
8786		35.9	<0.002	0.41	0.23	11.5	1	0.6	81.7	0.33	<0.05	7.28	0.221	0.23	1.8	76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8747		1.0	15.2	48	112.5					
8748		1.1	15.1	43	114.0					
8749		0.5	11.3	43	112.5					
8750		0.3	13.3	21	101.5					
8751		0.5	18.6	20	106.5					
8752		0.3	10.9	8	73.9					
8753		0.2	6.7	6	59.5					
8754		0.2	3.9	6	50.0					
8755		0.2	6.1	6	57.9					
8756		0.2	5.0	5	53.1					
8757		0.4	6.3	6	69.3					
8758		0.3	6.0	9	68.6					
8759		0.3	12.1	15	77.4					
8760		0.3	11.0	16	81.0					
8761		12.8	6.3	4190	90.3	120				
8762		0.2	11.2	17	81.4					
8763		0.2	9.4	10	77.1					
8764		0.4	12.2	14	120.0					
8765		0.3	8.4	13	82.2					
8766		0.1	5.1	9	57.3					
8767		0.1	5.9	6	55.0					
8768		0.1	6.0	7	62.7					
8769		0.1	6.2	7	62.5					
8770		0.2	5.3	7	68.2					
8771		0.2	6.6	10	77.5					
8772		0.3	7.1	10	92.0					
8773		0.2	4.8	9	52.0					
8774		0.2	6.8	10	76.7					
8775		<0.1	2.1	2	1.5					
8776		0.3	6.6	10	72.4					
8777		0.4	11.2	16	134.0					
8778		0.2	8.1	18	68.2					
8779		0.2	7.7	38	68.5					
8780		0.2	6.3	19	58.8					
8781		0.2	6.1	9	56.7					
8782		0.2	6.4	25	62.4					
8783		0.1	5.7	11	55.4					
8784		0.2	7.8	15	67.3					
8785		0.2	9.2	15	75.6					
8786		0.2	11.1	16	82.5				81.1	89.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8787		2.29	0.02	6.46	12.6	180	1.04	0.37	0.60	<0.02	41.2	8.2	58	0.51	60.3	2.92
8788		2.22	0.01	5.94	4.1	120	0.74	0.09	0.32	<0.02	10.35	5.3	42	0.30	16.8	1.73
8789		2.20	0.01	6.68	3.0	140	0.89	0.07	0.39	<0.02	21.6	6.6	61	0.38	20.0	2.64
8790		2.00	0.01	7.31	5.4	240	1.52	0.16	0.98	<0.02	63.1	8.7	57	0.61	34.3	3.31
8791		2.19	0.03	7.62	9.5	240	1.60	0.78	1.38	<0.02	47.6	16.4	78	1.07	15.8	5.15
8792		1.96	0.02	7.55	4.0	270	1.98	0.21	1.09	<0.02	52.0	10.9	84	1.32	11.3	4.67
8793		1.92	0.03	7.02	8.8	200	2.12	0.13	1.81	0.03	46.9	19.5	50	0.53	20.3	3.07
8794		1.99	0.02	6.69	6.6	220	1.75	0.17	1.59	0.02	58.9	14.4	73	0.64	23.7	3.35
8795		2.03	0.02	6.82	4.2	140	1.31	0.71	0.74	<0.02	43.5	8.3	77	0.54	14.3	3.54
8796		2.14	0.66	6.20	27.3	90	0.96	4.98	0.68	0.05	27.3	13.6	56	0.25	628	3.12
8797		2.07	0.05	6.23	12.4	60	0.92	0.81	0.38	0.02	29.5	12.0	56	0.13	66.1	2.74
8798		2.08	0.02	5.97	3.4	50	0.86	0.10	0.50	0.04	13.80	5.7	47	0.16	17.3	2.06
8799		0.88	0.02	6.86	6.3	130	1.21	0.37	0.80	<0.02	49.4	9.4	90	0.50	5.9	3.80
8800		1.01	0.03	6.99	8.1	110	1.23	0.37	0.92	<0.02	49.4	10.7	99	0.45	7.0	3.82
8801		0.08	3.98	5.33	14.3	110	0.55	1.41	3.31	2.10	16.25	964	259	0.74	>10000	17.45
8802		2.05	0.03	6.76	7.1	140	1.32	0.32	0.67	<0.02	34.5	6.5	74	0.54	26.8	3.24
8803		1.99	0.02	6.73	6.7	130	1.29	0.29	0.62	<0.02	50.4	6.2	75	0.43	16.6	3.08
8804		2.08	0.01	6.97	4.6	120	1.19	0.18	0.54	<0.02	45.9	6.4	75	0.52	5.6	3.65
8805		2.25	0.02	6.32	3.8	70	0.89	0.11	0.56	<0.02	17.30	4.9	56	0.22	10.3	2.57
8806		2.11	0.02	7.34	6.1	180	1.67	0.20	0.80	<0.02	42.0	13.1	82	0.66	15.3	4.36
8807		2.10	0.07	6.93	18.0	130	1.65	1.04	0.53	<0.02	39.3	9.7	76	0.53	89.3	3.72
8808		1.13	0.37	6.65	23.8	80	0.96	5.42	0.42	0.04	25.6	10.9	57	0.22	323	3.35
8809		1.21	0.10	6.67	27.2	120	1.03	1.68	0.63	0.02	37.5	12.3	74	0.44	110.5	3.77
8810		1.21	0.06	6.05	12.7	120	0.89	0.41	0.35	<0.02	16.25	8.2	42	0.32	68.8	2.41
8811		1.55	0.19	6.26	20.4	120	0.88	2.86	0.37	0.02	30.3	6.2	54	0.35	171.5	2.45
8812		1.91	0.03	6.94	1.9	220	1.31	0.47	0.27	<0.02	48.7	5.0	84	0.81	35.2	3.43
8813		1.27	0.18	5.80	38.1	70	1.18	3.81	1.19	0.03	21.9	8.2	35	0.40	135.0	3.55
8814		2.09	0.06	5.72	26.1	50	1.02	1.67	1.22	0.03	16.85	6.5	35	0.28	30.3	3.02
8815		2.14	0.20	6.37	42.8	100	1.13	4.39	0.59	<0.02	27.3	9.7	68	0.39	57.4	4.12
8816		2.40	0.03	7.55	11.2	380	1.82	0.65	0.37	0.11	72.5	19.6	123	0.91	45.1	4.44
8817		2.06	0.03	6.30	23.5	110	1.66	0.72	0.43	0.02	38.3	16.7	65	0.24	12.0	2.09
8818		2.14	0.03	6.73	15.0	170	0.99	0.54	0.32	<0.02	38.8	16.3	72	0.40	34.7	2.88
8819		2.43	0.08	6.58	9.2	170	1.17	0.63	0.34	<0.02	40.8	12.5	66	0.40	56.6	2.92
8820		2.25	0.03	7.02	4.3	290	1.80	0.25	0.60	<0.02	48.1	10.6	87	0.79	16.6	3.23
8821		1.32	0.03	6.74	5.4	250	1.50	0.40	0.58	<0.02	43.6	10.5	74	0.89	19.4	3.03
8822		1.20	0.12	6.54	6.0	170	1.15	0.55	1.22	<0.02	40.0	13.4	63	0.47	100.0	3.60
8823		1.32	0.08	6.17	8.5	170	1.17	0.46	1.42	0.02	36.3	15.9	61	0.44	81.4	3.28
8824		1.33	0.02	6.93	2.5	520	1.71	0.14	0.48	<0.02	43.5	9.2	77	1.21	20.8	3.49
8825		1.49	0.01	0.07	0.6	20	<0.05	0.03	33.4	<0.02	0.93	0.7	2	<0.05	1.5	0.11
8826		1.27	0.03	6.81	3.4	350	1.54	0.28	0.57	<0.02	35.5	9.1	75	0.99	24.1	3.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8787		16.20	0.12	2.0	0.018	1.00	19.7	12.1	1.37	215	1.01	3.78	3.3	24.7	280	5.9
8788		12.30	0.10	1.5	0.009	0.73	4.1	8.3	0.74	112	1.27	3.95	1.9	13.3	200	5.4
8789		15.55	0.11	1.8	0.009	0.79	8.5	10.9	1.25	186	1.45	4.12	2.7	20.6	290	5.5
8790		18.50	0.13	2.5	0.022	1.04	31.7	14.7	1.73	264	1.61	4.02	4.3	26.5	370	6.7
8791		21.4	0.14	3.0	0.026	1.33	23.3	22.8	2.80	420	1.72	3.55	6.3	46.1	590	6.2
8792		20.4	0.13	2.6	0.030	1.28	26.2	21.2	2.45	357	1.36	3.67	7.2	42.4	570	4.9
8793		17.35	0.11	3.1	0.022	0.78	22.8	12.8	1.46	319	0.94	4.00	7.2	33.5	510	11.5
8794		17.85	0.15	3.7	0.020	0.88	30.9	13.1	1.66	299	1.32	3.57	6.8	39.9	430	15.8
8795		17.20	0.13	2.4	0.015	0.65	21.4	12.6	1.76	241	1.13	3.75	4.1	33.5	430	9.9
8796		14.30	0.12	2.4	0.062	0.41	12.6	8.6	1.32	207	1.47	3.68	3.5	33.9	320	6.8
8797		14.80	0.11	2.0	0.014	0.25	13.7	9.2	1.26	185	1.21	3.96	2.8	27.9	280	8.0
8798		13.45	0.11	1.8	0.007	0.27	6.0	7.7	1.00	150	1.08	4.09	2.8	21.4	250	10.0
8799		19.05	0.15	2.6	0.023	0.65	23.8	15.3	2.17	269	0.78	3.74	4.3	46.0	460	4.8
8800		18.90	0.14	2.8	0.014	0.61	23.1	15.4	2.17	276	0.72	3.82	4.2	48.2	400	7.2
8801		11.45	0.18	1.2	0.114	0.30	7.3	8.2	3.89	949	4.35	1.16	4.8	>10000	470	13.5
8802		17.15	0.07	2.4	0.017	0.71	16.1	11.0	1.69	217	1.68	4.06	3.8	33.3	370	5.7
8803		17.45	0.15	2.6	0.015	0.62	24.9	11.3	1.56	204	1.04	3.94	5.0	38.3	390	5.8
8804		19.10	0.11	2.4	0.016	0.64	22.1	13.6	1.92	231	0.80	3.94	4.2	42.5	390	6.9
8805		14.65	0.09	1.8	0.013	0.34	8.5	9.3	1.31	181	0.92	4.01	3.1	26.6	280	8.1
8806		18.60	0.10	2.4	0.022	0.78	21.9	16.2	2.27	296	1.31	3.75	5.0	44.0	440	4.5
8807		17.15	0.12	2.3	0.024	0.63	19.5	12.3	1.67	230	1.21	3.85	4.3	39.0	330	6.8
8808		15.80	0.10	2.1	0.039	0.38	12.7	9.3	1.37	202	0.76	4.06	3.5	31.5	330	10.0
8809		17.25	0.12	2.3	0.019	0.63	18.3	11.8	1.58	235	0.81	3.85	4.1	40.5	410	11.6
8810		13.60	0.10	1.6	0.015	0.64	7.8	9.4	1.01	152	0.81	3.73	2.5	25.8	220	7.0
8811		13.85	0.11	1.9	0.023	0.69	14.1	8.6	0.98	158	0.65	3.92	3.0	21.5	280	6.3
8812		18.90	0.11	2.6	0.025	1.01	23.4	14.2	1.63	199	0.74	3.88	5.0	34.8	450	3.6
8813		15.35	0.10	1.3	0.024	0.47	10.6	9.2	1.26	249	0.83	3.57	2.2	50.7	200	25.0
8814		14.25	0.09	1.2	0.011	0.39	8.1	8.7	1.16	235	0.73	3.62	2.1	32.5	180	15.8
8815		14.75	0.11	2.1	0.015	0.58	12.9	9.8	1.28	205	0.70	3.90	3.6	60.2	350	38.2
8816		21.1	0.14	3.8	0.033	1.30	36.1	17.5	2.09	242	3.00	3.59	6.9	69.5	580	26.3
8817		14.00	0.12	2.3	0.014	0.59	17.8	9.0	0.96	145	1.02	4.21	3.1	23.0	380	6.4
8818		16.30	0.11	2.4	0.017	0.94	18.0	11.7	1.27	172	0.85	4.04	3.6	30.1	430	5.4
8819		15.40	0.11	2.4	0.014	0.81	19.2	11.0	1.27	172	0.79	3.92	3.4	29.1	370	6.0
8820		17.60	0.10	2.4	0.013	1.04	22.9	14.8	1.59	218	1.34	3.86	4.8	38.9	430	6.3
8821		16.80	0.13	2.5	0.012	1.00	22.1	13.7	1.37	194	1.06	3.87	4.6	35.0	380	6.6
8822		15.55	0.12	2.4	0.015	0.69	18.4	12.6	1.37	278	1.08	3.78	3.9	37.3	370	14.9
8823		14.50	0.12	2.2	0.016	0.70	16.5	13.3	1.37	293	0.98	3.58	3.6	31.6	320	10.1
8824		19.25	0.13	2.8	0.029	1.49	20.5	16.7	1.60	201	0.72	3.33	5.0	39.0	430	4.5
8825		0.24	0.14	<0.1	<0.005	0.01	1.1	1.3	1.34	82	0.11	0.03	0.1	0.5	70	0.5
8826		18.10	0.15	2.6	0.024	1.16	15.9	15.4	1.55	204	0.85	3.50	4.7	34.3	410	4.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8787		33.6	<0.002	0.19	0.16	8.5	<1	0.6	86.8	0.33	<0.05	8.01	0.177	0.19	2.2	57
8788		19.7	<0.002	0.09	0.12	4.9	<1	0.4	71.2	0.18	<0.05	3.26	0.105	0.12	1.0	35
8789		25.0	<0.002	0.08	0.12	7.6	<1	0.5	69.4	0.26	<0.05	3.95	0.166	0.15	1.3	54
8790		37.5	<0.002	0.09	0.12	10.4	<1	0.8	104.0	0.49	<0.05	7.71	0.222	0.18	2.0	69
8791		55.0	<0.002	0.23	0.19	18.5	<1	1.4	103.5	0.48	<0.05	6.47	0.477	0.30	2.4	123
8792		57.3	<0.002	0.06	0.12	15.6	<1	1.3	140.0	0.61	<0.05	8.63	0.369	0.30	1.8	110
8793		31.0	<0.002	0.14	0.14	10.0	<1	1.0	170.0	0.80	<0.05	13.95	0.264	0.17	2.5	64
8794		35.6	<0.002	0.12	0.19	10.6	<1	1.2	141.5	0.47	<0.05	18.30	0.264	0.17	2.9	76
8795		27.1	0.002	0.12	0.16	10.7	1	0.7	88.4	0.38	<0.05	4.27	0.257	0.13	1.5	78
8796		14.3	<0.002	0.50	0.16	7.2	1	0.5	62.3	0.36	0.08	4.70	0.181	0.10	1.4	54
8797		7.8	<0.002	0.29	0.16	7.3	<1	0.3	44.4	0.27	<0.05	3.95	0.160	0.05	1.2	52
8798		8.8	<0.002	0.11	0.14	6.2	<1	0.3	44.7	0.30	<0.05	3.83	0.138	0.05	1.2	43
8799		26.1	<0.002	0.10	0.14	14.5	<1	0.8	74.6	0.37	<0.05	4.50	0.300	0.14	1.5	102
8800		24.9	<0.002	0.13	0.16	14.4	1	0.9	70.9	0.38	<0.05	7.39	0.293	0.15	1.9	101
8801		10.2	0.056	8.43	3.16	8.0	22	2.5	179.5	0.31	3.97	1.00	0.526	0.18	0.3	77
8802		29.6	0.002	0.12	0.14	10.6	<1	0.6	80.7	0.35	<0.05	4.79	0.226	0.14	1.4	74
8803		23.3	<0.002	0.14	0.13	9.9	<1	0.6	85.7	0.49	<0.05	6.80	0.234	0.14	2.1	75
8804		25.3	<0.002	0.09	0.16	13.2	1	0.7	65.2	0.38	<0.05	4.67	0.275	0.14	1.4	89
8805		11.6	<0.002	0.07	0.13	7.8	<1	0.4	47.0	0.29	<0.05	3.44	0.172	0.07	1.1	59
8806		32.3	<0.002	0.11	0.15	14.1	<1	1.0	93.2	0.47	<0.05	4.78	0.300	0.19	1.5	105
8807		25.9	<0.002	0.33	0.17	12.1	<1	0.7	84.1	0.35	<0.05	6.15	0.243	0.15	1.7	85
8808		11.9	<0.002	0.50	0.17	8.8	1	0.3	54.8	0.37	0.05	3.80	0.202	0.09	1.2	66
8809		23.7	0.002	0.56	0.35	10.9	1	0.4	51.9	0.36	0.05	4.69	0.235	0.16	1.3	79
8810		19.0	<0.002	0.19	0.14	6.3	1	0.3	57.8	0.26	<0.05	3.22	0.127	0.14	1.1	42
8811		20.2	<0.002	0.28	0.16	6.4	<1	0.3	59.2	0.30	<0.05	3.84	0.155	0.17	1.3	49
8812		38.7	0.002	0.07	0.12	10.4	<1	0.5	50.4	0.47	<0.05	5.43	0.255	0.25	1.8	75
8813		17.3	<0.002	1.12	0.23	7.0	1	0.2	34.9	0.22	0.06	2.66	0.100	0.13	1.4	39
8814		12.6	<0.002	0.75	0.47	6.2	1	<0.2	30.7	0.20	0.06	2.47	0.092	0.12	1.4	39
8815		18.2	<0.002	1.79	0.31	7.2	1	0.2	42.2	0.38	0.15	4.54	0.181	0.14	1.6	56
8816		47.1	<0.002	0.44	0.23	13.7	1	0.5	56.4	0.70	0.07	8.55	0.346	0.33	4.7	101
8817		14.7	<0.002	0.21	0.18	7.6	<1	0.2	52.0	0.28	<0.05	4.62	0.158	0.10	1.7	49
8818		22.2	<0.002	0.35	0.17	8.5	1	0.3	49.1	0.35	<0.05	5.42	0.187	0.15	1.8	61
8819		22.5	<0.002	0.48	0.20	8.3	1	0.3	58.4	0.35	0.05	5.10	0.182	0.18	1.8	58
8820		41.5	<0.002	0.17	0.17	10.6	1	0.4	90.3	0.44	0.05	5.08	0.252	0.28	1.7	77
8821		42.0	<0.002	0.28	0.20	9.3	<1	0.4	85.9	0.45	<0.05	5.04	0.221	0.30	1.6	69
8822		25.0	<0.002	0.81	0.17	9.5	1	0.5	74.3	0.36	0.06	4.96	0.219	0.19	1.7	61
8823		24.8	<0.002	0.57	0.17	8.5	1	0.4	70.8	0.37	<0.05	4.56	0.183	0.21	1.7	59
8824		60.2	<0.002	0.13	0.15	11.6	1	0.6	86.3	0.44	<0.05	5.15	0.261	0.39	1.6	82
8825		0.2	<0.002	<0.01	0.22	0.2	1	<0.2	83.0	<0.05	<0.05	0.08	0.005	<0.02	0.1	1
8826		47.1	<0.002	0.21	0.21	10.6	<1	0.6	88.4	0.43	<0.05	5.24	0.244	0.37	1.7	80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8787		0.1	8.3	13	73.0					
8788		0.1	4.9	7	51.7					
8789		0.1	7.1	12	61.7					
8790		0.3	10.2	15	86.7					
8791		0.5	19.1	22	105.5					
8792		0.2	13.8	19	91.1					
8793		0.3	13.8	15	101.0					
8794		0.3	14.7	18	127.0					
8795		0.2	10.0	18	89.0					
8796		0.1	7.8	16	85.3					
8797		0.1	5.2	15	74.1					
8798		0.1	4.6	11	67.1					
8799		0.3	13.6	17	93.0					
8800		0.3	14.0	17	98.0					
8801		2.2	8.8	134	47.0		1.555	4.49		
8802		0.2	7.8	14	81.3					
8803		0.2	10.3	12	92.6					
8804		0.2	10.7	15	81.7					
8805		0.1	5.8	11	66.0					
8806		0.3	11.7	18	83.3					
8807		0.2	8.7	16	78.5					
8808		0.2	7.3	16	72.6					
8809		0.2	8.4	17	79.8					
8810		0.1	4.7	11	56.4					
8811		0.1	7.2	11	65.5					
8812		0.2	9.6	16	93.2					
8813		0.1	9.6	20	48.3					
8814		<0.1	8.2	18	43.9					
8815		0.1	9.6	15	73.9					
8816		0.4	18.4	51	137.0					
8817		0.1	10.7	11	82.7					
8818		0.2	8.7	15	88.5					
8819		0.2	8.7	16	87.5					
8820		0.2	11.0	19	92.6					
8821		0.2	9.6	18	87.8					
8822		0.2	12.8	19	83.0					
8823		0.1	11.6	19	79.5					
8824		0.3	10.8	20	102.0					
8825		<0.1	1.9	2	1.6					
8826		0.2	9.9	20	95.6				74.1	92.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120186

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			