ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18133992

Project: IRON MASK

This report is for 126 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9126		2.18	0.03	6.75	1.5	170	1.93	0.04	0.31	0.02	205	3.6	12	0.30	5.9	1.51
9127		1.35	0.02	6.90	1.3	680	2.28	0.03	0.28	0.04	175.0	2.0	11	0.42	0.9	1.40
9128		1.14	0.02	6.25	1.9	520	2.39	0.04	0.15	0.03	101.0	3.7	11	0.26	2.1	0.86
9129		1.69	0.03	6.13	7.1	30	2.04	0.15	0.13	0.03	92.5	26.0	22	0.07	7.4	0.87
9130		1.96	0.01	6.98	2.0	1040	3.12	0.03	0.30	0.03	178.5	2.1	16	0.60	2.8	1.22
9131		1.79	0.04	6.97	2.1	540	2.15	0.31	0.25	0.02	253	15.4	15	0.45	5.3	1.69
9132		1.67	0.05	6.43	3.8	30	1.00	0.16	0.13	<0.02	84.1	85.8	14	0.13	2.8	2.50
9133		2.05	0.08	6.93	3.5	40	1.78	0.29	0.19	<0.02	361	131.0	7	0.11	2.5	10.95
9134		0.99	0.04	6.62	5.3	30	3.00	0.12	0.27	0.03	15.40	49.9	13	0.09	4.6	2.10
9135		2.01	0.03	6.91	3.8	70	1.59	0.11	0.45	0.03	31.7	37.7	90	0.30	12.8	2.59
9136		2.20	0.05	5.86	3.7	940	2.91	0.08	3.56	0.04	72.9	40.9	694	5.22	43.3	9.77
9137		2.12	0.03	5.69	2.5	300	2.93	0.10	5.93	0.04	71.4	35.5	664	1.38	28.9	8.51
9138		2.11	0.02	7.45	2.0	530	2.04	0.08	3.05	0.05	35.6	47.8	107	2.25	48.1	10.95
9139		2.09	0.04	7.12	1.8	730	2.08	0.06	3.75	0.03	29.9	40.7	120	4.63	199.0	10.25
9140		1.95	0.04	6.49	6.0	70	1.24	0.07	0.79	0.05	55.0	16.5	12	0.17	89.9	1.46
9141		2.01	0.03	5.57	2.3	70	1.23	0.05	0.59	0.03	51.7	5.6	13	0.08	2.5	0.92
9142		2.02	0.02	4.89	4.7	510	3.64	0.07	4.30	0.09	79.1	53.8	515	5.54	190.0	11.65
9143		1.97	0.02	6.30	1.6	430	2.26	0.05	2.77	0.03	38.6	38.7	217	3.38	155.5	9.59
9144		2.11	0.02	6.96	6.5	180	1.15	0.24	1.98	0.02	18.80	56.9	108	0.79	27.4	7.12
9145		2.59	0.03	6.70	3.4	230	1.61	0.11	1.90	0.02	25.8	47.9	138	1.70	117.0	8.94
9146		1.54	0.03	6.93	6.7	200	1.20	0.24	2.39	0.03	31.9	63.2	105	0.65	65.9	8.95
9147		2.42	0.02	6.56	3.0	450	1.79	0.09	3.30	0.02	46.3	40.4	139	2.54	26.2	9.61
9148		1.95	0.03	6.24	2.4	20	1.35	0.07	0.18	0.02	39.2	15.7	9	0.07	4.5	1.70
9149		1.89	0.04	6.17	1.7	20	1.41	0.05	0.14	0.02	39.7	6.0	10	0.06	1.8	1.13
9150		1.51	0.03	6.05	1.4	20	1.65	0.11	0.22	<0.02	50.7	19.3	10	0.06	1.4	1.41
9151		2.04	<0.01	8.88	1.1	120	2.98	0.07	0.39	<0.02	152.0	6.8	7	0.21	1.8	1.62
9152		1.91	0.03	6.27	1.3	70	1.91	0.09	0.25	0.02	70.5	11.7	16	0.06	1.9	1.21
9153		1.93	0.04	6.91	2.8	40	1.32	0.13	0.29	0.02	69.6	22.9	9	0.05	1.7	2.72
9154		2.12	0.02	8.39	1.7	180	1.97	0.02	0.85	0.02	118.5	3.3	9	0.14	18.9	1.84
9155		1.89	0.02	7.31	2.5	300	2.07	0.15	5.97	0.04	17.45	39.4	52	3.08	167.0	8.79
9156		2.03	0.04	7.53	1.7	150	2.23	0.11	5.60	0.05	17.60	41.6	57	1.19	105.0	9.13
9157		2.22	0.07	7.01	2.8	150	0.51	0.11	6.66	0.04	20.2	41.2	43	0.26	109.5	7.80
9158		2.18	0.06	7.35	2.3	140	0.57	0.07	6.77	0.06	19.45	47.9	37	0.83	139.0	8.59
9159		0.87	0.04	7.31	2.6	110	0.63	0.08	5.40	0.03	19.50	46.5	34	0.44	132.0	8.18
9160		0.94	0.03	7.19	1.4	110	0.51	0.08	5.24	0.02	17.95	44.6	34	0.46	126.0	8.07
9161		0.06	>100	4.37	683	180	0.70	59.5	0.62	25.1	31.8	9.3	36	2.82	5070	2.15
9162		2.10	0.27	7.13	2.5	80	0.72	0.24	6.11	0.09	20.7	38.8	34	0.40	1195	7.90
9163		1.99	0.04	7.20	0.7	130	1.11	0.07	3.13	0.02	25.5	28.0	50	1.02	62.5	8.63
9164		2.11	0.08	6.98	2.3	80	0.58	0.10	5.69	0.04	22.7	49.5	34	0.23	184.5	9.36
9165		2.10	0.06	6.99	1.8	70	0.75	0.11	5.35	0.02	21.9	48.0	15	0.24	111.5	9.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9126		20.2	0.22	6.1	0.018	0.54	120.0	5.7	0.33	108	1.99	5.11	11.2	2.9	340	9.3
9127		19.80	0.20	6.1	0.016	2.15	103.0	6.4	0.34	100	2.99	4.17	11.0	2.3	310	11.6
9128		19.25	0.16	4.6	0.016	2.42	57.8	3.6	0.18	60	8.05	3.98	12.9	1.5	160	9.3
9129		17.65	0.14	4.1	0.015	0.16	55.8	1.4	0.09	46	3.47	5.57	14.5	3.9	140	7.9
9130		23.9	0.24	6.2	0.026	3.36	106.0	8.4	0.30	77	3.34	3.39	17.3	2.0	300	19.5
9131		21.4	0.28	6.2	0.019	1.78	150.5	7.1	0.35	74	3.00	4.36	12.6	3.2	370	11.7
9132		17.50	0.11	4.3	0.011	0.14	48.5	3.0	0.27	64	6.97	5.14	7.3	9.8	180	7.0
9133		19.50	0.36	5.7	0.027	0.15	215	2.3	0.21	92	1.95	5.44	5.7	14.8	180	9.9
9134		17.90	0.08	6.6	0.013	0.10	6.3	3.9	0.41	109	5.46	5.23	11.7	9.8	160	10.0
9135		17.85	0.09	2.6	0.020	0.21	17.0	6.6	0.85	215	2.40	4.95	7.3	49.6	140	8.6
9136		23.3	0.20	5.0	0.081	2.31	36.0	36.6	5.50	1520	0.73	1.33	21.9	459	2190	7.9
9137		19.00	0.18	5.0	0.074	0.60	34.5	17.3	5.25	1940	0.73	2.57	18.7	332	850	8.0
9138		18.85	0.14	3.2	0.078	1.13	18.2	30.6	5.77	1980	0.38	2.81	6.4	114.5	660	3.9
9139		20.2	0.13	2.9	0.068	2.62	14.8	26.7	4.07	1430	0.55	2.37	6.4	59.9	620	6.4
9140		14.35	0.10	2.7	0.019	0.27	28.4	3.0	0.33	168	1.33	5.07	8.5	7.1	90	9.6
9141		14.55	0.10	4.1	0.013	0.19	27.5	2.3	0.25	111	1.57	4.37	8.1	9.6	150	7.3
9142		19.50	0.19	4.5	0.099	2.50	45.6	30.7	5.86	1480	0.69	0.29	17.6	390	820	2.5
9143		19.25	0.18	3.2	0.079	1.48	18.4	30.8	5.46	1320	0.73	1.29	8.9	154.0	660	3.2
9144		22.1	0.08	3.0	0.055	0.57	9.0	22.3	3.92	981	2.93	2.82	6.1	47.1	640	1.8
9145		24.0	0.10	3.0	0.085	0.80	13.0	28.9	4.79	1200	0.43	2.17	7.0	81.5	630	1.9
9146		21.3	0.12	2.7	0.073	0.51	16.1	17.1	3.16	1040	1.83	3.32	6.1	54.2	610	3.4
9147		21.4	0.13	3.0	0.074	1.37	23.7	21.9	3.79	1480	0.78	2.34	6.8	60.3	630	6.2
9148		14.35	0.07	2.6	0.010	0.08	20.9	1.5	0.16	69	1.25	5.34	5.4	3.3	70	9.5
9149		16.70	0.07	1.7	0.008	0.07	20.6	0.8	0.05	43	2.09	5.80	5.4	1.7	80	6.9
9150		14.10	0.09	3.5	0.009	0.07	28.0	0.8	0.07	44	1.11	5.21	5.7	1.9	100	4.9
9151		21.4	0.18	6.2	0.017	0.29	89.0	4.2	0.29	105	0.54	7.50	16.9	2.7	170	10.7
9152		13.85	0.10	4.3	0.009	0.22	40.1	1.6	0.12	63	2.02	5.36	7.6	2.1	90	6.2
9153		15.95	0.09	4.0	0.014	0.11	39.3	1.6	0.14	71	0.87	5.55	7.1	3.0	110	6.5
9154		20.7	0.16	5.2	0.013	0.56	67.4	2.9	0.22	127	0.67	6.39	12.1	2.8	160	8.1
9155		17.45	0.11	1.2	0.078	1.49	8.0	24.4	3.78	1160	0.53	1.90	3.0	85.2	330	5.9
9156		17.10	0.10	1.6	0.084	0.62	8.3	19.1	4.09	1340	0.43	2.56	3.0	87.0	320	5.4
9157		16.00	0.08	1.7	0.071	0.46	9.4	9.6	3.52	1340	0.46	1.83	3.1	75.4	330	3.8
9158		17.25	0.10	1.7	0.068	0.59	8.6	10.8	3.77	1400	0.62	1.44	3.4	78.7	360	3.8
9159		17.05	0.10	1.8	0.084	0.89	8.8	17.7	4.08	1380	0.40	1.80	3.2	78.9	380	2.9
9160		16.30	0.12	1.6	0.082	0.92	8.0	17.6	4.07	1360	0.43	1.74	3.1	76.7	340	2.7
9161		21.3	0.15	2.8	5.40	0.66	15.5	20.8	0.19	235	4.69	0.44	7.7	62.1	570	1045
9162		17.95	0.08	2.3	0.147	0.44	9.5	11.4	3.53	1250	0.49	2.08	3.6	69.7	360	4.9
9163		21.6	0.10	1.8	0.056	0.69	13.5	18.8	4.66	1080	1.44	1.97	3.2	94.6	340	3.0
9164		17.00	0.11	1.9	0.069	0.33	10.3	8.2	3.41	1450	0.55	1.84	4.1	71.6	450	3.1
9165		18.80	0.10	1.8	0.074	0.31	10.4	11.4	3.53	1360	1.48	1.57	3.8	62.5	390	3.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9126		19.1	0.002	0.02	0.22	2.8	<1	1.7	46.2	0.73	<0.05	67.0	0.171	0.09	9.0	17
9127		48.3	<0.002	0.01	0.22	2.5	<1	1.9	57.6	0.71	<0.05	69.6	0.157	0.20	10.3	13
9128		58.7	0.002	0.03	0.21	2.7	<1	1.3	37.5	0.88	<0.05	48.6	0.090	0.23	8.3	7
9129		3.4	<0.002	0.22	0.19	1.8	<1	0.9	17.5	1.51	<0.05	38.4	0.072	0.02	9.1	6
9130		91.6	0.002	0.01	0.22	3.9	1	2.6	78.1	1.59	<0.05	66.2	0.152	0.37	9.6	13
9131		51.3	0.002	0.12	0.18	3.5	<1	2.0	56.6	0.85	<0.05	71.0	0.169	0.21	8.9	16
9132		3.9	0.002	0.61	0.15	2.3	1	1.2	19.4	0.49	<0.05	46.1	0.092	0.03	8.3	19
9133		4.2	0.002	0.87	0.17	6.2	1	2.0	20.2	0.75	<0.05	91.8	0.064	0.04	15.4	42
9134		2.6	0.002	0.26	0.19	2.4	<1	1.3	21.8	0.89	<0.05	86.2	0.115	0.03	22.5	15
9135		10.2	0.002	0.24	0.17	3.2	1	0.8	24.4	0.50	<0.05	45.6	0.141	0.10	22.6	28
9136		164.5	<0.002	0.02	0.33	22.0	1	1.6	56.7	1.19	<0.05	7.82	0.957	1.60	8.3	208
9137		40.0	0.002	0.02	0.50	25.8	1	1.8	91.9	1.17	<0.05	3.84	0.997	0.39	11.2	195
9138		53.7	0.003	0.02	0.37	40.6	<1	1.2	101.5	0.38	<0.05	2.00	0.836	0.65	2.7	349
9139		131.5	0.002	0.06	0.21	35.7	1	2.4	88.1	0.37	<0.05	2.01	0.793	1.03	4.2	325
9140		8.3	<0.002	0.22	0.26	1.8	<1	0.6	22.0	0.65	<0.05	67.9	0.093	0.07	16.6	18
9141		5.5	<0.002	0.04	0.25	2.8	<1	1.0	23.6	0.91	<0.05	76.5	0.085	0.04	14.2	19
9142		141.5	<0.002	0.11	0.27	17.5	<1	2.5	34.0	1.01	<0.05	7.57	0.755	1.05	5.8	175
9143		79.7	0.003	0.02	0.25	30.5	1	1.2	34.1	0.55	<0.05	2.62	0.755	0.67	11.3	267
9144		25.5	<0.002	0.28	0.20	27.6	<1	1.1	23.5	0.38	<0.05	1.72	0.811	0.24	1.4	232
9145		31.7	0.002	0.15	0.25	29.1	1	2.0	23.2	0.41	<0.05	1.75	0.753	0.32	3.2	276
9146		23.7	0.002	0.26	0.28	33.7	1	1.5	82.3	0.34	<0.05	1.67	0.737	0.18	2.0	274
9147		69.4	0.002	0.09	0.26	34.3	1	1.7	111.5	0.40	<0.05	3.08	0.743	0.53	9.5	297
9148		1.8	<0.002	0.15	0.17	1.4	<1	0.6	15.6	0.35	<0.05	46.3	0.066	<0.02	11.8	14
9149		1.3	<0.002	0.07	0.15	0.9	<1	0.4	16.4	0.41	<0.05	45.5	0.064	<0.02	13.9	7
9150		1.4	<0.002	0.14	0.13	1.2	<1	0.9	19.5	0.40	<0.05	46.7	0.059	0.02	12.1	7
9151		10.3	<0.002	0.04	0.20	2.6	<1	1.8	87.4	0.89	<0.05	82.9	0.143	0.07	15.9	11
9152		4.2	<0.002	0.10	0.17	1.3	<1	0.6	21.8	0.53	<0.05	55.2	0.082	0.03	13.8	7
9153		2.1	0.002	0.16	0.19	1.8	1	0.8	21.7	0.47	<0.05	50.4	0.081	<0.02	17.0	13
9154		13.7	<0.002	0.02	0.22	3.5	<1	1.6	72.3	1.10	<0.05	56.0	0.110	0.07	17.2	15
9155		86.0	<0.002	0.09	0.35	34.1	<1	1.0	209	0.21	<0.05	2.23	0.517	0.77	1.0	256
9156		35.6	<0.002	0.11	0.38	35.1	1	0.9	143.0	0.20	<0.05	1.83	0.520	0.29	0.8	255
9157		22.4	<0.002	0.09	0.52	34.4	1	0.8	169.0	0.21	0.05	1.88	0.514	0.13	0.7	241
9158		31.7	<0.002	0.11	0.35	35.4	1	0.8	180.0	0.23	<0.05	1.99	0.549	0.21	0.7	260
9159		56.2	<0.002	0.10	0.47	35.2	1	0.8	167.0	0.22	<0.05	2.06	0.537	0.27	0.8	255
9160		55.9	<0.002	0.08	0.47	34.3	1	0.8	159.0	0.21	<0.05	1.92	0.517	0.32	0.7	251
9161		26.0	<0.002	2.14	86.7	4.1	32	5.9	464	0.58	39.2	6.52	0.217	1.76	2.6	33
9162		21.4	<0.002	0.25	0.42	32.1	1	1.2	128.5	0.23	0.07	2.71	0.483	0.16	1.5	227
9163		31.0	<0.002	0.05	0.22	31.1	<1	0.8	57.3	0.21	<0.05	2.09	0.495	0.19	0.8	242
9164		12.9	<0.002	0.14	0.44	33.1	<1	0.9	161.5	0.29	<0.05	2.46	0.615	0.08	0.8	264
9165		11.4	<0.002	0.12	0.44	34.6	1	1.0	142.0	0.27	0.05	2.43	0.751	0.07	0.8	333

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9126		0.3	12.3	17	228				77.4	89.7
9127		0.4	12.9	18	227					86.7
9128		0.2	13.1	10	140.0					
9129		0.1	12.2	6	119.0					
9130		0.3	19.6	16	218					
9131		0.3	13.9	14	227					
9132		0.6	7.2	9	150.0					
9133		2.3	11.3	11	181.5					
9134		0.6	17.8	16	221					
9135		0.4	10.2	34	86.6					
9136		0.4	24.6	264	199.5					
9137		0.3	28.4	234	200					
9138		0.5	27.1	337	109.5					
9139		0.3	25.9	148	107.0					
9140		0.2	10.2	12	88.2					
9141		0.3	9.0	10	133.0					
9142		0.4	20.0	213	168.5					
9143		0.4	25.3	232	119.5					
9144		0.5	19.4	175	104.0					
9145		0.5	24.8	206	110.5					
9146		0.4	27.3	140	102.0					
9147		0.4	24.4	151	107.5					
9148		0.3	6.2	8	87.0					
9149		0.2	6.3	5	54.7					
9150		0.3	8.9	4	116.5					
9151		0.3	10.4	12	198.0					
9152		0.3	10.7	5	128.5					
9153		0.3	7.5	7	121.5					
9154		0.3	10.3	9	160.5					
9155		0.4	15.1	108	40.8					
9156		0.5	15.5	116	52.3					
9157		0.4	17.9	103	54.1					
9158		0.3	16.7	95	63.5					
9159		0.4	16.6	94	60.1					
9160		0.4	15.6	93	58.0					
9161		13.1	6.1	4230	84.4	121				
9162		0.3	17.7	88	82.6					
9163		0.3	14.2	113	63.2					
9164		0.4	18.4	97	70.7					
9165		0.5	17.7	104	65.8				72.5	89.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9166		2.31	0.04	6.79	1.4	170	0.74	0.17	5.76	<0.02	20.7	46.3	6	1.50	117.0	9.79
9167		2.24	0.04	6.76	3.2	90	0.56	0.12	6.93	0.03	25.6	37.9	20	0.23	83.2	8.43
9168		2.26	0.09	7.08	2.5	220	0.72	0.19	5.89	0.06	25.0	46.9	23	0.98	159.0	9.34
9169		2.30	0.07	6.88	3.0	200	0.56	0.17	5.40	0.04	29.1	46.8	22	0.77	136.0	8.96
9170		2.15	0.04	6.90	1.8	180	0.95	0.19	5.44	0.02	20.4	48.6	32	0.79	86.5	8.46
9171		1.98	0.04	7.22	0.8	240	0.65	0.25	6.49	0.04	16.55	42.8	35	1.38	122.0	8.55
9172		2.16	0.03	7.04	0.4	190	0.77	0.26	6.58	0.02	18.75	37.9	25	0.97	117.0	8.56
9173		1.76	0.02	5.75	1.4	140	0.61	0.10	3.72	0.02	15.30	37.8	31	0.79	58.9	7.73
9174		2.01	0.04	7.35	3.3	110	0.56	0.22	5.85	0.05	20.4	48.0	46	0.17	134.0	9.32
9175		1.10	<0.01	0.51	0.6	20	0.18	0.01	32.0	<0.02	1.53	0.9	1	<0.05	2.4	0.14
9176		1.94	0.03	7.03	2.2	230	0.87	0.18	6.34	0.03	32.4	45.7	26	1.05	102.5	8.35
9177		1.89	0.02	2.84	1.9	30	0.44	0.18	0.36	<0.02	7.46	131.0	27	0.17	5.2	8.54
9178		2.03	0.01	6.07	1.3	140	1.06	0.22	0.56	<0.02	46.4	81.8	31	0.73	6.3	12.70
9179		2.21	0.01	4.94	1.2	60	1.09	0.35	0.30	0.02	18.50	110.5	35	0.21	3.7	10.35
9180		1.86	0.01	1.15	1.1	10	0.40	0.12	0.07	<0.02	6.26	47.3	42	0.08	1.7	4.49
9181		2.28	0.02	3.79	1.3	30	1.09	0.51	0.25	0.02	54.2	126.0	26	0.15	4.6	9.66
9182		2.11	<0.01	6.99	1.0	130	1.10	0.24	0.48	<0.02	53.8	54.0	19	0.26	7.3	13.30
9183		1.98	0.01	3.20	1.3	50	0.74	0.23	0.27	0.02	17.05	55.4	25	0.11	6.3	7.38
9184		2.15	0.01	1.25	1.4	10	0.50	0.12	0.05	0.02	2.75	43.4	27	0.05	2.3	4.06
9185		1.96	0.01	0.32	1.0	10	0.43	0.06	0.03	0.02	0.30	28.6	27	0.05	1.6	2.57
9186		1.86	<0.01	0.19	0.5	10	0.57	0.02	0.04	0.02	0.32	8.4	38	0.05	1.7	2.52
9187		2.07	0.01	0.12	1.4	10	0.37	0.08	0.06	<0.02	0.20	19.3	36	0.05	1.7	2.49
9188		1.35	0.02	0.46	1.6	10	0.72	0.13	0.06	<0.02	0.24	109.5	27	0.05	3.0	12.00
9189		1.23	0.05	0.93	11.7	10	0.61	0.42	0.04	<0.02	1.22	178.5	20	0.05	7.8	13.40
9190		2.16	0.02	5.79	25.1	90	2.19	1.04	0.54	<0.02	43.9	308	9	0.18	13.9	16.30
9191		2.36	0.02	5.90	3.4	130	1.42	0.30	0.59	0.02	63.4	72.6	8	0.16	10.5	14.20
9192		1.56	0.01	2.27	0.8	10	0.77	0.07	0.17	<0.02	25.6	14.3	18	0.05	2.0	3.96
9193		1.23	0.02	3.16	0.6	10	0.84	0.40	0.19	<0.02	74.9	14.0	18	0.06	1.6	3.55
9194		1.16	0.01	0.32	1.7	<10	0.40	0.07	0.02	<0.02	3.17	44.7	35	0.05	3.5	0.97
9195		1.89	0.01	2.71	1.5	10	0.75	0.05	0.15	<0.02	42.3	7.2	24	<0.05	2.7	1.71
9196		1.78	0.01	0.37	<0.2	10	0.43	0.02	0.03	<0.02	3.99	5.2	35	<0.05	1.6	1.04
9197		1.70	0.01	2.21	0.6	10	0.69	0.07	0.12	<0.02	21.6	25.9	26	<0.05	1.4	4.00
9198		1.79	0.01	2.67	0.8	20	1.47	0.07	0.15	<0.02	18.30	18.7	30	0.05	1.5	4.77
9199		0.80	<0.01	0.18	1.6	<10	0.30	0.01	0.03	<0.02	0.21	0.6	38	0.05	1.3	0.39
9200		0.94	<0.01	0.15	0.2	10	0.32	0.01	0.01	<0.02	0.09	0.3	28	0.05	0.6	0.38
9201		0.08	3.81	5.29	13.1	110	0.53	0.81	3.27	1.83	16.75	935	256	0.72	>10000	17.30
9202		1.89	0.01	0.72	0.2	10	0.48	0.02	0.06	<0.02	13.00	4.3	36	0.05	8.7	2.06
9203		1.74	0.01	2.71	0.9	20	1.01	0.10	0.32	<0.02	26.3	35.4	24	0.06	7.1	6.53
9204		2.06	0.01	4.31	1.4	30	1.47	0.16	0.36	<0.02	56.5	53.3	12	0.11	6.6	10.25
9205		2.08	0.01	4.75	1.4	20	1.23	0.16	0.33	<0.02	34.1	66.7	10	0.11	6.5	10.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9166		19.55	0.11	1.6	0.088	0.81	10.0	11.8	3.21	1180	0.75	1.18	3.3	55.7	350	2.5
9167		17.55	0.10	2.6	0.122	0.38	11.5	6.5	3.01	1340	1.02	2.02	4.4	55.2	510	3.7
9168		18.60	0.10	2.6	0.082	1.05	11.4	9.6	3.22	1540	0.67	1.63	4.2	67.6	500	3.5
9169		18.80	0.11	2.1	0.082	0.91	14.2	12.8	3.15	1380	3.50	1.67	4.1	63.3	470	3.9
9170		19.35	0.10	1.6	0.075	0.87	10.1	13.3	3.92	1180	2.05	1.67	3.1	75.9	360	2.4
9171		16.10	0.09	1.5	0.072	1.13	7.5	13.1	3.84	1240	0.43	2.03	2.9	80.8	330	2.6
9172		17.05	0.10	1.7	0.098	0.89	8.8	12.6	3.60	1240	0.50	1.98	3.1	74.0	360	2.7
9173		18.55	0.07	1.4	0.066	0.79	8.2	16.7	3.03	897	1.55	1.68	2.7	68.1	300	2.5
9174		17.25	0.10	1.7	0.067	0.54	9.3	11.8	3.66	1460	0.63	1.65	3.5	75.5	410	4.3
9175		1.39	0.06	0.3	0.007	0.17	1.4	0.9	1.18	88	0.06	0.27	0.4	1.1	70	0.5
9176		19.40	0.12	2.1	0.083	1.18	15.1	15.9	3.07	1330	0.83	1.92	4.2	64.3	460	4.2
9177		11.10	0.06	0.8	0.017	0.18	3.8	4.7	0.73	145	4.91	1.72	1.2	25.3	160	2.6
9178		20.7	0.11	2.0	0.037	0.84	25.4	12.4	1.57	237	3.70	3.31	2.5	45.7	380	2.9
9179		18.95	0.07	1.6	0.034	0.35	9.8	10.8	1.23	165	2.78	2.86	1.9	44.2	330	3.0
9180		5.95	<0.05	0.2	0.017	0.09	3.1	3.3	0.38	75	7.82	0.65	0.5	17.8	80	2.2
9181		13.95	0.13	1.1	0.025	0.21	25.5	8.5	0.84	124	3.72	2.32	1.0	33.9	220	3.0
9182		23.7	0.14	2.2	0.040	0.79	28.6	20.9	1.63	217	1.81	3.65	1.6	45.9	440	2.2
9183		11.65	0.08	1.2	0.021	0.27	8.8	8.9	0.66	115	4.50	1.78	1.1	24.5	260	2.6
9184		5.37	<0.05	0.4	0.017	0.06	1.7	3.5	0.22	62	6.59	0.83	0.3	11.8	90	2.1
9185		1.96	<0.05	<0.1	0.008	0.04	<0.5	2.3	0.13	51	2.40	0.13	0.1	7.7	10	1.2
9186		0.94	<0.05	<0.1	0.012	0.03	<0.5	1.4	0.07	47	3.03	0.08	0.1	3.5	<10	1.2
9187		0.76	<0.05	<0.1	0.007	0.03	<0.5	1.3	0.04	41	2.80	0.04	0.1	3.7	10	1.1
9188		5.27	0.06	<0.1	0.014	0.04	<0.5	3.9	0.35	83	4.11	0.11	0.1	22.0	<10	1.2
9189		5.81	0.06	0.2	0.014	0.05	0.6	3.8	0.25	87	6.75	0.54	0.4	28.7	60	1.6
9190		22.4	0.14	2.7	0.036	0.47	23.5	18.3	1.11	193	4.81	3.33	1.8	63.0	550	3.1
9191		20.8	0.06	3.2	0.030	0.59	35.1	18.6	1.01	183	1.69	3.23	2.3	22.4	650	3.3
9192		13.20	<0.05	1.0	0.015	0.11	13.9	14.9	0.95	125	3.65	0.99	1.0	24.0	220	1.6
9193		16.90	<0.05	1.8	0.014	0.09	39.8	16.6	1.04	119	31.6	1.67	1.5	25.6	380	2.0
9194		2.40	0.07	0.1	<0.005	0.04	1.6	3.0	0.15	48	5.69	0.11	0.2	7.6	20	1.1
9195		10.15	0.17	2.1	0.007	0.04	20.4	5.8	0.31	58	12.60	1.96	1.4	9.2	370	1.6
9196		2.02	0.12	0.1	<0.005	0.04	2.1	2.3	0.10	45	3.15	0.19	0.2	3.8	20	1.0
9197		10.05	<0.05	1.5	0.007	0.06	11.9	9.0	0.52	83	5.90	1.33	1.0	13.1	360	1.4
9198		10.65	<0.05	1.6	0.011	0.10	9.5	10.2	0.57	97	4.17	1.61	1.0	11.5	360	1.8
9199		0.71	<0.05	<0.1	<0.005	0.02	<0.5	1.8	0.05	40	2.12	0.07	<0.1	1.8	<10	0.8
9200		0.42	<0.05	<0.1	<0.005	0.02	<0.5	1.4	0.03	41	1.76	0.06	<0.1	1.4	<10	0.9
9201		10.75	0.19	1.2	0.114	0.29	7.6	9.2	3.83	960	4.73	1.13	4.6	>10000	470	12.3
9202		2.63	<0.05	0.3	<0.005	0.08	6.9	2.3	0.09	40	3.04	0.43	0.4	12.5	70	0.8
9203		12.70	<0.05	1.2	0.013	0.11	14.8	11.2	0.76	116	2.79	1.51	1.0	18.6	250	1.8
9204		21.5	<0.05	2.1	0.022	0.18	31.8	21.3	1.42	165	6.55	2.27	1.2	31.2	400	1.8
9205		22.8	<0.05	2.2	0.019	0.14	19.1	20.1	1.46	153	16.95	2.68	1.3	34.2	450	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9166		39.1	0.002	0.12	0.54	37.0	1	0.9	161.0	0.22	<0.05	2.24	0.751	0.21	0.8	385
9167		14.4	<0.002	0.11	0.78	31.6	1	1.3	233	0.31	0.05	2.96	0.691	0.07	1.3	292
9168		52.9	<0.002	0.13	0.49	34.3	1	1.0	186.5	0.30	<0.05	2.63	0.656	0.23	0.8	285
9169		44.4	<0.002	0.16	0.42	31.5	1	0.9	146.5	0.26	<0.05	2.78	0.622	0.24	1.0	266
9170		40.2	<0.002	0.23	0.37	31.4	1	0.8	112.0	0.20	<0.05	1.85	0.559	0.18	0.8	258
9171		52.2	<0.002	0.10	0.29	32.1	<1	0.9	111.5	0.19	<0.05	1.86	0.524	0.29	0.6	256
9172		38.9	0.003	0.11	0.32	32.1	1	1.0	122.0	0.22	<0.05	1.93	0.562	0.19	0.7	262
9173		33.3	<0.002	0.24	0.25	25.7	<1	0.9	35.3	0.18	<0.05	1.65	0.467	0.19	1.5	229
9174		21.6	0.004	0.10	0.58	31.8	1	1.0	180.0	0.25	<0.05	2.41	0.602	0.11	0.8	274
9175		4.4	<0.002	<0.01	0.10	0.5	<1	<0.2	76.5	<0.05	<0.05	0.53	0.007	0.04	0.5	3
9176		56.8	<0.002	0.17	0.41	30.9	1	1.2	130.0	0.29	<0.05	2.75	0.628	0.22	1.5	255
9177		7.1	<0.002	0.74	0.46	9.8	1	1.8	8.0	0.08	<0.05	0.94	0.186	0.04	1.5	125
9178		36.7	0.003	0.55	0.32	22.8	<1	2.1	29.0	0.17	<0.05	2.27	0.436	0.14	1.7	249
9179		14.0	<0.002	0.78	0.46	15.1	<1	1.7	22.3	0.15	<0.05	1.84	0.320	0.06	2.2	189
9180		2.9	<0.002	0.46	0.85	3.7	<1	0.7	6.1	<0.05	<0.05	0.30	0.048	0.04	1.0	50
9181		7.6	0.003	0.96	0.54	11.2	<1	1.7	16.5	0.09	<0.05	1.37	0.197	0.04	2.0	129
9182		33.8	<0.002	0.43	0.35	30.2	1	1.0	41.1	0.14	<0.05	2.53	0.331	0.11	1.8	263
9183		11.1	<0.002	0.44	0.68	12.0	<1	1.4	19.7	0.09	<0.05	1.69	0.217	0.06	1.4	145
9184		1.7	<0.002	0.34	0.80	2.9	<1	0.8	5.9	<0.05	<0.05	0.45	0.053	<0.02	2.1	58
9185		1.0	<0.002	0.30	0.88	2.0	1	0.5	3.4	<0.05	<0.05	0.05	0.009	0.02	0.2	15
9186		0.9	<0.002	0.07	1.04	1.8	<1	1.1	3.2	<0.05	<0.05	0.01	<0.005	<0.02	0.1	18
9187		0.9	<0.002	0.18	1.26	1.0	<1	0.9	3.5	<0.05	<0.05	0.02	<0.005	<0.02	0.1	18
9188		1.2	<0.002	1.00	1.09	5.5	1	2.3	3.0	<0.05	<0.05	0.02	<0.005	0.02	0.2	44
9189		1.5	<0.002	1.49	0.80	7.0	3	3.8	5.0	<0.05	0.05	0.23	0.026	0.02	1.2	97
9190		20.6	0.002	3.13	0.49	27.0	5	1.1	29.6	0.18	0.10	3.53	0.487	0.10	2.6	482
9191		29.1	0.002	0.51	0.53	30.6	1	1.6	38.3	0.22	<0.05	4.00	0.544	0.09	2.2	456
9192		3.9	0.002	0.09	0.52	12.3	<1	1.3	7.5	0.07	<0.05	1.15	0.224	0.02	1.7	148
9193		3.5	0.004	0.09	0.33	14.6	<1	1.1	10.5	0.12	0.06	2.26	0.207	0.02	2.8	135
9194		1.1	<0.002	0.37	0.49	1.7	2	0.2	3.7	<0.05	<0.05	0.16	0.022	<0.02	0.3	13
9195		1.1	0.002	0.03	0.46	9.7	2	0.8	10.0	0.10	<0.05	2.53	0.150	<0.02	2.1	52
9196		1.0	<0.002	0.04	0.49	1.8	1	0.3	4.1	<0.05	<0.05	0.16	0.029	<0.02	0.2	16
9197		2.3	<0.002	0.21	0.33	7.3	<1	0.5	12.1	0.08	<0.05	1.84	0.114	0.02	1.2	72
9198		4.2	<0.002	0.13	0.42	9.0	<1	0.6	16.9	0.07	<0.05	1.93	0.137	0.02	1.1	99
9199		0.9	<0.002	<0.01	0.60	0.3	2	<0.2	3.9	<0.05	<0.05	0.02	<0.005	<0.02	<0.1	2
9200		1.0	<0.002	<0.01	0.56	0.1	<1	<0.2	3.8	<0.05	<0.05	0.01	<0.005	<0.02	<0.1	2
9201		9.9	0.047	8.22	3.02	7.9	21	2.5	176.0	0.29	4.12	0.98	0.514	0.18	0.3	76
9202		3.5	<0.002	0.02	0.35	3.0	<1	0.9	6.3	<0.05	<0.05	0.39	0.079	0.02	0.4	86
9203		4.3	0.002	0.25	0.48	16.0	<1	1.1	17.1	0.09	<0.05	1.49	0.339	0.02	1.1	298
9204		8.1	0.004	0.37	0.32	28.5	1	1.3	24.8	0.11	<0.05	2.46	0.424	0.03	1.7	494
9205		6.2	0.004	0.50	0.33	26.8	1	1.5	21.1	0.11	<0.05	2.56	0.437	0.03	2.5	533

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9166		0.5	16.9	90	51.5					90.8
9167		0.5	20.6	80	89.0					89.5
9168		0.4	19.3	100	77.3					
9169		0.4	17.9	102	77.5					
9170		0.3	15.4	96	58.8					
9171		0.3	15.2	101	51.3					
9172		0.4	16.5	93	63.7					
9173		0.5	12.0	91	52.4					
9174		0.5	16.7	112	83.6					
9175		<0.1	3.0	3	6.7					
9176		0.5	19.8	93	79.7					
9177		1.2	3.1	19	26.5					
9178		3.6	6.3	36	70.0					
9179		1.3	5.5	23	55.5					
9180		0.9	1.2	9	8.8					94.8
9181		1.2	5.7	16	39.2				76.0	92.7
9182		0.7	9.4	26	76.8					
9183		0.7	5.2	13	52.3					
9184		1.2	1.6	6	13.3					
9185		0.5	0.5	4	1.4					
9186		1.5	1.6	3	<0.5					
9187		1.0	0.3	2	0.5					
9188		1.6	1.5	7	<0.5					
9189		1.8	1.8	9	6.6					
9190		0.8	17.3	24	99.2					
9191		1.1	15.3	23	129.0					
9192		0.5	7.1	13	39.7					
9193		0.4	9.9	13	75.5					
9194		0.1	0.7	3	4.6					
9195		0.6	7.5	6	78.0					
9196		0.2	0.7	2	4.9					
9197		0.5	4.7	9	61.5					
9198		0.5	9.4	11	63.2					
9199		0.1	<0.1	2	<0.5					
9200		<0.1	<0.1	2	<0.5					
9201		2.2	9.6	135	51.3		1.670	4.76		
9202		0.4	2.6	3	10.9					
9203		0.4	6.5	14	50.2					
9204		0.6	15.2	20	84.9					
9205		0.5	15.5	18	89.3				73.4	94.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9206		2.12	0.02	0.47	0.2	10	0.32	0.04	0.03	<0.02	0.46	8.2	30	0.05	1.4	0.66
9207		1.93	0.01	0.16	0.7	10	0.34	0.01	0.02	<0.02	0.12	1.0	34	0.06	0.9	0.41
9208		1.72	0.01	0.22	0.9	10	0.33	0.02	0.02	<0.02	0.11	6.0	35	0.06	1.1	0.46
9209		1.43	0.01	0.40	0.8	10	0.40	0.04	0.10	<0.02	0.92	10.4	35	0.07	3.6	1.12
9210		1.57	0.08	6.23	1.6	110	0.93	0.23	4.45	0.03	27.4	67.6	5	0.33	143.5	11.30
9211		1.29	0.03	5.82	1.2	80	0.83	0.26	3.97	0.02	23.6	55.2	6	0.35	106.5	9.36
9212		2.15	0.05	6.22	1.3	90	0.98	0.27	4.65	0.03	26.5	61.8	3	0.40	160.0	12.05
9213		2.08	0.03	6.14	1.1	70	0.98	0.25	4.56	0.02	28.7	53.2	2	0.31	122.5	11.50
9214		2.17	0.02	4.50	1.9	110	0.75	0.13	1.38	0.08	27.9	74.7	7	0.85	75.3	9.38
9215		2.05	0.01	5.85	2.2	70	1.23	0.15	3.18	<0.02	40.9	69.6	2	0.50	71.8	11.75
9216		2.19	0.03	6.05	1.2	120	1.39	0.25	3.74	0.02	27.0	77.1	3	0.94	131.5	14.25
9217		2.05	0.06	5.27	1.2	100	0.77	0.16	3.93	0.04	23.7	60.7	4	0.58	167.5	11.40
9218		2.21	0.05	6.00	2.0	80	0.89	0.28	4.87	0.03	26.0	69.4	2	0.39	172.0	12.60
9219		2.04	0.05	6.36	1.5	130	0.94	0.22	4.66	0.03	21.1	74.2	4	0.84	177.5	12.70
9220		1.95	0.04	5.54	1.5	110	0.88	0.27	4.40	0.02	44.8	101.5	4	0.76	220	9.84
9221		2.04	0.03	5.90	1.3	110	0.95	0.16	3.46	0.03	29.0	59.4	3	0.69	105.0	11.25
9222		1.94	0.10	6.25	1.7	100	0.90	0.24	3.26	0.04	18.90	73.8	5	0.75	997	9.07
9223		1.98	0.05	5.84	1.1	100	0.78	0.19	4.40	0.04	23.9	60.5	4	0.82	172.0	11.35
9224		2.04	0.03	4.56	1.8	110	1.03	0.22	4.38	0.04	21.4	68.5	6	1.08	137.5	9.97
9225		1.01	<0.01	0.14	<0.2	20	0.08	0.01	34.1	<0.02	0.90	1.7	2	<0.05	2.6	0.14
9226		2.07	0.04	6.56	1.9	100	1.02	0.31	4.04	0.05	22.4	51.0	8	0.78	139.5	8.18
9227		2.13	0.06	5.61	3.3	150	0.94	0.41	4.35	0.06	17.55	64.2	7	1.26	173.5	9.18
9228		2.17	0.02	5.91	1.0	120	1.45	0.25	3.34	0.02	18.90	52.3	8	0.98	60.7	12.10
9229		2.22	0.04	6.30	0.7	140	1.16	0.23	3.43	0.03	18.35	56.6	7	1.27	141.0	12.70
9230		2.27	0.05	6.69	1.3	140	1.12	0.22	3.57	0.04	17.90	56.7	18	1.17	143.0	15.30
9231		2.08	0.03	6.93	5.9	130	0.90	0.28	5.60	0.06	30.2	50.7	5	1.13	92.8	8.24
9232		2.20	0.04	6.65	0.7	120	0.67	0.23	5.96	0.06	21.9	44.2	5	1.06	118.0	9.06
9233		1.93	0.02	5.43	0.5	80	1.22	0.23	4.80	0.08	17.90	42.1	8	0.76	38.1	6.21
9234		1.98	0.01	0.87	1.3	10	0.39	0.17	0.31	<0.02	1.48	87.4	19	0.11	4.7	2.80
9235		2.08	0.01	5.21	1.4	70	1.41	0.16	0.47	<0.02	11.55	40.7	12	0.74	5.6	7.86
9236		2.34	0.02	6.04	0.7	130	1.18	0.29	4.06	<0.02	20.6	56.4	10	1.29	61.1	7.64
9237		2.18	0.02	6.43	0.9	130	1.07	0.25	5.04	0.03	22.7	38.2	6	1.26	65.3	8.22
9238		2.13	0.02	6.10	0.5	100	0.98	0.31	4.56	0.03	20.4	40.0	6	0.73	61.8	8.43
9239		0.91	0.01	3.81	0.9	60	0.61	0.14	1.09	0.02	22.5	49.4	11	0.74	34.9	5.04
9240		1.01	0.01	4.76	1.0	80	0.72	0.19	1.30	0.02	23.8	63.4	13	0.94	52.7	6.18
9241		0.06	>100	4.28	663	150	0.72	58.6	0.62	24.8	29.9	9.1	30	2.70	5040	2.15
9242		2.08	0.08	6.63	1.0	180	1.04	0.37	4.28	0.06	21.0	39.9	7	1.64	54.0	8.39
9243		2.08	0.04	6.04	1.3	140	0.87	0.27	4.60	0.04	19.50	97.0	7	1.32	122.0	9.10
9244		2.36	0.06	6.96	1.3	170	0.75	0.10	6.18	0.07	24.9	49.4	9	0.95	124.0	9.64
9245		2.03	0.06	6.88	0.9	120	0.54	0.11	5.90	0.06	21.6	43.1	8	0.76	116.5	8.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9206		1.93	0.09	0.1	<0.005	0.03	<0.5	1.8	0.07	35	6.24	0.32	0.3	3.2	30	1.2
9207		0.69	0.08	<0.1	<0.005	0.03	<0.5	1.6	0.04	40	2.14	0.07	<0.1	2.0	<10	0.8
9208		0.84	0.07	<0.1	<0.005	0.02	<0.5	1.7	0.04	38	2.16	0.11	0.1	2.6	10	1.0
9209		1.53	0.09	0.1	<0.005	0.02	0.5	1.5	0.08	71	2.14	0.23	0.2	3.7	30	1.9
9210		18.35	<0.05	2.1	0.086	0.44	13.1	12.6	2.24	1200	1.03	2.37	3.7	24.5	510	2.9
9211		17.05	<0.05	1.9	0.064	0.40	11.7	10.7	1.94	1040	11.00	2.07	3.6	23.0	450	3.0
9212		19.65	<0.05	2.3	0.088	0.45	13.1	11.2	2.50	1260	0.94	2.07	3.9	28.6	490	2.5
9213		19.40	<0.05	2.2	0.091	0.36	13.8	10.0	2.44	1160	0.89	2.26	4.1	28.3	480	2.2
9214		28.6	<0.05	1.9	0.034	0.80	14.7	10.3	2.77	639	3.73	1.20	3.6	48.5	350	10.3
9215		25.8	<0.05	2.4	0.055	0.45	21.7	10.8	2.71	679	2.30	2.22	4.3	36.4	440	2.0
9216		22.9	<0.05	2.4	0.080	0.68	13.3	11.8	2.58	777	5.42	2.22	4.6	41.5	470	2.3
9217		18.60	<0.05	1.7	0.072	0.49	11.3	9.2	2.42	1300	5.50	1.36	3.7	34.5	380	3.0
9218		19.65	<0.05	2.0	0.101	0.40	12.7	10.5	2.47	1440	1.64	2.00	3.9	37.5	420	2.9
9219		19.40	<0.05	1.8	0.077	0.65	10.1	10.9	2.27	1220	1.22	2.04	4.0	39.6	410	2.6
9220		19.45	<0.05	1.7	0.068	0.59	24.9	9.8	1.92	960	4.71	2.07	3.3	79.6	340	2.7
9221		20.5	<0.05	2.0	0.069	0.58	15.1	11.7	2.22	1060	1.27	2.31	3.6	45.1	380	2.7
9222		19.40	<0.05	2.1	0.049	0.52	9.3	9.1	1.52	822	8.13	3.27	4.3	72.7	420	4.9
9223		20.9	<0.05	1.8	0.073	0.57	11.6	10.6	2.65	1150	1.22	1.64	3.4	49.0	380	2.5
9224		15.45	<0.05	1.5	0.091	0.69	10.8	10.6	1.78	984	1.06	1.47	3.0	47.9	310	3.4
9225		0.37	0.08	0.1	<0.005	0.01	1.0	1.3	1.37	83	0.07	0.08	0.2	<0.2	70	<0.5
9226		18.60	<0.05	1.9	0.081	0.56	10.7	11.0	1.81	911	1.22	2.90	5.3	40.9	370	4.4
9227		17.70	0.12	1.6	0.083	0.80	8.5	12.0	1.90	825	2.11	1.84	3.2	69.2	320	3.5
9228		20.9	0.14	1.7	0.073	0.70	10.2	10.5	1.67	548	1.42	2.27	3.3	74.0	330	2.8
9229		21.1	0.17	1.5	0.062	0.85	9.2	13.4	1.90	618	0.65	2.15	3.0	78.7	320	2.5
9230		23.6	0.15	1.3	0.084	0.81	9.0	12.5	1.78	771	5.58	2.30	3.3	97.0	290	3.0
9231		18.05	0.14	2.0	0.091	0.90	15.7	12.3	2.52	1020	0.48	2.36	3.0	41.9	390	3.9
9232		16.65	0.15	1.8	0.086	0.74	10.3	10.2	2.86	1180	0.58	1.78	3.3	42.2	390	3.1
9233		16.60	0.13	1.7	0.090	0.52	9.2	9.8	1.85	610	1.37	2.35	3.1	35.0	340	4.4
9234		3.40	0.08	0.3	0.013	0.04	0.7	2.0	0.29	75	2.80	0.50	0.5	11.1	50	1.3
9235		20.6	0.10	1.6	0.029	0.43	6.0	8.7	1.87	182	3.75	2.58	2.5	40.1	300	4.2
9236		18.30	0.17	1.9	0.064	0.77	11.0	11.8	1.98	416	1.77	2.45	2.7	42.6	360	4.1
9237		18.50	0.14	1.9	0.067	0.74	11.9	12.6	2.38	573	0.69	2.35	3.3	42.5	380	3.1
9238		17.90	0.13	1.9	0.069	0.47	10.1	10.6	2.60	667	0.84	2.19	3.3	42.4	370	3.4
9239		17.00	0.10	1.2	0.024	0.45	12.1	7.2	1.64	272	4.14	1.62	1.9	35.2	220	3.7
9240		20.3	0.12	1.4	0.031	0.58	13.0	8.5	1.95	332	5.88	2.10	2.4	44.1	280	3.8
9241		19.80	0.20	2.5	5.01	0.68	14.7	20.0	0.19	230	4.49	0.44	7.2	56.9	570	1025
9242		18.55	0.14	2.0	0.070	0.91	10.9	12.1	2.49	694	0.98	2.45	3.4	43.6	390	3.8
9243		19.60	0.14	2.0	0.070	0.76	9.6	10.1	2.74	939	1.70	1.98	3.4	47.1	360	3.5
9244		18.25	0.14	2.2	0.081	0.65	11.5	9.5	3.05	1460	0.85	1.76	4.1	48.1	430	3.5
9245		18.00	0.16	1.9	0.070	0.51	10.5	9.7	2.95	1260	1.07	1.92	3.6	48.3	390	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9206		1.0	<0.002	0.05	0.38	1.0	1	0.2	4.7	<0.05	<0.05	0.16	0.037	<0.02	0.5	20
9207		1.1	<0.002	0.01	0.42	0.3	1	<0.2	4.1	<0.05	<0.05	0.01	<0.005	<0.02	<0.1	3
9208		1.0	<0.002	0.03	0.49	0.8	1	<0.2	4.5	<0.05	<0.05	0.02	0.006	<0.02	<0.1	5
9209		1.1	<0.002	0.09	0.39	1.6	1	0.2	6.0	<0.05	<0.05	0.15	0.059	<0.02	0.1	37
9210		21.0	0.002	0.26	0.45	40.1	1	1.3	140.5	0.26	<0.05	3.02	0.919	0.09	1.1	521
9211		18.5	0.004	0.24	0.36	31.3	1	1.0	139.0	0.24	<0.05	2.62	0.836	0.09	3.0	442
9212		21.5	0.002	0.19	0.33	41.2	1	1.1	146.0	0.27	<0.05	2.89	1.080	0.09	1.1	654
9213		16.6	0.002	0.19	0.34	38.0	1	1.1	115.5	0.29	<0.05	2.81	1.035	0.07	1.0	586
9214		39.8	0.002	0.49	0.37	29.7	1	1.9	14.4	0.24	<0.05	2.11	0.963	0.18	1.7	576
9215		22.1	0.004	0.31	0.24	38.1	1	1.4	41.4	0.31	<0.05	2.72	1.205	0.10	1.3	767
9216		33.6	0.003	0.36	0.31	43.1	1	1.4	82.9	0.33	<0.05	2.88	1.425	0.14	1.2	975
9217		23.3	0.003	0.20	0.41	36.4	1	1.2	114.5	0.26	<0.05	2.33	1.070	0.11	1.0	704
9218		18.7	0.002	0.24	0.42	40.7	1	1.3	113.5	0.28	<0.05	2.57	1.265	0.09	1.0	896
9219		30.5	0.004	0.30	0.34	40.0	1	1.1	133.5	0.28	<0.05	2.23	1.310	0.14	0.8	934
9220		30.1	0.004	0.72	0.29	33.7	2	1.1	91.5	0.23	0.07	2.35	0.977	0.14	1.5	627
9221		28.5	0.002	0.20	0.29	38.1	1	1.2	80.5	0.26	<0.05	2.47	1.095	0.12	1.2	798
9222		27.9	0.004	0.58	0.28	31.4	2	1.4	75.2	0.26	<0.05	2.40	1.125	0.14	2.0	640
9223		30.1	0.002	0.19	0.34	40.8	1	1.2	128.5	0.24	<0.05	2.23	0.987	0.15	0.9	779
9224		39.7	0.003	0.32	0.39	35.0	1	0.9	84.1	0.21	<0.05	1.89	1.010	0.19	1.0	860
9225		0.3	<0.002	<0.01	0.09	0.5	3	<0.2	85.3	<0.05	<0.05	0.08	0.017	<0.02	0.2	5
9226		31.1	0.002	0.19	0.24	27.5	1	0.8	120.0	0.44	<0.05	7.07	0.741	0.15	2.4	560
9227		38.6	0.002	0.49	0.28	26.5	1	0.9	96.0	0.22	0.11	1.97	0.986	0.20	0.9	713
9228		33.2	0.002	0.28	0.24	28.7	1	1.1	80.4	0.23	<0.05	2.22	1.375	0.16	1.0	1280
9229		40.5	<0.002	0.20	0.27	26.1	<1	1.0	100.0	0.21	0.06	2.27	1.265	0.21	0.9	1280
9230		36.7	0.003	0.19	0.32	23.9	1	0.9	125.5	0.24	<0.05	1.95	1.705	0.19	0.9	1880
9231		41.8	<0.002	0.14	0.30	34.0	1	0.9	174.0	0.22	<0.05	3.16	0.494	0.17	1.3	269
9232		33.5	<0.002	0.10	0.39	35.1	1	0.8	184.0	0.23	<0.05	2.70	0.582	0.16	0.8	276
9233		23.5	<0.002	0.30	0.29	27.1	<1	0.9	62.4	0.21	<0.05	2.33	0.498	0.10	1.5	210
9234		1.5	<0.002	0.63	0.65	3.0	<1	0.4	6.1	<0.05	<0.05	0.34	0.068	0.02	0.7	38
9235		16.6	0.002	0.33	0.30	21.7	<1	1.2	31.2	0.16	<0.05	2.34	0.400	0.09	1.4	211
9236		33.8	<0.002	0.27	0.29	29.9	1	0.9	114.0	0.19	<0.05	2.64	0.409	0.14	1.4	269
9237		32.6	<0.002	0.13	0.21	34.0	<1	0.9	136.5	0.22	<0.05	2.70	0.518	0.17	1.1	259
9238		20.2	0.002	0.14	0.27	33.1	<1	1.0	146.5	0.22	<0.05	2.81	0.532	0.11	1.1	254
9239		19.8	<0.002	0.32	0.28	15.7	<1	0.8	22.7	0.14	<0.05	1.54	0.307	0.09	1.0	158
9240		24.9	0.002	0.44	0.29	19.6	<1	1.1	29.5	0.16	<0.05	2.02	0.403	0.16	1.3	204
9241		25.2	0.002	2.11	81.9	4.0	30	5.5	452	0.55	38.8	7.03	0.212	1.75	2.6	33
9242		42.5	<0.002	0.15	0.29	33.6	1	0.9	123.5	0.23	0.06	2.76	0.558	0.22	1.3	274
9243		35.5	0.003	0.62	0.33	31.5	1	1.0	101.0	0.24	<0.05	2.66	0.536	0.19	1.2	258
9244		27.3	<0.002	0.10	0.38	38.4	1	1.1	179.0	0.27	<0.05	3.00	0.635	0.19	0.9	285
9245		21.9	0.002	0.11	0.28	33.5	1	0.8	152.5	0.24	<0.05	2.75	0.576	0.15	0.9	263

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9206		0.2	0.6	2	5.0					
9207		0.1	<0.1	2	<0.5					
9208		0.1	0.1	2	0.8					
9209		0.3	0.5	5	4.9					
9210		1.0	21.5	75	86.8					
9211		0.5	18.6	66	80.6					
9212		0.5	21.5	76	86.5					
9213		0.6	21.7	73	87.7					
9214		0.5	15.1	95	73.1					
9215		0.6	21.7	69	96.1					
9216		0.7	22.0	67	95.4					
9217		0.5	20.5	96	72.1					
9218		0.4	20.6	111	81.1					
9219		0.5	18.9	98	73.2					
9220		0.4	16.0	78	72.0					
9221		0.4	16.9	93	81.0					
9222		0.7	15.4	66	81.4					
9223		0.4	19.8	89	69.6					
9224		0.4	16.7	71	61.3					
9225		<0.1	2.1	3	2.1					
9226		0.3	14.5	67	77.4					
9227		0.5	13.2	66	54.6					
9228		0.5	12.5	53	57.9					
9229		0.6	13.6	57	55.2					
9230		0.7	12.1	59	52.7					
9231		0.4	18.3	61	68.5					
9232		0.4	17.8	67	62.5					
9233		0.4	17.9	45	63.2					
9234		0.6	2.1	5	9.5					
9235		0.5	6.9	22	55.2					
9236		0.3	15.8	34	68.9					
9237		0.4	18.9	41	77.7					
9238		0.4	16.2	47	70.4					
9239		0.2	8.0	40	40.7					
9240		0.3	9.8	45	53.4					
9241		12.0	5.9	4140	81.6	117				
9242		0.4	15.3	70	74.2					
9243		0.5	15.5	81	69.7					
9244		0.4	19.6	104	78.6					
9245		0.3	16.5	89	66.9				74.4	87.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9246		1.82	0.05	6.47	1.1	200	0.69	0.16	4.93	0.04	19.85	44.2	13	0.84	145.5	7.79
9247		2.07	0.01	6.88	1.1	170	1.54	0.14	3.04	0.02	24.4	37.5	10	1.96	44.2	9.17
9248		2.13	0.01	6.48	0.7	130	1.19	0.10	1.87	<0.02	22.0	44.5	10	1.63	33.9	8.52
9249		2.16	0.01	7.26	0.7	140	1.52	0.11	1.19	0.02	20.7	36.7	9	1.76	28.1	8.44
9250		2.21	0.02	3.66	0.3	50	0.80	0.09	0.59	0.05	12.25	23.5	13	0.57	23.7	5.31
9251		2.26	0.03	0.54	1.3	10	0.31	0.07	0.22	0.06	1.13	13.4	28	0.09	4.1	1.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9246		17.05	0.14	1.8	0.063	0.45	9.4	7.9	2.86	964	2.80	1.88	3.2	56.8	340	2.9
9247		21.9	0.13	2.2	0.065	1.24	13.0	19.4	3.60	652	0.63	2.47	3.6	62.9	390	2.1
9248		24.4	0.13	1.8	0.042	1.05	12.0	15.4	3.13	477	1.09	2.53	3.1	63.4	340	2.5
9249		24.6	0.13	1.9	0.048	1.15	11.3	15.1	2.88	425	0.83	3.16	3.4	60.5	370	2.9
9250		13.10	0.10	1.0	0.026	0.38	6.6	6.1	1.23	216	2.52	1.72	1.8	32.0	190	5.3
9251		2.44	0.07	0.1	0.009	0.03	0.6	1.5	0.18	60	3.97	0.28	0.3	5.9	30	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9246		19.0	0.002	0.18	0.32	29.8	1	0.9	130.5	0.24	<0.05	2.43	0.518	0.11	0.8	239
9247		42.2	<0.002	0.16	0.15	33.0	1	1.0	62.2	0.26	<0.05	2.52	0.577	0.25	1.4	270
9248		42.1	<0.002	0.23	0.15	29.1	<1	1.1	33.7	0.22	<0.05	2.32	0.511	0.20	1.5	252
9249		46.8	0.002	0.20	0.15	26.4	<1	1.1	48.0	0.23	<0.05	2.44	0.555	0.23	2.0	242
9250		14.6	0.002	0.17	0.33	11.9	<1	0.8	24.9	0.13	<0.05	1.35	0.271	0.08	0.9	139
9251		0.8	0.002	0.12	0.43	1.5	<1	0.3	5.8	<0.05	<0.05	0.15	0.034	0.02	0.2	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9246		0.4	14.7	62	62.9					
9247		0.4	14.8	61	76.0					
9248		0.3	13.2	51	65.7					
9249		0.5	12.4	47	66.2					
9250		0.5	5.5	25	35.8					
9251		0.2	0.8	7	3.8					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 21-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133992

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			