ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
This copy reported on
14-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18120177

Project: Iron Mask

This report is for 37 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 23-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120177

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8827		2.53	0.19	6.04	2.9	230	0.70	0.21	5.51	0.19	27.1	78.3	5	1.52	320	16.65
8828		2.50	0.07	6.23	2.0	110	1.41	0.11	5.76	0.08	29.1	49.9	2	0.93	99.9	12.00
8829		2.39	0.12	6.28	2.0	130	1.38	0.15	5.88	0.05	31.6	49.6	2	0.84	170.0	11.35
8830		2.38	0.14	6.39	1.4	140	1.55	0.21	5.20	0.06	30.4	49.4	1	1.28	222	11.85
8831		2.49	0.14	6.44	2.2	150	1.24	0.21	5.91	0.10	28.0	56.9	2	1.19	252	12.60
8832		2.50	0.16	7.21	5.5	280	0.82	0.24	5.51	0.08	27.9	64.8	9	1.06	283	15.45
8833		2.46	0.09	8.16	5.3	160	0.71	0.22	5.38	0.09	32.6	43.1	3	0.61	179.0	8.99
8834		2.40	0.07	7.67	3.9	170	0.67	0.21	6.20	0.06	27.5	46.0	7	1.13	153.0	8.92
8835		2.36	0.08	7.52	3.3	170	0.68	0.23	6.22	0.08	27.5	45.9	8	0.86	153.5	8.92
8836		2.40	0.07	7.87	20.6	140	0.87	0.36	6.14	0.13	27.5	56.8	7	0.79	107.0	8.51
8837		2.43	0.07	7.81	22.4	110	0.76	0.47	6.56	0.11	24.7	56.4	8	0.78	144.0	8.83
8838		2.41	0.03	7.51	6.3	30	0.56	0.11	6.49	0.07	22.9	42.5	8	0.09	74.1	8.35
8839		1.10	0.06	7.94	2.0	50	0.77	0.11	6.05	0.05	24.8	44.5	9	0.19	140.0	8.91
8840		1.15	0.07	7.60	3.2	50	0.62	0.13	6.07	0.05	24.6	44.3	8	0.18	142.0	8.70
8841		0.04	>100	4.52	710	90	0.75	60.8	0.66	25.8	33.2	9.9	34	2.99	5250	2.27
8842		2.50	0.13	7.68	2.0	70	0.69	0.15	5.88	0.04	23.2	45.0	10	0.28	179.5	9.00
8843		2.33	0.07	7.65	1.7	100	0.59	0.11	4.99	0.03	22.3	41.8	9	0.63	98.7	7.15
8844		2.31	0.06	7.81	1.7	50	0.77	0.12	5.97	0.05	23.7	43.4	9	0.25	77.4	8.59
8845		2.23	0.05	7.60	2.4	70	0.81	0.11	5.73	0.09	33.1	42.2	10	0.48	59.9	6.89
8846		2.32	0.04	7.55	1.9	120	0.94	0.16	6.08	0.04	24.4	43.7	11	0.84	84.7	8.54
8847		2.27	0.04	7.41	2.8	120	0.98	0.14	5.85	0.02	21.8	45.3	10	0.82	92.2	8.90
8848		2.33	0.04	7.37	1.5	100	0.80	0.14	5.32	<0.02	24.5	53.3	11	0.79	104.5	8.58
8849		2.57	0.05	7.27	3.0	130	0.76	0.12	6.33	0.04	22.3	47.5	11	0.97	119.0	8.87
8850		2.37	0.07	7.28	3.3	170	0.65	0.09	6.13	0.07	21.7	48.0	15	1.00	140.0	8.63
8851		2.30	0.07	7.34	4.0	110	0.61	0.08	6.12	0.04	20.3	45.7	15	0.56	128.0	8.40
8852		2.35	0.03	7.97	1.8	120	0.93	0.06	3.88	0.02	22.6	47.5	19	0.78	71.8	7.30
8853		2.04	0.03	7.84	4.6	90	0.85	0.06	2.80	<0.02	68.6	52.4	19	0.68	99.4	5.59
8854		2.65	0.03	8.15	2.4	80	1.03	0.10	5.33	0.04	27.8	48.4	21	0.31	87.2	8.22
8855		2.39	0.07	7.73	5.0	60	0.66	0.07	5.89	0.04	23.2	48.2	22	0.18	132.0	8.54
8856		2.43	0.15	7.67	27.9	240	0.66	0.20	6.23	0.04	20.6	47.4	50	1.37	163.5	8.78
8857		2.12	0.09	7.15	38.7	70	0.67	0.18	6.23	0.02	23.0	48.8	28	0.11	87.9	8.90
8858		1.96	0.11	7.97	34.2	130	0.66	0.21	6.05	0.04	22.1	48.1	19	0.55	133.0	9.09
8859		1.93	0.15	7.41	29.6	160	0.70	0.23	5.88	0.04	22.4	45.4	14	0.79	157.5	8.83
8860		1.97	0.14	7.36	48.4	190	0.65	0.27	5.63	0.06	22.2	59.7	8	0.81	161.5	8.80
8861		1.82	0.17	7.41	43.5	290	0.84	0.29	5.54	0.04	22.0	53.1	9	1.05	181.5	8.45
8862		1.99	0.08	7.26	31.0	310	1.04	0.31	5.67	0.05	27.2	42.3	18	1.90	87.2	8.59
8863		2.19	0.10	7.10	20.2	410	1.55	0.47	4.99	0.16	50.0	42.0	37	2.89	119.0	8.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120177

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8827		23.1	0.08	2.8	0.095	0.85	11.6	7.9	2.36	1960	1.15	1.64	5.4	34.5	500	4.3
8828		21.4	0.08	3.2	0.225	0.48	12.5	8.7	2.59	1680	0.57	2.80	5.3	26.2	510	4.7
8829		21.8	0.07	3.2	0.232	0.52	14.1	9.6	2.53	1560	0.55	2.54	5.3	29.7	540	4.3
8830		21.2	0.07	3.4	0.251	0.58	13.0	10.5	2.77	1580	0.61	3.02	5.6	32.3	510	4.2
8831		22.1	0.06	2.8	0.203	0.61	12.2	9.2	2.62	1680	0.67	2.32	5.0	33.7	470	4.2
8832		26.7	0.07	2.7	0.118	0.90	12.3	11.3	1.71	1740	0.78	2.00	6.5	69.7	490	6.0
8833		20.5	0.07	2.8	0.084	0.57	14.6	9.2	1.76	1140	0.43	2.97	3.4	32.4	540	8.2
8834		20.1	0.06	2.3	0.085	0.69	12.3	9.0	2.70	1300	0.67	2.00	4.4	48.5	450	4.0
8835		19.90	0.05	2.4	0.092	0.67	12.2	10.3	2.79	1370	0.73	1.96	4.5	49.6	470	5.0
8836		20.6	0.06	2.4	0.133	0.57	11.9	11.3	2.70	1320	2.92	2.47	4.4	47.1	410	38.8
8837		19.80	0.05	2.2	0.160	0.46	11.0	9.1	2.61	1320	11.75	2.42	4.1	46.2	370	18.8
8838		19.50	<0.05	1.8	0.070	0.13	10.4	8.9	2.61	1140	0.65	2.34	3.9	44.8	410	9.6
8839		19.70	0.06	2.1	0.080	0.19	11.3	8.9	2.87	1230	0.58	2.22	4.0	55.7	440	3.6
8840		19.30	0.06	2.1	0.075	0.20	11.0	8.3	2.78	1220	0.56	2.14	3.9	54.6	430	3.8
8841		22.1	0.13	2.8	5.72	0.69	16.6	20.5	0.20	240	4.49	0.46	7.9	58.9	580	1020
8842		19.00	0.05	2.0	0.074	0.26	10.6	9.1	2.93	1220	0.59	1.97	3.9	54.5	420	3.6
8843		18.80	<0.05	2.0	0.064	0.41	10.3	8.7	2.40	950	0.89	2.89	3.7	46.0	400	3.8
8844		20.7	0.07	2.1	0.099	0.20	10.8	8.8	3.03	1190	1.12	2.38	3.9	55.4	410	3.5
8845		21.2	0.05	2.2	0.073	0.32	16.1	10.1	2.28	950	16.25	2.91	3.9	53.6	410	33.7
8846		19.00	0.06	2.1	0.080	0.50	11.0	8.2	3.03	1260	0.63	2.14	4.0	56.0	430	3.4
8847		19.90	0.10	2.0	0.079	0.52	9.9	7.6	3.00	1290	0.69	2.03	4.0	55.8	410	3.7
8848		24.5	0.10	2.2	0.071	0.43	12.0	8.1	2.91	1150	11.35	2.26	4.1	65.4	430	3.0
8849		19.50	0.10	2.0	0.076	0.57	10.1	8.1	3.16	1260	0.73	1.74	4.0	60.1	420	3.9
8850		18.50	0.08	2.0	0.062	0.68	9.7	6.6	2.99	1360	0.65	1.76	3.9	60.3	410	4.0
8851		18.10	0.09	1.9	0.064	0.47	9.2	8.2	2.94	1280	0.62	2.03	3.8	63.0	380	3.6
8852		26.7	0.11	2.1	0.056	0.53	11.3	10.4	2.64	981	1.52	3.47	4.0	78.4	380	4.0
8853		29.3	0.12	2.3	0.044	0.41	37.0	9.4	1.89	707	11.80	4.76	4.3	62.0	380	5.6
8854		23.0	0.10	2.1	0.073	0.32	13.2	9.5	2.81	1180	2.74	2.88	4.1	66.5	420	4.5
8855		20.1	0.10	1.9	0.066	0.24	10.7	9.0	2.87	1220	1.25	2.33	4.0	64.1	410	3.8
8856		19.20	0.10	1.8	0.059	0.86	9.4	9.6	3.48	1370	0.67	1.82	3.8	85.0	400	5.1
8857		19.85	0.10	1.9	0.068	0.28	10.6	8.7	3.05	1380	1.12	1.98	4.1	61.6	420	5.0
8858		20.8	0.09	1.9	0.070	0.47	10.1	8.1	2.89	1390	0.70	2.40	4.1	63.5	420	4.9
8859		20.1	0.10	1.9	0.059	0.59	10.2	8.1	2.81	1370	0.74	2.26	4.1	61.1	420	4.9
8860		20.2	0.07	1.9	0.068	0.61	10.1	9.4	2.86	1420	0.66	2.31	4.1	60.2	410	5.3
8861		19.90	0.09	1.9	0.079	0.83	10.1	10.4	2.87	1390	0.65	2.48	4.1	59.4	410	7.8
8862		19.75	0.10	2.3	0.077	1.25	12.6	11.5	2.85	1300	0.94	2.12	4.7	54.3	420	7.4
8863		20.7	0.11	3.0	0.077	1.68	25.3	21.7	2.57	1060	1.26	1.67	7.7	51.1	440	67.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120177

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8827		43.2	0.007	0.20	0.40	48.2	1	1.3	166.0	0.39	<0.05	3.01	1.745	0.30	0.9	1020
8828		18.3	<0.002	0.06	0.33	40.0	<1	2.9	87.4	0.39	<0.05	3.62	1.265	0.12	2.3	742
8829		21.3	<0.002	0.15	0.33	38.2	1	2.4	154.5	0.40	<0.05	3.78	1.145	0.17	1.9	676
8830		25.2	<0.002	0.14	0.40	38.2	<1	3.3	74.2	0.42	<0.05	3.65	1.235	0.20	2.5	682
8831		26.2	0.002	0.17	0.36	41.6	1	2.1	149.0	0.36	<0.05	3.14	1.200	0.19	1.5	740
8832		35.1	0.002	0.18	0.40	27.9	1	1.4	223	0.50	<0.05	3.03	1.810	0.21	1.0	1520
8833		20.3	<0.002	0.12	0.60	24.9	<1	1.2	274	0.27	<0.05	3.81	0.558	0.12	1.2	292
8834		31.9	<0.002	0.11	0.46	29.9	1	1.1	211	0.33	<0.05	2.85	0.650	0.18	0.9	267
8835		30.9	<0.002	0.11	0.40	30.5	<1	1.1	202	0.33	<0.05	2.97	0.677	0.17	1.0	277
8836		25.7	<0.002	0.10	0.41	29.6	1	1.2	202	0.31	<0.05	2.77	0.639	0.17	1.3	259
8837		19.2	<0.002	0.10	0.42	26.6	<1	1.1	202	0.30	0.12	2.71	0.602	0.14	1.4	247
8838		2.9	<0.002	0.05	0.41	28.7	<1	0.9	159.0	0.29	<0.05	2.59	0.577	0.03	0.8	244
8839		5.9	<0.002	0.08	0.50	30.3	1	1.0	202	0.30	<0.05	2.74	0.587	0.05	0.9	259
8840		6.9	<0.002	0.09	0.54	29.5	1	1.0	209	0.29	<0.05	2.69	0.592	0.06	0.8	256
8841		27.6	<0.002	2.17	92.7	4.1	34	6.1	477	0.64	43.0	7.13	0.226	1.81	2.7	35
8842		8.4	<0.002	0.09	0.49	29.8	<1	1.0	185.5	0.29	<0.05	2.63	0.617	0.06	0.8	259
8843		15.9	<0.002	0.15	0.41	25.6	1	1.2	157.5	0.27	<0.05	2.58	0.565	0.09	1.2	234
8844		6.5	<0.002	0.09	0.58	29.1	1	1.1	209	0.29	<0.05	2.56	0.573	0.04	1.0	249
8845		14.1	0.002	0.15	0.39	29.5	1	1.1	165.0	0.29	<0.05	2.62	0.583	0.09	1.5	243
8846		22.4	<0.002	0.11	0.41	30.1	<1	1.2	208	0.31	<0.05	2.69	0.604	0.12	0.9	257
8847		21.5	<0.002	0.12	0.43	30.3	<1	1.1	196.5	0.30	<0.05	2.30	0.605	0.15	0.7	254
8848		18.8	<0.002	0.23	0.34	30.2	1	1.1	165.0	0.28	<0.05	2.32	0.601	0.13	1.3	256
8849		25.3	<0.002	0.10	0.42	32.1	1	1.0	209	0.28	<0.05	2.29	0.606	0.22	0.7	255
8850		29.6	<0.002	0.12	0.37	32.2	1	0.9	191.0	0.27	<0.05	2.28	0.600	0.21	0.7	258
8851		20.0	<0.002	0.09	0.39	31.0	1	0.9	193.5	0.27	<0.05	2.18	0.566	0.13	0.7	243
8852		23.5	<0.002	0.19	0.21	29.5	1	1.2	102.0	0.28	<0.05	2.24	0.591	0.17	1.9	244
8853		18.7	<0.002	0.32	0.16	23.4	1	2.0	36.0	0.31	<0.05	2.46	0.621	0.13	2.8	208
8854		14.2	<0.002	0.20	0.34	33.3	1	1.1	214	0.29	<0.05	2.35	0.624	0.08	1.0	255
8855		11.2	<0.002	0.10	0.31	33.3	1	1.0	223	0.29	<0.05	2.27	0.584	0.08	0.7	254
8856		57.3	0.002	0.11	0.45	35.8	1	0.9	253	0.27	<0.05	2.15	0.563	0.40	0.6	254
8857		10.6	0.003	0.06	0.57	34.3	1	1.0	266	0.28	<0.05	2.41	0.692	0.09	0.8	316
8858		25.5	0.002	0.13	0.62	34.1	1	0.9	292	0.29	<0.05	2.32	0.647	0.18	0.7	285
8859		35.7	<0.002	0.12	0.56	33.7	1	0.9	278	0.30	<0.05	2.31	0.614	0.27	0.7	264
8860		38.8	<0.002	0.16	0.55	33.6	<1	1.0	257	0.28	<0.05	2.31	0.606	0.27	0.7	260
8861		55.0	0.003	0.15	0.64	32.9	1	0.9	249	0.29	<0.05	2.36	0.593	0.38	0.7	254
8862		81.6	0.002	0.06	0.51	32.3	<1	1.1	282	0.35	<0.05	3.78	0.633	0.57	1.2	270
8863		112.5	0.002	0.14	0.56	28.1	1	1.4	281	0.59	<0.05	10.05	0.631	0.78	2.9	272

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120177

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8827		0.7	25.0	192	97.0		82.8	90.0
8828		0.7	27.4	131	114.0			91.4
8829		0.5	28.0	126	118.5			
8830		0.7	30.4	126	117.5			
8831		0.6	26.9	136	102.0			
8832		0.6	21.3	102	103.5			
8833		0.4	23.4	86	102.5			
8834		0.4	21.2	91	84.7			
8835		0.4	21.6	92	87.3			
8836		0.4	22.8	103	88.5			
8837		0.5	22.2	99	80.8			
8838		0.4	19.1	83	65.4			
8839		0.4	20.3	83	79.2			
8840		0.4	19.7	83	72.3			
8841		13.7	6.7	4220	92.8	116		
8842		0.4	19.1	87	73.6			
8843		0.4	18.9	73	75.2			
8844		0.5	19.5	86	78.1			
8845		0.4	22.2	80	81.0			
8846		0.4	19.5	84	76.4			
8847		0.4	17.6	85	71.3			
8848		0.4	17.7	82	77.3			
8849		0.4	18.0	81	71.5			
8850		0.4	17.8	89	66.9			
8851		0.5	17.0	85	67.1			
8852		0.4	15.7	78	75.3			
8853		0.3	18.9	61	83.6			
8854		0.4	17.4	79	74.3			
8855		0.5	18.1	88	67.6			
8856		0.4	17.1	100	65.2			
8857		0.7	18.2	82	69.3			
8858		0.6	18.4	90	69.3			
8859		0.6	18.4	91	67.9			
8860		0.7	18.2	101	67.9			
8861		0.6	18.0	97	67.4			
8862		0.7	18.3	89	77.8			
8863		0.8	20.3	97	110.5			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18120177

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62