ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

CERTIFICATE SD18114857

Project: IRON MASK

This report is for 180 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 17-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

To: **BATTERY MINERAL RESOURCES LTD.**
ATTN: JON EDWARDS
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8166		1.71	0.17	6.15	4.8	200	0.84	0.18	5.00	0.18	29.5	64.3	5	0.47	255	13.00
8167		2.33	0.15	6.34	5.1	300	0.89	0.17	4.99	0.20	31.7	70.3	5	0.53	271	14.00
8168		1.15	0.20	6.37	4.0	190	0.79	0.17	5.13	0.18	32.3	64.5	3	0.47	261	13.45
8169		2.30	0.21	6.25	6.0	160	0.80	0.21	5.33	0.18	32.4	73.5	4	0.40	287	13.40
8170		2.65	0.16	6.33	4.5	190	0.79	0.16	5.10	0.15	32.2	66.2	4	0.48	244	13.15
8171		2.08	0.12	6.34	3.5	270	0.79	0.17	4.85	0.21	31.4	67.0	4	0.58	256	13.60
8172		2.27	0.15	6.46	4.3	290	0.78	0.15	4.80	0.18	32.0	66.6	4	0.76	265	13.45
8173		2.12	0.18	6.84	7.2	320	0.84	0.17	4.71	0.14	30.2	72.1	4	0.86	374	12.45
8174		1.77	0.16	6.94	6.4	420	0.76	0.15	4.36	0.12	25.8	63.8	11	1.06	299	16.25
8175		1.04	<0.01	0.08	0.3	20	0.07	<0.01	32.3	<0.02	0.93	0.7	2	<0.05	1.8	0.15
8176		1.78	0.04	8.15	2.0	140	0.73	0.17	5.17	0.11	37.1	36.5	5	0.27	58.4	7.21
8177		2.23	0.08	6.92	2.8	210	0.77	0.15	5.31	0.15	31.1	50.3	5	0.46	171.5	10.05
8178		2.24	0.17	7.79	4.2	140	0.74	0.18	6.13	0.29	31.0	46.4	8	0.37	255	8.30
8179		0.98	0.05	7.98	7.0	140	0.72	0.16	5.75	0.10	24.2	59.8	10	0.12	141.0	9.05
8180		0.90	0.07	7.81	4.9	90	0.66	0.15	5.62	0.08	24.4	53.8	10	0.11	133.0	8.93
8181		0.07	>100	5.53	1725	220	0.66	16.55	0.28	13.00	24.4	97.6	30	1.69	>10000	3.69
8182		2.38	0.05	7.59	4.5	80	0.59	0.13	5.24	0.12	24.8	50.4	11	0.14	118.0	8.86
8183		2.26	0.08	7.58	2.3	220	0.77	0.14	6.05	0.11	23.7	46.0	11	1.32	144.5	8.18
8184		2.18	0.05	7.57	5.1	170	0.77	0.10	5.38	0.13	22.9	47.3	12	0.98	103.0	8.83
8185		2.20	0.07	7.70	2.2	130	0.67	0.10	6.04	0.07	21.5	42.2	16	0.93	126.5	7.71
8186		2.36	0.06	8.15	2.0	140	0.84	0.15	6.29	0.07	20.0	45.9	16	0.80	100.5	7.58
8187		2.07	0.02	6.71	2.7	60	0.58	0.04	1.01	0.04	22.0	48.9	16	0.55	45.6	3.32
8188		2.19	0.05	8.31	2.4	110	1.01	0.16	6.76	0.07	17.80	52.4	21	0.54	110.5	7.55
8189		2.15	0.05	7.82	1.8	120	0.45	0.09	7.31	0.05	16.30	45.9	161	1.21	123.5	7.20
8190		2.17	0.06	7.99	1.7	60	0.43	0.11	6.39	0.06	17.30	44.2	63	0.46	128.5	8.04
8191		2.15	0.05	7.95	1.4	120	0.52	0.09	7.56	0.05	16.65	46.3	183	1.29	119.0	7.01
8192		2.36	0.05	8.14	2.2	50	0.45	0.09	7.07	0.04	13.80	48.7	60	0.28	97.2	7.85
8193		2.18	0.03	7.96	1.6	170	0.73	0.15	5.50	0.02	15.35	100.0	68	1.96	220	10.05
8194		2.37	0.02	8.12	1.0	200	0.97	0.11	5.36	0.03	15.55	55.9	72	2.34	71.3	9.27
8195		2.22	0.04	7.81	1.6	110	0.41	0.09	7.16	0.04	12.80	47.6	66	0.98	82.4	7.27
8196		2.24	0.03	7.92	2.1	60	0.50	0.08	7.06	0.03	15.10	46.2	89	0.52	122.5	7.17
8197		1.73	0.03	7.27	2.1	40	0.74	0.10	6.68	0.02	20.9	43.3	132	0.37	66.3	7.56
8198		1.60	0.04	7.62	1.5	100	0.59	0.07	7.07	0.03	16.85	46.9	231	0.87	109.5	6.86
8199		0.90	0.05	7.79	1.7	120	0.53	0.07	7.70	0.04	16.70	45.3	238	1.14	100.5	6.87
8200		0.94	0.05	7.92	1.2	120	0.45	0.06	7.76	0.05	16.25	45.0	240	1.13	99.3	6.89
8201		0.08	4.04	5.61	13.2	120	0.58	0.90	3.48	2.10	16.70	989	259	0.79	>10000	18.05
8202		1.56	0.04	7.52	1.6	110	0.47	0.06	7.47	0.04	16.05	46.2	238	0.96	107.0	7.01
8203		2.26	0.05	7.70	1.9	90	0.45	0.07	7.54	0.03	16.25	45.3	244	0.37	101.0	7.04
8204		2.23	0.05	8.19	2.2	120	0.41	0.06	7.49	0.06	13.80	48.4	65	1.19	120.5	7.39
8205		2.38	0.05	7.74	3.7	50	0.70	0.06	6.12	0.04	33.4	45.9	81	0.26	93.6	6.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8166		22.1	0.09	2.6	0.095	0.67	12.8	10.4	2.17	1590	1.01	1.83	4.9	46.6	500	15.8
8167		22.5	0.10	2.8	0.094	0.84	13.8	12.4	2.35	1700	1.01	1.75	5.6	47.5	530	12.7
8168		23.5	0.09	2.7	0.105	0.63	15.0	10.0	2.23	1660	0.89	1.99	5.3	46.1	550	12.9
8169		22.8	0.10	2.9	0.116	0.56	15.2	10.0	2.14	1600	0.83	1.95	5.4	63.4	520	15.3
8170		22.1	0.10	2.9	0.096	0.64	14.9	11.0	2.25	1610	1.02	1.87	5.4	44.7	520	12.1
8171		21.2	0.11	2.8	0.096	0.78	14.4	12.3	2.34	1690	0.83	1.83	5.5	46.3	560	15.6
8172		22.2	0.11	2.8	0.093	0.91	14.9	12.7	2.19	1640	0.85	1.78	5.6	49.6	540	11.7
8173		22.7	0.11	2.7	0.083	1.01	13.6	14.0	2.02	1500	0.85	1.78	5.4	64.4	520	10.5
8174		25.6	0.08	2.4	0.085	1.23	11.1	14.1	1.65	1780	0.85	1.76	6.6	77.2	460	9.1
8175		0.30	0.11	0.1	<0.005	0.01	1.1	1.3	1.34	86	0.05	0.03	0.1	0.8	60	<0.5
8176		22.6	0.09	2.9	0.122	0.37	17.5	8.0	1.36	871	0.39	3.40	3.0	37.8	470	15.1
8177		19.60	0.08	2.5	0.081	0.65	14.0	11.3	2.25	1400	0.73	1.93	4.5	35.0	550	14.0
8178		20.8	0.09	2.1	0.088	0.48	14.5	10.3	2.41	1190	1.10	2.06	4.4	53.4	400	20.3
8179		19.45	0.09	2.1	0.070	0.58	10.3	13.4	3.11	1320	0.64	2.27	4.2	57.2	430	9.9
8180		18.60	0.10	2.1	0.073	0.39	10.4	12.2	3.06	1330	0.51	2.45	4.1	57.2	410	8.7
8181		33.1	0.26	2.8	4.22	1.01	9.3	21.6	0.05	96	5.14	0.56	7.6	1545	510	1425
8182		18.50	0.10	1.8	0.064	0.23	10.7	11.5	2.95	1240	0.83	2.36	3.6	54.3	400	19.8
8183		20.0	0.06	2.0	0.064	0.84	10.6	10.8	2.77	1240	0.61	1.67	3.9	57.9	400	8.3
8184		19.80	0.08	1.8	0.064	0.67	10.2	11.9	2.87	1180	0.69	1.86	3.6	57.0	380	8.0
8185		18.55	0.07	1.8	0.062	0.54	9.5	8.8	2.85	1220	0.67	1.95	3.5	63.9	360	5.3
8186		20.5	0.07	1.6	0.075	0.55	8.5	9.6	2.84	1200	0.60	2.08	3.3	64.8	340	5.7
8187		25.8	0.07	3.3	0.016	0.29	7.6	7.2	1.17	395	0.97	4.32	7.4	23.9	610	8.3
8188		20.3	0.07	1.3	0.071	0.42	7.9	8.9	2.82	1220	0.92	2.14	3.3	67.2	350	6.4
8189		17.00	0.07	1.4	0.054	0.55	7.3	8.6	4.22	1160	0.58	1.48	2.6	113.0	270	3.6
8190		17.50	0.05	1.5	0.077	0.25	7.8	9.0	3.47	1180	0.60	1.98	2.8	89.4	290	4.2
8191		17.50	0.06	1.4	0.052	0.53	7.6	7.8	4.16	1140	0.61	1.46	2.7	112.0	280	3.6
8192		17.00	0.05	1.2	0.049	0.19	6.3	9.3	4.03	1220	0.57	1.81	2.3	102.0	250	3.6
8193		25.2	0.06	1.8	0.047	0.80	7.5	10.1	2.57	961	2.63	3.03	2.9	87.5	270	3.7
8194		23.8	0.05	1.2	0.051	0.94	7.9	12.6	3.58	1080	0.80	2.43	2.3	112.5	250	2.8
8195		16.15	0.06	1.2	0.051	0.45	5.8	8.9	4.15	1140	0.52	1.60	2.3	118.5	240	3.0
8196		16.65	0.06	1.2	0.049	0.25	6.9	11.0	4.11	1160	0.56	1.77	2.5	100.0	270	2.8
8197		15.95	0.06	1.5	0.063	0.26	9.8	21.6	4.54	1120	0.48	1.74	2.6	104.0	270	2.3
8198		16.35	0.05	1.4	0.044	0.38	7.5	12.2	4.35	1180	0.49	1.56	2.6	111.5	290	2.9
8199		17.10	0.07	1.4	0.050	0.47	7.5	8.3	4.29	1200	0.54	1.46	2.6	116.0	280	3.1
8200		17.00	0.05	1.4	0.048	0.49	7.4	8.1	4.32	1220	0.57	1.48	2.6	114.5	290	3.0
8201		11.60	0.23	1.2	0.115	0.31	7.3	8.6	4.01	1000	4.54	1.20	4.8	>10000	460	13.9
8202		15.80	0.06	1.4	0.045	0.44	7.2	10.9	4.38	1200	0.49	1.44	2.6	144.0	270	2.9
8203		16.25	0.05	1.4	0.051	0.33	7.5	11.4	4.40	1200	0.52	1.45	2.6	118.5	260	3.1
8204		17.30	0.07	1.3	0.051	0.49	6.3	8.5	4.19	1220	0.65	1.45	2.4	114.5	260	2.8
8205		17.85	0.07	2.8	0.046	0.21	16.7	8.2	3.34	1030	1.06	2.13	4.7	83.4	660	3.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8166		24.6	0.003	0.16	0.43	40.0	1	1.6	175.5	0.35	<0.05	3.01	1.205	0.17	1.0	871
8167		33.9	0.003	0.17	0.42	42.5	1	1.5	171.5	0.39	0.05	3.21	1.285	0.16	1.0	893
8168		24.2	0.003	0.15	0.54	42.9	1	1.7	182.5	0.40	<0.05	3.24	1.220	0.17	1.0	852
8169		19.8	0.003	0.29	0.57	40.6	1	1.8	175.5	0.39	<0.05	3.30	1.290	0.15	1.2	907
8170		24.6	0.002	0.17	0.56	40.6	1	1.5	180.0	0.39	<0.05	3.39	1.140	0.14	1.1	761
8171		30.4	0.004	0.16	0.43	41.2	1	1.4	153.5	0.40	<0.05	3.39	1.170	0.16	1.0	774
8172		38.2	0.003	0.16	0.41	38.8	1	1.4	168.5	0.40	<0.05	3.36	1.210	0.23	1.0	853
8173		43.1	0.002	0.33	0.34	33.7	1	1.3	162.5	0.39	0.05	3.21	1.105	0.24	1.0	717
8174		55.9	0.004	0.18	0.36	30.2	1	1.2	176.5	0.48	<0.05	2.81	1.955	0.30	0.9	1690
8175		0.3	<0.002	<0.01	0.11	0.3	<1	<0.2	84.5	<0.05	<0.05	0.07	0.011	<0.02	0.3	6
8176		16.2	0.002	0.13	0.66	25.0	<1	1.1	324	0.24	<0.05	4.53	0.504	0.09	1.6	338
8177		27.1	0.002	0.13	0.47	34.3	1	1.2	197.0	0.31	<0.05	3.21	0.681	0.15	1.0	297
8178		18.0	0.003	0.15	0.49	31.7	1	1.1	221	0.32	<0.05	2.56	0.607	0.16	1.2	249
8179		21.3	<0.002	0.13	0.51	33.5	1	1.2	196.0	0.30	<0.05	2.66	0.596	0.09	0.8	258
8180		12.5	0.002	0.12	0.44	32.9	1	1.1	193.5	0.29	<0.05	2.53	0.602	0.09	0.8	257
8181		30.3	0.002	8.49	311	5.4	86	3.0	358	0.56	35.9	4.47	0.181	16.05	2.6	40
8182		6.2	0.002	0.08	0.36	31.2	<1	0.9	162.0	0.27	<0.05	2.58	0.557	0.06	0.8	241
8183		37.7	<0.002	0.11	0.42	32.2	1	1.0	211	0.29	<0.05	2.53	0.570	0.24	0.8	244
8184		32.6	<0.002	0.06	0.40	30.8	1	0.9	220	0.28	<0.05	2.39	0.546	0.18	0.7	235
8185		17.7	<0.002	0.08	0.34	29.3	1	0.9	220	0.28	<0.05	2.43	0.518	0.14	0.7	219
8186		18.5	<0.002	0.07	0.36	30.1	1	1.2	234	0.25	<0.05	1.94	0.509	0.12	0.8	223
8187		13.5	<0.002	0.15	0.19	7.8	1	0.7	24.0	0.74	<0.05	12.30	0.186	0.14	4.7	66
8188		10.9	<0.002	0.09	0.36	30.7	1	1.1	262	0.24	<0.05	1.97	0.522	0.10	0.7	228
8189		25.9	<0.002	0.07	0.28	33.7	<1	0.7	192.5	0.21	<0.05	1.73	0.420	0.18	0.5	213
8190		10.2	0.002	0.07	0.42	30.7	<1	0.7	222	0.21	<0.05	1.85	0.440	0.08	0.6	208
8191		27.4	<0.002	0.07	0.28	34.9	1	0.7	188.5	0.19	<0.05	1.78	0.427	0.18	0.6	213
8192		7.3	<0.002	0.05	0.28	34.7	1	0.8	213	0.18	<0.05	1.34	0.419	0.06	0.5	215
8193		41.2	<0.002	0.70	0.20	24.8	1	1.8	164.0	0.21	0.06	2.14	0.418	0.36	2.9	245
8194		50.4	<0.002	0.23	0.20	33.6	1	0.7	130.0	0.16	<0.05	1.27	0.431	0.35	0.9	220
8195		19.4	<0.002	0.07	0.24	32.9	1	0.6	177.5	0.17	<0.05	1.30	0.410	0.16	0.4	208
8196		13.7	<0.002	0.09	0.28	35.2	<1	0.7	202	0.19	<0.05	1.50	0.449	0.07	0.5	223
8197		10.9	<0.002	0.05	0.30	32.6	<1	0.7	181.5	0.20	<0.05	2.27	0.412	0.08	1.0	213
8198		21.2	<0.002	0.09	0.28	35.9	1	0.7	184.0	0.20	<0.05	1.70	0.414	0.12	0.5	217
8199		28.9	<0.002	0.07	0.25	36.4	1	0.7	198.5	0.19	<0.05	1.76	0.418	0.18	0.5	220
8200		29.4	<0.002	0.07	0.28	36.2	1	0.7	197.5	0.20	<0.05	1.70	0.427	0.20	0.5	223
8201		10.8	0.050	8.40	3.00	8.5	23	3.0	184.5	0.31	4.21	1.01	0.542	0.17	0.3	80
8202		25.5	<0.002	0.07	0.25	35.3	<1	0.6	187.0	0.19	<0.05	1.66	0.421	0.16	0.5	219
8203		16.1	<0.002	0.07	0.27	35.6	1	0.7	195.0	0.20	<0.05	1.65	0.420	0.09	0.5	221
8204		28.9	<0.002	0.08	0.22	34.9	<1	0.6	185.5	0.19	<0.05	1.43	0.415	0.20	0.5	213
8205		11.3	<0.002	0.07	0.24	29.6	1	0.9	187.5	0.40	<0.05	4.06	0.405	0.07	1.9	185

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8166		0.6	25.0	139	102.5				78.0	87.1
8167		0.6	26.4	152	111.0					86.7
8168		0.5	26.6	142	104.0					
8169		1.0	26.6	137	101.5					
8170		0.6	26.2	128	111.5					
8171		0.6	25.9	133	106.0					
8172		0.6	26.1	125	111.0					
8173		0.6	23.9	118	102.5					
8174		0.8	20.3	110	99.3					
8175		<0.1	2.1	3	2.1					
8176		0.4	24.4	72	108.5					
8177		0.6	25.9	114	98.3					
8178		0.5	23.5	106	81.1					
8179		0.6	20.3	100	78.8					
8180		0.6	20.2	95	75.3					
8181		29.4	4.6	2170	98.6	952	4.74			
8182		0.5	18.6	110	61.5					
8183		0.4	19.8	95	72.0					
8184		0.5	18.3	110	65.3					
8185		0.3	17.2	83	65.8					
8186		0.4	16.8	82	57.9					
8187		0.1	13.8	40	122.0					
8188		0.5	16.1	79	46.1					
8189		0.3	14.0	72	49.5					
8190		0.4	14.3	75	53.1					
8191		0.3	14.3	69	54.9					
8192		0.6	14.1	74	43.6					
8193		0.6	9.2	61	61.5					
8194		0.3	11.2	76	45.2					
8195		0.3	13.1	74	42.1					
8196		0.4	14.0	68	45.0					
8197		0.5	15.4	66	50.0					
8198		0.3	14.0	69	48.8					
8199		0.3	14.4	69	52.4					
8200		0.3	14.0	69	49.2					
8201		2.6	9.3	140	51.0		1.625	4.60		
8202		0.3	14.1	70	46.0					
8203		0.3	13.9	70	47.1					
8204		0.3	13.9	82	44.6					
8205		0.4	24.2	69	102.5				75.0	89.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8206		2.31	0.05	7.52	2.8	80	0.61	0.06	7.00	0.04	16.70	49.6	75	0.28	102.0	7.58
8207		2.35	0.05	7.65	4.9	90	0.77	0.08	7.33	0.07	16.30	54.7	74	0.43	99.5	7.55
8208		2.01	0.03	7.59	2.5	100	0.57	0.08	6.78	0.02	20.4	45.2	81	0.48	101.5	7.21
8209		2.27	0.03	7.59	3.0	200	0.70	0.08	6.68	0.03	18.35	47.9	84	0.67	128.0	6.92
8210		2.40	0.03	7.81	4.3	120	0.45	0.10	7.01	0.05	14.95	45.1	86	0.49	74.2	7.46
8211		2.57	0.05	7.67	2.4	70	0.53	0.07	7.33	0.10	16.80	47.8	81	0.34	121.0	7.78
8212		2.39	0.03	7.48	2.9	50	0.61	0.10	6.40	0.02	18.85	51.0	65	0.22	98.8	7.97
8213		2.41	0.05	7.29	2.2	160	0.52	0.12	7.06	0.04	16.85	52.9	55	1.44	115.5	8.28
8214		2.47	0.05	7.31	1.9	480	0.69	0.13	5.89	0.05	21.8	45.5	53	3.20	122.0	8.18
8215		2.06	0.03	6.89	4.4	240	2.75	0.04	0.70	0.04	270	6.2	8	0.52	45.7	1.48
8216		1.49	<0.01	7.61	3.3	1110	2.89	0.05	0.41	0.03	353	4.3	8	0.83	9.0	1.76
8217		1.27	0.02	7.26	3.4	520	3.82	0.04	0.47	0.05	235	8.2	10	0.72	3.4	1.89
8218		2.11	0.01	6.62	2.6	190	2.61	0.05	0.37	0.04	255	14.5	10	0.40	2.6	1.53
8219		2.09	0.03	6.60	3.3	140	2.32	0.04	0.23	0.02	128.5	11.5	12	0.61	2.5	1.65
8220		2.02	0.01	6.78	1.5	160	2.00	0.03	0.59	0.02	406	3.3	20	0.17	2.5	1.30
8221		1.99	<0.01	6.40	1.2	750	2.53	0.02	0.52	<0.02	221	2.4	15	0.34	1.1	1.41
8222		2.18	<0.01	6.98	1.9	600	2.87	0.04	0.43	<0.02	450	5.9	15	0.60	1.9	2.55
8223		2.02	0.01	6.16	2.0	820	2.33	0.04	0.48	0.02	383	2.9	15	0.37	2.0	1.82
8224		2.11	<0.01	7.16	2.8	1220	2.14	0.09	0.56	0.02	500	6.2	13	0.54	3.1	2.62
8225		1.00	<0.01	0.06	<0.2	20	0.06	0.01	32.0	<0.02	2.10	0.5	2	<0.05	1.6	0.11
8226		2.01	0.01	7.46	1.2	850	3.20	0.08	0.80	0.02	>500	3.5	9	1.15	2.7	3.76
8227		2.06	<0.01	6.91	2.1	1260	2.22	0.05	0.60	<0.02	500	4.4	11	0.60	3.6	1.99
8228		2.23	0.01	7.10	2.5	1100	2.54	0.05	0.46	<0.02	424	6.9	18	0.77	4.0	2.06
8229		2.09	0.04	6.84	2.7	1300	2.58	0.06	0.46	0.04	193.5	10.6	23	0.79	8.0	1.98
8230		2.31	0.03	6.94	3.7	1060	2.45	0.06	0.55	<0.02	155.5	16.9	24	1.31	14.5	2.72
8231		1.43	<0.01	6.70	2.1	290	2.79	0.06	0.86	<0.02	179.5	8.4	18	0.57	4.2	1.55
8232		1.74	0.40	6.11	2.7	530	1.47	0.47	5.40	2.35	227	136.0	5	1.75	125.5	8.05
8233		1.40	0.03	6.08	2.3	270	2.32	0.71	2.92	0.02	44.9	60.5	4	1.56	47.2	12.35
8234		2.23	0.94	6.17	1.6	100	1.78	0.74	4.54	0.30	35.6	137.0	3	0.49	2620	10.35
8235		2.23	0.25	5.87	2.2	170	1.66	0.63	4.27	0.03	34.4	127.0	3	0.98	1310	11.60
8236		1.24	0.03	6.09	1.7	290	2.02	0.80	2.44	<0.02	47.2	66.7	4	2.22	101.0	13.35
8237		1.43	0.04	6.20	1.5	220	1.71	0.77	3.25	<0.02	50.0	66.8	10	1.81	89.3	12.00
8238		1.44	0.11	6.44	1.2	30	0.86	0.14	0.84	0.20	36.6	39.2	59	0.14	196.5	2.84
8239		0.99	0.25	6.37	0.8	20	0.96	0.16	0.86	0.37	51.0	21.4	57	0.09	464	1.88
8240		0.95	0.25	6.16	0.6	20	0.88	0.15	0.93	0.41	51.1	21.3	63	0.08	446	1.88
8241		0.08	4.15	5.56	15.8	120	0.60	0.94	3.44	2.19	17.45	972	261	0.81	>10000	17.95
8242		2.16	0.09	6.22	2.8	40	1.00	0.21	1.17	0.28	28.3	23.5	65	0.26	72.2	2.07
8243		2.05	0.02	6.34	13.2	30	1.13	0.41	0.85	<0.02	41.3	42.2	67	0.19	12.4	2.28
8244		2.13	0.03	6.11	10.5	30	1.12	0.44	0.79	<0.02	25.1	35.8	59	0.21	179.0	2.36
8245		2.07	0.14	5.90	17.5	30	1.05	0.34	0.55	0.02	24.2	27.7	56	0.18	23.9	2.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8206		16.85	0.06	1.4	0.054	0.30	7.4	8.1	3.90	1300	0.73	1.62	2.8	95.2	300	3.1
8207		18.85	0.06	1.6	0.059	0.42	7.0	9.0	3.74	1220	0.61	1.70	3.4	90.5	290	12.0
8208		16.85	0.06	1.5	0.064	0.43	9.4	12.3	3.88	1120	0.76	1.79	2.9	94.8	280	4.2
8209		16.75	0.06	1.4	0.051	0.88	8.0	18.2	3.96	1140	0.53	1.39	2.6	96.7	270	4.5
8210		16.70	<0.05	1.3	0.068	0.56	6.7	11.7	3.99	1180	0.54	1.78	2.5	95.4	270	5.2
8211		17.25	0.05	1.6	0.061	0.28	7.5	9.7	4.05	1230	0.59	1.47	2.7	122.0	290	8.6
8212		15.95	0.06	1.3	0.062	0.25	8.3	16.9	4.60	1220	0.49	1.65	2.8	121.0	300	3.0
8213		17.15	0.07	1.4	0.060	0.76	7.4	10.6	4.47	1340	0.55	1.30	2.8	137.5	310	3.8
8214		17.30	0.08	1.5	0.052	2.36	10.1	22.5	3.87	1160	0.49	1.13	3.2	95.1	300	11.1
8215		20.3	0.23	7.7	0.016	0.69	151.5	9.1	0.40	152	0.98	4.73	21.8	2.0	350	67.1
8216		22.6	0.31	8.2	0.012	3.28	195.0	8.7	0.34	149	5.20	3.96	25.7	1.5	420	31.8
8217		23.2	0.20	7.3	0.010	1.45	131.0	11.4	0.42	161	1.01	4.85	24.3	2.9	350	14.1
8218		20.0	0.23	6.1	0.008	0.61	147.0	7.0	0.29	121	0.72	5.03	20.0	3.7	270	31.2
8219		20.6	0.12	6.0	0.006	0.70	71.4	10.1	0.42	109	0.94	5.21	19.3	4.8	290	20.9
8220		22.0	0.32	6.4	0.009	0.55	231	3.6	0.13	91	2.68	5.52	21.2	1.3	310	7.3
8221		19.15	0.21	6.2	0.009	2.00	124.5	6.6	0.23	91	1.09	4.10	21.7	1.7	400	8.7
8222		22.0	0.38	8.7	0.015	2.17	245	12.1	0.42	140	0.91	4.19	27.0	3.6	570	17.6
8223		18.35	0.37	7.5	0.015	2.51	210	9.3	0.30	137	2.71	3.48	28.9	1.7	530	26.3
8224		22.7	0.49	11.0	0.020	3.39	288	10.8	0.37	161	0.94	3.61	39.6	1.9	870	22.2
8225		0.23	<0.05	0.1	<0.005	0.01	1.8	1.4	1.32	78	0.12	0.03	0.2	<0.2	60	<0.5
8226		31.5	0.85	17.8	0.052	2.70	500	17.8	0.61	252	0.41	4.20	65.4	3.4	1330	35.2
8227		22.5	0.49	10.1	0.021	3.67	284	10.6	0.40	150	3.17	3.35	40.1	2.3	800	28.0
8228		23.6	0.42	10.9	0.018	3.24	230	11.6	0.45	165	11.95	3.64	39.4	2.9	780	33.3
8229		21.0	0.21	5.8	0.017	3.18	112.0	12.8	0.51	189	2.69	3.30	17.0	7.5	310	17.7
8230		22.6	0.18	5.5	0.018	2.89	86.3	17.1	0.71	279	12.20	3.34	17.4	13.4	290	27.5
8231		18.95	0.18	6.1	0.014	0.67	102.0	9.7	0.30	183	3.90	4.33	19.8	2.0	280	14.8
8232		22.0	0.24	4.1	0.077	1.73	129.5	21.2	1.38	1220	6.54	2.77	8.5	21.5	640	849
8233		24.2	0.14	3.9	0.106	1.11	21.0	15.6	1.34	1110	1.96	2.12	8.4	4.5	770	16.1
8234		28.5	0.10	4.3	0.112	0.37	17.0	12.1	2.01	1500	2.79	1.96	8.3	19.9	760	53.8
8235		29.2	0.09	3.8	0.077	0.65	15.9	14.8	1.91	1340	2.15	1.84	8.1	22.4	740	10.1
8236		22.9	0.11	4.1	0.111	1.19	22.1	12.9	1.29	931	1.89	2.09	8.6	4.1	790	5.0
8237		22.1	0.11	3.6	0.111	0.92	23.9	11.3	1.28	881	1.74	2.16	8.1	7.4	700	3.7
8238		13.65	0.07	2.1	0.009	0.13	17.6	5.3	0.85	343	1.16	4.33	4.2	18.2	310	41.6
8239		13.10	0.08	1.9	0.020	0.10	24.8	3.8	0.64	267	0.96	4.61	4.3	17.1	310	80.1
8240		12.85	0.08	2.2	0.018	0.09	24.3	3.8	0.64	279	1.25	4.59	4.4	18.2	320	76.8
8241		11.90	0.25	1.3	0.121	0.31	7.5	9.2	3.99	998	4.74	1.18	5.3	>10000	480	13.7
8242		13.10	0.05	2.1	0.011	0.21	13.1	4.1	0.73	281	1.45	4.44	4.3	33.6	310	114.0
8243		14.00	0.08	2.1	0.007	0.13	19.3	5.8	0.75	223	1.19	4.56	4.6	23.2	340	2.0
8244		14.15	<0.05	1.7	0.009	0.16	11.7	5.8	0.77	206	1.65	4.35	3.4	21.3	260	1.7
8245		14.70	<0.05	1.7	0.009	0.12	11.5	7.3	0.99	198	1.80	4.08	3.0	23.8	250	1.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8206		15.4	<0.002	0.09	0.29	35.1	1	0.8	210	0.21	<0.05	1.65	0.463	0.10	0.5	229
8207		32.8	<0.002	0.13	0.32	34.1	1	1.2	239	0.24	<0.05	1.66	0.471	0.19	0.8	237
8208		38.9	<0.002	0.08	0.34	34.2	<1	0.7	228	0.22	<0.05	3.13	0.431	0.21	1.3	215
8209		65.3	<0.002	0.10	0.30	34.3	1	0.7	215	0.20	<0.05	1.74	0.426	0.34	1.0	216
8210		35.0	<0.002	0.07	0.35	33.9	1	0.8	252	0.19	<0.05	1.57	0.430	0.19	0.6	224
8211		15.0	<0.002	0.08	0.31	35.1	1	0.7	210	0.20	<0.05	1.66	0.460	0.14	0.8	232
8212		10.5	<0.002	0.07	0.31	34.0	1	0.7	231	0.20	<0.05	2.00	0.467	0.04	0.8	229
8213		49.1	<0.002	0.08	0.31	35.7	1	0.7	205	0.20	<0.05	1.74	0.476	0.32	0.6	238
8214		132.5	<0.002	0.07	0.25	34.8	1	0.9	169.5	0.22	<0.05	3.08	0.485	0.79	0.9	238
8215		36.3	<0.002	0.04	0.21	5.7	<1	1.1	74.6	1.25	<0.05	81.7	0.188	0.18	17.9	18
8216		85.9	<0.002	0.02	0.17	6.7	1	1.6	47.5	1.54	<0.05	96.6	0.219	0.37	15.8	21
8217		59.1	<0.002	0.01	0.19	5.7	<1	1.4	73.4	1.35	<0.05	91.0	0.191	0.27	19.3	19
8218		29.3	<0.002	0.06	0.13	4.7	1	1.4	43.3	1.07	<0.05	71.6	0.163	0.18	16.1	16
8219		40.1	<0.002	0.06	0.13	4.7	<1	1.2	36.0	0.98	<0.05	76.8	0.164	0.21	16.2	16
8220		19.7	<0.002	0.03	0.12	6.0	1	1.6	44.7	0.98	<0.05	73.7	0.168	0.09	13.6	17
8221		67.8	<0.002	0.02	0.12	5.1	<1	1.7	73.7	0.88	<0.05	64.7	0.166	0.26	12.5	16
8222		91.9	<0.002	0.04	0.12	8.2	1	1.8	65.7	1.03	<0.05	98.6	0.246	0.39	16.0	25
8223		83.7	<0.002	0.01	0.12	6.8	1	1.8	71.5	1.28	<0.05	87.2	0.223	0.31	52.2	17
8224		116.0	<0.002	0.03	0.14	8.5	1	2.6	93.1	1.37	<0.05	99.8	0.338	0.44	13.5	23
8225		0.4	<0.002	<0.01	0.08	0.2	1	<0.2	80.1	<0.05	<0.05	0.33	0.005	<0.02	0.2	1
8226		154.0	<0.002	0.01	0.14	14.5	1	5.1	118.0	2.67	<0.05	185.5	0.518	0.67	20.3	39
8227		121.0	<0.002	0.02	0.14	8.6	1	2.3	85.4	1.48	<0.05	109.0	0.320	0.50	17.8	23
8228		115.5	0.002	0.03	0.15	11.6	1	2.1	70.3	1.78	<0.05	103.0	0.322	0.46	20.3	25
8229		99.6	<0.002	0.04	0.17	6.7	1	1.9	84.6	0.74	<0.05	65.6	0.176	0.41	14.2	30
8230		109.5	<0.002	0.06	0.18	9.0	1	2.0	84.1	0.80	<0.05	65.9	0.211	0.50	13.0	46
8231		37.3	<0.002	0.01	0.17	4.9	1	1.6	130.5	0.85	<0.05	75.0	0.163	0.17	12.2	14
8232		82.0	0.004	0.94	0.42	39.6	2	1.6	68.4	0.53	<0.05	11.70	0.935	1.66	6.5	122
8233		62.7	0.004	0.20	0.27	30.6	1	2.1	141.0	0.58	<0.05	5.26	1.155	0.41	2.6	54
8234		20.1	0.007	0.79	0.18	32.3	1	2.0	82.3	0.55	0.12	5.12	1.105	0.25	2.5	81
8235		39.5	0.007	0.59	0.20	31.0	2	2.0	76.0	0.54	0.05	4.84	0.988	0.27	3.3	82
8236		76.4	<0.002	0.22	0.30	30.6	1	1.9	169.5	0.58	<0.05	5.99	1.080	0.48	2.5	48
8237		61.3	<0.002	0.21	0.30	29.3	1	2.1	192.0	0.54	<0.05	6.89	1.050	0.45	3.2	60
8238		5.7	<0.002	0.31	0.14	6.6	1	0.7	24.4	0.39	<0.05	4.35	0.180	0.10	2.1	46
8239		3.6	<0.002	0.21	0.10	6.9	<1	1.1	22.2	0.40	<0.05	5.17	0.177	0.04	2.1	41
8240		3.4	<0.002	0.21	0.12	6.7	1	1.1	22.0	0.43	<0.05	4.58	0.181	0.04	2.0	40
8241		11.3	0.054	8.39	3.61	8.9	24	2.6	185.5	0.31	4.41	1.03	0.529	0.16	0.3	79
8242		10.2	<0.002	0.32	0.13	6.9	<1	1.1	25.0	0.41	<0.05	4.75	0.178	0.08	1.9	44
8243		6.3	<0.002	0.45	0.12	6.9	1	1.1	27.0	0.44	<0.05	4.84	0.186	0.05	2.0	47
8244		8.2	<0.002	0.42	0.10	6.1	<1	0.7	30.3	0.33	<0.05	4.36	0.147	0.05	1.7	42
8245		5.9	<0.002	0.39	0.15	6.5	<1	0.6	28.5	0.28	0.05	3.80	0.142	0.04	1.5	48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8206		0.4	15.6	82	56.3					
8207		0.3	17.3	84	59.2					
8208		0.4	15.3	72	56.4					
8209		0.3	15.2	70	50.1					
8210		0.4	14.5	79	44.6					
8211		0.4	15.5	96	52.3					
8212		0.4	15.1	76	48.2					
8213		0.4	16.3	87	51.4					
8214		0.3	15.2	91	55.0					
8215		0.3	18.6	22	280					
8216		0.3	22.6	22	291					
8217		0.3	19.4	23	277					
8218		0.3	17.1	18	235					
8219		0.4	13.8	14	235					
8220		0.5	15.1	6	247					
8221		0.5	14.3	10	241					
8222		0.5	23.5	17	354					
8223		0.4	25.6	14	311					
8224		0.4	30.7	18	453					
8225		<0.1	1.9	2	2.1					
8226		0.6	55.5	26	>500					
8227		0.5	29.8	16	415					
8228		0.7	28.4	18	438					
8229		0.3	15.9	24	218					
8230		0.3	17.5	31	204					
8231		0.2	15.9	16	228					
8232		0.8	28.4	476	159.5					
8233		0.8	35.1	58	155.0					
8234		1.1	40.4	126	159.0					
8235		0.9	39.0	76	153.5					
8236		0.9	35.1	50	160.5					
8237		1.0	32.3	49	148.5					
8238		0.3	8.6	75	76.7					
8239		0.3	10.4	99	73.0					
8240		0.4	10.1	107	83.9					
8241		2.4	9.5	138	54.1		1.615	4.54		
8242		0.3	9.2	72	78.2					
8243		0.2	10.1	21	81.5					
8244		0.2	7.4	20	63.2					
8245		0.4	6.7	25	63.5				79.4	92.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8246		1.58	0.02	5.73	8.1	20	0.98	0.18	0.70	<0.02	8.07	20.0	44	0.15	3.5	1.85
8247		0.98	0.02	7.27	5.2	40	2.32	0.43	0.49	<0.02	55.1	65.2	90	0.26	4.6	4.10
8248		2.12	0.02	6.18	10.6	30	1.66	0.62	0.51	<0.02	24.6	54.5	60	0.28	4.5	2.50
8249		1.94	0.01	6.41	1.0	20	1.19	0.03	0.23	<0.02	40.2	26.9	72	0.15	2.9	2.75
8250		2.13	0.01	5.89	1.8	20	0.94	0.12	0.26	0.02	23.9	34.1	53	0.09	6.2	2.18
8251		1.30	0.01	6.31	2.3	20	1.14	0.04	0.38	0.02	47.2	63.3	64	0.07	4.9	2.55
8252		1.65	0.03	5.77	7.7	10	0.86	0.14	0.15	<0.02	14.75	139.5	49	0.07	24.7	3.23
8253		1.32	0.03	5.99	4.7	20	1.08	0.11	0.53	0.03	33.2	88.5	49	0.06	14.9	2.37
8254		1.83	0.01	5.67	2.2	10	1.08	0.04	0.19	<0.02	16.35	33.5	46	0.05	5.2	2.09
8255		2.13	0.02	5.80	1.4	10	1.13	0.03	0.33	<0.02	23.0	18.8	46	0.08	4.3	2.33
8256		2.08	0.02	6.00	1.3	20	1.12	0.04	0.41	<0.02	17.65	19.2	47	0.09	4.3	2.64
8257		2.51	0.05	5.83	2.7	30	2.13	0.11	0.45	<0.02	24.2	78.2	53	0.21	3.3	4.96
8258		2.03	0.02	4.57	3.0	80	2.06	0.13	0.39	<0.02	48.7	125.0	41	0.44	1.1	13.25
8259		2.26	0.02	5.92	0.8	20	1.16	0.03	0.32	<0.02	65.9	14.3	47	0.15	2.9	2.93
8260		2.18	0.02	6.19	0.8	20	1.18	0.02	0.72	<0.02	29.0	14.2	47	0.07	4.7	2.90
8261		2.20	0.01	6.40	1.1	30	1.35	0.03	0.67	<0.02	45.5	15.1	59	0.16	3.6	3.75
8262		2.18	0.01	5.81	1.9	30	1.48	0.05	0.36	<0.02	91.4	29.7	44	0.14	3.9	5.79
8263		1.14	0.01	6.19	3.0	30	1.35	0.05	1.01	<0.02	37.5	48.1	52	0.15	2.0	3.58
8264		1.66	<0.01	6.48	2.8	40	1.18	0.04	0.72	<0.02	47.2	38.4	55	0.23	2.4	3.95
8265		1.18	0.05	7.59	0.7	60	1.87	0.02	0.41	<0.02	66.1	9.2	95	0.43	2.8	4.48
8266		1.20	0.03	7.57	2.0	50	2.92	0.03	0.43	<0.02	75.7	13.3	99	0.30	5.5	3.80
8267		1.19	0.02	7.19	0.5	70	1.75	0.02	0.28	<0.02	73.6	6.3	82	0.40	8.6	3.31
8268		1.88	0.02	6.11	2.1	30	1.12	0.05	0.41	<0.02	28.0	33.9	47	0.21	2.4	2.73
8269		2.16	0.02	5.81	3.3	20	1.16	0.08	0.34	<0.02	15.25	73.8	39	0.13	0.6	1.94
8270		2.07	0.01	6.05	2.5	20	1.36	0.05	0.23	<0.02	28.4	39.1	55	0.15	3.6	2.08
8271		2.06	0.20	6.66	2.4	40	1.39	0.04	0.59	<0.02	57.7	17.1	80	0.50	21.6	3.83
8272		2.18	0.01	7.27	1.6	70	1.74	0.03	1.18	<0.02	47.2	13.0	67	0.87	11.3	5.11
8273		1.30	0.01	7.45	0.4	80	1.83	0.02	1.43	<0.02	47.5	10.6	86	1.10	3.3	5.51
8274		1.28	<0.01	7.38	0.7	80	1.89	0.02	1.35	<0.02	57.4	9.2	78	0.91	1.4	5.90
8275		0.98	<0.01	0.09	<0.2	10	0.06	0.01	33.0	<0.02	1.41	0.6	2	<0.05	1.6	0.13
8276		1.68	0.01	6.66	0.6	20	1.07	0.02	0.83	<0.02	37.4	21.1	70	0.21	11.6	3.34
8277		1.52	<0.01	7.51	0.5	60	2.81	0.02	0.93	<0.02	65.6	13.1	97	0.44	4.2	3.66
8278		1.47	0.01	7.13	1.1	70	2.27	0.03	1.57	<0.02	47.6	14.6	85	0.63	21.9	3.25
8279		0.81	0.05	7.47	1.3	160	0.83	0.14	6.64	0.05	17.50	49.6	49	1.58	131.5	8.09
8280		0.74	0.05	7.66	1.5	160	0.80	0.14	6.61	0.03	17.60	51.7	51	1.64	136.5	8.37
8281		0.07	>100	5.66	1745	170	0.75	17.05	0.29	14.25	23.8	97.8	29	1.74	>10000	3.79
8282		2.45	0.41	7.43	2.5	90	0.50	0.13	6.89	0.06	17.15	48.7	50	0.45	161.0	8.08
8283		2.16	0.16	7.56	1.9	30	0.42	0.12	6.87	0.05	13.00	40.4	49	0.08	119.0	8.29
8284		1.90	0.07	7.59	1.9	40	1.13	0.19	6.35	0.05	16.85	54.7	51	0.11	113.5	8.72
8285		1.02	0.04	5.62	1.1	50	1.37	0.12	4.46	0.06	25.3	36.7	50	0.19	44.8	6.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8246		11.45	<0.05	1.3	<0.005	0.11	3.8	4.4	0.61	149	1.93	4.20	2.2	14.8	190	2.4
8247		23.4	0.10	2.7	0.014	0.17	26.8	15.7	1.45	230	1.79	4.63	6.0	40.4	490	1.8
8248		15.85	0.05	1.8	0.006	0.14	11.0	5.9	0.65	136	1.46	4.63	3.8	25.6	280	1.6
8249		21.2	0.05	2.5	0.007	0.09	19.6	9.0	1.04	174	1.29	4.43	4.5	25.0	390	1.3
8250		23.4	0.05	1.7	0.006	0.07	10.8	7.2	0.86	141	1.18	4.12	3.3	26.3	260	2.3
8251		22.9	0.06	2.2	0.006	0.08	22.5	8.0	0.88	145	2.39	4.50	4.1	24.5	350	2.4
8252		21.2	0.05	1.5	0.006	0.04	6.9	8.8	0.88	110	1.24	3.84	2.0	37.5	210	4.0
8253		20.6	0.06	1.8	0.008	0.06	15.5	6.9	0.78	145	2.30	4.22	2.7	28.7	290	7.7
8254		19.90	<0.05	1.6	<0.005	0.04	7.3	6.6	0.76	108	1.66	4.12	2.0	19.4	210	3.8
8255		21.6	<0.05	1.6	<0.005	0.05	10.3	7.0	0.81	133	1.84	4.11	1.9	19.6	220	3.6
8256		19.10	<0.05	1.4	<0.005	0.07	8.0	6.6	0.77	135	1.75	4.17	2.0	19.1	220	3.6
8257		22.1	0.05	1.4	0.006	0.13	11.1	7.6	0.82	143	1.55	3.95	1.8	23.3	230	3.5
8258		21.1	0.09	1.1	0.014	0.26	24.0	7.1	0.75	153	2.47	3.12	1.5	24.1	160	3.4
8259		22.2	0.06	1.4	0.008	0.10	32.0	7.8	0.90	133	1.12	4.02	1.7	23.4	220	3.6
8260		18.45	0.06	1.7	<0.005	0.06	13.2	7.6	0.88	184	0.99	4.26	2.2	20.0	260	3.7
8261		18.60	0.07	2.0	0.007	0.11	22.6	8.4	0.99	198	1.25	4.35	2.8	25.2	290	3.4
8262		18.25	0.11	1.4	0.010	0.08	46.8	8.8	1.04	148	1.09	3.74	1.9	26.9	230	3.2
8263		18.00	0.07	1.9	0.011	0.09	19.4	8.0	0.98	180	1.04	4.23	2.8	25.7	290	3.3
8264		21.6	0.07	1.9	0.008	0.14	23.5	8.9	1.10	153	0.71	4.34	3.7	27.6	340	4.2
8265		23.1	0.08	3.3	0.022	0.21	33.6	17.7	1.84	206	1.21	4.52	5.8	46.6	570	1.7
8266		23.5	0.12	3.5	0.024	0.17	38.0	18.1	1.80	174	0.89	4.73	6.6	48.7	580	1.6
8267		20.8	0.09	2.7	0.016	0.24	36.1	15.3	1.36	165	2.50	4.69	5.2	33.4	370	1.6
8268		17.15	0.06	1.6	0.006	0.14	12.9	6.0	0.73	117	0.76	4.52	2.0	19.4	280	3.0
8269		16.50	0.05	1.6	<0.005	0.09	6.9	4.9	0.55	91	0.95	4.49	1.0	15.5	190	2.9
8270		17.50	0.06	1.7	0.005	0.10	12.7	4.5	0.59	89	1.31	4.76	2.0	15.7	260	2.7
8271		20.2	0.09	2.1	0.018	0.21	28.5	10.1	1.38	191	1.04	4.34	4.2	36.0	320	3.0
8272		21.0	0.10	2.8	0.020	0.34	23.9	14.6	1.93	287	1.00	4.37	5.6	44.8	450	3.1
8273		20.6	0.09	2.4	0.027	0.44	23.9	17.9	2.36	363	0.51	4.23	5.1	52.3	550	2.2
8274		21.0	0.11	2.6	0.025	0.40	28.6	16.3	2.21	367	0.95	4.19	5.8	52.1	410	2.6
8275		0.36	<0.05	0.1	<0.005	0.01	1.4	1.5	1.17	82	0.09	0.04	0.2	<0.2	50	<0.5
8276		18.45	0.07	3.0	0.013	0.10	18.9	7.2	1.22	220	0.54	4.45	4.9	25.1	450	1.6
8277		21.9	0.09	3.7	0.020	0.21	31.8	12.3	1.86	290	0.57	4.54	7.1	42.2	540	2.1
8278		19.60	0.08	2.9	0.011	0.28	23.2	11.7	1.64	382	0.97	4.40	6.0	44.1	490	2.4
8279		17.90	0.07	1.6	0.062	0.75	7.7	13.2	3.84	1140	0.52	1.73	3.1	88.3	320	5.2
8280		18.90	0.07	1.7	0.062	0.76	7.7	14.2	3.95	1160	0.50	1.80	3.2	92.3	340	5.6
8281		33.1	0.26	2.8	4.30	1.05	10.1	23.8	0.05	95	5.68	0.58	7.6	1560	520	1380
8282		16.65	0.06	1.7	0.066	0.33	7.4	11.5	3.86	1240	0.63	1.72	3.0	89.4	320	5.3
8283		13.20	0.05	1.3	0.048	0.11	5.7	8.1	4.02	1260	0.46	2.00	2.4	78.2	300	3.9
8284		21.1	0.06	1.4	0.071	0.14	7.5	12.2	4.28	1210	0.38	1.86	3.0	91.4	320	5.9
8285		20.1	0.05	0.9	0.056	0.15	12.1	11.4	3.04	891	0.91	1.72	2.4	44.8	230	10.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8246		4.7	<0.002	0.32	0.10	4.6	<1	0.6	24.6	0.21	<0.05	3.50	0.109	0.03	1.2	30
8247		8.8	<0.002	0.83	0.15	11.4	1	1.1	54.2	0.53	<0.05	6.51	0.261	0.05	2.5	80
8248		7.6	<0.002	0.74	0.12	5.5	<1	1.0	32.0	0.36	<0.05	4.19	0.156	0.05	1.7	39
8249		3.9	<0.002	0.15	0.12	8.1	<1	1.1	33.3	0.42	<0.05	5.19	0.194	0.02	2.1	57
8250		2.2	<0.002	0.13	0.09	6.1	1	1.1	24.1	0.32	<0.05	4.06	0.135	0.02	1.6	40
8251		2.2	<0.002	0.26	0.12	6.6	<1	1.0	29.7	0.39	<0.05	5.19	0.169	0.02	1.9	52
8252		0.9	<0.002	1.02	0.11	5.5	1	0.5	19.7	0.20	<0.05	3.25	0.098	0.02	2.5	38
8253		1.4	<0.002	0.48	0.13	5.5	<1	1.1	28.8	0.29	<0.05	4.21	0.126	0.02	1.5	40
8254		0.8	<0.002	0.16	0.10	4.3	<1	0.5	22.0	0.22	<0.05	3.43	0.096	<0.02	1.1	36
8255		1.4	<0.002	0.10	0.10	5.1	<1	0.7	22.5	0.21	<0.05	3.72	0.096	<0.02	1.4	38
8256		2.5	<0.002	0.16	0.11	5.4	<1	0.7	23.8	0.20	<0.05	3.63	0.104	0.02	1.1	41
8257		5.6	<0.002	0.37	0.13	7.3	1	0.8	28.3	0.20	<0.05	3.62	0.101	0.04	1.6	59
8258		13.2	<0.002	0.50	0.15	11.5	1	1.2	37.0	0.17	<0.05	2.69	0.078	0.10	1.6	89
8259		3.7	<0.002	0.09	0.11	6.7	1	0.7	24.2	0.17	<0.05	3.33	0.096	0.02	1.8	47
8260		1.5	<0.002	0.07	0.11	6.8	<1	0.7	31.1	0.21	<0.05	4.26	0.114	<0.02	1.7	48
8261		4.5	<0.002	0.11	0.12	8.2	1	0.9	35.9	0.27	<0.05	4.39	0.137	0.03	1.8	53
8262		3.2	<0.002	0.25	0.11	6.0	<1	0.7	27.3	0.20	<0.05	3.68	0.103	0.03	1.4	45
8263		3.9	<0.002	0.24	0.10	7.8	1	0.7	36.8	0.28	<0.05	4.38	0.134	0.02	1.7	50
8264		6.2	<0.002	0.21	0.11	9.0	1	1.1	35.0	0.29	<0.05	4.54	0.178	0.05	2.2	54
8265		11.2	0.002	0.05	0.13	13.6	1	0.7	68.8	0.54	<0.05	7.24	0.307	0.08	2.3	93
8266		7.9	<0.002	0.09	0.21	12.7	<1	0.8	94.9	0.60	<0.05	7.69	0.319	0.07	2.7	89
8267		12.0	0.002	0.06	0.11	9.8	<1	0.7	53.0	0.46	<0.05	6.52	0.247	0.08	2.0	72
8268		5.1	<0.002	0.23	0.11	6.3	<1	0.6	28.5	0.20	<0.05	3.63	0.101	0.04	1.3	43
8269		2.9	<0.002	0.36	0.14	5.9	<1	0.5	30.2	0.12	<0.05	3.37	0.053	0.02	1.3	29
8270		3.2	<0.002	0.16	0.12	5.2	<1	0.7	25.1	0.21	<0.05	4.11	0.096	0.02	1.5	33
8271		10.6	<0.002	0.09	0.17	9.6	<1	0.9	33.5	0.40	<0.05	5.83	0.190	0.07	1.8	67
8272		18.6	<0.002	0.05	0.13	13.2	1	1.0	46.4	0.48	<0.05	8.31	0.273	0.13	2.3	90
8273		20.9	<0.002	0.01	0.13	17.2	<1	1.0	53.8	0.36	<0.05	4.14	0.357	0.17	1.6	113
8274		19.8	<0.002	0.01	0.11	18.5	1	0.9	58.7	0.46	<0.05	7.74	0.364	0.15	2.7	122
8275		0.3	<0.002	<0.01	0.08	0.3	1	<0.2	83.9	<0.05	<0.05	0.11	0.006	<0.02	0.2	2
8276		4.4	<0.002	0.08	0.12	8.0	1	0.5	28.5	0.47	<0.05	4.76	0.238	0.03	1.7	67
8277		10.3	<0.002	0.01	0.13	14.5	<1	0.7	87.8	0.64	<0.05	7.79	0.329	0.08	2.7	91
8278		13.5	<0.002	0.02	0.12	12.0	<1	0.5	92.9	0.55	<0.05	6.34	0.293	0.09	2.3	86
8279		44.6	<0.002	0.10	0.36	37.2	1	0.7	250	0.21	<0.05	1.84	0.509	0.31	0.6	247
8280		46.4	<0.002	0.11	0.41	37.6	1	0.8	254	0.22	<0.05	1.95	0.525	0.33	0.6	256
8281		32.7	<0.002	8.56	319	5.4	85	3.0	373	0.56	37.2	4.76	0.184	16.30	2.8	40
8282		16.1	0.002	0.10	0.54	37.3	1	0.8	229	0.21	<0.05	1.79	0.503	0.14	0.5	247
8283		2.6	<0.002	0.08	0.40	30.5	1	0.6	214	0.16	<0.05	1.37	0.503	0.04	0.4	248
8284		4.8	<0.002	0.10	0.44	37.7	1	1.0	199.5	0.21	<0.05	1.80	0.500	0.05	0.8	260
8285		5.3	<0.002	0.03	0.24	31.8	<1	0.9	101.0	0.16	<0.05	1.43	0.369	0.04	1.4	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8246		0.2	5.1	14	50.5					
8247		0.3	15.8	30	97.9					
8248		0.2	9.1	14	68.4					
8249		0.8	9.7	21	94.8					
8250		0.5	6.5	17	63.8					
8251		1.0	8.6	16	83.3					
8252		0.3	4.4	15	53.0					
8253		0.6	7.9	20	67.9					
8254		0.4	4.8	15	55.5					
8255		0.9	6.0	15	57.0					
8256		0.9	6.1	15	51.2					
8257		1.3	11.0	17	53.2					
8258		2.6	10.1	21	43.6					
8259		0.5	8.4	16	52.9					
8260		0.3	7.4	15	63.4					
8261		0.2	7.6	16	70.2					
8262		0.2	6.6	16	55.0					
8263		0.4	8.6	13	71.2					
8264		0.2	9.6	14	73.6					
8265		0.6	12.6	21	123.0					
8266		0.5	13.5	21	124.5					97.2
8267		0.5	9.4	21	101.0					97.7
8268		0.3	7.8	10	59.8					
8269		0.1	6.4	6	55.4					
8270		0.3	8.2	8	62.3					
8271		0.4	9.7	21	80.1					
8272		0.3	12.7	29	102.0					
8273		0.4	13.6	37	89.7					
8274		0.4	13.3	37	94.3					
8275		<0.1	2.2	2	2.0					
8276		0.3	8.5	21	109.5					
8277		0.4	17.0	33	134.5					
8278		0.4	13.0	33	109.0					
8279		0.4	16.9	78	61.5					
8280		0.4	17.2	79	63.3					
8281		29.4	4.6	2200	99.0	962	5.06			
8282		0.4	16.7	82	61.0					
8283		0.4	12.9	82	49.1					
8284		0.6	17.1	88	51.5					
8285		0.5	16.2	71	32.4				75.3	92.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8286		2.22	0.07	7.47	1.7	110	1.12	0.18	6.38	0.07	17.95	50.7	57	1.01	118.0	8.25
8287		1.45	0.07	6.37	1.4	10	0.61	0.04	1.12	0.36	14.10	15.1	47	0.05	88.0	2.11
8288		1.78	0.05	6.07	1.1	10	0.79	0.03	1.67	0.22	37.3	11.4	42	<0.05	35.6	1.91
8289		2.44	0.07	7.69	1.3	110	1.07	0.18	6.54	0.05	17.60	49.0	52	1.36	146.0	8.58
8290		2.37	0.06	7.55	1.0	150	0.85	0.27	6.71	0.06	39.7	56.6	36	1.52	131.0	8.60
8291		2.33	0.10	7.48	1.6	150	1.75	0.37	5.54	0.05	18.40	111.5	35	1.69	257	8.57
8292		2.38	0.18	7.50	0.9	130	1.12	0.38	4.41	0.12	15.85	176.0	32	1.41	409	9.71
8293		2.19	0.10	7.08	2.3	140	0.59	0.27	7.39	0.25	18.45	57.1	24	0.50	163.5	8.22
8294		2.43	0.08	7.44	0.7	140	0.55	0.21	6.58	0.16	19.60	53.5	28	1.37	150.0	8.73
8295		2.43	0.07	7.29	1.6	170	0.99	0.41	5.57	0.07	24.9	56.7	29	0.93	143.5	9.57
8296		2.26	0.17	6.80	203	100	1.08	1.93	6.51	0.11	22.0	432	28	1.02	596	9.41
8297		2.38	0.09	7.09	2.3	200	0.91	0.42	5.66	0.08	23.0	60.1	30	1.09	158.5	9.28
8298		2.42	0.08	7.59	3.1	210	0.71	0.23	6.19	0.07	25.9	53.6	27	0.98	145.0	9.94
8299		2.54	0.12	7.20	1.8	250	0.64	0.20	6.13	0.12	24.4	65.7	5	2.24	202	11.35
8300		2.45	0.13	6.89	4.0	240	0.78	0.40	4.95	0.11	26.3	58.5	3	1.90	123.0	10.60
8301		2.55	0.13	6.36	4.5	260	0.87	0.41	5.28	0.14	30.2	65.4	2	1.62	186.5	13.95
8302		2.59	0.08	6.11	36.3	240	1.37	1.79	5.63	0.08	40.3	67.9	3	1.68	140.5	10.60
8303		2.29	0.05	6.28	7.6	190	1.49	0.26	3.16	0.08	78.5	31.9	4	0.70	30.7	9.62
8304		2.30	0.08	6.36	11.0	250	1.64	0.42	2.41	0.09	81.5	29.8	8	0.85	35.9	9.62
8305		2.63	0.11	6.26	4.5	320	1.97	0.50	2.64	0.07	79.7	24.0	7	1.18	37.2	11.10
8306		2.34	0.06	6.01	326	370	1.43	5.34	3.19	0.07	58.9	249	3	4.07	23.6	11.70
8307		2.60	0.04	6.33	11.9	280	1.26	0.33	3.69	0.12	45.1	56.4	5	1.80	55.8	13.75
8308		2.42	0.05	6.34	45.2	230	1.50	0.65	3.66	0.16	43.8	78.2	3	1.62	64.5	12.10
8309		2.32	0.08	6.26	8.4	250	1.20	1.29	3.64	0.27	40.5	49.7	4	1.25	67.9	11.90
8310		2.36	0.05	6.30	4.1	280	1.43	0.40	4.85	0.08	44.7	51.3	3	1.52	64.6	12.15
8311		2.61	0.04	6.30	7.4	160	1.44	0.55	4.58	0.10	40.9	54.0	3	0.74	61.7	12.25
8312		1.22	0.24	7.05	3.2	370	0.87	0.55	2.70	1.25	48.0	51.7	3	2.96	213	10.60
8313		1.37	0.10	6.67	0.7	100	0.74	1.16	5.10	0.09	32.3	44.5	2	0.66	114.0	9.08
8314		2.39	0.07	6.44	3.0	310	1.67	0.58	4.85	0.21	43.4	54.0	4	1.93	93.6	11.75
8315		2.37	0.06	6.04	5.3	230	1.09	0.35	4.42	0.12	37.1	63.2	3	0.90	114.5	12.90
8316		2.46	0.07	6.28	11.2	240	0.95	0.24	4.81	0.20	35.4	75.2	3	0.86	107.5	14.25
8317		2.38	0.11	6.18	3.3	140	0.88	0.24	5.03	0.19	33.2	60.6	3	0.45	128.5	13.40
8318		2.45	0.15	6.48	3.4	250	0.86	0.25	5.17	0.16	30.9	67.7	2	0.79	228	13.65
8319		1.07	0.15	6.34	3.9	220	0.84	0.22	5.10	0.23	31.0	64.2	2	0.87	191.5	13.30
8320		1.20	0.14	6.24	5.5	220	0.84	0.23	5.02	0.21	30.8	63.7	2	0.79	185.5	13.05
8321		0.08	4.28	5.52	13.3	120	0.58	0.84	3.41	2.05	17.30	978	265	0.82	>10000	18.10
8322		2.14	0.16	6.12	3.7	230	0.76	0.23	5.48	0.19	28.8	66.4	2	0.80	258	13.35
8323		2.53	0.15	6.41	2.6	220	0.79	0.19	5.00	0.17	30.5	67.3	2	0.83	232	13.30
8324		2.43	0.16	6.53	3.1	250	0.87	0.21	5.24	0.20	31.6	62.3	2	0.73	237	12.95
8325		1.05	0.08	0.14	<0.2	20	0.07	0.06	32.5	0.03	0.98	1.4	1	0.05	7.8	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8286		18.65	0.05	1.4	0.074	0.49	8.0	13.7	4.03	1120	0.53	1.90	3.1	99.6	310	9.3
8287		15.10	<0.05	1.9	0.016	0.05	6.0	5.1	0.89	294	0.53	4.39	3.8	20.2	260	50.2
8288		14.70	0.06	1.6	0.011	0.05	15.8	5.1	0.84	327	0.57	4.25	2.8	22.9	210	29.3
8289		17.75	0.08	1.6	0.082	0.58	7.7	17.1	3.94	1220	0.54	1.94	2.9	91.6	350	5.0
8290		19.45	0.10	1.7	0.087	0.74	21.1	16.1	3.79	1400	0.64	1.81	3.1	79.5	360	6.0
8291		35.9	0.07	1.8	0.093	0.83	8.2	20.2	3.77	1260	0.85	2.25	3.3	91.7	360	5.3
8292		46.8	0.09	1.9	0.076	0.77	7.2	22.7	4.13	1300	0.71	2.26	3.4	94.1	410	7.7
8293		17.75	0.07	1.5	0.076	0.41	8.0	13.5	3.45	1300	0.53	2.00	3.2	73.2	370	27.1
8294		18.30	0.09	1.8	0.072	0.72	8.5	15.4	3.76	1460	0.50	1.59	3.4	80.8	370	21.1
8295		19.90	0.09	2.3	0.080	0.76	11.5	14.5	3.41	1420	0.58	2.36	4.2	69.7	460	7.2
8296		44.0	0.09	2.2	0.093	0.62	8.8	12.7	3.20	1140	16.45	2.81	3.7	92.6	430	18.5
8297		21.0	0.08	2.3	0.080	0.92	10.0	14.2	3.25	1450	0.63	1.94	4.1	68.9	440	8.5
8298		19.70	0.09	2.3	0.080	0.92	11.7	13.0	3.42	1640	0.61	2.12	4.4	71.6	460	8.9
8299		20.7	0.10	2.2	0.078	1.24	10.8	14.2	3.14	1800	0.74	1.72	4.4	54.1	440	10.0
8300		20.5	0.09	2.4	0.079	1.12	11.9	14.1	2.58	1670	0.58	2.20	4.4	39.4	460	11.8
8301		22.4	0.11	2.7	0.101	1.10	13.9	12.7	2.32	2100	0.75	1.96	5.1	29.8	520	11.5
8302		22.9	0.11	4.4	0.148	1.02	18.3	13.6	1.97	1740	4.18	2.35	7.0	19.5	720	10.0
8303		24.0	0.11	6.7	0.184	0.62	39.6	7.8	0.63	1380	0.77	3.72	10.9	0.6	1010	13.8
8304		25.0	0.13	7.2	0.128	0.68	38.9	8.4	0.40	1080	1.61	3.75	13.6	0.5	1570	15.4
8305		24.8	0.15	6.4	0.158	0.80	36.0	9.9	0.46	1230	1.51	3.28	12.6	0.4	1880	14.5
8306		27.2	0.13	5.4	0.119	1.54	25.9	19.1	1.59	1860	11.45	2.03	10.1	58.8	2220	13.1
8307		23.5	0.13	4.5	0.110	0.95	20.8	10.8	1.21	1860	1.55	2.35	7.9	1.0	820	13.6
8308		27.1	0.11	4.5	0.121	0.87	19.7	11.9	1.62	1720	3.31	2.40	8.3	12.2	860	19.2
8309		25.3	0.11	4.1	0.111	0.91	18.7	11.9	1.47	1550	9.35	2.43	7.5	8.1	750	63.3
8310		23.8	0.11	4.3	0.125	1.07	21.2	11.1	1.33	1620	1.80	2.51	7.6	5.8	770	11.0
8311		23.6	0.10	4.3	0.166	0.64	18.7	8.3	1.49	1720	1.26	2.63	7.2	10.2	750	12.6
8312		28.0	0.11	4.6	0.095	1.75	23.6	19.5	2.26	1340	9.73	2.73	8.0	24.9	800	191.5
8313		25.8	0.09	4.3	0.063	0.42	14.6	13.1	2.08	1450	12.40	2.75	7.3	31.5	820	11.3
8314		23.5	0.10	4.0	0.135	1.25	20.7	12.9	1.72	1560	1.23	2.48	7.1	5.4	740	29.7
8315		23.8	0.10	3.5	0.109	0.84	17.1	12.3	1.52	1780	1.17	2.03	6.6	5.8	620	13.3
8316		23.6	0.10	3.3	0.105	0.82	16.3	11.9	1.81	1840	1.00	1.99	6.3	14.5	640	11.6
8317		23.2	0.08	2.7	0.107	0.54	15.2	11.3	1.98	1830	0.88	2.06	5.2	18.5	550	10.8
8318		23.2	0.11	2.9	0.108	0.77	14.2	12.2	2.16	1800	0.81	2.05	5.4	30.9	550	11.1
8319		22.5	0.09	3.0	0.095	0.77	14.1	13.6	2.14	1760	0.74	1.85	5.3	31.1	560	13.6
8320		22.2	0.10	2.8	0.090	0.74	14.0	13.1	2.10	1720	0.64	1.79	5.1	32.2	550	13.5
8321		12.25	0.28	1.3	0.123	0.32	7.4	9.8	3.95	1040	4.30	1.19	4.9	>10000	480	15.7
8322		22.1	0.11	2.7	0.098	0.79	13.3	12.6	2.19	1820	0.70	1.68	5.0	50.6	520	11.9
8323		22.1	0.09	2.8	0.091	0.81	14.1	11.9	2.25	1740	0.71	2.10	5.3	46.1	540	10.5
8324		22.0	0.10	3.0	0.093	0.80	14.4	12.6	2.23	1740	0.75	1.90	5.2	42.7	580	11.5
8325		0.50	0.06	0.1	0.008	0.06	1.1	1.2	1.40	82	0.08	0.05	0.5	0.4	50	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8286		27.7	0.002	0.12	0.49	36.2	1	1.0	221	0.21	<0.05	1.92	0.489	0.19	0.7	249
8287		0.8	<0.002	0.07	0.13	5.7	<1	0.6	30.9	0.37	<0.05	4.08	0.154	0.03	1.1	40
8288		0.8	<0.002	0.05	0.19	6.5	<1	0.5	18.7	0.29	<0.05	3.49	0.136	<0.02	1.2	35
8289		29.9	<0.002	0.10	0.37	37.0	1	0.8	191.5	0.21	<0.05	1.92	0.525	0.23	0.6	257
8290		37.5	<0.002	0.11	0.32	38.2	1	0.9	175.5	0.22	<0.05	2.15	0.537	0.22	0.9	260
8291		44.5	0.003	0.46	0.24	38.0	1	1.2	113.0	0.23	0.05	2.01	0.538	0.34	1.4	257
8292		39.9	<0.002	0.63	0.22	38.6	1	1.1	78.5	0.23	0.06	2.21	0.551	0.29	1.8	269
8293		16.9	0.002	0.12	0.40	37.4	1	0.9	162.5	0.22	<0.05	1.98	0.542	0.10	0.6	254
8294		36.2	<0.002	0.09	0.36	39.0	1	0.9	181.0	0.24	<0.05	2.08	0.558	0.20	0.6	259
8295		35.1	0.002	0.13	0.36	38.7	1	1.0	179.5	0.31	<0.05	2.81	0.656	0.17	0.9	285
8296		30.4	0.007	1.74	0.18	29.8	2	0.8	37.0	0.27	0.21	2.58	0.559	0.32	2.2	226
8297		43.7	<0.002	0.15	0.35	37.8	<1	1.0	181.0	0.29	<0.05	2.67	0.655	0.18	1.0	284
8298		42.0	0.002	0.12	0.42	39.5	1	1.0	218	0.32	<0.05	2.89	0.697	0.18	0.9	297
8299		71.4	0.003	0.15	0.45	42.8	1	1.0	182.5	0.31	<0.05	2.82	0.930	0.38	0.9	521
8300		59.8	0.002	0.15	0.53	38.2	1	1.1	200	0.32	<0.05	3.04	0.713	0.27	0.9	330
8301		51.8	0.004	0.16	0.55	44.5	1	1.4	172.0	0.37	<0.05	3.54	1.340	0.23	1.1	703
8302		41.0	0.013	0.17	0.28	35.2	1	1.9	114.0	0.51	<0.05	5.10	1.170	0.15	2.1	363
8303		15.9	<0.002	0.15	0.29	26.5	<1	1.2	90.1	0.78	<0.05	8.85	0.736	0.05	2.9	18
8304		19.8	<0.002	0.17	0.33	21.3	1	1.1	117.0	0.94	<0.05	10.60	0.635	0.08	3.0	4
8305		26.6	<0.002	0.14	0.31	22.8	1	2.0	122.0	0.85	<0.05	8.94	0.697	0.12	2.7	3
8306		73.0	<0.002	0.09	0.22	26.5	1	1.5	81.4	0.71	<0.05	6.95	0.907	0.36	5.3	18
8307		41.5	<0.002	0.17	0.43	35.2	1	2.3	168.5	0.56	<0.05	5.53	1.205	0.19	1.7	73
8308		38.5	0.002	0.19	0.42	35.9	1	2.1	146.0	0.58	<0.05	5.58	1.280	0.17	2.5	95
8309		37.9	0.006	0.15	0.38	37.2	1	1.8	156.5	0.54	<0.05	5.13	1.195	0.14	2.7	126
8310		44.5	<0.002	0.21	0.40	39.7	1	2.0	169.0	0.55	<0.05	5.06	1.280	0.20	1.7	139
8311		23.7	0.002	0.21	0.51	39.1	1	1.8	168.5	0.54	<0.05	5.03	1.315	0.12	2.0	189
8312		84.0	0.003	0.28	0.28	39.9	1	1.3	43.3	0.57	<0.05	5.39	1.490	0.37	4.2	241
8313		18.5	<0.002	0.27	0.21	36.7	1	1.2	66.5	0.52	<0.05	5.26	1.355	0.07	9.5	233
8314		56.5	0.002	0.27	0.33	39.4	2	1.8	142.5	0.52	<0.05	4.75	1.340	0.24	1.7	240
8315		33.0	0.006	0.20	0.44	40.8	1	1.6	165.5	0.48	<0.05	4.39	1.290	0.14	1.4	324
8316		32.4	0.005	0.21	0.44	42.0	1	1.5	182.0	0.43	<0.05	4.17	1.460	0.15	1.3	587
8317		16.9	0.004	0.12	0.46	39.9	1	1.4	136.0	0.38	<0.05	3.51	1.395	0.08	1.4	694
8318		32.5	0.004	0.17	0.41	44.8	1	1.3	190.5	0.39	<0.05	3.60	1.295	0.16	1.2	747
8319		31.9	0.002	0.13	0.43	40.6	1	1.4	165.0	0.38	<0.05	3.70	1.230	0.15	1.2	743
8320		30.2	0.002	0.12	0.41	39.4	1	1.3	168.0	0.37	<0.05	3.56	1.190	0.14	1.1	724
8321		10.7	0.047	8.27	3.09	9.4	23	2.6	187.5	0.31	4.30	1.11	0.534	0.15	0.4	80
8322		33.0	0.002	0.15	0.39	43.1	1	1.3	161.5	0.36	<0.05	3.42	1.255	0.17	1.1	839
8323		32.7	0.002	0.16	0.43	42.0	1	1.3	159.0	0.37	<0.05	3.52	1.190	0.17	1.1	785
8324		31.7	0.002	0.17	0.38	38.8	1	1.4	174.0	0.38	<0.05	3.58	1.130	0.14	1.1	736
8325		2.0	<0.002	<0.01	0.16	0.3	1	<0.2	86.4	0.08	0.06	0.08	0.008	0.03	0.2	4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8286		0.5	17.0	84	48.2					
8287		0.3	8.0	92	71.4					
8288		0.2	8.5	66	63.3					
8289		0.4	16.4	84	55.0					
8290		0.4	18.0	101	64.7					
8291		0.5	26.2	105	67.5					
8292		0.6	23.0	131	68.2					
8293		0.6	18.1	119	58.4					
8294		0.4	18.0	113	65.3					
8295		0.5	20.6	113	84.9					
8296		0.8	33.3	126	83.0					
8297		0.5	20.8	110	84.1					
8298		0.4	20.8	117	84.3					
8299		0.4	20.2	151	87.1					
8300		0.4	21.6	146	89.9					
8301		0.7	24.6	156	99.0					
8302		0.7	34.5	136	166.5					
8303		0.4	43.8	78	242					
8304		0.4	49.2	70	266					
8305		0.4	53.4	81	245					
8306		0.5	42.5	152	203					
8307		0.9	34.8	172	170.5					
8308		0.9	35.3	183	173.0					
8309		0.9	32.1	167	155.0					
8310		0.9	33.7	121	160.5					
8311		0.9	33.0	125	155.5					
8312		1.0	27.1	415	170.5					
8313		0.9	27.4	145	162.0					
8314		0.7	30.7	193	151.5					
8315		0.9	29.7	162	130.5					
8316		0.7	28.3	195	125.0					
8317		0.8	25.0	180	101.0					
8318		0.6	25.8	169	110.0				71.7	
8319		0.6	25.2	173	110.5					
8320		0.6	24.3	169	102.5					
8321		2.4	9.2	143	53.6		1.610	4.51		
8322		0.5	23.5	166	98.8					
8323		0.6	24.2	157	104.5					
8324		0.6	24.7	162	110.5					
8325		<0.1	2.1	6	1.9					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8326		2.37	0.11	6.89	2.2	310	1.13	0.20	4.47	0.14	29.5	59.9	3	1.31	170.5	11.95
8327		2.44	0.17	7.22	2.7	150	1.06	0.25	7.19	0.13	31.0	60.1	9	0.57	303	12.55
8328		1.95	0.10	8.57	2.8	130	0.76	0.23	5.87	0.13	29.1	44.7	4	0.43	135.0	8.55
8329		2.32	0.12	7.95	3.4	170	0.72	0.18	6.29	0.20	25.5	47.7	7	0.67	184.5	9.02
8330		2.11	0.14	7.64	2.3	240	0.68	0.13	5.83	0.18	24.4	54.9	9	1.57	215	9.19
8331		2.43	0.04	7.65	2.1	170	0.75	0.11	6.14	0.19	21.8	50.9	9	1.11	79.7	8.81
8332		2.30	0.08	7.81	1.6	140	0.60	0.14	6.40	0.19	23.6	53.6	12	1.02	135.0	8.48
8333		2.30	0.06	7.72	1.7	220	0.70	0.13	6.28	0.15	24.9	59.0	12	1.84	104.0	9.11
8334		2.47	0.08	7.81	0.8	170	0.70	0.15	6.27	0.14	24.0	54.0	12	1.25	141.5	8.84
8335		2.28	0.05	7.75	2.0	220	0.56	0.13	5.67	0.11	23.4	58.7	14	1.86	117.5	9.29
8336		2.24	0.06	8.07	0.9	190	0.71	0.14	6.62	0.13	25.0	61.9	14	1.80	120.0	8.86
8337		2.43	0.05	7.58	1.6	100	0.81	0.14	6.92	0.13	45.8	69.2	18	0.54	124.5	8.75
8338		2.23	0.06	7.66	35.8	140	0.86	0.19	6.36	0.10	81.3	131.0	14	1.35	123.0	8.05
8339		2.41	0.07	8.32	1.7	180	0.57	0.12	6.88	0.10	21.3	49.2	17	1.79	139.5	7.93
8340		2.31	0.07	8.74	4.0	80	0.67	0.10	6.60	0.27	23.7	42.3	20	0.26	105.5	7.76
8341		2.28	0.07	8.32	2.8	90	0.64	0.11	6.60	0.20	20.4	43.2	24	0.46	110.0	7.74
8342		2.34	0.14	8.03	1.3	80	0.50	0.10	6.55	0.29	19.75	50.3	63	0.74	317	8.90
8343		2.40	0.09	7.66	1.3	120	0.48	0.09	7.35	0.13	17.90	44.9	201	1.07	191.5	6.93
8344		2.25	0.06	7.56	3.3	110	0.46	0.06	7.65	0.32	16.15	47.3	220	0.85	105.0	7.06
8666		0.35	0.30	1.59	4790	20	1.89	230	19.65	0.02	92.5	3500	5	0.69	139.0	3.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
8326		25.9	0.10	3.2	0.102	1.10	13.9	17.8	2.48	1560	2.02	2.24	6.1	61.3	600	14.7
8327		29.0	0.09	2.7	0.143	0.59	14.7	9.0	1.66	1630	0.92	2.31	6.4	74.1	500	7.3
8328		25.1	0.09	2.4	0.086	0.47	13.2	8.9	1.48	1100	0.49	3.11	3.0	43.1	510	15.7
8329		21.6	0.07	2.2	0.069	0.60	11.8	9.4	2.48	1420	0.76	1.96	4.6	51.4	450	10.5
8330		20.9	0.08	2.0	0.071	0.89	11.3	13.5	2.72	1420	0.62	1.97	4.2	65.2	430	12.4
8331		19.60	0.09	1.8	0.069	0.62	9.7	11.3	2.78	1440	0.61	2.05	4.0	47.8	420	15.0
8332		20.6	0.08	1.9	0.072	0.49	10.5	9.7	2.80	1350	0.75	2.07	4.1	56.7	430	14.5
8333		21.7	0.09	1.8	0.071	0.83	11.2	12.9	2.94	1330	0.68	2.01	4.4	58.1	420	11.1
8334		20.8	0.08	2.0	0.068	0.64	11.0	10.2	2.79	1320	0.63	2.07	4.0	60.1	430	9.2
8335		20.4	0.09	2.0	0.070	0.90	10.5	14.1	3.06	1330	0.59	2.31	4.1	62.7	420	6.9
8336		22.8	0.08	2.0	0.073	0.74	11.6	10.9	3.07	1390	0.66	1.87	4.3	63.0	440	10.3
8337		21.7	0.09	1.9	0.083	0.37	25.6	10.1	3.04	1440	0.96	2.17	4.0	64.9	410	11.3
8338		22.8	0.11	2.0	0.069	0.55	41.1	11.4	2.72	1290	1.26	2.59	3.9	68.6	390	8.2
8339		20.4	0.08	1.7	0.063	0.65	9.4	11.1	2.95	1240	0.62	1.74	3.7	69.5	370	7.3
8340		19.65	0.08	1.6	0.064	0.23	10.8	11.2	2.70	1230	0.51	2.65	3.9	61.2	370	25.0
8341		20.6	0.09	1.5	0.061	0.28	9.1	11.1	2.63	1220	0.77	2.24	3.5	66.0	340	19.2
8342		19.90	0.08	1.6	0.078	0.30	8.9	13.4	3.59	1380	0.47	1.92	3.1	95.4	310	13.8
8343		17.20	0.09	1.6	0.055	0.42	8.4	10.5	4.00	1200	0.57	1.65	2.8	110.5	280	7.9
8344		16.80	0.09	1.5	0.052	0.35	7.1	9.4	4.32	1280	0.51	1.54	2.7	126.0	260	16.2
8666		12.80	0.13	0.3	0.257	0.10	46.4	3.2	2.09	2550	2.15	0.01	0.4	540	100	20.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8326		50.0	0.002	0.12	0.35	38.1	1	1.3	125.5	0.43	<0.05	3.51	1.145	0.28	1.4	685
8327		22.1	0.004	0.22	0.58	30.3	1	1.5	272	0.46	<0.05	2.84	1.765	0.13	1.4	1560
8328		16.5	<0.002	0.16	0.79	26.4	1	1.0	386	0.22	<0.05	3.23	0.530	0.12	1.1	295
8329		24.6	<0.002	0.11	0.44	33.6	1	1.1	242	0.32	<0.05	2.64	0.649	0.15	0.9	263
8330		43.2	0.002	0.15	0.36	33.0	1	1.0	208	0.30	0.06	2.49	0.601	0.27	0.8	250
8331		27.6	<0.002	0.06	0.35	32.8	1	1.0	216	0.29	<0.05	2.39	0.590	0.17	0.7	253
8332		20.3	<0.002	0.11	0.38	33.9	1	1.0	213	0.30	<0.05	2.46	0.590	0.14	0.8	254
8333		37.6	0.002	0.08	0.36	36.1	1	1.0	202	0.31	<0.05	2.64	0.614	0.27	0.8	266
8334		26.4	<0.002	0.09	0.44	35.4	1	1.0	232	0.29	<0.05	2.47	0.598	0.19	0.8	273
8335		44.9	0.002	0.06	0.35	35.3	<1	0.9	179.5	0.31	<0.05	2.46	0.600	0.32	0.8	263
8336		37.7	<0.002	0.09	0.35	36.5	1	1.0	217	0.31	<0.05	2.54	0.597	0.23	0.8	262
8337		15.7	0.002	0.18	0.39	34.1	1	1.1	212	0.28	<0.05	2.38	0.558	0.09	1.4	254
8338		27.2	0.002	0.37	0.35	32.8	1	0.9	191.0	0.28	0.09	2.29	0.548	0.19	1.2	238
8339		28.9	0.002	0.09	0.26	32.7	1	0.9	213	0.27	<0.05	2.17	0.514	0.25	0.7	233
8340		4.7	<0.002	0.05	0.40	31.2	1	0.8	270	0.27	<0.05	2.11	0.519	0.05	0.8	228
8341		4.8	0.002	0.05	0.34	24.0	<1	0.9	260	0.26	<0.05	2.08	0.484	0.10	0.7	218
8342		10.9	<0.002	0.08	0.35	33.1	1	0.9	251	0.22	0.06	1.91	0.452	0.09	0.7	219
8343		17.9	<0.002	0.08	0.29	35.2	1	0.7	203	0.20	<0.05	1.63	0.418	0.14	0.6	216
8344		14.1	<0.002	0.07	0.23	36.7	1	0.7	192.0	0.20	<0.05	1.65	0.413	0.13	0.5	219
8666		7.8	<0.002	0.24	1.50	1.8	6	0.2	142.5	<0.05	<0.05	0.90	0.020	0.08	1.1	45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8326		0.5	25.4	156	119.0				73.1	90.9
8327		0.8	22.4	123	101.5					
8328		0.4	23.1	99	90.1					
8329		0.4	21.4	133	83.1					
8330		0.4	19.7	119	72.1					
8331		0.6	19.5	113	64.4					
8332		0.4	20.1	110	65.6					
8333		0.5	20.9	115	67.6					
8334		0.4	20.6	110	74.4					
8335		0.5	20.0	113	74.1					
8336		0.4	21.0	110	73.8					
8337		0.4	20.5	105	67.9					
8338		0.5	19.3	94	74.3					
8339		0.4	18.0	94	64.5					
8340		0.5	18.6	104	58.5					
8341		0.5	17.5	97	57.5					
8342		0.3	17.4	118	56.9					
8343		0.3	14.6	88	52.7					
8344		0.3	14.1	89	54.1					
8666		0.1	66.9	8	11.0					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114857

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			