ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
This copy reported on
24-MAY-2018
Account: BMRPLLBW

CERTIFICATE SD18104618

Project: IRON MASK

This report is for 197 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

To: **BATTERY MINERAL RESOURCES LTD.**
ATTN: PETER DOYLE
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7709		1.45	0.14	7.27	8.5	150	0.50	0.12	5.95	0.07	24.3	49.1	35	0.33	159.0	9.36
7710		1.61	0.16	7.26	10.1	220	0.66	0.14	6.43	0.10	24.6	51.7	33	0.62	210	9.38
7711		2.46	0.11	7.39	9.5	220	0.55	0.11	6.79	0.08	24.6	50.7	31	0.70	173.5	9.32
7712		2.62	0.11	7.17	7.9	220	0.58	0.10	6.36	0.07	24.2	49.9	29	0.53	158.0	9.37
7713		2.53	0.10	7.31	9.9	220	0.61	0.13	6.46	0.08	24.5	51.7	26	0.54	165.5	9.48
7714		2.53	0.12	7.31	8.4	270	0.62	0.13	6.34	0.11	24.1	53.3	26	1.36	174.5	9.90
7715		2.78	0.09	7.30	6.5	240	0.65	0.13	6.55	0.10	25.6	51.6	17	1.09	157.5	10.10
7716		2.45	0.05	7.15	4.3	230	0.64	0.12	6.00	0.08	26.2	49.1	12	0.87	58.7	10.30
7717		2.42	0.15	6.54	11.6	170	0.85	0.13	5.89	0.10	36.6	55.3	6	0.62	172.0	10.40
7718		2.66	0.13	6.35	15.2	200	0.63	0.14	6.64	0.07	24.3	65.7	6	1.15	216	11.60
7719		2.55	0.07	6.64	9.3	110	0.61	0.12	6.16	0.07	24.0	53.2	6	0.50	106.0	10.60
7720		2.46	0.07	6.60	14.8	110	0.62	0.10	5.51	0.09	24.8	58.6	6	0.37	95.1	10.25
7721		2.48	0.12	6.86	9.9	180	0.64	0.14	5.97	0.09	25.1	56.5	6	1.04	187.0	10.30
7722		2.49	0.10	6.86	12.3	190	0.69	0.16	5.48	0.11	27.2	53.5	4	1.24	159.5	9.92
7723		2.48	0.08	7.16	8.9	230	0.69	0.21	5.44	0.09	26.2	50.7	4	1.68	124.0	10.70
7724		2.66	0.10	6.13	6.5	250	0.85	0.20	4.93	0.15	34.6	56.0	3	1.40	169.0	12.25
7725		1.16	<0.01	0.08	<0.2	10	0.07	0.01	31.0	<0.02	0.89	1.0	1	<0.05	1.5	0.14
7726		2.58	0.10	6.38	4.5	230	0.89	0.19	5.07	0.15	40.3	51.7	3	1.14	140.5	12.90
7727		2.45	0.04	6.14	4.4	280	0.99	0.18	4.39	0.15	42.3	50.5	3	1.29	76.3	13.10
7728		2.38	0.04	6.07	9.5	260	1.17	0.23	4.12	0.14	47.8	51.7	3	1.13	85.5	12.05
7729		2.55	0.07	6.15	9.2	240	1.06	0.25	5.05	0.14	47.5	47.9	4	1.01	95.6	11.40
7730		2.62	0.11	6.02	13.4	340	0.99	0.28	4.22	0.22	38.8	57.0	2	1.47	138.5	12.75
7731		2.85	0.11	6.14	10.4	400	1.10	0.22	3.98	0.16	40.0	56.3	2	1.44	150.0	13.50
7732		2.58	0.06	5.96	8.4	380	1.26	0.22	3.75	0.13	42.1	49.2	3	1.26	71.1	13.05
7733		2.47	0.04	6.25	9.3	360	1.40	0.22	3.74	0.10	46.8	44.8	3	1.07	53.5	12.15
7734		2.59	0.04	6.02	11.2	300	1.40	0.24	4.09	0.07	50.9	40.3	3	0.86	42.1	11.15
7735		2.49	0.04	6.10	5.2	340	1.38	0.20	3.56	0.07	58.4	32.2	4	0.90	39.4	11.05
7736		2.58	0.02	6.22	4.9	430	1.48	0.18	3.56	0.08	52.0	34.6	4	1.26	34.3	12.60
7737		2.52	0.03	5.95	16.7	430	1.50	0.17	3.45	0.07	55.0	44.6	4	1.47	42.4	12.85
7738		2.50	0.03	6.01	17.1	430	1.52	0.15	3.48	0.05	51.7	46.2	3	1.59	38.7	13.00
7739		1.28	0.03	6.14	17.5	300	1.32	0.15	3.83	0.06	50.3	44.2	3	0.95	42.0	12.10
7740		1.11	0.03	6.17	14.0	300	1.34	0.16	3.92	0.05	49.3	41.9	3	0.92	39.2	12.40
7741		0.08	>100	3.86	1830	70	0.73	151.0	0.31	51.9	23.3	14.7	33	1.63	9450	2.71
7742		2.48	0.22	6.22	14.0	320	1.36	0.24	4.09	0.09	47.2	46.0	3	1.09	48.4	12.75
7743		2.57	0.07	6.33	17.2	270	1.25	0.16	4.49	0.06	47.2	49.5	4	0.90	49.0	12.50
7744		2.57	0.05	6.28	9.7	280	1.39	0.17	4.55	0.07	47.8	45.1	4	0.97	44.8	12.15
7745		2.77	0.04	6.30	7.7	270	1.41	0.17	4.56	0.08	45.7	44.7	3	0.91	46.1	12.00
7746		2.59	0.04	6.22	7.8	280	1.18	0.14	4.44	0.08	43.1	47.3	3	0.81	49.4	12.20
7747		2.65	0.06	6.35	7.1	270	1.16	0.18	4.57	0.10	42.4	50.7	3	0.69	60.5	12.25
7748		2.71	0.04	6.14	6.5	290	1.17	0.19	4.41	0.09	43.1	51.9	3	0.76	59.1	12.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7709		17.80	0.05	2.2	0.066	0.48	10.7	7.5	3.39	1560	0.78	2.55	4.0	68.6	460	7.5
7710		18.55	<0.05	2.1	0.075	0.77	10.8	9.6	3.38	1600	0.66	1.65	4.0	71.5	420	8.1
7711		18.10	0.05	2.1	0.067	0.79	10.7	8.0	3.39	1560	0.65	1.58	4.0	69.3	450	7.2
7712		18.35	0.05	2.1	0.073	0.77	10.6	8.8	3.35	1540	0.72	1.63	3.9	68.7	440	7.3
7713		18.80	0.06	2.2	0.073	0.77	10.8	8.8	3.32	1540	0.71	1.71	4.1	68.2	450	7.7
7714		19.15	0.06	2.1	0.077	1.12	10.6	10.1	3.30	1550	0.66	1.50	4.2	66.4	440	7.1
7715		19.35	0.06	2.4	0.077	1.00	11.4	9.0	3.25	1600	0.66	1.62	4.5	61.4	480	7.1
7716		19.20	0.07	2.3	0.084	0.90	11.7	8.4	2.94	1620	0.65	1.90	4.4	47.9	490	7.4
7717		20.6	0.07	3.3	0.097	0.65	17.1	6.8	2.27	1580	0.89	1.94	5.9	30.7	700	8.0
7718		20.4	0.07	2.1	0.086	0.86	11.1	8.0	2.74	1710	0.90	1.24	4.5	51.5	410	5.5
7719		20.1	0.06	2.3	0.083	0.48	10.9	7.8	2.73	1560	0.51	1.65	4.0	47.5	410	5.5
7720		19.10	0.06	2.3	0.078	0.40	11.1	8.8	2.76	1500	0.50	1.96	4.2	47.1	430	6.0
7721		19.80	0.06	2.3	0.081	0.82	11.1	9.6	2.87	1580	0.58	1.64	4.0	48.6	430	6.1
7722		19.55	0.07	2.4	0.073	0.86	12.1	10.0	2.66	1540	0.65	1.84	4.5	42.3	450	5.9
7723		21.0	0.05	2.2	0.079	1.06	11.8	10.8	2.41	1560	0.69	1.83	4.0	36.3	450	6.0
7724		21.5	0.07	3.2	0.099	1.00	16.1	8.7	1.87	1840	0.82	1.85	5.8	23.9	610	6.9
7725		0.25	<0.05	0.1	<0.005	0.01	1.0	1.3	1.65	82	0.05	0.03	0.1	0.2	50	<0.5
7726		22.1	0.08	3.9	0.114	0.90	18.9	7.6	1.72	1900	1.00	2.09	6.9	14.9	710	7.3
7727		21.6	0.08	3.9	0.108	1.02	19.7	8.8	1.60	1820	1.07	2.10	7.2	11.4	740	6.1
7728		22.5	0.10	4.3	0.110	0.95	23.0	8.7	1.39	1680	1.00	2.14	7.7	9.0	780	6.7
7729		24.5	0.08	4.2	0.120	0.87	22.5	8.4	1.33	1630	1.06	1.79	6.9	8.5	780	7.5
7730		21.7	0.09	3.5	0.097	1.20	18.0	11.2	1.65	1900	0.96	1.88	6.9	13.0	630	7.0
7731		22.5	0.09	3.7	0.103	1.42	18.7	11.6	1.57	1940	1.21	2.01	6.7	13.1	690	6.0
7732		21.1	0.09	4.0	0.107	1.33	19.1	10.8	1.39	1880	1.28	2.00	7.8	6.6	790	5.7
7733		22.4	0.13	4.5	0.117	1.20	22.0	10.5	1.13	1740	1.59	2.34	8.7	3.1	860	6.8
7734		23.3	0.08	4.7	0.127	0.99	23.7	8.9	0.96	1590	1.31	2.26	8.4	1.1	890	6.9
7735		22.3	0.11	5.3	0.119	1.01	27.7	9.3	0.75	1460	1.37	2.42	10.0	0.6	1080	7.3
7736		22.8	0.10	4.6	0.112	1.20	24.3	10.4	0.72	1500	1.30	2.18	10.0	0.3	1470	5.7
7737		22.4	0.09	4.9	0.111	1.24	25.9	10.7	0.77	1530	1.20	1.98	10.3	0.5	1340	5.5
7738		22.2	0.11	4.7	0.108	1.31	24.0	11.0	0.90	1580	1.37	1.96	9.3	0.5	1050	4.4
7739		22.0	0.09	4.4	0.120	0.97	23.7	8.8	0.92	1640	1.46	2.17	8.9	0.6	930	5.2
7740		22.1	0.10	4.6	0.115	0.96	23.0	8.7	0.93	1660	1.42	2.16	8.8	0.5	940	5.0
7741		21.4	0.15	2.5	11.00	0.58	10.0	18.3	0.07	133	6.09	0.40	7.2	105.0	520	1940
7742		22.3	0.11	4.5	0.120	1.05	21.9	9.4	1.09	1760	1.73	2.05	8.3	0.8	850	6.0
7743		22.7	0.10	4.7	0.119	0.97	22.4	8.5	1.15	1780	1.48	2.16	8.3	0.7	860	5.8
7744		22.6	0.09	4.7	0.116	0.96	22.6	8.8	1.18	1750	1.56	2.12	8.4	0.9	850	5.3
7745		22.7	0.09	4.3	0.116	0.92	21.3	8.4	1.24	1740	1.27	2.10	8.1	1.0	790	5.7
7746		21.8	0.09	4.2	0.113	0.97	20.0	8.6	1.27	1730	1.38	2.06	7.7	1.2	760	5.7
7747		22.1	0.09	4.0	0.105	0.94	19.6	8.4	1.28	1740	1.16	2.16	7.6	1.6	760	6.4
7748		22.1	0.10	4.2	0.107	0.99	20.2	8.6	1.27	1660	1.47	2.02	7.6	2.1	740	6.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7709		18.4	0.002	0.11	0.51	34.7	1	1.0	221	0.29	<0.05	2.54	0.637	0.10	0.8	286
7710		35.5	0.002	0.11	0.43	36.2	1	1.0	210	0.30	0.08	2.60	0.657	0.16	0.8	293
7711		33.8	0.002	0.12	0.41	35.1	1	0.9	216	0.31	<0.05	2.55	0.651	0.16	0.8	288
7712		29.8	0.002	0.10	0.41	35.7	1	1.0	204	0.29	0.05	2.65	0.623	0.13	0.8	280
7713		33.1	0.002	0.11	0.46	36.3	1	1.0	209	0.31	<0.05	2.64	0.667	0.15	0.8	294
7714		61.1	0.002	0.10	0.42	36.9	1	1.0	196.5	0.31	<0.05	2.50	0.701	0.26	0.8	312
7715		51.8	0.002	0.12	0.44	37.2	1	1.0	198.5	0.33	<0.05	2.72	0.784	0.24	0.9	327
7716		45.4	<0.002	0.10	0.40	36.6	1	0.9	199.5	0.32	<0.05	2.76	0.695	0.21	0.9	243
7717		30.7	0.003	0.20	0.44	35.7	1	1.4	179.0	0.44	<0.05	4.13	0.893	0.17	1.3	308
7718		48.9	0.003	0.20	0.47	41.5	1	1.0	180.5	0.32	<0.05	2.56	1.250	0.27	0.8	620
7719		22.6	0.002	0.12	0.50	38.4	1	0.9	201	0.31	<0.05	2.66	0.876	0.13	0.9	449
7720		17.7	<0.002	0.13	0.51	37.4	1	1.0	180.5	0.30	<0.05	2.70	0.764	0.11	0.9	379
7721		47.2	0.002	0.14	0.47	38.3	<1	1.0	205	0.31	<0.05	2.76	0.770	0.25	0.9	412
7722		50.1	<0.002	0.09	0.45	35.5	1	1.1	206	0.34	<0.05	2.90	0.727	0.25	0.9	346
7723		60.7	<0.002	0.08	0.45	33.6	1	1.2	221	0.30	<0.05	2.83	0.660	0.34	0.9	320
7724		48.5	0.003	0.17	0.46	37.3	1	1.6	173.5	0.44	<0.05	3.82	1.155	0.29	1.2	541
7725		1.0	<0.002	<0.01	0.10	0.3	1	<0.2	77.4	<0.05	<0.05	0.07	0.008	<0.02	0.2	3
7726		38.3	0.002	0.17	0.54	34.5	1	1.7	188.5	0.51	<0.05	4.48	1.205	0.23	1.4	442
7727		43.6	0.003	0.15	0.46	36.0	1	1.8	160.5	0.55	<0.05	4.86	1.240	0.27	1.5	384
7728		39.6	0.004	0.18	0.51	33.4	1	1.7	177.0	0.56	<0.05	5.31	1.090	0.22	1.7	297
7729		35.6	0.003	0.16	0.88	33.2	1	1.8	279	0.53	<0.05	5.42	0.993	0.21	1.7	299
7730		49.8	0.003	0.16	0.42	37.3	1	1.8	177.0	0.51	<0.05	4.49	1.275	0.26	1.3	443
7731		55.0	0.002	0.16	0.38	36.1	1	1.8	144.0	0.51	<0.05	4.58	1.285	0.28	1.4	486
7732		47.7	0.002	0.15	0.34	34.1	1	1.7	151.0	0.58	<0.05	4.91	1.205	0.24	1.6	303
7733		40.6	0.003	0.15	0.39	32.7	1	1.8	167.0	0.62	<0.05	5.35	1.115	0.20	1.7	164
7734		32.6	<0.002	0.15	0.51	29.7	1	1.6	195.0	0.61	<0.05	5.93	0.982	0.16	1.8	85
7735		34.4	<0.002	0.17	0.41	25.9	1	1.5	156.5	0.72	<0.05	6.69	0.919	0.17	2.0	34
7736		43.9	<0.002	0.14	0.33	29.3	<1	1.5	169.5	0.70	<0.05	5.68	0.910	0.21	1.8	15
7737		48.4	<0.002	0.18	0.32	26.4	1	1.5	153.0	0.74	<0.05	5.87	0.947	0.25	1.8	18
7738		53.4	<0.002	0.16	0.29	27.6	1	1.7	132.5	0.67	<0.05	5.63	0.946	0.26	1.8	25
7739		35.1	<0.002	0.15	0.31	30.9	1	1.9	168.5	0.65	<0.05	5.61	0.983	0.18	1.7	33
7740		34.1	<0.002	0.15	0.31	30.3	1	1.9	163.5	0.64	<0.05	5.75	0.969	0.16	1.8	33
7741		21.5	0.002	3.64	211	3.8	57	12.4	447	0.57	56.4	4.89	0.193	3.88	2.5	31
7742		39.6	<0.002	0.16	0.47	32.9	1	1.9	174.0	0.61	<0.05	5.27	1.025	0.20	1.6	45
7743		34.3	<0.002	0.18	0.45	34.8	1	2.1	190.0	0.61	<0.05	5.53	0.998	0.19	1.7	54
7744		37.5	0.002	0.16	0.42	35.4	1	2.1	198.0	0.62	<0.05	5.45	1.035	0.18	1.7	69
7745		35.0	<0.002	0.15	0.41	36.3	<1	2.0	213	0.59	<0.05	5.20	1.035	0.16	1.6	84
7746		35.6	<0.002	0.17	0.40	36.1	1	1.9	195.0	0.56	<0.05	5.01	1.070	0.17	1.5	105
7747		32.3	<0.002	0.21	0.44	36.4	1	1.8	204	0.55	<0.05	4.77	1.145	0.16	1.5	138
7748		35.4	0.003	0.20	0.41	36.5	1	1.7	198.0	0.55	<0.05	5.01	1.120	0.17	1.5	150

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7709		0.6	19.9	123	77.2				72.1	89.0
7710		0.4	20.1	131	77.9					90.0
7711		0.4	19.9	122	75.3					
7712		0.4	20.4	126	75.7					
7713		0.4	20.5	125	80.6					
7714		0.4	20.3	133	77.0					
7715		0.4	21.8	133	91.1					
7716		0.4	23.0	131	84.9					
7717		0.5	29.8	118	126.0					
7718		0.6	20.3	130	74.7					
7719		0.5	20.3	127	79.0					
7720		0.5	21.5	134	82.4					
7721		0.5	20.8	139	83.7					
7722		0.5	21.8	148	85.0					
7723		0.5	21.5	159	92.7					
7724		0.8	27.4	175	110.5					
7725		0.1	1.9	3	1.9					
7726		0.8	31.1	175	133.5					
7727		0.8	32.8	178	149.5					
7728		0.8	35.3	166	158.5					
7729		0.9	34.8	166	155.5					
7730		0.9	30.5	210	130.0					
7731		0.9	31.2	211	131.5					
7732		0.8	33.5	182	150.0					
7733		0.7	36.8	156	168.0					
7734		0.7	37.8	129	162.5					
7735		0.6	42.5	119	182.5					
7736		0.6	40.9	128	167.5					
7737		0.6	42.2	132	175.5					
7738		0.6	39.9	140	168.5					
7739		0.7	38.0	136	156.0					
7740		0.6	38.0	138	163.0					
7741		14.8	5.4	8780	81.3	295				
7742		0.7	36.8	159	159.5					
7743		0.7	37.5	152	165.0					
7744		0.7	37.7	153	161.5					
7745		0.7	36.7	158	156.5					
7746		0.7	34.6	164	146.0					
7747		0.8	33.8	167	143.5					
7748		0.7	34.0	163	155.0				71.9	97.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7749		2.63	0.04	6.14	12.7	260	1.12	0.18	4.33	0.09	44.9	54.9	4	0.71	54.5	12.70
7750		2.75	0.05	6.30	16.2	280	1.17	0.25	4.51	0.11	42.0	60.6	9	0.69	67.7	13.05
7751		2.37	0.19	6.13	12.4	260	1.17	0.25	4.43	0.13	39.8	58.3	3	0.63	85.9	12.80
7752		2.71	0.06	6.86	9.1	340	1.13	0.27	4.81	0.11	44.1	63.3	3	0.88	69.8	14.75
7753		2.66	0.06	6.06	8.9	210	1.00	0.20	4.68	0.13	38.6	56.4	3	0.53	83.5	12.35
7754		2.46	0.05	6.13	10.0	280	1.13	0.21	4.09	0.09	38.4	60.9	2	0.69	71.6	13.00
7755		2.74	0.05	6.12	6.0	280	1.06	0.26	4.46	0.12	37.5	58.2	2	0.69	68.3	13.10
7756		2.72	0.04	6.33	6.6	290	1.18	0.24	4.64	0.11	37.9	61.6	2	0.75	68.0	13.60
7757		2.90	0.05	6.19	6.4	240	1.07	0.22	4.66	0.09	38.3	62.5	2	0.65	72.7	13.15
7758		2.73	0.06	6.21	5.9	260	1.14	0.18	4.55	0.10	36.8	62.4	2	0.71	69.9	13.45
7759		2.50	0.05	6.26	8.8	250	1.07	0.20	4.76	0.09	35.6	63.7	2	0.61	71.2	13.50
7760		2.23	0.04	6.13	6.6	260	1.00	0.25	4.72	0.09	35.5	64.7	2	0.64	76.4	13.40
7761		2.39	0.06	6.07	6.3	220	1.09	0.22	4.70	0.08	34.8	61.7	2	0.52	87.7	12.65
7762		2.40	0.04	6.63	4.1	310	1.14	0.23	4.93	0.07	35.6	67.4	2	0.79	70.2	14.55
7763		2.47	0.05	6.26	6.3	260	0.97	0.27	4.98	0.09	33.7	64.9	2	0.58	80.6	13.65
7764		2.43	0.06	6.40	6.8	260	0.95	0.25	4.86	0.09	34.1	66.8	1	0.58	87.1	13.85
7765		2.44	0.05	6.21	10.8	240	0.77	0.21	4.96	0.05	33.2	68.3	2	0.55	92.2	13.45
7766		2.50	0.05	6.46	6.0	210	0.89	0.23	5.59	0.07	34.5	64.8	2	0.46	107.5	13.55
7767		2.52	0.06	6.45	7.0	220	0.95	0.23	5.17	0.09	34.8	65.5	2	0.53	106.5	13.75
7768		2.52	0.08	6.34	5.9	190	0.83	0.23	5.18	0.08	33.3	60.8	2	0.49	140.5	12.75
7769		2.45	0.14	6.74	8.5	80	0.75	0.24	6.12	0.11	32.6	58.1	2	0.18	215	13.65
7770		2.42	0.40	6.52	6.9	80	0.71	0.28	6.64	0.12	32.7	57.6	2	0.21	845	12.65
7771		1.88	0.17	6.45	6.7	100	0.88	0.28	7.30	0.07	30.8	56.8	2	0.35	389	12.10
7772		1.15	0.17	5.25	1.4	190	0.61	0.69	7.17	0.03	27.8	58.2	4	0.53	119.5	9.39
7773		1.75	0.09	6.38	1.3	150	1.09	0.49	6.96	0.06	28.9	55.5	1	0.27	168.5	11.80
7774		2.39	0.13	6.34	5.7	230	0.82	0.48	5.24	0.09	30.4	66.2	1	0.59	238	14.70
7775		0.97	<0.01	0.29	0.3	30	0.16	0.03	32.6	<0.02	1.42	0.8	1	<0.05	3.3	0.16
7776		2.33	0.13	6.44	7.3	240	0.79	0.43	4.99	0.10	30.6	67.8	1	0.70	233	14.55
7777		1.43	0.12	6.23	5.3	210	0.87	0.38	5.17	0.07	27.9	64.2	1	0.58	216	13.90
7778		1.29	0.11	3.57	0.4	90	0.46	0.16	5.01	0.03	27.9	23.5	7	0.25	118.5	6.32
7779		0.90	0.13	6.41	3.3	200	0.92	0.30	5.73	0.07	28.9	59.5	2	0.62	235	13.50
7780		0.89	0.11	6.46	2.1	170	0.83	0.27	5.57	0.05	29.6	58.3	2	0.51	227	13.15
7781		0.09	3.99	5.68	12.3	120	0.57	0.88	3.48	2.08	16.60	1005	274	0.78	>10000	18.40
7782		2.31	0.15	6.36	4.0	240	0.80	0.21	5.18	0.04	27.9	67.7	2	0.95	279	14.05
7783		2.65	0.14	6.40	3.8	190	0.84	0.26	5.15	0.09	28.2	68.7	2	0.72	269	14.95
7784		2.36	0.13	6.30	2.5	190	0.86	0.27	5.21	0.09	28.5	63.9	1	0.83	263	14.60
7785		2.39	0.14	6.09	4.3	230	0.85	0.29	5.27	0.11	28.1	66.9	2	0.89	239	14.15
7786		2.45	0.21	6.07	4.0	140	0.85	0.23	5.54	0.10	29.7	70.8	2	0.55	375	13.65
7787		2.42	0.15	6.17	3.5	220	1.02	0.24	5.28	0.07	31.9	70.3	1	0.92	251	14.25
7788		2.47	0.08	6.10	2.7	190	0.87	0.24	5.28	0.06	29.4	67.2	1	0.74	146.0	13.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7749		22.8	0.07	4.4	0.103	0.94	21.4	8.5	1.27	1720	1.50	2.10	8.2	2.2	800	5.8
7750		23.0	0.10	3.9	0.114	1.00	19.6	8.9	1.37	1770	1.67	2.11	7.6	2.9	730	5.6
7751		22.1	0.10	3.7	0.112	0.95	18.7	8.2	1.33	1780	1.13	2.17	7.2	2.9	710	6.1
7752		24.6	0.10	4.3	0.121	1.21	20.7	10.6	1.62	2000	1.43	2.22	7.9	3.5	780	6.9
7753		22.3	0.08	3.8	0.114	0.83	18.4	7.5	1.37	1730	1.12	2.21	7.0	3.6	680	6.3
7754		21.6	0.08	3.7	0.106	1.05	18.3	9.3	1.48	1740	1.08	2.18	6.9	3.8	670	5.9
7755		21.9	0.07	3.7	0.104	1.04	17.8	9.6	1.48	1760	1.00	1.94	6.7	3.9	640	6.2
7756		23.3	0.08	3.7	0.111	1.06	18.0	9.8	1.60	1800	1.28	1.96	6.8	4.8	650	6.1
7757		23.0	0.09	3.6	0.113	0.93	17.9	8.9	1.62	1760	1.03	2.12	6.7	5.5	620	5.9
7758		22.5	0.09	3.6	0.104	1.02	17.4	9.4	1.64	1780	1.28	2.10	6.6	5.8	650	5.6
7759		22.0	0.08	3.5	0.104	1.00	16.9	9.3	1.66	1780	1.03	2.01	6.5	6.5	640	5.6
7760		22.2	0.09	3.4	0.102	0.95	16.5	9.6	1.66	1780	1.24	1.89	6.3	7.2	620	6.0
7761		21.0	0.08	3.3	0.112	0.82	16.2	8.1	1.68	1720	0.91	2.35	6.1	8.3	590	5.0
7762		22.6	0.09	3.4	0.108	1.13	16.9	10.3	1.93	1860	0.90	2.12	6.5	10.0	650	4.6
7763		22.4	0.10	3.3	0.100	0.92	15.6	10.3	1.82	1740	0.88	1.79	6.1	10.4	590	6.1
7764		22.3	0.09	3.2	0.099	0.93	15.8	9.5	1.88	1740	0.86	2.01	6.1	11.2	600	5.5
7765		21.2	0.07	3.1	0.095	0.87	15.7	8.3	1.83	1700	0.85	1.96	5.9	12.5	600	4.9
7766		23.0	0.07	3.1	0.101	0.78	16.0	7.5	1.83	1750	0.89	1.87	6.2	13.7	610	5.7
7767		22.5	0.09	3.3	0.096	0.81	16.4	8.2	1.90	1700	0.91	1.98	6.2	14.6	610	5.5
7768		21.3	0.07	3.2	0.096	0.73	15.7	8.4	1.85	1530	0.83	1.87	5.8	13.4	590	5.4
7769		23.1	0.07	3.1	0.104	0.40	15.5	5.7	2.03	1700	1.04	1.89	5.8	15.9	630	7.0
7770		24.5	0.06	2.9	0.129	0.39	15.6	5.0	1.84	1660	0.81	1.86	5.7	16.8	600	6.2
7771		24.3	0.06	3.0	0.136	0.46	14.6	5.6	1.96	1600	0.97	1.94	5.6	18.3	590	5.6
7772		23.1	0.06	2.5	0.097	0.61	13.5	9.4	2.11	1180	95.2	1.67	4.3	25.5	450	5.5
7773		22.7	0.08	2.8	0.229	0.52	13.5	5.6	2.45	1740	1.01	2.22	5.2	23.1	560	5.0
7774		22.8	0.07	2.8	0.102	0.81	14.0	8.3	2.25	1770	1.12	1.87	5.6	25.7	580	6.2
7775		0.89	<0.05	0.1	<0.005	0.08	1.3	1.4	1.64	83	0.11	0.15	0.5	0.2	70	0.5
7776		23.2	0.07	2.9	0.106	0.87	14.1	9.2	2.29	1780	0.86	1.91	5.5	26.5	560	7.5
7777		22.3	0.05	2.7	0.113	0.72	13.2	7.1	2.28	1660	0.66	2.24	5.2	26.3	530	5.9
7778		20.5	0.05	1.6	0.070	0.30	11.9	7.6	1.81	854	29.0	1.01	3.1	21.3	190	5.9
7779		23.0	0.06	2.7	0.116	0.70	13.4	7.7	2.33	1620	0.85	2.02	5.1	29.0	550	5.0
7780		24.8	0.07	2.9	0.115	0.59	14.0	8.3	2.46	1630	0.79	2.09	5.4	31.9	540	4.3
7781		12.00	0.22	1.3	0.115	0.32	7.6	7.8	4.25	1020	4.38	1.22	5.0	>10000	500	14.5
7782		23.0	0.06	2.7	0.103	0.88	13.1	8.0	2.26	1580	0.77	2.13	5.2	53.5	510	3.8
7783		22.9	0.07	2.7	0.099	0.74	13.1	7.2	2.32	1690	0.71	2.17	5.3	36.5	530	4.1
7784		22.5	0.06	2.6	0.100	0.73	13.2	7.5	2.29	1670	0.66	1.96	5.0	35.6	520	4.6
7785		21.2	0.05	2.5	0.092	0.76	12.1	8.1	2.15	1680	1.66	1.64	5.0	45.2	500	11.3
7786		22.3	0.06	2.6	0.112	0.53	13.7	6.8	2.09	1740	1.19	2.13	5.0	45.8	480	6.0
7787		22.9	0.06	2.7	0.105	0.78	14.4	8.6	2.24	1760	0.95	1.93	5.4	43.2	520	5.4
7788		21.7	0.07	2.8	0.105	0.67	13.6	7.6	2.22	1710	0.62	1.93	5.1	41.9	510	5.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7749		33.3	0.002	0.20	0.45	35.9	1	1.8	174.5	0.61	<0.05	5.45	1.265	0.18	1.6	177
7750		34.2	0.004	0.22	0.44	37.8	1	1.7	175.0	0.56	<0.05	4.78	1.285	0.19	1.5	211
7751		31.9	0.002	0.24	0.51	36.1	1	1.7	168.0	0.53	<0.05	4.59	1.320	0.16	1.4	226
7752		43.5	0.005	0.22	0.44	41.5	1	1.9	202	0.58	<0.05	5.06	1.475	0.21	1.5	266
7753		28.3	0.004	0.22	0.54	37.2	1	1.7	185.5	0.52	<0.05	4.46	1.295	0.15	1.4	249
7754		38.4	0.005	0.22	0.35	37.8	1	1.7	162.5	0.52	<0.05	4.51	1.285	0.19	1.4	253
7755		37.2	0.004	0.21	0.37	38.1	1	1.7	183.0	0.49	<0.05	4.33	1.320	0.18	1.3	285
7756		40.3	0.005	0.20	0.41	39.9	1	1.8	189.0	0.51	<0.05	4.34	1.375	0.19	1.4	313
7757		35.9	0.003	0.21	0.45	41.2	1	1.7	178.0	0.50	<0.05	4.20	1.305	0.17	1.3	325
7758		38.4	0.006	0.21	0.37	39.9	1	1.6	158.5	0.49	<0.05	4.25	1.355	0.20	1.3	344
7759		35.7	0.003	0.22	0.38	39.4	1	1.6	170.0	0.48	<0.05	4.01	1.365	0.18	1.3	375
7760		36.7	0.009	0.23	0.37	39.5	1	1.5	194.5	0.46	<0.05	3.97	1.390	0.18	1.2	404
7761		30.6	0.007	0.24	0.40	38.8	1	1.5	167.5	0.45	<0.05	3.79	1.350	0.15	1.2	429
7762		44.7	0.006	0.20	0.39	42.9	1	1.7	179.0	0.47	<0.05	3.96	1.490	0.22	1.2	505
7763		36.0	0.008	0.22	0.47	41.5	1	1.5	208	0.43	<0.05	3.84	1.395	0.17	1.2	493
7764		34.5	0.007	0.22	0.41	42.0	1	1.5	192.0	0.44	<0.05	3.76	1.355	0.17	1.2	502
7765		32.0	0.006	0.23	0.53	39.4	1	1.4	179.5	0.41	<0.05	3.72	1.345	0.16	1.1	538
7766		27.1	0.007	0.22	0.60	40.5	1	1.4	230	0.44	<0.05	3.86	1.445	0.14	1.2	600
7767		29.8	0.006	0.19	0.57	40.8	1	1.6	199.0	0.45	<0.05	3.95	1.395	0.17	1.2	588
7768		27.0	0.004	0.17	0.53	39.0	1	1.5	207	0.43	<0.05	3.79	1.215	0.15	1.2	511
7769		9.0	0.006	0.17	0.72	38.4	1	1.5	252	0.43	<0.05	3.62	1.405	0.06	1.1	617
7770		9.5	0.003	0.22	0.72	38.4	1	1.5	294	0.42	0.06	3.67	1.365	0.07	1.3	683
7771		15.4	0.002	0.17	0.76	38.6	1	1.4	289	0.41	<0.05	3.52	1.375	0.09	1.2	707
7772		24.1	0.009	0.29	0.28	32.6	1	1.1	76.5	0.31	0.17	2.86	1.100	0.14	6.4	544
7773		15.1	0.004	0.25	0.47	40.3	1	1.3	243	0.38	<0.05	3.06	1.400	0.08	1.1	750
7774		31.0	0.003	0.21	0.38	41.3	1	1.4	184.5	0.40	<0.05	3.44	1.565	0.19	1.1	850
7775		2.1	<0.002	<0.01	0.11	0.3	<1	<0.2	78.0	<0.05	<0.05	0.16	0.011	0.02	0.2	5
7776		37.7	0.003	0.17	0.41	42.2	1	1.4	198.0	0.40	<0.05	3.50	1.480	0.17	1.1	808
7777		29.3	0.003	0.20	0.43	41.0	1	1.3	181.5	0.37	<0.05	3.26	1.420	0.17	1.0	773
7778		10.6	<0.002	0.09	0.27	18.5	<1	2.1	34.4	0.22	<0.05	1.85	0.848	0.06	10.5	477
7779		28.9	0.004	0.16	0.38	42.0	1	1.2	181.5	0.38	<0.05	3.26	1.480	0.18	1.1	858
7780		24.4	0.004	0.15	0.35	43.0	1	1.4	147.5	0.39	<0.05	3.49	1.525	0.13	1.6	873
7781		10.9	0.053	8.87	3.10	8.3	18	2.6	192.5	0.32	4.24	1.05	0.562	0.16	0.4	83
7782		40.8	0.003	0.21	0.52	40.5	1	1.3	157.5	0.37	<0.05	3.10	1.485	0.24	1.0	868
7783		31.9	0.005	0.16	0.49	40.8	1	1.3	162.0	0.38	<0.05	3.28	1.595	0.21	1.0	1000
7784		30.9	0.004	0.16	0.38	39.6	1	1.3	170.0	0.37	<0.05	3.09	1.575	0.20	1.0	1020
7785		33.1	0.005	0.17	0.37	40.9	1	1.1	186.5	0.37	<0.05	3.08	1.495	0.20	1.0	1060
7786		21.3	0.003	0.20	0.38	39.9	1	1.3	159.0	0.36	<0.05	3.11	1.525	0.13	1.0	1110
7787		35.8	0.004	0.13	0.34	42.2	1	1.4	155.5	0.39	<0.05	3.27	1.495	0.20	1.0	1070
7788		30.3	0.003	0.15	0.40	38.7	1	1.2	167.0	0.37	<0.05	3.42	1.395	0.17	1.1	977

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7749		0.8	35.0	160	154.0					
7750		0.7	33.7	173	146.0					
7751		0.7	31.6	170	134.5					
7752		0.9	35.5	198	152.5					93.2
7753		0.8	31.3	171	135.5					
7754		0.7	30.8	174	132.0					
7755		0.7	30.5	179	127.0					
7756		0.7	31.3	180	130.5					
7757		0.8	31.1	169	125.5					
7758		0.8	30.2	170	126.5					
7759		0.7	29.8	169	122.5					
7760		0.8	29.4	168	117.0					
7761		0.7	28.2	149	119.5					
7762		0.7	30.1	171	120.0					
7763		0.7	28.6	163	115.5					
7764		0.7	28.5	168	120.5					
7765		0.6	27.2	150	117.0					
7766		0.6	28.4	147	115.0					
7767		0.7	28.5	155	125.0					
7768		0.6	27.5	146	110.5					
7769		0.8	26.6	146	110.0					
7770		0.6	27.6	145	106.0					
7771		0.6	26.8	128	105.5					
7772		0.5	28.4	109	92.9					
7773		0.6	25.1	127	99.2					
7774		0.6	25.7	142	115.5					
7775		<0.1	2.5	3	3.6					
7776		0.6	26.3	137	108.0					
7777		0.6	25.0	125	100.0					
7778		0.4	26.4	89	58.4					
7779		0.5	25.3	136	98.2					
7780		0.6	27.4	136	107.5					
7781		2.5	9.3	140	50.1		1.625	4.65		
7782		0.5	24.1	125	111.5					
7783		0.5	23.9	138	96.6					
7784		0.5	24.5	135	94.7					
7785		0.6	23.6	146	90.7					
7786		0.5	23.0	143	92.3					
7787		0.5	23.8	150	101.5					
7788		0.5	23.4	141	102.5				75.6	97.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7789		2.56	0.11	6.17	2.7	210	0.83	0.20	5.27	0.07	26.8	64.2	1	0.95	199.5	13.65
7790		2.49	0.13	6.27	2.5	140	0.76	0.18	5.34	0.07	27.0	65.8	2	0.56	230	13.10
7791		2.70	0.11	6.14	4.0	60	0.72	0.18	6.24	0.06	30.3	67.8	2	0.19	194.0	12.85
7792		2.19	0.09	6.28	4.8	90	0.79	0.18	5.85	0.07	28.6	69.6	2	0.32	160.0	13.90
7793		2.52	0.12	6.14	3.9	80	0.70	0.17	6.01	0.08	29.1	65.3	1	0.29	204	12.60
7794		2.38	0.15	6.35	4.6	160	0.80	0.17	5.62	0.08	29.3	71.2	3	0.67	263	13.30
7795		2.59	0.14	6.50	3.9	180	0.85	0.18	5.56	0.08	29.6	68.9	2	0.81	234	13.30
7796		2.41	0.19	6.60	3.7	180	0.75	0.20	5.87	0.10	29.3	67.8	3	0.83	384	12.55
7797		2.59	0.16	6.82	3.0	110	0.68	0.17	5.85	0.09	28.5	64.4	4	0.47	309	12.40
7798		1.33	0.44	7.24	4.2	40	0.58	0.24	8.08	0.18	29.1	53.6	4	0.13	910	10.95
7799		1.67	0.13	7.25	3.9	280	0.79	0.20	5.67	0.08	25.9	66.9	6	0.99	257	12.90
7800		2.14	0.03	8.79	7.2	50	0.50	0.24	9.28	0.04	31.0	36.7	12	0.07	71.5	8.74
7801		2.36	0.03	7.27	5.5	170	0.97	0.17	5.54	0.06	33.9	52.3	5	0.43	58.6	10.20
7802		2.58	0.07	7.36	6.3	190	0.83	0.16	5.77	0.07	32.1	54.0	3	0.58	134.5	10.45
7803		2.54	0.09	7.41	4.8	190	0.83	0.18	5.93	0.08	29.7	48.3	4	0.63	167.0	9.97
7804		2.37	0.09	7.73	7.9	170	0.77	0.17	5.99	0.08	29.9	50.9	5	0.48	167.5	9.95
7805		2.44	0.08	7.74	8.7	170	0.71	0.16	6.11	0.07	28.7	50.4	6	0.50	147.5	9.77
7806		2.42	0.08	7.78	13.4	170	0.77	0.16	5.78	0.07	27.6	52.5	5	0.45	155.0	9.65
7807		2.48	0.08	7.98	10.3	140	0.81	0.21	5.99	0.07	28.3	52.6	7	0.34	163.0	9.82
7808		2.03	0.08	7.91	10.5	130	0.74	0.16	6.14	0.06	27.4	48.8	7	0.30	145.0	9.22
7809		2.27	0.08	7.98	8.5	140	0.71	0.16	6.19	0.06	26.5	48.9	6	0.37	173.5	9.25
7810		2.34	0.07	7.95	6.3	140	0.67	0.16	6.29	0.05	27.3	47.6	9	0.39	167.0	9.23
7811		2.56	0.08	7.91	6.0	180	0.64	0.16	6.55	0.07	25.4	47.9	6	0.78	160.5	9.11
7812		2.35	0.08	8.09	6.0	140	0.79	0.15	6.07	0.06	26.1	49.8	8	0.57	184.5	9.26
7813		2.37	0.09	8.17	6.0	130	0.66	0.15	6.45	0.10	25.4	46.3	9	0.53	162.0	8.88
7814		2.83	0.07	7.84	6.0	150	0.64	0.15	6.58	0.05	23.5	45.1	8	0.81	153.5	8.81
7815		2.49	0.07	7.97	11.0	110	0.63	0.15	6.50	0.04	24.1	51.4	9	0.50	154.5	8.94
7816		2.35	0.07	8.22	5.5	110	0.85	0.17	6.39	0.05	24.8	44.6	9	0.41	154.0	8.63
7817		2.30	0.07	8.26	3.3	110	0.86	0.17	6.57	0.03	26.6	44.3	9	0.59	137.0	8.05
7818		2.39	0.06	8.16	3.1	240	0.68	0.18	6.74	0.06	25.1	46.2	11	1.81	152.5	8.63
7819		1.02	0.07	8.13	3.4	270	0.67	0.16	6.42	0.03	23.9	47.4	10	1.86	143.5	9.05
7820		1.02	0.07	7.73	3.8	250	0.68	0.15	6.25	0.03	21.8	46.6	10	1.70	137.5	8.73
7821		0.08	>100	5.28	1670	200	0.68	15.85	0.27	12.80	22.9	90.7	38	1.49	>10000	3.60
7822		2.21	0.46	7.93	5.2	180	0.64	0.14	6.36	0.05	24.2	43.6	11	1.04	184.0	8.42
7823		2.32	0.15	7.97	4.9	110	0.63	0.10	6.09	0.04	24.9	49.3	11	0.41	143.5	9.01
7824		2.29	0.12	7.78	3.6	140	0.61	0.12	6.41	0.04	24.2	46.9	13	0.54	148.0	8.78
7825		1.07	0.06	0.08	<0.2	20	0.08	0.01	33.7	<0.02	1.08	0.6	2	<0.05	19.8	0.13
7826		2.32	0.09	7.80	4.2	80	0.65	0.11	6.24	0.04	24.3	48.6	13	0.27	160.0	9.00
7827		2.31	0.10	7.98	3.0	190	0.73	0.14	6.48	0.04	24.8	47.7	13	0.87	153.0	8.87
7828		1.23	0.08	7.82	2.4	160	0.55	0.15	6.18	0.04	22.1	43.8	14	0.61	149.5	8.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7789		21.2	0.07	2.5	0.091	0.78	13.4	8.4	2.27	1670	0.63	1.70	4.8	39.7	490	5.4
7790		20.5	0.05	2.4	0.093	0.52	12.8	7.3	2.33	1640	0.65	1.87	4.6	39.3	490	5.2
7791		22.0	0.05	2.6	0.108	0.30	14.0	5.5	2.28	1760	0.77	1.86	5.1	46.3	500	5.2
7792		21.2	0.05	2.6	0.093	0.38	13.3	5.9	2.40	1800	0.66	1.94	5.0	48.7	490	4.9
7793		21.0	0.05	2.6	0.095	0.35	13.6	5.7	2.35	1720	0.59	1.86	4.9	46.7	520	4.8
7794		21.3	0.06	2.8	0.096	0.59	13.7	7.7	2.48	1750	0.87	1.92	5.1	50.0	500	5.1
7795		21.2	0.06	2.7	0.090	0.64	13.6	7.9	2.45	1740	0.82	1.96	5.0	51.9	530	5.3
7796		21.6	<0.05	2.6	0.097	0.67	13.6	7.9	2.28	1680	0.83	1.83	5.1	51.3	510	5.3
7797		21.5	<0.05	2.6	0.092	0.45	13.3	7.1	2.32	1700	0.73	2.06	4.7	52.9	510	4.9
7798		26.6	0.05	2.4	0.132	0.22	14.1	4.0	1.93	1510	0.89	1.91	4.5	41.3	470	5.5
7799		23.3	0.07	2.3	0.092	0.93	11.2	9.6	2.05	1660	0.79	2.00	5.3	69.8	450	5.3
7800		30.2	<0.05	2.2	0.177	0.17	14.0	3.3	1.02	1190	0.95	2.05	4.4	63.6	410	8.0
7801		19.95	0.05	2.9	0.095	0.57	15.4	7.3	2.29	1440	0.63	2.19	4.8	38.3	570	7.4
7802		20.9	0.05	2.7	0.090	0.73	14.9	8.0	2.41	1540	0.57	1.96	5.3	39.1	550	6.5
7803		19.80	0.05	2.4	0.084	0.75	14.0	8.0	2.42	1540	0.82	1.71	4.9	40.0	520	6.3
7804		20.3	<0.05	2.6	0.079	0.64	14.1	7.7	2.53	1510	0.76	2.00	5.0	42.5	540	6.0
7805		19.95	<0.05	2.5	0.072	0.65	13.2	7.2	2.51	1520	0.69	2.06	4.7	43.2	500	6.0
7806		19.75	<0.05	2.3	0.073	0.64	12.8	8.0	2.61	1470	1.00	2.10	4.6	45.1	490	6.6
7807		19.60	<0.05	2.5	0.076	0.53	13.0	7.7	2.77	1500	0.71	2.17	4.8	49.7	490	7.0
7808		19.55	<0.05	2.4	0.071	0.47	12.9	6.7	2.58	1450	0.72	2.24	4.5	47.6	490	7.2
7809		19.30	<0.05	2.3	0.072	0.55	12.4	7.2	2.68	1470	0.73	2.08	4.4	48.0	490	5.6
7810		19.60	<0.05	2.2	0.068	0.55	11.8	7.0	2.70	1450	0.89	1.98	4.4	50.5	460	5.8
7811		19.70	<0.05	2.2	0.072	0.75	11.2	7.4	2.71	1400	0.63	1.70	4.3	51.4	470	4.9
7812		19.60	<0.05	2.2	0.073	0.58	11.4	7.9	2.87	1370	0.75	1.99	4.3	55.7	470	5.5
7813		19.75	<0.05	2.2	0.067	0.53	11.4	7.5	2.78	1310	0.68	1.84	4.3	54.3	440	18.3
7814		19.45	0.05	2.0	0.071	0.65	10.1	7.3	2.76	1270	0.66	1.63	4.0	53.1	440	4.4
7815		19.30	0.12	2.1	0.063	0.48	10.3	7.4	2.95	1360	0.76	1.82	4.1	56.9	440	4.1
7816		19.50	0.07	2.0	0.070	0.49	10.8	7.5	2.87	1300	0.66	2.01	3.9	55.7	430	4.6
7817		19.35	0.05	2.2	0.074	0.49	11.9	7.4	2.71	1260	0.83	2.34	4.1	55.1	430	4.1
7818		19.65	<0.05	2.0	0.074	1.15	11.1	8.0	2.91	1290	0.71	1.55	4.1	58.4	430	4.1
7819		19.10	0.05	2.0	0.069	1.31	10.2	9.0	3.06	1340	0.63	1.63	4.0	59.6	430	4.2
7820		18.90	<0.05	1.9	0.067	1.22	9.5	8.8	2.93	1280	0.58	1.57	3.9	57.5	410	4.0
7821		31.3	0.28	2.4	3.87	1.01	9.3	22.2	0.04	91	5.52	0.55	6.7	1515	520	1395
7822		19.00	0.08	1.9	0.071	0.88	10.5	8.3	2.88	1280	0.73	1.69	3.7	58.6	410	4.6
7823		19.05	0.07	1.8	0.067	0.50	10.6	8.2	3.09	1400	0.68	2.06	3.7	60.1	420	4.0
7824		18.95	0.08	1.8	0.064	0.65	10.6	8.1	3.07	1300	0.66	1.74	3.6	62.4	410	4.0
7825		0.25	<0.05	<0.1	0.007	0.01	1.2	1.2	1.23	84	0.30	0.03	0.1	0.7	70	0.5
7826		18.50	0.05	1.8	0.078	0.40	10.6	7.5	3.19	1260	0.64	2.28	3.6	62.8	410	3.8
7827		19.50	0.08	1.9	0.071	0.98	11.0	9.7	3.23	1260	0.65	1.80	3.8	66.6	420	3.8
7828		18.45	0.08	1.7	0.061	0.85	9.6	9.2	3.04	1170	0.59	1.81	3.6	62.4	410	3.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7789		37.3	0.003	0.14	0.36	36.6	1	1.2	165.0	0.35	<0.05	3.09	1.310	0.20	1.0	921
7790		20.3	0.002	0.17	0.43	38.4	1	1.2	155.5	0.34	<0.05	3.08	1.175	0.13	1.0	801
7791		6.8	0.004	0.14	0.50	40.3	1	1.3	174.0	0.39	<0.05	3.43	1.315	0.05	1.1	961
7792		11.2	0.002	0.13	0.41	41.2	1	1.2	177.0	0.38	<0.05	3.27	1.390	0.08	1.0	1020
7793		10.8	0.002	0.13	0.49	39.4	1	1.2	184.0	0.35	<0.05	3.16	1.265	0.06	1.0	930
7794		26.1	0.002	0.17	0.48	41.9	1	1.2	172.5	0.38	<0.05	3.22	1.255	0.16	1.0	891
7795		28.6	0.002	0.16	0.46	39.8	1	1.3	175.5	0.38	<0.05	3.37	1.215	0.16	1.0	893
7796		30.3	0.003	0.21	0.51	39.0	1	1.2	195.5	0.38	<0.05	3.31	1.215	0.18	1.1	850
7797		16.9	0.003	0.16	0.57	35.6	1	1.2	188.0	0.36	<0.05	3.15	1.150	0.11	1.0	860
7798		4.8	0.002	0.21	1.13	36.9	1	1.3	339	0.32	0.06	2.93	1.020	0.05	1.0	769
7799		42.2	0.003	0.14	0.46	31.0	1	1.2	205	0.38	<0.05	2.84	1.455	0.24	0.9	1160
7800		3.5	0.002	0.12	0.81	22.5	1	1.3	514	0.33	<0.05	3.19	1.370	0.03	2.0	1440
7801		23.5	<0.002	0.11	0.46	34.9	<1	1.1	219	0.35	<0.05	3.80	0.754	0.10	1.2	331
7802		30.3	0.002	0.12	0.63	34.8	1	1.2	208	0.38	<0.05	3.45	0.780	0.15	1.1	314
7803		30.0	<0.002	0.12	0.43	32.8	1	1.2	209	0.36	<0.05	3.23	0.713	0.14	1.0	291
7804		24.2	<0.002	0.11	0.50	33.5	1	1.2	214	0.36	<0.05	3.23	0.705	0.13	1.0	288
7805		24.9	<0.002	0.11	0.54	32.8	1	1.1	228	0.35	<0.05	3.16	0.693	0.14	1.0	278
7806		23.2	0.002	0.10	0.50	32.5	1	1.1	213	0.34	<0.05	3.07	0.679	0.13	0.9	276
7807		18.5	0.002	0.11	0.49	33.1	1	1.1	216	0.34	<0.05	3.14	0.698	0.10	1.0	281
7808		16.4	0.002	0.10	0.55	32.1	1	1.0	241	0.33	<0.05	2.99	0.655	0.09	0.9	267
7809		19.0	0.002	0.10	0.45	31.4	1	1.1	235	0.33	<0.05	2.97	0.668	0.11	0.9	272
7810		20.9	<0.002	0.10	0.49	31.8	1	1.1	235	0.33	<0.05	2.97	0.659	0.12	0.9	273
7811		26.9	0.002	0.11	0.40	31.8	1	1.0	237	0.32	<0.05	2.77	0.644	0.19	0.9	271
7812		24.9	<0.002	0.11	0.45	32.8	1	1.0	220	0.32	<0.05	2.88	0.627	0.13	0.9	265
7813		19.5	<0.002	0.09	0.43	31.8	1	1.0	238	0.32	<0.05	2.70	0.647	0.13	0.8	268
7814		22.2	<0.002	0.09	0.38	30.7	1	1.0	235	0.30	<0.05	2.49	0.592	0.17	0.8	255
7815		15.0	0.002	0.10	0.39	31.6	1	0.9	226	0.30	<0.05	2.55	0.618	0.12	0.8	259
7816		19.7	<0.002	0.10	0.36	30.9	1	0.9	213	0.29	<0.05	2.61	0.575	0.09	0.8	255
7817		22.6	0.002	0.12	0.35	31.0	1	0.9	187.0	0.30	<0.05	2.80	0.596	0.11	0.9	251
7818		62.0	<0.002	0.10	0.34	32.5	1	1.0	224	0.29	<0.05	2.57	0.612	0.30	0.8	260
7819		53.7	<0.002	0.09	0.34	32.4	<1	0.9	218	0.30	<0.05	2.52	0.605	0.36	0.8	264
7820		42.9	<0.002	0.08	0.33	30.1	1	0.9	212	0.29	<0.05	2.32	0.579	0.32	0.8	253
7821		27.8	0.002	8.32	306	5.2	79	2.8	336	0.51	32.6	4.39	0.176	14.25	2.8	38
7822		35.0	<0.002	0.10	0.59	32.0	1	0.9	218	0.26	0.05	2.62	0.588	0.21	0.8	248
7823		18.8	<0.002	0.09	0.52	32.9	1	0.9	201	0.27	<0.05	2.61	0.595	0.10	0.8	251
7824		26.6	0.003	0.10	0.53	33.1	1	1.0	212	0.26	<0.05	2.57	0.575	0.14	0.8	250
7825		0.2	<0.002	<0.01	0.14	0.3	1	<0.2	83.8	<0.05	<0.05	0.07	0.007	<0.02	0.1	2
7826		14.8	<0.002	0.13	0.44	32.0	<1	0.9	190.0	0.26	<0.05	2.55	0.588	0.09	0.9	255
7827		42.2	<0.002	0.10	0.46	34.1	1	0.9	205	0.27	<0.05	2.57	0.611	0.20	0.8	262
7828		27.2	<0.002	0.11	0.45	30.9	1	0.8	217	0.26	<0.05	2.37	0.581	0.16	0.8	249

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7789		0.5	23.2	148	88.4					
7790		0.4	23.0	147	88.9					
7791		0.5	24.2	140	91.8					
7792		0.5	23.5	146	91.8					
7793		0.5	23.5	140	112.0					
7794		0.5	24.3	146	96.4				87.1	
7795		0.6	23.7	145	99.2					
7796		0.5	24.1	137	93.9					
7797		0.5	22.9	139	91.6					
7798		0.6	24.4	124	85.8					
7799		0.5	20.3	135	82.6					
7800		1.3	20.1	62	80.3					
7801		0.4	27.2	115	106.5					
7802		0.4	25.6	122	98.5					
7803		0.4	23.6	118	88.0					
7804		0.5	23.5	120	92.0					
7805		0.5	22.5	111	87.2					
7806		0.5	22.2	115	82.0					
7807		0.5	22.3	116	89.1					
7808		0.4	21.9	105	85.4					
7809		0.5	21.3	107	80.6					
7810		0.5	21.0	106	81.4					
7811		0.4	20.9	104	77.1					
7812		0.4	20.6	114	81.3					
7813		0.4	20.4	116	75.7					
7814		0.4	19.7	100	69.9					
7815		0.4	19.4	101	73.2					
7816		0.4	19.3	95	70.3					
7817		0.4	20.5	89	77.0					
7818		0.3	19.9	95	84.7					
7819		0.4	19.1	101	70.1					
7820		0.4	17.9	96	68.9					
7821		25.4	4.5	2140	89.1	990	5.19			
7822		0.4	19.1	92	67.8					
7823		0.4	19.4	98	69.7					
7824		0.3	19.1	93	71.1					
7825		<0.1	2.6	3	1.4					
7826		0.4	18.9	95	69.1					
7827		0.3	19.6	94	70.6					
7828		0.3	17.7	87	66.3				82.6	86.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7829		1.76	0.09	8.02	2.1	170	0.68	0.20	6.43	0.04	23.2	45.5	15	0.66	145.5	8.37
7830		1.83	0.06	7.87	1.2	210	1.22	0.20	5.18	0.03	23.7	40.4	13	1.21	95.3	8.17
7831		2.26	0.09	7.95	0.9	170	1.14	0.11	4.36	0.02	25.1	53.9	13	0.88	64.6	8.13
7832		1.97	0.03	7.87	1.2	190	0.85	0.34	6.14	0.04	23.2	44.7	14	0.92	108.5	8.27
7833		2.25	0.05	7.90	1.6	180	0.79	0.29	6.24	0.03	23.0	46.2	16	0.80	112.5	8.44
7834		2.32	0.05	7.62	1.5	150	0.89	0.25	6.25	0.03	22.3	43.3	16	0.73	104.5	8.40
7835		2.18	0.08	7.69	1.5	130	0.64	0.22	6.34	0.03	22.6	45.7	17	0.59	138.0	8.48
7836		1.17	0.06	7.94	2.0	200	0.73	0.27	6.39	0.04	22.2	46.0	17	1.09	121.0	8.43
7837		2.04	0.06	6.44	0.7	170	0.99	0.13	3.38	0.02	24.3	42.4	19	1.02	54.6	6.57
7838		1.61	0.02	7.63	0.4	270	1.45	0.15	3.38	<0.02	20.1	37.0	19	1.98	41.3	8.35
2999		2.29	0.02	7.58	0.6	270	1.35	0.17	4.62	0.02	20.4	31.5	18	1.78	32.2	8.16
7839		2.36	0.03	7.84	0.5	190	1.23	0.32	6.13	0.03	24.0	45.7	18	0.76	31.4	7.71
7840		2.26	0.09	7.08	4.0	170	0.84	0.28	2.82	0.20	31.2	109.5	21	0.65	166.0	7.60
7841		2.18	0.07	7.64	6.3	180	0.75	0.23	3.56	0.17	32.8	99.7	19	0.61	151.0	7.47
7842		2.33	0.02	7.94	1.0	170	0.89	0.22	6.25	0.02	22.3	48.8	19	0.44	62.6	7.80
7843		1.64	0.04	7.63	1.6	150	0.92	0.27	5.30	0.02	20.9	48.0	20	0.45	65.3	8.32
3000		1.46	0.06	4.66	1.2	180	0.66	0.28	2.04	0.13	25.1	75.4	19	1.00	108.0	5.50
7844		1.39	0.03	7.72	1.3	380	1.38	0.19	2.10	0.05	20.4	80.8	21	2.14	30.5	9.71
7845		2.15	0.08	7.72	15.8	320	1.25	0.37	2.46	0.64	18.95	106.0	22	1.88	90.5	10.95
7846		2.33	0.04	7.98	1.5	340	1.25	0.38	3.50	0.06	21.3	73.2	22	1.61	78.9	9.36
7847		2.31	0.07	8.36	1.3	220	0.90	0.31	4.69	<0.02	25.6	70.0	25	0.76	93.2	7.73
7848		2.42	0.06	8.34	2.9	130	0.70	0.24	5.52	<0.02	18.85	41.0	24	0.32	82.8	7.53
7849		2.20	0.05	7.90	1.7	150	0.89	0.25	5.11	<0.02	16.40	37.3	30	0.39	73.3	6.67
7850		2.46	0.06	8.12	3.8	110	0.58	0.30	6.35	0.03	20.6	41.2	35	0.25	127.5	7.82
7851		2.50	0.08	8.09	4.5	150	0.59	0.38	6.23	0.03	21.2	45.0	43	0.39	161.5	8.47
7852		1.50	0.03	7.96	2.0	140	0.85	0.28	4.22	<0.02	21.9	51.4	48	0.63	62.2	10.15
7853		1.59	0.03	7.67	3.6	140	0.78	0.20	4.04	<0.02	16.55	58.4	49	0.65	56.6	11.95
7854		1.00	0.02	7.30	3.2	400	1.00	0.30	3.71	<0.02	40.9	50.2	33	2.87	40.6	10.75
7855		2.72	0.05	6.14	9.3	160	1.28	0.27	4.52	0.02	47.9	51.5	5	1.00	172.0	9.97
7856		2.37	0.05	5.94	6.3	160	1.20	0.30	4.59	0.09	39.4	54.3	4	1.06	132.0	11.90
7857		1.54	0.05	6.22	6.1	260	1.02	0.37	4.49	0.06	32.5	61.2	2	2.01	116.0	13.10
7858		1.10	0.05	6.03	8.6	360	0.82	0.31	5.35	0.06	31.1	59.4	3	2.78	132.5	12.25
7859		1.17	0.05	6.26	4.4	270	1.10	0.34	4.51	0.04	36.4	55.4	4	2.07	131.5	12.65
7860		1.15	0.05	6.16	6.8	270	0.98	0.34	4.47	0.03	36.8	58.8	5	2.18	142.5	12.75
7861		0.07	>100	3.96	1885	70	0.70	151.5	0.32	56.1	26.0	15.5	29	1.74	9790	2.77
7862		1.31	0.45	5.93	5.6	370	1.13	0.49	4.90	0.11	35.5	53.8	3	2.56	185.5	12.35
7863		1.32	0.12	5.98	5.2	290	1.13	0.29	4.04	0.05	34.2	52.9	2	2.07	178.0	12.70
7864		1.91	0.05	6.14	5.5	320	1.23	0.28	3.66	0.04	39.9	54.6	3	2.31	111.5	13.35
7865		2.63	0.02	6.39	5.8	320	1.35	0.33	3.98	<0.02	41.0	46.4	2	1.85	53.9	13.60
7866		2.35	0.05	6.37	3.8	360	1.42	0.25	3.13	0.21	50.4	36.7	5	1.90	25.8	12.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7829		18.80	0.08	1.8	0.058	0.88	10.2	9.4	3.03	1110	0.75	1.86	3.6	63.4	420	4.1
7830		19.95	0.07	1.8	0.075	1.29	10.6	14.4	3.07	955	0.61	2.54	3.5	64.9	400	2.9
7831		24.1	0.07	1.9	0.071	1.06	12.1	13.5	3.11	852	1.04	2.98	3.5	67.2	400	2.3
7832		18.95	0.07	1.7	0.077	1.10	10.2	12.2	3.11	946	0.60	1.97	3.5	66.8	400	4.4
7833		18.80	0.06	1.7	0.066	0.99	10.1	11.8	3.25	1040	0.59	1.93	3.4	69.8	390	4.2
7834		18.00	0.07	1.6	0.069	0.87	9.6	10.4	3.28	1090	0.54	1.88	3.3	69.3	390	3.7
7835		18.20	0.08	1.8	0.069	0.71	9.8	10.0	3.38	1130	0.58	1.92	3.4	73.0	380	4.0
7836		18.60	0.06	1.6	0.065	1.14	9.6	11.9	3.45	1100	0.57	1.64	3.3	74.9	390	4.2
7837		21.5	0.06	1.4	0.054	1.04	12.3	11.0	2.51	736	6.00	2.33	2.8	63.8	310	3.1
7838		25.9	0.09	1.8	0.053	1.67	10.1	15.9	2.84	825	0.63	2.89	3.5	78.2	380	2.9
2999		23.2	0.07	1.6	0.063	1.57	10.1	16.7	2.81	918	0.47	2.68	3.3	75.3	370	2.8
7839		20.7	0.08	1.6	0.070	0.98	11.0	12.9	2.92	1020	0.53	2.50	3.2	71.1	370	3.6
7840		26.4	0.09	1.6	0.050	0.90	15.2	13.2	2.64	794	25.8	2.83	3.1	81.6	350	27.8
7841		24.1	0.07	1.6	0.054	0.85	16.2	14.7	2.97	935	27.7	3.16	3.2	76.4	360	10.2
7842		20.1	0.06	1.6	0.063	0.73	9.9	10.9	3.27	1170	0.74	2.36	3.2	71.2	370	4.2
7843		21.0	0.07	1.5	0.065	0.66	9.1	11.8	3.35	1120	0.80	2.24	3.2	72.9	360	4.8
3000		18.40	0.07	1.0	0.036	1.01	12.3	9.4	1.75	554	41.2	1.83	2.0	51.8	240	15.0
7844		29.8	0.09	1.7	0.058	2.08	8.8	19.2	3.10	910	0.90	2.95	3.2	76.0	380	7.0
7845		29.5	0.08	1.8	0.037	1.60	9.0	12.1	1.59	702	9.07	4.11	3.2	56.3	360	71.1
7846		24.3	0.06	1.5	0.042	1.71	9.8	15.0	2.14	868	6.48	3.37	3.1	66.3	340	8.6
7847		21.8	0.07	1.5	0.056	1.02	11.9	11.9	2.54	982	2.46	2.96	3.1	69.1	360	4.8
7848		20.1	0.06	1.4	0.061	0.58	8.1	10.0	2.72	1030	1.95	2.80	3.1	68.7	330	5.0
7849		19.15	0.06	1.3	0.054	0.68	7.7	9.5	2.60	1030	3.01	2.73	2.7	67.4	320	4.2
7850		18.00	0.06	1.5	0.056	0.51	9.0	8.8	3.21	1300	0.58	2.17	3.2	78.3	350	5.0
7851		18.40	0.07	1.5	0.065	0.61	9.2	9.5	3.40	1430	0.61	1.93	3.1	82.3	350	5.0
7852		19.05	0.06	1.7	0.063	0.58	9.9	12.3	3.44	1460	0.83	2.14	3.0	85.2	330	3.6
7853		19.60	0.08	1.4	0.058	0.63	7.4	13.8	3.45	1630	0.45	1.92	3.0	85.7	340	3.5
7854		20.3	0.10	2.4	0.072	1.67	18.5	24.4	2.56	1320	1.63	1.40	5.3	49.2	610	4.9
7855		21.5	0.06	4.3	0.103	0.75	22.0	15.7	1.79	1400	1.31	1.96	8.2	12.7	840	15.9
7856		21.5	0.06	3.5	0.096	0.75	18.1	9.1	1.58	1640	1.24	1.80	6.9	8.6	750	10.8
7857		22.1	0.06	2.9	0.098	1.15	15.0	12.4	1.86	1840	0.88	1.58	5.9	11.9	550	8.4
7858		20.9	0.05	2.6	0.092	1.62	14.2	14.9	1.84	1820	1.33	1.25	5.3	14.1	540	6.1
7859		21.9	0.07	3.2	0.099	1.23	16.8	12.2	1.75	1740	1.14	1.69	6.3	12.2	650	4.9
7860		22.3	0.07	3.1	0.095	1.27	17.1	12.3	1.74	1760	1.24	1.65	6.4	12.7	610	5.0
7861		23.1	0.19	2.7	11.50	0.60	12.1	19.9	0.08	136	6.37	0.41	7.6	108.5	530	1980
7862		22.3	0.08	2.8	0.130	1.61	16.4	14.5	1.59	1700	2.41	1.18	6.8	13.5	640	7.3
7863		20.9	0.08	2.9	0.102	1.26	15.8	12.9	1.64	1700	0.93	1.68	6.1	12.8	600	4.6
7864		22.2	0.08	3.4	0.106	1.39	18.7	14.7	1.54	1610	1.09	1.72	7.2	10.7	690	4.8
7865		25.0	0.10	3.4	0.120	1.31	19.6	13.0	1.25	1600	1.16	2.03	8.1	5.2	750	5.1
7866		22.1	0.11	4.4	0.117	1.39	24.0	15.6	1.23	1380	1.25	2.22	8.7	3.9	910	15.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7829		33.7	<0.002	0.13	0.44	32.4	1	0.9	215	0.26	<0.05	2.50	0.585	0.15	0.8	254
7830		56.6	<0.002	0.13	0.22	31.7	1	0.9	115.5	0.26	<0.05	2.40	0.558	0.26	0.9	245
7831		47.4	<0.002	0.30	0.18	31.0	1	0.9	56.3	0.24	<0.05	2.47	0.559	0.23	1.1	247
7832		47.5	<0.002	0.12	0.32	32.6	1	1.0	190.5	0.25	<0.05	2.42	0.566	0.24	0.8	247
7833		44.7	<0.002	0.10	0.34	33.9	<1	0.9	196.5	0.24	<0.05	2.39	0.556	0.20	0.8	249
7834		36.9	<0.002	0.13	0.34	33.2	1	0.9	188.5	0.23	<0.05	2.27	0.550	0.19	0.7	248
7835		29.5	<0.002	0.11	0.41	33.7	1	0.8	198.0	0.24	<0.05	2.33	0.547	0.16	0.7	247
7836		49.7	0.002	0.11	0.34	33.6	1	0.9	214	0.24	<0.05	2.35	0.549	0.23	0.7	248
7837		47.7	0.002	0.23	0.22	25.5	<1	0.8	71.0	0.19	0.05	1.93	0.446	0.24	1.2	204
7838		65.4	<0.002	0.24	0.16	29.8	1	1.0	71.7	0.25	<0.05	2.17	0.544	0.38	1.5	254
2999		64.0	<0.002	0.13	0.16	30.6	1	0.9	86.2	0.25	<0.05	2.14	0.531	0.39	1.2	239
7839		42.9	<0.002	0.11	0.21	32.0	1	1.0	140.0	0.23	<0.05	2.26	0.517	0.20	0.9	236
7840		36.8	0.003	0.86	0.28	24.5	1	0.7	63.2	0.22	0.10	2.01	0.470	0.28	2.3	184
7841		29.4	0.003	0.73	0.28	24.6	2	0.8	65.2	0.22	0.10	2.10	0.501	0.43	2.1	196
7842		31.7	<0.002	0.14	0.36	31.8	1	0.9	179.0	0.24	<0.05	2.29	0.525	0.14	0.8	237
7843		18.8	<0.002	0.12	0.46	31.0	1	1.0	213	0.23	<0.05	2.11	0.512	0.17	0.8	232
3000		47.5	0.006	0.64	0.25	15.5	1	0.5	40.4	0.13	0.14	1.19	0.292	0.28	1.6	115
7844		60.3	<0.002	0.36	0.25	29.6	1	1.2	69.5	0.23	<0.05	1.67	0.516	0.47	1.5	229
7845		70.2	<0.002	0.87	0.21	17.2	1	1.5	63.2	0.23	0.09	2.08	0.508	0.39	2.7	259
7846		70.6	0.002	0.66	0.23	22.3	1	1.2	100.5	0.21	0.05	1.92	0.504	0.39	1.5	217
7847		44.6	<0.002	0.47	0.33	26.2	1	1.0	166.5	0.21	0.05	2.14	0.508	0.23	1.3	213
7848		9.8	<0.002	0.13	0.45	26.7	1	0.8	289	0.22	<0.05	1.83	0.487	0.13	0.7	224
7849		18.5	<0.002	0.14	0.33	25.8	1	0.7	206	0.20	<0.05	1.73	0.445	0.14	0.8	204
7850		21.3	<0.002	0.09	0.46	31.5	1	0.8	281	0.23	0.05	2.19	0.516	0.10	0.7	230
7851		26.9	<0.002	0.08	0.48	33.5	1	0.8	303	0.23	0.05	2.23	0.518	0.12	0.7	243
7852		24.0	0.002	0.13	0.35	32.7	1	0.8	210	0.22	<0.05	2.12	0.498	0.12	0.7	233
7853		12.2	0.002	0.12	0.38	30.5	1	0.9	188.5	0.23	<0.05	1.84	0.499	0.15	0.6	227
7854		80.4	0.002	0.14	0.46	31.6	1	1.3	248	0.40	<0.05	5.31	0.778	0.45	2.1	293
7855		32.4	0.003	0.32	0.74	32.9	1	1.7	210	0.61	<0.05	5.25	1.070	0.31	1.7	270
7856		35.1	0.003	0.21	0.48	37.7	1	1.8	207	0.53	<0.05	4.52	1.115	0.36	1.7	303
7857		60.3	0.007	0.17	0.37	39.3	1	1.5	204	0.44	<0.05	3.45	1.295	0.42	1.1	459
7858		85.7	0.003	0.17	0.35	37.4	1	1.4	191.0	0.38	<0.05	3.47	1.135	0.54	1.1	429
7859		63.8	0.003	0.17	0.37	37.9	1	1.5	195.5	0.46	<0.05	4.11	1.205	0.40	1.3	435
7860		67.0	0.004	0.18	0.38	39.1	1	1.5	191.5	0.49	<0.05	4.07	1.240	0.44	1.3	451
7861		23.0	0.002	3.73	219	4.0	61	12.8	489	0.59	61.5	5.03	0.199	4.08	2.6	32
7862		82.6	0.002	0.19	0.69	36.6	1	1.6	185.0	0.48	0.08	3.89	1.240	0.56	1.2	433
7863		61.8	0.002	0.17	0.41	36.3	1	1.5	141.5	0.47	<0.05	3.92	1.270	0.40	1.2	448
7864		67.3	0.004	0.21	0.41	36.1	1	1.6	154.0	0.54	<0.05	4.53	1.300	0.46	1.4	423
7865		60.8	0.004	0.18	0.48	34.8	1	1.7	224	0.58	<0.05	4.41	1.395	0.42	1.4	297
7866		61.2	0.002	0.11	0.38	28.9	1	1.9	146.5	0.64	<0.05	6.03	1.025	0.41	1.8	194

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7829		0.3	18.6	83	70.4					
7830		0.3	18.2	86	68.6					
7831		0.3	18.4	89	71.1					
7832		0.4	18.3	80	70.0					
7833		0.4	18.5	82	66.2					
7834		0.3	17.9	86	65.3					
7835		0.4	17.9	86	64.1					
7836		0.3	17.7	87	65.9					
7837		0.3	13.7	73	57.3					
7838		0.3	13.3	92	71.0					
2999		0.3	15.0	91	61.0					
7839		0.4	18.0	83	58.8					
7840		0.3	13.9	118	59.8					
7841		0.3	13.7	126	62.5					
7842		0.4	18.0	88	60.2					
7843		0.5	16.6	87	58.3					
3000		0.2	9.3	92	36.7					
7844		0.3	13.4	107	63.7					
7845		0.5	8.8	196	71.0					
7846		0.4	11.2	102	58.9					
7847		0.4	14.5	88	59.4					
7848		0.4	14.8	86	57.0					
7849		0.4	13.7	86	47.7					
7850		0.4	16.7	101	62.3					
7851		0.5	17.3	108	58.6					
7852		0.4	16.4	114	57.1					
7853		0.3	14.5	126	52.1					
7854		0.5	23.4	88	94.7					
7855		0.9	34.2	60	159.0					
7856		0.8	31.8	88	128.0					
7857		0.8	26.3	112	94.2					
7858		0.7	25.1	114	89.9					
7859		0.8	29.3	102	115.5					
7860		0.8	28.8	101	111.0					
7861		15.7	5.5	9030	86.7	289				
7862		0.8	27.8	117	103.0					
7863		0.8	26.6	104	103.5					
7864		0.8	30.3	95	121.5					
7865		0.8	31.8	86	124.0					
7866		0.8	37.6	167	164.5				78.2	96.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
7867		2.40	0.01	6.17	3.9	310	1.44	0.30	3.58	0.02	48.6	37.6	4	1.74	18.9	11.85
7868		2.35	0.01	6.13	5.4	300	1.50	0.22	3.99	<0.02	56.1	35.1	4	2.13	19.5	10.25
7869		1.69	0.03	6.21	3.1	270	1.59	0.21	3.08	0.05	71.6	24.3	5	1.47	27.7	9.47
7870		1.57	0.04	5.98	3.2	460	1.68	0.31	3.04	0.14	57.2	42.8	6	2.68	30.4	10.60
7871		1.08	0.09	5.96	5.7	480	1.69	0.38	2.38	0.05	67.8	28.9	8	2.83	38.5	10.70
7872		2.33	0.12	5.41	34.5	450	1.24	0.50	1.74	0.71	68.5	72.3	12	2.48	193.5	9.13
7873		2.20	0.04	5.70	4.1	280	1.38	0.25	2.26	0.02	68.9	26.2	8	1.65	38.2	9.60
7874		2.41	0.02	5.98	4.2	260	1.89	0.24	3.04	0.03	66.3	28.9	6	1.56	51.0	11.20
7875		0.99	<0.01	0.07	<0.2	10	0.06	0.01	31.3	<0.02	1.04	0.9	2	<0.05	1.1	0.12
7876		2.24	0.02	5.95	3.7	210	1.40	0.18	2.92	0.02	67.0	26.6	4	1.17	45.8	11.70
7877		2.33	0.02	5.95	3.2	160	1.56	0.18	3.49	0.02	68.5	25.1	6	1.04	48.6	11.20
7878		2.26	0.03	5.79	5.9	280	1.33	0.25	3.75	0.04	66.0	27.7	6	1.88	52.2	9.34
7879		2.31	0.01	6.18	3.0	220	1.74	0.21	3.27	0.05	66.7	27.1	4	1.24	52.4	11.55
7880		2.30	0.03	6.16	2.6	230	1.64	0.20	3.65	0.05	66.2	27.9	4	1.57	51.4	11.90
7881		2.29	0.03	6.03	5.0	270	1.66	0.25	3.48	<0.02	64.3	28.8	7	1.61	37.8	11.30
7882		2.33	0.03	6.16	3.5	240	1.62	0.25	3.46	0.04	63.7	29.0	7	1.32	49.0	11.80
7883		2.34	0.02	5.99	4.5	240	1.60	0.26	3.55	0.02	60.4	29.5	4	1.34	43.5	11.30
7884		2.24	<0.01	5.86	4.1	240	1.63	0.21	3.58	0.03	62.6	28.7	5	1.51	40.5	10.90
7885		2.09	0.02	5.96	5.0	330	1.24	0.22	3.75	0.07	64.5	32.3	4	2.02	57.3	10.30
7886		2.24	0.03	6.01	5.2	270	1.44	0.22	4.16	0.07	62.4	31.1	3	1.64	57.3	10.75
7887		2.24	0.02	6.07	2.1	320	1.50	0.23	3.81	0.03	64.7	28.8	5	2.20	45.6	11.05
7888		2.16	0.02	5.89	17.5	130	1.00	0.19	4.79	0.03	82.1	35.0	5	0.89	46.2	7.75
7889		2.17	0.04	6.09	17.8	170	1.53	0.35	3.76	0.03	66.1	44.9	4	1.32	90.4	10.30
7890		2.25	0.01	6.05	3.5	170	1.48	0.27	3.52	0.03	61.5	28.3	5	1.04	42.1	12.00
7891		2.15	0.03	6.33	5.0	120	1.06	0.29	3.91	0.09	59.7	32.6	4	0.61	58.6	12.40
7892		2.27	0.02	6.05	4.9	120	1.08	0.30	4.80	0.04	57.9	32.2	3	0.67	55.8	10.95
7893		2.31	0.04	6.19	3.2	250	1.15	0.27	4.75	0.14	57.4	32.9	3	2.18	52.6	10.95
7894		1.43	0.02	6.48	1.5	80	0.60	0.16	5.26	0.08	85.2	24.4	3	0.59	26.5	7.50
7895		1.12	0.05	5.66	12.6	110	0.67	0.24	4.85	0.42	50.0	36.0	4	1.05	85.1	5.54
7896		2.13	0.01	6.13	1.6	190	1.18	0.32	3.84	0.02	57.4	35.1	4	1.70	55.6	12.00
7897		2.33	0.01	6.50	2.9	260	1.45	0.43	4.23	0.02	57.9	38.1	3	2.40	36.5	13.05
7898		2.23	0.01	6.38	1.4	310	1.30	0.34	4.34	0.03	56.5	39.3	9	3.19	52.0	12.20
7899		1.02	0.03	6.32	1.8	290	1.07	3.01	5.52	0.02	51.7	40.6	3	3.03	86.4	11.25
7900		1.09	0.02	6.14	2.7	290	0.97	1.48	5.40	0.02	50.6	41.3	3	3.15	88.5	10.85
7901		0.09	3.61	5.59	13.5	120	0.42	0.88	3.58	2.01	16.20	997	271	0.77	>10000	17.95
7902		2.34	0.01	6.31	3.3	280	1.11	0.36	4.35	0.02	49.0	44.1	3	2.73	76.9	13.05
7903		2.54	0.03	6.25	3.9	250	1.23	0.44	4.15	0.03	46.8	44.4	9	2.32	76.9	13.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
7867		22.5	0.11	4.2	0.135	1.26	22.4	14.0	1.16	1450	1.06	2.06	8.9	3.6	850	5.3
7868		22.9	0.09	5.4	0.141	1.23	26.8	14.3	1.05	1380	2.39	2.36	9.2	4.2	900	5.1
7869		22.8	0.12	6.0	0.115	0.97	34.0	13.4	0.72	857	1.53	2.94	10.7	1.2	1090	19.3
7870		22.6	0.10	4.8	0.135	1.50	26.9	13.5	0.67	869	2.08	2.44	10.6	1.3	1250	75.4
7871		22.0	0.11	5.3	0.131	1.42	31.8	12.6	0.66	793	2.37	2.32	11.1	1.3	1600	20.5
7872		19.20	0.12	5.6	0.083	1.31	33.6	12.9	0.57	675	18.15	2.25	10.3	11.6	1450	104.5
7873		20.9	0.12	5.2	0.098	0.92	32.9	10.7	0.59	861	3.63	2.55	10.1	3.1	1620	7.4
7874		22.6	0.11	5.7	0.127	0.89	31.4	10.4	0.62	1120	1.86	2.50	10.9	0.4	1860	10.7
7875		0.23	<0.05	0.1	<0.005	0.01	1.1	1.1	1.53	76	0.11	0.03	0.1	<0.2	60	0.5
7876		22.3	0.12	5.4	0.127	0.70	30.8	7.8	0.61	1210	1.82	2.55	10.6	0.4	1890	4.6
7877		22.6	0.12	5.9	0.122	0.57	31.8	7.8	0.61	1300	2.21	2.58	10.5	0.4	1880	4.7
7878		22.5	0.12	5.7	0.109	0.97	30.8	11.2	0.69	1360	11.25	2.37	10.3	4.1	1900	11.8
7879		23.0	0.12	5.8	0.130	0.75	30.4	10.5	0.71	1400	2.09	2.50	10.7	0.6	1940	7.5
7880		23.9	0.12	5.7	0.121	0.81	30.6	10.7	0.72	1480	2.71	2.39	11.0	0.5	2010	7.2
7881		23.5	0.13	5.5	0.132	0.93	30.1	10.0	0.65	1360	4.46	2.25	10.7	2.0	1980	4.7
7882		22.9	0.14	5.4	0.135	0.83	29.1	10.6	0.71	1350	1.78	2.31	10.6	0.8	2050	9.5
7883		22.7	0.13	5.3	0.132	0.85	27.8	8.9	0.67	1380	1.81	2.23	10.2	0.5	1950	4.6
7884		22.3	0.10	5.3	0.128	0.85	28.6	9.1	0.67	1350	1.89	2.26	10.4	0.6	1860	8.2
7885		22.1	0.11	5.5	0.149	1.05	30.6	11.5	0.75	1430	1.87	2.28	10.5	0.6	1850	17.1
7886		22.4	0.12	5.5	0.147	0.90	29.5	10.5	0.77	1550	1.85	2.27	10.4	0.6	1910	11.9
7887		22.9	0.13	5.6	0.154	1.08	29.6	10.9	0.76	1520	1.68	2.24	10.5	0.5	1990	4.6
7888		24.0	0.11	5.8	0.085	0.47	41.0	8.3	0.87	1580	4.90	2.70	10.4	10.5	1970	5.5
7889		24.3	0.13	5.4	0.119	0.68	31.4	7.8	0.80	1420	10.30	2.64	10.4	6.7	2020	4.8
7890		22.7	0.11	5.0	0.116	0.66	28.2	7.3	0.71	1390	1.73	2.52	10.0	0.5	2040	4.7
7891		23.0	0.16	4.8	0.126	0.48	29.2	4.1	0.75	1560	1.72	2.69	10.2	0.7	2120	7.5
7892		21.8	0.15	4.7	0.138	0.48	27.6	4.7	0.78	1630	1.96	2.52	9.6	10.3	2040	6.1
7893		22.4	0.15	4.5	0.157	0.96	27.0	6.5	0.91	1610	1.86	2.44	9.3	6.4	2120	68.6
7894		24.2	0.15	5.0	0.069	0.33	42.2	7.5	1.19	1780	7.99	3.09	9.2	14.3	2250	27.5
7895		19.65	0.14	4.4	0.060	0.47	24.0	4.8	0.69	1230	10.20	3.16	8.1	9.8	2080	91.7
7896		22.2	0.16	4.5	0.113	0.79	27.2	6.0	0.95	1500	2.16	2.54	9.3	1.4	2120	4.6
7897		24.1	0.17	4.6	0.149	1.13	27.6	7.0	1.11	1640	2.47	2.16	9.3	0.8	2260	4.7
7898		21.6	0.15	4.2	0.120	1.36	27.6	8.2	1.31	1730	1.65	2.10	8.8	10.8	1810	4.5
7899		20.7	0.15	4.2	0.128	1.24	24.5	7.4	1.25	1840	2.31	2.26	8.7	1.6	2100	4.8
7900		19.85	0.15	4.2	0.122	1.26	23.9	7.5	1.28	1800	2.60	2.19	8.5	4.7	2000	4.9
7901		11.60	0.25	1.2	0.121	0.31	7.1	5.9	4.12	1060	4.73	1.18	4.9	>10000	470	13.2
7902		21.7	0.15	4.0	0.132	1.17	23.6	6.6	1.19	1780	1.53	2.47	8.6	10.9	1830	4.1
7903		20.9	0.14	4.1	0.112	1.08	21.8	6.0	1.21	1760	1.56	2.36	8.0	6.1	1640	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
7867		56.2	0.003	0.08	0.35	32.4	1	2.1	169.5	0.65	<0.05	5.83	1.110	0.34	1.8	195
7868		60.9	<0.002	0.10	0.29	29.4	1	2.0	140.5	0.70	<0.05	6.69	1.045	0.37	2.4	129
7869		47.3	<0.002	0.16	0.28	19.2	1	1.5	119.5	0.81	<0.05	8.16	0.682	0.32	2.5	11
7870		76.8	<0.002	0.32	0.31	23.7	1	1.6	151.0	0.73	<0.05	6.20	0.845	0.54	2.1	15
7871		76.2	<0.002	0.18	0.43	22.6	1	1.8	153.5	0.79	<0.05	7.09	0.756	0.64	2.2	8
7872		72.9	0.002	0.68	0.28	18.3	2	1.5	106.5	0.72	0.06	6.48	0.688	0.97	2.4	21
7873		49.5	<0.002	0.16	0.26	20.1	1	1.8	101.5	0.73	<0.05	6.59	0.729	0.39	2.3	14
7874		47.8	<0.002	0.16	0.33	24.5	1	2.1	118.5	0.81	<0.05	7.23	0.799	0.35	2.2	8
7875		0.3	<0.002	<0.01	0.08	0.2	<1	<0.2	77.8	<0.05	<0.05	0.08	0.007	<0.02	0.2	1
7876		36.5	<0.002	0.14	0.27	22.7	1	2.1	100.0	0.80	<0.05	6.94	0.786	0.23	2.2	7
7877		30.9	<0.002	0.13	0.27	23.3	1	2.1	102.0	0.77	<0.05	7.24	0.777	0.21	2.3	8
7878		55.0	<0.002	0.14	0.25	22.0	1	1.8	97.9	0.77	<0.05	6.78	0.775	0.36	3.0	18
7879		38.6	<0.002	0.13	0.28	24.5	1	2.3	108.5	0.80	<0.05	7.08	0.828	0.28	2.3	9
7880		44.4	<0.002	0.15	0.28	25.2	1	2.4	114.0	0.80	<0.05	7.11	0.848	0.35	2.3	9
7881		47.9	<0.002	0.11	0.35	24.3	1	2.4	131.5	0.80	<0.05	6.77	0.812	0.30	2.4	12
7882		39.1	<0.002	0.16	0.40	24.3	1	2.4	137.0	0.78	<0.05	6.87	0.844	0.26	2.3	8
7883		40.7	<0.002	0.14	0.35	24.0	<1	2.3	130.5	0.77	<0.05	6.74	0.819	0.28	2.2	8
7884		42.9	<0.002	0.14	0.28	23.7	1	2.2	108.0	0.77	<0.05	6.68	0.788	0.28	2.1	8
7885		59.3	<0.002	0.17	0.26	23.5	1	1.7	93.7	0.77	<0.05	6.91	0.802	0.44	2.2	8
7886		49.3	<0.002	0.14	0.21	23.8	1	1.8	91.4	0.77	<0.05	6.82	0.801	0.32	2.2	8
7887		60.9	<0.002	0.12	0.21	24.4	1	2.2	95.2	0.78	<0.05	7.08	0.817	0.37	2.3	8
7888		25.2	<0.002	0.17	0.16	22.4	1	1.4	86.4	0.75	<0.05	7.11	0.801	0.16	3.0	29
7889		37.9	0.002	0.29	0.24	24.6	1	2.1	111.5	0.75	<0.05	6.65	0.851	0.23	2.5	21
7890		33.0	<0.002	0.14	0.32	25.9	<1	2.3	134.0	0.73	<0.05	6.50	0.865	0.23	2.1	10
7891		20.9	<0.002	0.19	0.40	27.8	1	2.0	141.0	0.68	<0.05	6.43	0.914	0.15	1.9	11
7892		22.1	<0.002	0.15	0.34	28.4	1	2.0	127.0	0.67	<0.05	6.03	0.886	0.15	1.9	11
7893		57.3	<0.002	0.16	0.27	28.1	1	1.9	126.5	0.64	<0.05	5.80	0.904	0.38	1.9	13
7894		18.4	0.002	0.07	0.14	27.0	1	0.7	78.9	0.66	<0.05	6.12	0.924	0.11	2.7	58
7895		29.9	<0.002	0.28	0.18	29.4	1	1.7	82.7	0.57	<0.05	5.24	0.832	0.20	2.4	28
7896		47.8	<0.002	0.18	0.26	29.6	1	1.9	135.5	0.64	<0.05	6.02	0.927	0.34	1.9	15
7897		69.1	0.002	0.11	0.30	31.6	1	2.3	166.5	0.65	<0.05	6.04	1.010	0.45	1.9	16
7898		87.4	<0.002	0.16	0.27	29.7	1	2.0	145.0	0.63	<0.05	6.78	0.884	0.58	2.0	47
7899		81.2	<0.002	0.25	0.28	31.2	1	1.8	172.5	0.60	<0.05	5.30	1.025	0.54	1.7	18
7900		83.8	<0.002	0.24	0.29	31.0	1	1.8	162.0	0.59	<0.05	5.27	0.991	0.58	1.7	20
7901		10.6	0.053	8.50	3.09	8.2	22	2.3	185.5	0.29	4.33	1.03	0.537	0.17	0.3	81
7902		76.6	<0.002	0.21	0.28	32.4	1	2.0	146.0	0.60	<0.05	5.28	1.075	0.55	1.6	22
7903		66.1	<0.002	0.23	0.29	31.5	1	1.9	155.5	0.58	<0.05	5.41	1.010	0.46	1.6	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
7867		0.8	37.1	81	149.0					
7868		0.8	37.7	71	191.5					
7869		0.6	49.9	45	208					
7870		0.6	41.7	77	181.5					
7871		0.7	46.7	54	203					
7872		0.5	34.9	202	194.5					
7873		0.6	41.4	53	190.0					
7874		0.6	46.6	63	203					
7875		<0.1	2.0	4	1.8					
7876		0.6	47.3	67	194.5					
7877		0.6	46.5	67	210					
7878		0.6	42.1	71	201					
7879		0.6	46.3	79	206				73.1	
7880		0.6	48.1	77	208					
7881		0.8	47.0	72	202					
7882		0.9	45.7	80	194.0					
7883		0.7	44.8	66	188.5					
7884		0.6	44.3	68	218					
7885		0.6	44.1	82	198.5					
7886		0.7	45.1	88	195.5					
7887		0.7	47.2	88	206					
7888		0.7	43.0	77	211					
7889		0.6	42.6	82	194.0					
7890		0.6	45.1	80	179.5					
7891		0.8	46.5	124	193.5					
7892		0.7	45.4	83	188.0					
7893		0.8	45.4	109	177.5					
7894		0.7	38.2	107	190.5					
7895		0.6	44.7	150	172.0					
7896		0.8	45.1	100	183.5					
7897		1.1	46.9	115	181.0					
7898		0.6	39.3	125	164.0					
7899		0.8	41.0	106	166.0					
7900		0.8	40.0	112	164.0					
7901		2.2	9.5	145	53.2		1.630	4.62		
7902		0.8	40.0	112	161.0					
7903		0.7	36.7	118	152.5					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 23-MAY-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18104618

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			