ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
This copy reported on
12-JUL-2018
Account: BMRPLLBW

CERTIFICATE SD18150161

Project: IRON MASK

This report is for 51 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9661		1.90	0.19	6.33	15.5	830	1.72	0.56	2.73	0.03	45.5	12.8	63	0.33	28.4	2.60
9662		2.17	0.10	6.52	5.0	720	2.12	0.41	1.56	0.80	49.9	8.3	68	0.92	34.6	1.95
9663		2.34	0.02	6.33	3.3	630	1.32	0.26	0.56	0.13	50.1	4.7	68	0.72	17.0	2.12
9664		2.20	0.28	5.55	27.8	630	1.87	0.44	3.64	0.07	63.6	56.3	65	0.33	1790	5.90
9665		1.99	0.11	6.03	15.4	920	1.99	0.34	2.00	0.05	104.5	47.5	88	1.26	214	5.35
9666		2.19	0.20	8.04	42.8	1030	3.42	0.35	1.13	0.57	67.9	23.4	109	15.65	40.8	5.01
9667		2.03	0.36	7.04	14.1	2950	2.69	0.11	1.59	0.77	102.0	10.3	74	3.00	41.0	1.95
9668		1.43	0.30	6.47	14.1	2660	2.36	0.21	1.61	0.14	79.9	19.8	69	0.74	14.3	1.84
9669		2.12	0.67	6.16	32.9	2520	2.21	0.27	1.75	5.26	249	21.4	63	0.60	116.0	2.14
9670		1.39	2.24	5.58	60.8	330	2.08	1.23	4.60	0.40	175.5	63.6	36	0.53	362	4.48
9671		1.24	1.24	0.59	17.9	10	0.48	0.72	30.5	3.46	38.8	20.6	2	0.41	124.5	3.45
9672		2.36	0.31	0.33	22.5	10	0.58	0.06	27.4	1.86	35.9	5.5	2	0.08	21.4	2.11
9673		2.29	1.83	2.66	32.7	1030	2.39	0.06	17.25	0.64	41.8	12.6	18	1.99	21.9	2.74
9674		2.25	0.64	0.84	62.1	10	0.94	0.10	22.7	19.70	73.6	7.8	6	0.14	38.9	4.12
9675		0.76	0.02	0.07	0.2	20	0.07	0.20	34.4	0.12	1.51	0.8	2	0.07	1.5	0.14
9676		2.12	0.93	0.72	79.0	10	0.33	0.07	22.2	51.8	55.8	11.6	4	0.14	36.3	5.49
9677		2.43	2.25	1.25	52.0	20	0.63	0.92	22.0	157.5	61.8	25.1	4	0.23	55.6	6.29
9678		2.38	4.17	2.08	46.6	40	0.90	0.31	20.0	185.5	76.0	24.8	9	0.67	393	4.96
9679		1.08	1.69	1.00	72.0	<10	1.58	0.21	22.8	116.0	45.5	11.2	6	0.07	277	2.57
9680		1.01	1.69	0.89	69.9	<10	1.38	0.19	23.3	109.5	46.4	11.5	4	0.07	338	2.65
9681		0.07	>100	4.25	646	130	0.69	61.8	0.65	24.6	30.9	8.9	32	2.51	4970	2.14
9682		2.11	0.40	0.75	61.4	10	0.21	0.16	26.9	8.74	21.6	8.1	4	<0.05	15.3	1.75
9683		2.25	0.43	0.41	25.7	10	0.24	0.03	21.7	11.10	18.25	3.7	3	0.06	39.3	1.81
9684		2.00	0.36	0.66	38.1	10	0.37	0.05	22.3	3.40	19.05	1.7	5	0.13	15.7	1.41
9685		2.22	1.24	1.22	99.6	10	0.76	0.12	20.9	2.26	26.1	3.5	7	0.48	15.6	1.76
9686		2.15	0.09	0.67	56.2	10	0.44	0.06	22.1	2.17	22.6	1.6	4	0.10	2.6	2.05
9687		2.13	0.07	0.42	20.4	<10	0.17	0.03	22.1	0.19	17.10	1.2	3	0.05	2.2	1.69
9688		2.37	0.37	0.53	41.0	10	0.26	0.10	22.3	5.90	17.65	1.3	3	<0.05	6.9	1.46
9689		2.24	0.87	0.89	27.2	<10	0.28	0.03	22.1	1.20	20.2	1.9	6	<0.05	6.3	1.42
9690		2.26	0.40	1.63	62.9	10	1.07	0.01	22.5	0.05	25.2	6.7	11	0.48	22.4	1.50
9691		2.17	0.28	1.50	20.3	20	1.37	0.08	21.9	0.69	33.1	5.8	11	0.80	17.6	1.60
9692		2.16	0.09	1.40	21.7	10	0.73	0.03	23.3	0.12	12.25	5.7	9	0.13	9.3	1.28
9693		2.15	0.07	1.92	46.9	80	1.29	0.02	23.1	0.02	20.8	4.9	11	4.09	8.0	1.18
9694		2.20	0.09	1.12	33.1	30	0.60	0.02	24.5	0.03	16.85	3.6	7	1.49	9.0	0.98
9695		2.23	0.43	1.87	13.2	80	1.09	0.28	25.6	0.82	19.60	4.3	12	4.14	18.2	1.37
9696		2.33	0.37	2.95	19.6	140	1.72	0.45	26.1	0.63	47.9	30.2	19	2.97	22.0	3.63
9697		2.42	0.03	6.11	4.7	290	3.73	0.28	12.55	0.06	77.2	15.4	47	0.15	8.8	8.09
9698		2.44	0.27	5.47	8.9	50	2.86	0.17	15.05	0.09	88.7	16.3	46	0.07	88.6	9.87
9699		1.60	0.04	3.97	3.8	60	1.89	0.25	9.80	0.04	78.1	22.4	37	0.08	7.0	12.15
9700		2.07	0.59	3.78	19.7	1030	0.90	0.70	1.98	0.22	119.0	37.4	76	0.45	171.5	4.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9661		14.60	0.10	2.9	0.050	3.79	20.5	1.8	1.11	794	1.56	3.18	5.4	27.2	340	28.8
9662		14.00	0.10	2.6	0.038	3.66	25.4	5.4	0.85	433	1.20	2.97	4.8	19.8	390	56.4
9663		14.75	0.11	3.5	0.018	3.53	26.2	12.3	0.98	217	1.19	2.57	6.2	24.6	450	20.9
9664		14.55	0.10	3.6	0.075	2.81	36.2	3.8	1.68	869	1.61	2.06	6.5	54.6	430	16.1
9665		15.45	0.14	4.9	0.055	3.50	59.4	7.8	1.39	579	2.26	2.31	8.3	64.5	450	14.2
9666		20.6	0.11	3.5	0.045	5.20	35.5	56.7	2.87	691	1.45	0.40	10.0	61.2	490	107.5
9667		17.35	0.13	5.2	0.039	4.42	56.6	13.4	1.42	752	3.67	1.59	11.3	32.2	500	16.5
9668		14.15	0.13	5.4	0.027	4.22	39.5	16.9	1.83	816	4.72	1.40	10.3	24.1	540	23.0
9669		18.90	0.24	4.2	0.063	4.51	140.5	13.1	2.03	755	5.59	1.34	10.9	41.5	410	90.3
9670		12.65	0.20	3.0	0.167	4.46	86.8	11.9	2.13	1780	15.20	0.24	9.8	35.5	290	31.3
9671		2.52	0.05	0.3	0.107	0.09	22.4	2.7	2.79	5150	3.33	0.01	0.7	18.0	30	61.6
9672		1.19	0.05	0.2	0.039	0.02	22.0	1.5	6.80	6750	0.89	0.01	0.4	6.9	20	190.5
9673		7.09	0.08	1.7	0.032	1.37	23.6	10.1	9.76	6020	0.62	0.03	4.6	23.7	150	33.0
9674		3.03	0.07	0.6	0.094	0.02	39.2	1.4	9.36	7590	1.54	0.01	1.5	12.9	50	44.3
9675		0.23	<0.05	<0.1	<0.005	0.02	1.4	1.0	1.90	168	<0.05	0.02	0.2	0.3	60	1.0
9676		2.57	0.06	0.5	0.149	0.02	30.6	0.6	8.21	6620	5.44	<0.01	0.9	19.8	20	101.0
9677		4.90	0.07	0.6	0.417	0.05	33.0	7.3	5.92	6160	11.35	0.01	1.5	27.9	50	595
9678		8.32	0.08	0.8	0.768	0.18	39.7	6.0	7.22	6750	8.42	0.01	1.7	29.4	60	908
9679		4.52	0.05	0.5	0.486	0.01	23.6	0.4	8.50	5120	17.15	<0.01	0.8	13.8	50	20.8
9680		3.69	0.06	0.5	0.458	0.01	24.4	0.4	8.22	5240	20.1	<0.01	0.8	13.6	30	22.8
9681		19.85	0.12	2.4	5.06	0.66	15.6	18.4	0.19	236	4.12	0.43	7.1	56.1	570	1015
9682		2.22	<0.05	0.6	0.112	<0.01	9.5	0.2	7.76	5280	1.04	<0.01	1.0	10.1	50	47.4
9683		1.24	<0.05	0.4	0.098	0.01	8.5	0.4	11.40	7580	0.09	<0.01	0.7	4.4	30	10.3
9684		1.77	<0.05	0.6	0.032	0.01	9.1	0.5	12.45	7060	<0.05	<0.01	1.1	3.9	30	262
9685		3.44	0.05	0.9	0.052	0.04	12.6	0.3	12.55	5960	<0.05	<0.01	2.0	6.9	70	148.5
9686		2.03	<0.05	0.5	0.054	0.01	11.5	0.4	11.15	6740	<0.05	<0.01	1.1	2.5	20	54.2
9687		1.40	<0.05	0.3	0.028	0.01	9.6	0.8	11.60	7150	<0.05	0.01	0.7	2.1	20	26.7
9688		1.72	<0.05	0.5	0.071	<0.01	9.9	0.6	12.25	7270	<0.05	0.01	0.9	2.2	<10	712
9689		2.49	<0.05	0.7	0.042	<0.01	11.0	0.8	11.10	6060	0.08	<0.01	1.2	5.4	40	1075
9690		4.41	<0.05	1.1	0.060	0.04	12.8	0.5	10.70	5110	0.06	<0.01	3.1	13.3	60	12.1
9691		4.44	0.05	1.1	0.028	0.11	19.8	1.3	10.85	6190	0.18	<0.01	2.0	13.6	90	60.6
9692		3.93	<0.05	1.0	0.018	0.01	5.5	2.5	10.50	5230	0.05	<0.01	2.3	10.6	60	23.1
9693		5.06	<0.05	1.3	0.023	0.49	9.2	1.7	10.05	4170	0.49	<0.01	3.4	13.8	110	6.9
9694		2.98	<0.05	0.8	0.017	0.16	7.8	1.0	8.89	3810	<0.05	<0.01	1.9	8.0	60	9.2
9695		4.95	<0.05	1.3	0.022	0.61	8.9	5.4	7.47	3380	0.23	0.01	3.1	12.2	100	104.5
9696		7.92	0.06	2.1	0.120	0.57	26.6	16.7	4.18	4780	0.36	0.05	5.2	25.9	180	40.6
9697		14.85	0.10	4.0	0.347	0.57	40.1	6.0	2.58	4460	0.43	2.45	11.4	31.8	340	5.9
9698		13.95	0.09	3.7	0.313	0.22	51.7	5.8	2.47	5000	0.80	1.60	9.3	32.5	350	8.8
9699		11.05	0.08	2.8	0.363	0.20	44.9	5.5	1.49	3070	0.40	1.89	5.7	27.4	230	5.7
9700		8.18	0.10	2.1	0.120	2.55	62.3	3.2	0.21	516	2.11	0.97	6.4	45.0	230	38.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9661		112.5	<0.002	0.21	0.18	5.0	1	0.9	45.1	0.46	<0.05	9.18	0.156	0.48	2.7	37
9662		95.1	<0.002	0.17	0.11	6.0	1	0.9	40.6	0.45	<0.05	7.35	0.166	0.39	2.4	40
9663		95.6	<0.002	0.05	0.09	6.2	1	0.6	31.1	0.56	<0.05	9.29	0.197	0.40	3.8	43
9664		73.9	<0.002	1.66	0.29	5.9	3	1.7	105.0	0.57	0.11	14.35	0.183	0.35	4.6	43
9665		139.0	0.002	1.48	0.23	7.4	3	2.0	75.7	0.74	0.05	14.55	0.217	0.77	6.2	48
9666		418	0.004	0.25	0.29	15.6	1	1.7	65.6	0.86	0.12	14.05	0.332	3.21	4.2	111
9667		188.5	0.003	0.15	0.41	8.5	1	1.8	65.9	0.86	<0.05	20.7	0.241	3.52	6.1	54
9668		179.5	0.005	0.32	0.43	8.1	1	1.7	38.0	0.80	<0.05	27.9	0.249	3.02	6.4	51
9669		176.0	0.002	0.44	0.54	7.2	1	1.5	64.6	0.88	<0.05	25.6	0.217	2.76	6.2	46
9670		145.5	0.002	2.51	1.16	4.7	2	2.2	87.6	0.75	0.71	22.3	0.176	2.85	5.9	31
9671		11.4	0.002	2.32	0.45	0.5	1	0.3	103.5	0.05	0.43	1.61	0.013	0.38	0.6	3
9672		2.3	<0.002	1.09	0.32	0.5	1	<0.2	71.6	<0.05	<0.05	0.87	0.009	0.10	0.5	3
9673		85.3	<0.002	1.22	0.50	4.8	1	0.9	51.8	0.36	<0.05	5.22	0.111	2.44	2.1	30
9674		2.3	0.002	2.53	0.43	1.6	1	0.2	55.3	0.11	<0.05	1.96	0.036	0.18	1.2	10
9675		1.6	<0.002	0.02	0.06	0.2	1	<0.2	81.8	<0.05	<0.05	0.12	0.006	0.05	0.1	1
9676		2.2	<0.002	4.24	0.67	0.9	<1	0.2	61.3	0.08	<0.05	1.81	0.022	0.38	0.8	5
9677		6.9	<0.002	5.03	1.60	0.7	1	0.3	54.4	0.11	0.11	3.71	0.025	0.38	1.0	4
9678		30.5	0.002	4.33	1.19	1.7	1	0.4	82.1	0.13	0.06	4.06	0.042	0.83	2.4	8
9679		0.9	<0.002	2.60	0.77	1.3	1	<0.2	61.6	0.07	<0.05	1.64	0.027	0.10	1.5	7
9680		0.9	0.002	2.61	0.73	1.2	1	<0.2	61.6	0.07	<0.05	1.70	0.023	0.11	1.4	6
9681		26.2	<0.002	2.07	83.8	3.7	33	5.3	456	0.55	43.1	6.43	0.211	1.68	2.4	32
9682		0.4	<0.002	1.23	0.54	0.9	1	<0.2	66.0	0.07	<0.05	2.35	0.027	0.05	2.0	5
9683		0.8	<0.002	0.56	0.26	0.8	1	<0.2	35.7	0.05	<0.05	0.95	0.018	0.04	0.8	4
9684		2.1	<0.002	0.12	0.45	1.2	1	0.2	34.2	0.08	<0.05	1.23	0.029	0.06	1.1	7
9685		7.7	<0.002	0.18	0.85	2.4	1	0.4	37.6	0.15	<0.05	2.65	0.049	0.07	1.7	13
9686		1.8	<0.002	0.06	0.51	1.2	1	0.2	38.7	0.09	<0.05	1.00	0.026	0.02	0.6	7
9687		0.7	<0.002	0.03	0.33	0.8	1	<0.2	36.1	0.06	<0.05	0.62	0.018	0.03	0.3	5
9688		0.6	<0.002	0.06	0.92	1.0	1	0.2	37.4	0.07	<0.05	0.73	0.024	0.03	0.5	6
9689		0.3	<0.002	0.05	0.64	1.7	1	0.3	42.7	0.11	<0.05	1.42	0.037	0.02	0.8	10
9690		6.9	<0.002	0.11	0.99	3.0	1	0.6	57.0	0.21	<0.05	3.01	0.069	0.08	1.4	19
9691		23.4	<0.002	0.14	0.32	2.8	1	0.6	59.2	0.19	<0.05	3.75	0.062	0.22	1.9	18
9692		1.6	<0.002	0.06	0.24	2.5	1	0.5	74.8	0.17	<0.05	3.08	0.057	0.04	1.7	15
9693		70.7	0.002	0.05	0.70	3.3	1	0.6	83.3	0.25	<0.05	4.47	0.077	0.77	3.2	21
9694		22.6	<0.002	0.05	0.42	2.0	1	0.3	76.1	0.15	<0.05	2.67	0.046	0.29	1.3	13
9695		80.5	<0.002	0.11	0.41	3.1	1	0.6	84.0	0.23	<0.05	4.13	0.073	0.96	2.0	20
9696		62.6	<0.002	0.33	1.36	5.0	1	1.2	199.0	0.40	<0.05	6.88	0.119	0.79	2.6	32
9697		22.2	<0.002	0.01	2.06	9.3	1	2.1	324	0.82	<0.05	14.15	0.224	0.26	4.7	57
9698		4.1	<0.002	0.02	1.39	7.9	<1	2.3	231	0.72	<0.05	11.05	0.203	0.09	4.0	52
9699		3.2	<0.002	0.03	0.90	5.4	1	1.2	195.0	0.48	<0.05	10.20	0.140	0.07	4.6	36
9700		63.3	0.002	1.25	0.34	3.3	1	0.9	79.8	0.46	<0.05	17.05	0.145	0.68	8.4	24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9661		0.3	9.7	46	102.0			70.9	97.0
9662		0.3	12.6	299	103.5				97.6
9663		0.4	11.9	66	137.5				
9664		0.5	16.1	56	137.0				
9665		0.5	19.4	46	186.5				
9666		2.8	19.2	217	130.5				
9667		0.9	20.0	190	206				
9668		0.7	17.6	68	205				
9669		0.6	17.2	1040	158.0				
9670		0.6	13.8	148	113.5				
9671		0.1	9.2	633	9.6				
9672		0.1	8.1	309	7.4				
9673		0.4	14.8	177	63.6				
9674		0.6	21.8	3220	24.8				
9675		<0.1	2.2	19	1.8				
9676		0.2	19.1	8400	17.4				
9677		0.4	17.3	>10000	21.5		2.42		
9678		0.2	34.1	>10000	31.1		2.92		
9679		0.3	33.4	>10000	18.3		1.935		
9680		0.2	31.2	>10000	16.9		1.865		
9681		11.6	5.8	4100	84.5	114			
9682		0.1	15.8	1540	21.2				
9683		0.1	6.8	1830	14.3				
9684		0.1	5.7	559	22.0				
9685		0.2	14.6	355	35.7				
9686		0.1	12.4	346	18.1				
9687		0.1	5.3	35	13.0				
9688		0.4	5.0	839	17.2				
9689		0.4	4.4	172	25.3				
9690		0.3	11.7	18	42.2				
9691		0.2	7.2	127	41.3				
9692		0.4	5.6	32	39.6				
9693		0.8	6.8	29	49.5				
9694		0.5	4.4	29	28.9				
9695		0.4	6.8	200	50.2				
9696		0.6	12.4	226	78.2				
9697		0.7	21.5	100	143.5				
9698		0.5	23.5	121	135.5				
9699		0.4	16.3	87	104.5				
9700		0.2	8.4	73	79.3			71.8	96.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14140		2.12	0.04	7.26	4.7	1920	2.41	0.08	0.67	0.16	181.5	3.7	13	0.38	14.5	1.46
14141		2.03	0.15	7.41	10.4	210	0.47	0.12	7.21	0.09	16.65	47.6	56	2.67	123.0	8.31
9701		2.62	0.09	7.47	2.6	130	0.42	0.05	7.14	0.13	18.30	47.3	36	0.82	156.0	8.78
9702		2.14	0.08	7.45	1.8	190	0.48	0.04	6.85	0.15	22.7	49.3	35	0.85	145.0	9.55
9703		2.41	0.08	7.37	1.2	200	0.53	0.05	6.75	0.14	24.6	49.4	17	1.41	149.5	9.81
9704		2.93	0.09	6.81	3.0	200	0.59	0.08	6.20	0.16	25.7	55.0	6	1.30	161.0	10.85
9705		2.40	0.12	6.19	6.7	320	0.83	0.15	5.14	0.16	41.3	58.7	3	1.07	177.5	12.95
9706		2.34	0.10	6.31	5.3	300	0.76	0.18	5.19	0.23	34.4	51.7	3	0.77	144.0	11.80
9707		2.22	0.15	6.55	2.9	210	0.57	0.16	6.15	0.16	26.8	63.5	4	0.88	241	12.55
9708		1.38	0.05	5.23	2.9	100	0.72	0.09	10.85	0.14	94.0	51.0	116	1.16	61.1	10.10
9709		2.43	0.10	7.14	4.2	220	0.57	0.26	6.52	0.12	24.2	49.3	9	1.59	158.0	9.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14140		20.1	0.14	7.0	0.013	3.41	104.0	11.5	0.46	215	3.02	3.62	16.0	4.2	480	46.1
14141		15.65	0.05	1.3	0.055	1.13	7.1	15.1	3.90	1410	0.54	1.44	2.7	89.6	300	9.9
9701		16.40	0.05	1.7	0.062	0.56	7.6	10.2	3.80	1440	0.69	1.82	3.2	80.8	360	6.5
9702		17.45	0.06	1.9	0.068	0.66	9.7	11.0	3.67	1520	0.62	1.88	3.7	76.3	420	8.2
9703		18.35	0.06	2.2	0.066	0.70	11.5	8.1	3.23	1540	0.76	1.86	4.3	60.7	440	4.9
9704		19.30	0.06	2.4	0.081	0.72	12.0	8.6	2.71	1660	0.73	1.77	4.6	43.3	480	7.1
9705		21.4	0.08	3.9	0.101	0.95	19.5	8.4	1.80	1840	1.32	2.12	7.2	16.9	780	10.6
9706		19.90	0.06	3.4	0.101	0.99	16.0	9.9	1.85	1740	0.88	1.90	6.1	16.3	650	12.8
9707		20.7	0.07	2.5	0.088	0.70	12.7	9.4	2.51	1720	0.82	1.91	4.8	46.9	480	7.1
9708		16.85	0.11	3.6	0.068	0.37	47.8	19.6	2.91	1620	1.34	1.73	31.0	72.5	1580	24.1
9709		18.45	0.06	2.2	0.069	0.78	11.4	7.5	3.05	1360	0.59	1.82	4.1	56.2	440	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14140		85.9	<0.002	0.03	0.16	3.6	1	1.4	89.6	1.08	<0.05	71.0	0.237	0.64	12.1	19
14141		79.6	0.002	0.08	0.33	34.5	1	0.7	211	0.20	<0.05	1.80	0.500	0.98	0.5	243
9701		30.6	<0.002	0.09	0.20	35.1	1	0.7	206	0.24	<0.05	1.91	0.559	0.28	0.6	263
9702		30.1	0.002	0.10	0.17	35.2	1	0.9	207	0.27	<0.05	2.28	0.622	0.20	0.7	278
9703		34.8	<0.002	0.11	0.20	35.0	1	0.9	210	0.30	<0.05	2.58	0.669	0.29	0.8	285
9704		35.3	0.002	0.13	0.25	37.1	1	1.0	200	0.32	<0.05	2.74	0.799	0.28	0.8	351
9705		33.4	0.004	0.20	0.30	38.0	1	1.5	173.5	0.53	<0.05	4.80	1.130	0.25	1.4	430
9706		35.8	0.003	0.15	0.27	34.4	1	1.4	186.0	0.44	<0.05	3.73	0.979	0.22	1.1	356
9707		32.2	0.002	0.15	0.37	39.7	1	1.2	207	0.34	<0.05	3.49	1.045	0.28	1.0	708
9708		18.5	0.002	0.10	0.17	26.7	1	0.9	83.9	2.16	<0.05	21.9	0.818	0.19	13.6	307
9709		38.7	0.002	0.11	0.25	35.0	1	1.0	201	0.30	<0.05	2.66	0.605	0.31	0.8	264

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14140		0.3	19.5	46	283				
14141		0.3	15.6	114	47.9				
9701		0.4	17.1	99	67.2				
9702		0.4	19.3	107	73.3				
9703		0.5	20.6	122	85.2				
9704		0.5	22.6	136	91.5				
9705		0.6	33.9	148	153.0				
9706		0.6	28.2	174	135.0				
9707		0.5	22.9	139	95.5			65.6	
9708		1.5	24.0	122	153.0				
9709		0.4	20.6	110	80.6				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150161

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62	Zn-OG62