ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18125495

Project: Iron Mask

This report is for 68 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 29-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9058		2.38	0.05	6.30	2.1	210	1.35	0.41	3.76	0.05	40.9	55.4	1	1.28	78.6	12.90
9059		2.50	0.05	6.46	2.7	310	1.30	0.29	5.09	0.07	42.0	62.5	1	1.01	69.1	12.70
9060		2.29	0.05	6.11	2.3	340	1.01	0.37	4.35	0.09	39.1	61.9	2	1.47	91.5	12.60
9061		2.27	0.04	6.42	4.2	230	1.22	0.36	4.72	0.10	40.7	55.5	3	0.68	72.2	12.65
9062		2.20	0.05	6.28	3.0	300	1.14	0.26	4.54	0.05	41.4	58.9	2	1.28	71.9	12.60
9063		2.28	0.07	5.82	1.0	370	0.86	0.20	6.83	0.04	38.2	59.4	1	1.14	160.0	10.35
9064		2.20	0.02	5.16	6.5	80	0.67	0.11	11.45	0.03	25.5	65.6	<1	0.08	43.6	9.71
9065		2.29	0.03	6.46	2.6	360	0.92	0.15	5.78	0.05	35.4	66.7	1	1.16	78.0	13.25
9066		2.17	0.05	6.31	4.7	250	0.93	0.24	5.00	0.07	34.9	67.8	2	0.64	87.8	14.15
9067		2.37	0.07	5.09	28.2	280	0.91	0.57	4.10	0.04	26.6	88.9	9	1.09	148.5	10.45
9068		2.33	0.14	6.01	3.2	170	0.85	0.18	7.88	0.07	32.5	56.4	3	0.58	275	11.80
9069		2.34	0.13	6.17	2.5	160	0.88	0.24	5.37	0.10	31.2	178.5	1	0.67	254	14.70
9070		2.42	0.13	5.92	2.6	80	0.73	0.17	8.12	0.05	31.2	60.2	2	0.28	230	13.35
9071		2.42	0.12	5.69	2.3	210	0.87	0.21	8.93	0.09	32.5	70.6	<1	0.89	233	11.40
9072		2.44	0.10	6.36	3.9	110	0.90	0.18	6.06	0.08	31.7	68.1	1	0.31	208	13.60
9073		2.26	0.10	6.24	11.2	200	0.79	0.25	5.68	0.03	37.5	94.7	2	1.04	285	11.10
9074		2.24	0.09	5.77	7.2	170	0.62	0.16	5.05	0.04	26.1	66.1	3	1.10	201	9.00
9075		1.10	<0.01	0.07	0.7	20	0.06	0.01	34.7	<0.02	0.93	0.9	2	<0.05	2.3	0.12
9076		2.24	0.30	5.71	131.5	140	0.74	0.28	6.42	0.18	28.6	206	4	0.79	569	9.93
9077		2.29	0.14	6.02	3.2	230	0.89	0.23	8.33	0.06	32.4	63.6	1	1.04	237	13.35
9078		2.38	0.14	6.24	4.9	250	0.89	0.21	5.33	0.10	31.2	67.7	1	0.91	212	14.30
9079		1.07	0.13	5.95	2.1	180	1.04	0.72	7.39	0.07	29.5	55.1	1	0.95	230	11.85
9080		1.10	0.16	5.95	2.6	180	1.18	0.27	7.34	0.06	30.8	55.9	1	0.93	296	12.00
9081		0.07	>100	4.61	737	210	0.78	59.6	0.67	26.7	33.4	10.1	35	2.83	5360	2.33
9082		2.24	0.28	6.77	4.4	250	0.77	0.29	5.46	0.11	31.4	68.3	1	0.94	250	14.20
9083		1.96	0.25	6.93	3.9	170	0.79	0.26	6.12	0.13	33.1	61.3	2	0.66	386	12.25
9084		2.31	0.14	6.05	2.3	180	0.78	0.18	6.63	0.08	28.3	52.0	3	0.70	201	9.89
9085		2.14	0.20	7.63	13.3	310	0.84	0.32	6.34	0.10	18.20	80.7	21	1.04	352	19.50
9086		2.14	0.06	9.07	3.9	70	0.54	0.19	6.44	0.10	28.7	32.1	3	0.21	73.6	6.99
9087		2.20	0.12	7.27	4.3	200	0.76	0.20	5.43	0.09	30.8	50.5	4	0.74	127.5	10.50
9088		1.94	0.06	6.36	9.8	130	1.00	0.23	4.33	0.09	27.7	47.9	6	0.89	78.1	7.15
9089		1.97	0.07	6.58	22.7	170	0.98	0.25	4.52	0.06	29.7	61.7	5	0.81	137.0	8.02
9090		2.17	0.05	7.04	22.8	260	0.94	0.13	3.67	0.07	29.8	50.0	4	1.80	58.3	8.64
9091		2.05	0.04	6.06	15.9	320	1.16	0.31	5.61	0.11	102.0	37.4	5	2.37	55.0	9.89
9092		2.23	0.05	6.48	10.3	260	1.83	0.26	4.40	0.03	64.4	37.6	3	1.72	43.6	12.65
9093		2.25	0.08	6.02	6.1	590	1.14	0.33	4.65	0.12	45.5	52.3	2	5.52	80.8	14.45
9094		1.99	0.04	6.24	4.4	320	1.38	0.26	5.23	0.05	49.0	43.4	3	2.63	55.6	13.45
9095		2.29	0.03	6.37	6.8	320	1.24	0.27	5.21	0.15	47.9	48.1	5	2.88	55.7	11.50
9096		2.28	0.04	6.10	7.1	340	1.06	0.36	4.52	0.07	38.3	56.8	5	1.70	64.0	13.10
9097		2.32	0.10	6.09	12.8	460	1.23	0.35	4.53	0.21	37.3	62.1	3	2.89	76.3	14.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9058		23.3	0.16	3.5	0.126	1.09	19.5	17.3	1.55	1700	1.22	2.62	6.7	4.4	670	6.2
9059		24.9	0.13	3.7	0.122	1.37	18.2	17.5	1.72	1750	1.75	2.38	6.9	6.8	710	7.5
9060		22.9	0.09	3.8	0.154	1.49	16.7	19.1	1.84	1660	1.62	2.05	6.4	5.8	650	5.7
9061		23.3	0.08	3.5	0.121	0.92	16.7	12.9	1.68	1820	1.37	2.37	6.9	5.6	700	7.6
9062		23.3	0.09	3.8	0.111	1.32	17.7	17.3	1.77	1700	1.12	2.27	6.6	6.2	670	6.7
9063		22.8	0.08	3.3	0.096	1.33	16.3	16.2	1.61	1740	1.97	2.06	5.9	7.9	580	3.5
9064		18.10	0.06	2.3	0.071	0.34	11.2	8.1	1.36	1470	1.26	1.99	5.0	7.9	510	8.4
9065		23.4	0.05	3.3	0.105	1.39	15.3	14.3	1.90	1780	1.04	2.23	5.9	10.7	580	4.8
9066		22.9	0.05	3.2	0.092	0.91	14.7	12.0	1.96	1900	1.18	2.14	5.8	13.9	600	6.9
9067		20.1	0.05	2.6	0.065	1.08	11.3	12.8	1.54	1340	5.95	1.73	5.1	22.6	480	5.4
9068		22.1	0.05	3.1	0.109	0.66	13.4	8.5	1.77	1620	0.98	1.89	5.7	16.9	600	6.9
9069		22.2	0.07	2.7	0.099	0.71	13.0	9.8	2.09	1900	0.82	1.99	5.6	26.5	550	6.0
9070		25.9	<0.05	2.4	0.104	0.41	13.3	8.6	2.04	2000	1.05	1.25	5.0	24.6	570	5.6
9071		22.3	<0.05	2.6	0.103	0.76	13.7	10.2	1.94	1890	5.18	1.82	4.9	21.8	500	5.1
9072		22.8	<0.05	2.7	0.129	0.47	13.4	7.7	2.29	1840	1.57	2.09	5.5	27.0	550	5.7
9073		24.1	0.05	3.0	0.114	0.76	17.1	11.1	1.84	1420	4.46	2.44	5.3	30.8	550	5.8
9074		22.3	0.05	2.6	0.068	0.62	12.1	9.1	1.73	1170	4.80	2.20	4.5	33.4	510	4.1
9075		0.31	<0.05	<0.1	<0.005	0.01	1.1	1.4	1.63	94	0.18	0.03	0.1	0.8	70	0.6
9076		20.5	<0.05	2.5	0.097	0.51	12.7	8.0	1.72	1210	6.72	2.17	3.8	37.2	450	11.5
9077		23.1	<0.05	2.6	0.112	0.79	13.9	9.9	2.03	1720	3.31	1.78	5.3	40.3	530	6.1
9078		22.5	0.05	2.7	0.092	0.79	13.3	8.7	2.25	1740	0.82	1.94	5.4	41.1	540	6.2
9079		22.3	<0.05	2.7	0.109	0.74	12.7	9.8	2.34	1640	0.98	2.01	4.6	43.7	520	4.2
9080		21.6	0.05	2.8	0.111	0.71	13.2	9.5	2.29	1620	0.83	2.05	4.8	43.7	500	4.4
9081		21.6	0.19	2.8	5.75	0.70	15.7	21.1	0.20	252	4.73	0.46	7.6	61.6	620	1110
9082		22.9	<0.05	3.1	0.095	0.86	13.3	9.7	2.37	1700	0.78	2.01	5.7	48.8	570	8.7
9083		23.1	<0.05	2.6	0.103	0.60	14.0	9.5	2.21	1650	0.85	2.11	4.8	49.3	510	21.3
9084		18.45	<0.05	2.5	0.084	0.63	12.5	7.7	1.87	1460	0.85	2.32	4.3	40.0	460	7.2
9085		31.8	<0.05	1.8	0.095	1.00	8.1	10.6	1.38	2230	0.80	1.84	6.8	131.5	370	8.3
9086		25.2	0.06	2.2	0.097	0.23	12.6	4.8	1.09	846	0.38	3.71	2.2	41.5	510	12.2
9087		20.6	<0.05	2.7	0.073	0.73	12.8	9.0	2.46	1500	1.10	2.21	5.0	39.1	550	9.8
9088		24.2	<0.05	2.3	0.060	0.57	12.9	10.7	2.35	1040	13.90	2.45	3.9	46.2	430	18.5
9089		23.1	<0.05	2.5	0.070	0.59	13.2	9.6	2.34	1190	3.60	2.54	4.9	41.0	510	23.2
9090		24.4	<0.05	2.9	0.053	0.93	13.9	13.4	1.97	1180	6.28	2.67	5.1	43.7	570	21.7
9091		22.7	0.16	5.2	0.116	0.92	48.7	9.2	0.72	1490	27.5	2.82	9.7	4.6	1790	14.7
9092		25.0	0.18	5.5	0.170	0.82	28.2	9.4	1.03	1740	1.99	2.39	9.9	1.6	2010	8.8
9093		22.3	0.15	4.0	0.180	1.96	20.1	17.7	1.42	1840	2.11	1.43	8.1	1.4	1020	39.3
9094		22.9	0.16	4.3	0.164	1.16	21.7	8.9	1.30	1860	2.01	2.06	8.0	1.3	890	18.6
9095		24.3	0.09	4.4	0.125	1.20	21.3	11.3	1.42	1740	1.35	2.30	8.3	2.2	830	24.6
9096		22.4	0.08	3.4	0.110	1.06	16.8	8.3	1.53	1680	1.01	1.78	6.6	4.6	690	7.0
9097		22.1	0.08	3.1	0.105	1.65	16.2	12.7	1.79	1780	0.93	1.56	6.9	7.5	620	128.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9058		59.2	0.004	0.23	0.30	38.9	2	1.6	137.5	0.49	<0.05	4.54	1.285	0.28	1.5	263
9059		59.0	0.004	0.22	0.37	40.0	2	1.6	115.0	0.46	<0.05	4.37	1.380	0.26	1.5	318
9060		71.8	0.011	0.25	0.31	37.5	2	1.4	98.4	0.45	<0.05	4.27	1.250	0.30	1.3	293
9061		37.5	0.007	0.21	0.39	38.9	2	1.6	165.5	0.45	<0.05	4.43	1.330	0.20	1.7	305
9062		60.8	0.005	0.24	0.32	38.1	1	1.3	130.0	0.46	<0.05	4.39	1.295	0.32	1.3	311
9063		53.6	0.005	0.30	0.22	37.5	2	1.2	80.2	0.42	<0.05	3.89	1.255	0.28	1.3	338
9064		5.9	0.006	0.37	0.48	31.3	2	1.2	72.8	0.39	<0.05	3.16	1.125	0.09	0.9	355
9065		56.5	0.005	0.26	0.31	42.2	2	1.3	117.5	0.42	<0.05	3.72	1.390	0.32	1.2	481
9066		37.3	0.008	0.23	0.38	42.0	1	1.5	186.5	0.41	<0.05	3.85	1.460	0.22	1.2	606
9067		49.2	0.008	0.49	0.30	32.5	1	1.3	98.2	0.36	<0.05	3.14	1.290	0.30	1.6	567
9068		25.0	0.004	0.21	0.58	36.2	1	1.4	242	0.39	<0.05	3.64	1.250	0.21	1.1	602
9069		23.7	0.003	0.64	0.40	42.5	3	1.5	94.7	0.42	<0.05	3.46	1.430	0.22	1.0	776
9070		10.0	<0.002	0.10	0.55	39.7	1	1.5	216	0.37	<0.05	3.47	1.300	0.11	1.2	794
9071		32.5	0.002	0.33	0.28	35.2	1	1.3	140.5	0.33	<0.05	3.28	1.165	0.23	1.2	595
9072		12.6	0.003	0.17	0.50	42.8	1	1.4	168.5	0.37	<0.05	3.62	1.370	0.11	1.1	750
9073		34.7	0.003	0.68	0.35	36.8	2	1.2	119.5	0.38	<0.05	3.66	1.365	0.23	1.6	757
9074		31.2	0.003	0.33	0.23	31.4	1	1.0	80.2	0.33	<0.05	3.05	1.220	0.21	1.4	697
9075		0.4	<0.002	<0.01	0.10	0.2	<1	<0.2	84.9	<0.05	<0.05	0.08	0.009	<0.02	0.2	3
9076		22.9	0.002	0.81	0.24	34.9	2	0.8	119.0	0.26	<0.05	3.14	0.914	0.22	1.3	562
9077		34.9	0.003	0.17	0.37	39.7	2	1.3	192.5	0.37	<0.05	3.18	1.465	0.24	1.1	1010
9078		32.6	0.003	0.15	0.38	39.5	1	1.2	168.5	0.37	<0.05	3.46	1.420	0.23	1.1	951
9079		32.8	0.003	0.14	0.28	40.3	1	1.2	112.5	0.32	<0.05	3.32	1.150	0.22	1.1	839
9080		31.4	0.003	0.16	0.28	41.4	2	1.3	125.0	0.33	<0.05	3.26	1.185	0.20	1.0	852
9081		28.3	0.002	2.25	92.6	4.1	37	6.0	493	0.63	43.4	6.73	0.227	1.75	2.6	36
9082		36.5	0.002	0.18	0.43	40.8	1	1.4	201	0.41	0.05	3.56	1.325	0.24	1.1	898
9083		22.8	0.003	0.16	0.56	35.7	2	1.2	231	0.34	<0.05	3.42	1.075	0.26	1.1	778
9084		26.4	<0.002	0.11	0.29	30.9	1	1.0	160.0	0.29	<0.05	3.07	0.918	0.22	1.0	629
9085		38.7	0.003	0.29	0.53	25.0	1	1.2	288	0.52	<0.05	2.16	2.87	0.31	0.7	3030
9086		4.7	<0.002	0.13	0.74	19.5	1	0.7	456	0.18	<0.05	3.44	0.436	0.15	1.0	332
9087		29.8	<0.002	0.10	0.48	34.0	1	1.3	276	0.36	<0.05	3.33	0.717	0.24	1.0	301
9088		27.5	0.002	0.28	0.25	24.8	1	1.2	109.0	0.29	0.06	2.57	0.584	0.26	1.6	242
9089		25.9	0.002	0.36	0.26	28.8	2	1.4	149.5	0.34	0.05	3.07	0.738	0.25	1.4	285
9090		49.4	<0.002	0.16	0.21	29.0	1	1.1	110.5	0.35	<0.05	3.48	0.728	0.40	2.3	279
9091		54.9	0.002	0.24	0.29	39.2	2	1.7	131.0	0.64	<0.05	6.68	0.829	0.69	3.0	23
9092		42.9	<0.002	0.14	0.33	29.2	1	2.4	139.0	0.76	<0.05	6.78	0.935	0.31	2.2	16
9093		133.0	<0.002	0.21	0.30	30.5	1	1.7	123.0	0.60	<0.05	5.11	1.090	0.89	1.7	35
9094		69.3	<0.002	0.15	0.34	32.7	1	2.0	171.0	0.61	<0.05	5.40	1.060	0.47	1.6	41
9095		70.0	<0.002	0.17	0.25	38.4	1	1.7	177.0	0.58	<0.05	5.49	1.155	0.43	1.8	138
9096		54.7	<0.002	0.23	0.44	38.5	1	1.5	227	0.49	<0.05	4.49	1.390	0.43	1.4	326
9097		90.3	0.009	0.26	0.37	41.0	<1	1.5	217	0.48	<0.05	4.21	1.585	0.64	1.3	473

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9058		0.8	31.4	98	137.5		70.8	92.2
9059		0.8	31.3	139	132.5			93.7
9060		0.7	28.9	197	126.5			
9061		0.7	31.5	148	135.0			
9062		0.7	29.9	137	140.0			
9063		0.6	27.9	134	118.5			
9064		1.5	21.8	106	88.1			
9065		0.8	27.7	151	116.5			
9066		0.6	27.7	153	123.0			
9067		0.6	20.8	130	96.0			
9068		0.6	24.8	129	108.5			
9069		0.8	25.5	168	96.1			
9070		0.8	25.1	146	89.1			
9071		0.5	26.5	140	98.9			
9072		0.6	26.5	154	103.5			
9073		0.6	24.3	95	108.0			
9074		0.5	18.2	110	95.0			
9075		<0.1	2.0	4	1.6			
9076		0.5	18.3	171	91.1		83.7	
9077		0.6	26.8	124	98.9			
9078		0.6	25.5	155	102.0			
9079		0.5	24.5	146	101.0			
9080		0.5	24.3	151	98.4			
9081		13.3	6.1	4490	93.5	114		
9082		0.7	25.0	154	108.5			
9083		0.7	23.8	144	98.3			
9084		0.5	21.5	115	90.0			
9085		1.6	13.8	144	69.3			
9086		0.3	19.9	74	80.9			
9087		0.6	23.9	142	89.6			
9088		0.6	16.8	115	79.4			
9089		0.6	20.6	114	107.5			
9090		0.5	19.7	107	107.5			
9091		0.7	68.9	98	208			
9092		0.7	46.2	129	206			
9093		0.7	33.8	161	157.0			
9094		0.8	36.6	144	166.5			
9095		0.9	36.7	180	157.0			
9096		0.8	30.8	151	137.5			
9097		0.9	31.2	158	116.5		73.4	87.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9098		1.14	0.07	6.28	51.3	820	1.27	0.40	4.02	0.07	43.9	84.4	12	5.87	59.3	9.75
9099		1.97	0.02	6.76	3.5	160	1.49	0.06	0.54	0.03	47.8	13.9	80	0.72	13.3	3.65
9100		1.90	0.03	7.01	7.1	130	1.34	0.08	0.52	0.15	50.6	13.2	83	0.38	13.3	3.52
9101		2.34	0.24	6.64	29.1	300	1.32	4.04	0.89	0.92	60.5	80.8	89	0.73	27.7	3.67
9102		2.02	0.03	6.78	2.9	570	1.64	0.15	0.45	0.07	37.9	14.3	86	0.68	15.3	3.10
9103		1.81	0.06	6.98	4.3	390	1.46	0.41	0.48	0.14	41.1	17.5	102	0.79	82.6	3.51
9104		1.95	0.09	7.04	9.5	390	1.60	0.62	0.44	0.33	49.8	16.2	86	0.72	90.2	3.33
9105		2.17	0.08	6.75	12.6	440	1.56	1.20	0.38	0.17	41.0	29.0	81	0.85	91.1	3.68
9106		2.00	0.01	6.33	6.7	230	1.33	0.29	0.29	<0.02	21.7	12.9	66	0.53	18.9	2.75
9107		2.27	0.07	6.15	38.6	80	1.75	1.75	1.89	<0.02	45.4	42.2	67	0.30	83.6	3.54
9108		1.91	0.08	6.47	46.2	200	1.79	2.32	1.58	0.02	48.3	33.7	65	0.34	32.4	2.33
9109		2.04	0.04	6.58	94.5	200	1.52	0.87	0.93	<0.02	66.9	24.3	82	0.37	18.2	2.74
9110		2.08	0.08	6.42	56.5	260	1.30	0.91	0.44	2.15	33.0	41.7	69	0.48	22.8	3.06
9111		1.32	0.06	7.50	8.1	900	2.04	0.06	3.14	0.11	68.8	51.8	67	0.97	72.5	9.56
9112		2.19	0.11	8.15	2.8	650	1.61	0.07	4.92	0.19	65.7	55.3	72	2.04	83.5	10.50
9113		1.80	0.04	7.23	11.6	300	1.35	1.11	0.51	0.03	111.5	31.9	84	1.19	22.9	4.14
9114		2.26	0.03	7.38	18.1	290	2.01	1.09	0.66	<0.02	53.4	29.7	83	1.17	14.2	3.63
9115		2.39	<0.01	8.55	5.2	870	3.40	0.15	0.92	0.02	81.0	20.4	117	3.57	8.3	5.12
9116		1.61	0.03	7.28	12.3	400	1.52	0.39	0.45	<0.02	71.0	17.8	76	0.97	79.5	3.50
9117		1.79	0.02	5.77	29.7	200	0.77	0.63	0.81	<0.02	12.40	19.3	42	0.12	39.0	1.09
9118		1.19	0.05	5.61	29.1	80	0.85	0.48	0.38	<0.02	9.05	13.9	41	0.14	191.0	0.97
9119		0.60	0.14	7.08	37.7	340	1.34	0.91	0.44	<0.02	43.5	18.5	61	0.50	1440	2.99
9120		0.56	0.18	7.04	37.1	320	1.32	0.92	0.44	0.02	48.7	17.1	54	0.60	1415	2.94
9121		0.06	>100	4.04	1885	630	0.71	152.0	0.32	55.9	24.6	15.6	30	1.64	9880	2.81
9122		2.29	0.42	6.47	20.3	170	1.12	1.31	0.76	0.07	34.4	68.6	99	0.43	544	2.77
9123		2.01	0.08	7.42	12.2	330	1.94	0.68	0.90	0.03	83.6	48.6	168	0.57	410	3.33
9124		1.84	0.01	8.36	1.1	970	2.16	0.11	0.83	<0.02	54.4	20.1	132	2.23	5.0	4.63
9125		1.03	0.01	0.08	0.4	20	0.06	0.02	35.0	<0.02	1.10	1.2	3	<0.05	2.3	0.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9098		20.2	0.09	2.9	0.088	2.94	20.2	22.9	1.87	1040	1.04	1.53	6.3	20.7	610	36.0
9099		17.60	0.12	3.8	0.015	0.65	23.6	8.7	1.37	329	1.72	3.88	6.3	28.7	410	33.7
9100		18.45	0.15	3.7	0.015	0.46	24.7	8.3	1.48	322	1.52	4.10	6.2	31.1	430	43.5
9101		17.10	0.15	3.6	0.017	1.26	31.4	11.4	1.39	257	1.76	3.88	5.1	49.8	390	327
9102		17.05	0.15	3.7	0.014	1.50	17.2	11.9	1.47	221	2.04	3.46	5.9	29.0	360	43.6
9103		17.70	0.13	3.9	0.025	1.40	20.5	15.0	1.59	211	3.03	3.70	6.1	29.0	430	57.2
9104		17.20	0.15	4.2	0.015	1.31	24.9	14.6	1.47	178	3.12	3.74	6.9	28.4	380	61.5
9105		16.90	0.18	3.7	0.015	1.47	21.2	15.5	1.47	174	1.66	3.39	6.5	38.3	400	36.7
9106		14.80	0.11	3.4	0.010	0.97	11.5	12.3	1.18	156	1.82	3.73	5.1	23.2	340	6.8
9107		14.70	0.18	3.6	0.019	0.45	24.2	7.8	0.95	331	3.30	3.98	5.1	23.0	380	17.5
9108		14.45	0.16	3.9	0.008	0.63	26.8	7.3	0.74	134	2.46	4.25	6.0	25.0	280	20.3
9109		15.75	0.17	3.7	0.011	0.71	38.2	11.6	1.10	193	2.27	4.12	5.8	25.8	380	12.9
9110		15.55	0.12	3.4	0.038	0.69	17.4	19.7	1.17	203	1.45	3.99	5.3	28.9	330	77.1
9111		22.5	0.21	5.6	0.087	2.68	33.1	44.3	3.82	870	1.26	1.51	15.3	75.1	2710	6.5
9112		24.9	0.21	5.9	0.104	1.16	30.5	18.5	3.19	1460	1.14	2.19	16.3	90.4	2920	25.4
9113		18.65	0.19	3.8	0.015	1.26	63.1	20.3	1.99	288	1.58	3.74	5.9	44.5	470	9.6
9114		17.60	0.16	3.7	0.019	1.19	27.3	19.1	1.62	293	1.29	3.98	8.0	35.0	530	23.7
9115		26.3	0.21	4.1	0.070	2.90	43.2	27.8	2.27	396	1.98	2.80	13.7	58.9	830	13.6
9116		19.30	0.19	3.4	0.024	1.38	37.7	17.4	1.67	265	0.93	3.69	7.6	38.4	500	4.3
9117		8.79	0.09	1.8	0.006	0.80	6.5	2.7	0.19	88	1.37	4.10	2.3	7.9	230	4.0
9118		9.36	0.11	1.5	0.006	0.37	4.7	3.5	0.22	63	1.35	4.40	2.4	10.2	200	3.3
9119		17.65	0.14	2.8	0.042	1.08	21.8	11.8	1.07	194	1.08	3.99	5.7	33.4	420	5.2
9120		17.35	0.15	3.1	0.040	1.09	24.7	11.2	1.06	188	1.16	4.05	6.2	33.7	430	5.5
9121		22.7	0.24	2.7	11.55	0.61	13.1	19.4	0.08	138	6.18	0.42	7.5	106.5	530	2000
9122		14.50	0.14	2.3	0.034	0.68	17.6	9.3	0.81	216	1.17	4.34	3.8	29.6	360	7.6
9123		19.00	0.18	6.4	0.029	1.13	43.8	14.1	1.23	310	2.83	3.91	6.1	30.3	500	12.8
9124		23.7	0.19	3.6	0.033	2.09	27.2	23.5	2.16	489	1.29	3.16	7.8	65.8	660	4.2
9125		0.30	0.12	<0.1	<0.005	0.01	1.3	1.2	1.13	85	0.15	0.04	0.1	0.8	70	<0.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9098		172.0	0.006	0.33	0.38	33.1	1	1.4	171.0	0.45	<0.05	4.94	1.075	1.08	2.0	304
9099		31.0	<0.002	0.08	0.14	10.2	<1	0.7	112.0	0.55	<0.05	11.20	0.263	0.21	3.5	67
9100		19.1	<0.002	0.10	0.21	10.4	1	0.7	89.6	0.55	<0.05	8.73	0.277	0.14	3.1	70
9101		37.9	<0.002	0.84	0.31	11.7	3	0.5	44.1	0.53	0.08	8.26	0.254	0.39	2.8	74
9102		42.1	0.002	0.10	0.18	10.0	1	0.6	55.9	0.52	<0.05	13.30	0.241	0.23	3.5	69
9103		43.5	0.002	0.15	0.21	11.4	<1	0.7	61.1	0.54	<0.05	11.00	0.292	0.23	3.3	83
9104		45.9	0.002	0.21	0.13	10.1	1	0.5	77.4	0.63	<0.05	15.65	0.263	0.25	4.1	72
9105		56.4	<0.002	0.48	0.14	10.7	2	0.5	63.0	0.61	0.05	9.14	0.268	0.28	3.1	71
9106		32.7	<0.002	0.11	0.13	7.2	<1	0.4	60.7	0.47	<0.05	9.73	0.201	0.20	3.1	54
9107		15.6	0.004	0.69	0.18	11.8	1	0.6	44.1	0.49	<0.05	8.78	0.321	0.10	3.1	90
9108		23.5	0.002	0.70	0.17	7.1	2	0.4	77.8	0.56	0.08	20.2	0.195	0.14	4.5	43
9109		24.7	<0.002	0.31	0.41	9.4	1	0.4	47.0	0.55	<0.05	9.82	0.253	0.14	3.4	65
9110		24.4	0.002	0.39	0.94	7.5	1	0.5	71.2	0.53	<0.05	9.33	0.209	0.17	3.0	64
9111		151.5	<0.002	0.14	0.90	24.0	1	1.8	396	0.84	<0.05	2.58	1.640	0.99	0.8	208
9112		43.4	<0.002	0.12	0.64	25.8	1	1.7	416	0.87	<0.05	2.44	1.765	0.39	0.7	229
9113		59.9	<0.002	0.43	0.27	15.7	1	0.9	90.6	0.51	<0.05	9.19	0.382	0.36	3.1	121
9114		66.6	<0.002	0.39	0.20	11.9	1	1.3	104.5	0.78	0.08	12.10	0.334	0.43	3.5	83
9115		160.0	0.002	0.02	0.24	18.2	<1	2.9	128.5	1.39	<0.05	18.15	0.511	0.91	5.9	136
9116		61.8	<0.002	0.30	0.15	10.9	<1	2.0	69.9	0.80	<0.05	10.40	0.291	0.36	3.0	83
9117		18.2	<0.002	0.72	0.15	3.8	1	0.5	52.4	0.25	<0.05	4.45	0.090	0.08	1.4	24
9118		13.6	<0.002	0.46	0.16	3.3	1	0.7	68.5	0.27	0.06	3.35	0.100	0.08	1.0	22
9119		41.9	<0.002	0.77	0.17	10.3	1	2.1	67.9	0.51	0.09	11.80	0.253	0.22	2.9	82
9120		43.3	<0.002	0.75	0.17	9.4	1	1.8	78.4	0.89	0.06	12.60	0.254	0.25	3.2	76
9121		22.8	0.003	3.78	220	4.0	62	12.8	490	0.58	59.7	5.36	0.201	4.24	2.5	32
9122		30.9	<0.002	1.20	0.40	7.8	1	1.4	75.3	0.36	0.22	8.71	0.168	0.20	3.0	54
9123		56.0	<0.002	0.65	0.31	11.3	1	1.5	254	0.45	0.08	57.3	0.265	0.35	8.4	63
9124		121.5	<0.002	0.03	0.17	16.6	<1	1.7	167.5	0.69	<0.05	9.38	0.401	0.71	3.2	124
9125		0.5	<0.002	<0.01	0.09	0.2	2	<0.2	88.1	<0.05	<0.05	0.13	0.006	<0.02	0.2	1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9098		0.7	20.6	80	109.5			88.9
9099		0.3	10.9	58	136.5			90.6
9100		0.4	9.6	83	135.5			
9101		0.3	11.6	272	128.0			
9102		0.6	8.5	50	133.0			
9103		0.5	15.0	67	139.5			
9104		0.5	10.4	98	151.0			
9105		0.5	8.8	63	131.0			
9106		0.3	8.4	18	123.5			
9107		0.3	20.7	24	126.5			
9108		0.3	16.6	16	136.0			
9109		0.4	14.6	17	135.0			
9110		0.3	9.5	563	117.0			
9111		0.6	36.2	99	232			
9112		0.3	38.9	187	251			
9113		0.5	18.5	42	132.5			
9114		0.4	16.1	34	134.0			
9115		1.3	23.1	42	141.0			
9116		0.8	14.7	37	122.0			
9117		0.2	8.2	5	66.0			
9118		0.3	6.6	8	55.3			
9119		0.7	15.1	29	106.5			
9120		0.7	15.3	30	108.0			
9121		15.7	5.8	9120	87.7	282		
9122		0.5	14.5	34	86.5			
9123		0.4	19.9	34	229			
9124		0.9	16.6	54	127.5			
9125		<0.1	2.2	2	1.6			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125495

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62