ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18114864

Project: IRON MASK

This report is for 148 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 17-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

To: **BATTERY MINERAL RESOURCES LTD.**
ATTN: PETER DOYLE
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8518		1.24	0.02	6.41	1.2	230	1.85	0.23	0.20	<0.02	37.0	13.0	71	0.72	2.4	2.10
8519		0.62	0.03	7.52	1.6	400	2.16	0.28	0.22	<0.02	70.8	14.2	98	1.53	1.5	3.93
8520		0.64	0.02	7.35	1.2	360	2.24	0.27	0.22	<0.02	56.8	14.1	86	1.38	1.9	3.51
8521		0.08	3.82	5.19	12.5	120	0.47	0.92	3.43	2.06	15.65	946	262	0.72	>10000	17.20
8522		1.88	0.03	6.17	3.7	120	1.06	0.66	0.24	<0.02	19.95	22.9	70	0.42	4.0	2.38
8523		1.44	0.03	7.63	1.4	400	2.12	0.39	0.22	<0.02	58.4	15.9	91	1.63	2.7	4.21
8524		1.98	0.02	6.42	2.9	140	1.65	0.36	0.21	<0.02	26.4	18.6	73	0.38	3.4	2.40
8525		1.14	<0.01	0.07	0.4	20	0.05	0.01	34.1	<0.02	1.02	0.7	3	<0.05	2.7	0.09
8526		2.27	0.01	6.53	1.2	180	1.01	0.27	0.60	<0.02	38.6	17.4	81	0.57	3.1	2.78
8527		2.03	0.01	6.65	1.7	220	1.33	0.17	0.71	<0.02	29.2	9.1	78	0.68	3.8	2.67
8528		1.95	0.01	6.72	0.8	170	1.69	0.06	0.85	<0.02	35.0	5.5	77	0.79	2.1	2.47
8529		1.94	0.01	6.70	1.2	150	1.41	0.05	0.86	<0.02	24.6	4.8	75	0.71	3.0	2.25
8530		2.12	0.01	7.36	2.2	450	1.49	0.09	0.36	<0.02	64.1	12.8	103	1.75	3.3	3.78
8531		1.94	0.02	6.99	1.3	220	1.33	0.07	0.35	<0.02	52.1	9.0	90	0.81	87.6	3.49
8532		1.90	0.02	6.52	7.1	170	1.60	0.24	0.83	<0.02	39.1	33.6	94	0.73	4.5	3.08
8533		2.14	0.02	7.09	1.4	180	1.38	0.12	0.56	<0.02	35.5	15.7	100	0.94	3.2	3.70
8534		1.99	0.01	7.94	1.7	650	1.99	0.21	0.34	<0.02	52.9	15.1	111	2.17	1.6	5.19
8535		2.04	0.01	7.42	0.7	230	1.89	0.08	0.39	<0.02	52.6	9.4	98	0.86	2.1	3.91
8536		1.98	0.01	6.94	2.6	80	2.19	0.10	0.42	<0.02	22.3	28.1	107	0.41	2.3	3.84
8537		2.11	0.01	6.45	7.8	120	1.51	0.15	0.56	<0.02	30.4	26.3	80	0.41	1.9	2.70
8538		1.98	0.01	6.28	8.1	170	3.07	0.21	1.21	<0.02	44.7	39.5	73	0.37	2.2	2.11
8539		2.17	0.01	6.47	2.0	190	1.70	0.07	0.26	<0.02	28.9	14.4	80	0.67	1.3	2.88
8540		2.19	0.04	6.02	78.9	140	1.59	2.87	0.77	<0.02	112.5	96.8	73	0.78	5.6	8.84
8541		1.57	0.01	6.55	12.7	120	1.48	0.21	0.95	<0.02	41.0	37.8	79	0.38	4.2	3.52
8542		1.30	0.01	6.62	8.8	270	1.92	0.11	1.17	<0.02	34.9	26.6	71	0.49	5.0	3.47
8543		1.51	0.01	6.46	10.5	130	1.40	0.19	1.68	<0.02	32.2	39.0	67	0.48	5.3	3.63
8544		1.90	<0.01	6.87	1.2	160	1.42	0.04	1.45	<0.02	41.3	8.4	94	0.87	3.5	5.15
8545		2.22	0.01	7.09	1.8	240	1.98	0.05	0.60	<0.02	44.3	5.7	65	0.73	6.3	4.19
8546		2.04	0.01	5.92	6.9	70	1.21	0.12	0.42	<0.02	12.00	30.9	52	0.24	4.1	2.46
8547		2.17	0.02	5.95	5.6	100	1.01	0.15	0.87	<0.02	10.30	48.0	46	0.32	5.7	1.77
8548		2.20	0.01	6.23	1.6	150	1.26	0.04	0.26	<0.02	32.3	8.0	62	0.48	2.4	2.87
8549		2.19	0.01	6.67	1.1	110	1.59	0.05	0.42	<0.02	49.1	5.4	74	0.39	4.7	3.13
8550		2.15	0.01	6.44	1.2	50	1.28	0.05	1.23	<0.02	40.1	7.0	62	0.39	2.2	3.20
8551		2.12	0.01	7.48	1.3	120	1.66	0.13	0.30	<0.02	51.2	23.1	92	0.76	2.0	5.31
8552		2.20	0.02	7.40	1.4	110	1.48	0.12	0.39	<0.02	35.3	11.2	83	0.46	2.7	3.51
8553		2.19	0.01	7.22	2.3	140	2.06	0.34	0.39	<0.02	32.4	67.4	112	0.78	2.8	5.08
8554		2.16	0.01	7.33	2.2	110	1.88	0.38	0.31	<0.02	41.9	150.5	91	0.57	2.1	4.43
8555		2.32	0.01	7.46	0.7	170	1.33	0.04	0.80	<0.02	48.6	9.3	89	0.81	1.1	3.63
8556		2.26	0.01	7.93	1.2	280	1.89	0.07	0.73	<0.02	70.9	10.2	71	1.59	2.1	4.30
8557		2.17	0.02	7.61	0.7	220	1.26	0.06	0.55	<0.02	37.0	24.8	117	1.28	1.3	4.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8518		14.45	0.06	3.0	0.009	1.04	19.1	7.9	0.78	103	1.88	4.27	3.4	20.9	390	4.0
8519		21.2	0.10	4.5	0.019	1.81	34.5	16.2	1.82	205	1.76	3.76	5.8	43.7	540	4.1
8520		19.70	0.09	4.0	0.014	1.58	28.8	14.5	1.57	180	1.37	3.79	5.1	39.3	510	3.2
8521		10.80	0.18	1.3	0.115	0.30	7.0	8.0	3.93	992	3.98	1.14	4.6	>10000	440	13.1
8522		11.10	0.10	3.6	<0.005	0.70	9.3	4.1	0.44	76	1.71	4.65	2.6	17.1	400	4.5
8523		21.2	0.14	4.5	0.025	1.70	28.5	15.0	1.76	191	1.32	3.72	5.7	44.9	510	3.5
8524		12.10	0.10	3.6	0.005	0.70	11.8	5.1	0.60	84	1.55	4.74	2.8	18.4	410	3.7
8525		0.28	0.14	<0.1	<0.005	0.01	1.1	1.3	1.07	88	0.15	0.04	0.5	0.9	60	0.5
8526		13.10	0.18	3.2	0.009	0.79	18.9	8.1	1.12	186	0.97	4.15	4.0	29.6	460	4.2
8527		13.00	0.20	2.7	0.013	0.86	13.4	7.3	1.02	173	1.35	4.20	3.9	28.0	390	3.6
8528		15.25	0.18	2.7	0.012	0.96	16.9	9.2	1.13	191	1.00	4.44	4.2	35.4	460	3.3
8529		14.25	0.17	2.6	0.011	0.89	11.0	7.8	1.00	171	0.89	4.51	3.9	29.6	450	2.7
8530		19.70	0.17	3.2	0.026	1.52	32.6	13.2	1.79	209	1.16	3.54	5.5	48.4	540	2.7
8531		17.00	0.13	3.0	0.017	0.96	26.0	11.3	1.58	195	1.14	4.07	4.8	40.2	490	3.6
8532		14.30	0.15	3.3	0.016	0.94	19.3	8.1	1.12	177	1.39	4.23	4.4	33.8	470	2.9
8533		18.20	0.14	3.3	0.019	0.92	17.0	11.4	1.63	196	1.21	4.23	5.3	43.6	540	2.4
8534		24.4	0.12	3.2	0.043	2.30	25.0	16.4	2.29	219	1.36	3.02	6.5	60.6	590	3.8
8535		18.95	0.15	3.3	0.023	0.94	26.1	12.3	1.82	205	1.19	4.13	5.1	47.7	560	2.4
8536		16.70	0.11	3.9	0.014	0.52	9.8	10.3	1.41	180	1.27	4.57	3.7	36.6	540	2.2
8537		14.85	0.11	2.9	0.009	0.73	13.3	8.7	1.10	164	1.22	4.34	3.5	31.9	410	3.4
8538		13.20	0.13	2.7	0.014	0.78	21.1	7.4	0.74	167	1.39	4.23	3.6	23.7	370	3.7
8539		15.10	0.12	3.1	0.012	1.06	13.5	10.3	1.16	146	1.53	4.09	3.3	29.7	450	2.9
8540		15.65	0.15	2.6	0.023	0.83	51.9	10.6	1.37	240	1.71	3.45	2.3	49.8	350	3.2
8541		14.95	0.10	2.9	0.020	0.58	19.5	9.0	1.33	216	1.50	4.08	3.8	34.5	400	2.8
8542		16.90	0.12	2.1	0.034	0.95	16.4	9.9	1.29	218	2.05	3.56	3.4	28.3	360	3.1
8543		15.10	0.12	2.1	0.026	0.56	15.0	11.1	1.60	274	1.55	3.73	3.6	34.3	400	3.0
8544		18.90	0.12	2.6	0.033	0.88	20.9	17.6	2.57	350	1.81	3.54	4.3	57.6	530	2.8
8545		19.70	0.12	2.8	0.026	1.00	22.5	12.9	1.78	221	0.97	3.79	3.8	42.9	410	4.8
8546		12.15	0.10	1.7	0.007	0.38	5.5	6.0	0.79	127	1.61	4.30	2.1	24.1	290	3.0
8547		10.30	0.08	1.5	0.010	0.51	4.9	4.7	0.49	125	1.24	4.27	1.3	17.2	230	5.1
8548		13.65	0.10	2.0	0.014	0.70	14.7	8.7	1.09	137	1.20	3.97	2.3	27.4	280	3.7
8549		14.95	0.09	2.0	0.016	0.48	24.0	9.4	1.00	149	1.24	4.18	2.2	26.5	290	4.9
8550		13.90	0.08	1.8	0.012	0.33	19.1	9.2	1.13	231	1.41	4.14	2.6	26.2	290	2.6
8551		17.00	0.08	2.5	0.018	0.66	24.4	11.1	1.50	191	2.16	4.38	2.8	36.8	480	2.2
8552		15.90	0.09	2.6	0.017	0.48	17.2	11.4	1.59	181	1.20	4.37	3.9	35.6	420	2.4
8553		16.20	0.08	2.5	0.021	0.56	15.2	11.7	1.58	181	2.01	4.13	3.5	39.6	410	2.2
8554		16.15	0.09	2.7	0.020	0.44	21.0	11.0	1.49	167	1.71	4.37	3.1	38.6	460	2.0
8555		16.70	0.09	2.1	0.020	0.63	24.0	12.3	1.68	220	1.63	4.28	3.9	42.7	460	2.5
8556		18.70	0.11	2.8	0.020	1.06	35.1	15.5	1.91	224	0.86	4.11	5.9	44.9	510	6.4
8557		17.95	0.08	2.4	0.023	0.85	18.5	19.1	2.48	269	1.51	3.72	4.4	55.4	470	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8518		26.6	<0.002	0.18	0.16	6.4	<1	0.8	97.9	0.40	<0.05	7.55	0.160	0.15	2.7	51
8519		57.9	<0.002	0.17	0.15	11.5	<1	1.5	91.1	0.68	<0.05	11.45	0.277	0.28	4.1	88
8520		55.0	<0.002	0.17	0.17	10.4	1	1.4	91.1	0.56	<0.05	10.50	0.236	0.29	3.5	79
8521		9.9	0.044	7.92	2.82	7.7	20	2.6	177.5	0.30	4.04	1.02	0.515	0.17	0.3	77
8522		17.0	<0.002	0.57	0.16	5.7	1	0.8	67.3	0.31	<0.05	7.15	0.129	0.10	3.8	50
8523		66.9	0.002	0.27	0.17	11.8	<1	1.8	102.0	0.65	<0.05	11.65	0.271	0.35	4.5	92
8524		18.3	<0.002	0.47	0.18	6.4	<1	0.7	74.1	0.34	0.05	7.27	0.141	0.13	3.1	54
8525		0.4	<0.002	<0.01	0.09	0.2	1	<0.2	84.9	<0.05	<0.05	0.09	0.005	<0.02	0.1	1
8526		25.2	<0.002	0.18	0.14	7.9	1	0.7	111.0	0.42	<0.05	6.14	0.228	0.16	2.4	64
8527		32.0	<0.002	0.06	0.17	7.6	<1	0.8	125.0	0.41	<0.05	5.97	0.208	0.19	2.0	58
8528		25.7	<0.002	0.04	0.13	8.3	<1	0.8	99.7	0.42	<0.05	5.22	0.227	0.15	1.8	70
8529		24.8	<0.002	0.03	0.13	8.0	<1	0.6	102.0	0.40	<0.05	5.45	0.218	0.16	1.7	63
8530		60.8	<0.002	0.04	0.16	11.8	1	1.4	129.0	0.57	<0.05	6.78	0.308	0.34	2.4	99
8531		34.5	0.002	0.06	0.14	10.0	<1	0.9	130.0	0.49	<0.05	6.39	0.277	0.22	2.6	80
8532		29.5	0.002	0.41	0.14	9.0	<1	0.9	104.5	0.48	<0.05	6.33	0.245	0.17	2.5	70
8533		37.6	<0.002	0.14	0.15	11.0	<1	0.8	111.5	0.50	<0.05	6.78	0.284	0.22	2.6	81
8534		78.5	<0.002	0.12	0.16	14.4	1	1.6	124.0	0.62	<0.05	7.08	0.343	0.50	2.6	119
8535		36.9	<0.002	0.07	0.14	11.2	<1	1.3	108.5	0.52	<0.05	7.21	0.290	0.21	2.5	88
8536		14.6	0.002	0.16	0.12	10.7	<1	0.7	72.1	0.44	<0.05	7.13	0.253	0.10	3.0	83
8537		16.5	<0.002	0.26	0.12	8.3	1	0.6	64.6	0.39	<0.05	5.52	0.200	0.10	2.5	63
8538		18.2	0.002	0.34	0.12	8.5	1	1.1	79.1	0.40	<0.05	5.41	0.189	0.10	1.9	51
8539		27.8	0.002	0.08	0.12	7.8	1	0.7	65.0	0.38	<0.05	5.93	0.196	0.15	2.5	62
8540		29.2	0.003	1.89	0.13	12.9	3	1.2	70.6	0.28	0.24	5.39	0.158	0.17	3.1	95
8541		17.1	0.002	0.40	0.11	8.4	1	0.7	78.4	0.44	<0.05	5.84	0.209	0.11	2.4	65
8542		37.2	<0.002	0.15	0.13	8.8	1	1.2	99.1	0.36	<0.05	5.12	0.209	0.16	1.6	76
8543		20.5	0.003	0.27	0.14	9.9	1	0.9	110.5	0.38	<0.05	4.23	0.217	0.12	1.2	76
8544		29.9	0.002	0.01	0.16	19.0	<1	0.9	114.0	0.39	<0.05	4.49	0.357	0.21	1.4	120
8545		36.6	<0.002	0.03	0.14	11.7	<1	0.9	159.5	0.32	<0.05	8.61	0.304	0.17	2.0	86
8546		10.6	0.002	0.32	0.10	5.5	1	0.5	60.7	0.21	<0.05	3.63	0.116	0.07	1.2	44
8547		14.0	0.002	0.41	0.12	5.0	1	0.6	70.0	0.13	<0.05	3.68	0.085	0.08	1.2	29
8548		21.3	<0.002	0.05	0.10	8.0	<1	0.8	73.6	0.25	<0.05	4.03	0.158	0.13	1.3	56
8549		16.3	<0.002	0.07	0.15	9.7	<1	0.8	76.2	0.22	<0.05	4.82	0.142	0.10	1.5	56
8550		12.0	<0.002	0.08	0.12	8.4	<1	0.7	70.9	0.26	<0.05	3.76	0.140	0.09	1.2	58
8551		27.9	<0.002	0.20	0.16	10.8	<1	1.0	83.6	0.33	<0.05	5.22	0.243	0.17	1.7	89
8552		16.7	<0.002	0.11	0.15	9.7	<1	0.7	93.7	0.41	<0.05	5.44	0.243	0.12	1.8	76
8553		24.9	<0.002	0.45	0.13	10.3	1	0.8	89.5	0.36	<0.05	5.45	0.224	0.15	1.8	81
8554		17.4	<0.002	0.52	0.13	9.7	1	0.8	82.4	0.34	<0.05	5.65	0.209	0.12	1.8	71
8555		28.5	<0.002	0.04	0.13	11.5	<1	0.9	107.0	0.34	<0.05	3.85	0.292	0.18	1.4	79
8556		50.5	<0.002	0.04	0.18	14.1	<1	1.1	184.0	0.57	<0.05	11.50	0.341	0.32	5.1	104
8557		40.5	<0.002	0.08	0.19	15.8	<1	1.0	120.0	0.43	<0.05	4.66	0.330	0.26	1.4	120

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8518		0.3	12.4	9	112.5				78.6	94.6
8519		0.5	13.4	18	158.5					98.5
8520		0.4	12.7	16	145.5					
8521		2.8	8.5	138	53.5		1.655	4.54		
8522		0.3	7.4	6	126.5					
8523		0.6	10.8	17	158.0					
8524		0.3	8.9	7	132.0					
8525		<0.1	2.0	3	1.4					
8526		0.3	11.4	10	114.5					
8527		0.4	9.5	10	95.0					
8528		0.3	12.8	9	96.7					
8529		0.2	12.7	9	93.8					
8530		0.8	11.4	14	116.0					
8531		0.4	10.6	12	104.5					
8532		0.3	9.8	9	115.5					
8533		0.3	15.4	12	121.5					
8534		0.8	9.7	17	113.5					
8535		0.5	12.3	13	119.0					
8536		0.3	16.0	10	140.5					
8537		0.3	10.3	8	103.0					
8538		0.3	15.3	6	100.5					
8539		0.3	9.4	9	112.0					
8540		0.4	13.1	11	97.6					
8541		0.3	10.4	10	104.0					
8542		0.5	10.7	10	75.6					
8543		0.4	10.8	11	75.8					
8544		0.4	12.9	18	92.2					
8545		0.5	8.8	13	92.9					
8546		0.2	6.8	6	65.5					
8547		0.2	3.4	5	56.1					
8548		0.3	5.2	9	68.4					
8549		0.2	8.3	13	75.5					
8550		0.2	9.0	9	68.4					
8551		0.4	9.2	12	96.4					
8552		0.3	9.5	11	96.7					
8553		0.2	13.6	12	96.3					
8554		0.2	12.8	11	104.0					
8555		0.3	9.1	13	81.3					
8556		0.4	10.6	17	113.5					
8557		0.3	11.9	20	90.3				75.4	85.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8558		2.21	0.01	7.55	0.6	290	1.51	0.14	0.50	<0.02	81.6	12.9	90	1.18	1.0	3.78
8559		0.98	0.01	7.14	1.5	150	1.27	0.16	0.97	<0.02	48.5	24.7	92	0.75	1.9	4.05
8560		0.95	0.04	7.35	1.1	130	1.21	0.19	0.59	<0.02	47.6	28.9	87	0.73	2.4	3.96
8561		0.07	>100	5.92	1865	90	0.69	18.45	0.29	14.80	25.3	101.0	35	1.71	>10000	3.88
8562		2.18	0.04	6.23	1.1	90	2.17	0.23	0.72	<0.02	29.5	31.9	75	0.71	2.3	6.24
8563		2.12	0.02	6.70	1.2	150	1.67	0.19	0.41	<0.02	40.0	15.4	79	0.92	2.0	3.14
8564		2.15	0.03	7.05	1.6	170	1.23	0.10	0.73	<0.02	42.4	26.3	74	1.05	2.5	3.83
8565		2.09	0.02	6.94	1.0	300	1.65	0.10	0.53	<0.02	49.8	24.0	69	0.98	2.9	3.96
8566		2.10	0.03	7.37	0.9	230	1.24	0.08	0.35	<0.02	26.2	16.3	65	1.23	2.3	5.05
8567		1.53	0.04	6.26	1.7	220	1.70	0.15	1.24	<0.02	21.1	81.0	71	1.41	49.6	8.09
8568		1.49	0.03	7.14	1.0	170	1.55	0.11	0.61	<0.02	33.6	34.8	74	1.03	10.6	4.31
8569		1.43	0.02	7.20	1.3	110	11.20	0.05	0.66	<0.02	39.9	13.2	92	0.84	3.4	5.75
8570		2.21	0.10	8.52	2.6	1070	2.47	0.27	0.51	<0.02	60.4	17.6	140	3.94	36.4	4.44
8571		2.23	0.35	8.28	2.4	680	1.89	0.27	0.67	<0.02	61.4	25.8	139	2.84	90.2	4.21
8572		1.67	0.21	8.74	2.5	800	2.49	0.12	0.71	0.06	65.1	14.9	126	4.06	77.5	3.91
8573		2.06	0.07	7.99	1.1	870	2.33	0.05	0.74	<0.02	49.3	12.6	114	3.87	39.9	3.36
8574		2.03	0.28	7.26	1.2	530	1.70	0.16	0.67	0.03	68.7	12.2	84	2.83	148.5	3.26
8575		1.00	0.02	0.07	<0.2	20	0.05	<0.01	31.9	<0.02	0.93	0.9	2	<0.05	4.7	0.10
8576		2.19	0.13	6.53	8.8	470	0.97	0.44	0.83	0.04	31.1	14.3	75	1.53	69.1	2.49
8577		2.08	0.46	6.11	34.4	530	1.08	0.64	0.96	0.02	21.1	17.7	49	1.04	322	2.45
8578		2.30	0.09	6.24	2.6	480	1.07	0.12	0.51	0.08	28.0	8.5	102	1.07	64.8	2.27
8579		2.18	0.01	6.70	4.2	300	1.24	0.23	0.52	<0.02	66.0	15.2	119	0.72	13.6	3.05
8580		2.11	0.05	6.65	5.6	580	1.46	0.16	0.60	0.05	61.7	16.6	75	0.97	33.6	2.81
8581		2.13	0.03	6.22	5.9	310	1.45	0.32	0.26	0.09	33.3	21.5	81	0.87	7.2	3.00
8582		2.15	0.08	7.38	9.1	900	2.60	0.45	1.69	0.10	73.4	18.8	46	1.85	105.0	3.81
8583		2.08	0.03	6.64	18.6	840	1.82	0.50	0.97	0.02	61.2	21.9	50	1.35	14.3	2.77
8584		2.13	1.18	6.92	14.7	860	2.06	0.54	1.84	0.08	97.0	16.4	58	0.65	1545	2.62
8585		2.04	0.06	6.65	4.5	820	2.62	0.50	0.50	0.06	50.1	10.0	73	1.24	38.1	3.40
8586		2.02	0.05	6.13	11.2	920	2.34	0.78	1.83	0.05	61.9	11.3	68	0.92	85.6	3.64
8587		1.87	0.07	6.91	8.5	1180	2.57	0.88	1.40	0.02	77.6	8.7	72	1.00	77.1	2.81
8588		1.98	0.07	6.82	12.5	1250	2.89	0.45	0.88	0.04	71.6	7.4	65	1.12	54.2	2.61
8589		1.69	0.16	5.94	46.2	1570	1.60	1.19	1.97	0.02	72.5	20.8	35	0.55	228	3.03
8590		1.04	0.02	6.99	5.3	1160	1.71	0.10	0.51	<0.02	36.1	2.4	67	0.64	34.6	1.95
8591		1.90	0.11	5.61	15.8	1830	1.29	0.69	2.22	0.02	58.1	11.8	28	0.52	157.5	2.53
8592		1.95	0.04	6.81	9.4	1300	1.89	0.43	0.78	<0.02	63.4	7.2	70	1.05	31.3	2.34
8593		1.89	0.03	6.44	16.4	1270	1.85	0.62	1.26	<0.02	59.6	10.1	57	1.05	12.3	2.50
8594		1.97	0.06	6.01	22.4	1140	1.45	1.51	1.31	0.02	50.1	13.1	54	0.92	28.5	2.43
8595		2.05	0.11	6.72	20.3	1540	3.39	1.48	1.80	<0.02	69.6	18.3	79	3.83	21.2	3.24
8596		2.03	0.04	6.34	25.4	1240	2.49	0.56	2.07	0.05	130.5	13.9	71	2.33	20.9	3.26
8597		2.22	0.08	7.16	7.2	1170	3.35	0.19	1.94	0.31	61.3	18.0	102	7.88	29.9	4.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8558		18.15	0.13	2.7	0.027	0.91	42.0	15.5	1.97	218	1.00	3.97	4.9	43.6	500	3.2
8559		16.20	0.09	2.6	0.017	0.54	24.3	11.1	1.43	207	1.97	4.25	4.4	34.6	390	2.7
8560		16.15	0.08	3.0	0.011	0.52	23.7	11.0	1.42	176	1.86	4.39	4.4	35.3	400	2.8
8561		32.6	0.28	2.7	4.44	1.09	10.0	23.4	0.05	97	5.26	0.59	7.4	1615	540	1505
8562		13.05	0.12	2.8	0.012	0.40	13.4	8.8	1.01	175	1.41	4.01	3.4	27.7	330	3.0
8563		15.40	0.13	3.2	0.017	0.60	20.2	12.6	1.44	180	1.44	4.13	5.4	37.1	410	4.0
8564		15.35	0.08	2.5	0.021	0.70	20.9	13.2	1.64	240	1.89	3.97	4.3	37.0	410	3.0
8565		15.00	0.10	2.6	0.024	1.02	24.6	11.7	1.37	203	1.42	3.62	6.1	30.6	320	5.6
8566		15.35	0.07	2.3	0.023	0.88	12.2	13.4	1.58	238	1.29	3.98	3.5	34.8	370	2.8
8567		13.60	0.06	1.8	0.024	0.95	8.9	11.7	1.31	365	1.71	3.33	3.5	32.2	270	3.1
8568		15.00	0.08	2.3	0.019	0.75	16.2	12.3	1.37	307	1.06	4.03	3.7	32.9	380	2.5
8569		15.40	0.10	3.0	0.013	0.50	18.1	12.0	1.42	436	1.77	4.18	4.6	35.4	380	3.4
8570		21.9	0.13	4.0	0.062	3.21	28.1	23.9	2.39	567	1.48	2.01	8.5	63.7	540	5.4
8571		19.95	0.12	3.8	0.043	2.16	29.3	21.6	2.27	603	1.56	2.75	8.0	63.8	530	6.3
8572		21.5	0.11	3.9	0.038	2.64	31.7	20.4	2.07	484	2.10	2.91	9.1	61.2	470	7.3
8573		19.25	0.12	3.5	0.039	2.60	24.3	17.4	1.68	378	1.76	2.81	7.4	43.1	470	6.0
8574		16.35	0.12	3.0	0.025	1.82	34.4	15.2	1.58	369	1.07	3.18	5.7	36.2	410	6.9
8575		0.23	0.07	<0.1	<0.005	0.01	1.1	0.9	1.02	67	0.19	0.03	0.1	0.4	50	<0.5
8576		13.40	0.11	3.6	0.012	1.53	14.4	9.2	0.99	206	1.36	3.57	5.3	21.8	400	13.9
8577		12.85	<0.05	2.3	0.019	1.53	9.3	10.5	0.90	188	1.47	3.14	3.4	17.1	300	15.5
8578		13.90	<0.05	3.8	0.007	1.61	12.4	10.4	1.05	158	1.41	3.40	5.0	27.4	380	27.7
8579		16.00	<0.05	4.1	0.013	0.99	31.4	13.0	1.66	182	1.43	3.69	6.1	40.3	400	5.6
8580		16.15	0.09	3.2	0.012	1.71	30.8	13.4	1.44	168	1.10	3.27	5.8	29.3	410	12.5
8581		15.40	<0.05	3.9	0.014	1.31	16.1	11.4	1.21	165	1.69	3.18	5.3	21.8	340	21.1
8582		18.65	0.09	4.3	0.042	2.76	33.7	16.9	1.38	264	11.95	3.03	6.8	17.4	1060	32.1
8583		15.40	0.07	3.0	0.020	3.09	30.1	12.8	0.96	190	1.21	2.40	5.9	14.9	470	14.3
8584		14.95	0.19	2.6	0.079	4.76	50.2	9.0	0.81	213	10.80	2.11	4.0	20.4	380	35.9
8585		15.80	0.10	3.4	0.024	3.44	25.0	11.6	0.90	186	2.83	2.55	6.2	30.3	460	12.8
8586		14.45	0.13	3.2	0.026	3.99	30.9	10.7	0.69	258	1.38	2.11	6.6	19.4	410	19.7
8587		15.75	0.15	3.8	0.033	4.28	39.2	10.8	0.68	225	1.35	2.46	7.2	18.9	450	14.8
8588		16.80	0.13	3.0	0.030	4.10	36.7	11.6	0.71	175	1.31	2.45	6.0	17.7	420	15.1
8589		13.40	0.13	3.3	0.046	4.60	35.4	7.6	0.39	211	1.36	1.51	9.0	12.1	290	17.3
8590		16.25	0.11	2.6	0.032	3.81	16.2	7.2	0.43	108	2.02	3.10	4.9	14.8	400	6.2
8591		13.15	0.12	2.6	0.032	5.28	27.5	5.7	0.29	211	1.29	1.70	7.0	19.2	240	19.5
8592		15.85	0.14	3.3	0.019	4.09	32.8	9.1	0.62	161	1.81	2.59	6.4	18.1	470	9.6
8593		14.65	0.12	3.4	0.022	4.51	30.1	9.2	0.62	204	1.23	2.12	6.0	15.9	520	11.0
8594		12.55	0.12	2.8	0.018	4.38	25.2	8.4	0.56	200	1.67	1.79	4.9	16.2	430	13.7
8595		17.00	0.16	4.4	0.062	4.65	34.6	11.1	0.90	547	2.49	2.08	8.7	30.1	470	14.9
8596		15.60	0.19	4.3	0.090	4.50	76.2	11.6	0.79	604	2.71	1.43	9.4	29.1	450	30.9
8597		19.85	0.15	3.8	0.062	4.66	28.8	23.4	1.93	801	1.36	1.59	9.9	58.3	500	80.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8558		40.0	<0.002	0.11	0.19	12.0	<1	0.8	133.0	0.44	<0.05	5.78	0.300	0.24	2.3	96
8559		25.4	<0.002	0.21	0.14	12.8	<1	0.8	99.1	0.43	<0.05	6.89	0.248	0.17	2.1	82
8560		25.0	<0.002	0.24	0.15	11.0	<1	0.8	95.6	0.45	<0.05	6.87	0.253	0.14	2.1	79
8561		32.2	<0.002	8.63	330	5.2	85	3.0	375	0.57	37.4	4.72	0.194	17.10	2.8	42
8562		18.0	<0.002	0.30	0.17	10.1	1	1.4	74.5	0.33	0.07	6.59	0.184	0.13	1.9	103
8563		30.1	0.002	0.15	0.16	10.5	1	0.9	91.4	0.51	<0.05	9.03	0.250	0.19	2.6	70
8564		34.3	<0.002	0.16	0.19	10.8	<1	0.9	83.2	0.40	<0.05	6.12	0.250	0.25	2.0	84
8565		43.4	<0.002	0.17	0.18	9.8	<1	0.9	159.0	0.47	<0.05	14.70	0.220	0.30	4.4	75
8566		43.7	<0.002	0.13	0.15	10.1	<1	1.1	89.3	0.34	<0.05	5.15	0.243	0.33	1.7	88
8567		49.2	<0.002	0.54	0.13	11.2	1	1.3	72.2	0.31	<0.05	4.62	0.197	0.43	1.8	109
8568		43.4	<0.002	0.20	0.15	9.8	<1	1.0	79.0	0.32	<0.05	5.35	0.218	0.38	1.9	72
8569		32.5	0.002	0.11	0.16	10.1	<1	1.2	80.6	0.47	<0.05	8.59	0.231	0.27	2.8	103
8570		159.5	<0.002	0.15	0.21	17.3	<1	1.7	103.5	0.83	0.05	10.70	0.418	1.35	4.3	133
8571		112.5	<0.002	0.11	0.28	15.7	<1	1.6	162.5	0.73	0.07	10.45	0.414	1.01	4.0	126
8572		160.5	0.002	0.03	0.27	15.8	<1	1.7	164.0	0.90	<0.05	14.90	0.409	1.41	5.6	124
8573		155.5	<0.002	0.04	0.19	12.5	<1	1.5	164.5	0.72	<0.05	9.56	0.344	1.28	3.4	101
8574		109.5	<0.002	0.13	0.16	9.6	1	0.9	133.0	0.57	<0.05	7.54	0.268	0.94	2.7	77
8575		0.6	<0.002	<0.01	0.11	0.2	<1	<0.2	78.6	<0.05	<0.05	0.08	<0.005	<0.02	0.2	1
8576		55.3	<0.002	0.47	0.21	7.1	<1	0.7	92.3	0.65	<0.05	6.06	0.214	0.41	2.8	60
8577		42.3	<0.002	0.58	0.17	5.4	1	0.5	78.6	0.40	0.06	4.24	0.132	0.26	1.9	45
8578		43.5	<0.002	0.13	0.13	8.2	1	0.8	77.6	0.57	<0.05	6.68	0.217	0.30	2.7	64
8579		33.9	0.002	0.15	0.21	11.5	1	0.8	85.4	0.66	<0.05	8.39	0.288	0.23	3.5	84
8580		55.7	<0.002	0.19	0.17	9.2	1	0.6	83.8	0.58	<0.05	9.13	0.243	0.32	2.9	66
8581		53.2	<0.002	0.13	0.12	7.8	1	0.4	41.2	0.57	0.07	9.39	0.220	0.26	3.2	56
8582		98.9	<0.002	0.35	0.18	10.6	1	1.2	98.2	0.62	0.05	7.29	0.277	0.56	2.4	85
8583		99.5	<0.002	0.24	0.16	6.8	<1	1.0	70.2	0.52	0.08	13.35	0.212	0.40	4.9	50
8584		123.5	0.002	0.48	0.15	6.0	1	0.7	48.5	0.37	<0.05	7.36	0.137	0.57	2.9	37
8585		132.0	0.002	0.23	0.31	7.3	<1	1.1	41.4	0.57	<0.05	9.01	0.204	0.69	3.9	53
8586		117.0	<0.002	0.35	0.20	6.6	1	1.4	52.1	0.58	<0.05	11.90	0.187	0.62	3.6	55
8587		141.5	<0.002	0.17	0.14	6.6	1	1.2	56.5	0.64	<0.05	12.65	0.211	0.69	4.3	44
8588		151.0	<0.002	0.10	0.21	6.5	<1	0.9	54.2	0.52	<0.05	9.83	0.190	0.69	3.7	44
8589		103.5	<0.002	0.84	0.30	3.7	1	1.2	59.1	0.71	<0.05	22.0	0.164	0.57	5.3	23
8590		123.5	<0.002	0.02	0.05	6.8	<1	0.7	61.0	0.44	<0.05	7.87	0.188	0.51	2.4	47
8591		112.0	<0.002	0.51	0.13	2.9	1	0.9	69.2	0.54	<0.05	17.15	0.125	0.52	3.7	20
8592		139.5	<0.002	0.14	0.06	6.3	<1	0.8	58.7	0.61	<0.05	11.85	0.192	0.62	4.3	42
8593		142.0	<0.002	0.25	0.10	5.4	1	1.1	54.9	0.53	<0.05	11.20	0.172	0.68	3.9	37
8594		134.5	<0.002	0.38	0.21	5.0	1	1.1	51.8	0.45	<0.05	8.75	0.156	0.66	3.0	33
8595		214	<0.002	0.09	0.11	8.8	<1	1.3	99.2	0.76	<0.05	14.40	0.243	1.41	5.4	60
8596		225	<0.002	0.11	0.15	7.4	<1	1.9	143.5	0.76	<0.05	17.20	0.223	1.53	5.4	47
8597		284	0.003	0.28	0.33	14.0	1	2.3	120.5	0.83	<0.05	11.75	0.319	3.17	4.0	101

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8558		0.4	13.6	16	106.5					
8559		0.3	9.2	12	99.1					
8560		0.3	8.6	12	114.5					
8561		28.2	4.6	2260	102.5	971	5.03			
8562		0.3	17.4	11	97.3					
8563		0.3	11.8	14	115.5					
8564		0.2	11.9	17	96.5					
8565		0.3	14.2	18	92.6					
8566		0.2	8.7	26	89.4					
8567		0.2	18.4	33	69.5					
8568		0.2	11.3	36	84.5					
8569		0.3	86.1	52	113.5					
8570		1.6	16.7	86	146.0					
8571		0.9	17.3	86	144.0					
8572		1.0	17.2	87	145.5					
8573		0.8	12.3	55	136.0					
8574		0.4	15.2	54	116.0					
8575		<0.1	1.7	2	1.4					
8576		0.2	9.7	29	141.0					
8577		0.2	7.3	24	83.6					
8578		0.2	9.8	35	128.5					
8579		0.5	12.7	16	142.0					
8580		0.4	15.0	22	115.0					
8581		0.4	8.8	40	134.5					
8582		0.7	16.3	39	166.0					
8583		0.6	12.7	20	98.7					
8584		0.4	15.1	29	106.0					
8585		0.4	13.0	27	127.5					
8586		0.4	13.9	25	118.0					
8587		0.5	14.1	18	142.5					
8588		0.6	12.4	28	110.5					
8589		0.3	12.2	12	121.5					
8590		0.5	7.7	10	99.0					
8591		0.3	8.3	10	94.8					
8592		0.5	12.1	14	128.0					
8593		0.5	12.7	13	126.5					
8594		0.3	11.9	12	103.5					
8595		0.7	18.2	37	164.0					
8596		1.0	18.0	49	166.0					
8597		2.1	19.5	123	135.5				74.5	86.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8598		2.09	0.11	6.71	21.0	1470	2.41	0.43	2.50	0.05	70.6	20.0	80	4.24	94.7	3.56
8599		0.78	0.03	6.50	10.6	1630	2.23	0.14	1.96	0.02	68.3	11.5	68	2.45	23.9	2.53
8600		0.98	0.03	6.62	9.5	1630	2.32	0.13	1.77	<0.02	72.0	11.2	69	2.63	20.4	2.55
8601		0.08	3.88	5.39	14.2	120	0.56	0.79	3.38	1.97	15.80	971	267	0.73	>10000	17.70
8602		2.11	0.04	7.50	10.2	2020	3.00	0.24	1.38	0.02	71.3	15.6	93	3.36	63.1	3.15
8603		2.08	0.03	7.63	22.2	1320	2.85	0.54	1.32	<0.02	82.1	27.1	94	5.00	53.5	4.71
8604		2.28	0.10	6.70	12.3	830	1.50	5.74	3.30	<0.02	94.1	18.7	76	2.52	33.6	2.78
8605		2.10	0.02	6.35	9.0	1170	1.96	0.48	2.56	0.03	85.0	12.0	65	2.21	10.7	2.85
8606		2.11	0.06	6.18	20.2	140	1.45	3.13	4.23	<0.02	139.0	132.5	82	2.31	8.9	3.58
8607		2.07	0.04	6.55	9.7	550	1.40	0.88	2.21	<0.02	127.5	47.9	66	2.16	11.6	2.69
8608		0.86	0.06	7.30	42.0	530	2.58	1.14	0.32	0.03	163.5	125.5	66	3.08	10.4	4.41
8609		1.40	0.04	5.86	14.9	1160	1.18	5.08	2.79	0.05	117.5	10.0	27	0.58	18.5	3.99
8610		1.75	0.07	5.23	11.3	1210	0.80	4.84	5.50	0.15	83.8	5.6	29	0.21	29.8	4.76
8611		1.56	0.07	5.83	15.4	870	2.26	1.19	7.17	<0.02	250	47.2	41	0.72	18.4	5.04
8612		1.79	0.06	5.54	13.0	1340	1.53	0.87	5.67	0.03	242	17.0	35	0.29	31.3	5.26
8613		2.09	0.08	5.30	16.8	390	3.07	1.25	9.93	<0.02	74.8	37.0	56	0.42	59.3	15.55
8614		1.81	0.02	6.60	9.2	870	2.90	0.54	8.08	<0.02	49.4	47.0	70	0.21	16.2	7.96
8615		2.85	0.02	3.11	15.3	190	1.46	0.24	5.75	<0.02	21.6	88.5	38	4.10	5.9	30.7
8616		2.58	0.05	4.07	12.3	330	2.21	0.58	9.01	<0.02	67.3	34.0	48	0.17	111.0	23.1
8617		2.40	0.02	5.25	18.1	340	2.28	0.50	14.50	0.04	52.7	23.9	56	0.05	16.8	8.81
8618		2.33	0.08	5.70	21.4	1570	2.59	0.48	12.60	<0.02	81.2	16.4	57	0.10	181.5	8.33
8619		2.06	0.06	5.32	11.2	650	2.02	0.30	4.96	0.05	213	17.5	63	0.43	43.3	4.27
8620		1.50	0.06	5.04	28.2	640	0.86	1.44	0.49	0.03	144.5	74.7	58	1.13	11.9	2.37
8621		1.11	0.06	6.04	20.2	990	1.37	0.28	0.80	0.23	117.0	25.3	35	0.94	12.2	1.90
8622		1.39	0.05	7.06	16.6	1060	1.70	0.17	2.28	0.02	91.8	18.1	30	1.85	55.8	3.60
8623		1.14	0.08	7.19	15.1	300	2.05	0.22	3.71	0.02	60.7	27.2	38	3.08	120.5	5.30
8624		1.39	0.11	7.12	33.4	230	0.87	0.41	5.98	0.04	16.65	49.9	50	3.30	136.5	7.74
8625		1.10	<0.01	0.09	0.2	20	0.06	0.01	32.2	<0.02	0.91	1.2	1	<0.05	2.4	0.12
8626		2.33	0.09	6.96	34.0	230	1.48	0.54	4.43	0.02	60.0	53.9	74	2.85	113.5	6.37
8627		1.87	0.11	7.09	9.9	230	1.12	0.47	5.65	0.02	21.4	45.3	50	2.79	122.5	7.35
8628		1.45	0.10	6.60	6.8	180	1.36	0.70	7.84	0.02	30.3	39.6	50	2.35	98.9	7.80
8629		1.85	0.08	5.32	19.0	440	3.54	1.70	12.40	0.02	91.1	43.5	57	0.10	74.1	10.30
8630		1.33	0.03	5.67	8.1	1120	2.77	0.57	7.08	0.02	152.5	13.5	53	0.11	51.7	5.15
8631		1.12	0.03	5.52	7.6	1510	1.44	0.25	2.32	<0.02	167.5	12.5	79	0.56	10.2	2.56
8632		1.35	0.02	6.81	3.5	390	3.35	0.68	5.39	<0.02	102.0	30.1	83	0.17	18.4	9.18
8633		2.06	0.02	7.34	3.4	590	2.92	0.72	5.64	<0.02	68.7	20.9	89	2.13	6.2	5.57
8634		2.18	0.03	7.05	4.7	340	4.05	1.04	6.21	<0.02	77.8	35.1	87	0.83	27.5	7.96
8635		1.51	0.03	6.73	5.8	160	3.25	0.51	5.89	<0.02	67.2	35.1	87	1.38	55.7	13.45
8636		1.48	0.07	5.34	4.9	260	2.79	0.44	7.68	<0.02	103.5	44.8	60	0.97	190.5	15.55
8637		2.18	0.07	3.36	5.1	250	2.02	0.28	6.21	0.02	70.1	61.9	46	0.74	177.5	28.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8598		17.20	0.16	4.6	0.061	4.95	34.2	13.4	1.35	895	1.72	1.46	10.2	37.5	490	51.7
8599		15.40	0.15	4.8	0.042	4.58	32.2	9.1	1.00	696	2.15	1.33	10.5	28.3	450	19.3
8600		15.75	0.16	4.6	0.038	5.72	35.1	9.0	1.02	687	1.98	1.41	10.6	28.5	450	18.7
8601		10.95	0.45	1.2	0.119	0.31	7.0	9.0	3.95	995	3.91	1.17	4.7	>10000	480	13.0
8602		18.60	0.15	4.6	0.044	5.37	35.6	17.5	1.41	639	1.49	1.50	10.6	82.5	510	14.2
8603		20.6	0.18	4.4	0.050	4.51	41.4	24.1	1.74	670	1.67	2.34	10.6	56.1	520	11.7
8604		18.35	0.18	4.8	0.056	3.61	46.8	10.2	0.93	628	1.84	2.91	10.0	28.8	520	20.6
8605		17.85	0.14	4.0	0.084	4.05	41.1	11.7	0.98	606	1.71	2.58	9.9	30.7	450	15.8
8606		21.1	0.16	4.8	0.043	1.25	75.9	11.1	0.86	718	4.37	4.10	8.9	32.6	530	9.0
8607		20.0	0.16	4.6	0.033	2.67	66.0	12.0	0.89	502	4.84	3.52	10.2	22.6	490	9.3
8608		29.8	0.20	5.4	0.032	2.80	88.1	23.2	1.83	480	9.34	3.67	12.1	52.0	450	21.7
8609		13.60	0.18	3.5	0.075	4.37	63.6	3.6	0.33	423	1.45	1.86	10.0	16.6	300	17.3
8610		12.55	0.17	2.8	0.140	5.12	38.7	1.4	0.22	749	1.29	0.88	7.6	13.1	270	14.3
8611		19.55	0.25	3.7	0.151	3.25	137.0	5.7	1.38	1260	6.88	2.19	10.6	37.1	360	8.2
8612		15.95	0.26	3.2	0.154	4.64	127.5	4.2	0.75	949	2.70	1.14	8.8	21.7	310	8.6
8613		17.60	0.18	3.2	0.247	0.80	39.3	5.2	2.79	3270	0.78	1.20	9.2	30.0	340	7.8
8614		15.35	0.12	4.2	0.317	1.64	24.4	6.7	2.93	1990	0.49	2.36	11.5	42.7	440	5.7
8615		12.25	0.28	2.2	0.292	1.57	11.5	16.4	4.77	2260	0.16	0.15	4.7	26.4	200	2.8
8616		12.50	0.18	2.7	0.751	0.59	38.7	6.5	3.44	2690	0.18	0.53	6.3	34.6	260	6.4
8617		12.90	0.11	3.5	0.185	0.96	26.1	1.7	2.59	4470	0.41	0.81	8.9	42.2	410	7.1
8618		15.40	0.13	3.9	0.190	2.88	42.5	1.3	2.15	3190	0.64	0.57	9.8	56.6	390	7.3
8619		15.20	0.20	3.8	0.069	3.96	120.0	1.7	0.88	1040	2.86	1.22	9.6	29.5	320	12.2
8620		13.70	0.16	3.7	0.013	2.98	76.7	5.2	0.51	231	4.05	2.03	9.3	23.7	340	19.3
8621		15.90	0.17	4.7	0.014	3.20	60.0	7.8	0.64	238	3.49	2.58	16.5	18.3	310	58.1
8622		18.50	0.13	4.5	0.033	2.92	48.2	11.4	1.51	554	2.40	2.90	14.9	31.0	330	14.5
8623		19.10	0.10	2.7	0.049	1.59	31.7	15.7	2.42	919	1.01	3.22	10.7	54.9	310	16.7
8624		16.15	0.09	1.3	0.057	1.52	7.6	15.0	3.77	1320	0.43	1.99	3.0	87.2	320	6.3
8625		0.24	<0.05	<0.1	<0.005	0.01	1.0	1.5	1.26	87	0.08	0.03	0.1	1.5	50	1.5
8626		17.60	0.10	2.7	0.085	1.51	30.5	13.6	2.71	966	1.43	2.68	7.0	69.6	410	8.9
8627		16.40	0.09	1.7	0.061	1.42	9.6	12.8	3.59	1400	0.58	2.43	3.5	84.5	330	5.0
8628		16.05	0.07	1.6	0.105	0.99	14.5	7.8	3.29	1660	0.71	1.72	5.6	75.1	330	7.5
8629		16.05	0.12	2.8	0.296	0.72	46.7	2.8	1.77	2490	1.04	0.12	21.6	52.9	330	13.1
8630		15.40	0.16	4.2	0.119	3.51	84.7	1.8	1.49	1480	1.55	0.74	10.3	45.0	340	11.9
8631		13.70	0.16	3.8	0.048	3.50	86.8	6.4	0.69	502	2.38	1.77	10.4	23.3	340	9.5
8632		19.25	0.13	4.9	0.290	0.78	59.0	9.2	2.49	1200	0.54	3.34	11.4	37.6	460	4.9
8633		18.30	0.13	5.1	0.142	1.51	34.9	6.7	1.62	1090	0.75	3.45	11.8	38.7	490	6.3
8634		18.90	0.11	5.0	0.202	0.75	41.0	8.8	1.87	1280	0.82	3.60	11.6	34.8	480	6.1
8635		19.35	0.13	4.7	0.462	0.63	39.7	6.5	2.15	1390	0.76	3.52	11.8	30.7	420	4.4
8636		23.4	0.14	3.7	0.926	0.74	69.7	7.9	2.50	2020	0.21	1.70	9.3	26.9	370	4.5
8637		17.75	0.42	2.7	0.643	0.73	46.5	8.7	2.34	1940	0.25	0.57	3.8	31.2	200	4.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8598		249	0.002	0.26	0.27	10.0	<1	2.3	117.5	0.82	<0.05	16.40	0.264	2.19	5.1	67
8599		173.0	<0.002	0.14	0.16	7.8	<1	2.0	64.0	0.86	<0.05	14.35	0.229	1.76	4.6	48
8600		237	<0.002	0.14	0.16	8.1	<1	2.0	64.3	0.88	<0.05	14.60	0.232	1.81	4.5	50
8601		10.7	0.044	8.56	2.60	8.1	19	2.4	180.0	0.30	4.11	0.99	0.527	0.18	0.3	78
8602		234	0.002	0.19	0.15	11.8	<1	2.0	72.6	0.89	<0.05	16.50	0.303	2.06	5.0	81
8603		285	0.003	0.43	0.13	12.5	1	2.0	89.1	0.90	<0.05	16.55	0.303	2.60	4.9	87
8604		179.0	<0.002	0.16	0.13	8.4	1	1.7	64.7	0.79	<0.05	19.20	0.250	1.53	5.5	55
8605		195.0	<0.002	0.11	0.16	7.7	<1	1.9	61.7	0.79	<0.05	15.70	0.227	1.80	4.7	53
8606		175.0	<0.002	1.03	0.10	6.7	1	1.7	51.6	0.74	<0.05	19.15	0.265	1.67	5.5	64
8607		186.5	<0.002	0.39	0.10	6.7	1	1.7	51.4	0.84	<0.05	21.4	0.230	1.73	6.1	45
8608		252	0.002	0.94	0.25	8.1	1	2.1	30.0	0.96	<0.05	23.3	0.239	2.31	7.5	64
8609		162.0	<0.002	0.09	0.15	4.0	<1	1.3	56.9	0.76	0.10	28.7	0.180	1.03	6.1	33
8610		187.0	<0.002	0.03	0.13	3.4	<1	1.4	54.1	0.58	<0.05	21.6	0.136	0.94	4.5	23
8611		130.0	0.003	0.38	0.20	7.0	<1	1.5	80.7	0.83	<0.05	19.75	0.204	0.76	5.9	52
8612		136.0	0.002	0.12	0.20	6.0	<1	1.3	74.3	0.69	<0.05	20.3	0.159	0.66	5.0	38
8613		38.8	<0.002	0.17	0.55	9.5	1	2.6	125.5	0.68	<0.05	11.05	0.221	0.28	4.8	59
8614		44.0	<0.002	0.01	0.71	12.5	<1	1.8	227	0.83	<0.05	13.80	0.293	0.25	3.4	75
8615		207	<0.002	<0.01	0.30	5.8	<1	1.7	45.8	0.38	<0.05	6.44	0.134	1.91	3.5	38
8616		13.2	<0.002	0.08	0.49	8.0	<1	3.3	88.3	0.54	<0.05	9.09	0.182	0.11	3.5	48
8617		25.5	<0.002	0.21	0.34	9.1	1	2.0	72.8	0.70	<0.05	13.50	0.223	0.12	3.7	65
8618		84.3	<0.002	0.13	0.58	9.6	<1	4.1	151.0	0.74	<0.05	14.20	0.233	0.37	4.9	60
8619		138.5	0.002	0.11	0.51	6.2	<1	2.2	175.0	0.72	<0.05	25.2	0.184	0.64	6.2	41
8620		130.0	<0.002	0.96	0.11	5.7	1	1.9	26.4	0.73	<0.05	30.8	0.193	0.88	11.2	39
8621		104.0	<0.002	0.25	0.28	7.2	1	1.8	44.5	1.10	<0.05	54.4	0.182	0.61	15.9	38
8622		121.5	<0.002	0.05	0.30	15.2	1	1.5	75.6	0.83	<0.05	44.3	0.284	0.87	11.3	93
8623		124.5	<0.002	0.07	0.37	24.7	1	2.0	118.5	0.72	<0.05	22.9	0.363	1.24	4.7	150
8624		156.0	<0.002	0.12	0.60	37.8	1	0.9	160.5	0.22	0.05	2.17	0.490	1.32	0.6	233
8625		1.0	<0.002	<0.01	0.08	0.4	1	<0.2	78.8	<0.05	<0.05	0.10	0.007	<0.02	0.1	2
8626		132.5	0.002	0.25	0.54	24.3	1	1.4	146.0	0.55	<0.05	10.35	0.373	1.43	2.9	152
8627		140.0	<0.002	0.10	0.51	36.0	<1	0.9	156.0	0.26	<0.05	2.89	0.486	1.31	0.9	225
8628		106.5	<0.002	0.12	0.80	33.0	1	1.4	237	0.32	<0.05	4.57	0.444	0.92	1.5	202
8629		16.4	<0.002	0.48	1.50	9.7	1	4.9	396	0.76	<0.05	16.30	0.208	0.11	5.3	57
8630		70.7	<0.002	0.03	0.93	8.1	<1	3.2	261	0.80	<0.05	26.2	0.198	0.32	6.3	45
8631		85.5	0.002	0.03	0.39	7.1	<1	1.9	101.5	0.69	<0.05	40.0	0.211	0.45	8.8	44
8632		16.5	0.002	0.05	0.70	14.1	<1	2.4	216	0.90	<0.05	17.25	0.296	0.09	5.9	76
8633		78.0	<0.002	0.01	0.43	15.3	<1	1.6	170.5	0.90	<0.05	16.85	0.326	0.53	4.9	89
8634		44.5	<0.002	0.10	0.83	14.5	1	1.8	259	0.90	<0.05	16.45	0.306	0.35	5.1	83
8635		63.5	<0.002	0.02	0.87	14.0	<1	1.6	301	0.85	<0.05	15.65	0.288	0.50	5.2	77
8636		45.3	<0.002	0.04	0.77	11.0	<1	3.7	213	0.70	<0.05	12.55	0.227	0.38	4.3	62
8637		34.9	0.002	0.12	0.39	7.1	1	4.8	50.3	0.39	<0.05	7.55	0.145	0.37	3.8	37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8598		1.4	20.6	66	169.0					
8599		0.7	17.7	44	178.5					
8600		0.7	17.9	45	170.0					
8601		2.2	8.8	138	47.1		1.705	4.57		
8602		1.2	18.8	54	168.0					
8603		1.8	20.2	60	162.0					
8604		0.8	17.1	34	178.5					
8605		1.4	16.6	33	151.5					
8606		0.6	19.1	28	182.5					
8607		0.6	15.8	26	173.0					
8608		0.5	17.8	45	202					
8609		0.4	13.1	14	129.5					
8610		0.5	14.1	15	102.0					
8611		0.5	21.6	38	136.5					89.8
8612		0.5	20.4	23	114.5					93.3
8613		0.7	23.3	85	116.5					
8614		0.5	19.2	71	162.0					
8615		0.3	10.1	121	82.2					
8616		0.6	12.7	99	97.2					
8617		0.6	18.2	81	124.5					
8618		0.9	22.9	67	145.5					
8619		0.9	15.8	42	142.5					
8620		0.6	10.9	19	137.0					
8621		0.5	15.8	73	168.0					
8622		0.4	17.3	35	164.0					
8623		0.4	17.6	60	93.5					
8624		0.5	16.1	76	59.1					
8625		<0.1	1.9	3	1.4					
8626		0.5	19.6	64	98.8					
8627		0.5	17.8	76	61.3					
8628		0.7	17.4	75	63.7					
8629		1.2	25.0	58	101.5					
8630		0.5	22.5	52	148.0					
8631		0.5	14.5	23	139.5					
8632		0.6	25.8	49	182.0					
8633		0.8	19.9	44	186.5					
8634		1.0	21.2	50	181.5					
8635		0.3	21.3	64	174.0					
8636		0.2	21.5	97	138.0					
8637		0.2	14.2	95	100.0				75.9	88.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8638		2.62	0.04	4.29	7.7	400	1.93	0.32	8.81	<0.02	127.0	63.6	51	0.28	45.4	18.65
8639		0.89	0.05	4.48	9.9	300	2.46	0.45	8.16	<0.02	49.2	56.1	48	0.07	24.7	18.90
8640		0.92	0.02	4.43	9.2	320	2.64	0.43	8.30	<0.02	71.0	56.9	49	0.08	27.6	19.85
8641		0.07	>100	5.23	1670	250	0.67	16.55	0.28	12.95	22.2	92.5	32	1.52	>10000	3.64
8642		2.17	1.06	5.51	6.3	90	2.23	0.26	4.88	<0.02	55.1	31.6	66	0.14	108.5	15.40
8643		1.91	0.21	4.51	8.0	400	2.51	0.41	8.95	<0.02	32.5	59.7	50	0.07	30.7	20.1
8644		2.08	0.08	4.78	8.7	400	2.51	0.55	8.65	0.02	58.7	54.6	49	0.05	30.8	20.1
8645		2.48	0.09	5.32	7.1	360	2.92	0.39	5.30	0.02	45.7	37.2	59	0.07	31.5	15.15
8646		2.53	0.05	4.90	5.6	580	3.44	0.62	5.44	0.02	60.4	39.6	55	0.05	38.2	17.20
8647		2.06	0.02	6.78	6.9	1240	4.81	0.73	7.76	<0.02	107.5	14.3	72	0.12	8.5	6.53
8648		2.02	0.04	5.62	7.0	840	2.07	0.18	3.33	0.03	143.0	9.3	66	0.18	18.5	3.23
8649		2.14	0.09	7.12	4.8	290	1.04	0.25	5.52	0.06	16.95	45.4	50	2.29	122.0	8.25
8650		2.31	0.11	7.43	10.9	150	0.60	0.26	6.58	0.05	17.30	47.2	51	1.27	144.5	8.33
8651		2.46	0.34	7.46	17.5	100	0.51	0.27	7.08	0.05	17.40	49.5	53	0.63	141.5	8.33
8652		2.33	0.16	7.30	14.3	130	0.58	0.18	6.32	0.15	19.00	50.5	26	0.75	236	9.30
8653		2.28	0.10	7.25	16.6	110	0.52	0.18	6.23	0.11	18.35	48.6	26	0.51	140.5	9.05
8654		2.32	0.07	7.11	14.6	150	0.61	0.16	5.85	0.09	19.70	47.9	34	0.55	102.0	9.02
8655		2.20	0.08	7.08	6.9	200	0.64	0.14	6.28	0.07	24.6	46.7	24	0.65	148.0	9.38
8656		2.34	0.09	6.72	3.7	150	0.64	0.17	5.53	0.09	24.5	52.5	5	1.02	125.0	10.70
8657		2.40	0.10	6.43	2.7	360	1.56	0.32	7.00	0.16	50.9	74.3	2	1.96	151.5	15.55
8658		2.37	0.07	6.20	3.3	210	1.06	0.23	5.30	0.06	33.3	57.0	3	1.34	98.0	12.35
8659		2.34	0.08	6.21	6.2	270	0.89	0.23	4.75	0.12	35.9	56.4	2	1.78	126.5	12.30
8660		2.29	0.05	6.14	3.7	300	1.30	0.17	3.93	0.09	46.2	43.2	3	1.94	77.2	12.15
8661		2.24	0.07	6.33	2.0	240	0.99	0.32	3.57	0.08	78.2	28.7	6	0.89	143.0	7.25
8662		2.27	0.03	6.17	1.7	250	1.24	0.19	3.44	0.05	67.9	23.0	5	1.11	54.6	8.40
8663		2.27	0.04	6.23	2.8	260	1.45	0.16	3.60	0.07	63.0	29.1	5	1.33	46.5	10.90
8664		2.25	0.04	6.39	2.5	310	1.41	0.16	3.47	0.09	60.6	32.8	7	1.71	45.9	12.55
8665		2.38	0.03	6.31	2.7	300	1.34	0.15	3.49	0.09	60.1	33.0	4	1.86	43.1	12.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8638		14.75	0.15	3.0	0.914	0.81	82.9	12.0	2.29	2350	0.18	0.56	6.2	48.4	230	5.9
8639		12.80	0.13	3.1	0.613	0.71	26.9	9.7	1.80	2250	0.13	0.77	9.0	39.8	290	6.0
8640		13.50	0.12	3.1	0.632	0.76	39.5	10.6	1.81	2330	0.15	0.73	8.9	41.3	260	6.0
8641		30.4	0.24	2.5	3.87	1.00	9.1	21.4	0.04	93	4.93	0.55	6.7	1490	490	1380
8642		14.65	0.12	3.7	0.430	0.25	28.1	2.1	1.53	1260	0.22	3.57	9.5	51.0	340	5.5
8643		13.50	0.13	3.3	0.793	0.85	15.8	11.4	2.39	2720	0.15	0.62	6.3	41.1	180	6.7
8644		14.00	0.12	3.1	0.671	0.82	32.8	9.7	1.80	2620	0.20	0.79	14.4	35.9	250	7.0
8645		13.45	0.10	3.6	0.381	0.71	21.3	1.8	1.62	1580	0.15	3.04	9.3	51.3	330	4.6
8646		12.90	0.14	3.7	0.409	1.34	28.7	0.9	1.62	1690	0.28	2.01	6.2	51.8	320	6.3
8647		20.5	0.15	5.0	0.184	4.49	56.9	1.1	1.41	1700	1.40	0.65	11.9	71.7	430	9.5
8648		13.85	0.15	4.7	0.069	3.43	77.0	2.3	0.63	541	2.41	1.86	10.4	30.8	320	12.6
8649		16.65	0.08	1.3	0.063	1.24	7.3	16.0	3.94	1450	0.44	2.22	2.8	87.3	320	7.8
8650		16.45	0.08	1.5	0.063	0.71	7.6	11.9	3.91	1500	0.72	1.84	2.9	89.4	330	6.0
8651		16.85	0.08	1.6	0.067	0.49	7.7	11.0	3.87	1450	0.68	1.88	3.0	84.9	330	7.3
8652		17.35	0.07	1.7	0.067	0.61	8.3	12.1	3.74	1420	0.61	1.63	3.2	76.4	380	15.7
8653		16.45	0.06	1.5	0.069	0.51	8.0	11.5	3.68	1420	0.59	1.86	3.1	73.0	370	19.2
8654		16.90	0.08	1.6	0.060	0.65	8.5	14.8	3.67	1420	0.52	1.81	3.2	72.3	370	14.5
8655		17.50	0.08	2.3	0.070	0.72	10.9	10.6	3.29	1480	0.61	1.62	3.9	65.2	460	5.9
8656		18.20	0.07	2.3	0.076	0.66	10.7	9.4	2.86	1500	0.69	1.90	3.9	45.9	460	9.5
8657		34.1	1.90	4.3	0.134	1.25	19.7	10.3	2.29	2400	2.73	2.73	9.7	28.5	790	13.9
8658		23.2	0.13	3.1	0.098	0.79	14.7	6.2	1.67	1820	1.16	2.08	6.6	13.5	570	7.2
8659		22.0	0.14	3.6	0.098	1.02	15.5	7.3	1.65	1720	1.31	1.95	6.0	14.5	660	8.1
8660		22.7	0.13	4.2	0.099	1.11	20.4	8.2	1.22	1660	1.22	2.13	8.2	6.8	770	8.2
8661		23.9	0.17	6.3	0.108	0.70	36.7	5.1	0.35	925	1.53	3.18	12.3	0.5	1380	10.6
8662		22.7	0.15	5.9	0.113	0.74	31.0	5.6	0.45	1100	1.55	2.92	10.3	0.4	1460	8.9
8663		23.5	0.15	5.5	0.117	0.84	28.7	6.6	0.62	1380	1.94	2.59	10.7	0.4	1690	17.9
8664		23.7	0.16	5.1	0.120	0.97	27.5	6.6	0.65	1520	1.96	2.46	10.4	0.6	1770	7.7
8665		23.9	0.17	5.6	0.114	0.99	27.4	6.9	0.68	1540	1.70	2.35	9.9	0.5	1670	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8638		16.3	<0.002	0.16	0.43	8.8	<1	6.9	101.5	0.55	<0.05	10.85	0.191	0.22	4.4	47
8639		6.9	<0.002	0.10	0.37	8.8	<1	5.6	83.4	0.61	<0.05	11.00	0.187	0.14	4.3	56
8640		7.5	<0.002	0.10	0.38	9.0	<1	6.0	82.6	0.59	<0.05	12.60	0.187	0.12	4.5	55
8641		31.0	<0.002	8.15	299	5.3	75	2.7	349	0.52	32.8	4.55	0.176	13.85	2.5	38
8642		7.2	<0.002	0.03	0.72	10.9	<1	3.9	73.0	0.71	0.05	14.45	0.225	0.09	3.6	67
8643		8.4	<0.002	0.08	0.50	9.1	1	5.8	86.2	0.57	<0.05	11.65	0.195	0.11	5.5	51
8644		7.7	<0.002	0.11	0.43	9.4	<1	6.0	105.0	0.69	<0.05	14.85	0.197	0.10	6.6	65
8645		13.6	<0.002	0.06	0.50	10.1	<1	3.5	109.5	0.72	<0.05	13.75	0.213	0.09	3.6	61
8646		24.0	<0.002	0.06	0.60	8.8	<1	6.5	156.5	0.60	<0.05	15.15	0.193	0.09	3.1	51
8647		80.5	0.002	<0.01	1.42	11.8	1	3.0	403	0.90	<0.05	21.7	0.265	0.32	5.8	67
8648		53.9	<0.002	0.02	0.35	7.4	1	2.1	112.5	0.83	<0.05	28.5	0.207	0.22	7.0	42
8649		76.4	<0.002	0.06	0.43	37.1	1	0.8	141.0	0.21	<0.05	1.90	0.492	0.59	0.6	240
8650		51.7	<0.002	0.09	0.53	38.2	1	0.8	184.0	0.21	<0.05	2.06	0.514	0.35	0.6	247
8651		31.1	<0.002	0.09	0.59	38.7	1	0.8	201	0.22	<0.05	2.06	0.519	0.22	0.6	248
8652		33.9	<0.002	0.08	0.40	39.0	1	0.8	189.5	0.24	<0.05	2.33	0.565	0.19	0.7	265
8653		26.4	0.003	0.06	0.36	37.0	1	0.8	188.0	0.24	<0.05	2.06	0.555	0.17	0.6	253
8654		35.5	<0.002	0.04	0.37	37.1	1	0.8	179.0	0.23	<0.05	2.23	0.527	0.18	0.6	249
8655		33.9	<0.002	0.09	0.38	37.4	1	1.0	198.5	0.29	<0.05	2.82	0.628	0.19	0.8	274
8656		35.6	0.003	0.10	0.42	38.6	1	1.0	202	0.30	<0.05	2.90	0.719	0.20	0.8	320
8657		24.1	0.004	0.27	0.63	34.0	1	2.1	322	0.68	<0.05	4.10	1.910	0.38	1.8	637
8658		28.7	0.003	0.20	0.49	38.3	1	1.6	217	0.49	<0.05	3.95	1.385	0.20	1.2	451
8659		40.3	0.004	0.15	0.44	35.2	1	1.5	202	0.48	<0.05	4.41	1.115	0.23	1.3	430
8660		41.7	0.004	0.13	0.34	31.6	1	2.1	126.0	0.61	0.05	5.59	1.110	0.27	1.6	277
8661		20.8	<0.002	0.35	0.32	15.9	1	1.4	168.0	0.93	<0.05	9.71	0.530	0.18	3.0	4
8662		22.9	<0.002	0.15	0.34	19.0	1	1.7	138.5	0.80	<0.05	8.45	0.629	0.19	2.6	6
8663		26.4	<0.002	0.12	0.36	23.1	1	2.2	129.0	0.78	<0.05	7.37	0.787	0.20	2.2	8
8664		33.8	<0.002	0.13	0.36	25.1	<1	2.3	136.0	0.76	<0.05	6.59	0.846	0.27	1.9	10
8665		36.5	<0.002	0.12	0.35	25.2	1	2.4	122.5	0.75	<0.05	6.94	0.856	0.26	2.1	11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8638		0.2	17.2	99	110.0					
8639		0.2	16.4	91	110.5					
8640		0.2	16.3	94	113.5					
8641		26.2	4.3	2090	91.6	941	4.93			
8642		0.2	18.8	57	136.0					
8643		0.2	17.5	116	125.0					
8644		0.2	18.0	101	121.0					
8645		0.2	17.7	64	133.5					
8646		0.2	19.3	74	148.5					
8647		0.6	26.3	55	186.5					
8648		0.2	18.9	22	172.0					
8649		0.4	16.1	105	46.3					
8650		0.4	17.1	97	51.4					
8651		0.4	17.1	93	53.2					
8652		0.4	18.9	125	61.2					
8653		0.4	17.8	116	54.7					
8654		0.5	17.2	113	55.5					
8655		0.4	20.6	109	92.5					
8656		0.4	21.1	127	79.9					
8657		1.2	37.8	195	121.0					
8658		0.9	28.5	142	108.5					
8659		1.2	29.3	159	123.0					
8660		1.2	35.8	147	148.0					
8661		0.9	53.6	76	231					
8662		1.0	50.2	93	201					
8663		0.8	46.2	118	196.5					
8664		0.8	45.3	141	181.5					
8665		0.9	44.1	142	192.0					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18114864

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			