ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

QC CERTIFICATE SD18125495

Project: Iron Mask

This report is for 68 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 29-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
STANDARDS																
MRGeo08		4.55	7.62	33.8	1090	3.50	0.64	2.70	2.42	68.8	20.4	95	12.60	634	4.07	19.65
MRGeo08		4.37	7.52	35.9	1130	3.47	0.68	2.67	2.38	71.4	19.9	98	12.85	633	4.05	19.65
Target Range - Lower Bound		4.00	6.64	29.5	920	2.98	0.60	2.35	2.00	66.2	17.7	81	11.20	587	3.55	17.50
Upper Bound		4.92	8.14	36.5	1270	3.76	0.76	2.90	2.48	81.0	21.9	102	13.80	675	4.37	21.5
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		20.5	7.09	123.5	790	3.20	10.25	2.33	19.90	77.2	102.5	92	11.60	8700	5.57	17.85
OGGeo08		20.2	7.03	124.0	800	3.13	10.90	2.35	19.75	68.1	102.0	93	11.10	8750	5.66	18.85
Target Range - Lower Bound		18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81	16.05
Upper Bound		22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91	19.75
OREAS 905		0.52	7.47	35.5	2920	2.96	5.56	0.60	0.37	90.9	14.3	19	7.00	1510	4.12	25.2
OREAS 905		0.55	7.87	36.5	2790	3.15	5.79	0.62	0.38	96.7	16.2	20	7.37	1555	4.27	26.5
OREAS 905		0.55	7.75	37.7	2920	3.00	5.91	0.61	0.39	95.2	15.6	21	7.49	1550	4.21	25.9
Target Range - Lower Bound		0.46	6.67	31.0	2280	2.69	5.14	0.52	0.30	82.8	13.2	16	6.05	1425	3.66	22.5
Upper Bound		0.58	8.17	38.4	3110	3.39	6.30	0.66	0.42	101.0	16.4	22	7.51	1640	4.50	27.7
OREAS 920		0.07	7.67	5.4	570	2.64	0.82	0.49	0.08	94.4	15.4	86	8.50	106.5	4.08	21.3
OREAS 920		0.12	7.95	5.8	600	2.92	0.63	0.51	0.08	100.5	16.3	86	8.92	117.5	4.18	22.5
Target Range - Lower Bound		0.08	6.91	4.4	450	2.54	0.61	0.44	0.04	84.6	13.9	70	7.72	104.0	3.72	18.65
Upper Bound		0.13	8.47	5.8	640	3.22	0.77	0.56	0.12	103.5	17.3	88	9.54	120.0	4.56	22.9
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	0.02	0.01	<0.1	<1	<0.05	0.2	<0.01	0.09
BLANK		<0.01	<0.01	<0.2	<10	<0.05	0.02	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.2	<0.01	0.10
BLANK		<0.01	<0.01	0.3	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.3	<0.01	0.09
BLANK		<0.01	<0.01	0.2	<10	<0.05	0.02	<0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
BLANK		<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	1	<0.05	0.2	<0.01	<0.05
Target Range - Lower Bound		<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
Upper Bound		0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
STANDARDS																
MRGeo08		0.21	3.5	0.173	3.21	35.2	33.8	1.35	582	15.45	2.03	21.3	724	1120	1125	192.5
MRGeo08		0.11	3.5	0.191	3.08	34.5	34.9	1.34	567	15.90	2.02	21.2	718	1090	1160	195.5
Target Range - Lower Bound		<0.05	2.8	0.155	2.79	31.1	29.5	1.17	497	13.65	1.76	19.0	622	930	971	173.5
Upper Bound		0.27	3.6	0.201	3.43	39.1	36.5	1.45	619	16.75	2.18	23.4	760	1160	1185	212
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		0.23	3.0	1.560	3.04	37.1	36.1	1.32	547	960	1.88	18.1	9140	920	7730	196.0
OGGeo08		0.20	3.1	1.490	3.08	32.7	31.2	1.32	550	972	1.93	17.7	9350	930	7860	178.5
Target Range - Lower Bound		0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520	164.5
Upper Bound		0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970	201
OREAS 905		0.21	6.9	0.639	2.90	47.0	21.1	0.27	392	3.41	2.47	17.8	9.9	280	31.6	133.5
OREAS 905		0.22	7.3	0.706	3.03	51.0	22.0	0.28	391	3.38	2.50	19.3	10.5	300	31.7	145.5
OREAS 905		0.13	7.4	0.692	2.95	47.9	21.6	0.27	386	3.42	2.51	19.5	10.3	300	32.7	142.0
Target Range - Lower Bound		<0.05	6.1	0.571	2.58	40.9	17.8	0.24	333	2.89	2.15	16.2	8.4		26.9	124.0
Upper Bound		0.27	7.6	0.709	3.18	51.1	22.2	0.31	418	3.65	2.65	20.0	10.7		33.9	152.0
OREAS 920		0.18	4.6	0.095	2.83	43.6	29.8	1.35	613	0.41	0.63	17.4	40.7	770	26.3	168.5
OREAS 920		0.22	4.8	0.084	2.95	48.8	31.5	1.39	627	0.41	0.65	18.0	43.2	780	26.2	181.5
Target Range - Lower Bound		0.06	4.0	0.070	2.59	41.0	26.0	1.23	535	0.34	0.56	15.6	37.4		20.7	158.5
Upper Bound		0.28	5.2	0.098	3.19	51.2	32.2	1.53	665	0.58	0.71	19.2	46.2		26.4	193.5
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	0.06	<0.01	<0.1	0.2	<10	<0.5	0.1
BLANK		<0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10	<0.5	0.1
BLANK		0.06	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	0.4	<10	<0.5	<0.1
BLANK		0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
BLANK		<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Target Range - Lower Bound		<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Upper Bound		0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
STANDARDS																
MRGeo08		0.008	0.32	4.64	11.6	1	4.1	299	1.51	<0.05	18.45	0.515	1.11	5.2	114	5.0
MRGeo08		0.005	0.32	4.59	12.1	1	4.2	314	1.54	<0.05	18.70	0.506	1.16	5.7	114	5.0
Target Range - Lower Bound		0.005	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.90	0.443	0.89	4.9	97	4.1
Upper Bound		0.013	0.35	5.39	13.7	4	4.7	339	1.81	0.14	21.9	0.553	1.25	6.2	121	5.8
OGGeo08																
Target Range - Lower Bound																
Upper Bound																
OGGeo08		1.450	2.95	28.0	10.3	11	14.1	264	1.35	0.15	19.90	0.421	1.75	5.4	92	4.6
OGGeo08		1.480	2.99	27.7	10.8	12	14.9	269	1.33	0.17	17.50	0.424	1.82	5.0	93	5.0
Target Range - Lower Bound		1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.90	0.353	1.43	4.5	77	3.9
Upper Bound		1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.7	0.443	1.98	5.8	97	5.4
OREAS 905		<0.002	0.07	2.04	5.0	3	3.9	161.0	1.34	0.10	14.00	0.122	0.77	4.8	9	2.7
OREAS 905		<0.002	0.07	2.11	5.4	3	4.2	163.5	1.33	0.09	14.70	0.131	0.80	4.9	10	3.0
OREAS 905		<0.002	0.07	2.11	5.3	3	4.0	166.5	1.34	0.07	14.95	0.125	0.81	5.5	10	2.9
Target Range - Lower Bound		<0.002	0.04	1.61	4.3	<1	3.4	141.0	1.16	<0.05	13.15	0.105	0.59	4.4	8	2.3
Upper Bound		0.004	0.09	2.29	5.5	5	4.6	173.0	1.52	0.19	16.05	0.139	0.85	5.6	13	3.3
OREAS 920		<0.002	0.03	1.52	13.9	1	5.0	79.4	1.36	<0.05	18.45	0.473	1.06	3.7	99	3.3
OREAS 920		<0.002	0.03	1.71	15.0	1	5.5	83.8	1.38	<0.05	19.15	0.493	0.95	3.7	101	3.4
Target Range - Lower Bound		<0.002	<0.01	1.22	12.8	<1	4.3	73.6	1.08	<0.05	17.35	0.434	0.76	3.3	86	2.5
Upper Bound		0.004	0.05	1.76	15.8	2	5.7	90.4	1.43	0.10	21.2	0.542	1.08	4.2	108	3.7
OREAS-133b																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<0.002	<0.01	0.07	<0.1	1	<0.2	0.3	<0.05	<0.05	0.01	<0.005	<0.02	<0.1	<1	<0.1
BLANK		<0.002	<0.01	0.06	<0.1	<1	<0.2	0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
BLANK		<0.002	<0.01	0.06	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
BLANK		<0.002	<0.01	0.05	<0.1	1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
BLANK		<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
Target Range - Lower Bound		<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
Upper Bound		0.004	0.02	0.10	0.2	2	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
STANDARDS					
MRGeo08		27.0	833	115.5	
MRGeo08		27.3	821	110.0	
Target Range - Lower Bound		23.8	722	92.2	
Upper Bound		29.3	886	126.0	
OGGeo08					19
Target Range - Lower Bound					18
Upper Bound					22
OGGeo08		24.4	7500	102.5	
OGGeo08		23.8	7640	102.5	
Target Range - Lower Bound		21.1	6500	78.6	
Upper Bound		26.0	7950	107.5	
OREAS 905		15.3	144	254	
OREAS 905		17.2	145	272	
OREAS 905		16.8	145	266	
Target Range - Lower Bound		14.0	122	214	
Upper Bound		17.4	154	290	
OREAS 920		32.9	121	157.5	
OREAS 920		35.0	127	166.5	
Target Range - Lower Bound		29.8	102	128.0	
Upper Bound		36.6	130	174.0	
OREAS-133b					104
Target Range - Lower Bound					99
Upper Bound					109
BLANKS					
BLANK					<1
Target Range - Lower Bound					<1
Upper Bound					2
BLANK		<0.1	<2	<0.5	
BLANK		<0.1	<2	<0.5	
BLANK		<0.1	<2	<0.5	
BLANK		<0.1	<2	<0.5	
BLANK		<0.1	<2	<0.5	
Target Range - Lower Bound		<0.1	<2	<0.5	
Upper Bound		0.2	4	1.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.62	7.40	4.5	220	1.24	0.38	0.26	0.16	30.2	10.6	187	2.32	4790	3.19	18.25
DUP		0.60	7.34	3.9	220	1.12	0.39	0.26	0.20	30.5	10.4	188	2.26	4740	3.17	17.80
Target Range - Lower Bound		0.57	6.99	3.8	190	1.07	0.36	0.24	0.15	28.8	9.9	177	2.13	4600	3.01	17.05
Upper Bound		0.65	7.75	4.6	250	1.29	0.41	0.28	0.21	31.9	11.1	198	2.45	4930	3.35	19.00
ORIGINAL		17.50	7.91	135.0	700	0.98	0.88	7.03	1.19	50.5	176.0	129	4.49	9970	10.65	19.65
DUP		17.75	7.89	136.5	710	1.02	0.89	7.10	1.21	51.2	178.0	129	4.59	>10000	10.70	20.2
Target Range - Lower Bound		16.75	7.50	129.0	640	0.90	0.83	6.70	1.12	48.3	168.0	122	4.26	9640	10.15	18.90
Upper Bound		18.50	8.31	142.5	770	1.10	0.94	7.43	1.28	53.4	186.0	136	4.82	>10000	11.20	21.0
9068		0.14	6.01	3.2	170	0.85	0.18	7.88	0.07	32.5	56.4	3	0.58	275	11.80	22.1
DUP		0.13	6.02	3.2	170	1.00	0.18	7.89	0.06	32.1	56.0	3	0.61	275	11.80	22.2
Target Range - Lower Bound		0.12	5.70	2.8	150	0.83	0.16	7.48	0.04	30.7	53.3	2	0.52	265	11.20	21.0
Upper Bound		0.15	6.33	3.6	190	1.02	0.20	8.29	0.09	33.9	59.1	4	0.67	285	12.40	23.3
9112		0.11	8.15	2.8	650	1.61	0.07	4.92	0.19	65.7	55.3	72	2.04	83.5	10.50	24.9
DUP		0.07	8.13	1.8	640	1.46	0.01	4.90	0.16	61.4	51.1	72	1.91	75.9	10.50	23.6
Target Range - Lower Bound		0.08	7.72	2.0	590	1.41	0.03	4.65	0.15	60.4	50.4	67	1.83	76.7	9.97	23.0
Upper Bound		0.10	8.56	2.6	700	1.66	0.05	5.17	0.20	66.7	56.0	77	2.12	82.7	11.05	25.5
ORIGINAL		1.97	9.68	12.5	2820	2.40	2.31	0.09	0.24	223	0.4	3	2.26	15.0	2.39	27.8
DUP		2.01	9.48	13.4	2750	2.31	2.24	0.09	0.23	213	0.4	3	2.26	14.8	2.31	27.8
Target Range - Lower Bound		1.88	9.09	12.1	2570	2.19	2.15	0.08	0.20	207	0.3	2	2.10	14.2	2.22	26.4
Upper Bound		2.10	10.05	13.8	3000	2.52	2.40	0.10	0.27	229	0.5	4	2.42	15.6	2.48	29.2
PREP DUPLICATES																
9109		0.04	6.58	94.5	200	1.52	0.87	0.93	<0.02	66.9	24.3	82	0.37	18.2	2.74	15.75
9109 PREP DUP		0.05	6.52	100.5	200	1.65	0.91	0.94	0.02	68.8	25.5	85	0.36	18.0	2.74	15.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.10	0.1	0.149	1.78	13.6	8.6	1.55	173	32.0	3.40	4.8	7.7	660	15.3	79.0
DUP		0.07	0.1	0.157	1.76	13.7	8.4	1.54	169	33.2	3.36	4.7	7.6	650	13.3	79.6
Target Range - Lower Bound		<0.05	<0.1	0.140	1.67	12.5	7.9	1.46	157	30.9	3.20	4.4	7.1	610	13.1	75.2
Upper Bound		0.10	0.2	0.166	1.87	14.8	9.1	1.63	185	34.3	3.56	5.1	8.2	700	15.5	83.4
ORIGINAL		0.15	1.7	0.162	2.87	24.0	47.9	4.15	1410	3.80	0.18	27.1	329	2320	42.3	91.9
DUP		0.12	1.9	0.163	2.92	24.5	43.8	4.19	1400	3.95	0.18	27.7	332	2350	43.7	94.5
Target Range - Lower Bound		0.08	1.6	0.149	2.74	22.5	43.4	3.95	1330	3.63	0.16	25.9	314	2210	40.4	88.4
Upper Bound		0.19	2.0	0.176	3.05	26.0	48.3	4.39	1480	4.12	0.20	28.9	347	2460	45.7	98.0
9068		0.05	3.1	0.109	0.66	13.4	8.5	1.77	1620	0.98	1.89	5.7	16.9	600	6.9	25.0
DUP		0.05	2.9	0.117	0.65	13.6	8.4	1.77	1600	0.98	1.90	5.6	16.8	590	7.0	25.0
Target Range - Lower Bound		<0.05	2.8	0.102	0.61	12.3	7.8	1.67	1525	0.88	1.79	5.3	15.8	560	6.1	23.7
Upper Bound		0.10	3.3	0.124	0.70	14.7	9.1	1.87	1695	1.08	2.00	6.0	17.9	630	7.8	26.4
9112		0.21	5.9	0.104	1.16	30.5	18.5	3.19	1460	1.14	2.19	16.3	90.4	2920	25.4	43.4
DUP		0.22	5.7	0.095	1.15	28.6	16.6	3.16	1460	1.09	2.18	15.4	84.4	2910	23.1	40.7
Target Range - Lower Bound		0.15	5.4	0.090	1.09	27.6	16.5	3.01	1380	1.01	2.07	15.0	82.8	2760	22.5	39.8
Upper Bound		0.28	6.2	0.109	1.22	31.5	18.6	3.34	1540	1.22	2.30	16.7	92.0	3070	26.0	44.3
ORIGINAL		0.30	0.5	0.051	5.27	190.5	88.2	0.24	208	40.4	2.38	60.8	0.9	1000	92.5	180.5
DUP		0.22	0.4	0.050	4.41	177.0	86.0	0.24	207	40.8	2.37	57.1	1.1	970	93.5	166.5
Target Range - Lower Bound		0.20	0.3	0.043	4.59	174.0	82.5	0.22	192	38.5	2.25	55.9	0.8	930	87.9	164.5
Upper Bound		0.32	0.6	0.058	5.09	193.5	91.7	0.26	223	42.7	2.50	62.0	1.3	1040	98.2	182.5
PREP DUPLICATES																
9109		0.17	3.7	0.011	0.71	38.2	11.6	1.10	193	2.27	4.12	5.8	25.8	380	12.9	24.7
9109 PREP DUP		0.14	3.7	0.012	0.71	39.5	11.4	1.09	193	2.54	4.10	5.8	26.6	380	15.3	25.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.162	0.77	0.73	5.8	2	5.4	121.5	0.31	0.39	2.45	0.241	0.50	0.2	62	0.4
DUP		0.177	0.77	0.73	5.7	2	5.1	119.0	0.31	0.43	2.42	0.243	0.51	0.2	63	0.4
Target Range - Lower Bound		0.159	0.72	0.63	5.4	<1	4.8	114.0	0.24	0.34	2.30	0.225	0.45	<0.1	58	0.3
Upper Bound		0.180	0.82	0.83	6.1	3	5.7	126.5	0.38	0.48	2.57	0.259	0.56	0.3	67	0.5
ORIGINAL		0.002	0.05	26.9	18.8	5	1.3	269	1.50	0.18	1.67	1.175	0.89	19.9	206	2.0
DUP		0.002	0.05	27.3	19.0	6	1.3	273	1.48	0.18	1.73	1.180	0.89	20.2	208	1.9
Target Range - Lower Bound		<0.002	0.04	25.0	17.9	4	1.0	257	1.37	0.12	1.61	1.115	0.80	18.9	196	1.7
Upper Bound		0.004	0.06	29.2	19.9	7	1.6	285	1.61	0.24	1.80	1.240	0.98	21.2	218	2.2
9068		0.004	0.21	0.58	36.2	1	1.4	242	0.39	<0.05	3.64	1.250	0.21	1.1	602	0.6
DUP		0.003	0.21	0.56	36.8	1	1.3	243	0.39	<0.05	3.71	1.270	0.21	1.1	596	0.6
Target Range - Lower Bound		<0.002	0.19	0.48	34.6	<1	1.1	230	0.32	<0.05	3.48	1.190	0.17	0.9	568	0.5
Upper Bound		0.004	0.23	0.66	38.4	2	1.6	255	0.46	0.10	3.87	1.330	0.25	1.3	630	0.7
9112		<0.002	0.12	0.64	25.8	1	1.7	416	0.87	<0.05	2.44	1.765	0.39	0.7	229	0.3
DUP		<0.002	0.11	0.54	23.9	1	1.6	414	0.84	<0.05	2.37	1.760	0.34	0.7	227	0.2
Target Range - Lower Bound		<0.002	0.10	0.50	23.5	<1	1.4	394	0.76	<0.05	2.27	1.670	0.32	0.6	216	<0.1
Upper Bound		0.004	0.13	0.68	26.2	2	1.9	436	0.95	0.10	2.54	1.855	0.41	0.8	240	0.4
ORIGINAL		0.002	0.67	1.22	1.3	2	1.4	1420	3.35	0.82	37.0	0.301	3.25	3.6	76	20.6
DUP		0.002	0.67	1.19	1.3	2	1.4	1380	3.17	0.86	35.4	0.276	3.31	3.6	74	19.1
Target Range - Lower Bound		<0.002	0.63	1.06	1.1	<1	1.1	1330	3.05	0.75	34.4	0.269	3.01	3.3	70	18.3
Upper Bound		0.004	0.71	1.35	1.5	3	1.7	1470	3.47	0.93	38.0	0.308	3.55	3.9	80	21.4
PREP DUPLICATES																
9109		<0.002	0.31	0.41	9.4	1	0.4	47.0	0.55	<0.05	9.82	0.253	0.14	3.4	65	0.4
9109 PREP DUP		<0.002	0.33	0.44	9.3	1	0.4	47.6	0.55	<0.05	9.54	0.251	0.17	3.4	64	0.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
DUPLICATES					
ORIGINAL					263
DUP					262
Target Range - Lower Bound					255
Upper Bound					270
ORIGINAL		6.2	132	1.5	
DUP		6.0	130	1.5	
Target Range - Lower Bound		5.7	122	0.9	
Upper Bound		6.5	140	2.1	
ORIGINAL		20.8	150	62.5	
DUP		21.1	155	61.9	
Target Range - Lower Bound		19.8	143	57.0	
Upper Bound		22.1	162	67.4	
9068		24.8	129	108.5	
DUP		24.6	129	105.0	
Target Range - Lower Bound		23.4	121	98.2	
Upper Bound		26.0	137	115.5	
9112		38.9	187	251	
DUP		37.0	181	241	
Target Range - Lower Bound		36.0	173	227	
Upper Bound		39.9	195	265	
ORIGINAL		5.5	22	16.2	
DUP		5.4	22	15.5	
Target Range - Lower Bound		5.1	19	14.2	
Upper Bound		5.8	25	17.5	
PREP DUPLICATES					
9109		14.6	17	135.0	
9109 PREP DUP		15.0	16	134.0	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

QC CERTIFICATE OF ANALYSIS SD18125495

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62