ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
This copy reported on
13-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18125478

Project: Iron Mask

This report is for 194 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 29-MAY-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8864		1.60	0.91	8.09	324	470	1.65	11.50	0.39	<0.02	74.5	126.0	133	1.72	2.6	5.74
8865		1.72	0.03	7.54	13.5	350	1.47	0.36	0.36	<0.02	56.1	15.8	110	1.16	2.3	4.60
8866		2.09	0.25	6.06	15.5	110	0.96	0.19	0.54	<0.02	14.15	6.2	61	0.37	2.2	1.56
8867		2.01	0.04	7.80	6.5	480	2.22	0.32	0.43	0.04	55.4	16.9	129	1.83	1.7	4.85
8868		1.94	0.08	7.96	4.9	630	2.95	0.26	0.44	0.05	53.6	14.8	129	2.47	1.1	4.76
8869		1.92	0.01	7.67	4.7	410	2.38	0.40	0.43	<0.02	56.9	20.1	135	1.53	1.7	4.64
8870		2.08	0.19	6.27	4.8	50	1.11	0.08	0.60	<0.02	32.9	9.0	93	0.20	1.4	3.17
8871		1.43	0.02	7.01	4.2	280	2.27	0.12	0.81	<0.02	53.4	4.7	41	0.49	2.2	3.09
8872		1.29	0.06	7.33	4.7	370	2.50	0.08	0.55	0.04	72.8	4.8	52	0.79	2.6	3.85
8873		2.17	0.02	5.84	4.2	40	0.97	0.15	1.21	<0.02	32.6	8.9	54	0.17	2.6	2.34
8874		1.57	0.03	6.12	3.3	100	1.07	0.06	0.95	<0.02	16.15	6.0	53	0.26	2.0	2.44
8875		1.06	<0.01	0.06	0.8	20	0.06	0.03	33.8	<0.02	0.82	0.8	1	<0.05	1.1	0.09
8876		1.16	0.02	6.82	2.3	140	1.22	0.07	0.38	<0.02	24.1	5.3	73	0.19	1.4	4.15
8877		1.84	0.01	6.72	2.2	190	1.41	0.09	0.46	<0.02	33.4	7.4	70	0.53	2.2	3.26
8878		2.20	0.01	6.60	2.5	120	1.21	0.07	0.44	<0.02	22.8	9.2	58	0.39	2.0	2.85
8879		0.94	0.01	5.88	2.0	100	0.96	0.05	1.35	<0.02	19.25	2.4	44	0.32	1.9	1.64
8880		0.96	0.02	5.91	1.8	100	0.91	0.04	1.42	0.03	18.75	2.2	46	0.33	1.6	1.68
8881		0.07	>100	4.26	673	1230	0.77	56.5	0.61	24.7	31.0	9.0	33	2.56	4950	2.12
8882		2.17	0.08	6.23	3.4	120	1.07	0.08	0.43	0.02	24.9	2.8	65	0.41	5.4	2.62
8883		2.16	0.01	6.76	1.7	240	2.16	0.05	0.29	0.02	38.5	6.3	61	0.54	3.2	3.92
8884		2.24	0.07	6.36	1.5	80	2.01	0.04	0.17	<0.02	27.3	5.8	59	0.17	2.1	3.41
8885		2.19	0.01	6.16	1.6	50	2.33	0.05	0.25	0.03	19.90	8.3	55	0.16	2.3	3.13
8886		2.15	0.01	6.29	2.3	130	2.71	0.10	0.20	0.05	27.6	16.0	68	0.24	2.6	3.41
8887		2.16	0.01	6.34	1.7	80	2.61	0.05	0.20	<0.02	49.3	11.0	62	0.12	1.9	3.76
8888		2.38	0.01	6.86	1.5	150	2.41	0.10	0.21	0.03	29.5	19.2	81	0.30	2.5	4.24
8889		2.17	0.02	6.98	2.3	180	1.91	0.07	1.21	<0.02	36.9	23.9	85	0.82	3.8	4.62
8890		2.27	0.02	7.21	1.9	240	1.24	0.20	1.02	<0.02	37.0	26.7	81	1.16	5.0	4.63
8891		2.23	0.02	6.86	2.1	260	1.55	0.33	0.56	<0.02	36.4	29.0	76	0.94	2.8	3.94
8892		2.37	0.02	6.84	1.9	330	2.15	0.12	0.70	<0.02	55.2	12.9	56	1.07	3.7	3.09
8893		2.15	0.01	7.41	1.1	370	1.84	0.06	0.65	<0.02	28.0	22.3	95	3.92	5.3	6.52
8894		1.84	0.03	6.63	1.5	190	1.47	0.12	1.52	0.05	38.3	16.3	77	1.02	4.6	3.25
8895		2.23	0.03	6.56	3.5	190	1.55	0.31	0.99	<0.02	49.2	27.7	83	1.03	6.3	3.19
8896		1.97	0.06	7.68	4.2	740	2.18	0.40	0.63	0.04	56.4	20.5	127	2.48	82.7	4.46
8897		2.03	0.10	7.84	6.2	960	2.66	0.83	0.61	0.06	62.5	27.4	129	2.81	114.0	4.42
8898		2.32	0.05	7.51	2.3	420	2.23	0.44	0.44	0.02	57.9	21.5	118	1.48	4.4	4.15
8899		2.06	0.04	7.05	2.6	180	1.69	0.45	0.43	0.09	38.5	34.6	106	0.53	4.1	3.80
8900		2.07	0.04	8.21	4.4	920	3.58	0.46	0.36	<0.02	76.5	19.8	118	4.04	37.3	4.02
8901		1.96	<0.01	6.57	1.2	150	1.78	0.18	0.25	<0.02	29.0	14.5	92	1.00	6.7	4.61
8902		1.93	<0.01	6.51	1.4	70	1.30	0.10	0.24	0.02	37.6	26.1	71	0.54	2.4	3.22
8903		1.99	0.01	6.23	3.3	100	1.02	0.20	0.41	<0.02	41.3	63.3	59	0.46	4.1	5.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8864		24.6	0.10	3.3	0.029	1.87	35.3	18.7	2.84	303	2.00	3.21	7.7	114.5	640	14.2
8865		20.2	0.08	3.2	0.027	1.29	27.0	16.0	2.32	252	1.46	3.52	6.6	55.6	570	5.3
8866		10.80	<0.05	1.9	0.005	0.61	6.8	5.0	0.62	120	1.28	4.39	2.8	17.9	360	4.1
8867		20.6	0.08	4.1	0.036	1.78	27.1	16.8	2.45	252	1.22	3.13	7.5	61.3	630	7.3
8868		21.7	0.07	3.2	0.057	2.28	27.1	18.4	2.38	238	1.39	2.76	7.4	64.0	640	4.5
8869		19.55	0.08	4.5	0.037	1.54	28.8	16.3	2.28	238	1.28	3.24	7.7	57.0	680	3.1
8870		12.90	0.05	3.2	0.008	0.30	15.5	8.5	1.23	195	1.21	4.09	4.8	28.4	400	3.1
8871		18.35	0.07	3.0	0.019	1.06	27.0	9.3	1.10	176	1.33	3.90	5.3	20.9	390	7.4
8872		19.70	0.10	3.4	0.029	1.43	36.4	12.1	1.48	201	1.17	3.56	6.8	27.5	460	6.7
8873		10.45	<0.05	1.8	0.008	0.26	15.8	4.7	0.58	166	1.64	4.23	2.3	12.6	240	4.9
8874		12.00	<0.05	1.9	0.007	0.51	7.4	6.9	0.86	176	1.31	4.14	2.8	18.3	300	4.5
8875		0.18	<0.05	<0.1	<0.005	0.01	1.0	1.1	1.26	73	0.09	0.03	0.1	<0.2	60	<0.5
8876		16.35	<0.05	2.5	0.014	0.55	10.9	9.8	1.47	189	1.30	3.99	4.4	30.9	390	3.0
8877		15.30	0.06	2.3	0.017	0.84	15.7	8.6	1.20	171	1.19	3.90	3.7	24.8	380	3.3
8878		13.80	0.05	1.9	0.006	0.67	10.4	8.2	1.13	171	1.53	4.09	3.3	22.2	300	3.8
8879		10.45	<0.05	1.6	0.007	0.62	8.7	4.8	0.59	171	1.13	4.08	2.5	12.6	230	4.8
8880		10.40	<0.05	1.4	0.008	0.63	8.6	4.6	0.56	180	1.35	4.12	2.5	11.5	230	4.8
8881		20.6	0.17	2.6	5.22	0.65	14.6	20.2	0.18	229	5.47	0.43	7.6	58.4	560	1015
8882		13.70	0.06	2.2	0.015	0.66	11.2	7.8	1.01	148	1.60	3.86	3.9	22.0	330	4.4
8883		21.6	0.06	2.3	0.018	0.96	18.2	18.3	1.63	189	1.38	3.21	4.2	37.5	400	5.2
8884		17.40	0.05	2.3	0.007	0.33	12.7	14.3	1.32	150	1.14	3.77	3.7	31.5	310	3.3
8885		16.40	<0.05	1.8	0.008	0.28	9.8	11.7	1.08	134	2.20	3.91	3.0	27.5	260	5.6
8886		17.45	0.05	2.3	0.013	0.52	13.1	13.7	1.30	145	1.50	3.56	4.0	34.0	320	4.7
8887		17.30	0.08	1.9	0.009	0.37	24.5	11.4	1.12	132	1.79	3.94	3.4	28.7	290	3.9
8888		19.10	0.06	2.0	0.017	0.64	13.6	15.4	1.59	178	1.26	3.79	3.7	40.1	330	3.2
8889		21.0	0.07	2.4	0.028	0.75	17.4	25.0	2.67	442	0.92	3.10	4.8	62.4	490	4.1
8890		18.35	0.05	2.4	0.021	0.83	17.6	13.6	2.27	418	1.17	3.65	5.4	46.1	420	5.0
8891		19.50	0.07	2.6	0.019	0.92	17.3	18.5	1.93	328	1.26	3.53	4.8	47.0	420	3.6
8892		20.6	0.09	3.5	0.028	1.06	27.4	15.9	1.57	289	2.68	3.48	7.4	35.0	370	8.2
8893		24.5	0.10	3.1	0.045	1.67	12.1	38.3	3.81	618	0.62	2.91	5.3	85.9	460	5.4
8894		17.60	0.07	2.7	0.018	0.78	18.2	14.5	1.62	400	1.22	3.77	5.3	38.4	440	4.4
8895		17.60	0.10	2.9	0.012	0.90	24.1	15.1	1.64	423	1.51	3.56	6.0	41.7	400	8.1
8896		21.2	0.11	4.2	0.060	2.33	27.6	20.8	2.50	553	1.48	2.16	7.9	61.7	520	4.5
8897		23.4	0.12	3.5	0.066	3.08	30.0	21.2	2.26	449	2.11	1.95	9.4	72.6	500	12.0
8898		23.4	0.09	4.0	0.022	1.46	29.0	20.8	2.20	449	1.82	3.16	7.9	63.2	500	8.5
8899		20.7	0.08	3.9	0.016	0.69	17.8	17.1	1.94	408	2.64	3.58	6.5	53.3	480	7.7
8900		24.7	0.13	3.5	0.062	3.18	37.3	18.5	1.88	305	2.27	2.15	9.8	60.2	480	3.4
8901		16.60	0.07	3.4	0.014	0.74	13.2	11.0	1.38	262	1.94	3.71	6.0	35.5	390	2.1
8902		16.30	0.07	3.3	0.006	0.50	17.7	8.0	0.91	146	1.57	4.41	5.0	23.7	380	3.3
8903		15.45	0.06	2.5	0.005	0.54	20.4	7.3	0.77	132	1.94	4.04	3.7	18.9	290	3.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8864		66.7	<0.002	0.04	0.67	17.6	<1	2.1	114.0	0.71	<0.05	8.42	0.385	0.50	2.8	140
8865		51.6	<0.002	0.03	0.17	13.1	<1	1.4	108.0	0.64	<0.05	7.73	0.328	0.33	2.6	98
8866		19.2	<0.002	<0.01	0.15	5.9	<1	0.5	99.9	0.26	<0.05	4.03	0.149	0.11	1.5	39
8867		76.7	<0.002	0.09	0.20	14.3	1	1.5	119.0	0.72	<0.05	9.12	0.381	0.42	3.2	113
8868		103.5	<0.002	0.03	0.18	15.6	<1	1.6	120.5	0.70	0.05	9.15	0.380	0.53	2.9	120
8869		74.0	<0.002	0.10	0.16	14.8	<1	1.3	105.0	0.73	0.05	9.85	0.397	0.37	4.0	111
8870		11.0	<0.002	0.04	0.10	8.2	1	0.7	63.4	0.51	<0.05	6.20	0.230	0.06	2.2	65
8871		40.3	<0.002	0.02	0.13	7.7	<1	1.0	277	0.52	<0.05	8.30	0.217	0.17	2.8	51
8872		57.9	<0.002	0.04	0.12	9.8	1	1.4	186.0	0.46	<0.05	14.35	0.236	0.25	2.7	71
8873		8.6	<0.002	0.09	0.15	4.8	<1	0.4	68.7	0.26	<0.05	3.77	0.114	0.05	1.2	37
8874		16.4	<0.002	0.05	0.09	6.2	<1	0.6	73.8	0.27	<0.05	4.68	0.138	0.10	1.3	41
8875		0.2	<0.002	<0.01	<0.05	0.2	<1	<0.2	82.3	<0.05	<0.05	0.06	<0.005	<0.02	0.1	1
8876		17.6	<0.002	0.03	0.08	8.4	<1	0.8	59.0	0.44	<0.05	5.71	0.200	0.09	1.7	67
8877		34.9	<0.002	0.04	0.09	7.5	1	0.8	57.0	0.36	<0.05	5.25	0.182	0.17	1.7	58
8878		22.9	<0.002	0.05	0.08	6.3	1	0.7	85.5	0.34	<0.05	4.44	0.157	0.13	1.4	48
8879		16.6	<0.002	0.01	0.08	4.9	<1	0.5	78.6	0.26	<0.05	3.72	0.117	0.09	1.1	29
8880		16.6	<0.002	0.01	0.09	4.7	<1	0.5	79.0	0.27	<0.05	3.95	0.119	0.10	1.1	28
8881		25.8	<0.002	2.11	85.1	3.8	32	5.7	459	0.57	40.2	6.03	0.214	1.72	2.3	33
8882		18.6	<0.002	0.01	0.23	6.6	<1	0.6	60.0	0.36	<0.05	4.67	0.168	0.10	1.4	50
8883		37.0	<0.002	0.01	0.16	15.4	<1	1.2	89.8	0.37	<0.05	5.81	0.243	0.17	2.0	74
8884		12.3	<0.002	0.02	0.12	9.9	1	0.6	67.2	0.38	<0.05	4.51	0.168	0.06	1.5	59
8885		10.7	<0.002	0.07	0.14	10.0	<1	0.5	74.5	0.30	<0.05	4.41	0.151	0.05	1.4	48
8886		19.2	<0.002	0.11	0.13	11.8	1	0.8	71.1	0.41	<0.05	4.98	0.191	0.10	1.6	59
8887		13.6	<0.002	0.05	0.13	10.4	<1	0.6	62.5	0.32	<0.05	4.68	0.163	0.08	1.6	57
8888		26.6	<0.002	0.14	0.12	16.9	1	0.8	71.6	0.36	<0.05	3.82	0.210	0.16	1.3	74
8889		38.1	<0.002	0.04	0.22	24.1	<1	1.0	146.5	0.45	<0.05	5.13	0.344	0.22	2.0	119
8890		38.3	<0.002	0.18	0.21	13.5	<1	1.1	137.0	0.55	<0.05	5.22	0.288	0.29	1.5	105
8891		47.8	<0.002	0.16	0.17	16.8	1	0.9	139.5	0.41	<0.05	6.34	0.277	0.34	1.7	87
8892		55.8	<0.002	0.05	0.18	12.7	<1	1.3	209	0.59	<0.05	18.90	0.227	0.38	5.0	71
8893		56.4	<0.002	0.02	0.18	22.0	1	1.0	118.0	0.45	<0.05	6.69	0.390	0.77	3.5	183
8894		40.3	<0.002	0.08	0.18	13.5	1	0.9	120.5	0.46	<0.05	7.43	0.262	0.27	1.9	82
8895		50.2	<0.002	0.25	0.21	14.1	1	1.0	154.5	0.54	<0.05	9.40	0.272	0.39	3.6	80
8896		113.0	<0.002	0.13	0.23	14.7	<1	1.5	124.0	0.74	0.07	8.74	0.374	0.83	3.5	111
8897		134.5	0.002	0.13	0.24	17.9	1	1.9	89.7	0.87	0.10	11.60	0.419	1.07	4.6	132
8898		77.2	<0.002	0.14	0.21	17.5	1	1.2	111.0	0.73	0.08	9.70	0.368	0.52	4.0	108
8899		33.4	<0.002	0.18	0.19	14.8	1	0.9	103.5	0.62	0.06	7.72	0.318	0.25	3.5	92
8900		168.0	0.003	0.11	0.26	16.6	1	2.1	86.3	0.93	0.06	14.50	0.397	1.11	5.4	123
8901		40.6	<0.002	0.09	0.15	9.6	<1	1.1	58.2	0.59	<0.05	7.04	0.257	0.28	2.9	77
8902		20.7	<0.002	0.14	0.11	9.2	<1	0.9	41.4	0.56	<0.05	5.52	0.206	0.15	2.3	52
8903		21.1	<0.002	0.43	0.16	8.3	<1	0.9	51.5	0.41	<0.05	5.02	0.147	0.12	2.4	62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8864		0.8	10.4	26	120.5				77.4	97.7
8865		0.6	11.3	24	113.0					99.1
8866		0.2	10.3	6	72.4					
8867		0.9	16.5	25	149.5					
8868		1.3	13.7	23	114.5					
8869		0.8	16.1	17	170.0					
8870		0.4	10.7	10	118.0					
8871		0.8	8.3	9	102.5					
8872		1.2	11.2	11	124.5					
8873		0.4	6.1	5	64.7					
8874		0.4	6.4	7	68.8					
8875		<0.1	1.7	2	1.2					
8876		0.6	7.2	10	92.1					
8877		0.6	7.2	9	84.7					
8878		0.4	5.9	8	72.0					
8879		0.3	5.5	5	55.7					
8880		0.3	5.4	4	49.3					
8881		13.0	5.9	4090	86.0	116				
8882		0.4	8.4	11	81.8					
8883		0.9	11.1	11	84.8					
8884		0.3	8.7	8	81.8					
8885		0.2	7.9	7	64.7					
8886		0.4	8.5	9	84.5					
8887		0.3	9.9	8	67.1					
8888		0.3	10.2	11	75.3					
8889		0.3	16.5	28	85.3					
8890		0.3	12.2	31	85.7					
8891		0.3	11.7	27	92.2					
8892		0.3	13.9	25	123.5					
8893		0.4	13.5	61	108.0					
8894		0.4	13.9	31	96.0					
8895		0.4	14.3	46	102.5					
8896		1.3	14.6	75	152.0					
8897		1.9	17.9	88	121.0					
8898		0.8	13.0	68	138.5					
8899		0.4	12.9	94	136.5					
8900		1.9	15.2	49	124.0					
8901		0.4	10.7	34	125.0					
8902		0.2	12.3	11	120.0					
8903		0.4	7.9	10	94.8				79.0	87.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8904		1.88	0.01	5.43	3.2	40	0.62	0.13	1.22	<0.02	16.80	76.7	38	0.12	2.8	1.87
8905		1.81	0.01	5.28	2.9	90	0.72	0.15	1.04	<0.02	14.75	69.4	39	0.30	2.0	1.84
8906		2.07	0.01	5.78	2.7	100	1.07	0.09	0.17	<0.02	11.55	30.3	53	0.27	2.7	2.02
8907		2.06	0.02	7.50	1.7	270	1.74	0.36	0.22	<0.02	50.6	18.8	112	0.97	2.3	4.27
8908		2.35	0.02	6.00	14.3	150	1.23	0.48	0.18	<0.02	37.3	269	65	0.47	5.0	4.68
8909		2.05	0.01	6.55	1.2	120	1.18	0.05	0.24	<0.02	38.5	17.7	73	0.38	1.7	2.84
8910		2.07	0.02	6.79	6.4	150	1.42	0.23	1.35	<0.02	52.0	76.9	86	1.25	5.9	3.86
8911		2.14	0.02	7.00	2.4	190	1.70	0.13	0.55	<0.02	50.4	32.6	97	1.12	8.2	3.81
8912		2.16	0.03	5.97	13.5	220	1.86	0.56	0.73	<0.02	52.8	176.0	56	0.70	4.1	2.80
8913		2.21	0.01	7.29	1.5	390	2.77	0.14	0.45	<0.02	60.2	18.5	101	1.44	2.8	3.82
8914		1.93	0.01	6.52	6.9	170	1.86	0.54	0.26	<0.02	76.0	45.4	111	0.40	7.0	4.64
8915		1.27	0.04	8.18	3.4	210	2.06	1.17	0.31	<0.02	103.5	61.1	127	0.79	5.1	5.74
8916		2.19	0.04	8.51	3.4	150	1.68	0.76	0.29	<0.02	160.5	64.0	130	1.00	4.8	4.74
8917		1.95	0.12	7.39	2.5	30	1.35	0.50	0.24	<0.02	175.0	55.1	123	0.15	3.0	3.07
8918		2.13	0.02	7.79	3.8	380	2.41	0.54	0.29	<0.02	116.0	26.3	120	1.64	4.3	4.12
8919		0.84	0.03	8.12	3.6	320	2.01	0.52	0.28	<0.02	127.5	41.5	123	1.80	2.4	4.87
8920		0.83	0.02	7.95	3.8	300	2.06	0.48	0.27	<0.02	117.0	40.8	118	1.70	3.6	4.84
8921		0.08	3.88	5.12	11.8	110	0.50	0.82	3.25	2.00	16.50	924	257	0.73	>10000	16.80
8922		2.07	<0.01	5.75	1.0	40	1.81	0.13	0.40	<0.02	7.52	43.6	75	0.37	6.0	3.63
8923		2.07	0.02	5.06	6.1	20	0.89	0.33	0.40	<0.02	6.10	123.5	71	0.12	3.3	3.08
8924		2.37	0.01	4.27	2.1	20	0.85	0.11	0.45	<0.02	6.69	65.4	55	0.10	2.0	2.66
8925		0.98	<0.01	0.07	3.5	10	0.06	0.01	31.1	<0.02	0.85	0.7	3	<0.05	1.7	0.12
8926		1.20	0.02	4.22	1.9	20	0.76	0.15	0.64	<0.02	4.63	73.5	42	0.09	2.1	2.51
8927		1.42	0.01	4.69	3.2	20	0.70	0.13	0.53	<0.02	4.04	77.7	53	0.08	3.9	2.76
8928		2.14	0.01	5.60	2.1	20	0.87	0.18	0.25	<0.02	4.73	75.4	67	0.17	2.1	4.86
8929		1.43	0.02	4.78	3.7	10	0.69	0.19	0.37	<0.02	3.72	110.5	40	0.09	2.1	2.77
8930		2.16	0.02	5.00	5.5	20	0.81	0.31	0.34	<0.02	3.70	155.0	42	0.07	2.2	2.40
8931		2.09	0.02	5.04	2.1	20	1.12	0.12	0.36	<0.02	6.27	41.8	47	0.10	3.3	5.01
8932		1.16	0.01	6.47	1.7	80	1.65	0.13	0.20	<0.02	29.9	41.0	56	0.22	1.7	4.61
8933		1.59	0.01	4.71	1.4	50	1.28	0.08	0.19	<0.02	83.9	44.2	37	0.27	1.0	15.35
8934		2.21	0.02	7.26	2.3	250	2.43	0.28	0.33	<0.02	101.5	28.8	126	0.82	1.0	4.44
8935		2.08	0.01	6.68	2.1	70	1.79	0.28	0.29	<0.02	28.6	34.5	105	0.47	0.9	5.61
8936		1.93	0.01	6.46	1.7	50	2.04	0.21	0.20	<0.02	35.0	32.9	95	0.22	1.4	3.07
8937		2.10	0.01	6.37	2.1	60	1.78	0.18	0.20	<0.02	41.8	35.9	98	0.13	1.6	3.06
8938		2.11	0.01	6.44	1.9	30	1.62	0.30	0.19	<0.02	58.1	37.6	109	0.11	1.0	3.15
8939		2.06	0.01	6.46	1.9	180	3.07	0.33	0.26	<0.02	100.0	39.4	84	0.40	1.2	3.00
8940		2.05	<0.01	6.89	1.6	90	1.71	0.12	0.24	<0.02	32.3	28.7	101	0.29	1.2	3.59
8941		2.12	0.01	6.01	1.1	10	1.94	0.22	0.18	<0.02	7.96	41.9	83	0.09	1.5	6.37
8942		2.21	0.01	6.83	1.4	40	2.09	0.27	0.19	<0.02	11.95	48.7	95	0.20	1.7	3.36
8943		2.11	0.01	6.70	1.4	90	1.67	0.22	0.19	<0.02	8.33	41.8	100	0.41	1.2	3.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8904		10.60	0.05	1.6	<0.005	0.31	8.2	2.4	0.30	133	1.37	4.00	1.6	10.3	190	5.6
8905		10.75	<0.05	1.6	<0.005	0.60	7.2	3.3	0.39	130	1.38	3.62	1.6	11.2	190	5.3
8906		13.75	<0.05	1.9	0.007	0.50	5.4	5.5	0.66	97	1.70	3.89	2.9	14.0	230	4.3
8907		22.6	0.05	5.0	0.018	1.17	24.9	14.6	1.80	193	2.09	3.81	7.5	39.1	520	2.5
8908		17.60	0.06	2.8	0.013	0.69	17.5	11.1	1.32	168	1.43	3.09	4.5	31.1	290	2.9
8909		16.30	0.05	3.6	0.008	0.67	17.5	8.6	1.05	133	1.31	3.96	5.5	21.7	400	2.4
8910		19.40	0.07	3.8	0.018	0.83	26.2	14.4	1.93	276	1.37	3.62	4.9	42.6	410	2.8
8911		19.10	0.07	3.9	0.018	0.80	25.2	14.1	2.00	216	1.64	3.61	5.4	43.8	420	3.2
8912		13.50	0.06	2.6	0.008	1.02	27.8	7.0	0.95	157	1.06	3.39	4.5	18.3	300	4.2
8913		19.45	0.06	5.6	0.026	1.32	29.4	15.8	1.95	195	1.23	3.40	8.5	37.2	530	3.2
8914		26.4	0.12	2.8	0.022	0.85	39.5	17.8	1.93	187	13.05	2.92	7.5	64.5	390	3.0
8915		34.3	0.10	3.3	0.025	0.78	53.0	19.0	2.55	232	18.25	3.77	8.8	85.3	510	3.4
8916		34.4	0.12	3.6	0.014	0.60	83.8	15.2	2.12	210	23.2	4.82	8.9	77.0	540	5.7
8917		28.8	0.18	3.3	0.011	0.15	92.4	10.9	1.28	159	52.3	5.19	8.6	52.6	460	5.9
8918		27.6	0.15	3.3	0.031	1.30	57.7	15.9	1.87	177	4.72	3.85	9.5	71.2	480	4.5
8919		29.4	0.15	3.8	0.035	1.22	65.4	18.0	2.08	212	5.81	3.88	9.4	71.0	480	3.4
8920		29.2	0.16	3.6	0.029	1.13	59.1	18.0	2.07	201	6.89	3.81	9.1	72.4	460	3.3
8921		11.25	0.23	1.2	0.129	0.30	7.1	9.5	3.79	946	4.48	1.12	4.9	>10000	440	12.6
8922		15.15	0.05	3.1	0.012	0.24	3.3	7.0	0.84	128	4.29	3.86	4.8	32.9	340	3.7
8923		13.60	0.06	2.5	0.012	0.12	2.8	6.5	0.73	117	4.58	3.50	3.9	21.9	290	4.4
8924		10.25	0.05	2.1	0.009	0.13	3.1	4.1	0.45	96	4.05	3.07	2.4	13.1	240	4.6
8925		0.22	0.07	<0.1	<0.005	<0.01	1.0	1.3	1.34	81	0.14	0.03	0.1	0.3	60	<0.5
8926		9.79	0.05	1.2	0.007	0.11	2.1	4.0	0.44	109	2.29	3.07	1.3	11.7	150	4.9
8927		10.90	0.06	1.4	0.007	0.10	1.8	4.3	0.46	99	2.49	3.43	2.0	12.7	210	5.3
8928		14.40	0.05	2.5	0.015	0.14	2.1	7.1	0.83	114	2.85	3.91	2.8	22.1	310	3.3
8929		10.75	<0.05	1.2	0.007	0.10	1.7	4.0	0.42	84	1.96	3.56	1.4	12.7	150	5.0
8930		10.90	0.06	1.3	0.006	0.11	1.7	4.0	0.44	86	2.34	3.73	1.6	13.6	180	5.1
8931		12.85	<0.05	1.5	0.008	0.12	2.9	5.6	0.60	104	2.43	3.55	2.1	22.6	220	4.1
8932		17.00	0.08	2.3	0.018	0.29	13.7	10.4	1.11	130	2.34	4.15	3.5	29.8	370	3.5
8933		18.30	0.12	1.4	0.019	0.22	43.0	10.8	1.11	133	2.28	2.68	2.0	24.7	230	3.6
8934		23.9	0.12	4.3	0.034	0.78	51.2	18.8	2.08	195	4.66	3.63	7.1	57.8	490	3.4
8935		18.15	0.06	3.5	0.012	0.34	13.0	12.2	1.47	131	2.88	4.07	4.4	37.7	410	2.2
8936		17.80	0.07	3.7	0.014	0.23	16.8	11.6	1.42	128	2.56	4.09	4.7	37.4	380	5.2
8937		18.40	0.10	3.9	0.012	0.23	19.7	11.7	1.41	125	3.09	4.04	5.3	40.1	420	2.9
8938		17.30	0.11	4.5	0.013	0.14	26.9	11.3	1.38	134	2.52	4.15	5.2	38.4	400	1.8
8939		18.40	0.14	3.1	0.024	0.63	44.9	11.1	1.18	123	2.18	3.69	3.9	30.9	370	2.6
8940		21.1	0.07	4.3	0.019	0.35	15.2	14.8	1.63	160	2.70	4.10	5.6	43.6	420	2.1
8941		15.75	0.05	3.8	0.009	0.08	3.4	7.6	0.89	105	3.09	4.22	2.3	24.7	390	1.7
8942		18.70	0.06	4.7	0.013	0.20	5.2	11.2	1.26	135	2.28	4.77	3.2	32.8	480	1.8
8943		19.85	0.05	4.6	0.018	0.35	3.8	13.0	1.35	145	2.70	4.23	3.2	37.9	440	2.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8904		8.6	<0.002	0.47	0.12	3.7	1	0.4	50.6	0.19	<0.05	2.82	0.071	0.05	1.4	18
8905		15.3	<0.002	0.42	0.12	4.0	<1	0.4	56.2	0.17	<0.05	2.76	0.070	0.09	1.3	16
8906		14.6	<0.002	0.15	0.13	4.3	1	0.6	39.5	0.36	<0.05	3.75	0.110	0.08	1.7	28
8907		40.7	<0.002	0.18	0.13	13.4	1	1.3	73.0	0.76	0.11	8.07	0.309	0.28	3.1	89
8908		22.5	<0.002	1.45	0.11	8.2	2	0.7	50.8	0.47	0.13	4.61	0.164	0.13	2.6	54
8909		21.0	<0.002	0.04	0.12	8.5	<1	0.7	59.7	0.57	<0.05	5.28	0.208	0.10	2.0	56
8910		41.5	<0.002	0.29	0.18	16.2	1	1.2	111.5	0.49	<0.05	5.68	0.344	0.27	2.6	110
8911		38.7	<0.002	0.14	0.15	13.2	<1	1.2	91.2	0.55	<0.05	6.79	0.316	0.22	3.0	97
8912		36.2	<0.002	0.68	0.14	6.1	1	1.0	107.5	0.52	0.13	5.38	0.161	0.26	1.5	41
8913		67.0	<0.002	0.11	0.17	12.0	<1	1.7	145.0	0.90	<0.05	10.15	0.329	0.41	4.3	84
8914		40.6	<0.002	0.18	0.19	13.3	1	1.1	86.0	0.67	0.08	11.10	0.323	0.26	4.8	89
8915		36.4	0.003	0.25	0.28	17.5	1	0.7	103.0	0.81	0.18	12.50	0.414	0.26	5.5	126
8916		30.0	0.005	0.27	0.19	15.9	1	0.7	112.0	0.83	0.14	13.70	0.406	0.20	5.9	104
8917		6.3	0.011	0.28	0.27	11.7	1	0.6	104.0	0.75	0.15	14.40	0.365	0.08	17.0	60
8918		65.2	0.002	0.12	0.19	17.1	<1	1.2	123.0	0.90	0.12	15.40	0.390	0.39	5.6	114
8919		63.4	0.002	0.18	0.17	16.7	<1	1.1	120.0	0.87	0.10	15.40	0.402	0.34	5.9	108
8920		56.7	0.003	0.19	0.17	16.1	<1	1.0	117.5	0.83	0.06	14.05	0.382	0.37	5.5	105
8921		10.5	0.044	8.01	2.95	8.2	21	2.5	175.5	0.29	4.28	0.99	0.507	0.16	0.3	74
8922		12.3	0.002	0.23	0.13	6.4	<1	1.2	58.8	0.53	<0.05	5.86	0.188	0.11	4.3	55
8923		4.6	<0.002	0.61	0.12	5.3	<1	1.1	49.4	0.44	0.07	5.28	0.151	0.04	7.0	41
8924		4.7	<0.002	0.32	0.17	3.8	<1	0.7	42.9	0.33	<0.05	4.16	0.107	0.04	3.1	36
8925		0.1	<0.002	<0.01	0.11	0.2	1	<0.2	77.5	<0.05	<0.05	0.08	0.007	<0.02	0.2	1
8926		3.7	<0.002	0.42	0.15	3.0	<1	0.7	36.8	0.18	<0.05	2.95	0.064	0.03	2.2	26
8927		3.5	<0.002	0.40	0.14	3.6	<1	0.7	41.4	0.25	<0.05	3.16	0.087	0.03	2.5	31
8928		5.4	<0.002	0.43	0.15	6.6	<1	1.2	47.7	0.36	<0.05	4.68	0.127	0.05	2.7	52
8929		3.6	<0.002	0.46	0.13	3.4	<1	0.6	37.8	0.17	0.06	2.69	0.056	0.04	1.8	27
8930		3.7	<0.002	0.65	0.12	3.5	1	0.7	42.2	0.18	<0.05	3.47	0.071	0.04	2.5	23
8931		4.5	<0.002	0.22	0.14	5.5	<1	1.1	48.0	0.23	<0.05	3.75	0.096	0.03	2.2	49
8932		12.0	<0.002	0.24	0.15	8.4	<1	2.0	71.4	0.35	<0.05	4.60	0.183	0.06	2.0	54
8933		9.8	<0.002	0.25	0.13	10.7	<1	1.5	58.1	0.20	<0.05	2.84	0.108	0.05	1.7	159
8934		38.6	<0.002	0.17	0.17	14.3	<1	1.2	108.5	0.69	<0.05	9.61	0.322	0.22	4.0	89
8935		16.1	<0.002	0.25	0.17	11.5	<1	1.8	77.3	0.45	<0.05	7.05	0.259	0.13	3.0	100
8936		9.5	<0.002	0.21	0.16	9.5	<1	0.8	73.1	0.49	<0.05	7.06	0.226	0.06	3.3	62
8937		9.6	0.002	0.20	0.14	11.0	<1	1.1	68.2	0.52	<0.05	7.69	0.246	0.05	3.4	67
8938		5.6	<0.002	0.22	0.14	10.5	1	0.9	66.0	0.51	<0.05	8.19	0.245	0.05	4.9	67
8939		31.7	<0.002	0.26	0.17	9.1	1	1.1	87.9	0.40	<0.05	6.08	0.202	0.14	2.6	61
8940		16.3	<0.002	0.17	0.15	11.3	<1	0.8	89.8	0.59	<0.05	9.03	0.237	0.10	3.9	67
8941		3.2	<0.002	0.24	0.15	9.3	<1	1.2	40.7	0.31	<0.05	6.87	0.136	0.03	4.0	104
8942		8.6	<0.002	0.30	0.15	9.5	<1	1.2	53.3	0.38	<0.05	8.52	0.153	0.06	4.3	59
8943		16.3	<0.002	0.22	0.16	10.8	<1	1.1	58.8	0.36	<0.05	8.65	0.155	0.10	3.7	81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8904		0.1	4.6	4	57.0					
8905		0.1	4.3	5	55.3					
8906		0.2	6.1	8	69.0					
8907		0.6	11.3	15	176.5					
8908		0.3	9.8	10	101.5					
8909		0.2	9.4	8	129.5					
8910		0.7	14.2	11	131.0					
8911		0.7	16.6	14	138.5					
8912		0.3	10.5	7	91.0					
8913		1.0	15.8	16	196.5					
8914		1.2	10.4	18	102.0					
8915		1.0	9.8	23	114.0					
8916		1.4	9.0	20	128.0					
8917		1.1	9.0	11	116.5					
8918		1.5	10.0	18	119.5					
8919		1.2	9.3	19	132.0					
8920		1.2	8.5	18	131.0					
8921		2.4	9.0	133	51.3		1.640	4.58		
8922		0.7	8.7	8	113.0					
8923		0.5	5.0	6	95.3					
8924		0.6	4.2	4	79.3					
8925		<0.1	1.8	3	1.4					
8926		0.4	3.6	4	47.0					
8927		0.5	3.4	6	57.6					
8928		0.8	3.4	7	96.4					
8929		0.3	2.6	4	49.7					
8930		0.3	3.7	5	56.2					
8931		0.5	5.0	6	57.2					
8932		0.6	8.3	10	84.2					
8933		1.8	5.6	11	50.9					
8934		1.0	10.2	15	156.0					
8935		1.2	9.5	11	127.0					
8936		0.7	11.7	11	131.0					
8937		0.6	10.3	10	142.0					
8938		0.6	9.3	11	164.5					
8939		0.9	14.2	11	114.5					
8940		0.9	6.5	15	156.0					
8941		1.0	9.8	10	137.5					
8942		1.0	11.3	13	173.5					
8943		1.5	6.0	14	165.0				79.8	94.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8944		2.21	0.01	5.70	4.3	20	1.15	0.36	0.21	<0.02	111.0	65.5	70	0.10	4.8	6.04
8945		2.22	0.01	6.66	4.9	130	1.85	0.23	0.22	<0.02	31.7	84.8	83	0.50	1.6	4.14
8946		2.18	0.01	6.37	2.1	40	1.39	0.08	0.18	<0.02	15.70	40.6	99	0.08	1.2	3.42
8947		2.13	0.01	7.07	1.9	20	1.34	0.19	0.21	<0.02	22.1	68.0	111	0.06	1.5	5.56
8948		2.71	<0.01	6.80	1.8	110	2.09	0.11	0.26	<0.02	40.1	18.3	105	0.24	2.0	3.75
8949		1.30	<0.01	6.16	2.2	30	1.72	0.16	0.19	<0.02	34.4	26.5	84	0.13	1.5	3.46
8950		2.16	0.01	5.93	2.8	30	1.63	0.13	0.15	<0.02	38.2	22.7	79	0.13	1.4	3.27
8951		2.10	0.01	6.66	2.8	70	2.24	0.21	0.22	<0.02	44.8	33.0	85	0.22	1.3	3.46
8952		1.96	0.01	6.48	2.6	120	2.06	0.23	0.29	<0.02	38.4	35.3	90	0.38	1.2	4.07
8953		2.20	0.01	5.05	2.9	30	1.13	0.24	0.26	<0.02	26.2	65.6	60	0.20	3.8	9.78
8954		2.10	<0.01	6.47	5.8	80	1.67	0.18	0.19	<0.02	34.5	40.3	57	0.29	1.5	4.03
8955		2.09	0.01	6.03	4.5	80	1.39	0.13	0.17	<0.02	31.2	39.4	66	0.21	1.4	4.00
8956		2.11	0.01	5.92	3.0	70	1.07	0.13	0.13	<0.02	38.3	22.7	42	0.16	2.2	2.85
8957		2.19	0.01	5.65	17.3	80	1.13	0.27	0.15	<0.02	24.1	41.6	83	0.20	1.8	3.88
8958		2.07	0.01	5.08	40.1	60	1.04	0.28	0.47	<0.02	18.45	35.1	59	0.19	2.6	3.63
8959		1.00	0.01	5.21	15.0	60	0.96	0.25	0.19	<0.02	70.9	35.8	63	0.18	1.6	2.80
8960		1.03	0.01	4.84	11.2	60	0.93	0.28	0.18	<0.02	46.2	41.4	58	0.15	2.1	2.76
8961		0.07	>100	4.50	702	530	0.88	63.9	0.64	27.8	33.4	9.9	31	2.88	5240	2.24
8962		2.26	0.13	5.73	16.0	70	0.99	1.47	0.95	0.03	75.1	129.0	71	0.24	9.4	4.78
8963		2.21	0.03	5.39	5.3	40	0.68	0.68	0.43	<0.02	73.0	58.8	66	0.27	4.1	4.32
8964		2.12	0.02	5.70	17.9	30	0.87	0.97	0.56	<0.02	78.7	125.5	71	0.24	7.5	6.82
8965		1.53	0.04	5.64	22.8	10	0.89	1.56	0.27	<0.02	42.2	178.5	64	0.07	7.1	4.61
8966		1.01	0.02	1.22	1.7	10	0.26	0.20	0.10	<0.02	1.70	12.1	32	<0.05	0.8	1.07
8967		1.62	0.01	0.77	2.4	10	0.27	0.26	0.18	<0.02	5.93	19.7	34	<0.05	1.5	0.65
8968		2.06	0.02	1.51	6.3	10	0.44	0.23	0.15	<0.02	1.92	33.2	42	0.05	2.5	1.03
8969		2.36	0.04	2.21	11.0	10	0.43	0.67	0.49	<0.02	2.84	112.5	59	<0.05	3.8	4.87
8970		1.92	0.04	3.80	8.1	10	0.60	0.85	0.35	<0.02	3.50	133.5	50	0.05	4.0	6.10
8971		2.41	0.20	2.72	8.6	10	2.39	1.92	0.15	<0.02	5.69	263	36	0.17	16.3	20.2
8972		2.20	0.04	3.60	5.2	10	0.71	0.47	0.27	<0.02	38.8	84.6	53	0.10	4.6	17.25
8973		1.79	0.04	4.55	2.7	10	0.85	0.18	0.22	<0.02	99.8	27.3	68	0.06	1.6	2.97
8974		1.72	0.04	6.05	14.7	30	0.99	0.79	0.62	<0.02	162.0	137.5	89	0.57	1.9	4.86
8975		1.03	<0.01	0.09	<0.2	20	<0.05	0.02	33.3	<0.02	1.13	0.7	3	<0.05	1.1	0.10
8976		1.73	0.09	5.88	20.8	60	0.84	0.55	0.43	0.03	121.5	104.5	68	0.84	2.4	3.73
8977		1.96	0.07	6.55	57.6	80	1.22	0.76	0.51	0.02	145.5	140.5	85	1.06	4.6	3.91
8978		1.63	0.03	6.75	18.8	870	2.39	0.32	1.99	0.02	110.5	36.1	86	4.71	17.8	4.42
8979		1.90	0.07	6.92	33.5	700	2.40	0.59	1.24	<0.02	95.0	39.2	72	3.87	30.7	3.96
8980		1.94	0.12	6.56	23.9	1590	2.65	0.73	3.41	0.04	84.7	33.6	84	4.11	61.5	4.25
8981		1.98	0.24	6.41	23.5	2060	3.16	0.98	3.94	0.07	118.5	24.1	82	1.66	11.3	4.17
8982		2.21	0.20	6.55	40.5	1920	2.99	0.85	1.80	0.21	98.6	20.7	67	2.59	60.4	2.86
8983		2.05	0.07	6.36	24.3	1850	2.98	0.41	2.72	0.11	98.3	15.5	58	1.80	12.5	3.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8944		15.80	0.19	3.1	0.014	0.13	55.0	6.9	0.69	89	2.01	4.12	3.1	23.2	340	2.3
8945		19.00	0.09	3.6	0.020	0.49	14.8	10.8	1.02	118	2.10	4.28	2.9	29.6	370	2.3
8946		18.70	0.06	4.1	0.017	0.15	7.3	14.2	1.55	140	2.01	3.89	4.8	42.9	410	1.5
8947		20.9	0.06	5.1	0.019	0.11	9.7	14.3	1.65	135	5.61	4.37	3.7	45.6	490	1.5
8948		19.45	0.07	4.2	0.023	0.46	20.2	16.6	1.69	124	2.15	3.71	5.7	40.7	410	1.8
8949		16.20	0.09	3.8	0.017	0.24	17.2	11.5	1.22	102	2.05	3.94	3.7	29.1	350	2.3
8950		14.45	0.10	3.0	0.012	0.19	18.9	8.8	0.92	85	2.51	4.07	2.4	23.1	340	2.0
8951		17.70	0.10	3.5	0.015	0.36	22.0	13.4	1.32	118	1.88	4.13	3.5	33.2	440	1.7
8952		18.40	0.06	3.9	0.024	0.55	18.6	19.1	1.68	160	1.93	3.51	4.1	39.3	370	1.5
8953		13.35	0.07	2.2	0.011	0.18	11.9	7.5	0.80	116	5.59	3.32	1.7	24.2	280	4.5
8954		16.65	0.07	2.2	0.022	0.37	15.8	13.3	1.41	145	1.61	3.81	2.1	32.0	360	3.0
8955		16.05	0.08	2.2	0.018	0.32	15.0	10.8	1.09	131	2.35	3.72	1.7	26.0	300	2.9
8956		14.45	0.09	2.0	0.014	0.31	19.1	8.4	0.81	97	1.51	3.92	1.3	19.2	250	2.9
8957		13.80	0.06	2.0	0.017	0.33	11.3	9.4	0.88	111	2.03	3.61	1.1	22.5	260	2.9
8958		12.65	0.07	2.0	0.016	0.28	8.7	8.5	0.78	117	2.41	3.24	1.8	20.5	240	2.8
8959		14.45	0.08	2.1	0.014	0.26	37.3	9.1	0.83	105	1.98	3.41	1.4	21.8	330	2.7
8960		13.05	0.08	1.9	0.017	0.26	24.8	8.6	0.76	97	1.73	3.08	1.4	21.8	250	3.3
8961		21.7	0.15	2.6	5.77	0.69	16.5	20.9	0.19	237	4.98	0.46	8.1	60.8	590	1065
8962		15.20	0.10	2.6	0.028	0.29	40.8	8.8	0.74	141	2.37	3.91	2.7	44.7	410	5.8
8963		14.85	0.09	2.5	0.015	0.24	39.4	6.0	0.53	92	3.46	3.97	2.1	20.1	330	5.0
8964		18.30	0.10	2.6	0.028	0.18	41.0	8.7	0.81	129	2.34	4.09	1.5	39.8	790	3.9
8965		17.70	0.07	2.6	0.023	0.10	21.4	10.1	0.96	113	2.95	3.91	1.6	38.6	600	2.7
8966		3.32	<0.05	0.4	0.007	0.05	0.8	2.0	0.13	46	2.56	0.88	0.5	3.5	70	1.9
8967		1.85	<0.05	0.3	<0.005	0.07	2.9	0.9	0.04	44	4.39	0.57	0.3	2.8	30	1.6
8968		3.60	<0.05	0.6	0.009	0.07	0.9	1.9	0.12	50	6.54	1.12	0.6	4.4	70	2.2
8969		6.32	<0.05	1.1	0.011	0.08	1.3	2.0	0.14	97	11.00	1.69	0.8	16.5	160	3.0
8970		10.00	<0.05	1.8	0.012	0.09	1.6	2.2	0.17	86	16.90	2.98	1.0	12.9	240	3.1
8971		10.35	0.08	1.1	0.028	0.16	2.4	4.6	0.39	103	129.0	1.89	1.3	22.9	170	6.6
8972		10.25	0.08	2.6	0.029	0.12	19.4	2.1	0.15	91	18.75	2.80	2.5	8.5	370	2.8
8973		14.85	0.07	3.3	0.013	0.11	54.1	4.7	0.48	76	15.75	3.29	3.7	15.7	320	3.3
8974		19.70	0.14	4.0	0.016	0.33	89.8	4.9	0.54	106	14.15	4.50	6.8	22.6	460	4.5
8975		0.28	0.06	<0.1	<0.005	0.02	1.2	1.4	1.33	72	0.14	0.04	0.1	<0.2	60	<0.5
8976		18.15	0.12	4.5	0.013	0.59	65.2	4.9	0.52	93	13.50	4.31	7.2	29.4	390	25.4
8977		21.6	0.16	4.2	0.017	0.68	78.3	8.3	0.79	147	6.16	4.42	7.5	44.3	450	21.1
8978		21.3	0.15	5.1	0.043	3.10	60.1	19.4	1.71	469	4.45	2.39	10.5	41.7	510	4.1
8979		18.35	0.14	5.4	0.036	2.74	50.8	15.8	1.54	390	3.38	3.21	11.6	39.5	450	5.9
8980		17.55	0.15	4.5	0.065	4.08	46.3	13.7	1.70	1060	2.35	2.08	9.6	41.8	510	17.9
8981		17.00	0.18	5.9	0.089	4.94	64.9	6.8	1.26	1480	2.11	1.48	10.4	37.9	560	33.4
8982		17.40	0.16	5.9	0.062	4.22	51.2	10.1	0.97	593	4.18	2.35	11.2	27.8	500	39.1
8983		16.05	0.15	4.9	0.067	3.47	53.3	8.4	0.69	551	2.01	2.27	10.4	23.3	440	26.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8944		5.1	<0.002	0.84	0.16	8.8	1	1.1	39.8	0.36	0.09	9.49	0.123	0.04	2.4	87
8945		23.8	<0.002	0.50	0.17	8.4	1	1.3	60.5	0.34	0.06	7.25	0.134	0.14	2.7	70
8946		5.8	<0.002	0.20	0.16	9.8	<1	0.8	66.4	0.50	<0.05	8.13	0.190	0.03	3.6	66
8947		4.4	<0.002	0.34	0.16	10.6	<1	0.9	66.0	0.42	<0.05	10.15	0.188	0.04	5.1	83
8948		24.8	<0.002	0.14	0.16	11.8	<1	1.3	97.5	0.57	<0.05	10.15	0.229	0.11	4.3	79
8949		12.2	<0.002	0.17	0.16	9.1	<1	1.1	65.8	0.39	<0.05	10.60	0.166	0.07	3.9	63
8950		8.3	<0.002	0.17	0.14	7.4	<1	0.5	55.5	0.29	<0.05	7.61	0.102	0.05	2.8	55
8951		17.2	<0.002	0.25	0.14	9.6	<1	1.1	70.3	0.39	<0.05	9.01	0.162	0.09	3.5	60
8952		29.8	<0.002	0.27	0.13	11.1	<1	2.2	73.3	0.44	<0.05	8.57	0.187	0.14	3.4	64
8953		8.6	<0.002	0.48	0.15	7.4	<1	2.1	48.0	0.20	<0.05	5.16	0.111	0.07	2.5	121
8954		17.1	<0.002	0.31	0.15	10.0	<1	1.1	53.5	0.23	<0.05	5.96	0.163	0.09	1.9	67
8955		13.7	<0.002	0.28	0.13	7.8	1	0.6	46.8	0.18	0.05	7.95	0.108	0.07	2.0	59
8956		12.7	<0.002	0.20	0.13	5.9	<1	0.4	43.7	0.13	<0.05	5.70	0.072	0.07	1.8	40
8957		13.2	<0.002	0.43	0.14	6.7	<1	0.5	44.6	0.13	0.05	5.67	0.067	0.08	2.0	52
8958		12.2	<0.002	0.45	0.16	5.0	1	0.8	45.5	0.20	0.07	4.10	0.091	0.08	1.8	43
8959		10.7	<0.002	0.31	0.20	6.2	1	0.5	42.6	0.15	<0.05	4.42	0.100	0.06	2.3	40
8960		10.4	<0.002	0.39	0.19	5.4	1	0.5	40.1	0.17	0.05	4.10	0.084	0.07	2.0	39
8961		30.0	<0.002	2.21	90.9	4.3	35	6.2	470	0.61	43.2	6.57	0.225	1.92	2.7	34
8962		12.7	<0.002	1.64	0.68	7.5	2	0.9	69.8	0.27	0.29	6.59	0.145	0.07	2.2	54
8963		10.6	<0.002	0.56	0.25	6.2	1	0.6	48.3	0.19	0.14	10.40	0.082	0.07	2.7	53
8964		6.9	<0.002	1.36	0.26	6.3	1	0.9	33.6	0.16	0.18	8.81	0.087	0.06	3.3	65
8965		3.2	<0.002	1.71	0.22	5.2	2	0.8	28.0	0.17	0.44	8.83	0.065	0.03	4.4	44
8966		1.3	<0.002	0.07	0.26	0.6	1	0.3	7.4	<0.05	<0.05	0.88	0.016	0.03	1.0	12
8967		2.1	<0.002	0.15	0.25	0.4	<1	0.3	4.7	<0.05	<0.05	0.83	0.007	0.02	0.4	5
8968		1.8	<0.002	0.20	0.35	0.8	1	0.5	7.7	0.06	0.06	1.58	0.018	0.02	1.2	9
8969		2.3	0.002	0.81	0.28	1.6	1	0.9	9.4	0.07	0.11	5.70	0.027	<0.02	2.4	50
8970		2.6	0.005	0.84	0.29	2.9	1	1.2	10.9	0.09	0.10	5.73	0.033	0.02	4.1	62
8971		5.0	0.039	1.16	0.34	10.5	2	6.8	6.4	0.07	0.40	6.13	0.040	0.08	17.1	228
8972		4.2	0.003	0.28	0.28	6.3	<1	9.5	11.3	0.18	0.10	6.83	0.077	0.04	2.6	273
8973		4.6	0.003	0.12	0.21	5.2	<1	1.2	22.6	0.34	0.05	10.50	0.107	0.05	5.6	46
8974		14.9	0.003	0.78	0.28	8.0	1	2.1	27.6	0.60	0.07	14.65	0.221	0.12	6.0	78
8975		0.4	<0.002	<0.01	0.09	0.2	1	<0.2	85.9	<0.05	<0.05	0.08	0.005	<0.02	0.2	1
8976		22.5	<0.002	0.74	0.23	6.4	1	1.4	28.7	0.62	0.05	14.40	0.167	0.19	7.1	57
8977		31.8	0.003	1.07	0.26	8.5	1	1.2	25.8	0.65	0.06	14.30	0.224	0.25	6.1	62
8978		162.0	0.002	0.39	0.23	11.3	1	2.1	42.2	0.83	<0.05	17.35	0.270	1.36	5.8	73
8979		135.0	0.002	0.52	0.29	10.1	<1	1.9	59.0	0.94	<0.05	17.05	0.248	1.26	6.3	62
8980		167.5	0.002	0.58	0.53	11.6	1	2.0	122.0	0.76	0.06	16.75	0.271	1.42	5.1	74
8981		136.5	<0.002	0.07	0.77	10.7	<1	2.2	164.0	0.84	<0.05	23.8	0.268	1.01	6.6	68
8982		141.0	<0.002	0.41	0.39	8.2	1	2.2	68.9	0.90	<0.05	25.0	0.230	1.27	6.8	47
8983		108.5	<0.002	0.33	0.40	7.5	<1	2.0	112.5	0.80	<0.05	21.4	0.214	0.96	6.4	47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8944		0.3	15.3	9	119.0					95.7
8945		1.0	8.3	10	130.5					
8946		0.8	6.4	15	153.0					
8947		1.2	6.7	13	193.0					
8948		1.1	9.8	12	159.0					
8949		0.8	9.8	9	136.0					
8950		1.0	8.8	8	111.5					
8951		1.6	12.5	11	125.5					
8952		1.0	8.9	15	142.0					
8953		1.0	5.1	12	82.5					
8954		0.5	8.4	14	77.8					
8955		0.5	5.6	10	79.3					
8956		0.4	5.0	8	73.8					
8957		0.5	4.6	9	71.0					
8958		1.1	3.9	8	78.6					
8959		0.6	4.5	8	78.5					
8960		0.5	3.3	8	69.8					
8961		13.7	6.6	4300	93.0	118				
8962		0.6	5.8	11	92.3					
8963		0.7	3.6	9	93.6					
8964		1.2	5.0	10	99.5					
8965		0.7	4.5	10	101.5					
8966		0.5	0.9	5	14.3					
8967		0.4	1.3	2	10.2					
8968		0.9	1.6	4	23.0					
8969		2.6	3.5	4	48.4					
8970		4.1	4.1	4	75.9					
8971		7.5	13.7	9	44.6					
8972		7.3	5.4	7	98.0					
8973		2.6	7.0	7	120.5					
8974		1.3	11.1	10	148.5					
8975		0.1	2.1	3	1.6					
8976		1.5	7.1	15	165.5					
8977		0.9	9.6	29	159.0					
8978		1.5	19.8	57	191.0					
8979		0.7	19.2	57	194.0					
8980		1.5	20.5	89	166.0					
8981		1.5	23.0	87	219					
8982		0.8	19.7	76	219					
8983		1.0	19.1	47	177.5				79.1	93.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
8984		1.28	0.17	5.26	45.8	390	2.50	1.49	6.30	0.05	67.2	49.1	39	1.62	48.0	6.67
8985		1.49	0.67	0.61	169.5	10	2.91	1.95	11.30	0.05	3.63	129.0	12	0.31	525	13.10
8986		2.80	0.24	0.37	141.0	10	1.05	1.20	2.23	0.02	2.91	71.9	6	0.18	371	>50
8987		2.87	0.52	1.41	559	30	0.86	0.97	0.59	0.02	3.78	454	15	0.81	389	47.2
8988		0.07	>100	5.61	1765	590	0.75	17.30	0.29	14.75	23.1	100.5	34	1.73	>10000	3.88
8989		1.12	0.01	0.06	<0.2	10	0.09	0.02	32.1	0.02	0.89	0.9	2	<0.05	6.3	0.20
8990		3.19	1.74	0.86	1125	20	1.37	12.40	2.03	0.03	3.25	910	10	0.62	398	43.5
8991		3.31	0.81	0.97	862	20	0.91	2.99	0.62	0.03	2.83	655	10	0.64	177.0	>50
8992		1.65	0.05	2.50	16.0	60	3.97	0.90	0.32	0.02	2.16	20.0	32	1.70	2.5	42.3
8993		1.66	0.33	4.44	35.2	110	2.45	2.76	5.84	<0.02	63.4	48.3	48	3.71	33.7	17.20
8994		1.63	0.25	2.60	99.7	50	1.32	5.24	12.55	0.08	56.2	119.0	23	1.67	74.8	11.60
8995		2.49	0.21	2.80	66.7	100	2.06	4.54	12.65	0.09	53.1	94.0	27	3.12	85.9	14.55
8996		1.29	0.06	4.21	22.9	330	3.64	2.37	14.25	0.07	147.5	30.7	36	3.11	25.0	6.05
8997		1.86	0.07	3.36	22.7	100	6.50	1.22	14.20	0.05	>500	53.5	34	0.12	66.9	10.90
8998		2.22	0.07	6.96	17.7	1770	2.64	0.25	0.52	0.15	184.0	14.6	11	0.70	120.0	1.51
8999		0.66	0.05	6.75	7.0	1300	2.50	0.25	0.40	0.07	214	8.1	10	0.49	11.1	1.45
9000		0.69	0.05	6.73	8.8	1310	2.51	0.31	0.33	0.05	205	11.6	10	0.49	9.8	1.37
9001		0.08	4.21	5.39	13.2	120	0.63	0.85	3.41	2.13	18.00	967	263	0.80	>10000	17.70
9002		1.96	0.03	6.83	3.5	1430	3.19	0.07	0.42	0.04	201	8.9	11	0.59	7.1	1.31
9003		2.14	0.06	6.42	4.5	560	2.75	0.08	0.92	0.06	63.5	6.2	11	0.21	6.1	0.65
9004		1.94	0.02	6.92	6.6	980	2.74	0.13	0.53	0.04	180.5	15.8	14	0.46	4.2	1.39
9005		1.99	0.04	6.70	4.1	940	2.89	0.05	0.30	0.05	131.5	6.0	12	0.53	6.1	1.12
9006		2.07	0.01	7.09	2.2	1660	3.13	0.06	0.55	0.03	190.5	5.4	14	0.75	5.6	1.63
9007		2.06	0.05	6.91	3.4	2120	2.87	0.12	0.45	0.09	215	3.7	16	0.65	5.5	1.43
9008		1.10	0.03	6.97	5.4	1360	2.49	0.16	3.75	0.07	125.5	17.5	31	1.25	28.4	3.80
9009		1.88	0.03	7.66	3.7	1560	3.74	0.08	0.32	0.05	123.0	4.2	10	0.57	5.8	1.04
9010		2.21	0.01	6.98	2.6	1790	3.26	0.04	0.37	0.06	182.0	1.8	13	0.57	3.2	1.28
9011		1.73	0.03	7.20	3.6	520	2.82	0.05	0.95	0.04	150.0	4.9	14	0.55	33.8	1.96
9012		1.26	0.03	4.94	3.5	210	1.06	0.08	1.42	0.07	130.5	4.2	18	0.07	14.3	1.61
9013		1.81	0.02	6.31	2.3	540	2.28	0.04	5.70	0.03	125.5	16.3	41	2.73	6.5	6.08
9014		1.73	0.02	5.72	2.9	240	1.59	0.04	2.50	0.06	115.5	4.4	17	0.09	3.1	1.96
9015		1.89	0.12	6.77	2.4	320	2.53	0.04	0.56	0.04	151.5	3.7	11	0.15	76.9	1.57
9016		1.79	0.08	6.67	3.2	280	1.84	0.04	3.01	0.05	138.5	6.2	19	0.81	15.4	2.59
9017		2.23	<0.01	6.30	3.4	450	2.49	0.14	7.02	0.02	102.5	23.9	49	1.76	11.3	6.59
9018		2.83	0.03	6.38	5.2	100	2.42	0.17	6.34	0.03	98.6	30.2	47	0.12	29.2	7.26
9019		2.44	0.01	5.97	3.5	110	2.72	0.13	5.34	0.05	98.7	30.8	41	0.19	3.4	8.25
9020		2.31	<0.01	6.42	4.5	80	2.37	0.22	10.25	0.02	113.0	20.3	43	0.08	2.0	5.69
9021		2.52	0.03	6.31	2.8	150	2.10	0.09	5.49	0.05	103.0	30.3	52	0.13	23.0	8.10
9022		2.31	0.03	6.56	3.5	350	2.52	0.14	4.88	0.05	98.2	34.6	56	0.29	91.7	8.62
9023		2.38	0.05	6.33	2.7	460	1.82	0.14	5.58	0.04	96.5	36.8	57	0.88	122.0	8.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
8984		14.35	0.12	3.4	0.298	1.05	35.9	14.8	1.68	930	2.47	2.15	8.9	26.3	340	9.8
8985		6.77	0.06	0.4	0.724	0.13	1.8	3.2	5.00	1140	0.38	0.05	0.6	50.4	150	6.3
8986		13.90	0.80	0.2	0.246	0.06	1.5	3.1	2.57	317	0.65	0.03	0.9	6.3	40	6.1
8987		14.05	0.74	0.8	0.231	0.32	1.8	6.2	4.24	284	1.33	0.02	2.1	17.3	90	8.2
8988		33.6	0.25	2.8	4.48	1.05	8.2	23.0	0.05	95	5.47	0.58	7.7	1580	520	1470
8989		0.25	0.09	<0.1	<0.005	<0.01	1.1	1.6	1.43	86	0.79	0.02	0.1	3.9	60	3.6
8990		9.30	0.55	0.6	0.246	0.22	1.6	4.8	4.53	391	0.80	0.03	1.6	18.1	50	31.4
8991		11.40	0.80	0.6	0.143	0.21	1.3	6.3	3.86	238	0.44	0.01	1.8	17.0	60	6.9
8992		11.40	0.92	1.9	0.183	0.55	0.7	12.2	5.95	410	0.13	0.01	4.1	23.3	150	4.4
8993		12.40	0.11	3.3	0.385	1.05	34.5	19.9	6.38	1290	0.50	0.02	8.0	35.2	280	6.9
8994		11.60	0.08	2.1	0.266	0.51	31.6	16.5	5.24	2260	8.15	0.03	4.9	37.3	170	20.6
8995		11.20	0.11	2.2	0.234	1.00	30.1	19.8	6.73	2700	3.08	0.04	5.2	29.9	180	9.2
8996		10.40	0.12	3.1	0.133	1.23	102.5	19.4	6.32	3540	0.33	0.33	7.4	34.3	260	12.5
8997		11.60	0.22	2.9	0.769	0.14	395	7.4	4.74	3480	0.16	0.16	6.7	31.7	300	28.6
8998		21.0	0.21	6.5	0.024	3.86	97.3	8.2	0.43	171	2.24	3.06	17.5	19.2	330	44.9
8999		21.2	0.22	6.7	0.016	3.25	121.5	7.8	0.42	120	3.18	3.13	15.8	3.7	330	34.2
9000		20.9	0.22	6.4	0.015	3.35	119.0	7.3	0.39	104	2.24	3.07	15.6	3.7	330	48.2
9001		11.95	0.27	1.2	0.125	0.31	8.3	10.4	3.99	996	4.46	1.18	5.1	>10000	460	13.7
9002		21.5	0.23	6.9	0.014	3.61	107.0	7.7	0.35	117	2.94	3.06	16.7	9.0	340	24.3
9003		21.0	0.13	3.8	0.009	3.03	33.5	3.0	0.13	141	2.83	3.52	20.6	2.1	70	15.5
9004		21.3	0.21	7.1	0.012	2.56	103.0	7.8	0.35	138	3.22	3.69	15.6	3.2	330	27.7
9005		23.0	0.20	4.8	0.009	3.63	75.2	6.5	0.31	114	2.44	3.11	20.3	3.3	240	23.2
9006		22.8	0.23	6.7	0.017	3.96	106.5	8.8	0.44	180	3.64	2.91	17.8	3.5	360	19.2
9007		20.4	0.22	6.7	0.019	4.31	122.0	7.7	0.34	194	2.55	2.69	17.5	2.8	380	35.8
9008		19.50	0.20	4.4	0.040	2.80	70.4	12.6	1.89	939	0.97	2.47	10.9	39.2	340	24.2
9009		26.6	0.22	5.3	0.013	5.17	69.5	5.6	0.27	126	1.09	3.11	27.4	3.1	240	23.6
9010		23.7	0.24	6.3	0.019	4.28	107.0	6.3	0.29	130	1.63	2.88	19.8	2.6	310	18.7
9011		19.85	0.20	7.1	0.023	0.97	82.7	10.2	0.73	286	2.14	4.79	15.2	18.2	500	11.0
9012		12.95	0.21	4.5	0.019	0.40	73.6	8.0	0.58	351	1.66	3.25	6.5	13.8	440	8.2
9013		27.6	0.20	5.1	0.047	2.15	71.6	23.4	2.62	1400	0.51	2.66	32.6	58.1	820	4.1
9014		15.60	0.18	5.2	0.016	0.44	64.9	8.4	0.73	528	0.98	3.97	10.3	14.9	410	11.0
9015		18.80	0.22	6.6	0.026	0.52	83.5	6.9	0.56	269	1.66	5.05	10.7	12.3	300	20.0
9016		19.05	0.23	6.4	0.029	0.97	74.9	12.1	1.07	704	1.75	4.59	12.0	29.0	450	16.6
9017		20.9	0.20	5.1	0.092	1.81	49.8	14.6	3.33	1840	0.36	2.69	19.5	130.5	1030	4.7
9018		19.85	0.19	5.3	0.104	0.22	46.2	7.7	3.53	1840	0.40	3.33	20.7	126.0	1080	5.6
9019		17.90	0.19	4.9	0.123	0.25	48.5	8.1	3.77	1990	0.35	3.42	19.6	126.0	980	4.3
9020		25.5	0.17	5.4	0.198	0.16	52.1	7.4	2.74	2080	0.37	2.81	21.3	110.0	1040	7.9
9021		17.55	0.14	5.3	0.107	0.28	51.5	8.6	3.31	2040	0.31	3.80	20.7	135.0	1020	6.8
9022		18.10	0.16	5.3	0.084	0.41	47.8	9.3	3.46	2260	0.50	3.86	20.9	143.0	1080	5.8
9023		18.90	0.15	5.1	0.096	0.58	48.6	12.4	3.44	1900	0.78	3.45	18.8	149.0	980	3.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
8984		59.5	<0.002	0.98	0.26	5.7	2	1.7	58.8	0.65	0.68	20.3	0.173	0.76	6.6	50
8985		9.4	<0.002	2.49	0.29	1.7	3	1.4	37.5	0.06	0.98	1.52	0.023	0.12	10.0	43
8986		4.8	<0.002	2.62	0.59	0.7	2	1.4	8.0	0.05	0.25	0.77	0.012	0.07	6.1	5
8987		25.6	<0.002	0.97	0.68	3.7	1	1.2	1.5	0.14	0.44	2.14	0.049	0.29	6.6	17
8988		34.3	<0.002	8.71	318	5.5	84	3.2	337	0.57	37.5	4.19	0.185	17.20	2.8	41
8989		0.3	<0.002	<0.01	0.13	0.2	1	<0.2	80.9	<0.05	<0.05	0.08	0.005	<0.02	0.3	1
8990		18.4	<0.002	2.55	1.20	2.2	3	1.8	4.1	0.09	6.04	1.94	0.032	0.21	4.3	9
8991		18.1	0.003	1.85	0.58	1.8	2	1.6	1.9	0.11	1.38	1.63	0.034	0.19	4.1	13
8992		49.8	<0.002	0.01	0.54	4.7	<1	1.4	2.3	0.29	0.41	6.81	0.106	0.56	3.3	33
8993		95.5	0.002	0.38	0.32	8.3	1	2.7	30.1	0.55	1.18	11.65	0.184	1.05	4.1	52
8994		49.3	0.002	1.13	0.27	4.6	1	2.4	69.5	0.35	0.18	11.20	0.096	0.53	6.8	51
8995		92.5	0.002	0.75	0.25	5.2	1	2.0	75.7	0.36	0.14	9.22	0.108	1.06	5.4	45
8996		104.5	<0.002	0.13	0.75	7.6	<1	2.4	189.5	0.56	<0.05	11.50	0.171	1.03	10.5	45
8997		6.8	<0.002	0.46	1.08	5.6	1	4.5	364	0.47	<0.05	17.50	0.137	0.06	48.5	33
8998		129.5	<0.002	0.33	0.31	4.5	1	1.8	81.8	1.21	<0.05	70.1	0.157	0.67	30.4	18
8999		121.5	<0.002	0.15	0.26	4.6	<1	2.0	65.5	1.06	<0.05	76.7	0.149	0.55	15.8	15
9000		122.0	<0.002	0.18	0.25	4.7	<1	1.9	66.4	1.00	<0.05	75.7	0.145	0.54	19.2	15
9001		11.9	0.054	8.56	3.11	8.9	21	2.5	182.5	0.29	4.49	1.22	0.528	0.20	0.4	79
9002		145.5	<0.002	0.13	0.19	5.2	1	2.0	88.1	1.35	<0.05	78.1	0.170	0.69	14.6	15
9003		94.9	<0.002	0.07	0.21	3.5	<1	1.1	51.9	2.71	<0.05	34.9	0.052	0.44	10.7	4
9004		111.5	<0.002	0.20	0.20	4.5	<1	1.9	64.9	0.93	<0.05	75.0	0.157	0.53	14.1	14
9005		138.5	<0.002	0.06	0.20	3.7	<1	1.5	68.5	2.09	<0.05	50.0	0.108	0.62	10.9	11
9006		169.5	<0.002	0.04	0.17	5.2	<1	2.2	120.0	1.67	<0.05	74.5	0.177	0.89	14.8	17
9007		176.5	<0.002	0.02	0.22	5.2	<1	2.1	137.5	1.07	0.05	78.3	0.191	0.96	16.3	14
9008		132.0	<0.002	0.09	0.51	17.8	<1	1.6	301	0.70	<0.05	42.0	0.326	1.03	7.3	106
9009		192.0	<0.002	0.02	0.19	4.7	<1	1.8	97.7	3.98	<0.05	54.5	0.116	1.00	16.0	10
9010		156.0	<0.002	<0.01	0.20	5.0	1	2.1	100.0	1.85	<0.05	67.3	0.154	0.72	14.9	13
9011		62.2	<0.002	0.02	0.19	4.8	1	1.5	111.5	0.98	<0.05	71.9	0.211	0.36	13.0	24
9012		17.4	<0.002	0.03	0.22	3.7	<1	1.1	40.9	0.40	<0.05	45.6	0.066	0.14	9.9	13
9013		180.5	<0.002	<0.01	0.20	10.6	<1	2.6	84.8	2.08	<0.05	22.6	0.695	1.13	8.2	88
9014		17.1	<0.002	0.01	0.22	4.4	1	1.4	60.8	0.83	<0.05	49.7	0.184	0.12	9.5	24
9015		24.9	<0.002	0.01	0.24	5.4	<1	1.3	76.6	1.12	<0.05	73.9	0.164	0.18	15.7	25
9016		61.2	0.002	<0.01	0.19	5.8	<1	1.2	77.9	0.90	<0.05	63.6	0.239	0.47	14.8	46
9017		114.0	<0.002	<0.01	0.73	14.6	<1	1.9	372	1.17	<0.05	5.45	0.858	0.83	3.5	153
9018		10.0	<0.002	0.01	0.90	14.2	<1	1.5	458	1.23	<0.05	5.34	0.874	0.08	2.4	146
9019		11.9	<0.002	<0.01	0.70	13.2	<1	1.9	252	1.15	<0.05	4.89	0.822	0.09	2.4	143
9020		7.6	<0.002	<0.01	1.26	14.3	1	2.2	731	1.23	<0.05	5.14	0.875	0.07	2.8	146
9021		12.7	<0.002	<0.01	0.51	15.3	1	1.6	204	1.24	<0.05	5.06	0.874	0.09	2.2	150
9022		18.8	<0.002	0.02	0.50	15.6	1	1.4	223	1.23	<0.05	5.40	0.915	0.16	2.0	157
9023		36.3	<0.002	0.03	0.36	15.6	<1	1.5	152.5	1.14	<0.05	4.92	0.881	0.26	1.9	157

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
8984		0.4	15.8	61	128.0					
8985		0.2	10.5	47	15.3					
8986		0.4	3.6	38	8.4					
8987		0.3	3.9	64	32.7					
8988		29.5	4.7	2230	100.5	972	5.08			
8989		<0.1	1.8	6	1.3					
8990		0.3	5.1	56	21.1					
8991		0.4	2.0	50	20.7					
8992		0.4	5.9	79	66.7					
8993		0.4	14.4	108	122.5					
8994		0.9	10.0	90	75.6					
8995		1.0	9.5	119	76.6					
8996		0.5	14.1	136	105.5					
8997		0.6	16.2	137	102.5					
8998		0.4	17.3	30	239					
8999		0.4	16.4	24	240					
9000		0.4	16.7	23	233					
9001		2.3	9.5	138	49.1		1.665	4.68		
9002		0.4	14.5	19	250					
9003		0.3	12.1	12	91.5					
9004		0.4	15.1	22	255					
9005		0.3	14.4	22	157.5					
9006		0.3	14.0	22	241					
9007		0.6	13.4	36	254					
9008		0.3	14.1	96	165.0					
9009		0.3	17.1	18	170.0					
9010		0.3	17.7	17	217					
9011		0.2	12.1	35	268					
9012		0.1	10.3	32	162.5					
9013		0.2	18.9	134	196.5					
9014		0.2	11.7	40	194.0					
9015		0.2	14.1	34	227					
9016		0.2	13.9	56	240					
9017		0.3	25.6	132	202					
9018		0.4	25.1	124	207					
9019		0.4	23.8	137	196.0					
9020		0.2	27.4	103	211					
9021		0.3	25.8	130	206					
9022		0.3	26.9	148	211					
9023		0.3	27.5	131	195.5				77.1	89.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9024		1.76	0.02	6.79	2.4	110	2.55	0.08	3.99	0.05	94.0	45.6	55	0.19	152.5	9.09
9025		1.05	<0.01	0.06	<0.2	20	0.10	0.01	31.7	<0.02	1.00	0.8	1	<0.05	1.7	0.11
9026		2.61	0.09	7.30	1.8	120	0.47	0.09	6.69	0.07	16.70	48.4	38	0.52	155.5	8.32
9027		2.50	0.05	7.05	2.5	80	0.62	0.07	6.03	0.08	19.35	42.9	55	0.41	113.0	8.12
9028		2.41	0.09	6.84	5.0	120	0.63	0.10	6.20	0.16	20.5	54.5	13	0.63	164.0	9.65
9029		2.25	0.12	6.66	2.8	130	0.82	0.13	5.40	0.15	32.1	56.7	4	1.10	177.5	11.05
9030		2.35	0.04	6.15	4.3	120	1.50	0.16	4.86	0.14	51.4	39.2	4	0.39	57.4	11.00
9031		2.81	0.08	5.84	5.8	290	0.93	0.22	4.94	0.14	33.8	71.1	2	1.27	112.0	15.25
9032		2.40	0.08	6.13	4.4	290	0.98	0.17	4.92	0.11	33.5	61.8	3	0.91	150.0	13.55
9033		2.37	0.17	6.08	7.5	80	0.75	0.19	5.13	0.13	28.7	77.0	2	0.37	293	13.50
9034		2.89	0.11	6.15	4.4	160	0.81	0.20	5.50	0.11	27.9	69.6	3	0.90	202	13.25
9035		2.53	0.11	6.16	3.1	190	0.72	0.22	5.59	0.11	25.3	71.3	3	1.52	226	13.70
9036		2.48	0.11	6.26	4.9	160	0.68	0.13	5.62	0.10	24.1	71.4	4	1.34	251	13.60
9037		2.51	0.11	6.09	4.5	100	0.80	0.11	4.98	0.09	26.1	76.9	3	0.95	225	13.80
9038		2.41	0.08	7.64	3.8	180	0.84	0.16	5.69	0.08	26.9	63.5	6	1.01	161.5	10.95
9039		1.14	0.08	7.83	4.9	250	0.93	0.13	5.72	0.09	31.2	48.0	4	0.81	152.0	9.29
9040		1.11	0.08	7.81	8.1	250	0.95	0.14	5.73	0.09	31.3	49.5	4	0.80	161.5	9.29
9041		0.07	>100	4.16	665	420	0.80	60.5	0.61	24.7	28.3	9.5	32	2.65	4920	2.11
9042		2.34	0.19	7.71	2.9	200	0.73	0.14	6.28	0.09	23.8	48.7	9	1.14	158.0	9.10
9043		2.22	0.07	6.63	11.1	60	1.04	0.24	5.92	0.04	18.90	62.7	11	0.32	91.4	6.91
9044		2.37	0.09	7.16	6.5	160	0.82	0.18	5.58	0.05	20.6	81.0	11	1.28	156.5	8.31
9045		2.32	0.09	7.80	3.9	390	0.62	0.21	6.03	0.04	20.7	50.9	14	1.62	173.0	8.94
9046		2.58	0.08	6.87	5.7	220	0.97	0.38	5.94	0.04	34.1	63.1	9	1.15	179.0	9.98
9047		1.54	0.10	7.02	4.9	310	1.13	0.31	5.29	0.04	38.9	52.4	10	1.92	189.0	9.76
9048		1.87	0.08	7.10	6.5	240	1.28	0.33	5.52	0.03	40.5	47.4	10	1.16	162.5	9.43
9049		1.81	0.06	7.27	3.4	320	1.28	0.44	5.27	0.04	72.1	46.2	10	1.99	132.0	9.03
9050		2.37	0.05	6.75	6.4	340	1.70	0.45	5.37	0.04	66.8	42.4	23	2.22	133.0	8.20
9051		2.21	0.04	6.82	8.0	50	1.40	0.37	0.37	0.02	25.5	40.7	68	0.23	10.6	3.45
9052		2.20	0.04	5.73	9.1	40	0.81	0.18	0.14	<0.02	5.65	26.1	42	0.17	4.6	2.88
9053		2.29	0.02	6.42	20.6	50	1.66	0.56	0.21	<0.02	15.85	70.9	73	0.44	3.3	4.12
9054		2.27	0.02	6.17	26.1	10	0.79	0.56	0.19	<0.02	6.87	77.8	75	0.05	1.8	2.86
9055		2.12	0.02	5.98	21.9	20	0.90	0.28	0.15	<0.02	5.34	53.5	57	0.05	2.1	2.29
9056		2.27	0.01	6.99	6.1	170	1.87	0.10	0.94	<0.02	44.5	18.1	81	0.53	2.1	3.61
9057		2.04	0.02	6.23	15.9	250	1.35	0.23	0.29	<0.02	35.6	60.2	81	0.57	2.7	2.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9024		19.75	0.15	5.5	0.082	0.32	43.9	13.6	3.57	1320	0.54	3.71	22.8	144.5	1120	2.1
9025		0.20	<0.05	0.1	<0.005	0.01	1.2	1.0	1.29	79	0.05	0.03	0.1	<0.2	60	0.6
9026		16.90	0.06	1.7	0.062	0.55	7.5	10.3	3.92	1480	0.54	1.62	2.8	77.8	340	4.1
9027		16.45	0.06	2.1	0.092	0.45	9.7	12.1	3.78	1300	0.54	2.27	3.1	75.4	340	7.3
9028		18.55	0.06	2.1	0.074	0.51	10.3	8.6	3.19	1560	0.64	1.79	3.6	56.7	370	6.5
9029		20.0	0.08	3.1	0.088	0.54	16.3	7.4	2.61	1650	0.77	2.39	5.4	42.1	510	7.4
9030		22.7	0.10	4.7	0.141	0.51	25.4	6.1	1.03	1380	1.33	2.75	8.7	2.3	1310	8.5
9031		23.0	0.10	3.6	0.110	0.96	16.9	8.7	1.81	1940	1.18	1.74	6.0	12.5	610	6.4
9032		21.9	0.10	3.6	0.106	0.77	16.7	9.0	1.89	1680	0.89	2.10	5.9	14.2	620	6.1
9033		21.7	0.10	2.7	0.112	0.42	14.4	6.6	1.97	1660	0.77	2.47	4.7	29.6	510	6.1
9034		21.6	0.09	2.8	0.097	0.60	13.9	9.2	2.44	1720	0.75	1.94	4.6	32.2	490	5.2
9035		21.5	0.08	2.4	0.092	0.69	12.5	7.6	2.45	1720	0.81	1.69	4.5	33.2	460	4.0
9036		21.6	0.08	2.4	0.095	0.60	12.0	7.1	2.52	1680	0.76	1.85	4.2	44.2	450	3.7
9037		20.7	0.08	2.6	0.107	0.43	13.3	7.0	2.64	1710	0.70	2.33	4.2	48.7	430	3.3
9038		21.6	0.08	2.4	0.081	0.69	13.5	8.9	2.57	1540	0.58	2.41	3.2	46.8	480	4.7
9039		21.9	0.08	3.0	0.076	0.82	15.8	7.7	2.03	1310	0.82	2.30	4.9	34.3	590	7.0
9040		21.5	0.08	2.9	0.081	0.83	15.8	7.7	2.03	1320	0.71	2.23	5.0	34.0	560	6.9
9041		20.2	0.11	2.5	5.47	0.64	14.8	18.7	0.18	228	4.46	0.43	6.9	56.1	560	1010
9042		19.85	0.07	2.2	0.078	0.66	11.9	6.9	2.63	1400	0.80	1.84	3.9	48.9	450	4.8
9043		17.85	0.06	1.7	0.071	0.22	9.5	5.3	2.39	1080	9.10	2.23	3.0	49.4	350	3.7
9044		19.80	0.07	1.9	0.065	0.68	10.4	9.6	2.70	1160	5.90	1.77	3.5	57.4	400	6.6
9045		20.1	0.07	1.9	0.067	1.64	10.1	15.6	3.01	1320	0.75	1.42	3.8	59.0	430	3.4
9046		20.4	0.08	2.5	0.094	0.79	18.1	10.8	2.57	1440	1.09	1.83	5.4	41.9	490	4.5
9047		19.30	0.09	2.5	0.088	1.14	21.1	8.9	2.66	1380	0.85	2.22	5.8	43.8	450	4.8
9048		20.2	0.09	2.7	0.094	0.87	22.4	9.3	2.68	1440	1.00	2.39	6.1	41.3	460	4.6
9049		21.5	0.11	3.6	0.092	1.23	41.6	9.3	2.22	1260	1.32	2.30	9.3	34.3	490	6.9
9050		18.95	0.09	3.6	0.086	1.26	38.4	12.6	2.08	1140	1.47	2.28	8.2	33.0	460	7.6
9051		16.90	<0.05	2.2	0.009	0.22	13.3	7.5	1.00	247	1.57	4.56	4.2	29.3	320	2.3
9052		11.85	<0.05	1.2	<0.005	0.23	2.8	3.1	0.32	58	1.60	4.44	1.9	15.8	170	3.2
9053		15.35	<0.05	2.5	0.008	0.38	7.4	7.6	0.99	113	2.61	4.33	4.0	29.3	380	1.7
9054		15.00	<0.05	2.8	0.006	0.11	3.4	6.3	0.81	78	2.04	4.56	4.2	32.6	390	1.7
9055		13.40	<0.05	2.0	0.006	0.15	2.6	5.7	0.71	66	2.48	4.37	3.0	27.5	280	3.0
9056		16.45	0.08	2.9	0.026	0.71	23.3	17.6	1.97	268	2.51	3.59	5.3	39.2	500	3.7
9057		14.85	0.08	2.8	0.018	0.93	18.8	11.1	1.16	135	1.59	3.42	4.2	27.5	350	3.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9024		15.5	<0.002	0.05	0.29	15.6	<1	1.4	96.1	1.34	<0.05	6.32	0.942	0.14	1.5	159
9025		0.2	<0.002	<0.01	0.11	0.2	1	<0.2	79.0	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
9026		31.7	<0.002	0.09	0.36	38.3	1	0.8	211	0.23	<0.05	1.86	0.513	0.20	0.6	251
9027		24.1	<0.002	0.04	0.33	34.0	<1	0.8	207	0.25	<0.05	2.40	0.475	0.16	0.8	224
9028		26.4	0.002	0.11	0.40	38.1	1	0.9	221	0.28	<0.05	2.41	0.719	0.17	0.8	313
9029		27.3	0.003	0.14	0.46	39.5	1	1.2	164.0	0.41	<0.05	3.86	0.881	0.19	1.1	444
9030		10.4	<0.002	0.14	0.44	33.1	1	2.0	165.5	0.66	<0.05	5.80	0.872	0.08	1.8	86
9031		42.1	0.009	0.22	0.43	43.4	1	1.5	170.5	0.48	<0.05	3.95	1.665	0.25	1.2	649
9032		34.5	0.002	0.18	0.42	42.9	1	1.4	188.0	0.46	<0.05	4.12	1.330	0.23	1.3	518
9033		8.2	0.003	0.27	0.52	42.7	1	1.2	137.0	0.37	<0.05	3.30	1.400	0.13	1.1	792
9034		30.8	0.002	0.16	0.41	45.5	1	1.2	201	0.36	<0.05	3.24	1.215	0.27	1.0	743
9035		39.5	0.003	0.15	0.35	45.1	1	1.1	183.5	0.34	<0.05	2.85	1.250	0.29	0.9	793
9036		31.8	0.003	0.16	0.41	46.3	1	1.1	183.5	0.33	<0.05	2.87	1.260	0.23	0.9	918
9037		19.8	0.002	0.17	0.37	45.4	1	1.1	126.0	0.32	<0.05	2.69	1.195	0.16	0.8	873
9038		34.1	0.002	0.09	0.42	39.8	1	1.1	231	0.25	<0.05	3.16	0.671	0.25	1.0	545
9039		30.0	0.002	0.12	0.46	33.4	1	1.2	280	0.39	<0.05	3.77	0.680	0.15	1.1	266
9040		29.9	<0.002	0.13	0.46	33.3	1	1.2	274	0.39	<0.05	3.86	0.718	0.15	1.2	272
9041		28.0	<0.002	2.07	86.0	4.0	33	5.6	444	0.59	38.8	5.99	0.211	1.65	2.4	33
9042		32.5	0.003	0.10	0.40	34.3	1	1.0	208	0.31	<0.05	2.71	0.641	0.20	0.8	264
9043		9.0	0.003	0.31	0.34	28.4	1	0.8	152.5	0.24	0.05	2.10	0.476	0.07	0.8	210
9044		40.9	<0.002	0.40	0.35	31.5	1	0.9	173.0	0.27	0.05	2.42	0.551	0.30	0.9	239
9045		72.5	<0.002	0.11	0.33	34.3	1	1.0	248	0.29	<0.05	2.35	0.608	0.65	0.8	260
9046		41.3	0.002	0.24	0.43	38.4	1	1.2	203	0.43	<0.05	7.26	0.861	0.34	2.2	431
9047		63.5	<0.002	0.16	0.39	38.5	1	1.3	186.0	0.45	<0.05	8.50	0.776	0.60	2.7	365
9048		44.9	0.002	0.09	0.40	38.2	<1	1.4	195.0	0.51	<0.05	10.50	0.794	0.36	3.0	367
9049		67.8	0.002	0.14	0.38	34.5	<1	1.6	217	0.79	<0.05	22.0	0.800	0.61	6.3	374
9050		70.4	<0.002	0.24	0.38	27.4	1	1.6	194.0	0.69	<0.05	19.25	0.649	0.62	5.5	296
9051		8.6	<0.002	0.45	0.16	7.6	<1	0.7	32.6	0.45	<0.05	5.27	0.201	0.09	2.0	62
9052		8.0	<0.002	0.38	0.17	3.7	1	0.6	26.1	0.21	<0.05	2.78	0.098	0.10	1.0	53
9053		16.9	<0.002	0.72	0.10	7.5	1	1.4	47.8	0.43	0.07	4.85	0.199	0.11	2.9	60
9054		3.2	<0.002	0.85	0.09	7.0	<1	0.7	37.4	0.45	0.06	5.01	0.202	0.03	2.3	49
9055		5.0	<0.002	0.68	0.11	5.7	<1	0.5	39.5	0.32	0.05	4.29	0.156	0.05	2.2	36
9056		34.3	<0.002	0.08	0.13	12.4	1	1.0	135.5	0.51	<0.05	6.36	0.288	0.18	2.1	88
9057		36.5	<0.002	0.48	0.10	8.3	1	1.1	62.0	0.45	<0.05	5.90	0.199	0.18	2.2	63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9024		0.5	26.9	108	218					
9025		<0.1	1.7	3	2.1					
9026		0.3	16.5	102	62.5					
9027		0.4	16.6	103	75.9					
9028		0.4	18.5	122	81.7					
9029		0.5	24.9	124	114.0					
9030		0.6	41.0	112	175.5					
9031		0.7	28.4	185	133.0					
9032		0.5	28.1	164	135.0					
9033		0.5	24.0	149	100.5					
9034		0.4	23.8	150	107.5					
9035		0.4	22.8	154	94.4					
9036		0.4	21.4	130	93.7					
9037		0.4	22.4	133	94.1					
9038		0.4	23.3	127	92.4					
9039		0.5	24.2	104	112.5					
9040		0.5	24.0	104	110.0					
9041		12.6	5.5	4050	88.0	119				
9042		0.4	19.8	118	82.8					
9043		0.5	15.7	78	64.1					
9044		0.4	17.5	95	70.9					
9045		0.4	18.1	96	69.9					
9046		0.7	22.8	92	101.0					
9047		0.6	21.6	102	98.4					
9048		0.7	22.3	96	105.5					
9049		0.7	23.3	97	132.0					
9050		0.6	20.4	94	136.0					
9051		0.4	6.8	30	82.9					
9052		0.3	2.4	6	43.6					
9053		0.5	6.6	9	96.2					
9054		0.3	3.3	7	105.5					
9055		0.3	4.7	7	75.7					
9056		0.5	14.0	18	105.5					
9057		0.5	8.1	9	101.5					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JUN-2018
Account: BMRPLLBW

Project: Iron Mask

CERTIFICATE OF ANALYSIS SD18125478

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			