ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

CERTIFICATE SD18133989

Project: IRON MASK

This report is for 63 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9252		1.58	0.02	5.26	0.7	100	0.82	0.18	2.97	<0.02	47.7	34.5	13	0.47	37.5	7.36
9253		1.70	0.03	5.90	0.8	230	1.85	0.36	4.17	<0.02	51.3	33.7	5	1.40	56.3	9.66
9254		1.35	0.03	6.30	0.7	260	1.76	0.34	3.55	0.02	58.5	42.2	4	1.41	54.7	11.95
9255		1.88	0.04	6.42	2.0	150	1.14	0.33	2.43	0.03	60.3	44.0	4	0.57	44.0	14.05
9256		2.20	0.10	6.38	1.8	140	1.24	0.38	2.53	0.03	56.9	43.3	5	0.50	53.3	13.65
9257		2.13	0.09	6.28	2.4	230	1.58	0.35	2.83	<0.02	58.4	43.8	4	1.09	49.4	12.45
9258		2.25	0.09	4.84	3.4	110	0.90	0.20	3.05	0.55	47.0	28.9	7	0.80	35.6	6.24
9259		2.11	0.02	5.87	1.3	250	1.60	0.31	4.51	0.08	57.8	25.6	3	1.52	29.0	9.51
9260		2.25	0.02	6.20	1.8	220	1.68	0.26	3.80	0.17	69.5	33.8	5	1.41	45.7	11.95
9261		2.25	0.03	6.44	3.4	230	1.61	0.34	3.75	0.09	62.9	36.2	6	1.26	50.2	11.65
9262		2.34	0.05	5.93	1.7	320	1.58	0.31	3.54	0.24	57.3	40.4	4	2.31	59.6	11.25
9263		2.53	0.02	5.95	2.6	170	1.03	0.20	5.03	0.07	60.2	39.8	3	0.83	54.1	11.15
9264		2.21	0.02	5.94	2.1	330	1.20	0.27	4.02	0.03	72.7	29.3	6	1.96	47.1	9.57
9265		2.29	0.03	5.77	2.7	270	1.14	0.36	3.98	0.06	53.3	37.8	4	1.89	35.7	9.05
9266		2.31	0.07	4.64	11.1	110	1.30	0.22	1.52	0.37	37.3	64.2	10	0.85	31.0	5.65
9267		2.18	0.08	0.86	1.5	20	0.49	0.09	0.10	0.62	0.97	31.9	19	0.18	2.0	1.83
9268		2.17	0.02	0.46	0.5	10	0.48	0.09	0.05	<0.02	0.96	16.2	22	0.05	2.1	0.61
9269		2.12	0.01	2.29	0.8	10	0.95	0.07	0.16	<0.02	12.35	15.4	20	<0.05	1.6	3.36
9270		2.27	0.01	3.02	1.3	10	1.44	0.28	0.16	<0.02	25.5	95.2	19	0.05	4.0	9.55
9271		1.84	0.01	0.63	0.3	10	0.45	0.02	0.04	<0.02	2.83	6.9	26	0.05	2.4	1.06
9272		1.66	0.02	1.49	1.0	10	0.83	0.08	0.14	<0.02	13.25	23.2	22	0.06	1.7	3.95
9273		2.04	0.02	6.19	2.2	100	2.28	0.25	1.19	0.02	43.8	43.0	7	0.13	11.2	13.40
9274		1.87	0.01	0.15	0.3	10	0.28	0.06	0.02	<0.02	0.13	7.9	21	0.07	1.2	0.50
9275		1.04	<0.01	0.29	<0.2	30	0.14	0.01	29.6	<0.02	1.04	0.8	3	<0.05	1.3	0.14
9276		1.36	0.01	1.51	0.9	20	0.48	0.09	0.24	<0.02	25.2	24.7	21	0.18	4.1	2.00
9277		1.23	0.09	4.45	2.8	90	1.20	0.22	0.93	0.03	30.5	65.2	9	0.58	21.4	8.76
9278		1.84	0.03	5.86	1.3	170	1.44	0.17	3.38	0.05	52.1	52.3	7	1.05	34.3	9.61
9279		0.88	0.03	5.86	1.6	140	1.27	0.30	3.46	0.06	36.8	44.2	4	0.50	52.7	10.55
9280		1.03	0.02	5.91	1.3	160	1.20	0.32	3.43	0.03	37.6	46.3	5	0.60	49.6	11.05
9281		0.06	>100	4.36	691	100	0.61	58.5	0.62	25.2	31.3	8.9	31	2.62	5150	2.17
9282		2.18	0.14	5.74	1.8	160	1.08	0.48	3.66	0.10	35.0	55.3	4	0.60	83.3	12.05
9283		1.86	0.02	5.48	0.6	220	1.05	0.21	3.96	0.02	35.7	48.1	4	1.01	60.7	10.15
9284		2.19	0.02	5.66	2.1	150	1.04	0.27	4.60	0.09	33.4	56.9	3	0.58	73.3	14.15
9285		2.21	0.06	5.18	2.7	150	0.78	0.34	2.98	0.04	47.2	135.5	6	0.54	97.5	9.40
9286		2.09	0.03	5.93	1.3	180	1.17	0.41	4.12	0.04	40.3	54.4	3	0.76	68.1	11.55
9287		2.21	0.06	6.44	2.3	170	1.16	0.41	4.33	0.14	36.4	56.1	2	0.41	83.9	13.80
9288		1.64	0.19	1.84	2.5	50	0.35	0.54	1.41	0.65	10.75	86.4	13	0.19	40.7	3.59
9289		1.47	0.04	0.69	1.2	20	0.24	0.21	0.71	0.33	3.44	25.9	22	0.10	11.9	1.41
9290		1.78	0.08	5.76	0.5	220	1.26	0.48	6.28	0.06	35.9	41.5	3	1.33	103.5	9.61
9291		1.77	0.03	5.81	1.0	230	1.31	0.35	5.80	0.08	46.5	40.8	3	0.96	47.1	10.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9252		28.0	0.11	4.0	0.049	0.41	23.0	12.9	1.95	1040	22.2	1.71	7.1	41.8	1700	2.7
9253		23.6	0.14	5.0	0.109	0.90	23.7	12.1	1.05	1110	2.75	2.58	8.0	15.9	1900	3.9
9254		25.5	0.14	4.9	0.144	0.99	27.3	14.0	1.06	1090	2.13	2.87	8.4	5.7	1890	4.0
9255		24.9	0.12	4.6	0.101	0.51	26.5	11.8	1.07	1070	1.48	2.93	8.3	2.7	2000	7.3
9256		24.7	0.11	4.7	0.134	0.47	25.3	11.9	1.02	1110	1.83	2.91	8.3	2.3	1780	6.9
9257		25.5	0.11	4.8	0.105	0.94	26.4	14.4	1.46	1140	8.79	2.42	8.4	4.2	1700	5.4
9258		21.9	0.08	3.9	0.047	0.57	21.9	12.7	2.05	983	12.55	1.49	6.7	13.1	1350	160.5
9259		25.0	0.11	4.5	0.103	1.00	26.9	14.7	1.56	1320	5.14	2.06	8.0	8.2	1570	55.2
9260		25.3	0.12	5.0	0.107	0.88	32.0	14.1	1.22	1380	3.68	2.45	9.1	3.7	1660	44.3
9261		25.6	0.14	5.1	0.127	0.87	29.0	13.8	1.00	1560	1.99	2.54	9.0	2.3	1580	14.1
9262		24.4	0.13	4.8	0.119	1.23	26.1	14.4	1.00	1400	6.03	2.17	8.3	4.0	1640	85.8
9263		23.4	0.11	4.5	0.138	0.64	27.1	11.8	0.97	1760	1.78	2.26	8.5	1.8	1610	4.5
9264		25.6	0.12	4.9	0.107	1.27	34.5	16.2	1.18	1700	5.36	2.08	8.8	6.5	1680	4.7
9265		23.3	0.10	4.7	0.081	1.03	24.9	14.3	1.00	1380	8.33	2.33	8.0	10.3	1570	21.0
9266		20.6	0.07	3.5	0.028	0.55	16.1	7.4	0.83	511	11.00	2.53	6.5	19.5	1280	95.6
9267		8.48	<0.05	0.2	0.014	0.12	<0.5	3.0	0.64	159	14.35	0.09	0.6	21.5	130	127.0
9268		2.35	<0.05	0.1	<0.005	0.04	<0.5	1.3	0.12	44	4.97	0.23	0.3	6.6	50	1.8
9269		13.05	<0.05	1.4	0.009	0.06	6.1	6.4	0.65	90	6.49	1.25	1.1	18.2	270	1.5
9270		19.15	0.06	2.1	0.015	0.07	12.2	16.1	0.99	143	3.69	1.59	0.9	23.1	380	1.8
9271		3.12	<0.05	0.3	<0.005	0.04	1.5	3.2	0.18	50	1.88	0.33	0.3	5.1	60	1.1
9272		6.42	<0.05	0.9	<0.005	0.07	7.0	5.5	0.31	71	2.25	0.86	0.9	7.2	160	1.1
9273		22.0	0.10	3.8	0.040	0.39	22.6	12.9	1.43	314	1.97	3.33	6.6	13.9	710	2.9
9274		0.56	<0.05	<0.1	<0.005	0.04	<0.5	0.6	0.04	44	1.31	0.05	<0.1	3.5	<10	0.9
9275		0.80	0.05	0.1	<0.005	0.07	1.1	1.4	1.13	74	0.24	0.15	0.3	0.5	60	0.8
9276		5.91	<0.05	0.9	0.005	0.16	12.9	2.3	0.33	86	3.07	0.92	1.6	10.0	170	2.5
9277		14.95	0.07	2.7	0.024	0.49	17.0	5.6	0.65	265	2.23	2.78	4.6	16.9	510	10.2
9278		21.8	0.10	3.7	0.069	0.97	27.5	9.2	1.21	794	1.70	2.96	6.2	17.2	650	5.9
9279		19.80	0.10	3.2	0.099	0.77	17.4	9.1	1.49	976	2.82	2.55	6.0	12.3	650	7.7
9280		20.7	0.11	3.4	0.099	0.85	17.6	9.9	1.51	1000	2.43	2.50	6.1	12.5	660	6.3
9281		19.10	0.11	2.6	5.30	0.67	14.9	19.2	0.19	234	4.28	0.44	7.1	54.8	580	1040
9282		20.4	0.11	2.8	0.104	0.87	16.2	10.5	1.73	1340	4.45	2.11	5.5	14.8	590	8.8
9283		20.4	0.10	2.9	0.089	1.12	17.3	14.0	1.70	1380	6.14	2.00	5.4	13.9	560	3.7
9284		20.7	0.09	3.1	0.115	0.75	15.2	9.8	1.78	1720	3.85	2.08	6.2	9.5	620	9.1
9285		19.55	0.09	2.7	0.068	0.83	23.3	8.9	1.49	1000	20.0	2.24	5.1	21.3	580	4.5
9286		21.9	0.09	3.2	0.103	0.96	18.5	10.8	1.75	1200	3.73	2.28	5.9	13.7	600	5.5
9287		21.8	0.11	3.6	0.119	0.80	16.3	10.2	1.82	1560	0.98	2.42	6.2	12.7	640	25.6
9288		8.66	<0.05	1.0	0.025	0.23	5.6	4.0	0.52	327	37.1	0.85	1.9	14.8	180	222
9289		3.53	<0.05	0.3	0.014	0.07	1.6	1.8	0.27	156	7.95	0.28	0.7	6.3	70	49.1
9290		21.2	0.10	3.3	0.147	1.08	16.4	12.3	1.67	1140	2.24	2.27	5.8	12.9	590	9.5
9291		20.2	0.10	3.5	0.128	1.03	22.1	10.8	1.56	1160	1.52	2.35	5.8	11.6	600	5.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9252		18.4	<0.002	0.12	0.20	22.3	<1	1.2	34.3	0.49	<0.05	4.78	0.883	0.07	2.5	56
9253		48.0	<0.002	0.25	0.25	28.3	1	1.7	111.0	0.58	<0.05	5.45	1.005	0.18	2.0	33
9254		54.7	<0.002	0.27	0.26	29.4	1	1.8	113.5	0.60	<0.05	5.98	1.025	0.28	2.0	28
9255		23.7	<0.002	0.17	0.39	30.6	1	1.5	102.0	0.58	<0.05	5.71	1.000	0.31	1.8	19
9256		20.3	<0.002	0.18	0.38	31.1	1	1.6	114.0	0.59	<0.05	5.67	0.990	0.13	1.9	18
9257		46.4	<0.002	0.21	0.29	30.4	1	1.9	103.5	0.59	<0.05	5.75	0.977	0.31	2.1	20
9258		26.5	0.002	0.23	0.31	21.1	<1	1.7	49.8	0.48	<0.05	4.47	0.762	0.13	1.9	27
9259		54.3	<0.002	0.15	0.25	25.9	1	1.6	117.0	0.56	<0.05	5.70	0.881	0.21	2.0	23
9260		46.3	<0.002	0.22	0.27	28.1	1	1.8	119.0	0.65	<0.05	6.05	0.950	0.21	2.0	19
9261		44.4	<0.002	0.19	0.33	27.6	1	2.0	140.0	0.65	<0.05	6.48	0.943	0.19	2.0	17
9262		65.2	<0.002	0.23	0.30	24.8	1	2.3	122.0	0.60	<0.05	5.82	0.878	0.26	1.9	19
9263		26.3	<0.002	0.19	0.25	25.6	1	1.7	113.5	0.59	<0.05	5.81	0.891	0.11	1.9	17
9264		67.1	<0.002	0.15	0.21	26.4	<1	2.0	109.0	0.64	<0.05	5.99	0.934	0.27	2.4	33
9265		57.7	0.002	0.13	0.55	23.7	1	1.6	108.0	0.59	<0.05	5.48	0.933	0.30	2.8	35
9266		26.2	0.002	0.47	0.75	15.5	1	1.6	30.6	0.41	<0.05	4.05	0.696	0.15	3.7	40
9267		4.6	0.003	0.18	2.34	3.5	<1	0.3	4.3	<0.05	<0.05	0.29	0.051	0.04	2.7	25
9268		1.0	<0.002	0.11	0.68	1.7	<1	<0.2	4.7	<0.05	<0.05	0.22	0.037	<0.02	1.1	5
9269		1.7	<0.002	0.09	0.56	9.0	1	0.8	12.0	0.08	<0.05	1.70	0.189	<0.02	1.3	46
9270		2.0	<0.002	0.55	0.52	21.2	1	0.7	11.5	0.06	<0.05	2.51	0.210	<0.02	1.7	102
9271		1.3	<0.002	0.04	0.49	4.0	<1	0.4	5.4	<0.05	<0.05	0.38	0.055	0.02	0.3	12
9272		2.3	<0.002	0.16	0.63	9.1	<1	0.4	9.4	0.06	<0.05	1.00	0.191	<0.02	0.6	72
9273		12.9	0.004	0.35	0.50	28.7	2	2.1	51.0	0.49	<0.05	4.48	1.265	0.03	2.3	314
9274		1.0	<0.002	0.05	0.45	0.2	<1	<0.2	3.7	<0.05	<0.05	0.01	<0.005	<0.02	<0.1	2
9275		1.8	<0.002	<0.01	0.12	0.2	1	<0.2	71.5	<0.05	<0.05	0.12	0.008	0.03	0.2	2
9276		6.0	<0.002	0.17	0.40	4.3	1	0.9	5.9	0.10	<0.05	1.03	0.298	0.04	0.8	83
9277		20.5	0.003	0.42	0.71	18.9	1	1.5	29.3	0.30	<0.05	3.55	0.964	0.13	2.1	317
9278		45.4	0.005	0.33	0.38	29.4	1	1.8	75.6	0.43	<0.05	4.83	1.240	0.21	2.7	413
9279		31.2	0.002	0.20	0.46	28.6	1	1.4	130.0	0.43	<0.05	4.56	1.230	0.19	1.7	427
9280		35.0	0.003	0.20	0.44	29.6	1	1.5	121.0	0.43	<0.05	4.43	1.250	0.14	1.7	437
9281		24.5	<0.002	2.14	81.7	3.7	30	5.7	467	0.54	38.3	7.35	0.215	1.76	2.6	34
9282		35.1	0.010	0.26	0.42	31.4	1	1.4	116.5	0.39	<0.05	3.85	1.285	0.16	1.4	490
9283		47.6	0.008	0.28	0.33	29.6	2	1.5	75.8	0.41	<0.05	3.73	1.195	0.20	1.5	419
9284		27.3	0.007	0.27	0.35	35.0	1	1.7	106.0	0.46	<0.05	4.14	1.680	0.13	1.4	554
9285		33.8	0.006	0.87	0.29	23.9	2	1.7	53.5	0.37	<0.05	3.71	1.125	0.14	2.8	370
9286		41.7	0.009	0.26	0.30	34.0	2	1.7	94.1	0.44	<0.05	3.86	1.300	0.16	1.5	496
9287		31.5	0.004	0.22	0.48	35.1	2	1.5	184.0	0.45	<0.05	4.40	1.420	0.13	1.6	578
9288		9.7	0.005	0.60	0.43	7.2	1	1.1	12.5	0.13	0.07	1.27	0.392	0.12	6.7	139
9289		2.5	0.002	0.20	0.33	2.6	1	0.3	7.7	<0.05	<0.05	0.45	0.133	0.02	0.5	44
9290		51.3	<0.002	0.18	0.28	32.7	2	1.3	111.5	0.43	<0.05	3.95	1.265	0.27	1.8	452
9291		46.7	0.006	0.19	0.25	32.2	2	1.4	124.5	0.41	<0.05	4.11	1.260	0.23	1.6	453

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9252		1.0	25.8	80	148.0		81.4	89.6
9253		0.8	33.9	57	168.5			92.9
9254		0.7	39.4	62	176.5			
9255		0.9	41.6	62	170.5			
9256		0.9	39.3	54	172.0			
9257		0.8	38.1	64	172.5			
9258		0.7	33.7	202	139.0			
9259		0.7	38.2	101	167.0		78.6	
9260		0.7	42.9	119	178.5			
9261		0.8	42.1	98	185.0			
9262		0.8	39.7	127	177.0			
9263		0.7	41.8	102	171.5			
9264		0.8	41.7	108	182.5			
9265		1.0	32.9	79	168.5			
9266		1.1	17.1	102	127.0			
9267		0.2	1.2	167	7.5			
9268		0.2	1.6	6	5.5			
9269		0.6	5.9	12	53.4			
9270		0.4	8.1	21	80.0			
9271		0.1	1.3	5	11.3			
9272		0.5	3.5	8	31.8			
9273		1.3	22.3	38	133.5			
9274		<0.1	<0.1	3	<0.5			
9275		<0.1	2.2	4	2.4			
9276		0.6	1.6	10	29.4			
9277		1.6	6.8	31	100.5			
9278		0.9	19.5	66	130.0			
9279		0.7	26.4	86	119.5			
9280		0.7	27.0	84	121.5			
9281		12.6	5.9	4170	79.8	120		
9282		0.7	24.5	129	107.5			
9283		0.7	21.3	110	105.5			
9284		0.9	26.4	122	116.5			
9285		0.7	20.0	126	103.5			
9286		0.7	27.8	91	118.5			
9287		0.7	27.6	115	124.5			
9288		0.9	5.8	165	35.0			
9289		0.1	2.3	82	11.8			
9290		0.8	29.4	96	116.0			
9291		0.7	28.5	88	119.5		74.0	86.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
9292		1.33	0.03	6.11	1.2	220	1.00	0.23	4.78	0.05	37.3	55.4	3	0.75	80.9	10.50
9293		2.25	0.05	5.98	8.5	210	1.02	0.17	5.90	0.07	48.3	66.8	1	0.62	104.5	11.95
9294		2.06	0.08	6.09	1.5	250	1.16	0.28	4.85	0.18	36.5	53.3	1	1.18	88.9	12.55
9295		2.30	0.04	5.84	1.6	200	1.07	0.29	6.04	0.19	37.8	51.5	2	0.63	94.9	11.70
9296		1.83	0.05	5.82	0.7	360	1.15	0.14	4.08	0.05	35.5	42.8	1	2.80	76.9	12.20
9297		2.58	0.10	6.27	3.3	220	1.06	0.36	5.30	0.16	35.5	52.4	2	1.40	230	12.65
9298		2.19	0.07	6.30	5.5	210	1.17	0.50	4.64	0.25	38.1	58.2	2	0.79	104.0	13.75
9299		2.26	0.07	6.11	2.2	240	0.99	0.30	5.11	0.08	34.9	46.7	1	1.67	132.5	12.80
9300		2.24	0.05	5.70	2.2	250	1.29	0.35	5.61	0.07	34.3	48.4	2	1.52	100.5	11.20
9301		2.36	0.34	6.27	4.7	290	1.42	0.39	4.22	0.25	36.7	62.7	1	1.70	1110	13.40
9302		2.30	0.03	6.21	1.3	190	1.23	0.21	4.98	0.05	42.2	42.9	2	0.77	63.6	11.45
9303		2.45	0.06	6.28	6.0	220	0.94	0.26	4.73	0.16	35.9	58.5	2	0.75	109.0	13.60
9304		2.17	0.10	5.34	2.0	210	1.47	0.18	4.77	0.10	32.7	66.9	1	0.87	149.0	16.20
9305		2.44	0.07	6.10	5.4	240	0.99	0.24	4.73	0.10	35.6	58.6	2	0.77	108.5	14.05
9306		2.12	0.10	7.05	1.6	570	0.94	1.08	3.96	0.09	55.5	57.2	1	5.21	207	13.40
9307		2.48	0.03	6.22	13.5	290	0.89	0.18	4.50	0.05	38.8	58.5	3	1.93	65.5	14.25
9308		2.30	0.03	6.08	2.7	230	1.25	0.13	4.34	0.06	36.7	43.8	4	1.40	68.4	12.90
9309		2.44	0.03	5.94	10.1	300	1.00	0.14	4.05	0.06	39.1	50.7	2	2.46	39.7	14.55
9310		2.33	0.03	5.65	4.7	370	1.08	0.18	3.85	0.08	36.5	56.4	1	3.38	75.2	15.85
9311		2.54	0.02	5.68	12.2	250	1.06	0.16	4.05	0.11	36.0	60.6	2	2.75	67.9	15.80
9312		1.34	0.07	7.27	3.9	520	1.29	0.10	4.26	0.09	54.2	51.4	42	2.88	75.1	12.45
9313		2.21	0.03	6.05	6.2	140	1.27	0.17	4.22	0.10	39.2	51.0	2	1.24	59.2	14.50
9314		1.89	0.03	7.94	1.1	620	1.39	0.06	4.66	0.14	62.6	47.5	64	2.78	77.5	10.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9292		23.0	0.09	3.3	0.082	1.01	17.4	11.2	1.58	1260	1.62	2.41	6.3	20.7	660	5.0
9293		22.3	0.12	3.4	0.126	0.87	22.8	10.2	1.75	1590	1.81	2.20	6.1	12.3	640	5.1
9294		20.2	0.10	3.7	0.121	1.03	16.0	10.1	1.72	1590	1.20	2.20	5.9	9.7	620	32.3
9295		19.75	0.11	3.2	0.094	0.84	16.5	8.9	1.56	1640	1.73	2.05	5.8	8.4	640	43.6
9296		18.95	0.10	3.7	0.143	1.72	16.5	12.5	1.68	1410	0.93	2.16	5.8	7.0	620	9.8
9297		20.9	0.11	3.4	0.187	1.01	16.0	9.9	1.93	1540	0.81	2.26	6.2	8.1	680	31.8
9298		20.8	0.12	3.4	0.150	0.82	16.7	9.0	1.79	1600	0.79	2.11	6.2	7.8	680	54.9
9299		21.5	0.10	3.4	0.174	1.10	15.6	11.0	1.96	1520	0.72	1.90	6.2	8.9	670	5.2
9300		20.3	0.11	3.6	0.132	1.13	15.8	9.0	1.77	1400	2.79	2.19	5.9	10.3	620	16.2
9301		22.4	0.12	3.6	0.211	1.26	16.2	10.7	1.81	1480	0.82	2.53	6.5	13.7	640	40.3
9302		21.0	0.10	3.7	0.133	0.80	18.3	7.2	1.68	1430	1.23	2.84	6.1	10.5	650	5.5
9303		20.9	0.13	3.6	0.119	0.87	15.9	8.5	1.75	1840	0.77	2.24	6.0	9.2	630	9.4
9304		24.4	0.10	3.4	0.172	0.97	14.8	8.2	2.11	2020	0.95	1.99	6.6	17.8	600	5.6
9305		21.6	0.12	3.6	0.131	0.92	16.0	8.6	1.78	1810	1.20	2.19	6.6	13.8	650	6.3
9306		33.2	0.14	5.0	0.095	2.23	22.5	14.8	1.92	1700	1.73	2.71	7.0	36.3	640	6.8
9307		22.0	0.12	3.5	0.126	1.10	17.0	7.2	1.55	1860	1.32	2.13	6.4	3.7	670	3.2
9308		20.9	0.14	3.6	0.118	0.88	16.2	7.0	1.33	1740	1.21	2.27	6.9	1.5	730	18.1
9309		20.3	0.15	3.8	0.111	1.06	17.9	9.3	1.35	1880	1.40	1.89	7.0	1.8	750	5.3
9310		19.45	0.14	3.4	0.101	1.29	16.3	8.2	1.34	1880	1.09	1.49	6.6	1.0	760	6.6
9311		19.85	0.15	3.4	0.112	0.96	16.8	8.3	1.31	2130	1.15	1.44	7.3	1.1	730	7.9
9312		21.3	0.19	4.8	0.098	1.35	24.2	23.9	2.48	1470	1.13	1.69	12.5	48.6	2070	4.6
9313		20.8	0.15	3.7	0.121	0.58	17.7	9.6	1.34	2070	1.27	2.07	7.4	1.0	780	5.3
9314		22.1	0.17	5.6	0.088	1.10	27.2	17.4	2.96	1690	1.06	2.07	15.2	76.5	2930	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9292		40.4	0.004	0.29	0.29	31.5	2	1.6	120.5	0.44	<0.05	4.07	1.340	0.18	1.9	475
9293		32.3	0.003	0.30	0.29	33.9	2	1.5	138.0	0.44	<0.05	4.02	1.310	0.14	1.5	502
9294		45.4	0.006	0.26	0.36	33.3	2	1.6	168.0	0.44	<0.05	4.50	1.320	0.24	1.4	465
9295		30.0	0.005	0.24	0.29	32.3	2	1.4	151.0	0.42	<0.05	4.17	1.215	0.17	1.3	355
9296		82.5	0.004	0.21	0.20	32.5	1	1.2	44.7	0.41	<0.05	4.27	1.235	0.40	1.3	386
9297		50.8	0.006	0.23	0.21	34.6	2	1.5	104.0	0.44	<0.05	4.20	1.330	0.27	1.4	414
9298		33.4	0.008	0.23	0.29	35.8	2	1.5	176.5	0.44	<0.05	4.24	1.345	0.17	1.3	428
9299		56.6	0.006	0.18	0.21	34.8	1	1.3	91.5	0.46	<0.05	4.10	1.340	0.24	1.3	428
9300		56.6	0.002	0.27	0.21	31.9	2	1.5	115.0	0.43	<0.05	3.72	1.295	0.27	1.4	417
9301		62.4	0.010	0.45	0.25	34.7	2	1.7	104.0	0.46	0.12	4.10	1.360	0.32	1.9	415
9302		34.4	0.003	0.19	0.24	33.2	1	1.8	117.5	0.43	<0.05	4.66	1.310	0.16	2.2	404
9303		34.5	0.003	0.22	0.40	35.8	1	1.6	178.0	0.44	<0.05	4.11	1.355	0.14	1.4	449
9304		41.1	0.014	0.26	0.32	39.8	2	2.4	69.0	0.47	<0.05	3.91	1.965	0.19	1.5	835
9305		34.1	0.009	0.20	0.35	35.6	2	1.8	163.0	0.49	<0.05	4.04	1.545	0.18	1.4	625
9306		126.5	0.002	0.15	0.21	36.3	2	1.6	83.2	0.53	0.34	5.48	1.370	0.78	4.3	521
9307		51.6	0.003	0.18	0.36	35.6	2	1.7	117.0	0.46	<0.05	4.47	1.420	0.33	1.5	237
9308		39.4	<0.002	0.13	0.38	33.5	1	1.5	145.5	0.49	<0.05	4.46	1.205	0.27	1.3	93
9309		55.0	0.004	0.15	0.42	28.9	1	1.6	114.5	0.50	<0.05	4.51	1.195	0.38	1.4	46
9310		71.3	<0.002	0.31	0.34	25.1	1	1.5	74.8	0.43	<0.05	4.17	1.140	0.52	1.3	40
9311		52.8	0.002	0.24	0.34	26.5	1	1.6	91.6	0.50	<0.05	4.05	1.245	0.48	1.3	47
9312		56.0	0.003	0.27	0.79	24.0	2	1.6	298	0.73	<0.05	3.08	1.605	0.58	0.9	159
9313		22.6	<0.002	0.21	0.45	29.9	1	1.7	152.5	0.48	<0.05	4.70	1.215	0.24	1.5	48
9314		35.8	0.002	0.12	0.52	22.3	1	1.6	413	0.82	<0.05	2.40	1.780	0.30	0.7	229

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9292		0.6	28.9	98	136.5			
9293		0.6	29.5	128	118.0			
9294		0.7	27.7	144	124.0			
9295		0.5	28.0	163	117.5			
9296		0.7	24.1	110	119.0			
9297		0.6	28.5	142	126.0			
9298		0.6	30.0	161	123.5			
9299		0.7	27.2	139	124.5			
9300		0.6	26.2	116	115.5			
9301		0.9	30.3	154	127.5			
9302		0.6	28.2	108	130.5			91.8
9303		0.7	28.5	181	122.0			
9304		0.8	28.7	152	121.0			95.9
9305		0.8	28.2	163	123.5			
9306		1.9	35.2	200	176.0			
9307		0.7	30.1	153	121.0			
9308		0.6	30.1	141	126.0			
9309		0.9	28.3	153	131.5			
9310		0.7	26.0	172	125.5			
9311		0.7	27.4	211	124.5			
9312		0.6	33.1	146	194.0			
9313		0.7	30.5	181	149.0			
9314		0.2	33.1	171	234			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 19-JUN-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18133989

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62