ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

CERTIFICATE SD18150145

Project: IRON MASK

This report is for 41 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14166		1.84	0.07	7.13	39.7	190	2.52	0.24	1.75	1.11	55.9	53.4	94	1.49	24.9	4.66
14167		2.04	0.20	7.77	3.5	360	2.88	0.50	1.36	4.40	61.3	27.0	102	3.99	57.7	5.29
14168		2.09	0.04	6.27	3.3	180	1.99	0.37	2.69	0.19	55.1	9.8	71	2.77	9.2	3.36
14169		2.00	0.08	6.62	4.1	420	3.29	1.60	4.77	1.12	78.3	16.5	74	8.48	16.2	4.56
14170		1.08	0.06	5.90	2.1	150	2.23	1.55	4.65	0.20	113.0	17.5	75	2.88	93.8	4.25
14171		1.91	0.04	7.21	4.6	70	2.71	1.39	0.37	0.17	66.5	23.7	84	0.92	10.9	5.62
14172		1.80	0.01	6.32	3.8	20	4.11	0.15	0.35	<0.02	86.5	17.7	82	0.23	18.6	4.37
14173		1.87	0.08	6.77	22.7	40	1.14	0.40	0.19	0.45	32.5	59.2	69	0.59	222	9.25
14174		1.38	0.01	5.46	1.5	10	0.57	0.05	0.11	0.05	33.5	28.7	26	0.18	23.5	10.65
14175		1.02	<0.01	0.09	0.3	20	0.05	0.02	33.4	0.02	1.17	0.8	4	<0.05	1.5	0.17
14176		2.03	0.76	0.53	12.2	10	0.62	0.27	20.4	0.29	52.6	18.9	10	0.20	2270	1.85
14177		1.22	1.38	0.44	32.9	10	0.68	0.65	18.25	0.17	21.6	39.0	10	0.49	3500	2.51
14178		2.22	1.38	0.54	3.3	30	4.43	1.64	16.35	0.04	20.3	22.0	12	1.60	2640	7.39
14179		1.74	0.07	0.43	2.4	20	2.30	1.49	13.45	<0.02	7.81	29.4	4	0.94	160.0	23.1
14180		2.32	0.03	0.83	3.5	70	2.05	0.37	7.47	<0.02	9.71	17.6	9	2.97	36.8	33.5
14181		2.30	0.02	1.43	6.1	60	3.08	0.26	10.15	<0.02	87.5	14.3	9	3.55	34.9	17.85
14182		2.16	0.03	1.83	6.2	100	5.52	0.27	8.63	<0.02	28.3	11.1	13	4.83	51.4	22.3
14183		2.70	<0.01	0.54	5.6	70	4.11	0.08	6.54	<0.02	8.88	9.9	8	1.87	7.5	41.1
14184		0.92	0.04	0.60	2.3	30	0.48	0.57	24.9	0.06	17.05	7.6	5	0.77	105.0	4.92
14185		1.03	0.04	0.81	2.8	<10	0.42	0.71	25.3	0.08	20.5	5.1	6	0.05	10.8	2.23
14186		1.80	0.01	2.15	8.9	150	1.75	1.05	10.20	0.08	7.49	17.1	17	3.47	24.0	21.8
14187		0.98	0.01	1.41	6.0	200	1.91	0.11	11.10	<0.02	5.02	12.4	9	4.31	63.8	21.3
14188		1.80	0.01	0.86	7.4	140	5.82	0.34	6.60	<0.02	2.79	11.2	14	3.93	19.0	40.8
14189		2.11	0.12	0.42	13.9	70	1.17	3.93	9.00	0.02	4.42	17.7	9	2.36	338	38.2
14190		2.57	<0.01	0.36	5.5	60	1.04	1.05	7.49	<0.02	5.83	9.9	8	2.01	4.2	39.8
14191		2.52	0.04	0.41	7.8	70	0.88	2.14	7.19	<0.02	5.99	9.4	8	2.34	54.9	40.5
14192		2.69	0.05	1.06	2.0	70	0.81	1.30	1.34	<0.02	0.77	12.2	12	2.33	106.0	48.4
14193		2.52	0.02	1.84	2.5	10	0.63	2.15	6.87	<0.02	1.79	13.1	21	0.35	24.4	33.1
14194		2.47	0.02	1.24	1.6	<10	0.32	0.92	10.80	<0.02	1.79	7.8	12	0.06	35.1	29.0
14195		2.02	0.04	1.19	1.0	10	0.44	0.21	7.22	<0.02	1.43	8.2	14	0.10	70.4	32.7
14196		1.46	0.01	2.42	1.9	<10	0.73	0.05	4.27	<0.02	2.16	13.2	19	0.29	0.3	26.1
14197		1.85	0.24	3.31	7.0	20	1.66	0.19	7.04	0.11	9.39	30.5	39	0.96	103.0	15.45
14198		1.83	0.02	7.19	24.6	90	1.13	0.73	4.52	<0.02	14.25	42.4	50	2.80	81.6	9.86
14199		0.90	0.08	7.25	14.6	110	0.70	0.22	6.69	0.03	17.25	46.4	46	1.20	140.5	8.12
14200		1.06	0.09	7.35	16.5	110	0.74	0.24	6.65	0.02	17.30	47.4	48	1.26	140.5	8.13
14201		0.08	4.13	5.43	11.5	110	0.52	0.83	3.42	2.03	16.45	957	255	0.77	>10000	17.75
14202		2.13	0.09	7.34	3.6	170	0.80	0.17	7.10	0.08	17.65	48.0	49	2.32	154.0	8.44
14203		2.07	0.09	7.31	4.7	150	0.66	0.17	6.24	0.07	18.55	45.7	35	1.02	173.5	8.06
14204		1.98	0.02	6.79	1.9	130	0.74	0.09	5.92	0.04	27.7	42.4	29	0.62	23.8	9.97
14205		2.01	0.03	6.03	10.4	90	0.59	0.10	10.05	0.04	22.7	53.2	17	0.48	24.9	9.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14166		19.15	0.09	4.6	0.040	0.54	28.0	21.7	2.20	384	2.98	3.83	10.5	43.6	500	89.5
14167		21.9	0.11	4.1	0.088	0.99	30.2	24.8	2.39	426	2.84	4.13	10.9	64.1	510	432
14168		15.60	0.09	3.9	0.043	0.55	27.7	13.0	1.20	597	2.39	3.93	8.2	27.4	420	13.4
14169		18.35	0.12	3.9	0.087	1.64	39.3	20.9	1.89	1680	1.41	3.69	9.3	45.7	500	20.6
14170		16.50	0.14	5.2	0.146	0.56	56.1	11.0	1.54	808	1.64	3.28	9.1	30.5	510	24.4
14171		20.0	0.07	5.4	0.042	0.24	33.8	14.3	2.39	310	2.81	3.75	11.5	46.8	520	24.0
14172		15.25	0.11	5.1	0.027	0.07	40.7	10.4	1.84	208	2.37	3.54	9.6	28.8	490	9.5
14173		22.9	0.06	4.7	0.088	0.11	15.6	15.4	4.05	438	2.93	2.15	11.0	63.9	450	32.2
14174		21.4	0.05	2.7	0.052	0.01	17.2	15.2	5.12	542	1.85	0.06	8.6	32.3	240	3.7
14175		0.31	<0.05	<0.1	<0.005	<0.01	1.2	1.2	1.79	115	0.18	0.03	0.1	<0.2	70	0.8
14176		4.27	<0.05	0.5	0.861	0.03	31.8	1.4	1.12	2480	0.56	0.02	0.9	18.0	110	31.0
14177		4.84	<0.05	0.4	0.948	0.08	12.0	1.5	3.52	4270	0.50	0.02	0.5	29.6	90	34.7
14178		7.92	<0.05	0.4	1.150	0.23	12.8	2.5	4.23	3480	0.66	0.02	0.5	59.4	90	7.5
14179		11.20	0.06	0.4	0.464	0.10	6.8	1.5	4.23	3210	<0.05	0.02	0.5	137.0	40	3.3
14180		14.55	0.09	0.7	0.535	0.36	5.7	2.7	3.09	1420	0.69	0.05	1.3	62.1	60	2.6
14181		14.40	0.10	0.8	0.748	0.45	49.9	4.5	3.74	1920	5.51	0.06	1.4	20.0	120	3.1
14182		17.30	0.06	1.1	1.105	0.62	15.7	5.5	3.69	1800	1.45	0.08	2.3	15.4	120	2.6
14183		16.15	1.38	0.6	0.390	0.23	5.0	3.2	2.54	1060	0.06	0.03	0.9	8.4	50	1.0
14184		2.99	<0.05	0.5	0.177	0.09	9.6	3.1	5.47	5020	<0.05	0.02	0.6	3.6	40	9.8
14185		2.26	<0.05	0.6	0.030	<0.01	12.4	3.9	6.74	5720	<0.05	0.01	0.6	3.3	50	12.0
14186		11.40	0.05	1.0	0.300	0.35	4.2	8.7	4.61	1760	0.23	0.17	2.1	20.2	110	3.7
14187		8.64	0.05	0.7	0.377	0.43	2.9	5.7	5.65	2310	<0.05	0.11	1.5	12.9	70	1.9
14188		18.00	0.70	1.0	0.358	0.40	1.5	4.0	2.73	987	0.09	0.11	2.1	9.5	70	1.1
14189		12.70	0.20	0.6	0.336	0.24	2.6	3.3	2.58	1110	0.10	0.06	1.3	7.5	10	1.5
14190		12.50	0.82	0.5	0.243	0.21	3.0	3.6	2.69	871	0.19	0.05	1.3	5.3	10	0.8
14191		11.95	1.00	0.5	0.275	0.25	3.1	3.9	2.83	816	0.12	0.07	1.0	6.0	30	2.7
14192		16.40	1.23	0.7	0.201	0.32	<0.5	6.6	4.25	357	0.18	0.05	1.2	20.6	60	0.9
14193		14.60	0.45	1.4	0.124	0.04	1.1	6.5	5.70	833	0.24	0.01	3.0	12.8	120	0.7
14194		6.33	0.10	0.9	0.147	0.01	1.1	4.8	5.56	1270	<0.05	0.01	2.0	8.2	50	0.9
14195		10.50	0.08	1.0	0.125	0.01	0.9	4.6	6.12	749	0.05	0.01	1.4	14.0	80	1.1
14196		13.95	0.32	1.2	0.096	0.01	1.2	7.1	9.18	619	0.06	0.02	3.0	19.7	90	0.7
14197		11.20	0.06	2.7	0.151	0.16	4.8	8.8	10.10	945	0.07	0.03	4.1	19.7	230	23.9
14198		15.85	0.06	1.8	0.090	0.46	6.5	26.4	4.65	944	0.35	1.69	3.0	82.6	300	0.8
14199		16.35	0.05	1.6	0.064	0.39	7.4	15.7	3.90	1230	0.44	1.98	3.2	85.2	320	2.9
14200		16.35	0.05	1.6	0.062	0.42	7.4	15.4	3.92	1240	0.46	1.99	3.2	88.0	320	2.9
14201		11.25	0.20	1.2	0.115	0.31	7.0	10.2	3.90	962	4.18	1.18	4.8	>10000	460	12.5
14202		16.45	0.06	1.8	0.059	0.72	7.5	14.5	3.91	1320	0.48	1.50	3.3	105.5	330	4.3
14203		16.40	0.05	1.7	0.076	0.99	8.1	15.9	3.89	1350	0.40	1.89	3.2	85.9	350	4.2
14204		15.65	0.07	2.1	0.175	0.53	13.2	14.2	4.17	1540	0.89	2.63	3.7	62.7	410	3.4
14205		19.70	0.06	2.1	0.105	0.39	10.1	20.8	3.88	1620	0.44	1.57	3.8	52.3	360	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14166		29.9	0.002	0.06	0.19	12.1	1	1.2	40.9	0.84	<0.05	14.20	0.281	0.22	4.2	81
14167		60.4	0.003	0.19	0.26	15.9	1	1.3	69.0	0.89	<0.05	13.85	0.332	0.43	4.5	107
14168		38.1	0.002	0.05	0.17	8.3	1	1.5	60.6	0.67	<0.05	12.85	0.218	0.28	3.9	56
14169		130.0	<0.002	0.13	0.11	12.5	1	2.5	94.9	0.75	<0.05	14.60	0.270	0.90	4.1	86
14170		45.0	<0.002	0.16	0.15	8.9	1	2.5	81.1	0.74	<0.05	20.8	0.232	0.28	5.0	55
14171		16.0	0.002	0.19	0.18	10.0	1	1.6	28.5	0.91	<0.05	18.85	0.267	0.14	5.7	66
14172		3.3	0.002	0.08	0.15	7.4	1	1.5	12.4	0.76	<0.05	21.9	0.235	0.03	5.8	52
14173		2.4	0.009	0.31	0.19	7.3	1	1.9	11.3	0.94	<0.05	18.95	0.243	0.08	7.2	58
14174		0.8	0.004	0.04	0.12	3.1	<1	1.2	2.0	0.64	<0.05	26.7	0.159	0.02	4.2	24
14175		0.1	<0.002	<0.01	0.07	0.2	1	<0.2	80.0	<0.05	<0.05	0.21	0.005	<0.02	0.1	1
14176		2.5	<0.002	0.43	0.43	1.0	2	0.8	58.3	0.10	<0.05	2.23	0.025	0.06	1.5	34
14177		6.5	<0.002	0.52	0.22	0.6	2	0.9	22.7	0.05	0.05	1.53	0.017	0.07	0.5	52
14178		23.2	<0.002	0.72	0.36	0.6	3	0.9	109.0	0.06	<0.05	0.95	0.017	0.21	0.6	38
14179		9.1	<0.002	1.29	0.50	0.5	6	0.8	95.2	0.05	<0.05	1.11	0.016	0.06	0.6	26
14180		34.8	0.005	0.58	0.65	1.6	3	1.8	65.9	0.12	<0.05	1.79	0.035	0.21	1.5	29
14181		42.0	0.037	0.22	0.66	1.3	1	2.5	84.8	0.16	<0.05	3.49	0.044	0.26	6.3	34
14182		52.4	0.011	0.20	0.86	1.8	1	1.8	74.1	0.18	<0.05	3.75	0.063	0.31	5.4	13
14183		22.1	<0.002	0.02	1.18	1.1	<1	1.8	53.2	0.08	<0.05	1.21	0.030	0.11	1.3	11
14184		7.9	<0.002	0.41	0.26	1.1	1	0.3	128.5	0.06	<0.05	1.18	0.020	0.06	1.1	7
14185		0.3	<0.002	0.34	0.10	1.3	1	0.2	118.0	0.05	<0.05	1.57	0.015	<0.02	1.6	9
14186		31.0	<0.002	0.13	0.48	6.3	1	1.1	63.3	0.16	<0.05	2.07	0.110	0.16	1.0	47
14187		36.3	<0.002	0.06	0.45	3.3	1	1.0	69.3	0.12	<0.05	0.92	0.065	0.13	0.8	26
14188		34.9	<0.002	0.04	0.48	2.1	<1	1.5	54.7	0.19	<0.05	2.90	0.056	0.13	1.8	15
14189		21.7	<0.002	0.05	0.55	1.3	1	1.4	68.2	0.09	<0.05	1.47	0.029	0.09	1.1	11
14190		18.7	<0.002	<0.01	0.44	1.2	<1	1.3	56.0	0.10	<0.05	1.06	0.030	0.08	0.7	12
14191		22.1	<0.002	0.01	0.51	1.1	<1	1.1	55.7	0.10	<0.05	1.06	0.030	0.10	0.6	12
14192		27.9	<0.002	0.03	0.42	1.9	1	1.3	11.4	0.12	<0.05	2.24	0.044	0.15	1.2	16
14193		3.0	<0.002	0.03	0.40	3.2	1	0.7	47.5	0.25	<0.05	4.86	0.081	0.02	3.1	22
14194		0.4	<0.002	<0.01	0.24	2.2	1	0.6	76.4	0.16	<0.05	2.35	0.052	<0.02	2.0	14
14195		0.8	<0.002	0.01	0.25	2.3	<1	0.6	50.4	0.15	<0.05	2.89	0.053	<0.02	4.3	16
14196		1.3	<0.002	0.01	0.52	2.9	1	0.4	24.8	0.27	<0.05	3.59	0.076	0.02	3.7	24
14197		16.2	0.004	0.15	0.86	6.4	1	1.0	34.3	0.46	<0.05	8.14	0.155	0.19	4.7	50
14198		48.3	0.002	0.03	0.13	34.3	1	1.0	75.1	0.22	<0.05	1.72	0.495	0.32	0.8	240
14199		27.4	<0.002	0.08	0.51	35.4	1	0.8	168.5	0.21	<0.05	1.75	0.510	0.21	0.6	246
14200		29.3	<0.002	0.09	0.53	35.1	1	0.8	173.5	0.22	<0.05	1.80	0.510	0.21	0.6	247
14201		10.2	0.042	8.54	2.76	8.0	21	2.3	184.5	0.30	4.25	0.96	0.525	0.19	0.3	79
14202		52.5	<0.002	0.11	0.51	36.1	1	0.7	172.0	0.23	<0.05	1.81	0.519	0.36	0.6	251
14203		41.1	0.002	0.09	0.40	35.8	1	0.8	193.5	0.23	<0.05	1.85	0.537	0.19	0.5	256
14204		24.7	0.004	0.03	0.54	33.9	<1	1.2	139.0	0.29	<0.05	2.47	0.590	0.15	1.2	267
14205		18.6	0.002	0.02	0.11	29.8	<1	0.7	68.4	0.30	<0.05	2.16	0.567	0.11	1.3	243

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14166		0.6	21.7	250	170.0			64.4	94.4
14167		0.4	18.7	826	152.0				91.6
14168		0.5	13.6	103	146.5				
14169		0.4	21.6	450	144.5				
14170		0.5	19.5	93	194.5				
14171		0.4	16.9	72	202				
14172		0.7	30.4	16	191.0				
14173		0.7	8.9	123	180.5				
14174		1.4	5.3	34	108.0			74.4	
14175		<0.1	1.9	6	1.9				
14176		0.2	17.5	41	21.4				
14177		0.1	9.9	26	17.8				
14178		0.2	7.5	15	15.9				
14179		0.3	4.7	13	13.6				
14180		0.4	7.8	15	27.2				
14181		0.3	20.6	20	32.9				
14182		0.4	16.4	22	43.4				
14183		0.5	7.9	15	22.3				
14184		0.2	7.4	28	19.5				
14185		0.2	7.0	40	25.0				
14186		0.4	6.6	28	41.2				
14187		0.1	4.1	25	25.5				
14188		0.2	4.3	16	42.9				
14189		0.2	4.2	23	23.9				
14190		0.2	4.1	19	21.2				
14191		0.2	4.2	23	20.5				97.9
14192		0.2	1.0	30	32.3				98.0
14193		0.1	2.4	33	58.2				
14194		0.1	1.5	29	36.8				
14195		0.1	1.5	35	41.1				
14196		0.1	1.9	49	54.3				
14197		0.1	10.2	87	107.0				
14198		0.2	14.0	69	74.9				
14199		0.4	17.4	81	68.7				
14200		0.3	17.3	81	67.4				
14201		2.4	9.2	135	53.7	1.535	4.44		
14202		0.3	17.4	95	72.3				
14203		0.3	18.0	89	68.0				
14204		0.6	20.4	115	85.8				
14205		1.0	21.6	123	84.3			75.7	91.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14206		2.34	0.04	7.31	5.2	130	0.83	0.24	6.53	0.10	30.6	39.8	8	0.27	44.6	9.32

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14206		18.75	0.07	2.9	0.143	0.41	14.2	9.0	2.98	1480	0.89	2.93	5.1	44.0	540	11.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14206		16.7	0.002	0.07	0.96	37.7	1	1.3	251	0.38	<0.05	3.31	0.766	0.08	1.1	308

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14206		0.5	25.9	105	118.0				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
207 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 11-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150145

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-MS61	ME-OG62	Ni-OG62