ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

CERTIFICATE SD18150153

Project: IRON MASK

This report is for 76 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 25-JUN-2018.

The following have access to data associated with this certificate:

SANDY DE LA MARE	PETER DOYLE	JON EDWARDS
MIKE HENDRICKSON	FRANK PLOEGER	IAN PRINGLE
MERCEDES RICH	CLYDE SMITH	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Ni-OG62	Ore Grade Ni - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14253		2.16	0.03	7.66	2.7	580	1.90	0.43	0.61	0.05	63.3	20.1	126	2.39	26.3	3.65
14254		2.34	0.03	7.95	4.7	450	2.12	0.28	0.36	0.05	40.6	34.6	110	1.92	7.9	4.30
14255		2.07	0.01	6.29	4.3	20	2.49	0.17	0.22	<0.02	27.0	54.2	64	0.09	1.8	3.20
14256		2.33	0.01	5.42	7.7	10	0.86	0.22	0.27	<0.02	17.20	104.0	34	0.07	3.1	3.26
14257		2.12	0.02	7.50	0.8	30	2.77	0.12	0.21	0.03	24.0	21.4	116	0.11	8.2	3.54
14258		2.12	0.01	7.32	1.1	30	1.49	0.22	0.21	<0.02	21.9	30.5	118	0.12	1.9	4.45
14259		1.98	<0.01	7.31	0.6	100	3.03	0.20	0.24	<0.02	28.2	23.9	110	0.35	2.1	4.03
14260		1.72	0.02	6.76	1.5	30	2.59	0.54	0.23	<0.02	46.7	46.7	106	0.30	3.0	3.42
14261		1.86	0.01	6.54	0.5	80	2.60	0.08	0.17	0.03	32.0	16.4	87	0.46	2.0	3.01
14262		1.90	0.01	5.99	1.3	40	1.65	0.09	0.18	<0.02	66.4	13.3	61	0.17	2.4	3.28
14263		1.76	0.01	6.10	2.0	50	1.52	0.14	0.50	<0.02	25.7	34.9	102	0.61	2.4	8.56
14264		1.94	0.01	4.74	39.1	20	0.70	0.57	0.41	<0.02	8.14	133.0	48	0.21	2.7	5.00
14265		1.90	0.01	5.86	13.5	40	0.84	0.36	0.49	<0.02	9.52	49.9	57	0.26	3.7	3.25
14266		2.00	0.01	5.16	26.0	20	0.48	0.57	1.25	<0.02	8.18	79.0	51	0.24	1.8	2.57
14267		2.08	0.01	5.28	14.3	40	2.58	0.33	0.54	<0.02	64.5	58.7	68	0.48	4.8	10.20
14268		1.93	0.02	6.17	43.6	80	1.88	0.65	2.17	<0.02	43.6	18.0	70	0.70	126.5	4.06
14269		2.09	0.04	6.60	22.2	110	2.12	0.72	2.87	<0.02	67.3	20.6	56	0.68	114.5	3.87
14270		1.24	0.11	6.76	15.8	20	1.12	0.82	2.12	<0.02	27.8	22.2	68	0.12	324	4.12
14271		1.62	0.03	6.05	11.3	40	1.68	0.18	1.86	<0.02	46.3	22.6	64	0.08	445	3.15
14272		2.08	0.01	5.61	3.7	100	2.46	0.35	4.96	<0.02	46.9	15.6	72	0.15	124.5	6.06
14273		1.37	0.02	5.84	31.1	70	3.56	0.63	6.95	<0.02	70.0	49.0	67	0.14	216	4.44
14274		1.69	0.03	6.31	19.4	110	3.05	0.82	4.16	<0.02	48.2	53.6	63	0.24	123.0	5.47
14275		0.95	<0.01	0.07	<0.2	20	0.08	0.01	32.9	<0.02	1.10	0.6	2	<0.05	3.4	0.12
14276		2.03	0.02	5.33	3.1	60	2.83	0.35	7.52	<0.02	52.6	14.0	51	0.23	142.5	4.80
14277		1.90	0.03	6.04	10.0	50	1.76	0.39	3.02	<0.02	50.8	24.8	57	0.27	330	4.59
14278		1.96	0.01	6.53	4.9	30	0.76	0.13	2.21	<0.02	53.1	13.3	64	0.15	251	3.49
14279		0.84	0.01	6.77	4.4	30	0.85	0.16	1.90	<0.02	30.6	17.3	68	0.08	109.0	2.83
14280		0.82	<0.01	6.58	4.8	30	0.76	0.20	1.82	<0.02	28.7	18.6	64	0.08	214	2.84
14281		0.07	>100	4.14	1955	60	0.74	155.5	0.34	58.7	26.8	15.0	33	1.78	>10000	2.86
14282		1.97	0.36	6.41	21.0	60	1.08	0.58	1.91	0.06	47.4	26.7	60	0.11	112.5	2.90
14283		1.92	0.06	6.50	16.7	190	2.32	0.68	0.99	0.04	42.4	50.2	77	0.79	36.0	4.14
14284		2.15	0.08	5.73	19.0	1160	3.04	0.91	5.01	0.04	98.1	37.6	70	3.18	83.3	6.84
14285		2.18	0.06	6.32	18.5	1370	2.90	0.46	2.55	0.03	90.1	17.4	70	1.81	133.0	2.94
14286		1.34	0.14	4.56	86.7	460	1.96	1.55	4.57	0.02	149.5	56.5	41	0.89	89.9	5.82
14287		1.52	0.05	1.00	30.0	30	0.47	0.38	1.47	<0.02	3.49	26.8	28	0.17	100.0	1.97
14288		2.05	0.11	2.54	1805	80	1.17	1.41	0.78	0.02	21.3	1560	23	1.69	125.5	37.0
14289		0.08	4.01	5.45	13.8	120	0.46	0.87	3.39	2.07	16.30	953	264	0.78	>10000	17.40
14290		1.00	0.01	0.09	3.4	20	0.06	0.02	32.2	<0.02	0.95	4.5	2	0.06	11.6	0.33
14291		1.59	0.07	5.35	19.6	40	0.59	0.76	6.17	<0.02	83.2	71.0	31	0.11	52.6	5.81
14292		1.99	0.04	3.20	21.2	190	1.54	0.53	8.09	<0.02	52.5	34.2	29	2.84	56.3	19.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
14253		20.7	0.13	3.9	0.048	1.86	32.3	17.8	2.05	306	1.43	2.72	7.9	57.9	510	13.1
14254		21.2	0.09	3.6	0.035	1.57	20.6	17.0	1.95	351	1.91	3.14	7.7	52.3	470	9.4
14255		13.95	0.05	2.9	0.009	0.11	12.0	6.9	0.79	123	1.50	4.30	4.0	21.1	350	3.5
14256		12.10	<0.05	1.4	0.007	0.09	7.9	6.0	0.64	108	1.41	3.70	1.7	18.4	180	4.1
14257		17.65	0.06	4.5	0.015	0.12	10.3	14.3	1.64	159	2.77	4.58	6.2	50.6	470	6.8
14258		18.25	0.05	4.8	0.015	0.12	9.8	14.2	1.66	168	2.38	4.39	5.2	46.4	450	2.1
14259		19.45	0.08	4.7	0.020	0.36	12.8	18.2	1.85	162	1.54	3.94	6.0	48.3	480	2.0
14260		15.65	0.10	4.2	0.012	0.21	21.8	11.4	1.15	113	1.82	4.44	3.2	34.6	380	2.9
14261		15.05	0.07	3.7	0.011	0.46	13.7	11.0	0.95	113	2.12	4.27	3.6	27.3	360	3.8
14262		14.15	0.10	2.6	0.012	0.20	31.1	9.8	0.89	118	2.44	3.87	3.2	20.1	260	2.6
14263		16.15	0.06	2.1	0.020	0.38	11.4	13.0	1.09	159	2.03	3.83	2.1	24.7	270	2.4
14264		10.25	<0.05	1.8	0.009	0.17	4.0	5.7	0.52	98	1.69	3.29	2.1	16.2	220	3.3
14265		12.45	<0.05	2.6	0.009	0.25	4.6	7.4	0.70	116	2.15	3.98	2.8	19.0	280	4.2
14266		10.00	<0.05	1.8	0.009	0.21	4.0	5.2	0.51	157	1.67	3.70	1.9	17.4	230	2.5
14267		13.75	0.10	2.1	0.018	0.28	29.7	7.6	0.74	151	2.20	3.50	2.6	20.3	260	2.0
14268		14.90	0.08	2.5	0.052	0.47	22.8	14.8	1.44	296	1.85	3.41	4.2	27.8	390	2.7
14269		16.80	0.11	2.6	0.068	0.59	35.1	14.3	1.32	363	1.88	3.65	5.0	29.2	420	3.7
14270		19.40	0.06	3.3	0.073	0.12	13.5	11.8	1.31	341	2.63	4.18	4.9	25.8	600	3.0
14271		14.40	0.09	3.1	0.236	0.19	24.6	9.1	0.93	284	2.11	3.72	4.9	13.4	410	4.4
14272		16.65	0.08	3.7	0.201	0.40	24.9	11.6	1.31	564	0.66	2.57	5.7	16.6	800	3.0
14273		15.35	0.10	3.0	0.139	0.32	36.8	7.8	0.90	649	2.32	3.30	5.3	21.2	900	4.4
14274		16.00	0.08	3.2	0.148	0.58	25.6	10.3	1.16	467	1.56	3.13	5.2	31.4	530	5.0
14275		0.22	<0.05	<0.1	<0.005	0.01	1.2	0.9	1.74	109	0.12	0.03	0.1	0.4	70	0.9
14276		15.55	0.08	2.4	0.159	0.39	28.3	11.2	1.39	722	1.00	2.36	4.3	12.1	690	4.5
14277		16.05	0.08	2.4	0.136	0.39	27.5	10.5	1.33	513	1.44	3.16	4.6	15.0	540	4.9
14278		16.90	0.07	2.6	0.056	0.20	27.9	7.9	1.22	367	2.58	4.02	4.3	15.6	490	2.9
14279		16.20	0.06	2.9	0.039	0.18	14.9	7.4	1.03	294	11.10	4.42	5.1	21.5	430	2.5
14280		16.35	0.07	2.8	0.041	0.16	14.0	7.3	1.03	293	9.08	4.28	4.8	13.6	400	2.6
14281		23.2	0.22	2.8	12.05	0.62	12.0	19.3	0.08	144	6.56	0.43	7.8	115.0	550	2060
14282		16.40	0.09	3.3	0.042	0.23	25.0	7.9	1.01	296	6.53	4.13	5.4	17.6	420	6.1
14283		16.80	0.09	4.1	0.047	0.72	22.9	11.9	1.23	271	9.90	3.93	6.5	29.8	460	3.4
14284		15.90	0.15	3.9	0.169	2.82	55.5	15.2	2.13	942	1.83	1.85	8.4	34.7	420	13.2
14285		16.35	0.17	5.6	0.072	2.90	47.7	10.9	1.10	406	1.82	2.50	10.0	28.1	480	8.4
14286		13.85	0.17	3.1	0.219	0.90	85.7	14.9	2.29	560	0.96	1.50	7.0	26.6	330	10.5
14287		3.30	<0.05	0.6	0.075	0.11	1.8	6.0	0.87	208	1.28	0.13	1.3	11.5	90	6.4
14288		16.25	0.49	1.6	0.281	0.71	10.9	12.6	2.70	343	1.88	0.54	4.0	23.0	140	7.3
14289		11.25	0.36	1.3	0.116	0.30	7.3	8.5	3.85	987	4.41	1.16	5.0	>10000	460	13.6
14290		0.36	<0.05	0.1	<0.005	0.02	1.1	1.1	2.18	115	0.15	0.02	0.1	18.7	80	0.7
14291		13.75	0.07	3.4	0.145	0.13	43.5	4.8	0.66	608	1.69	3.71	7.7	16.2	300	5.0
14292		17.25	0.11	2.4	0.426	1.27	30.5	23.0	4.36	1530	0.15	0.05	5.7	29.6	220	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14253		89.3	0.002	0.10	0.23	15.9	1	1.5	147.0	0.71	0.07	10.05	0.377	0.57	3.8	113
14254		78.2	<0.002	0.30	0.16	14.3	1	1.3	105.0	0.76	<0.05	11.35	0.334	0.48	4.6	96
14255		3.4	<0.002	0.31	0.09	7.0	<1	0.6	43.7	0.48	<0.05	5.27	0.171	0.02	4.6	46
14256		2.7	<0.002	0.66	0.08	4.5	<1	0.4	39.0	0.21	0.06	2.87	0.079	0.02	2.3	31
14257		4.3	0.002	0.14	0.14	12.0	1	1.1	64.6	0.65	<0.05	8.95	0.280	0.03	3.7	82
14258		4.6	<0.002	0.22	0.11	12.0	1	0.8	59.4	0.56	<0.05	8.62	0.270	0.02	3.7	87
14259		16.0	<0.002	0.18	0.09	12.6	1	1.1	80.6	0.61	<0.05	7.99	0.302	0.07	3.2	85
14260		8.8	<0.002	0.37	0.11	9.1	1	0.7	47.4	0.38	0.07	7.15	0.200	0.07	3.2	65
14261		15.6	<0.002	0.13	0.08	8.7	<1	0.8	42.9	0.41	<0.05	6.91	0.196	0.09	3.3	57
14262		7.5	0.002	0.10	0.07	7.4	<1	0.7	43.5	0.37	<0.05	11.30	0.152	0.03	3.1	60
14263		16.9	<0.002	0.22	0.08	9.8	<1	1.2	36.7	0.21	<0.05	5.23	0.158	0.12	2.5	79
14264		6.4	<0.002	1.23	0.07	5.0	1	0.6	26.9	0.22	0.07	6.48	0.088	0.05	2.8	40
14265		9.4	0.002	0.47	0.08	4.5	1	0.7	42.5	0.30	<0.05	10.25	0.117	0.07	4.3	40
14266		7.8	<0.002	0.84	0.07	3.9	1	1.2	27.4	0.22	0.06	4.06	0.099	0.06	3.2	24
14267		12.9	0.002	0.52	0.10	8.8	1	2.0	28.7	0.28	<0.05	4.74	0.145	0.09	2.3	103
14268		21.1	0.002	0.44	0.11	9.4	1	0.8	53.0	0.38	<0.05	6.42	0.210	0.15	2.0	65
14269		26.3	<0.002	0.36	0.16	10.1	1	1.0	74.1	0.41	<0.05	5.54	0.234	0.16	2.0	67
14270		4.0	<0.002	0.45	0.18	7.7	1	0.5	39.1	0.47	0.05	6.53	0.171	0.02	2.6	53
14271		5.3	<0.002	0.52	0.16	6.5	1	1.2	47.8	0.49	<0.05	7.52	0.153	0.03	4.2	26
14272		15.5	<0.002	0.34	0.13	6.6	1	1.9	61.3	0.53	<0.05	8.62	0.184	0.07	3.2	49
14273		11.6	<0.002	1.05	0.15	6.5	2	0.9	76.6	0.47	<0.05	8.29	0.172	0.06	3.1	44
14274		22.6	<0.002	1.41	0.20	6.0	2	1.2	68.5	0.46	<0.05	9.18	0.164	0.10	3.3	36
14275		0.3	<0.002	<0.01	0.05	0.2	<1	<0.2	78.0	<0.05	<0.05	0.11	0.005	<0.02	0.1	1
14276		14.7	<0.002	0.30	0.17	5.7	1	1.2	78.8	0.38	<0.05	6.36	0.145	0.07	2.5	43
14277		12.4	<0.002	0.53	0.26	5.6	1	0.9	44.1	0.41	<0.05	7.66	0.150	0.08	2.6	37
14278		5.7	0.002	0.16	0.09	6.1	<1	0.6	30.1	0.39	<0.05	5.96	0.154	0.04	2.4	38
14279		4.5	0.004	0.13	0.10	5.7	<1	0.7	27.8	0.46	<0.05	6.62	0.166	0.04	2.7	38
14280		4.0	0.002	0.16	0.10	5.7	1	0.6	26.7	0.42	<0.05	5.74	0.155	0.03	2.3	36
14281		23.4	0.002	3.82	218	4.1	65	13.7	493	0.61	62.0	5.51	0.205	4.29	2.8	33
14282		6.7	0.003	0.35	0.39	5.7	1	0.8	26.5	0.51	0.08	10.10	0.157	0.05	3.2	36
14283		28.6	0.004	0.41	0.19	7.7	1	1.2	31.6	0.61	<0.05	10.20	0.203	0.22	4.3	55
14284		101.5	<0.002	0.28	0.29	9.1	1	1.8	108.0	0.68	0.05	14.55	0.223	0.77	5.1	64
14285		80.3	<0.002	0.18	0.23	7.4	1	1.5	38.1	0.84	<0.05	21.1	0.220	0.58	6.6	49
14286		37.2	<0.002	1.28	0.67	5.8	1	1.4	36.4	0.57	<0.05	14.50	0.150	0.31	6.0	39
14287		5.9	<0.002	0.46	0.10	2.3	1	0.4	7.4	0.10	<0.05	2.39	0.033	0.09	2.9	9
14288		46.5	0.006	0.62	0.62	2.8	2	1.7	4.3	0.32	1.10	6.49	0.079	0.39	9.1	23
14289		10.2	0.044	8.54	3.05	8.2	20	2.6	179.5	0.32	4.50	1.01	0.528	0.17	0.4	78
14290		0.7	<0.002	<0.01	0.06	0.2	1	<0.2	76.6	<0.05	<0.05	0.10	0.005	<0.02	0.2	1
14291		3.8	<0.002	0.75	0.19	5.1	<1	1.7	33.0	0.62	<0.05	23.2	0.136	0.04	8.4	47
14292		80.6	<0.002	0.61	0.29	4.9	1	2.5	28.2	0.42	<0.05	6.20	0.123	0.62	6.8	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14253		1.1	16.3	32	140.5				70.5	92.1
14254		1.1	11.1	39	124.0					88.2
14255		0.2	12.9	8	103.0					
14256		0.2	3.4	8	46.6					
14257		1.3	12.6	19	149.0					
14258		1.4	7.9	13	160.0					
14259		1.0	13.0	14	157.0					
14260		0.4	13.5	10	143.5					
14261		0.4	11.7	11	127.5					
14262		0.4	8.7	9	87.7					
14263		2.2	8.0	12	76.1					
14264		0.7	3.6	6	61.4					
14265		0.4	3.8	8	90.8					
14266		0.8	3.9	7	67.6					
14267		2.9	16.5	8	74.1					
14268		0.3	10.8	13	87.2					
14269		0.3	11.4	13	89.9					
14270		0.3	10.4	14	114.5					
14271		0.2	16.0	11	110.0					
14272		0.4	13.5	16	129.5					
14273		0.3	15.5	15	106.0					
14274		0.4	11.9	18	113.0					
14275		<0.1	2.0	3	1.4					
14276		0.2	14.8	20	85.5					
14277		0.3	11.4	16	85.5					
14278		0.2	8.5	14	92.7					
14279		0.3	8.3	12	100.0					
14280		0.3	7.4	13	100.5					
14281		16.3	5.9	9460	89.3	288	1.005			
14282		0.3	8.5	31	117.5					
14283		0.7	12.6	37	142.5					
14284		0.7	19.2	110	139.5					
14285		1.0	18.8	50	195.0					
14286		0.4	14.2	54	114.0					
14287		0.1	2.6	19	20.7					
14288		0.3	6.8	57	55.6					
14289		2.4	9.2	137	47.8		1.620	4.66		
14290		<0.1	2.0	5	2.2					
14291		0.5	11.3	19	117.0					
14292		0.2	17.9	103	81.5				77.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
14293		2.02	0.08	1.99	13.5	140	2.06	1.35	4.79	<0.02	4.81	42.5	21	2.75	25.3	10.25
14294		2.82	0.10	1.54	27.1	190	2.06	1.79	2.41	0.02	2.50	63.0	12	2.73	117.0	41.4
14295		2.61	0.18	1.45	40.7	140	2.55	3.29	3.77	0.02	10.55	107.5	14	1.52	92.1	31.3
14296		2.97	0.07	1.96	14.6	160	1.70	1.02	2.19	<0.02	153.5	48.6	22	2.12	73.1	43.7
14297		1.70	0.04	4.44	6.0	140	1.64	0.73	8.74	<0.02	82.4	35.8	45	0.64	126.5	19.40
14298		2.08	0.02	3.49	8.6	180	4.30	0.62	4.90	0.02	68.7	61.0	40	2.09	16.3	32.8
14299		1.94	0.03	4.74	10.8	170	3.63	0.96	7.63	<0.02	357	63.6	49	1.12	26.1	19.85
14300		1.91	0.01	4.34	6.2	70	3.10	0.71	10.25	<0.02	388	27.9	45	0.06	1.1	17.30
14301		2.41	0.01	3.29	13.6	290	2.08	0.61	13.70	0.04	94.8	24.8	28	0.29	10.1	15.00
14302		2.09	0.03	7.23	6.0	1560	2.88	0.37	0.96	0.02	174.5	15.5	13	0.28	48.5	2.00
14303		2.11	0.94	4.40	34.3	420	1.33	5.90	7.33	0.05	64.9	108.5	46	1.35	2710	6.48
14304		1.96	0.04	6.14	2.4	880	2.18	0.11	1.19	0.06	135.0	7.3	18	0.44	6.5	1.72
14305		1.97	0.63	6.80	3.1	1360	2.19	0.13	1.88	0.07	131.5	7.8	24	1.05	4120	4.83
14306		2.06	0.01	7.30	4.5	840	3.02	0.14	1.58	<0.02	128.5	33.5	485	4.56	45.6	9.70
14307		2.09	0.13	5.20	5.2	260	3.01	0.22	4.19	0.02	147.5	43.6	11	1.69	2450	17.50
14308		2.20	0.02	5.57	7.4	240	4.14	0.35	1.26	<0.02	>500	38.9	206	1.54	17.2	19.90
14309		1.88	0.01	8.69	3.2	420	1.91	0.27	0.82	<0.02	227	19.5	12	0.19	9.0	2.22
14310		1.91	0.03	7.46	7.0	70	1.14	0.66	0.31	0.02	202	42.1	16	0.06	3.7	1.87
14311		1.89	0.02	6.58	2.6	140	1.33	0.07	0.27	0.02	126.5	12.0	14	0.20	3.1	1.42
14312		1.89	0.02	6.83	2.6	30	1.11	0.07	0.82	0.03	152.5	9.4	15	0.05	10.1	1.12
14313		2.16	0.03	7.40	2.3	180	1.18	0.29	6.25	0.02	20.4	47.1	53	1.25	124.0	8.22
14314		2.26	0.05	7.51	2.0	140	0.63	0.15	6.78	0.04	17.65	51.3	50	0.67	130.0	8.33
14315		2.19	0.03	7.43	1.9	40	1.02	0.08	5.12	0.02	18.65	43.8	33	0.14	78.3	8.90
14316		2.11	0.05	7.31	2.1	160	0.90	0.14	5.83	0.05	23.2	48.3	32	0.30	129.5	9.03
14317		2.13	0.06	7.26	3.0	130	0.64	0.15	6.06	0.06	24.5	49.9	29	0.34	161.5	9.22
14318		2.10	0.06	7.02	2.9	110	0.67	0.15	6.00	0.06	24.0	47.3	26	0.27	153.5	8.59
14319		0.97	0.09	7.05	2.2	230	0.56	0.22	5.65	0.05	20.8	57.6	6	0.71	176.0	10.30
14320		1.08	0.08	6.93	2.6	220	0.61	0.23	5.59	0.06	20.9	55.7	6	0.65	157.5	10.10
14321		0.07	>100	4.40	698	70	0.79	59.9	0.63	25.9	30.4	9.6	38	2.58	5120	2.16
14322		2.04	0.23	7.12	3.1	260	1.32	0.38	5.28	0.06	20.4	46.4	5	0.80	54.9	8.65
14323		1.91	0.06	6.43	4.5	170	1.09	0.19	2.94	0.03	19.05	46.9	8	0.45	32.0	5.44
14324		2.14	0.05	6.20	0.8	220	1.28	0.35	4.41	0.05	34.3	48.9	2	1.01	72.2	11.30
14325		0.94	0.01	0.07	<0.2	20	0.06	0.01	32.2	0.02	1.08	0.6	2	<0.05	1.7	0.14
14326		1.79	0.08	0.83	3.1	20	0.26	0.11	0.59	0.17	15.50	32.8	36	0.12	23.0	1.59
14327		1.34	0.05	0.45	3.2	10	0.23	0.05	0.30	0.14	1.69	13.9	43	0.07	9.6	0.87
14328		1.89	0.03	5.84	12.8	110	1.12	0.18	4.44	0.04	49.1	33.9	6	0.41	22.8	6.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
14293		9.20	0.10	0.8	0.420	1.27	2.5	17.2	6.86	1190	0.80	0.13	2.5	18.4	150	7.7
14294		15.45	0.73	0.8	0.270	1.22	1.2	12.9	4.10	837	0.27	0.08	2.6	20.3	60	10.7
14295		11.60	0.12	0.9	0.426	0.79	5.9	11.3	5.07	1150	0.19	0.09	2.2	35.4	70	16.5
14296		17.65	0.90	1.4	0.473	1.04	99.7	15.2	3.07	934	0.16	0.11	2.6	22.5	110	11.6
14297		12.90	0.19	3.3	0.735	0.46	36.2	10.5	2.14	1710	0.05	1.46	6.5	31.4	300	9.0
14298		14.10	0.21	2.6	0.648	1.07	40.3	14.9	3.37	1630	<0.05	0.44	4.9	44.2	220	7.0
14299		14.70	0.33	3.6	0.777	0.69	274	8.6	3.14	1990	<0.05	1.32	5.8	38.4	290	18.1
14300		12.10	0.18	3.3	0.669	0.10	213	6.7	2.07	2450	0.06	1.45	5.5	29.8	290	16.6
14301		11.60	0.16	2.2	0.383	0.17	36.3	10.9	2.31	2870	0.09	0.07	5.4	36.4	350	14.0
14302		19.45	0.20	6.5	0.094	1.76	98.0	7.9	0.40	195	1.35	3.60	15.9	7.5	380	12.7
14303		13.60	0.14	3.8	0.180	1.31	36.1	16.5	1.24	1200	0.66	1.82	9.7	88.2	280	25.3
14304		17.80	0.17	5.3	0.041	1.19	75.3	8.2	0.45	225	1.70	3.30	11.7	9.1	300	18.7
14305		20.8	0.17	6.1	0.118	2.89	71.3	12.4	0.95	404	1.17	2.91	14.6	21.5	350	22.9
14306		34.3	0.18	6.6	0.081	3.52	70.5	40.5	2.94	743	1.45	2.19	25.4	111.5	760	11.4
14307		37.2	0.17	4.7	0.209	1.47	83.2	34.5	3.27	1170	0.65	1.16	9.1	71.5	120	3.2
14308		55.2	1.17	5.6	0.250	1.25	1930	34.4	3.06	723	0.50	1.15	8.8	81.8	280	9.7
14309		22.0	0.23	8.3	0.027	0.77	128.0	6.1	0.45	155	0.55	6.37	19.7	7.3	400	9.3
14310		17.30	0.20	7.1	0.015	0.21	111.5	3.9	0.32	110	6.46	5.97	15.5	9.3	380	5.5
14311		18.70	0.18	5.7	0.010	0.43	69.9	4.9	0.32	86	2.25	5.21	10.4	6.8	260	9.8
14312		18.55	0.20	6.0	0.008	0.12	84.7	2.3	0.20	120	1.91	5.57	12.0	4.2	320	11.0
14313		16.85	0.13	1.4	0.077	0.86	8.5	19.8	3.85	1080	0.39	1.86	2.7	91.1	320	3.9
14314		17.15	0.11	1.5	0.067	0.72	7.5	14.9	3.90	1320	0.49	1.53	2.9	94.8	330	5.3
14315		23.1	0.10	1.6	0.077	0.21	8.6	16.3	4.05	1260	0.52	2.13	3.0	84.3	370	2.9
14316		18.90	0.11	2.1	0.072	0.69	10.1	12.7	3.48	1480	0.62	2.05	3.8	73.6	440	4.5
14317		18.45	0.10	2.1	0.070	0.60	11.6	12.0	3.36	1420	0.60	1.99	3.9	71.8	440	4.7
14318		18.10	0.10	2.0	0.075	0.55	11.2	11.1	3.15	1330	0.56	1.92	3.6	67.8	430	4.6
14319		19.50	0.11	1.9	0.078	1.34	8.6	11.3	3.01	1500	0.50	1.59	3.3	50.3	380	4.1
14320		18.70	0.11	1.8	0.082	1.23	8.6	10.6	3.02	1490	0.57	1.65	3.4	47.9	380	4.1
14321		20.8	0.17	2.6	5.40	0.66	14.7	19.6	0.19	235	4.26	0.43	7.0	63.7	580	1045
14322		22.8	0.12	2.0	0.112	0.92	8.9	19.9	2.87	1150	0.62	2.14	3.6	55.8	380	4.5
14323		22.2	0.11	1.9	0.043	0.64	8.5	12.1	1.79	635	4.30	2.86	3.3	36.6	350	3.6
14324		22.5	0.12	3.0	0.094	0.95	16.6	9.4	1.65	1100	1.13	2.56	5.5	18.4	570	4.4
14325		0.28	0.09	0.1	0.005	0.01	1.1	1.1	2.22	121	<0.05	0.03	0.1	<0.2	70	0.5
14326		5.17	0.08	0.5	0.011	0.07	7.4	1.9	0.38	124	7.60	0.30	1.0	12.1	100	25.8
14327		2.66	0.08	0.1	0.005	0.04	0.8	0.9	0.20	69	4.97	0.17	0.6	6.6	40	16.2
14328		22.7	0.12	4.8	0.099	0.35	24.8	9.5	1.17	621	3.81	3.18	7.1	9.4	860	6.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
14293		86.4	<0.002	0.85	1.23	2.7	1	1.9	7.0	0.13	<0.05	2.72	0.040	0.66	4.3	14
14294		83.1	<0.002	1.20	0.73	1.9	1	1.5	3.2	0.14	<0.05	2.53	0.044	0.64	3.3	18
14295		50.1	<0.002	2.06	0.90	2.2	2	1.8	4.5	0.12	0.09	2.31	0.047	0.40	2.1	18
14296		67.1	<0.002	0.62	0.84	3.6	1	2.6	41.6	0.25	0.05	4.49	0.082	0.54	10.6	23
14297		22.8	<0.002	0.38	0.67	7.4	1	4.4	208	0.62	<0.05	8.26	0.169	0.18	9.6	43
14298		67.5	<0.002	0.26	0.80	6.4	1	3.8	126.0	0.47	<0.05	8.60	0.147	0.52	6.3	44
14299		39.2	<0.002	0.27	0.90	8.7	1	5.3	266	0.65	<0.05	11.00	0.192	0.30	27.6	47
14300		2.5	<0.002	0.19	0.80	7.8	1	4.2	328	0.60	<0.05	14.70	0.178	0.02	25.4	50
14301		10.3	<0.002	0.11	0.61	5.2	1	4.7	194.5	0.45	<0.05	11.80	0.120	0.08	8.0	45
14302		52.2	<0.002	0.28	0.17	4.6	<1	3.0	94.1	1.24	<0.05	77.1	0.190	0.21	11.9	18
14303		94.6	<0.002	2.60	2.16	3.9	4	2.0	112.0	0.68	0.40	30.2	0.158	0.66	12.6	36
14304		49.9	<0.002	0.09	0.15	3.7	<1	2.0	82.0	0.90	<0.05	61.0	0.152	0.26	15.6	20
14305		98.2	<0.002	0.47	0.20	4.4	2	1.9	77.4	1.07	<0.05	63.9	0.180	0.60	18.3	31
14306		275	<0.002	0.18	0.22	15.1	<1	4.4	46.0	1.54	<0.05	43.4	0.716	2.00	15.1	115
14307		92.6	<0.002	0.71	0.22	6.9	2	2.9	34.1	0.99	<0.05	33.7	0.143	0.70	8.8	75
14308		87.4	<0.002	0.19	0.66	15.4	<1	5.8	84.4	0.95	<0.05	71.7	0.308	0.65	36.1	118
14309		27.6	<0.002	0.16	0.22	5.4	<1	2.2	86.1	1.39	<0.05	91.7	0.228	0.17	19.5	27
14310		7.2	0.002	0.27	0.18	3.8	1	1.6	42.1	1.20	<0.05	78.3	0.186	0.06	17.0	25
14311		18.1	<0.002	0.10	0.16	3.1	<1	1.4	41.5	0.84	<0.05	61.9	0.145	0.11	13.9	17
14312		2.7	<0.002	0.09	0.16	3.2	<1	1.4	25.8	0.97	<0.05	61.1	0.161	0.02	9.8	18
14313		49.2	<0.002	0.09	0.36	37.3	1	0.8	250	0.20	<0.05	1.85	0.505	0.29	0.7	250
14314		49.1	<0.002	0.09	0.39	39.3	1	0.7	226	0.21	<0.05	1.88	0.522	0.29	0.6	258
14315		9.9	<0.002	0.07	0.32	38.1	1	0.8	140.0	0.24	<0.05	1.93	0.555	0.06	0.9	280
14316		39.9	<0.002	0.11	0.45	37.8	1	1.0	188.0	0.29	<0.05	2.71	0.631	0.21	0.8	281
14317		32.7	0.002	0.11	0.58	38.4	1	0.9	213	0.30	<0.05	2.67	0.636	0.17	0.8	280
14318		29.0	<0.002	0.11	0.49	36.8	1	0.9	207	0.28	<0.05	2.64	0.612	0.15	0.8	276
14319		79.7	0.002	0.13	0.59	42.4	<1	0.9	237	0.27	<0.05	2.38	0.826	0.40	0.7	417
14320		72.4	0.002	0.12	0.56	41.4	1	0.9	224	0.26	<0.05	2.29	0.794	0.36	0.8	391
14321		27.8	<0.002	2.14	89.4	4.1	32	5.2	465	0.58	39.6	6.32	0.217	1.74	2.4	34
14322		45.9	<0.002	0.16	0.44	40.0	1	1.1	125.5	0.28	0.12	2.18	0.804	0.22	1.3	445
14323		29.6	0.002	0.27	0.20	24.7	<1	1.8	62.4	0.24	<0.05	2.04	0.692	0.13	2.0	291
14324		50.3	0.003	0.18	0.29	39.1	<1	1.3	135.5	0.43	<0.05	3.54	1.280	0.21	1.3	540
14325		0.4	<0.002	<0.01	0.10	0.3	1	<0.2	80.8	<0.05	<0.05	0.08	0.008	<0.02	0.1	2
14326		2.8	0.003	0.25	0.42	2.5	<1	0.4	7.6	<0.05	<0.05	0.63	0.075	0.04	0.5	39
14327		1.2	<0.002	0.10	0.36	1.2	<1	0.2	6.0	<0.05	<0.05	0.19	0.041	0.02	0.3	21
14328		16.2	0.002	0.38	0.37	26.1	1	1.9	68.6	0.55	<0.05	5.70	1.010	0.11	3.0	160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
14293		0.2	8.7	108	30.5				79.3	92.2
14294		0.2	5.7	84	30.0					95.5
14295		0.3	7.1	96	31.0					
14296		0.3	7.6	82	51.7					
14297		0.3	15.9	59	114.5					
14298		0.3	12.0	103	93.4					
14299		0.4	14.6	88	129.0					
14300		0.4	17.9	59	126.5					
14301		0.4	26.4	65	80.9					
14302		2.4	15.2	14	251					
14303		0.6	13.8	55	150.5					
14304		1.4	11.4	24	206					
14305		0.5	14.0	42	234					
14306		0.4	25.5	113	258					
14307		0.2	20.9	102	174.5					
14308		0.5	28.9	86	209					
14309		0.7	13.5	15	312					
14310		0.5	8.2	10	269					
14311		0.5	8.5	11	219					
14312		0.5	10.0	7	232					
14313		0.5	16.4	73	49.7					
14314		0.3	17.8	86	56.6					
14315		0.4	17.2	97	58.9					
14316		0.5	20.6	103	77.3					
14317		0.5	21.3	101	79.0					
14318		0.5	20.0	95	74.6					
14319		0.5	19.3	90	67.8					
14320		0.5	19.3	90	67.5					
14321		12.8	6.0	4170	83.9	116				
14322		0.8	18.3	91	73.8					
14323		0.5	17.4	63	68.4					
14324		0.8	27.1	64	110.5					
14325		<0.1	2.1	5	1.9					
14326		0.1	2.1	50	16.1					
14327		0.1	0.7	32	5.1					
14328		0.7	28.8	37	176.0					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 14-JUL-2018
Account: BMRPLLBW

Project: IRON MASK

CERTIFICATE OF ANALYSIS SD18150153

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			