ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

CERTIFICATE SD19089755

Project: McAra

This report is for 69 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17614		2.04	0.12	7.70	1.3	410	0.80	0.16	3.51	0.11	46.7	37.0	142	2.02	43.2	5.59
17615		2.20	0.12	6.16	1.3	150	0.81	0.10	6.12	0.12	48.0	28.2	106	0.95	56.9	15.20
17616		2.11	0.14	8.28	1.8	130	0.32	0.11	7.87	0.12	9.34	58.0	163	0.95	194.5	8.19
17617		2.07	0.08	7.07	0.4	160	0.30	0.09	7.22	0.14	7.94	54.9	128	0.78	121.5	9.19
17618		2.07	0.08	7.58	0.7	200	0.32	0.14	7.02	0.09	8.64	54.4	145	1.10	121.0	9.34
17619		0.97	0.04	7.60	1.7	310	0.88	0.06	4.66	0.22	44.1	21.3	119	1.35	26.2	7.46
17620		0.84	0.03	7.48	1.7	260	0.87	0.07	4.69	0.23	42.5	20.2	117	1.24	22.2	7.54
17621		0.06	>100	4.41	680	370	0.76	58.0	0.65	25.1	30.9	10.2	34	2.90	5230	2.22
17622		2.08	0.11	7.37	11.1	390	0.72	0.12	3.21	0.24	44.2	28.6	155	1.79	62.7	7.63
17623		2.17	0.11	7.75	4.4	370	0.71	0.10	4.29	0.17	38.4	37.8	138	1.89	109.0	8.62
17624		2.12	0.22	7.74	2.8	280	0.39	0.24	5.74	0.15	12.50	52.4	140	1.15	311	9.48
17625		0.46	0.01	0.09	<0.2	10	0.08	0.02	31.6	<0.02	0.86	0.8	3	<0.05	1.9	0.15
17626		2.01	0.13	7.57	6.5	320	0.59	0.13	4.50	0.30	47.1	35.6	153	1.99	164.5	7.61
17627		1.35	0.13	7.35	2.3	290	0.55	0.15	5.13	0.36	20.6	39.7	129	2.02	111.0	8.64
17628		1.66	0.12	8.05	1.5	340	0.31	0.08	6.40	0.15	6.79	51.4	133	1.67	182.5	9.96
17629		2.39	0.12	7.73	1.0	250	0.26	0.06	6.74	0.19	7.51	55.1	119	1.30	257	9.49
17630		2.29	0.15	7.50	1.7	180	0.30	0.10	7.02	0.22	7.04	48.8	137	0.86	260	9.07
17631		2.09	0.05	7.41	1.3	380	0.93	0.07	3.36	0.07	34.7	6.0	17	0.82	30.8	2.31
17632		2.00	0.22	7.95	14.3	120	0.65	0.10	1.44	0.03	57.4	13.0	35	0.45	171.5	1.95
17633		1.97	0.36	7.86	24.0	130	0.73	0.13	1.61	0.10	56.3	20.4	36	0.56	151.0	2.39
17634		2.05	0.51	7.57	13.6	210	0.51	0.07	5.82	1.63	12.10	52.3	170	1.59	214	6.73
17635		1.69	0.16	7.51	1.7	380	0.42	0.04	5.90	0.16	6.87	47.3	141	3.14	136.0	8.55
17636		1.94	0.05	3.33	0.9	90	0.26	0.04	21.3	0.04	3.40	28.9	66	1.08	25.3	6.18
17637		2.18	0.16	7.17	1.3	460	0.34	0.04	6.45	0.22	6.69	45.5	167	3.99	129.0	8.32
17638		2.11	0.13	6.88	1.0	350	0.33	0.04	8.32	0.18	6.29	41.0	146	1.86	94.1	7.91
17639		1.00	0.18	7.18	1.5	220	0.33	0.03	6.50	0.84	6.75	46.8	194	1.05	154.5	8.07
17640		0.85	0.26	7.08	2.2	240	0.30	0.03	6.23	0.44	6.53	49.6	198	1.00	181.0	8.22
17641		0.07	3.93	5.34	13.9	120	0.54	0.92	3.47	2.03	16.25	950	258	0.75	>10000	17.85
17642		2.29	0.29	7.79	12.8	420	0.58	0.07	5.81	0.73	8.16	53.9	192	1.84	179.5	8.47
17643		1.83	0.56	7.90	30.4	990	0.96	0.24	8.63	1.73	13.90	36.8	115	0.94	213	6.28
17644		1.06	0.91	7.81	51.4	810	1.00	0.27	4.24	1.12	33.3	35.1	103	0.60	252	6.26
17645		1.44	0.52	7.04	8.6	410	0.81	0.12	1.27	2.92	20.6	15.8	19	0.49	99.5	1.92
17646		1.31	0.49	6.86	9.8	330	0.80	0.12	1.06	3.76	20.2	18.7	14	0.77	104.5	1.68
17647		1.95	0.42	6.92	4.9	290	1.10	0.16	0.45	0.64	26.6	14.0	13	1.15	178.5	1.58
17648		1.84	1.69	6.89	41.5	330	1.04	0.79	0.77	1.91	26.7	72.6	71	1.19	536	4.85
17649		1.45	1.44	6.41	91.1	270	0.83	0.48	0.54	1.11	25.7	83.6	31	1.10	863	4.41
17650		1.90	6.51	6.28	220	150	0.89	2.65	0.28	4.91	11.40	273	153	1.22	2900	9.52
17651		1.34	5.24	5.76	61.6	130	0.76	2.18	0.29	12.30	13.85	240	154	1.49	1900	10.95
17652		0.59	0.85	7.25	11.8	360	0.84	0.18	2.16	1.86	7.33	55.2	318	0.98	264	7.55
17653		0.86	0.32	7.11	17.4	320	0.57	0.07	4.35	0.12	12.25	43.0	242	1.30	116.5	7.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17614		19.20	0.13	4.0	0.051	1.32	21.2	42.9	1.60	1060	1.74	2.00	6.1	107.0	960	9.3
17615		14.45	0.13	3.2	0.046	0.49	24.2	15.1	1.97	2670	1.57	1.01	4.4	109.0	740	5.9
17616		17.60	0.08	1.1	0.076	0.53	3.8	19.0	3.25	1340	0.86	2.69	2.3	138.0	310	1.7
17617		16.30	0.08	0.9	0.059	0.64	3.0	17.1	4.47	1620	0.32	1.73	2.3	154.5	310	1.6
17618		16.40	0.08	1.8	0.069	0.80	3.3	17.8	4.25	1580	0.35	1.51	2.3	143.5	310	1.9
17619		17.55	0.10	3.6	0.041	1.02	22.3	31.1	2.61	1880	1.16	1.51	5.1	62.7	670	8.6
17620		17.15	0.10	3.6	0.047	0.90	21.1	29.8	2.57	1880	1.14	1.57	5.1	58.7	680	10.0
17621		21.4	0.15	2.7	5.16	0.68	15.3	20.2	0.19	239	4.50	0.45	8.1	59.1	580	1050
17622		16.10	0.09	3.3	0.056	1.32	19.2	39.0	2.36	1800	1.48	1.74	4.6	78.8	840	9.5
17623		17.20	0.11	2.7	0.068	1.42	17.7	33.9	2.78	1910	1.17	1.52	3.9	99.1	650	5.1
17624		15.85	0.06	1.2	0.065	1.18	4.9	26.6	2.75	1640	0.55	1.90	2.3	104.0	420	5.6
17625		0.28	<0.05	<0.1	<0.005	0.01	1.0	1.5	1.07	76	0.13	0.03	0.1	0.8	50	0.5
17626		15.15	0.08	2.7	0.058	1.86	20.6	52.1	2.30	1280	0.80	1.71	3.7	65.1	910	4.9
17627		15.80	0.06	1.9	0.069	1.18	8.7	43.1	3.67	1480	0.50	1.23	2.6	111.0	480	4.9
17628		16.05	0.06	0.8	0.061	1.18	2.5	26.5	3.63	1850	0.22	1.42	1.8	151.0	270	3.3
17629		15.45	0.08	1.1	0.068	0.90	2.7	17.3	3.96	1680	0.31	1.58	1.9	147.5	270	4.7
17630		15.40	<0.05	1.1	0.066	0.67	2.7	29.1	3.85	1530	0.37	1.48	1.7	155.5	250	3.9
17631		17.05	0.09	4.3	0.028	1.03	16.1	25.7	0.91	508	1.36	3.55	5.4	11.1	590	4.6
17632		14.75	0.12	3.4	0.032	1.01	28.9	34.1	0.90	358	1.38	5.54	5.3	28.7	620	30.4
17633		14.95	0.09	3.7	0.033	1.26	26.4	38.2	0.95	410	1.26	5.13	5.6	32.7	640	442
17634		16.00	0.08	1.5	0.084	0.99	5.6	43.0	3.00	1740	0.48	2.58	2.0	135.0	270	852
17635		15.95	0.07	1.3	0.062	1.56	2.5	53.2	5.85	2190	0.18	0.99	1.9	114.0	280	10.9
17636		8.84	<0.05	0.4	0.028	0.31	1.3	30.1	4.99	1480	0.17	0.23	0.8	61.3	130	1.4
17637		14.35	0.06	1.1	0.073	1.67	2.4	46.7	4.84	2220	0.19	1.18	1.7	112.0	250	6.9
17638		14.35	0.06	1.2	0.063	1.29	2.3	46.8	5.06	1950	0.17	1.26	1.6	90.6	260	13.6
17639		14.75	0.06	1.1	0.070	0.97	2.4	33.3	3.71	2020	0.28	2.46	1.8	116.0	250	63.6
17640		14.35	0.06	1.5	0.056	1.06	2.3	31.6	3.74	2050	0.20	2.24	1.8	118.0	270	34.8
17641		10.85	0.20	1.3	0.126	0.31	7.1	9.7	4.00	990	4.75	1.19	4.5	>10000	460	13.9
17642		16.20	0.06	1.1	0.089	1.50	3.1	44.7	3.94	2070	0.48	2.24	2.0	147.5	270	60.9
17643		15.35	0.08	1.6	0.199	2.80	6.7	79.8	2.86	1140	1.01	2.23	2.0	87.2	200	113.5
17644		15.45	0.10	2.7	0.097	2.83	16.0	77.5	3.95	1060	1.03	2.49	3.5	68.6	220	179.5
17645		13.30	0.10	3.3	0.188	2.66	9.1	24.9	1.17	237	1.07	3.61	4.6	22.7	410	107.0
17646		14.40	0.08	3.3	0.248	2.00	9.7	19.7	0.91	189	1.02	3.69	4.3	24.9	330	129.0
17647		17.10	0.09	3.8	0.044	1.57	13.5	21.6	0.65	208	1.62	3.62	4.2	18.0	370	137.0
17648		20.2	0.09	3.2	0.222	1.51	12.6	35.7	1.21	351	3.07	2.95	4.1	104.0	310	206
17649		18.40	0.11	3.3	0.123	1.51	12.3	28.6	0.93	302	2.13	2.71	4.1	83.3	340	294
17650		26.5	0.14	2.4	0.760	1.43	4.1	44.9	1.35	494	6.71	2.05	4.8	373	270	815
17651		23.3	0.15	2.4	1.025	1.50	5.6	57.4	1.62	533	4.90	1.69	4.1	324	220	290
17652		15.50	0.08	0.7	0.057	1.65	2.7	74.6	4.55	1100	0.54	2.65	1.3	191.0	210	876
17653		13.40	0.09	0.9	0.049	1.12	4.8	49.0	5.21	1310	0.48	2.58	1.3	163.5	210	14.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17614		37.3	<0.002	0.54	0.24	22.6	2	1.1	170.0	0.42	0.09	5.13	0.477	0.40	1.3	154
17615		17.0	<0.002	0.65	0.24	19.4	1	1.0	116.5	0.30	0.05	4.46	0.354	0.17	1.0	130
17616		26.8	0.002	0.28	0.22	42.9	1	0.7	185.0	0.14	0.05	0.26	0.542	0.21	0.1	279
17617		26.0	<0.002	0.10	0.17	40.3	<1	0.5	131.5	0.15	<0.05	0.21	0.519	0.17	0.1	265
17618		34.5	0.002	0.24	0.20	42.0	1	0.5	151.0	0.15	0.08	0.28	0.562	0.24	0.1	279
17619		31.5	<0.002	0.16	0.14	17.2	<1	0.9	160.5	0.38	<0.05	5.52	0.370	0.26	1.3	117
17620		23.5	0.002	0.18	0.14	16.5	<1	0.9	165.5	0.38	<0.05	5.37	0.366	0.23	1.3	114
17621		26.9	<0.002	2.14	84.4	4.4	33	5.5	468	0.62	38.5	7.04	0.220	1.72	2.7	33
17622		29.2	0.002	0.82	0.44	16.8	1	1.0	138.5	0.33	0.09	4.49	0.428	0.36	1.0	138
17623		52.6	<0.002	0.51	0.28	26.3	1	1.1	124.5	0.26	0.07	3.95	0.439	0.44	0.9	180
17624		26.9	0.002	0.91	0.24	37.9	1	0.6	162.0	0.17	0.20	0.76	0.547	0.38	0.2	272
17625		0.3	<0.002	<0.01	0.06	0.3	1	<0.2	75.4	<0.05	<0.05	0.07	0.007	<0.02	0.2	2
17626		51.9	<0.002	0.75	0.11	24.5	<1	1.1	84.6	0.26	0.11	3.08	0.487	0.46	0.6	177
17627		31.2	<0.002	0.25	0.11	31.5	1	0.9	75.0	0.17	0.21	1.33	0.467	0.32	0.3	223
17628		41.0	0.003	0.31	0.17	40.1	<1	0.4	114.5	0.12	0.17	0.23	0.499	0.48	0.1	269
17629		36.4	<0.002	0.26	0.21	41.5	1	0.4	138.0	0.13	0.17	0.22	0.528	0.26	0.1	283
17630		23.0	<0.002	0.22	0.20	39.0	1	0.5	99.7	0.12	0.08	0.19	0.477	0.28	0.1	262
17631		24.4	0.002	0.02	0.24	6.6	1	1.3	178.5	0.47	<0.05	3.74	0.294	0.19	0.8	66
17632		25.7	<0.002	0.06	0.19	7.1	<1	0.9	64.1	0.46	<0.05	4.85	0.255	0.23	1.1	57
17633		28.9	0.002	0.30	0.44	8.0	<1	1.0	68.9	0.49	0.13	4.72	0.265	0.47	1.1	66
17634		41.1	<0.002	0.32	0.47	44.3	1	0.7	108.5	0.14	0.12	0.54	0.505	0.39	0.2	271
17635		84.0	0.002	0.09	0.30	39.7	1	0.5	84.2	0.14	<0.05	0.21	0.523	0.56	0.1	278
17636		14.7	<0.002	0.57	0.12	17.6	1	0.2	73.4	0.06	<0.05	0.08	0.217	0.09	<0.1	126
17637		86.6	0.002	0.09	0.26	40.1	1	0.5	94.0	0.12	0.07	0.20	0.481	0.58	0.1	265
17638		53.8	0.002	0.08	0.24	39.3	<1	0.5	93.4	0.12	<0.05	0.20	0.466	0.40	0.1	262
17639		40.0	0.003	0.09	0.24	41.1	<1	0.5	68.3	0.12	0.06	0.21	0.523	0.28	0.1	283
17640		43.1	<0.002	0.11	0.23	41.5	<1	0.5	68.8	0.11	0.05	0.20	0.511	0.30	0.1	283
17641		10.3	0.044	8.23	3.00	7.8	21	2.4	178.0	0.32	4.62	1.10	0.519	0.19	0.4	78
17642		52.8	0.004	0.16	0.30	41.8	<1	0.8	104.5	0.14	0.10	0.46	0.511	0.47	0.1	281
17643		87.4	0.006	0.17	0.32	25.6	1	1.5	107.5	0.16	0.38	1.57	0.318	0.57	0.4	156
17644		69.1	0.005	0.72	1.15	21.7	1	1.3	61.3	0.28	0.63	3.80	0.258	0.51	1.0	110
17645		62.3	<0.002	0.44	0.56	4.2	1	1.8	81.2	0.48	0.22	5.94	0.150	0.60	1.5	27
17646		55.3	<0.002	0.57	0.57	3.0	2	2.2	110.5	0.47	0.22	6.18	0.121	0.79	1.5	18
17647		58.4	<0.002	0.62	0.54	3.0	4	2.0	132.0	0.52	0.18	7.03	0.125	0.99	2.2	19
17648		59.4	0.029	2.97	1.51	11.2	8	5.8	90.9	0.45	1.82	6.15	0.172	2.24	1.7	54
17649		51.8	0.003	2.78	1.38	5.6	6	4.1	93.7	0.44	1.05	6.59	0.134	1.57	2.1	27
17650		48.3	0.032	6.56	5.92	28.6	17	10.4	36.9	0.44	5.68	5.47	0.251	3.32	1.3	99
17651		52.3	0.079	8.23	2.50	23.5	23	9.0	37.6	0.35	4.50	4.75	0.239	1.18	1.1	106
17652		24.1	0.002	1.10	0.94	34.6	3	2.2	100.5	0.09	0.58	0.14	0.390	0.56	0.2	245
17653		36.7	<0.002	0.20	0.43	32.9	1	0.6	125.5	0.10	0.22	0.45	0.355	0.41	0.3	217

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17614		0.5	17.5	74	154.0				77.9	88.4
17615		0.3	17.5	118	121.0					94.9
17616		0.5	19.9	84	31.6					
17617		0.5	19.6	101	30.1					
17618		0.7	20.0	95	35.4					
17619		0.3	14.1	109	139.0					
17620		0.4	13.6	112	137.0					
17621		13.2	6.5	4290	86.9	119				
17622		0.3	12.9	100	125.0					
17623		0.3	15.7	118	105.0					
17624		0.3	16.0	112	37.2					
17625		<0.1	1.8	4	1.3					
17626		0.4	16.7	131	103.5					
17627		0.5	20.1	188	59.3					
17628		0.3	17.7	107	25.6					
17629		0.5	17.7	122	25.2					
17630		0.6	16.3	131	26.1					
17631		0.4	11.3	45	171.0					
17632		0.4	9.5	28	130.5					
17633		0.5	10.4	47	135.5					
17634		0.4	18.5	649	42.1					
17635		0.4	16.7	117	41.3					
17636		0.3	8.6	36	14.5					
17637		0.4	17.2	113	35.8					
17638		0.5	16.0	120	31.5					
17639		0.5	17.4	317	37.5					
17640		0.5	17.3	204	36.1					
17641		2.3	9.0	139	44.0		1.600	4.57		
17642		0.6	17.0	329	36.5					
17643		1.0	11.5	679	57.6					
17644		1.0	12.7	443	103.5					
17645		1.1	10.3	973	122.0					
17646		1.1	9.5	1460	122.0					
17647		1.3	8.9	320	133.0					
17648		1.4	10.4	936	116.0					
17649		1.8	9.6	478	121.5					
17650		3.5	12.4	1860	81.8					
17651		2.4	15.4	3290	86.8					
17652		1.3	9.5	620	21.0					
17653		0.9	12.5	261	31.0				88.6	87.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17654		2.10	0.15	7.30	21.6	260	0.33	0.04	4.81	0.12	8.55	43.4	261	0.92	85.3	7.70
17655		1.88	0.29	6.98	19.7	310	0.69	0.05	5.19	4.04	6.14	41.0	247	0.72	133.0	8.26
17656		1.78	1.00	7.86	66.2	480	0.89	0.15	4.52	3.81	11.00	59.0	269	0.75	185.0	8.72
17657		1.87	0.43	7.04	54.5	390	1.16	0.12	5.15	1.39	12.75	40.2	232	0.48	73.1	6.96
17658		1.78	0.48	6.49	43.4	560	1.77	0.18	4.47	16.05	152.0	36.9	230	0.19	61.1	4.53
17659		0.99	0.58	7.68	28.2	300	1.20	0.56	3.40	0.17	68.1	66.0	328	0.56	310	6.75
17660		0.91	0.65	7.77	27.7	320	1.18	0.63	3.16	0.11	56.6	82.8	328	0.64	253	6.89
17661		0.05	>100	4.70	748	300	0.81	67.8	0.69	28.4	34.6	11.3	32	2.64	5460	2.37
17662		1.08	0.29	7.84	8.7	160	0.45	0.12	4.38	0.10	7.42	59.1	181	0.64	166.0	8.42
17663		1.95	0.30	7.60	5.1	170	0.39	0.08	5.60	1.15	11.65	53.2	159	1.00	132.5	7.55
17664		2.04	0.29	7.64	4.3	170	0.37	0.07	5.62	1.21	11.70	52.3	161	0.97	127.5	7.58
17665		1.97	0.18	7.64	4.7	130	0.42	0.07	5.71	0.08	8.70	51.4	167	0.88	131.5	7.67
17666		2.15	0.12	7.79	2.1	160	0.24	0.08	7.37	0.11	8.23	49.9	144	0.51	166.5	8.13
17667		2.15	0.13	6.82	6.3	100	0.41	0.06	7.80	0.12	7.31	47.8	124	0.28	132.0	8.06
17668		1.96	0.10	6.86	2.4	220	0.56	0.74	7.10	0.06	29.5	28.9	134	0.40	61.0	5.51
17669		2.05	0.10	7.67	3.0	180	0.29	0.15	6.72	0.34	9.62	59.8	141	0.65	167.5	10.40
17670		1.04	0.20	7.26	1.3	70	0.38	0.18	8.34	0.32	8.84	47.7	136	0.69	403	10.70
17671		2.10	1.19	6.18	1.7	100	0.30	1.88	5.40	9.22	15.80	146.0	142	0.47	2150	17.95
17672		1.60	0.08	8.05	2.3	170	0.33	0.08	6.80	0.37	8.25	47.4	152	0.77	128.0	9.41
17673		1.94	0.09	7.73	0.7	140	0.27	0.06	7.22	0.16	8.56	51.0	137	0.71	162.0	8.71
17674		2.13	2.42	7.48	125.5	240	0.88	0.40	4.73	28.5	11.80	77.6	168	0.41	689	10.50
17675		0.46	<0.01	0.09	0.3	20	0.05	0.01	34.6	0.05	0.87	0.8	2	0.06	3.0	0.13
17676		2.20	0.77	8.14	49.7	290	0.44	0.05	6.38	1.22	8.94	54.0	159	0.56	207	9.42
17677		2.24	0.38	7.47	53.1	190	0.88	0.02	6.15	7.56	7.61	50.1	140	0.31	120.5	8.19
17678		1.92	0.51	6.92	108.0	190	4.31	0.13	7.70	18.10	8.63	52.2	112	0.13	101.0	7.86
17679		1.03	0.10	8.20	1.7	130	0.30	0.05	6.36	0.18	8.70	58.1	166	0.34	153.0	8.35
17680		0.85	0.13	8.27	2.0	120	0.28	0.05	6.13	0.13	9.33	62.1	170	0.39	192.5	8.45
17681		0.06	>100	4.49	698	260	0.73	62.4	0.66	27.5	31.4	10.7	33	2.50	5110	2.23
17682		1.95	0.32	8.19	5.0	120	0.25	0.18	6.86	0.14	8.97	62.1	164	0.33	189.5	8.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17654		13.15	0.08	0.6	0.053	0.75	3.1	70.5	5.63	1600	0.43	2.40	1.2	170.0	190	19.4
17655		13.45	0.06	0.6	0.152	0.75	2.2	58.1	5.41	1700	0.17	2.33	1.2	172.5	180	33.9
17656		15.70	0.11	0.8	0.098	1.15	4.1	59.4	4.48	1910	0.77	2.60	1.7	171.0	200	219
17657		13.05	0.06	0.6	0.075	1.18	5.6	44.6	5.15	1440	1.26	2.83	1.2	136.5	180	44.2
17658		13.85	0.22	6.1	0.445	1.49	67.1	27.4	4.67	999	0.82	3.49	9.2	159.0	2240	46.8
17659		18.90	0.14	3.5	0.086	1.00	28.7	44.7	4.47	1170	9.96	4.00	4.8	159.0	1230	8.2
17660		20.5	0.13	3.0	0.081	0.94	24.5	51.0	4.42	1200	5.79	4.03	4.2	154.5	1000	8.7
17661		23.0	0.17	2.7	5.92	0.72	16.4	22.3	0.21	248	4.90	0.48	8.4	62.9	630	1135
17662		15.75	0.07	1.0	0.066	0.57	2.5	33.4	4.23	2040	0.46	3.79	2.1	126.5	300	1.9
17663		13.90	0.07	0.9	0.073	0.83	4.4	29.8	4.50	1820	0.33	3.10	1.8	115.0	280	3.3
17664		13.60	0.08	1.0	0.070	0.83	4.2	26.3	4.51	1830	0.33	3.13	1.8	114.0	280	2.5
17665		15.05	0.07	1.0	0.059	0.49	2.9	31.1	4.50	1740	0.27	3.13	1.8	104.5	280	1.0
17666		16.70	0.08	0.9	0.065	0.58	2.7	24.4	3.63	1900	0.25	2.42	1.9	118.0	290	20.6
17667		15.55	0.07	1.3	0.055	0.53	2.5	24.6	4.39	1310	1.08	2.24	1.7	106.5	260	4.6
17668		14.65	0.08	2.3	0.043	0.91	12.7	36.6	3.42	1040	3.40	3.30	3.6	64.3	730	2.5
17669		17.10	0.08	1.5	0.118	0.58	3.4	27.3	4.37	3150	0.45	2.07	2.0	124.0	290	2.1
17670		18.00	0.09	1.2	0.249	0.27	3.1	26.9	3.35	2740	0.82	1.60	2.0	109.5	270	1.5
17671		20.0	0.15	1.6	0.840	0.26	6.8	20.6	3.61	2880	2.19	1.10	2.7	211	230	7.7
17672		17.85	0.07	1.2	0.165	0.53	2.7	16.8	3.47	3150	0.45	1.98	2.2	117.0	270	2.2
17673		16.15	0.07	1.1	0.072	0.46	2.9	22.1	3.61	2550	0.24	2.17	2.0	121.0	290	1.5
17674		20.7	0.09	1.3	0.339	0.70	4.4	52.5	3.11	2610	1.30	2.01	2.3	155.0	260	1500
17675		0.25	<0.05	<0.1	<0.005	0.02	1.1	1.5	1.82	115	0.09	0.03	0.1	1.1	70	2.2
17676		17.85	0.08	1.3	0.061	0.78	3.0	36.7	3.56	2970	0.37	2.01	2.0	126.0	290	112.0
17677		17.35	0.06	0.9	0.076	0.66	2.6	29.7	3.67	2330	0.21	2.31	1.9	115.0	290	90.5
17678		24.3	0.06	0.8	0.164	0.66	3.3	32.2	3.00	4390	0.41	1.83	1.8	89.4	250	1050
17679		17.05	0.06	0.8	0.068	0.23	2.7	21.8	2.81	2040	0.35	2.62	2.2	135.5	290	5.8
17680		17.85	0.07	0.8	0.069	0.21	3.1	25.0	2.86	2000	0.34	2.70	2.2	140.5	300	2.0
17681		22.3	0.14	2.5	5.49	0.67	14.9	20.3	0.19	235	4.74	0.45	7.9	62.7	580	1065
17682		17.95	0.07	1.1	0.072	0.23	3.0	27.4	2.93	2010	0.30	2.11	2.1	131.5	290	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17654		26.2	<0.002	0.09	0.35	33.4	<1	0.4	184.5	0.09	0.09	0.13	0.372	0.28	<0.1	230
17655		30.1	<0.002	0.20	0.44	30.3	<1	0.3	244	0.07	0.15	0.12	0.350	0.25	<0.1	226
17656		35.3	0.004	1.65	0.79	38.5	2	1.7	247	0.11	0.61	0.34	0.421	0.44	0.1	239
17657		38.5	<0.002	0.46	0.38	33.8	<1	0.6	151.5	0.07	0.33	0.13	0.359	0.43	0.1	211
17658		40.5	<0.002	0.73	0.20	18.3	1	2.1	244	0.42	0.22	9.56	0.303	0.28	1.9	103
17659		26.9	0.004	1.67	0.53	32.6	3	2.1	240	0.31	1.04	4.33	0.401	0.35	1.1	187
17660		26.0	0.003	1.75	0.59	38.0	4	2.4	212	0.28	1.16	3.61	0.427	0.32	1.0	205
17661		29.8	<0.002	2.31	95.2	4.5	39	6.0	499	0.60	43.3	7.51	0.232	1.73	2.4	36
17662		14.1	0.003	0.10	0.26	48.5	1	0.6	173.0	0.14	0.16	0.19	0.562	0.16	0.1	309
17663		35.7	<0.002	0.17	0.23	45.9	1	0.8	171.0	0.12	0.27	0.17	0.494	0.23	0.1	273
17664		33.6	0.002	0.17	0.20	46.2	1	0.8	171.0	0.12	0.26	0.16	0.501	0.24	0.1	272
17665		22.4	<0.002	0.19	0.19	46.2	1	0.6	144.0	0.12	0.23	0.17	0.497	0.18	0.1	272
17666		26.7	<0.002	0.16	0.46	45.6	1	0.5	180.0	0.12	0.06	0.19	0.536	0.17	0.1	283
17667		14.8	0.002	0.12	0.26	40.6	1	0.5	43.1	0.12	0.06	0.16	0.475	0.13	<0.1	250
17668		29.2	<0.002	0.14	0.13	24.3	1	0.9	110.0	0.27	0.09	2.29	0.404	0.23	0.7	146
17669		30.9	0.006	0.73	0.25	49.4	2	1.2	136.0	0.14	0.22	0.30	0.537	0.24	0.1	291
17670		10.2	0.015	0.77	0.24	46.1	2	2.1	99.6	0.13	0.40	0.37	0.483	0.16	0.1	261
17671		11.8	0.047	5.89	0.49	59.9	19	3.2	116.5	0.19	2.86	1.01	0.422	0.36	0.4	273
17672		25.8	0.005	0.45	0.17	47.4	1	1.7	121.0	0.14	0.13	0.21	0.559	0.22	0.1	292
17673		20.1	0.002	0.27	0.15	45.6	1	0.8	135.5	0.14	0.08	0.18	0.546	0.19	0.1	280
17674		29.5	0.007	4.13	1.24	50.3	5	4.3	134.0	0.15	0.89	0.56	0.509	0.39	0.2	287
17675		0.6	<0.002	<0.01	0.06	0.4	1	<0.2	83.4	<0.05	<0.05	0.05	0.008	0.02	0.1	3
17676		39.1	0.002	0.58	0.43	48.9	1	1.2	138.5	0.13	0.07	0.19	0.576	0.28	0.1	307
17677		21.7	0.002	0.11	0.20	43.5	<1	0.7	146.0	0.13	0.05	0.16	0.523	0.20	0.1	279
17678		21.1	0.002	0.86	0.36	39.2	1	1.8	252	0.11	0.19	0.16	0.472	0.19	0.1	245
17679		4.3	0.002	0.26	0.14	48.6	1	0.5	119.0	0.14	<0.05	0.18	0.602	0.08	0.1	313
17680		4.6	0.002	0.30	0.14	51.6	1	0.5	117.0	0.14	0.07	0.19	0.603	0.07	0.1	318
17681		28.6	0.002	2.17	88.4	4.3	37	5.6	463	0.57	41.0	6.76	0.219	1.65	2.3	34
17682		9.2	0.002	0.28	0.28	51.8	1	0.5	116.0	0.14	0.16	0.20	0.583	0.06	0.1	319

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17654		0.7	12.6	163	17.3					
17655		0.5	12.1	1040	22.9					
17656		1.1	17.1	722	24.8					
17657		0.9	12.6	367	18.4					
17658		0.8	35.6	3230	257					
17659		2.1	23.5	134	142.0					
17660		2.0	22.3	126	122.5					
17661		13.5	7.1	4420	96.0	120				
17662		1.0	18.4	112	35.2					
17663		0.7	20.0	517	29.5					
17664		0.7	19.9	568	28.5					
17665		0.9	18.1	98	31.9					
17666		0.6	21.1	95	32.7					
17667		0.8	18.5	87	30.8					
17668		0.9	18.5	59	94.9					
17669		0.7	26.5	251	46.9					
17670		0.6	24.2	312	56.6					
17671		0.6	29.3	2060	65.0					
17672		0.6	22.4	318	43.1					
17673		0.7	22.6	161	33.8					
17674		1.0	27.6	4420	45.2					
17675		<0.1	2.3	12	1.7					
17676		0.6	25.2	314	42.4					
17677		0.8	20.5	1280	30.6					
17678		1.5	24.6	2810	26.3					
17679		1.1	22.7	108	27.6					
17680		1.1	25.2	98	29.3					
17681		12.5	6.9	4200	92.4	120				
17682		0.7	25.2	116	35.7					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089755

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			