ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

CERTIFICATE SD19089725

Project: McAra

This report is for 80 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17427		2.05	0.07	6.20	0.7	370	0.43	0.04	4.32	0.14	31.6	36.4	106	2.30	81.9	7.52
17428		2.15	0.11	7.46	0.7	190	0.36	0.05	5.06	0.10	9.43	50.1	138	0.71	168.0	8.80
17429		2.10	0.05	7.10	0.7	240	0.20	0.03	6.38	0.09	5.37	47.6	182	0.79	89.1	7.64
17430		1.66	0.13	8.11	1.0	300	0.30	0.04	6.01	0.11	6.97	49.0	149	1.06	239	8.28
17431		2.23	0.09	7.99	1.6	400	0.35	0.05	5.04	0.10	6.46	47.9	149	1.26	197.0	9.09
17432		1.87	0.09	7.12	1.4	260	0.57	0.06	4.25	0.09	27.2	23.7	65	1.01	70.6	6.32
17433		2.00	0.03	6.78	1.1	370	0.70	0.03	4.00	0.14	36.5	11.1	41	1.05	29.0	4.77
17434		2.02	0.10	6.74	1.4	310	0.69	0.06	3.92	0.05	36.0	11.7	24	1.23	57.4	8.17
17435		2.00	0.03	7.16	1.2	440	0.80	0.07	2.75	<0.02	36.4	7.1	17	1.02	44.8	2.28
17436		1.55	0.13	6.91	3.5	330	0.87	0.08	2.24	1.32	38.6	10.2	38	1.05	34.6	2.25
17437		1.92	0.11	7.09	2.6	370	0.90	0.05	1.66	0.75	37.6	9.3	37	1.26	34.4	2.32
17438		1.94	0.19	6.96	3.9	430	0.73	0.07	2.11	0.64	33.8	16.9	60	2.64	67.8	3.03
17439		0.53	0.96	6.62	11.7	270	0.65	0.72	1.61	3.00	47.5	85.5	70	0.82	416	7.07
17440		0.41	1.02	6.44	10.6	260	0.59	0.74	2.02	2.91	49.6	85.2	81	0.75	538	7.56
17441		0.06	>100	3.78	1790	350	0.66	154.0	0.32	54.6	24.6	14.9	28	1.51	9370	2.73
17442		2.08	0.96	7.54	13.1	250	0.35	0.39	4.83	0.48	7.82	52.0	199	0.40	183.5	7.09
17443		1.73	0.87	7.12	91.1	330	0.64	0.35	4.10	1.07	10.90	66.1	265	0.56	257	6.96
17444		1.77	0.56	7.40	79.2	280	0.84	0.33	3.24	0.95	15.05	53.0	234	1.11	220	7.35
17445		1.87	0.40	7.28	57.7	150	0.99	0.23	3.53	1.24	20.7	39.6	218	0.54	175.0	7.48
17446		1.84	0.24	7.37	26.0	530	0.96	0.15	2.30	1.15	41.0	22.9	54	0.57	62.0	3.86
17447		1.74	0.16	7.26	27.2	360	1.03	0.08	1.99	3.24	70.9	20.3	66	0.44	49.1	4.30
17448		1.88	0.74	7.75	82.5	490	0.86	0.11	4.66	1.35	8.75	55.0	291	1.24	148.5	7.72
17449		1.39	0.25	7.38	11.2	160	0.96	0.12	1.15	1.74	22.5	15.0	28	0.26	20.5	1.65
17450		1.95	0.22	6.42	23.1	570	1.38	0.19	1.35	2.58	68.3	14.0	74	0.45	68.9	1.95
17451		2.00	0.19	6.75	27.6	1050	2.33	0.36	3.72	0.58	170.0	29.8	224	0.23	83.2	3.99
17452		1.20	0.12	6.61	15.5	460	1.17	0.17	1.91	1.29	61.2	16.4	82	0.18	54.5	2.28
17453		1.02	2.12	5.78	123.5	220	1.27	1.39	4.13	3.84	54.5	95.8	37	0.19	523	6.95
17454		1.98	0.93	7.03	50.6	260	1.06	0.42	4.35	2.33	11.00	60.2	163	0.33	470	8.83
17455		2.02	0.28	7.58	32.3	310	0.48	0.09	5.94	0.25	7.73	48.3	154	0.24	90.5	8.13
17456		1.88	0.20	7.58	7.3	250	0.42	0.07	6.67	0.41	15.90	42.3	104	0.68	128.0	7.21
17457		2.13	0.08	7.77	0.4	210	0.35	0.07	6.57	0.13	13.05	50.1	126	0.47	134.0	8.04
17458		2.08	0.04	7.75	0.3	60	0.53	0.02	3.22	0.05	26.5	23.8	18	0.21	64.3	4.85
17459		0.93	0.02	8.17	0.5	100	0.47	0.03	4.10	0.03	30.2	22.3	16	0.18	49.2	4.80
17460		0.87	0.03	7.94	0.4	100	0.46	0.02	3.76	0.04	30.0	21.3	16	0.17	37.8	4.62
17461		0.08	4.03	5.37	13.2	110	0.53	0.90	3.57	2.05	17.95	955	269	0.69	>10000	18.05
17462		2.25	0.08	7.74	0.5	190	0.30	0.05	7.24	0.26	8.86	53.2	154	0.64	138.5	7.98
17463		2.31	0.07	7.93	3.9	140	0.29	0.05	6.90	0.12	8.52	53.8	159	0.73	143.5	8.73
17464		2.22	0.36	7.61	63.1	160	0.34	0.08	7.06	0.15	8.27	55.9	155	0.33	98.8	8.74
17465		1.15	5.30	4.92	145.0	60	0.37	0.71	4.07	13.45	15.85	119.5	116	0.16	996	16.70
17466		2.07	2.59	6.69	304	210	0.41	0.56	5.29	18.75	10.75	76.9	157	0.18	233	11.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17427		14.20	0.10	1.8	0.042	1.58	17.0	48.0	3.41	1200	1.31	1.01	2.9	88.4	450	4.0
17428		15.60	0.09	1.2	0.059	0.83	3.8	21.7	3.57	1440	0.36	2.87	2.2	148.5	320	1.0
17429		14.80	0.08	0.8	0.046	0.68	1.9	31.4	4.55	1340	0.29	1.83	1.7	146.0	220	1.2
17430		16.95	0.09	1.0	0.065	0.83	2.8	20.7	2.68	1280	0.63	2.29	2.2	119.5	280	3.3
17431		18.10	0.09	1.2	0.068	1.01	2.7	26.3	1.97	1310	1.11	1.97	2.5	116.0	160	3.8
17432		16.75	0.08	2.9	0.044	0.91	12.4	23.6	1.45	1190	1.32	2.37	4.8	56.4	450	7.5
17433		15.65	0.09	3.6	0.029	1.43	18.3	26.1	1.31	1060	1.51	2.04	5.5	27.3	540	14.3
17434		15.20	0.09	3.2	0.024	1.09	19.2	20.2	1.67	1630	1.28	1.63	4.8	34.2	420	4.3
17435		16.40	0.13	4.0	0.030	2.21	17.1	26.2	0.95	442	1.40	3.26	5.8	9.4	530	2.9
17436		17.45	0.12	3.7	0.038	1.56	18.7	23.6	0.40	413	3.15	2.67	6.0	20.2	640	164.0
17437		17.55	0.10	3.8	0.034	1.69	18.6	28.0	0.50	438	2.10	2.95	5.9	19.2	630	107.0
17438		16.15	0.13	3.1	0.059	1.52	15.6	51.5	1.27	621	2.21	1.93	4.2	38.7	440	38.3
17439		16.60	0.13	3.3	0.178	0.90	23.5	51.4	1.76	882	2.47	2.48	5.0	117.0	420	182.5
17440		17.65	0.11	2.9	0.289	0.89	25.4	49.7	2.27	1130	2.22	2.29	4.6	133.5	390	177.0
17441		22.7	0.20	2.4	11.25	0.58	11.2	19.4	0.08	131	6.27	0.40	7.2	107.0	500	1950
17442		14.85	0.10	1.0	0.106	1.65	3.3	35.7	2.95	1690	0.49	3.22	1.9	144.0	220	17.7
17443		15.65	0.09	1.0	0.103	1.48	5.4	43.8	4.04	1370	0.51	2.82	1.7	169.5	220	67.6
17444		17.10	0.12	1.5	0.066	1.42	7.0	63.9	4.68	1220	1.38	2.55	2.9	146.0	430	45.3
17445		17.55	0.11	1.1	0.077	0.94	11.1	70.5	4.65	1190	0.78	2.63	2.2	123.5	270	33.2
17446		17.35	0.13	3.4	0.064	2.55	17.6	40.2	2.55	559	0.53	3.45	4.5	37.9	1050	24.2
17447		21.2	0.16	3.8	0.131	1.29	33.0	46.3	2.65	572	0.49	3.62	6.0	46.9	1210	24.9
17448		16.90	0.11	0.8	0.076	1.42	3.1	53.0	4.62	1840	0.38	2.05	1.5	171.5	210	38.7
17449		13.65	0.09	3.6	0.046	1.14	12.1	17.5	1.06	266	1.67	4.90	4.4	18.8	350	39.3
17450		15.20	0.14	4.6	0.060	2.07	33.9	16.5	1.27	333	3.21	3.39	7.2	33.1	790	89.4
17451		19.30	0.28	7.2	0.079	2.96	80.7	17.3	3.81	739	0.47	3.05	13.4	99.6	2350	52.0
17452		12.90	0.16	4.5	0.096	1.77	29.1	17.0	1.85	391	2.37	3.90	7.4	39.9	950	19.5
17453		13.25	0.14	4.1	0.178	1.06	28.1	25.2	3.30	607	1.94	3.06	5.6	81.5	210	3060
17454		15.55	0.10	1.0	0.166	0.80	4.3	33.4	4.26	2070	0.44	3.26	2.2	117.5	290	117.5
17455		15.65	0.09	0.9	0.071	0.83	2.7	51.0	4.00	1830	0.27	2.98	2.2	122.0	280	31.4
17456		17.20	0.09	1.7	0.054	0.79	7.6	30.5	3.52	1380	0.81	2.90	2.9	78.7	430	8.3
17457		16.30	0.09	1.5	0.060	0.53	6.6	19.8	3.27	2040	0.40	2.79	2.5	104.5	320	4.0
17458		17.75	0.09	3.1	0.040	0.21	13.6	28.8	1.99	921	0.80	5.02	4.6	39.4	520	1.5
17459		18.50	0.11	3.2	0.038	0.32	15.6	31.7	1.95	868	0.63	5.16	4.8	31.6	560	1.2
17460		17.95	0.10	3.2	0.039	0.33	15.3	30.3	1.88	817	0.65	5.04	4.7	31.6	530	0.9
17461		11.15	0.57	1.3	0.105	0.31	8.4	9.0	4.04	987	4.71	1.19	4.9	>10000	460	14.3
17462		17.35	0.09	1.2	0.063	0.58	3.2	22.6	4.22	1960	0.43	2.17	2.1	142.5	290	3.8
17463		17.55	0.09	1.1	0.066	0.51	2.9	29.2	3.61	2060	0.34	1.92	2.1	128.0	280	1.4
17464		16.45	0.08	1.1	0.070	0.48	2.9	38.7	3.34	2250	2.98	2.42	2.1	120.0	270	6.7
17465		16.20	0.13	1.4	0.410	0.20	7.6	39.5	3.40	2270	6.94	0.94	2.2	230	190	306
17466		17.30	0.09	1.2	0.162	0.56	4.8	50.0	2.95	2320	0.90	2.01	2.0	144.5	240	717

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17427		50.3	<0.002	0.17	0.10	22.7	<1	0.5	86.2	0.18	<0.05	2.27	0.342	0.43	0.5	146
17428		16.4	<0.002	0.06	0.10	39.3	1	0.4	112.5	0.14	0.09	0.62	0.477	0.19	0.2	243
17429		20.4	<0.002	0.01	0.15	33.5	1	0.5	112.5	0.10	<0.05	0.14	0.418	0.18	<0.1	229
17430		24.6	<0.002	0.29	0.38	41.6	1	0.6	191.0	0.13	0.07	0.22	0.541	0.19	0.1	276
17431		20.6	<0.002	0.42	0.23	36.1	1	0.7	162.0	0.15	0.05	0.26	0.557	0.29	0.1	273
17432		18.0	<0.002	0.22	0.17	19.3	1	1.1	150.5	0.36	<0.05	2.68	0.342	0.25	0.6	133
17433		31.5	<0.002	0.07	0.18	14.1	<1	1.1	149.0	0.42	<0.05	3.52	0.283	0.28	0.8	88
17434		36.1	<0.002	0.18	0.41	12.6	<1	0.9	128.0	0.38	<0.05	3.78	0.245	0.28	0.9	76
17435		64.0	<0.002	0.04	0.18	7.3	<1	1.3	136.0	0.45	<0.05	3.63	0.285	0.47	0.8	63
17436		48.6	<0.002	0.26	0.34	7.4	<1	1.4	158.0	0.47	<0.05	3.68	0.288	0.29	0.8	67
17437		55.6	<0.002	0.10	0.17	7.2	<1	1.2	166.0	0.47	<0.05	3.81	0.298	0.39	0.8	71
17438		63.0	<0.002	0.50	0.23	8.3	1	1.4	128.5	0.37	0.23	3.39	0.211	0.75	0.8	57
17439		33.4	0.008	3.64	1.54	15.1	5	2.0	106.0	0.44	1.25	5.04	0.237	2.00	1.2	72
17440		30.3	0.015	3.42	1.56	17.3	6	2.4	98.4	0.37	1.33	4.63	0.238	2.98	1.2	82
17441		22.1	0.002	3.55	204	3.9	63	12.8	460	0.54	56.9	5.18	0.190	4.28	2.5	30
17442		44.8	<0.002	0.20	0.73	45.8	1	0.7	75.3	0.11	0.26	0.30	0.508	0.46	0.1	273
17443		47.5	<0.002	1.20	0.66	44.1	2	1.8	85.6	0.11	0.74	0.30	0.425	0.49	0.1	238
17444		50.2	0.003	1.25	0.81	38.4	2	1.7	88.2	0.18	0.53	0.68	0.426	0.47	0.2	209
17445		20.2	<0.002	0.81	0.36	35.7	2	1.2	77.4	0.17	0.30	0.95	0.366	0.23	0.4	198
17446		52.5	<0.002	0.34	0.27	12.9	1	1.1	173.0	0.30	0.12	3.78	0.321	0.42	1.4	97
17447		26.4	<0.002	0.28	0.20	12.8	1	1.3	213	0.30	0.06	4.60	0.378	0.26	1.2	99
17448		41.6	0.002	1.10	0.58	40.9	2	1.3	176.0	0.10	0.52	0.12	0.405	0.60	0.1	247
17449		28.8	<0.002	0.50	0.25	7.3	1	1.1	108.0	0.49	0.16	8.06	0.136	0.20	1.7	47
17450		63.2	<0.002	0.40	0.16	5.4	1	1.5	179.0	0.52	0.11	8.19	0.163	0.44	2.0	32
17451		81.9	<0.002	0.40	0.14	14.1	1	1.4	305	0.59	0.13	11.35	0.286	0.48	2.5	81
17452		44.2	<0.002	0.37	0.15	5.6	1	1.4	109.5	0.53	0.08	8.19	0.185	0.30	1.8	40
17453		26.2	<0.002	4.85	0.61	18.0	6	2.0	73.4	0.35	1.50	7.43	0.172	0.30	1.4	57
17454		27.3	0.002	1.27	0.26	53.2	2	1.1	93.0	0.14	0.41	0.23	0.575	0.22	0.1	274
17455		29.8	<0.002	0.39	0.21	48.1	1	0.7	130.5	0.14	0.14	0.23	0.590	0.23	0.1	280
17456		32.5	<0.002	0.23	0.21	36.1	1	0.9	104.5	0.22	0.11	1.37	0.499	0.26	0.4	216
17457		24.1	0.002	0.46	0.25	41.9	1	1.0	132.0	0.18	0.05	0.69	0.504	0.19	0.2	252
17458		4.1	<0.002	0.06	0.09	18.1	<1	0.7	96.4	0.34	<0.05	2.22	0.364	0.06	0.6	131
17459		8.0	<0.002	0.05	0.07	19.0	<1	0.8	75.0	0.35	<0.05	2.52	0.381	0.07	0.6	132
17460		7.8	<0.002	0.06	0.06	18.4	<1	0.8	79.1	0.35	<0.05	2.55	0.363	0.07	0.7	129
17461		12.2	0.048	8.32	3.30	9.7	24	2.4	185.5	0.31	4.58	1.01	0.533	0.17	0.3	78
17462		32.6	<0.002	0.13	0.16	45.7	1	0.6	133.0	0.14	<0.05	0.24	0.544	0.18	0.1	281
17463		27.2	0.002	0.11	0.15	47.4	1	0.5	132.0	0.13	<0.05	0.19	0.565	0.18	0.1	291
17464		22.8	0.002	0.33	0.27	47.3	<1	1.0	128.0	0.13	0.10	0.19	0.549	0.15	0.1	284
17465		7.4	0.012	6.54	1.45	35.1	9	3.9	86.8	0.16	2.00	1.14	0.319	0.35	0.3	173
17466		21.0	0.007	3.23	0.98	51.6	5	3.1	147.0	0.13	1.10	0.50	0.463	0.24	0.1	270

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17427		0.2	16.4	105	78.9				88.1	91.9
17428		0.4	17.8	90	45.7					93.2
17429		0.2	14.1	83	20.1					
17430		0.2	16.5	82	38.7					
17431		0.2	13.9	76	47.0					
17432		0.2	14.3	74	131.5					
17433		0.2	14.2	84	161.5					
17434		0.2	14.6	73	154.0					
17435		0.4	12.3	28	179.5					
17436		0.3	11.0	422	173.0					
17437		0.3	11.1	278	170.0					
17438		0.3	9.5	245	131.0					
17439		0.4	12.9	942	134.5					
17440		0.4	16.5	932	124.5					
17441		16.2	5.4	8890	88.7	299				
17442		0.6	17.8	201	38.3					
17443		1.0	16.9	395	35.1					
17444		2.2	16.8	289	63.6					
17445		2.6	15.1	453	42.9					
17446		2.2	13.7	472	136.0					
17447		3.1	13.9	885	156.5					
17448		2.8	14.7	443	26.0					
17449		1.4	8.4	389	148.5					
17450		1.2	14.1	529	182.0					
17451		0.6	36.6	156	291					
17452		1.1	16.5	315	181.5					
17453		0.6	23.4	729	179.5					
17454		2.3	21.2	587	40.4					
17455		1.4	19.0	161	38.7					
17456		0.9	20.3	157	68.7					
17457		0.5	20.2	95	55.9					
17458		0.5	12.5	52	133.0					
17459		0.4	14.1	46	138.5					
17460		0.4	13.5	45	136.0					
17461		2.3	10.1	140	54.5		1.625	4.61		
17462		0.3	20.5	124	38.4					
17463		0.4	21.2	98	35.8					
17464		1.0	20.8	143	33.4					
17465		0.5	21.1	2100	51.1					
17466		0.9	24.8	3000	58.5				91.6	92.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17467		2.58	0.16	7.93	12.1	270	0.32	0.25	6.35	0.33	8.93	53.3	166	0.85	158.0	9.12
17468		2.03	0.19	6.84	1.0	390	1.01	2.70	6.28	0.16	46.1	45.3	392	1.01	62.8	7.08
17469		1.32	0.08	7.70	2.3	320	0.40	0.27	6.94	0.08	8.42	53.3	153	0.92	92.7	7.77
17470		1.68	0.10	6.95	0.2	420	1.07	1.27	6.68	0.13	46.9	44.3	372	1.14	38.6	7.11
17471		1.58	0.30	7.07	1.7	390	0.90	1.51	6.60	0.34	37.3	48.0	390	1.58	126.5	7.02
17472		2.21	0.87	6.84	12.4	260	0.58	1.71	5.92	2.41	25.0	69.5	356	0.75	411	9.29
17473		1.05	1.97	5.01	3.2	210	0.50	0.42	5.50	0.59	23.3	63.0	375	0.52	415	11.50
17474		2.33	0.13	7.95	5.9	250	0.31	0.12	7.05	0.23	9.26	56.0	168	0.71	110.5	9.37
17475		0.51	0.01	0.68	1.1	40	0.09	0.02	31.4	0.04	1.57	4.2	17	0.12	7.6	0.87
17476		1.61	1.18	6.01	0.2	410	0.88	2.06	6.98	0.14	35.1	51.5	649	0.90	64.6	6.96
17477		1.42	0.25	7.61	0.8	220	0.37	0.58	7.09	0.20	10.90	53.6	187	0.80	137.5	7.77
17478		1.21	0.43	7.36	0.5	510	0.92	1.59	6.57	0.09	38.4	41.6	420	0.46	83.8	6.90
17479		0.62	0.57	6.47	0.8	290	0.94	1.38	7.73	0.07	36.3	40.1	500	0.33	73.1	5.92
17480		0.52	0.15	6.97	0.3	290	1.10	1.84	8.54	0.11	36.9	37.7	551	0.43	67.0	6.45
17481		0.07	>100	4.12	1925	350	0.73	159.5	0.35	56.9	27.3	16.8	31	1.88	>10000	2.94
17482		2.20	0.34	7.83	2.2	70	0.28	0.29	8.24	0.18	7.80	51.4	142	0.65	173.5	7.96
17483		2.01	0.12	7.77	0.4	130	1.57	0.10	4.97	0.18	36.4	26.8	58	0.93	147.5	5.33
17484		2.08	0.15	7.53	1.0	180	1.07	0.11	4.51	0.14	34.4	22.7	63	0.97	158.5	5.65
17485		2.02	0.07	7.68	1.1	70	0.79	0.13	6.13	0.05	41.8	20.4	29	0.62	99.5	4.08
17486		2.11	0.06	7.85	0.8	120	0.46	0.06	6.93	0.15	20.9	39.8	111	0.66	79.4	6.63
17487		2.10	0.11	7.63	1.1	60	0.28	0.06	7.99	0.15	7.64	50.5	154	0.41	177.5	7.41
17488		2.15	0.07	7.80	2.0	140	0.27	0.07	7.29	0.14	9.51	49.6	145	0.56	95.8	8.03
17489		1.39	0.09	7.76	0.6	110	0.28	0.05	7.99	0.18	8.92	53.1	149	0.36	172.5	8.06
17490		1.91	0.04	7.65	0.2	370	1.12	0.04	4.89	0.08	49.8	27.5	52	1.15	70.8	6.84
17491		1.00	0.11	7.75	0.6	190	0.47	0.05	7.61	0.16	19.15	45.3	127	0.61	60.1	7.92
17492		2.10	0.10	7.71	<0.2	130	0.27	0.04	7.01	0.15	7.42	51.5	151	0.58	142.5	8.14
17493		2.12	0.17	7.63	4.0	220	0.34	0.13	7.58	0.15	8.77	52.1	149	0.67	140.0	7.58
17494		1.76	0.62	6.32	3.9	180	0.44	0.55	4.39	0.45	27.0	81.5	63	1.19	284	11.35
17495		2.03	0.15	7.60	0.7	190	0.22	0.14	7.08	0.21	8.30	52.9	190	0.81	125.0	9.37
17496		1.71	0.16	7.79	1.8	160	0.24	0.22	7.18	0.18	7.91	51.9	200	0.69	142.0	8.34
17497		1.95	0.05	7.45	0.7	340	0.80	0.04	4.19	0.07	40.7	18.4	35	1.31	46.3	4.63
17498		1.94	0.07	7.88	<0.2	250	0.82	0.10	4.12	0.22	43.9	18.9	38	1.35	40.2	4.76
17499		1.02	0.09	8.11	0.3	100	0.25	0.05	7.62	0.14	8.14	55.3	207	0.66	135.5	8.55
17500		0.96	0.08	8.24	<0.2	100	0.25	0.07	7.78	0.16	7.94	53.7	214	0.65	149.5	8.66
17501		0.07	>100	4.08	1895	340	0.62	157.0	0.34	55.8	23.0	16.4	29	1.80	>10000	2.92
17502		2.02	0.41	7.82	2.4	250	0.84	0.22	4.17	0.23	46.4	17.9	32	0.92	41.6	4.68
17503		2.03	0.30	7.84	29.2	40	0.69	0.13	6.67	0.07	15.65	43.6	149	0.22	115.0	6.39
17504		2.22	0.21	7.18	4.4	60	0.25	0.38	6.34	0.12	7.47	57.9	194	0.49	202	9.48
17505		2.09	0.07	7.65	1.9	150	0.67	0.10	7.25	0.12	18.10	47.6	169	0.78	119.5	9.02
17506		2.04	0.09	6.46	3.3	70	0.21	0.05	8.03	0.14	6.23	40.7	160	0.57	85.8	7.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17467		18.05	0.08	1.1	0.071	0.69	3.1	31.7	3.06	2890	0.86	1.88	2.1	120.0	280	65.5
17468		14.55	0.13	2.2	0.052	0.75	20.6	59.9	5.47	1540	2.85	2.34	3.8	144.0	1380	9.8
17469		16.85	0.08	1.1	0.062	0.92	3.1	25.4	3.32	2180	0.42	1.96	2.1	121.5	300	2.4
17470		17.75	0.12	2.3	0.051	0.73	21.0	56.0	5.17	1520	0.34	2.16	4.2	125.5	1360	7.5
17471		16.95	0.11	2.0	0.049	0.81	17.1	55.5	5.11	1640	0.44	2.08	3.4	152.0	1080	13.5
17472		17.65	0.12	1.8	0.174	0.62	11.1	40.3	3.96	2070	0.97	1.82	2.8	169.0	660	8.5
17473		12.20	0.11	1.7	0.132	0.39	10.7	32.4	4.09	2200	1.23	0.96	2.5	171.0	550	5.0
17474		17.75	0.09	1.1	0.071	0.70	3.3	21.8	2.98	2550	0.39	1.95	2.2	130.0	280	2.3
17475		1.43	<0.05	0.1	0.010	0.07	1.3	3.3	1.86	320	0.21	0.16	0.3	9.0	90	0.7
17476		14.65	0.10	2.0	0.044	0.71	16.0	55.1	7.12	1420	2.32	1.56	2.7	247	1030	7.1
17477		16.95	0.07	1.5	0.063	0.69	4.3	24.3	3.86	1860	1.04	1.89	2.1	130.0	350	3.4
17478		16.65	0.11	2.1	0.050	1.12	17.6	59.3	4.96	1380	1.12	2.26	3.3	106.5	1240	3.1
17479		15.75	0.10	2.0	0.051	0.83	17.4	49.0	5.33	1180	0.82	1.79	3.0	152.5	1100	4.7
17480		15.85	0.12	2.2	0.054	0.89	16.2	55.1	5.83	1310	0.59	1.82	3.4	161.0	1220	5.5
17481		23.8	0.26	2.8	11.60	0.63	14.0	20.3	0.09	144	6.02	0.44	8.2	114.0	550	2060
17482		17.00	0.09	0.8	0.075	0.28	2.9	25.4	3.91	1640	0.37	1.92	2.3	118.0	300	2.7
17483		18.05	0.10	3.8	0.041	0.30	16.8	23.5	1.87	1080	1.97	2.89	8.5	41.7	870	3.5
17484		18.50	0.09	3.6	0.043	0.34	15.5	29.2	1.94	1050	1.22	2.42	6.9	29.0	800	3.7
17485		18.10	0.09	4.4	0.038	0.24	19.4	36.3	1.22	652	0.85	2.59	7.0	22.8	970	2.4
17486		18.10	0.10	2.6	0.059	0.31	9.3	28.1	3.09	1270	0.62	2.15	4.5	82.8	550	1.5
17487		16.25	0.07	1.3	0.064	0.26	2.8	23.9	3.46	1560	0.62	1.53	2.2	124.0	300	1.0
17488		16.90	0.10	1.3	0.057	0.30	3.6	17.6	4.14	1720	0.58	1.67	2.8	115.0	360	1.6
17489		17.20	0.08	1.4	0.067	0.28	3.3	14.0	4.28	1730	0.81	1.66	2.6	123.5	330	1.3
17490		21.8	0.12	4.8	0.063	0.51	20.1	20.0	1.86	1050	1.63	2.56	16.7	38.0	2050	1.9
17491		17.90	0.10	1.9	0.074	0.38	8.1	16.3	3.95	1560	1.12	1.89	5.3	103.5	650	1.9
17492		16.95	0.08	0.8	0.069	0.45	2.7	27.1	3.70	1720	0.31	1.95	2.4	122.0	310	0.8
17493		16.45	0.10	1.1	0.078	0.59	3.9	34.6	2.86	1780	2.17	1.75	2.2	121.5	280	3.8
17494		16.95	0.11	2.5	0.128	0.60	12.7	45.6	2.30	1200	3.13	1.79	4.5	90.7	510	13.1
17495		16.05	0.08	1.2	0.073	0.59	3.2	24.4	3.91	1930	0.45	1.46	2.2	127.0	290	4.1
17496		16.40	0.06	1.2	0.061	0.51	3.1	24.5	3.02	1880	0.38	1.98	2.2	135.0	270	2.5
17497		18.50	0.12	4.3	0.042	0.85	17.5	28.6	1.50	846	1.10	2.72	7.7	25.8	1080	2.9
17498		19.00	0.11	4.3	0.045	0.70	19.5	28.4	1.52	879	1.17	2.92	7.9	27.6	1090	14.3
17499		17.35	0.06	0.9	0.066	0.36	3.0	14.5	2.84	1940	0.56	1.73	2.3	138.0	280	1.4
17500		17.15	0.09	0.9	0.068	0.37	3.0	13.8	2.88	1990	0.45	1.72	2.3	139.0	280	1.4
17501		23.2	0.22	2.8	11.50	0.63	10.2	19.3	0.08	143	5.99	0.43	8.1	111.0	540	2050
17502		19.55	0.12	4.5	0.061	0.57	20.9	35.0	1.48	862	0.83	3.11	8.3	26.0	1100	4.4
17503		15.15	0.07	1.4	0.074	0.18	7.1	32.7	2.87	1850	0.42	3.11	3.0	110.0	390	3.6
17504		14.95	0.10	1.1	0.060	0.17	2.8	38.5	3.52	1780	4.50	1.37	2.0	115.5	260	2.6
17505		16.80	0.09	1.7	0.067	0.35	8.3	16.8	3.96	1760	1.21	2.04	3.1	100.0	650	2.6
17506		13.70	0.05	1.0	0.048	0.21	2.3	14.9	3.00	1610	0.92	1.11	1.6	97.6	230	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17467		29.7	0.002	0.47	0.16	45.9	1	1.6	97.2	0.14	0.14	0.21	0.569	0.26	0.1	289
17468		31.9	<0.002	0.06	0.09	31.2	1	0.8	236	0.21	0.41	1.75	0.426	0.22	0.6	188
17469		43.7	<0.002	0.08	0.16	46.5	1	0.5	139.5	0.14	<0.05	0.20	0.553	0.27	0.1	283
17470		30.0	<0.002	0.03	0.08	33.1	<1	0.8	404	0.23	0.32	1.81	0.488	0.20	0.5	217
17471		40.2	<0.002	0.17	0.12	35.7	1	0.7	289	0.19	0.41	1.40	0.473	0.25	0.4	218
17472		27.8	0.004	2.15	0.54	42.7	4	3.1	211	0.18	0.88	1.12	0.461	0.34	0.3	238
17473		15.9	0.008	2.62	0.38	40.4	5	2.4	176.5	0.16	0.98	1.20	0.330	0.28	0.4	183
17474		35.4	0.002	0.42	0.28	48.1	1	1.2	156.5	0.14	0.09	0.21	0.576	0.24	0.1	290
17475		3.0	<0.002	0.04	0.07	3.9	1	0.2	81.6	<0.05	<0.05	0.07	0.053	0.03	0.1	23
17476		25.9	<0.002	0.10	0.06	31.7	1	0.6	323	0.15	0.13	1.44	0.363	0.16	0.3	191
17477		34.5	0.002	0.16	0.15	44.6	1	0.5	164.0	0.13	0.07	0.30	0.534	0.21	0.1	270
17478		36.3	<0.002	0.13	0.06	33.0	1	0.7	179.0	0.18	0.13	1.50	0.450	0.24	0.5	217
17479		23.6	<0.002	0.15	0.06	29.7	<1	0.7	82.4	0.17	0.08	1.66	0.352	0.18	0.5	174
17480		24.0	<0.002	0.12	0.09	30.1	<1	0.7	79.1	0.20	0.06	1.94	0.390	0.17	0.6	190
17481		24.9	0.002	3.83	222	4.5	62	12.6	521	0.63	58.8	5.99	0.205	4.25	2.8	33
17482		14.0	0.002	0.30	0.37	45.4	1	0.5	128.5	0.14	0.12	0.23	0.544	0.10	0.1	292
17483		10.9	0.002	0.31	0.19	21.0	1	0.9	207	0.48	0.08	2.81	0.490	0.12	0.9	135
17484		10.5	<0.002	0.24	0.23	18.2	<1	1.0	216	0.50	0.10	2.55	0.448	0.14	0.9	135
17485		7.9	<0.002	0.29	0.18	13.9	1	0.9	147.0	0.52	0.09	3.41	0.434	0.12	0.9	94
17486		15.4	<0.002	0.10	0.10	36.7	<1	0.9	128.0	0.32	<0.05	1.60	0.537	0.09	0.5	223
17487		12.0	0.002	0.12	0.14	44.2	<1	0.5	104.5	0.14	0.06	0.23	0.529	0.09	0.1	279
17488		12.6	0.003	0.17	0.17	42.8	<1	0.6	122.0	0.17	<0.05	0.29	0.562	0.10	0.1	278
17489		9.5	<0.002	0.23	0.20	43.8	1	0.7	121.0	0.16	<0.05	0.25	0.559	0.08	0.1	286
17490		10.3	<0.002	0.22	0.11	18.6	<1	1.5	203	0.94	<0.05	1.54	0.731	0.09	0.5	129
17491		14.1	0.002	0.12	0.20	39.4	<1	1.3	136.0	0.30	<0.05	0.52	0.582	0.09	0.2	250
17492		11.2	<0.002	0.16	0.17	43.6	<1	0.5	134.5	0.14	<0.05	0.20	0.565	0.10	0.1	294
17493		20.4	<0.002	0.81	0.38	43.5	<1	0.6	136.5	0.14	0.08	0.22	0.544	0.21	0.1	280
17494		27.7	0.004	4.41	0.31	24.2	5	1.7	117.0	0.30	1.30	1.49	0.335	0.21	0.4	126
17495		25.5	<0.002	0.54	0.25	46.2	<1	0.9	135.5	0.14	0.14	0.25	0.513	0.24	0.1	281
17496		18.5	0.002	0.37	0.18	44.3	1	0.6	130.5	0.13	0.14	0.20	0.525	0.17	0.1	284
17497		16.2	<0.002	0.14	0.11	13.7	1	1.0	237	0.54	<0.05	2.70	0.410	0.20	0.8	100
17498		17.6	<0.002	0.20	0.12	14.4	<1	1.1	245	0.52	0.08	3.07	0.420	0.21	0.8	99
17499		12.5	<0.002	0.11	0.10	46.7	1	0.5	115.5	0.15	<0.05	0.23	0.546	0.10	0.1	292
17500		12.2	0.002	0.12	0.13	45.4	1	0.5	116.5	0.14	<0.05	0.22	0.552	0.09	0.1	296
17501		24.6	0.002	3.79	217	4.4	63	12.2	459	0.61	57.2	5.33	0.203	4.27	2.8	33
17502		18.6	<0.002	0.03	0.40	14.7	<1	1.2	208	0.54	0.07	3.23	0.416	0.15	0.8	92
17503		2.5	0.003	0.24	0.21	38.3	<1	0.7	71.6	0.19	0.09	0.86	0.458	0.03	0.2	247
17504		7.7	0.026	1.40	0.36	44.6	1	0.5	106.0	0.12	0.11	0.22	0.474	0.13	0.1	274
17505		13.8	0.004	0.30	0.31	44.5	1	0.6	246	0.18	0.05	1.13	0.494	0.09	0.4	268
17506		9.9	<0.002	0.16	0.28	37.9	<1	0.4	112.0	0.10	<0.05	0.17	0.402	0.06	<0.1	235

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17467		0.5	20.7	211	39.9					
17468		0.7	19.6	108	95.6					
17469		0.6	19.9	104	53.0					
17470		0.8	18.9	107	91.7					
17471		0.8	17.8	164	77.8					
17472		0.8	22.4	706	70.6					
17473		0.5	18.9	218	65.8					
17474		0.9	24.1	208	34.8					
17475		0.1	3.5	23	4.7					
17476		0.7	15.3	112	79.7					
17477		62.0	19.7	122	42.8					
17478		1.9	18.0	80	85.3					
17479		1.3	15.4	65	85.3					
17480		1.3	15.9	69	83.8					
17481		16.7	6.2	9820	90.0	298	1.015			
17482		0.5	18.9	114	26.2					
17483		1.0	18.7	93	143.5					
17484		0.4	16.5	87	135.5					
17485		0.9	17.8	43	172.5					
17486		0.8	23.5	97	102.0					
17487		0.3	18.9	103	28.5					
17488		1.3	18.7	109	34.8					
17489		0.3	19.9	118	38.8					
17490		0.4	27.2	107	194.0					
17491		0.3	22.0	138	84.2					
17492		0.3	19.4	104	22.2					
17493		1.0	20.4	100	25.9					
17494		1.3	19.5	192	104.5					
17495		0.7	21.2	140	37.1					
17496		47.6	20.0	120	25.1					
17497		0.4	15.9	91	176.0					
17498		0.5	17.3	138	176.5					
17499		0.2	22.4	114	25.1					
17500		0.2	22.0	115	23.7					
17501		16.4	6.0	9700	87.6	291	0.984			
17502		0.4	17.4	103	181.5					
17503		1.5	20.1	58	53.3					
17504		1.1	21.0	97	28.7					
17505		0.6	22.2	99	51.8					
17506		0.4	17.5	87	24.6					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 29-APR-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089725

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			