ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
This copy reported on
1-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19092992

Project: Gowganda

This report is for 60 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 18-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17683		2.04	0.07	7.14	3.5	220	0.58	0.02	5.49	0.06	24.6	41.4	108	0.63	90.7	8.56
17684		2.11	0.02	7.97	0.9	440	0.65	0.02	4.62	<0.02	38.6	24.6	104	0.86	39.7	5.23
17685		1.91	0.53	7.86	26.3	240	0.88	0.07	3.50	0.29	58.3	36.4	125	1.33	296	4.89
17686		1.84	0.11	7.43	16.7	300	1.05	0.04	2.84	0.12	41.4	22.9	114	1.35	40.9	4.16
17687		2.71	0.27	6.38	2.9	110	0.70	0.14	5.44	0.06	44.1	37.6	58	0.71	74.5	18.75
17688		3.05	0.14	7.73	2.2	350	0.81	0.09	4.59	0.04	49.8	28.9	95	0.97	44.6	10.75
17689		2.23	0.08	8.03	4.7	410	0.73	0.06	4.80	0.08	61.5	29.4	127	0.69	66.4	5.12
17690		2.38	0.20	7.77	3.2	730	0.75	0.09	3.75	0.29	39.5	30.6	130	2.19	96.6	5.40
17691		2.04	0.44	7.73	14.6	550	0.76	0.14	3.16	2.28	42.3	42.7	162	0.91	161.5	5.46
17692		2.03	1.36	7.91	10.4	510	0.68	0.36	2.75	1.05	52.0	28.0	176	1.63	89.5	5.66
17693		1.87	0.33	8.26	3.9	630	0.52	0.37	4.17	0.47	32.5	27.2	104	1.07	61.3	5.17
17694		1.83	0.06	7.71	2.1	450	0.78	0.03	5.72	0.16	51.5	14.5	54	1.78	15.3	3.56
17695		1.96	0.07	7.70	3.9	290	0.98	0.09	2.52	0.07	39.4	18.7	54	1.51	28.0	4.13
17696		2.15	0.21	6.84	4.1	340	0.46	0.04	6.02	0.16	23.8	39.8	85	1.24	135.0	9.59
17697		2.28	0.17	6.82	5.9	340	0.60	0.10	5.07	1.63	45.5	18.2	33	0.59	30.8	4.64
17698		2.16	0.04	7.44	1.1	360	0.74	0.04	2.42	0.04	29.8	5.0	13	0.71	16.2	2.01
17699		1.16	0.07	7.39	2.6	660	1.27	0.19	3.04	0.04	67.5	28.2	63	1.06	32.1	4.76
17700		1.05	0.08	7.46	2.1	710	1.49	0.13	3.05	0.04	71.2	26.2	65	1.20	30.2	4.65
17701		0.06	>100	4.60	723	240	0.83	61.3	0.67	26.5	32.3	10.7	34	2.62	5340	2.28
17702		2.22	0.30	9.31	4.7	980	0.98	0.29	0.79	0.05	31.5	16.4	50	1.05	53.7	2.94
17703		2.53	0.36	8.29	2.4	240	0.29	0.05	7.36	0.19	6.75	57.1	180	1.01	174.0	6.92
17704		2.23	0.26	8.38	1.3	230	0.28	0.04	7.28	0.15	6.87	57.1	193	0.73	160.5	7.16
17705		2.27	0.88	8.31	37.9	270	0.61	0.57	4.27	1.92	16.00	45.7	104	0.63	148.0	8.48
17706		1.99	1.92	7.60	126.0	330	0.59	0.66	7.34	2.35	12.05	68.5	176	0.76	328	9.26
17707		2.02	1.44	8.05	132.0	170	0.71	0.48	3.63	2.75	11.10	71.2	156	0.50	443	10.60
17708		2.06	0.83	7.62	154.5	200	0.63	0.40	3.05	2.95	7.15	59.8	293	0.18	209	8.53
17709		1.87	2.36	6.67	179.5	200	0.84	10.65	3.57	1.78	28.4	99.9	195	0.35	971	7.43
17710		1.94	0.83	7.02	85.8	290	0.67	1.42	2.41	4.21	24.4	69.1	123	0.58	959	6.10
17711		1.05	0.44	7.31	45.1	200	0.80	0.45	4.21	0.51	13.80	57.0	280	0.48	350	8.22
17712		1.66	0.13	6.96	24.5	170	0.62	0.10	5.90	0.04	14.80	46.4	247	0.39	113.5	6.90
17713		3.21	0.11	7.32	17.6	170	0.48	0.10	5.13	0.05	8.61	48.5	258	0.66	118.0	7.38
17714		1.61	0.08	7.72	34.8	240	0.69	0.07	4.59	0.07	10.55	47.7	289	0.80	85.3	7.93
17715		1.95	0.08	7.33	53.6	350	1.08	0.22	3.89	0.05	8.13	42.8	272	0.53	52.3	7.74
17716		2.31	0.73	7.05	97.9	290	0.82	0.74	2.68	0.95	27.4	63.6	176	0.45	798	7.40
17717		0.98	1.74	5.28	229	120	0.81	2.28	4.05	0.47	38.3	118.5	290	0.23	2240	8.68
17718		1.92	0.39	6.36	108.5	160	1.10	0.41	3.15	0.08	35.7	31.9	476	0.29	256	5.02
17719		0.65	0.59	7.25	43.5	380	0.56	0.31	1.55	0.82	31.4	22.7	33	0.41	225	2.69
17720		0.65	0.77	7.21	28.3	520	0.68	0.24	1.40	1.06	29.4	16.7	33	0.48	157.0	2.35
17721		0.06	>100	4.48	702	270	0.83	59.1	0.65	25.8	32.6	10.8	32	2.96	5170	2.22
17722		1.88	0.27	7.01	32.2	310	2.67	0.18	2.55	0.03	37.1	46.7	54	1.69	223	8.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17683		15.15	0.10	2.3	0.051	0.93	12.1	32.6	2.59	1390	1.14	2.67	2.6	83.0	370	3.0
17684		18.85	0.11	2.9	0.026	1.96	18.6	31.3	2.06	887	0.70	2.49	3.9	61.8	680	2.6
17685		17.20	0.13	3.6	0.068	0.89	26.7	48.1	2.97	772	1.39	3.34	5.5	96.5	1120	63.2
17686		15.85	0.14	3.3	0.028	1.64	17.9	42.9	2.09	584	4.56	3.18	4.6	71.5	840	65.0
17687		15.05	0.14	2.7	0.032	0.44	21.2	16.3	3.12	5100	0.77	0.61	3.9	82.6	610	5.0
17688		17.45	0.13	3.3	0.038	0.84	24.2	25.4	2.41	3000	0.98	1.83	4.7	73.5	780	5.7
17689		17.75	0.13	3.6	0.050	1.35	28.3	26.7	2.24	1170	1.04	3.71	5.4	78.4	1020	7.0
17690		18.25	0.12	3.3	0.048	2.52	18.3	54.6	1.94	1260	1.66	1.31	4.5	77.5	670	24.6
17691		15.35	0.13	2.9	0.055	3.46	19.4	30.6	2.15	1200	21.2	2.53	4.3	87.2	760	248
17692		17.15	0.15	3.3	0.082	2.65	23.2	40.2	2.41	1200	9.21	2.48	4.8	67.2	1000	107.0
17693		15.85	0.13	2.5	0.034	3.25	15.0	34.8	1.69	988	28.8	2.18	3.9	71.9	620	776
17694		16.25	0.14	3.5	0.033	2.35	25.3	35.1	2.30	765	0.87	2.60	5.0	38.3	730	22.0
17695		17.05	0.14	4.2	0.031	1.42	19.2	37.9	1.34	579	3.82	2.92	6.2	35.8	710	8.1
17696		15.10	0.11	2.3	0.050	0.84	11.8	30.3	3.07	1940	0.91	1.58	3.4	95.9	410	12.5
17697		13.15	0.12	3.3	0.031	2.90	24.7	23.5	1.24	1150	3.01	2.40	4.3	30.8	520	128.0
17698		15.70	0.11	4.2	0.025	1.82	14.5	33.6	1.14	461	3.77	3.73	5.7	6.3	550	27.3
17699		21.3	0.16	4.0	0.048	1.83	29.5	28.4	2.10	783	0.32	3.15	5.3	47.4	1240	15.3
17700		22.4	0.18	4.1	0.045	1.89	32.0	28.6	2.11	778	0.39	3.11	5.5	47.9	1250	10.0
17701		22.2	0.16	2.7	5.93	0.70	16.2	22.3	0.20	244	4.47	0.46	8.1	63.7	610	1085
17702		19.75	0.13	4.2	0.057	5.21	14.6	36.1	1.07	487	2.71	2.78	6.3	37.7	560	5.0
17703		16.55	0.11	1.0	0.087	0.91	2.2	32.9	2.86	2080	0.33	2.87	1.9	150.0	250	11.2
17704		16.40	0.11	1.0	0.071	0.97	2.3	33.3	2.86	2020	0.27	3.19	1.8	151.5	240	8.8
17705		18.70	0.12	1.1	0.139	1.42	6.9	84.1	5.40	1700	0.94	2.49	1.6	68.7	270	85.0
17706		20.3	0.11	1.0	0.172	1.56	5.6	99.6	4.56	1870	1.59	1.76	1.9	139.5	210	90.0
17707		20.1	0.11	1.4	0.159	0.96	4.3	75.5	5.64	1860	1.14	2.76	2.3	145.5	320	63.4
17708		20.2	0.09	1.0	0.117	0.93	2.8	79.5	5.02	1690	1.55	3.25	1.7	166.0	240	75.5
17709		15.60	0.13	2.2	0.444	0.85	12.5	46.5	3.85	1020	32.0	3.12	3.1	155.0	380	102.5
17710		19.20	0.11	2.4	0.735	1.18	11.1	37.1	2.72	861	2.88	3.20	3.6	134.0	310	28.3
17711		14.80	0.10	0.8	0.115	0.80	5.7	42.6	4.92	2080	0.85	3.28	1.5	154.5	220	9.2
17712		12.90	0.09	0.8	0.055	0.93	6.5	35.1	5.38	1800	0.69	3.16	1.4	149.0	190	2.9
17713		13.55	0.09	0.7	0.055	0.70	3.5	40.1	4.78	1850	0.22	3.14	1.5	155.5	190	2.3
17714		15.10	0.09	0.8	0.068	0.72	4.1	53.4	4.77	1740	0.42	2.84	1.6	155.0	200	12.0
17715		14.80	0.08	1.1	0.065	1.01	3.4	54.3	4.68	1660	1.00	2.83	1.6	145.0	190	23.7
17716		17.65	0.11	2.2	0.194	0.82	13.1	42.4	2.81	1270	1.50	3.12	4.0	123.5	300	28.8
17717		19.25	0.11	1.9	1.740	0.67	18.7	56.6	3.42	1090	2.84	1.78	3.1	249	260	73.7
17718		15.50	0.11	3.1	0.124	0.85	16.4	43.7	4.44	872	45.1	3.16	4.3	140.5	790	9.7
17719		14.25	0.12	3.0	0.127	2.35	15.8	14.4	0.85	421	1.76	3.94	4.6	35.1	310	15.3
17720		13.70	0.11	3.1	0.099	2.53	14.7	13.7	0.87	354	1.48	3.95	5.0	23.4	340	11.1
17721		22.8	0.16	2.8	5.61	0.69	16.8	22.8	0.19	233	4.84	0.45	8.5	61.8	600	1055
17722		19.30	0.13	3.2	0.095	1.11	16.5	54.2	5.05	924	2.55	2.52	12.4	58.5	630	4.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17683		30.5	<0.002	0.16	0.23	17.8	1	1.6	127.0	0.18	<0.05	2.32	0.292	0.29	0.7	124
17684		54.5	<0.002	0.11	0.14	17.0	1	0.5	319	0.27	<0.05	3.91	0.357	0.36	0.9	129
17685		26.0	<0.002	0.08	0.15	21.4	1	0.9	160.0	0.36	<0.05	4.15	0.529	0.23	1.0	165
17686		42.9	<0.002	0.09	0.12	16.7	<1	0.6	144.0	0.31	<0.05	4.19	0.390	0.39	0.9	137
17687		16.8	<0.002	0.91	0.47	32.2	1	0.6	79.1	0.26	0.22	3.65	0.303	0.35	0.8	126
17688		30.8	<0.002	0.43	0.27	25.2	1	0.8	230	0.32	0.08	4.88	0.386	0.37	1.1	139
17689		41.0	<0.002	0.08	0.11	22.1	<1	0.8	173.0	0.36	<0.05	4.59	0.484	0.29	1.0	163
17690		78.8	0.002	0.48	0.28	20.1	1	0.8	147.0	0.32	0.09	3.97	0.402	0.90	1.0	147
17691		99.5	<0.002	0.71	0.55	21.8	1	0.8	76.8	0.28	0.16	4.09	0.433	1.62	0.9	158
17692		86.6	<0.002	0.18	0.25	23.6	1	0.9	92.5	0.31	0.87	4.10	0.499	0.81	0.9	171
17693		93.9	<0.002	0.09	0.27	22.8	1	0.4	145.0	0.26	0.10	3.14	0.390	0.86	0.7	153
17694		79.3	<0.002	0.03	0.08	14.2	1	0.7	122.5	0.38	<0.05	4.98	0.358	0.56	1.2	114
17695		42.0	<0.002	0.20	0.19	12.9	<1	1.1	169.5	0.48	<0.05	3.56	0.308	0.48	0.8	85
17696		34.9	<0.002	0.29	0.24	34.9	1	0.6	128.5	0.26	0.09	1.89	0.356	0.42	0.4	190
17697		80.3	<0.002	0.37	0.28	11.1	1	0.9	66.8	0.36	0.07	3.86	0.244	1.10	0.9	67
17698		43.1	<0.002	0.01	0.08	7.4	<1	1.5	148.0	0.48	<0.05	3.28	0.289	0.37	0.8	66
17699		45.4	<0.002	0.57	0.13	14.1	1	1.2	388	0.32	0.07	5.01	0.364	0.35	1.2	103
17700		50.0	<0.002	0.41	0.12	14.8	1	1.2	412	0.32	0.06	5.30	0.371	0.34	1.3	103
17701		28.3	<0.002	2.22	87.9	4.6	35	5.9	489	0.60	42.9	7.53	0.220	1.76	2.5	35
17702		148.0	<0.002	0.13	0.19	12.8	1	1.5	88.7	0.46	0.33	3.33	0.310	1.10	0.9	79
17703		39.1	0.002	0.27	0.28	49.5	1	0.6	146.0	0.12	0.13	0.18	0.511	0.30	0.1	293
17704		36.9	<0.002	0.16	0.19	51.3	1	0.5	141.0	0.11	0.09	0.17	0.518	0.26	0.1	298
17705		33.6	0.002	0.22	0.46	41.7	2	0.9	87.8	0.11	0.52	0.45	0.372	0.25	0.1	242
17706		44.2	0.008	1.19	0.38	38.2	3	1.1	66.6	0.14	1.39	0.74	0.352	0.36	0.2	207
17707		20.9	0.009	2.27	0.43	48.8	3	1.5	70.4	0.16	1.03	0.86	0.447	0.27	0.3	275
17708		9.9	<0.002	0.50	0.48	39.7	1	1.4	72.6	0.11	0.55	0.18	0.402	0.21	0.1	261
17709		23.5	0.022	3.03	2.14	26.1	7	2.6	82.3	0.25	2.25	2.56	0.284	0.76	0.9	138
17710		36.9	0.017	2.52	1.59	22.5	6	4.4	88.6	0.33	1.15	3.69	0.270	0.65	1.2	108
17711		19.9	0.003	1.51	1.01	45.7	2	1.7	102.0	0.10	0.62	0.17	0.393	0.33	0.2	246
17712		26.0	<0.002	0.22	0.26	44.6	<1	0.4	94.5	0.09	0.17	0.14	0.374	0.24	0.1	232
17713		19.4	<0.002	0.12	0.21	45.9	1	0.4	134.0	0.09	0.11	0.13	0.384	0.18	<0.1	241
17714		26.8	0.002	0.06	0.27	44.4	<1	0.4	179.0	0.10	0.08	0.16	0.387	0.24	0.1	245
17715		30.1	<0.002	0.16	0.23	43.7	1	0.8	107.0	0.10	0.10	0.15	0.377	0.24	0.2	227
17716		26.4	0.007	2.17	0.96	29.6	5	2.5	105.0	0.34	0.86	2.94	0.324	0.34	0.9	173
17717		16.3	0.016	3.56	3.62	16.4	10	3.7	54.3	0.28	2.27	2.90	0.202	0.50	0.9	100
17718		21.8	0.005	0.37	0.49	18.9	1	1.7	104.5	0.36	0.24	4.27	0.269	0.26	1.3	118
17719		63.9	0.003	0.51	0.42	5.1	2	2.1	68.2	0.48	0.57	5.67	0.132	0.47	1.7	26
17720		70.6	<0.002	0.30	0.37	6.2	1	1.8	77.7	0.51	0.57	5.48	0.161	0.49	1.5	39
17721		30.3	<0.002	2.16	88.1	4.5	37	6.0	473	0.68	40.2	7.23	0.215	1.81	2.8	34
17722		49.1	0.002	0.24	0.81	50.0	1	1.2	175.0	0.79	0.11	2.39	0.792	0.29	0.8	350

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17683		0.3	15.0	79	87.1		78.5	94.5
17684		0.4	13.0	50	113.0			94.7
17685		0.8	18.9	150	149.5			
17686		0.7	14.7	89	137.5			
17687		0.5	23.7	93	111.5			
17688		0.5	18.2	82	133.0			
17689		0.7	19.4	75	143.0			
17690		0.4	14.6	125	126.5		72.2	
17691		0.6	15.6	735	114.5			
17692		0.7	18.4	343	131.5			
17693		0.6	13.9	187	98.8			
17694		0.7	16.1	88	146.5			
17695		0.7	14.0	73	173.0			
17696		0.4	19.5	127	92.7			
17697		0.7	13.9	547	132.0		64.7	
17698		0.4	12.6	41	165.5			
17699		0.8	14.8	74	154.0			
17700		0.7	15.6	73	161.5			
17701		13.1	6.9	4450	89.9	118		
17702		1.7	13.6	44	172.0			
17703		0.6	21.3	124	31.5			
17704		0.5	19.7	121	32.0			
17705		1.6	18.0	599	37.8			
17706		1.7	17.6	630	38.6			
17707		1.3	18.7	667	48.0			
17708		2.2	13.1	648	25.9			
17709		1.7	16.3	468	71.2			
17710		2.0	15.8	944	91.3		74.3	
17711		1.6	18.9	247	24.0			
17712		1.3	15.4	73	24.6			
17713		1.0	15.1	82	21.4			
17714		1.2	15.4	95	26.3			
17715		1.6	13.6	89	26.6			
17716		1.3	15.7	258	74.8			
17717		1.2	11.7	147	70.3			
17718		1.5	14.1	78	109.0			
17719		0.8	8.6	218	109.0			
17720		0.8	9.1	247	110.5			
17721		13.7	6.8	4240	88.5	120		
17722		1.2	24.4	49	109.0		86.3	85.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17723		1.50	0.09	7.05	18.9	290	2.00	0.07	3.06	0.04	39.8	49.2	48	2.07	216	9.19
17724		2.04	0.12	6.59	24.9	270	1.62	0.07	3.74	0.17	38.5	50.9	37	1.39	206	9.29
17725		0.46	0.01	0.13	0.2	20	0.10	0.01	33.6	<0.02	1.42	1.2	3	0.05	4.8	0.26
17726		1.31	1.06	6.83	19.7	550	1.65	1.11	3.88	0.99	63.4	39.2	325	0.89	242	7.45
17727		1.44	0.99	6.70	63.0	530	2.02	0.95	3.80	0.43	145.5	64.3	283	1.01	256	5.84
17728		2.49	0.18	7.50	9.8	280	1.37	0.08	4.97	0.53	33.6	48.5	162	1.69	173.0	9.14
17729		2.18	0.26	7.36	53.8	500	1.48	0.10	4.24	3.14	27.1	52.9	122	0.75	160.0	10.30
17730		1.95	0.87	7.12	64.7	650	1.48	0.64	3.23	6.97	26.7	57.6	87	0.82	320	7.28
17731		1.19	2.26	6.99	105.0	200	0.65	1.34	1.65	13.25	22.4	182.0	162	0.76	685	11.35
17732		1.17	0.30	6.59	8.9	310	0.88	0.16	3.54	2.43	67.4	20.1	25	0.78	107.0	3.81
17733		1.20	0.29	7.48	27.4	480	0.71	0.20	3.27	0.37	9.02	39.4	185	0.79	47.4	8.93
17734		1.16	0.33	3.68	25.0	30	0.31	0.11	21.2	5.19	11.65	24.7	61	0.16	131.5	6.99
17735		1.94	0.29	7.69	31.8	320	0.41	0.17	5.35	0.11	10.45	51.1	161	0.74	110.5	8.07
17736		1.92	0.09	7.58	9.3	170	0.33	0.16	6.57	0.17	9.03	50.1	136	1.53	130.5	8.22
17737		2.36	0.12	8.10	6.3	140	0.47	0.13	5.59	0.32	21.1	53.1	161	0.53	137.0	7.96
17738		1.36	0.09	6.83	19.6	240	0.86	0.12	2.64	2.45	120.5	24.7	110	0.32	50.9	2.81
17739		0.93	0.09	6.73	26.8	160	0.63	0.04	6.91	0.16	18.45	51.0	132	0.53	115.5	6.85
17740		1.09	0.12	7.08	28.6	150	0.55	0.05	7.41	0.23	17.10	55.6	133	0.50	169.0	7.23
17741		0.06	>100	4.46	700	270	0.77	60.0	0.66	25.9	32.5	10.8	32	2.93	5190	2.22
17742		2.02	0.21	7.83	3.1	130	0.38	0.10	7.00	0.13	12.55	42.9	123	0.61	123.0	6.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17723		19.20	0.12	3.3	0.088	1.19	18.1	47.2	5.02	979	0.62	2.34	13.0	54.6	640	3.4
17724		18.40	0.11	3.0	0.091	0.88	17.6	34.4	4.18	1440	0.66	2.55	12.3	56.1	620	3.1
17725		0.47	0.09	0.1	0.005	0.02	1.3	1.9	1.32	82	0.18	0.05	0.2	1.2	50	<0.5
17726		18.35	0.15	3.8	0.159	1.09	27.2	41.9	4.96	1260	5.64	3.03	7.7	134.5	1470	4.5
17727		20.9	0.24	6.7	0.154	1.68	66.5	38.7	4.64	936	3.06	3.08	9.8	221	2190	23.2
17728		20.5	0.12	3.2	0.096	0.67	15.3	47.1	4.41	1400	1.22	2.20	6.1	95.2	690	4.2
17729		19.80	0.11	3.2	0.077	0.91	12.3	55.2	3.96	1990	0.56	2.38	6.2	90.1	600	90.1
17730		23.1	0.10	2.4	0.304	2.03	13.9	34.0	2.31	1420	1.90	2.12	3.7	114.0	320	201
17731		22.5	0.12	2.2	0.639	1.69	10.5	32.9	1.87	1100	3.10	2.61	3.9	227	300	266
17732		13.95	0.16	5.6	0.067	1.59	31.2	21.7	0.78	495	3.19	3.70	7.4	24.4	240	34.8
17733		18.45	0.08	1.0	0.079	1.15	3.6	66.8	3.70	2060	0.44	2.56	2.5	115.5	310	33.3
17734		10.90	0.06	1.0	0.033	0.10	6.0	60.0	5.00	1660	29.5	0.23	1.4	56.7	150	182.5
17735		17.85	0.07	1.1	0.066	0.87	4.2	47.7	3.22	1920	0.82	2.94	2.5	123.5	300	9.1
17736		18.10	0.08	1.2	0.071	0.61	3.4	41.3	5.24	1930	1.89	1.66	2.3	125.0	310	6.9
17737		18.45	0.09	1.2	0.066	0.53	9.5	28.6	3.03	1870	1.08	3.26	2.8	131.0	390	13.9
17738		15.50	0.19	4.2	0.041	1.56	55.6	14.1	1.75	525	4.26	4.13	5.0	88.5	1170	100.0
17739		15.40	0.09	1.6	0.065	0.94	8.6	18.4	3.46	1740	0.98	2.60	2.6	109.0	330	16.4
17740		16.85	0.09	1.1	0.066	0.88	8.2	21.3	3.64	1820	0.85	2.70	2.4	113.0	330	22.6
17741		23.0	0.17	2.8	5.68	0.68	16.4	21.6	0.20	237	4.80	0.45	8.5	61.2	590	1055
17742		18.95	0.09	1.5	0.068	0.54	5.4	14.6	2.38	1660	0.56	3.03	2.8	98.6	350	7.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17723		57.1	<0.002	0.19	0.58	49.1	1	1.0	179.0	0.83	0.06	2.40	0.832	0.33	0.7	355
17724		40.5	0.002	0.18	1.11	48.6	1	1.0	158.0	0.77	<0.05	2.29	0.785	0.27	0.6	339
17725		0.9	<0.002	<0.01	0.07	1.0	1	<0.2	85.0	<0.05	<0.05	0.08	0.014	<0.02	0.1	5
17726		33.6	0.004	0.14	0.45	32.4	1	1.6	204	0.47	0.58	3.82	0.529	0.28	1.0	223
17727		50.0	0.008	1.19	3.40	18.5	2	3.3	354	0.52	0.61	8.72	0.367	0.96	2.2	122
17728		22.4	0.002	0.20	0.48	37.5	1	1.3	181.0	0.41	0.08	2.45	0.654	0.25	0.7	283
17729		41.3	0.004	0.32	0.89	39.6	1	1.1	171.0	0.42	0.08	2.32	0.658	0.36	0.6	287
17730		74.8	0.006	1.75	0.62	20.7	4	3.6	236	0.33	0.75	3.61	0.291	0.81	1.1	138
17731		57.3	0.023	7.25	1.43	36.2	14	6.2	198.5	0.32	2.91	2.64	0.410	2.88	0.8	198
17732		49.0	0.007	1.66	0.42	17.8	2	2.6	136.5	0.53	0.25	8.61	0.200	0.70	2.1	40
17733		25.9	0.002	1.10	0.35	42.6	2	0.9	143.0	0.17	0.25	0.21	0.567	0.87	0.1	280
17734		3.8	0.143	1.91	0.24	18.2	1	0.7	59.3	0.10	0.14	0.90	0.203	0.07	0.2	114
17735		33.1	0.002	0.72	0.29	45.7	1	0.6	134.5	0.16	0.18	0.46	0.535	0.71	0.1	284
17736		35.4	0.005	0.13	0.15	44.8	1	0.7	89.4	0.16	0.10	0.24	0.522	0.31	0.1	288
17737		21.3	0.002	0.32	0.21	42.5	1	0.6	137.5	0.19	0.14	1.36	0.557	0.22	0.3	280
17738		46.9	<0.002	0.33	0.14	8.6	1	0.9	207	0.35	0.59	10.35	0.248	0.48	2.5	63
17739		35.1	0.003	0.08	0.17	37.9	<1	0.6	72.7	0.18	0.10	1.02	0.482	0.31	0.3	245
17740		33.1	0.002	0.12	0.16	40.5	1	0.6	75.6	0.16	0.15	0.92	0.480	0.32	0.2	255
17741		29.9	<0.002	2.16	87.3	4.5	35	5.9	476	0.68	40.8	7.11	0.216	1.93	2.8	34
17742		23.8	<0.002	0.13	0.32	38.8	1	0.7	111.0	0.20	0.12	0.98	0.494	0.20	0.3	239

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17723		0.7	27.5	50	113.0			
17724		0.8	28.6	100	109.5			87.3
17725		<0.1	2.2	4	2.6			
17726		1.9	24.5	436	138.5			
17727		1.1	34.9	211	239			99.5
17728		1.0	25.6	238	113.5			
17729		2.0	26.1	666	111.0			
17730		1.3	17.2	1280	82.3			
17731		1.2	19.7	2640	75.6			
17732		0.9	24.4	497	212			
17733		2.2	20.0	161	30.6			
17734		1.2	8.7	1070	37.6			
17735		1.6	22.3	103	35.8			
17736		2.7	20.9	135	33.9			
17737		1.2	21.1	177	34.8			
17738		0.5	14.2	770	149.5			
17739		0.8	17.9	97	48.0			
17740		0.8	19.0	127	41.0			
17741		14.1	6.8	4260	89.0	119		
17742		0.8	21.7	88	44.0			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 30-APR-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092992

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	ME-MS61	ME-OG62