ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
This copy reported on
10-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19092995

Project: Gowganda

This report is for 50 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 18-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17743		2.08	0.12	7.63	2.0	260	0.85	0.15	4.93	0.10	50.2	29.9	106	0.85	38.4	10.40
17744		1.92	0.08	7.33	4.6	490	0.69	0.13	3.55	0.04	41.9	21.9	107	0.63	42.6	5.79
17745		1.60	0.21	7.48	9.8	560	0.93	0.08	2.79	0.36	54.1	27.4	147	1.18	136.0	5.40
17746		1.88	0.08	7.92	1.6	480	0.86	0.09	2.89	0.40	44.8	13.6	57	1.13	32.3	3.35
17747		1.85	0.09	7.47	1.8	470	0.76	0.07	2.78	0.30	41.8	14.3	53	0.87	50.2	3.84
17748		2.41	0.11	7.09	2.7	390	0.68	0.07	4.36	0.12	39.7	16.1	40	0.85	42.9	3.80
17749		2.33	0.04	7.50	<0.2	440	0.75	0.06	3.64	0.11	41.8	9.0	41	1.13	27.8	3.41
17750		2.56	0.27	7.76	16.6	250	0.37	0.06	6.20	0.80	6.50	51.8	154	0.64	99.1	7.97
17751		2.30	0.30	7.65	50.5	150	0.90	0.11	4.83	0.96	13.45	46.6	238	1.00	193.0	8.12
17752		1.91	0.05	7.19	15.4	330	1.02	0.06	3.59	0.20	103.5	15.1	110	0.42	17.8	3.00
17753		2.24	0.90	5.99	91.3	240	0.65	0.52	6.81	0.40	25.1	62.9	216	0.34	114.0	8.46
17754		1.83	0.64	7.38	117.5	380	0.66	0.29	3.76	0.16	11.05	57.0	299	0.52	100.5	8.86
17755		1.77	0.27	7.41	88.6	120	0.55	0.09	4.25	1.06	7.17	48.3	293	0.41	126.0	7.26
17756		1.24	0.31	7.10	59.5	70	0.42	0.06	4.67	0.83	7.67	52.5	301	0.18	134.5	7.19
17757		1.32	0.28	7.34	50.1	140	0.47	0.06	4.11	2.35	7.73	45.5	262	0.32	156.0	7.53
17758		1.73	0.28	7.85	52.8	240	0.46	0.08	5.09	0.99	6.11	46.2	290	0.62	166.5	8.10
17759		1.01	0.10	7.59	2.0	160	0.32	0.06	5.40	0.20	7.64	51.5	175	0.89	141.5	8.36
17760		1.08	0.10	7.75	1.0	160	0.29	0.05	5.28	0.16	7.60	51.2	177	0.84	127.5	8.30
17761		0.06	>100	4.56	709	130	0.78	56.3	0.66	27.2	32.4	10.4	32	2.96	5270	2.25
17762		0.88	0.53	7.17	28.2	220	0.48	0.35	3.80	0.41	13.25	53.2	175	0.55	210	7.55
17763		0.75	0.76	6.60	60.1	180	0.82	0.41	1.13	5.78	47.1	37.5	73	0.51	344	5.37
17764		1.69	0.88	6.23	145.5	160	1.06	0.78	1.47	2.42	87.4	47.2	102	0.44	38.6	5.37
17765		2.34	1.78	6.35	180.0	150	2.11	0.55	4.06	18.05	91.1	86.8	324	0.88	520	11.20
17766		1.76	0.28	6.52	33.8	130	2.80	0.84	4.68	0.95	201	22.9	229	0.23	42.8	3.73
17767		1.84	1.03	6.83	61.9	250	2.06	0.53	4.43	1.67	128.0	34.5	212	0.92	514	6.58
17768		2.43	0.41	7.35	64.2	200	2.11	0.05	3.78	2.75	27.3	50.7	117	2.10	185.0	9.55
17769		2.38	0.14	6.72	3.2	50	0.68	0.06	7.33	0.61	26.6	45.0	98	0.72	154.0	8.53
17770		1.80	0.87	7.04	18.8	420	1.53	0.73	3.74	4.27	54.9	30.8	78	1.37	228	6.91
17771		1.84	0.35	7.10	13.3	280	0.92	0.28	0.56	1.81	93.7	30.3	8	0.70	57.0	4.24
17772		1.73	0.16	7.26	1.2	200	1.12	0.14	0.72	0.02	115.5	2.3	12	1.15	19.2	3.48
17773		1.84	0.29	7.77	4.7	290	0.99	0.17	4.23	0.15	50.1	35.7	62	2.46	133.5	7.47
17774		2.35	0.24	7.53	3.2	230	1.02	0.53	3.24	0.13	51.0	37.8	97	1.19	241	6.67
17775		0.51	0.01	0.07	<0.2	20	<0.05	0.01	33.8	<0.02	1.09	0.7	3	<0.05	2.1	0.12
17776		2.43	0.33	6.85	2.7	220	0.43	1.06	4.93	0.26	14.15	44.9	156	1.14	355	8.28
17777		2.03	0.14	7.13	1.9	140	0.42	0.33	5.59	0.20	11.55	45.1	130	0.93	122.5	8.49
17778		1.89	0.19	6.76	3.4	250	0.83	0.92	5.43	0.15	35.4	41.2	302	1.25	148.5	7.36
17779		1.03	0.08	7.51	1.2	140	0.23	0.24	6.71	0.12	7.74	49.8	138	0.83	130.5	8.56
17780		1.35	0.07	7.10	0.7	130	0.23	0.15	6.64	0.10	7.30	44.4	134	0.80	122.0	8.10
17781		0.06	>100	4.33	675	120	0.70	55.2	0.63	26.5	32.0	10.4	59	2.90	5010	2.16
17782		2.59	1.28	7.36	16.4	230	0.63	2.08	5.87	1.36	8.37	47.3	146	0.62	90.8	7.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17743		18.50	0.11	3.4	0.048	1.27	24.5	24.2	2.83	2590	2.11	1.89	5.0	73.4	840	5.1
17744		16.60	0.12	3.4	0.039	3.39	19.8	25.1	2.28	1440	4.70	2.55	5.1	57.4	800	5.1
17745		18.60	0.13	3.7	0.047	2.04	24.7	38.8	2.34	973	2.63	2.84	5.6	88.7	940	22.9
17746		19.45	0.12	4.8	0.033	1.51	21.4	35.3	1.28	645	1.70	2.32	7.4	27.0	770	24.5
17747		18.45	0.12	4.4	0.034	2.02	21.6	28.9	1.20	590	1.61	2.29	6.5	26.3	670	24.2
17748		17.50	0.13	4.4	0.035	1.91	18.4	23.0	1.08	884	2.85	2.70	6.3	25.4	670	10.3
17749		18.65	0.19	4.5	0.029	1.92	19.7	24.0	1.13	801	2.15	2.10	6.7	17.5	680	10.1
17750		18.00	0.13	0.6	0.068	1.07	2.9	25.3	3.71	1740	0.46	1.64	1.6	138.5	210	195.0
17751		21.2	0.12	1.2	0.111	1.13	5.7	48.9	3.80	1550	0.44	3.13	2.4	146.5	350	5.2
17752		17.05	0.27	4.2	0.053	1.47	46.9	25.7	2.11	628	0.34	4.03	4.8	85.5	1120	5.5
17753		15.80	0.12	0.9	0.124	0.75	11.4	43.4	5.44	1960	0.98	2.14	1.6	136.0	200	70.4
17754		17.40	0.12	0.8	0.118	1.17	4.3	47.5	4.11	2190	0.61	2.97	1.7	158.0	210	44.1
17755		15.05	0.09	0.7	0.081	0.51	3.2	36.7	4.05	1840	0.43	3.64	1.7	159.5	220	9.1
17756		13.80	0.12	0.6	0.064	0.34	3.1	28.8	4.08	1900	0.27	3.54	1.7	178.5	210	27.0
17757		15.20	0.11	0.6	0.087	0.43	3.4	52.9	4.61	1820	0.37	3.38	1.5	153.5	180	43.1
17758		15.25	0.10	0.6	0.085	0.67	2.4	42.6	4.34	2250	0.26	3.11	1.6	162.5	190	18.5
17759		16.70	0.12	1.0	0.070	0.56	2.9	29.7	4.21	1950	0.25	2.99	2.2	95.6	290	2.2
17760		16.60	0.10	1.2	0.070	0.57	3.0	29.5	4.27	1940	0.20	3.18	2.3	95.7	290	1.8
17761		22.9	0.19	2.9	5.72	0.70	16.3	20.9	0.20	238	4.93	0.45	8.3	59.4	590	1080
17762		16.65	0.12	1.2	0.093	0.83	5.6	33.0	4.12	1520	0.39	3.41	2.6	100.5	290	69.5
17763		15.65	0.17	5.0	0.402	1.15	21.9	34.6	1.98	784	2.40	3.25	6.4	56.4	240	93.7
17764		16.90	0.22	6.6	0.069	0.98	40.9	36.7	2.10	669	6.79	3.20	8.2	75.0	600	350
17765		25.1	0.20	4.4	0.196	0.57	43.3	80.0	5.23	1380	7.44	2.03	6.1	257	1370	1865
17766		20.3	0.34	8.5	0.068	1.23	92.8	16.0	3.98	766	0.40	4.07	12.3	200	2730	180.5
17767		21.8	0.25	5.9	0.094	1.30	59.1	40.3	4.04	1120	1.66	2.98	8.7	172.0	1780	142.5
17768		19.85	0.13	3.2	0.126	0.50	12.0	44.1	4.22	1620	0.43	2.75	6.2	77.0	580	36.6
17769		17.90	0.12	2.9	0.068	0.41	12.7	17.7	2.85	1360	0.32	3.53	5.4	68.1	490	7.5
17770		18.05	0.15	4.7	0.144	1.40	25.5	28.3	2.42	1180	1.44	2.82	6.4	50.8	410	1480
17771		18.90	0.21	7.1	0.161	1.03	44.2	20.8	0.70	380	3.28	4.09	8.3	20.1	260	13.3
17772		19.50	0.26	7.8	0.056	1.01	56.6	34.4	0.70	411	3.29	4.01	9.4	1.3	200	9.3
17773		21.4	0.17	4.2	0.083	1.16	23.0	42.6	3.27	1670	1.20	3.03	4.8	72.5	310	6.5
17774		18.80	0.17	4.4	0.099	0.89	23.2	32.0	2.29	1340	2.31	3.34	5.3	73.8	290	5.2
17775		0.24	0.09	0.1	<0.005	0.01	1.1	1.1	1.02	77	0.10	0.03	0.1	<0.2	60	0.9
17776		16.90	0.08	1.2	0.077	0.79	5.9	32.1	4.25	1760	1.89	2.24	2.4	93.9	410	4.3
17777		16.30	0.07	1.1	0.078	0.58	4.9	28.2	3.85	2030	1.73	2.67	2.3	99.8	350	3.1
17778		17.20	0.10	2.3	0.057	0.66	14.2	55.5	4.88	1500	4.60	2.74	3.7	122.5	1060	10.1
17779		17.05	0.08	1.3	0.070	0.52	2.8	26.6	4.24	1530	1.72	2.13	2.2	122.0	270	1.2
17780		15.75	0.06	1.0	0.065	0.49	2.7	27.3	4.08	1500	1.40	2.14	2.1	119.0	270	1.1
17781		22.4	0.18	2.7	5.47	0.67	16.1	18.9	0.19	228	5.30	0.43	8.1	73.1	570	1015
17782		17.85	0.09	0.9	0.079	0.58	3.2	35.4	3.76	1780	0.86	2.78	2.2	87.4	290	905

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17743		40.0	<0.002	0.20	0.16	23.6	<1	0.9	179.0	0.36	0.12	4.82	0.407	0.44	1.1	161
17744		86.8	<0.002	0.28	0.16	16.3	1	0.8	71.9	0.36	0.05	4.19	0.386	1.12	1.0	137
17745		65.4	0.002	0.18	0.18	20.0	1	0.9	162.0	0.37	0.09	5.11	0.460	0.71	1.2	153
17746		50.2	<0.002	0.06	0.09	11.2	<1	1.2	201	0.61	0.08	4.30	0.343	0.48	0.9	81
17747		65.1	<0.002	0.13	0.19	11.2	<1	1.2	200	0.56	<0.05	4.10	0.298	0.54	0.9	75
17748		49.3	<0.002	0.24	0.17	10.5	<1	1.1	145.0	0.54	<0.05	3.88	0.287	0.77	0.9	72
17749		50.2	<0.002	0.08	0.11	9.0	<1	1.3	162.5	0.51	<0.05	3.99	0.302	0.49	0.9	71
17750		42.7	<0.002	0.14	0.72	40.7	1	0.5	187.0	0.10	0.10	0.14	0.415	0.32	<0.1	250
17751		25.9	0.002	0.23	0.19	43.3	1	1.3	63.0	0.16	0.25	1.03	0.493	0.32	0.3	269
17752		36.9	<0.002	0.03	0.13	9.3	<1	1.2	198.0	0.33	<0.05	9.85	0.254	0.28	2.1	68
17753		20.8	0.011	1.87	0.78	32.1	4	2.3	97.5	0.11	1.17	0.59	0.298	0.38	0.2	177
17754		21.7	0.003	1.24	0.50	40.7	2	1.5	118.5	0.11	0.67	0.21	0.407	0.52	0.1	242
17755		9.9	0.002	0.21	0.21	40.4	1	0.8	113.0	0.11	0.20	0.17	0.406	0.16	0.1	245
17756		4.8	<0.002	0.10	0.23	43.4	<1	0.6	140.5	0.11	0.14	0.17	0.431	0.11	<0.1	256
17757		8.0	<0.002	0.10	0.23	36.4	1	0.4	119.5	0.10	0.18	0.13	0.360	0.10	0.1	219
17758		18.6	0.002	0.27	0.29	42.0	1	0.5	201	0.10	0.20	0.15	0.403	0.25	0.1	250
17759		24.8	<0.002	0.20	0.14	46.1	1	0.7	136.0	0.14	0.11	0.21	0.553	0.23	0.1	302
17760		25.2	0.002	0.17	0.14	47.4	<1	0.6	132.5	0.13	0.12	0.21	0.558	0.19	0.1	309
17761		29.2	<0.002	2.20	90.0	4.4	36	6.4	482	0.64	42.0	7.06	0.225	1.89	2.8	35
17762		18.7	<0.002	0.80	0.29	43.5	2	2.0	126.5	0.15	0.49	0.63	0.534	0.40	0.2	273
17763		26.6	<0.002	1.67	0.71	24.8	2	2.4	89.5	0.42	0.54	7.49	0.270	0.35	1.8	91
17764		24.7	0.003	1.94	0.66	16.0	2	2.1	135.0	0.52	0.46	9.88	0.217	0.34	2.3	42
17765		17.1	0.006	5.15	0.79	21.7	9	2.8	254	0.33	1.66	4.75	0.359	2.83	1.2	132
17766		31.1	<0.002	0.30	0.21	11.7	<1	1.9	442	0.59	0.07	11.30	0.293	0.22	2.8	73
17767		37.4	0.004	0.51	0.35	20.8	1	2.9	267	0.43	0.63	7.37	0.381	0.33	1.8	131
17768		15.8	0.002	0.25	1.40	38.6	<1	1.4	103.5	0.38	0.21	2.22	0.671	0.38	0.6	290
17769		11.9	0.002	1.32	0.86	33.9	8	0.9	108.0	0.33	0.06	2.09	0.581	0.20	0.6	253
17770		46.1	0.002	0.74	0.44	27.4	2	2.2	179.5	0.44	0.36	6.07	0.431	0.48	1.5	157
17771		33.1	0.002	2.00	0.27	14.1	2	1.5	155.5	0.56	0.37	11.60	0.168	0.61	3.0	2
17772		34.5	<0.002	0.92	0.14	15.5	1	0.8	166.0	0.64	0.13	13.00	0.159	0.35	3.2	1
17773		29.8	<0.002	1.05	0.28	36.1	2	1.8	227	0.33	0.24	4.75	0.495	0.59	1.3	219
17774		24.3	0.004	1.24	0.32	32.7	1	1.3	179.5	0.37	0.20	5.45	0.392	0.43	1.5	169
17775		0.2	<0.002	0.01	<0.05	0.3	1	<0.2	85.5	<0.05	<0.05	0.07	0.005	<0.02	0.1	2
17776		34.5	0.002	1.23	0.38	35.9	2	1.0	129.0	0.13	0.43	0.45	0.464	0.41	0.1	247
17777		23.6	0.005	0.57	0.22	43.2	1	0.9	143.0	0.14	0.12	0.36	0.504	0.44	0.1	266
17778		24.0	0.005	0.35	0.11	30.1	1	0.8	158.0	0.22	0.16	1.58	0.457	0.24	0.5	201
17779		24.4	0.002	0.23	0.17	41.9	1	0.6	132.5	0.14	0.15	0.21	0.518	0.20	0.1	272
17780		21.7	0.002	0.18	0.18	39.4	1	0.5	138.0	0.13	0.08	0.19	0.499	0.20	0.1	260
17781		28.4	<0.002	2.10	87.2	4.3	36	6.2	457	0.61	40.9	6.99	0.214	1.83	2.7	33
17782		16.4	0.002	0.24	0.26	42.3	1	0.6	182.0	0.14	0.16	0.22	0.518	0.20	0.1	278

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17743		0.5	18.8	96	128.0		76.2	92.5
17744		0.7	14.1	65	130.5			
17745		1.0	15.6	107	139.0			
17746		0.5	14.4	136	185.5			
17747		0.9	14.5	114	169.5			
17748		0.5	14.1	81	167.0			
17749		0.4	14.2	67	181.5			
17750		0.6	15.8	258	20.4			
17751		2.0	16.4	319	42.2			
17752		0.7	14.4	88	153.5			
17753		1.1	20.0	253	32.4			
17754		1.9	18.6	150	25.1			
17755		1.3	15.8	270	22.5			
17756		1.1	15.1	213	17.5			
17757		0.9	13.3	487	16.8			
17758		1.1	16.2	266	16.4			
17759		1.0	19.2	132	39.5			
17760		0.9	18.6	123	39.5			
17761		14.5	6.7	4320	92.2	122		
17762		1.4	18.0	171	40.7			
17763		1.0	24.8	941	198.0			
17764		1.3	22.1	490	250			
17765		1.5	26.7	3420	160.5			
17766		0.6	36.5	233	315			
17767		1.4	30.4	396	222			
17768		2.7	28.3	565	115.5			
17769		0.4	25.5	184	103.0			
17770		1.8	26.7	940	172.0			
17771		0.9	26.8	445	268			
17772		0.8	30.6	31	303			
17773		1.4	27.4	128	162.5			
17774		1.3	24.3	115	161.0			
17775		<0.1	1.9	3	2.1			
17776		1.3	19.1	160	42.4			
17777		1.9	20.8	132	34.7			
17778		1.8	19.8	105	78.7			
17779		1.3	20.4	97	33.0			
17780		1.3	18.8	94	27.9			
17781		13.6	6.6	4140	89.3	118		
17782		1.3	19.0	316	27.9		85.4	96.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17783		2.10	0.13	7.40	10.1	160	0.47	0.11	5.75	0.17	6.67	46.4	145	0.60	102.5	8.30
17784		2.79	0.52	7.63	7.7	230	0.38	0.54	6.35	0.66	6.95	49.3	132	1.15	169.5	6.98
17785		2.55	0.20	7.29	9.3	190	0.34	0.07	6.98	0.12	7.44	50.3	140	0.64	143.0	8.60
17786		2.31	0.18	4.67	11.0	160	0.20	0.08	3.17	0.04	3.95	25.2	114	0.45	122.0	4.22
17787		2.49	0.44	6.87	32.7	350	0.33	0.66	5.73	0.33	13.00	77.1	144	1.32	590	9.54
17788		2.47	0.08	7.65	21.3	250	0.52	0.05	4.84	0.44	21.8	36.8	99	1.21	67.1	7.32
17789		2.39	0.58	6.97	10.1	210	0.38	0.42	4.75	1.03	11.25	86.8	167	0.88	814	11.80
17790		2.35	0.41	7.13	9.1	220	0.46	0.51	2.87	0.21	21.3	71.1	113	1.15	423	9.37
17791		1.96	0.11	7.05	0.7	660	0.95	0.20	5.78	0.10	52.1	37.0	305	0.92	85.5	6.02
17792		1.76	0.10	7.95	0.5	130	0.47	0.04	6.65	0.09	8.31	54.5	165	1.63	149.0	9.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17783		17.05	0.08	1.0	0.066	0.52	2.3	34.6	3.92	1860	0.64	2.69	2.2	96.9	290	17.8
17784		16.85	0.11	1.0	0.062	0.70	2.5	26.9	3.74	1460	1.00	2.62	2.2	103.5	270	66.6
17785		15.50	0.07	1.1	0.072	0.68	2.7	29.1	4.02	2190	0.91	2.24	2.0	117.0	280	4.0
17786		9.77	0.06	0.7	0.041	0.60	1.6	34.7	1.89	936	5.11	1.96	1.1	55.8	140	2.8
17787		19.00	0.08	1.4	0.213	1.24	5.2	57.4	3.66	1700	1.88	2.14	2.3	154.0	290	7.4
17788		17.00	0.08	2.3	0.059	0.84	9.7	43.2	3.08	1680	3.25	2.33	3.7	72.3	460	6.1
17789		18.90	0.09	1.5	0.247	0.70	4.3	41.0	3.43	2440	1.48	1.85	2.2	223	260	11.1
17790		17.45	0.09	2.2	0.171	0.84	9.4	41.8	2.55	1550	2.38	2.65	3.1	127.0	450	9.6
17791		15.90	0.11	2.4	0.048	1.51	23.4	44.7	4.78	1240	0.20	2.53	3.3	109.0	1280	4.4
17792		17.15	0.07	0.9	0.070	0.62	3.1	34.0	3.92	2150	0.41	2.38	2.1	129.5	280	1.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17783		15.2	0.002	0.11	0.19	41.7	<1	0.6	139.5	0.14	0.07	0.19	0.512	0.20	0.1	281
17784		34.0	0.002	0.21	0.20	40.7	1	0.5	158.0	0.13	0.23	0.20	0.508	0.25	0.1	267
17785		32.4	0.002	0.47	0.42	41.1	1	0.7	132.0	0.12	0.14	0.20	0.516	0.30	0.1	267
17786		21.8	0.003	0.59	0.29	21.0	2	1.4	53.3	0.07	0.22	0.13	0.268	0.36	0.1	137
17787		45.2	0.007	2.90	0.65	38.2	5	3.7	85.3	0.16	1.25	0.75	0.460	1.27	0.2	236
17788		29.5	0.002	0.27	0.17	33.2	1	1.7	126.5	0.29	0.09	2.13	0.520	0.36	0.6	219
17789		27.5	0.005	5.07	1.35	47.4	6	4.9	113.0	0.14	1.51	0.53	0.469	1.80	0.2	272
17790		31.5	0.009	4.76	1.01	38.0	5	5.1	121.0	0.25	1.53	2.14	0.453	1.84	0.6	225
17791		44.7	<0.002	0.08	0.06	28.4	1	0.8	146.5	0.20	0.08	3.33	0.418	0.39	0.9	186
17792		24.2	0.002	0.14	0.10	45.5	1	0.6	111.5	0.12	<0.05	0.22	0.547	0.19	0.1	293

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17783		0.8	19.0	117	32.6			
17784		0.6	17.3	194	27.2			
17785		1.3	20.0	116	46.9			
17786		0.8	10.0	74	34.5			
17787		0.9	20.2	256	46.7			
17788		0.7	19.5	256	84.7			
17789		0.6	23.1	460	39.6			
17790		1.0	22.2	165	81.7			
17791		0.5	15.3	85	89.4			
17792		0.4	21.2	92	35.0			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19092995

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	ME-MS61	ME-OG62