ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
This copy reported on
10-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19089745

Project: McAra

This report is for 107 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 15-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17507		1.93	0.13	7.36	1.0	380	0.60	0.11	3.50	0.08	40.3	42.1	153	2.15	176.0	7.34
17508		2.02	0.09	7.47	2.2	180	0.25	0.06	6.63	0.11	7.82	52.7	143	1.05	151.0	9.03
17509		2.00	0.07	7.45	8.5	180	0.28	0.12	6.49	0.10	13.10	51.3	146	1.15	134.5	9.26
17510		2.13	0.06	6.93	0.4	90	0.21	0.02	7.18	0.11	6.93	52.5	132	0.60	149.5	9.00
17511		2.06	0.07	7.05	0.5	100	0.22	0.02	7.05	0.09	7.02	50.8	133	0.67	147.0	8.92
17512		2.16	0.03	7.49	0.4	130	0.62	0.05	5.12	0.05	41.5	36.1	133	0.57	43.3	6.37
17513		2.17	0.06	7.00	0.5	740	0.65	0.10	5.04	0.07	42.3	27.3	102	1.14	44.7	11.35
17514		2.17	0.11	6.78	0.3	270	0.54	0.05	3.62	0.08	22.4	54.7	140	1.75	194.0	8.59
17515		2.02	0.11	8.43	1.5	250	0.38	0.04	5.64	0.11	8.32	60.7	156	1.12	251	8.42
17516		2.05	0.04	7.04	0.4	240	0.78	0.03	4.09	0.09	38.3	18.3	43	0.90	32.2	6.89
17517		1.93	0.13	7.66	3.1	330	0.40	0.04	5.11	0.14	18.00	42.1	140	1.47	167.0	8.67
17518		1.17	0.05	7.72	0.5	240	0.73	0.06	1.82	0.02	38.6	5.8	18	0.56	27.6	1.93
17519		0.99	0.04	7.48	0.4	270	0.77	0.04	2.61	0.05	36.4	6.7	18	0.55	29.4	2.18
17520		0.75	0.05	7.52	0.6	270	0.77	0.05	2.58	0.05	38.6	6.8	18	0.53	24.6	2.05
17521		0.06	>100	4.39	689	530	0.80	60.9	0.64	25.4	32.5	9.8	30	2.62	5230	2.22
17522		1.55	0.46	6.97	5.2	370	0.51	0.10	5.39	2.29	20.6	33.1	126	1.11	125.5	6.41
17523		1.92	0.20	7.60	1.4	180	0.36	0.05	5.18	0.20	7.28	51.1	192	0.83	158.0	7.52
17524		0.96	0.38	7.68	3.3	70	0.59	0.12	3.50	0.80	54.6	33.6	82	0.48	280	5.23
17525		0.54	0.01	0.07	<0.2	10	0.05	0.02	35.0	<0.02	0.90	0.7	1	<0.05	2.4	0.08
17526		2.06	0.09	6.90	6.8	190	0.37	0.06	10.70	0.10	8.21	48.2	162	1.08	84.3	7.25
17527		1.99	0.17	7.43	4.1	410	0.34	0.04	6.00	0.09	7.91	48.0	179	1.95	143.0	8.08
17528		1.00	1.04	8.01	28.3	350	0.82	0.40	3.42	0.33	11.30	74.0	199	2.28	518	7.78
17529		0.88	0.81	7.61	66.4	580	1.14	0.24	2.30	0.83	39.7	38.1	75	0.84	207	5.99
17530		1.80	0.19	7.31	20.9	320	1.17	0.11	2.56	0.06	73.1	15.6	49	0.47	120.5	3.96
17531		1.87	0.19	7.34	20.5	330	1.15	0.10	2.53	0.06	53.5	16.9	60	0.46	160.0	3.83
17532		1.57	0.18	7.73	21.1	430	1.19	0.10	1.30	0.25	35.9	19.2	58	0.52	156.0	4.32
17533		1.66	1.30	8.51	75.9	510	1.17	0.45	0.94	36.3	25.6	51.9	177	0.39	541	7.23
17534		1.73	0.66	8.11	43.3	250	1.07	0.27	3.07	2.05	14.85	52.3	308	0.41	98.0	8.01
17535		1.79	0.85	6.90	50.4	280	0.75	0.09	5.35	1.23	6.61	44.9	242	0.63	102.0	7.51
17536		2.15	0.50	7.31	31.1	470	0.51	0.08	4.70	0.26	5.64	45.7	270	1.33	95.4	7.44
17537		1.96	0.49	7.37	26.2	380	0.43	0.11	4.92	1.22	7.05	47.8	270	0.80	120.0	7.75
17538		0.72	0.35	7.47	49.6	280	1.02	0.25	3.54	1.86	4.62	41.7	309	0.51	96.5	7.03
17539		2.03	0.21	7.08	17.0	360	0.34	0.03	5.36	0.44	5.69	45.6	251	0.96	63.6	7.80
17540		0.66	0.34	7.11	42.4	280	0.89	0.18	3.12	0.35	3.38	40.2	308	0.46	115.5	6.73
17541		0.06	>100	4.39	690	460	0.89	61.8	0.65	26.4	31.9	9.9	31	2.74	5210	2.19
17542		1.14	2.79	6.98	99.6	350	1.12	2.99	2.04	15.65	32.5	182.0	309	0.55	93.1	12.30
17543		2.01	0.41	6.64	61.2	800	2.95	0.25	3.80	1.31	178.5	22.4	253	0.30	27.7	3.89
17544		1.82	0.25	6.60	81.3	1140	2.34	0.22	3.15	0.88	151.5	22.8	240	0.39	41.4	3.76
17545		1.33	0.29	7.18	49.2	780	1.78	0.25	1.60	1.12	103.5	15.2	132	0.46	41.4	2.80
17546		1.17	0.23	7.15	29.8	450	1.41	0.14	1.38	1.29	58.8	9.7	75	0.59	39.1	2.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17507		17.50	0.09	2.7	0.057	1.24	19.8	36.5	1.82	869	1.41	1.62	4.1	110.0	640	4.2
17508		16.05	0.08	0.8	0.070	0.72	2.7	16.4	4.00	1500	0.48	1.76	2.0	128.0	280	3.5
17509		16.00	0.07	1.2	0.084	0.66	5.3	23.1	2.81	1380	0.61	1.95	2.3	169.0	360	1.4
17510		15.25	0.07	0.8	0.065	0.34	2.2	13.8	4.66	1470	0.58	1.26	1.8	153.5	270	0.9
17511		15.10	0.07	0.8	0.058	0.36	2.4	12.4	4.53	1540	0.45	1.37	1.8	139.0	260	1.2
17512		18.35	0.09	2.8	0.039	0.34	19.9	15.4	2.35	1100	1.08	2.41	4.5	141.5	700	2.4
17513		15.70	0.10	2.7	0.037	1.41	20.9	24.8	2.87	2980	0.90	0.78	4.2	80.3	680	3.9
17514		17.90	0.08	1.4	0.062	0.92	10.2	66.3	5.51	1160	0.46	1.37	2.7	147.5	450	3.5
17515		18.25	0.06	0.9	0.074	0.95	2.8	20.2	1.74	1420	0.46	1.83	2.3	124.0	320	2.6
17516		16.60	0.08	3.3	0.037	0.82	18.5	37.4	1.28	1300	1.01	1.83	5.1	42.4	540	6.8
17517		18.05	0.07	1.8	0.055	0.99	8.5	21.9	1.86	1590	0.73	1.68	3.2	110.5	380	4.4
17518		16.90	0.08	3.8	0.027	0.87	19.7	23.2	0.69	345	1.78	4.43	5.8	9.1	640	3.6
17519		17.50	0.08	3.9	0.029	1.15	18.4	21.7	0.78	433	1.00	4.34	6.5	10.7	560	6.5
17520		16.95	0.07	4.0	0.031	1.28	19.4	21.7	0.77	419	1.19	4.30	6.3	10.3	530	9.1
17521		24.3	0.14	2.4	5.64	0.67	15.9	22.0	0.19	232	4.49	0.45	8.4	60.2	580	1040
17522		13.95	0.08	1.6	0.070	1.79	10.7	35.2	2.03	1210	0.59	2.20	2.8	95.2	380	59.9
17523		15.75	0.06	0.8	0.070	0.76	2.5	25.5	3.41	1880	0.26	3.02	1.8	142.5	250	11.9
17524		21.8	0.10	3.1	0.048	0.44	24.0	37.9	2.51	1020	0.32	4.83	4.7	64.0	1110	26.2
17525		0.21	<0.05	<0.1	<0.005	<0.01	1.1	1.3	1.20	82	<0.05	0.04	0.1	0.5	60	<0.5
17526		14.60	0.05	1.0	0.071	0.80	3.3	44.7	3.77	1710	0.23	1.63	1.6	120.5	230	2.1
17527		15.65	0.07	1.0	0.059	1.67	2.5	44.3	4.31	1790	0.31	1.14	1.9	104.5	260	8.1
17528		17.55	0.08	1.2	0.051	1.39	5.0	63.4	3.84	1200	0.28	1.81	1.5	133.5	290	58.2
17529		22.9	0.10	3.6	0.121	1.92	16.8	54.4	2.61	863	2.83	3.08	5.2	76.1	1030	141.5
17530		15.60	0.12	2.8	0.049	1.64	35.2	38.3	1.87	641	0.17	3.67	3.9	19.4	1040	34.6
17531		18.15	0.11	3.9	0.055	1.98	24.3	30.4	2.04	626	0.28	3.55	5.1	37.5	1240	19.7
17532		18.45	0.11	3.6	0.065	2.42	14.1	35.6	2.31	582	0.34	3.32	4.9	36.1	1220	12.5
17533		23.5	0.11	2.6	0.346	2.01	9.5	59.7	3.28	967	2.37	3.46	4.0	147.5	690	5180
17534		17.30	0.08	0.9	0.060	1.07	6.7	85.4	5.46	1340	0.34	2.98	1.4	161.0	200	93.5
17535		13.20	0.07	0.8	0.065	0.74	2.8	64.7	6.32	1550	0.50	2.32	1.2	144.5	160	59.7
17536		13.10	0.08	0.8	0.053	1.38	2.0	51.3	5.21	1500	0.26	2.10	1.3	156.5	210	30.5
17537		13.75	0.08	1.0	0.051	1.05	2.7	59.9	5.49	1510	0.46	2.24	1.3	158.0	190	104.5
17538		16.25	0.06	0.7	0.082	0.84	1.9	46.9	3.86	1780	0.57	3.62	1.6	165.0	210	36.5
17539		12.65	0.07	0.7	0.052	1.07	2.1	42.1	5.45	1540	0.29	2.04	1.2	158.5	180	34.4
17540		15.35	0.05	0.6	0.062	0.85	1.3	44.6	3.41	1680	0.60	3.64	1.4	159.5	200	25.2
17541		21.8	0.13	2.6	5.57	0.69	14.6	21.4	0.19	231	5.02	0.44	7.6	59.9	560	1030
17542		22.4	0.14	2.0	0.129	1.89	12.6	55.1	4.07	1530	5.97	1.97	3.2	255	550	669
17543		19.65	0.26	7.6	0.078	1.97	78.3	28.9	4.38	743	0.16	3.29	10.9	205	2820	19.8
17544		20.4	0.27	8.0	0.076	2.17	66.3	38.2	4.08	698	0.50	2.85	11.2	194.5	2810	87.9
17545		19.70	0.17	5.8	0.048	2.14	48.5	35.8	2.08	461	2.97	3.36	8.2	101.5	1510	107.5
17546		18.45	0.12	4.5	0.035	1.72	27.7	28.4	1.44	353	3.66	3.61	6.1	54.5	920	77.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17507		53.1	0.002	0.50	0.19	27.1	1	1.0	140.0	0.30	0.13	3.79	0.416	0.38	0.9	162
17508		39.5	0.002	0.06	0.17	41.7	<1	0.5	139.0	0.13	<0.05	0.19	0.539	0.21	0.1	275
17509		32.4	0.002	0.27	0.15	39.1	1	1.1	141.0	0.15	0.12	0.74	0.526	0.17	0.2	255
17510		14.4	0.002	0.08	0.10	36.5	1	0.4	147.0	0.12	<0.05	0.15	0.503	0.09	0.1	257
17511		17.1	0.002	0.06	0.10	37.4	<1	0.4	149.5	0.12	<0.05	0.21	0.495	0.09	0.1	256
17512		8.1	0.002	0.12	0.13	25.6	1	0.6	249	0.31	<0.05	3.65	0.483	0.09	0.9	185
17513		36.7	<0.002	0.41	0.16	17.5	1	0.7	129.0	0.30	0.18	3.83	0.376	0.26	0.9	124
17514		29.7	0.002	0.16	0.08	24.9	1	0.5	78.3	0.18	0.08	1.14	0.471	0.22	0.3	229
17515		25.9	0.003	0.35	0.15	41.6	1	0.5	190.5	0.15	0.09	0.20	0.615	0.16	0.1	303
17516		18.3	<0.002	0.04	0.12	16.9	<1	0.9	130.0	0.40	<0.05	3.17	0.333	0.13	0.8	103
17517		32.0	<0.002	0.27	0.19	33.3	1	0.6	140.5	0.24	0.06	1.39	0.458	0.24	0.4	213
17518		27.7	<0.002	0.03	0.10	6.7	<1	1.2	165.0	0.50	<0.05	3.86	0.309	0.14	0.9	66
17519		28.3	<0.002	0.03	0.09	6.6	<1	1.2	137.5	0.50	<0.05	3.21	0.312	0.20	0.7	69
17520		33.9	<0.002	0.03	0.11	6.7	<1	1.2	133.5	0.51	<0.05	3.45	0.304	0.24	0.7	66
17521		29.1	<0.002	2.17	88.9	3.9	35	5.7	469	0.59	42.8	5.98	0.223	1.56	2.4	33
17522		57.8	<0.002	0.08	0.25	29.3	<1	0.7	93.0	0.19	0.12	1.50	0.387	0.39	0.4	197
17523		19.0	0.002	0.07	0.16	41.9	<1	0.5	153.0	0.11	0.06	0.14	0.521	0.19	0.1	280
17524		6.6	<0.002	0.27	0.25	20.6	1	0.6	113.5	0.29	0.27	3.54	0.434	0.14	1.1	154
17525		0.2	<0.002	<0.01	<0.05	0.2	1	<0.2	90.6	<0.05	<0.05	0.06	0.006	<0.02	0.1	1
17526		34.6	0.002	0.28	0.15	39.2	1	0.5	103.0	0.10	0.07	0.15	0.470	0.23	0.1	254
17527		92.0	0.002	0.34	0.27	43.6	1	0.5	88.3	0.13	0.08	0.19	0.513	0.57	0.1	271
17528		61.5	0.002	3.43	0.75	45.8	5	3.6	101.0	0.11	1.26	0.20	0.471	0.66	0.1	293
17529		46.3	0.009	0.51	0.38	13.8	1	1.8	162.5	0.35	0.64	3.92	0.369	0.37	1.2	106
17530		36.5	<0.002	0.23	0.18	10.9	1	0.9	140.0	0.27	0.06	4.45	0.279	0.28	1.8	94
17531		43.7	<0.002	0.15	0.12	11.6	1	1.0	185.5	0.33	0.06	5.00	0.360	0.36	1.5	99
17532		56.4	<0.002	0.17	0.19	12.0	<1	1.3	157.5	0.29	0.05	5.22	0.355	0.44	2.0	102
17533		34.5	0.013	1.41	0.56	19.6	1	2.9	65.1	0.27	0.46	2.66	0.359	0.42	0.8	157
17534		26.3	0.003	0.37	0.11	40.3	1	0.9	87.0	0.09	0.27	0.19	0.379	0.26	0.1	229
17535		25.2	<0.002	0.20	0.26	36.4	1	0.5	134.5	0.07	0.48	0.13	0.331	0.22	<0.1	203
17536		57.2	0.003	0.13	0.26	39.9	1	0.4	147.5	0.09	0.26	0.12	0.370	0.42	0.1	232
17537		38.9	<0.002	0.19	0.30	41.6	1	0.4	165.0	0.09	0.28	0.14	0.356	0.33	0.1	230
17538		12.4	0.003	0.33	0.20	40.1	<1	0.9	129.5	0.09	0.20	0.12	0.412	0.35	0.1	247
17539		46.9	<0.002	0.12	0.21	38.5	<1	0.4	141.5	0.07	0.11	0.13	0.354	0.34	<0.1	219
17540		10.0	<0.002	0.34	0.21	36.2	<1	0.7	134.0	0.09	0.20	0.09	0.402	0.37	0.1	242
17541		27.7	0.002	2.14	85.9	4.2	36	6.0	470	0.59	40.0	6.97	0.216	1.85	2.4	33
17542		45.1	0.024	7.42	1.01	37.0	14	5.1	94.0	0.19	3.69	2.01	0.349	0.89	0.6	203
17543		44.6	0.002	0.24	0.20	11.3	<1	2.0	1040	0.51	0.23	10.75	0.297	0.35	2.5	74
17544		46.8	<0.002	0.14	0.63	12.5	<1	2.2	622	0.52	0.13	11.15	0.294	0.43	2.6	72
17545		43.6	<0.002	0.51	0.52	7.4	1	1.9	342	0.57	0.17	9.28	0.225	0.43	2.2	47
17546		37.7	<0.002	0.47	0.43	5.1	1	1.8	277	0.49	0.15	7.56	0.176	0.42	1.9	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17507		0.4	16.8	55	119.5				91.5	94.5
17508		0.3	20.8	101	38.7					93.8
17509		0.3	18.9	82	44.2					
17510		0.1	18.8	96	27.7					
17511		0.2	18.1	98	28.6					
17512		0.2	17.0	61	123.5					
17513		0.6	16.0	76	124.0					
17514		0.2	15.7	108	58.9					
17515		0.2	18.9	86	32.9					
17516		0.2	17.1	91	150.0					
17517		0.2	20.1	88	83.0					
17518		0.4	12.9	30	173.0					
17519		0.4	12.9	45	181.5					
17520		0.4	13.3	41	180.5					
17521		11.8	7.0	4210	91.4	115				
17522		0.3	15.0	734	71.4					
17523		0.5	17.7	134	30.5					
17524		0.5	17.0	266	130.5					
17525		<0.1	1.9	3	1.5					
17526		0.4	18.0	69	33.0					
17527		0.4	19.5	92	37.8					
17528		0.8	18.3	209	44.9					
17529		1.6	15.0	358	148.5					
17530		2.2	13.1	68	114.5					
17531		1.3	13.1	62	148.5					
17532		1.5	13.9	118	145.0					
17533		1.4	10.4	4540	102.0					
17534		1.1	11.9	424	31.1					
17535		0.8	12.7	330	20.5					
17536		0.9	14.2	149	24.6					
17537		1.1	14.0	348	22.2					
17538		1.3	12.2	409	22.6					
17539		0.8	13.8	173	24.7					
17540		1.3	10.4	159	20.5					
17541		12.9	6.3	4200	88.8	116				
17542		1.3	21.9	2580	79.4					
17543		0.6	39.5	300	306					
17544		0.8	41.9	252	312					
17545		1.0	24.1	292	230					
17546		0.7	13.6	316	177.0				78.4	95.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17547		0.85	0.57	7.25	42.9	670	1.41	0.25	4.01	0.57	68.0	41.2	200	1.22	168.0	5.65
17548		2.12	0.37	7.88	34.3	350	0.53	0.07	5.29	0.26	12.00	52.6	178	1.79	164.0	7.35
17549		2.15	0.26	8.01	33.8	300	0.67	0.07	5.38	0.23	7.30	51.2	175	1.33	109.0	7.80
17550		2.25	0.40	7.40	37.8	220	0.60	0.07	4.87	2.95	6.00	53.0	177	0.81	137.5	7.76
17551		2.00	0.12	7.24	11.8	140	0.36	0.06	6.12	0.49	7.61	52.6	164	0.65	74.0	8.75
17552		2.02	0.12	7.46	10.1	210	0.34	0.04	6.34	0.10	8.24	51.6	157	0.80	90.9	9.31
17553		2.15	0.20	7.42	18.6	200	0.39	0.04	5.52	0.09	7.89	48.4	161	0.82	176.0	8.68
17554		2.24	0.21	6.96	31.5	310	1.19	0.07	4.76	0.38	7.02	47.6	181	0.50	111.5	8.81
17555		0.97	1.79	6.31	47.3	480	1.85	2.24	4.44	3.32	26.1	79.6	157	0.77	388	11.40
17556		1.85	1.16	7.28	179.5	680	1.59	0.72	1.65	0.43	53.7	50.1	129	1.06	151.0	6.76
17557		1.65	0.90	6.65	711	570	1.21	0.84	2.71	2.47	131.0	40.3	210	0.39	53.6	5.19
17558		1.24	0.36	6.11	257	760	0.90	0.51	3.78	0.38	32.7	23.5	49	0.37	149.5	5.30
17559		0.89	1.82	7.08	89.8	340	1.03	1.59	2.92	5.70	13.75	87.8	149	0.90	500	10.25
17560		0.93	1.67	6.96	85.3	320	1.08	1.42	3.21	3.80	12.50	90.4	146	0.85	364	10.25
17561		0.08	3.85	5.45	13.8	110	0.61	0.86	3.50	2.05	16.15	954	263	0.72	>10000	18.10
17562		2.17	0.11	7.79	1.2	160	0.27	0.05	6.80	0.12	6.55	51.5	154	0.78	131.5	8.57
17563		2.10	0.08	7.65	<0.2	140	0.32	0.02	6.72	0.23	7.02	51.4	143	0.68	148.0	7.77
17564		2.12	0.09	7.73	1.0	210	0.30	0.04	7.09	0.22	7.04	52.5	137	0.94	168.0	7.88
17565		2.03	0.10	7.57	1.0	160	0.28	0.14	7.75	0.14	7.14	51.9	139	0.75	200	8.76
17566		1.71	0.07	6.22	0.5	360	1.06	2.27	6.47	0.11	40.7	48.9	454	1.35	49.4	7.41
17567		1.64	0.06	7.32	0.7	130	0.37	0.23	6.21	0.11	7.31	49.5	145	0.63	125.5	8.93
17568		1.60	0.06	6.59	0.2	20	0.40	0.55	6.12	0.08	8.25	43.0	161	0.10	111.0	7.80
17569		2.01	0.06	7.73	0.9	10	0.60	0.86	7.23	0.06	18.90	34.7	127	0.27	120.5	6.05
17570		1.96	0.02	6.67	<0.2	70	0.79	0.49	5.70	0.04	45.2	37.1	398	0.40	37.0	6.23
17571		2.18	0.04	7.35	0.5	40	0.76	0.38	10.05	0.09	18.95	32.2	143	0.40	67.8	5.95
17572		1.33	0.09	6.62	0.7	250	0.92	0.87	5.87	0.11	35.6	43.9	336	1.16	118.5	7.13
17573		1.46	0.11	7.61	0.9	220	0.33	0.83	7.24	0.17	7.65	50.1	152	0.67	212	9.17
17574		1.23	0.05	7.56	0.9	200	0.28	0.29	7.66	0.23	7.32	50.3	147	0.92	126.5	7.80
17575		0.59	<0.01	0.08	<0.2	20	0.06	0.01	34.2	<0.02	0.82	0.8	1	<0.05	3.4	0.11
17576		1.72	0.06	6.72	0.3	530	1.16	2.26	6.35	0.09	37.2	40.9	487	1.57	53.6	6.16
17577		1.87	0.05	6.46	0.5	470	1.05	1.18	6.31	0.07	36.1	46.6	580	1.74	66.1	6.83
17578		2.24	0.07	7.82	0.7	190	0.32	0.20	7.18	0.16	7.36	49.6	137	0.79	128.5	8.58
17579		1.01	0.09	7.40	2.3	180	0.33	0.09	6.34	0.22	8.06	46.1	157	0.87	132.0	8.00
17580		0.83	0.08	7.64	3.1	180	0.35	0.08	6.43	0.21	7.78	47.3	156	0.94	126.0	8.38
17581		0.06	>100	4.27	662	320	0.73	56.9	0.63	24.2	32.1	9.0	33	2.43	5150	2.14
17582		1.51	1.02	5.24	2.2	190	0.34	0.90	2.93	9.46	21.3	149.5	122	0.76	722	15.60
17583		1.80	1.11	4.27	2.3	100	0.29	0.91	1.87	9.28	15.95	145.0	126	0.57	1060	15.30
17584		2.23	0.28	7.74	4.0	130	0.32	0.10	6.85	0.19	8.00	44.8	160	0.68	292	8.14
17585		2.12	0.25	7.57	7.6	140	0.29	0.06	6.64	0.24	9.54	51.4	156	0.58	194.0	8.05
17586		2.15	0.17	7.43	4.5	240	0.32	0.06	7.31	0.57	8.13	49.5	142	0.82	175.5	7.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17547		18.15	0.13	3.9	0.069	1.49	30.2	36.6	3.68	1440	0.68	2.81	5.8	139.5	1310	41.4
17548		16.35	0.09	1.1	0.074	1.22	4.5	32.7	3.82	2130	0.39	2.51	2.3	116.0	350	22.4
17549		16.20	0.07	0.9	0.069	1.15	2.4	41.6	4.04	2060	0.36	2.53	1.8	117.5	260	15.5
17550		15.70	0.06	0.8	0.094	0.79	2.0	51.0	4.10	2020	0.25	2.94	1.9	115.0	270	12.1
17551		15.30	0.06	1.0	0.064	0.54	2.9	36.9	4.92	1960	0.29	2.74	2.0	98.1	270	12.6
17552		15.95	0.08	1.3	0.059	0.85	2.9	27.7	4.60	1860	0.21	2.20	2.0	95.8	260	3.2
17553		14.95	0.07	1.0	0.077	0.89	2.8	35.3	4.50	1800	0.19	2.38	1.9	90.9	260	3.4
17554		15.85	0.06	1.1	0.097	0.93	2.7	45.9	4.71	2200	0.30	2.66	2.1	102.0	280	8.0
17555		18.35	0.10	1.3	0.280	1.70	10.7	73.8	5.40	1520	1.29	1.31	1.9	99.3	180	534
17556		18.75	0.15	3.6	0.080	2.66	25.4	56.2	2.69	1240	2.19	2.16	4.4	80.6	260	50.2
17557		18.35	0.22	5.7	0.068	2.25	59.6	64.7	3.83	904	2.10	2.22	8.4	163.0	1800	414
17558		16.65	0.10	2.1	0.118	3.37	13.7	54.7	3.74	907	1.27	1.18	3.1	51.8	380	29.5
17559		18.95	0.08	1.5	0.147	1.16	6.1	48.6	3.34	1770	1.21	2.31	2.8	123.0	300	1970
17560		19.60	0.08	1.6	0.112	1.08	5.3	50.0	3.50	1820	1.14	2.29	2.8	126.0	320	1855
17561		11.25	0.26	1.2	0.113	0.32	6.7	8.9	3.97	967	4.49	1.19	4.7	>10000	460	15.0
17562		15.45	0.06	0.7	0.066	0.62	2.3	23.9	3.78	1990	0.31	2.41	2.1	142.0	290	7.1
17563		15.90	0.07	1.2	0.054	0.43	2.5	30.3	4.19	1840	0.20	2.49	2.0	123.0	280	4.7
17564		15.90	0.07	1.1	0.065	0.58	2.6	17.3	4.05	2050	0.33	1.89	2.0	120.5	290	2.9
17565		15.90	0.07	1.3	0.060	0.51	2.7	23.6	4.12	1940	0.28	2.15	1.9	117.5	270	1.9
17566		14.55	0.09	1.8	0.062	0.70	17.3	54.5	6.30	1440	3.57	1.78	3.1	179.5	1230	6.0
17567		14.50	0.08	1.1	0.068	0.51	2.9	31.7	4.15	1640	1.35	2.25	1.9	111.5	280	1.7
17568		11.50	0.09	1.2	0.052	0.12	3.3	23.7	3.88	1460	0.78	3.24	2.0	113.5	300	1.6
17569		15.25	0.08	1.6	0.053	0.11	7.8	28.0	3.19	1120	0.72	3.32	2.8	80.6	490	1.6
17570		14.90	0.10	2.4	0.055	0.46	20.1	43.9	4.71	1110	0.51	3.16	4.1	111.5	1150	1.8
17571		17.05	0.08	1.5	0.069	0.30	7.9	22.5	3.38	1220	0.79	1.68	2.7	79.2	470	1.5
17572		15.25	0.11	1.6	0.059	0.68	15.5	53.0	4.86	1420	1.40	2.33	3.3	127.5	1050	4.2
17573		15.10	0.06	1.0	0.066	0.61	2.9	18.8	3.90	2190	0.62	1.78	2.0	114.0	280	4.3
17574		15.45	0.08	1.0	0.067	0.67	2.7	25.0	3.91	2190	0.64	2.11	1.9	111.5	290	3.1
17575		0.22	0.06	<0.1	<0.005	0.01	1.0	1.1	1.44	112	0.11	0.03	0.1	0.9	70	0.8
17576		13.75	0.08	1.8	0.047	1.03	14.9	45.9	5.55	1210	0.93	2.14	3.5	151.5	1170	6.6
17577		14.15	0.09	1.9	0.049	0.95	14.2	55.8	6.43	1300	0.32	1.80	2.9	212	1140	5.2
17578		15.50	0.06	1.2	0.072	0.57	2.7	19.8	3.85	2060	0.68	1.92	1.9	117.0	280	2.1
17579		15.30	0.06	1.2	0.092	0.57	3.2	29.9	3.48	2280	0.40	2.17	2.0	111.5	240	3.0
17580		14.90	0.06	1.1	0.078	0.61	3.1	32.0	3.65	2330	0.39	2.18	2.0	113.0	270	3.2
17581		19.40	0.13	2.2	4.97	0.68	15.7	17.8	0.19	226	4.52	0.43	6.9	57.2	540	1005
17582		16.20	0.10	1.6	0.854	0.48	8.7	36.8	2.45	1660	2.92	1.59	3.1	274	190	35.9
17583		13.95	0.11	1.6	0.861	0.25	7.1	27.2	1.50	1100	3.68	1.31	2.8	239	160	22.3
17584		16.80	0.06	0.9	0.081	0.44	3.2	32.7	3.67	2260	1.64	2.45	2.2	117.5	270	3.1
17585		17.15	0.07	0.8	0.084	0.42	4.1	30.5	3.45	2260	0.95	2.43	2.1	117.0	260	3.9
17586		15.10	0.07	1.5	0.062	0.79	3.3	25.1	3.26	2150	0.30	2.17	1.9	112.0	260	5.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17547		42.3	<0.002	0.98	0.48	28.0	1	2.1	420	0.32	0.44	4.87	0.406	0.49	1.1	180
17548		53.1	0.002	0.30	0.35	44.9	1	0.7	231	0.14	0.17	0.50	0.522	0.39	0.1	281
17549		58.1	0.003	0.26	0.45	43.5	1	0.5	231	0.11	0.13	0.20	0.499	0.33	0.1	279
17550		16.7	0.002	0.32	0.53	39.4	1	0.6	234	0.11	0.14	0.15	0.498	0.27	<0.1	280
17551		20.4	<0.002	0.28	0.34	45.0	1	0.4	131.5	0.11	0.07	0.20	0.517	0.18	0.1	280
17552		39.5	<0.002	0.07	0.36	45.5	1	0.6	142.5	0.12	<0.05	0.20	0.508	0.27	<0.1	276
17553		41.5	0.002	0.12	0.32	46.0	<1	0.5	146.0	0.11	0.06	0.19	0.507	0.26	<0.1	277
17554		19.4	<0.002	0.28	0.22	46.2	1	1.0	107.5	0.12	0.13	0.18	0.535	0.32	0.1	293
17555		48.4	0.007	4.01	0.66	47.3	5	2.2	61.7	0.12	1.53	0.60	0.344	0.67	0.2	243
17556		77.4	0.004	2.01	0.50	33.2	2	3.3	116.5	0.29	1.26	5.56	0.363	0.73	1.4	154
17557		59.0	0.005	0.24	0.26	15.0	1	2.7	88.5	0.41	0.19	8.45	0.299	0.40	2.0	79
17558		87.9	0.008	0.71	0.29	12.6	1	1.8	37.2	0.23	0.26	2.41	0.306	0.68	0.6	96
17559		40.3	0.026	3.90	0.71	37.7	5	3.1	106.0	0.19	1.39	1.15	0.514	0.66	0.4	230
17560		32.5	0.021	3.82	0.63	39.1	4	3.0	111.5	0.20	1.39	1.14	0.504	0.66	0.3	238
17561		10.3	0.046	8.44	2.81	8.1	21	2.5	183.5	0.28	4.15	0.99	0.526	0.18	0.3	78
17562		21.4	0.002	0.16	0.20	43.0	1	0.7	149.0	0.12	0.07	0.20	0.552	0.21	0.1	284
17563		21.4	0.002	0.10	0.13	44.6	1	0.5	139.5	0.13	<0.05	0.21	0.526	0.15	0.1	279
17564		32.9	<0.002	0.22	0.13	44.1	<1	0.6	135.5	0.13	0.06	0.23	0.533	0.22	0.1	279
17565		22.8	0.003	0.26	0.18	45.2	1	0.5	144.5	0.11	0.06	0.19	0.518	0.19	0.1	274
17566		23.4	<0.002	0.03	0.29	33.2	<1	0.7	365	0.19	0.17	1.61	0.426	0.20	0.4	207
17567		20.0	0.002	0.06	0.18	43.6	<1	0.5	93.5	0.13	0.10	0.19	0.518	0.18	0.1	273
17568		1.8	<0.002	0.15	0.14	43.5	1	0.5	30.8	0.13	0.13	0.20	0.545	0.06	0.1	272
17569		1.7	<0.002	0.25	0.15	33.4	1	0.7	36.7	0.18	0.18	1.02	0.447	0.14	0.3	206
17570		11.8	<0.002	0.07	0.10	29.2	<1	0.9	51.5	0.23	0.09	2.17	0.407	0.14	0.6	180
17571		7.0	<0.002	0.13	0.11	32.8	1	0.7	31.9	0.17	0.05	0.93	0.457	0.11	0.2	218
17572		26.3	<0.002	0.14	0.13	31.0	1	0.7	271	0.19	0.07	1.38	0.461	0.20	0.4	218
17573		24.0	<0.002	0.68	0.28	43.7	2	0.7	151.5	0.12	0.21	0.21	0.539	0.29	0.1	278
17574		31.4	<0.002	0.17	0.17	41.0	1	0.4	170.0	0.12	0.12	0.19	0.523	0.22	0.1	271
17575		0.3	<0.002	0.01	<0.05	0.3	1	<0.2	77.5	<0.05	<0.05	0.05	0.007	0.02	0.1	2
17576		32.6	<0.002	0.11	0.10	29.6	1	0.8	338	0.18	0.07	1.71	0.394	0.26	0.6	183
17577		31.4	<0.002	0.09	0.08	29.8	1	0.7	415	0.16	0.11	1.46	0.396	0.27	0.5	195
17578		24.2	<0.002	0.14	0.10	44.0	1	0.6	123.5	0.12	0.05	0.20	0.531	0.19	0.1	281
17579		23.9	0.002	0.33	0.19	42.8	1	2.0	119.0	0.13	0.18	0.22	0.521	0.24	0.1	270
17580		25.8	0.003	0.38	0.19	41.6	1	1.5	118.0	0.12	0.19	0.20	0.529	0.25	0.1	273
17581		26.3	<0.002	2.07	80.5	3.9	32	5.5	456	0.53	40.4	6.32	0.212	1.59	2.2	32
17582		15.2	0.015	7.57	0.68	33.7	13	4.0	84.7	0.21	3.09	2.03	0.336	0.73	0.5	156
17583		8.4	0.023	8.28	0.70	24.6	15	2.1	77.8	0.22	3.33	2.12	0.280	0.62	0.6	121
17584		12.6	<0.002	0.68	0.35	46.8	2	1.0	143.5	0.14	0.28	0.22	0.537	0.23	0.1	290
17585		16.0	<0.002	0.28	0.32	42.8	1	0.9	150.0	0.13	0.13	0.19	0.537	0.17	0.1	276
17586		35.8	0.002	0.18	0.23	42.4	1	0.6	151.5	0.13	0.05	0.18	0.522	0.27	0.1	266

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17547		1.0	26.7	209	156.0					
17548		0.9	18.8	151	39.9					
17549		0.8	17.0	136	29.4					
17550		1.0	14.6	585	25.1					
17551		0.9	18.5	195	32.8					
17552		0.5	20.5	110	31.6					
17553		0.6	20.8	101	30.0					
17554		0.8	19.0	181	37.3					
17555		0.9	25.2	556	45.5					
17556		1.2	24.3	172	146.0					
17557		1.1	34.3	309	244					
17558		1.6	17.3	106	83.7					
17559		1.1	19.5	1190	55.9					
17560		1.0	20.2	820	57.6					
17561		2.2	9.0	137	49.8		1.650	4.66		
17562		0.8	20.2	103	23.5					
17563		0.4	20.5	122	32.7					
17564		0.4	21.2	129	37.8					
17565		1.0	22.3	104	41.4					
17566		0.6	18.1	108	76.8					
17567		0.8	19.3	98	30.0					
17568		1.6	17.1	83	26.1					
17569		1.4	16.2	68	61.8					
17570		0.9	17.0	56	97.8					
17571		1.3	17.1	70	57.7					
17572		1.0	18.3	99	65.1					
17573		0.8	21.2	124	29.8					
17574		1.0	19.3	130	31.9					
17575		<0.1	1.9	4	1.5					
17576		0.6	14.9	85	77.1					
17577		0.6	15.0	92	77.6					
17578		0.5	20.8	112	31.1					
17579		0.7	21.4	203	45.9					
17580		0.6	21.3	205	32.1					
17581		11.7	5.7	4090	81.8	117				
17582		0.5	20.1	3540	60.7					
17583		0.4	13.6	3500	56.0					
17584		0.7	20.9	199	29.4					
17585		0.7	22.8	193	29.8					
17586		0.7	20.7	268	30.3				80.4	90.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
17587		1.88	0.39	7.28	87.0	120	0.79	0.12	3.02	0.51	10.95	40.8	150	0.31	79.0	8.24
17588		1.83	1.21	6.51	132.0	50	0.51	0.17	4.69	2.11	21.7	60.8	372	0.37	185.0	8.94
17589		1.77	5.90	5.32	209	20	0.37	2.87	2.05	7.92	24.9	214	154	0.77	2260	16.30
17590		0.98	2.32	6.93	24.6	250	0.48	5.98	4.15	0.39	26.6	51.9	240	0.73	421	7.12
17591		2.14	0.09	6.82	3.0	220	0.89	0.21	5.28	0.22	65.0	35.9	453	0.79	80.6	5.97
17592		1.23	0.10	6.95	1.6	390	1.22	0.14	6.24	0.14	73.2	38.9	502	1.08	83.4	6.23
17593		1.20	0.07	5.49	0.8	170	0.85	0.09	6.25	0.12	41.7	52.0	670	0.79	57.9	6.93
17594		1.99	0.25	7.32	1.3	220	0.51	1.31	6.00	0.36	10.95	51.4	155	1.05	173.5	6.88
17595		2.05	0.16	7.46	3.2	300	0.54	0.43	5.57	0.15	15.05	59.5	264	0.77	222	7.98
17596		2.19	0.28	7.81	8.7	200	0.49	0.99	5.14	0.20	8.48	100.5	160	0.40	191.5	8.38
17597		2.51	0.18	7.84	4.6	180	0.39	0.14	5.84	0.10	7.46	54.5	160	0.35	150.5	9.10
17598		2.26	0.24	7.75	7.7	230	0.49	0.09	6.29	0.36	9.27	57.5	168	1.14	225	7.63
17599		0.90	0.14	6.02	13.0	40	0.58	0.09	7.40	0.05	64.7	29.7	356	0.41	60.4	5.41
17600		0.78	0.15	6.23	14.7	40	0.72	0.08	9.04	0.03	65.0	31.0	342	0.34	68.3	5.47
17601		0.06	>100	4.42	687	340	0.81	58.8	0.66	26.1	33.9	9.8	45	2.68	5180	2.21
17602		1.54	0.15	7.08	9.3	90	1.03	0.12	5.62	0.07	67.6	34.1	417	0.50	65.8	5.67
17603		2.13	0.08	7.04	3.0	210	1.11	0.14	5.92	0.07	79.1	32.4	374	0.39	111.5	5.60
17604		2.10	0.09	6.71	0.8	230	0.95	0.06	5.91	0.17	61.0	47.0	545	1.05	60.2	6.77
17605		2.21	0.13	7.51	1.0	230	0.39	0.07	7.20	0.21	11.30	55.5	159	0.87	168.5	7.48
17606		2.19	0.03	7.42	0.6	40	0.26	0.02	9.61	0.26	6.62	50.8	128	0.32	39.7	7.12
17607		2.01	0.07	7.60	0.7	130	0.29	0.03	7.79	0.10	6.42	50.8	145	0.37	149.0	6.78
17608		2.03	0.08	7.32	0.7	120	0.26	0.04	7.87	0.18	7.34	53.0	138	0.50	162.5	7.35
17609		1.86	0.06	7.57	0.9	120	0.75	0.05	4.88	0.03	50.3	19.0	24	0.58	60.5	4.28
17610		1.75	0.03	7.62	<0.2	360	1.05	0.02	4.04	0.08	44.4	18.2	23	1.39	39.5	4.58
17611		2.06	0.05	7.82	0.3	190	0.40	0.06	7.33	0.15	20.2	49.0	189	0.60	125.5	6.30
17612		2.16	0.06	7.03	0.7	140	0.25	0.01	7.84	0.15	6.51	50.5	123	0.41	107.0	7.59
17613		2.28	0.08	7.09	2.7	200	0.81	0.07	6.93	0.08	22.3	48.1	149	0.52	106.5	6.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
17587		15.90	0.06	1.7	0.058	0.33	4.2	48.6	3.32	1760	0.68	3.65	3.4	98.5	460	120.5
17588		14.20	0.08	1.2	0.106	0.20	8.4	47.6	4.74	1780	0.30	3.00	2.1	172.0	340	139.0
17589		21.7	0.12	1.5	0.424	0.08	10.6	73.9	4.81	2090	3.12	0.65	2.3	223	170	116.5
17590		14.70	0.10	1.1	0.134	0.69	12.1	56.9	4.26	1830	1.88	2.43	2.3	117.0	430	26.7
17591		14.50	0.12	2.9	0.055	0.57	29.6	48.0	4.79	1280	0.10	3.05	4.4	90.6	1420	6.0
17592		15.70	0.13	2.9	0.049	0.68	34.1	51.2	5.43	1320	0.51	2.22	4.3	129.0	1410	8.3
17593		13.45	0.10	2.2	0.050	0.35	18.0	73.8	7.28	1620	0.29	1.29	3.1	258	960	5.7
17594		15.10	0.07	0.9	0.060	0.70	5.1	33.9	3.95	1640	0.51	2.24	1.9	113.0	280	33.5
17595		15.05	0.08	1.1	0.061	0.76	5.8	39.2	3.84	1980	0.69	2.54	2.5	145.0	490	6.8
17596		16.00	0.07	1.1	0.116	0.57	3.4	29.3	2.64	1800	1.15	3.43	2.2	129.0	280	31.6
17597		16.20	0.06	0.9	0.073	0.50	2.7	27.1	3.00	2160	2.69	2.84	2.1	134.0	270	2.7
17598		14.90	0.09	1.3	0.063	0.69	4.0	43.3	4.22	1720	0.56	2.12	2.2	134.5	310	11.7
17599		13.15	0.11	2.2	0.040	0.17	33.2	44.3	4.03	1040	0.38	2.05	3.3	71.4	1100	1.8
17600		13.70	0.09	2.3	0.039	0.18	34.0	48.3	4.12	1040	0.29	2.10	3.3	75.2	1060	1.7
17601		21.1	0.15	2.4	5.37	0.69	17.0	19.0	0.19	229	5.08	0.44	7.4	67.2	580	1050
17602		15.35	0.15	3.2	0.053	0.32	32.2	47.1	4.17	1020	0.50	2.89	4.4	70.7	1470	3.5
17603		14.50	0.17	3.3	0.062	0.57	37.7	40.8	3.87	1080	0.29	2.93	4.9	49.3	1580	2.8
17604		15.05	0.15	2.8	0.061	0.39	28.1	51.9	5.98	1400	0.20	2.12	4.0	154.5	1310	5.3
17605		16.05	0.11	1.1	0.072	0.57	4.7	18.7	3.68	1520	0.37	1.83	2.1	121.0	340	4.9
17606		16.60	0.09	0.8	0.073	0.15	2.4	21.9	3.36	1500	0.78	1.13	1.8	117.5	260	0.9
17607		14.70	0.09	1.2	0.064	0.31	2.3	20.5	3.77	1260	0.25	1.54	1.8	114.0	280	1.1
17608		15.15	0.09	0.8	0.072	0.31	2.8	16.5	3.84	1660	0.36	1.44	2.0	123.0	290	0.9
17609		17.45	0.11	4.1	0.043	0.29	24.0	44.9	1.30	633	0.53	2.49	7.2	21.2	970	1.8
17610		19.30	0.12	4.2	0.049	0.65	19.5	21.7	1.26	727	0.67	2.82	7.8	19.0	1000	4.1
17611		16.50	0.12	1.8	0.063	0.43	8.1	16.3	3.48	1380	0.51	1.82	2.4	138.0	400	2.5
17612		14.75	0.07	0.8	0.054	0.33	2.4	16.8	4.12	1710	0.38	1.44	1.9	111.5	270	1.0
17613		14.85	0.11	1.5	0.066	0.36	9.5	25.4	4.00	1270	0.42	1.94	3.2	85.1	840	3.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
17587		3.0	0.005	0.67	0.20	33.9	2	1.9	61.1	0.23	0.26	0.82	0.554	0.15	0.3	236
17588		4.7	<0.002	1.85	0.42	39.5	3	3.1	37.4	0.13	0.58	0.70	0.445	0.17	0.2	232
17589		2.3	0.060	8.42	1.10	45.3	18	11.3	23.6	0.17	5.08	1.28	0.333	0.61	0.4	206
17590		28.1	0.008	1.56	0.23	38.9	2	4.8	136.5	0.14	7.05	0.83	0.456	0.31	0.3	254
17591		19.4	<0.002	0.18	0.22	27.6	<1	1.1	221	0.25	0.11	4.32	0.378	0.16	1.1	188
17592		21.6	<0.002	0.15	0.27	28.9	1	1.0	554	0.28	0.06	4.48	0.396	0.18	1.1	201
17593		12.4	<0.002	0.04	0.12	30.3	<1	0.8	165.0	0.20	0.05	2.65	0.358	0.13	0.7	191
17594		29.1	<0.002	0.27	0.20	41.5	1	0.6	167.5	0.12	0.97	0.23	0.517	0.21	0.1	268
17595		16.3	<0.002	1.41	0.52	39.7	2	1.0	189.0	0.16	0.31	0.73	0.535	0.29	0.2	267
17596		15.6	0.005	2.46	0.76	42.2	4	1.6	140.5	0.13	0.70	0.28	0.546	0.25	0.1	274
17597		13.6	<0.002	0.69	0.33	47.9	1	0.7	124.5	0.12	0.19	0.21	0.562	0.19	0.1	289
17598		30.2	0.002	0.17	0.41	47.2	1	0.5	208	0.15	0.11	0.21	0.587	0.22	0.1	275
17599		3.0	<0.002	0.19	0.21	24.9	<1	0.8	58.1	0.22	0.11	3.35	0.333	0.08	0.8	164
17600		3.1	<0.002	0.17	0.27	24.6	<1	0.7	63.6	0.20	0.09	3.22	0.326	0.11	0.8	166
17601		28.5	<0.002	2.15	84.0	4.2	37	6.0	470	0.56	43.9	6.67	0.213	1.69	2.3	33
17602		6.8	<0.002	0.18	0.49	28.4	1	1.0	99.7	0.26	0.09	4.32	0.394	0.11	1.1	199
17603		16.6	<0.002	0.17	0.39	29.2	1	1.0	114.0	0.28	0.08	4.95	0.420	0.14	1.2	205
17604		16.1	<0.002	0.04	0.15	33.8	<1	0.8	294	0.22	<0.05	4.04	0.408	0.12	0.9	213
17605		28.3	0.002	0.23	0.20	46.0	1	0.6	157.5	0.12	0.07	0.36	0.534	0.16	0.1	280
17606		5.7	<0.002	0.07	0.13	44.9	<1	0.5	78.5	0.11	<0.05	0.20	0.478	0.05	0.1	261
17607		13.7	0.002	0.11	0.12	44.5	1	0.4	98.9	0.12	<0.05	0.20	0.508	0.08	0.1	275
17608		13.6	0.002	0.08	0.14	46.7	1	0.5	110.0	0.13	0.05	0.23	0.504	0.08	0.1	270
17609		9.3	<0.002	0.16	0.10	13.0	1	1.3	138.0	0.49	<0.05	3.46	0.450	0.09	1.0	88
17610		18.0	<0.002	0.08	0.07	12.6	1	1.3	277	0.53	<0.05	3.02	0.476	0.18	0.9	93
17611		19.0	<0.002	0.10	0.12	42.6	1	0.6	207	0.15	<0.05	1.17	0.490	0.11	0.3	239
17612		15.4	<0.002	0.07	0.13	42.0	1	0.3	110.5	0.11	<0.05	0.18	0.481	0.09	<0.1	256
17613		13.8	<0.002	0.24	0.31	35.7	1	0.6	241	0.19	<0.05	1.40	0.468	0.10	0.4	227

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
17587		1.7	16.4	216	67.5					
17588		1.1	17.5	469	46.9					
17589		0.9	27.1	1620	62.3					
17590		1.1	20.6	283	45.0					
17591		0.6	20.3	127	126.5					
17592		0.5	19.4	90	125.5					
17593		0.6	16.3	92	84.3					
17594		0.8	17.2	178	28.4					
17595		0.9	18.3	128	42.1					
17596		1.3	19.3	174	32.8					
17597		1.2	23.2	106	28.6					
17598		1.2	19.5	159	36.8					
17599		2.4	15.0	72	95.5					
17600		2.4	14.4	67	96.9					
17601		12.3	6.1	4160	88.1	119				
17602		1.2	20.5	69	129.0					
17603		0.7	22.0	66	143.0					
17604		0.5	20.4	116	117.5					
17605		0.4	20.4	124	27.1					
17606		0.5	18.9	154	24.6					
17607		0.3	18.9	89	33.7					
17608		0.2	19.5	119	26.7					
17609		0.4	20.2	41	180.5					
17610		0.2	18.5	83	189.0					
17611		0.2	17.4	99	42.8					
17612		0.2	19.3	113	27.3					
17613		0.9	19.2	75	69.2					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: McAra

CERTIFICATE OF ANALYSIS SD19089745

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			