ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

CERTIFICATE SD18313481

Project: Elk Lake - Roy

This report is for 99 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 7-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10053		1.99	0.15	7.79	2.3	220	0.42	0.09	6.15	0.18	14.10	43.4	43	0.89	143.0	7.28
10054		1.14	0.20	7.76	14.0	150	0.96	0.08	6.81	0.27	17.55	40.2	41	1.42	263	6.41
10055		0.22	1.17	7.03	50.6	60	1.69	0.18	6.52	0.08	24.5	63.2	35	2.45	8630	7.39
10056		1.13	0.15	7.36	3.5	150	0.91	0.11	5.50	0.10	16.20	45.6	41	1.53	642	7.62
10057		0.22	1.91	6.07	3.6	210	1.87	0.24	4.03	0.09	17.95	61.3	38	3.52	8420	9.06
10058		1.17	0.13	7.13	3.0	170	0.61	0.10	5.40	0.15	15.80	45.7	42	1.33	415	7.54
10059		2.53	0.08	7.09	2.4	130	1.11	0.08	9.77	0.08	22.4	33.9	34	0.88	114.5	6.24
10060		2.48	0.16	7.39	2.3	230	0.41	0.07	6.29	0.15	13.20	39.6	38	0.59	130.0	6.91
10061		2.11	0.19	7.49	2.5	160	1.27	0.08	5.41	0.10	17.35	36.8	36	1.14	374	7.36
10062		2.14	0.15	7.46	2.6	290	0.41	0.11	5.12	0.22	12.80	39.9	35	0.84	139.5	6.94
10063		1.22	0.17	7.34	2.4	180	0.80	0.11	8.70	0.11	16.35	36.4	31	0.77	393	6.28
10064		2.37	0.17	7.60	2.3	160	0.43	0.10	6.40	0.16	13.60	41.6	42	0.72	124.0	6.94
10065		1.09	0.20	7.74	3.3	130	0.54	0.09	5.94	0.08	13.30	47.0	45	0.71	571	7.47
10066		0.32	1.34	7.09	2.9	40	0.84	0.45	3.66	0.02	11.90	103.0	42	0.80	>10000	11.70
10067		0.96	0.14	7.84	1.9	160	0.44	0.06	5.56	0.09	13.60	48.7	42	0.69	258	7.27
10068		2.44	0.12	8.42	2.5	180	0.44	0.04	7.10	0.13	15.05	46.4	50	0.91	156.0	7.70
10069		1.59	0.07	7.51	1.6	150	0.41	0.07	6.41	0.11	13.40	38.3	42	0.62	132.0	6.57
10070		2.00	0.15	7.53	1.2	160	0.52	0.04	6.05	0.19	13.15	44.3	50	0.92	414	7.27
10071		2.28	0.07	7.83	0.8	120	0.39	0.05	6.53	0.11	13.85	44.5	49	0.82	121.5	7.14
10072		0.32	0.63	7.18	1.4	150	0.75	0.73	5.37	0.14	13.00	47.1	54	0.87	4400	8.66
10073		0.97	0.09	7.39	1.5	170	0.47	0.11	5.93	0.09	12.90	41.7	49	0.66	188.0	7.13
10074		2.17	0.12	7.74	1.4	170	0.45	0.12	6.11	0.11	12.90	43.6	51	0.80	301	7.45
10075		1.00	0.01	0.11	0.5	30	0.10	0.01	31.5	0.02	0.97	0.9	1	<0.05	4.3	0.13
10076		1.29	0.11	7.39	1.3	200	0.65	0.07	5.91	0.10	13.90	41.8	51	0.78	140.0	7.83
10077		1.23	0.09	7.79	1.9	190	0.45	0.18	6.39	0.08	14.10	43.2	51	0.83	145.0	7.12
10078		0.27	1.94	7.51	4.0	260	1.74	3.15	4.28	0.90	17.85	108.0	49	0.92	3450	11.35
10079		0.50	0.09	7.72	1.2	230	0.35	0.06	6.23	0.15	13.30	45.9	52	0.92	125.0	7.22
10080		0.57	0.12	7.82	1.1	220	0.32	0.06	6.42	0.14	13.00	46.5	55	0.90	122.0	7.27
10081		0.08	5.47	5.20	13.6	110	0.54	1.06	3.32	2.05	16.25	935	252	0.77	>10000	17.20
10082		3.07	0.08	7.55	2.2	210	0.40	0.07	6.15	0.13	13.55	44.4	52	0.93	121.5	6.98
10083		1.47	0.06	7.75	0.8	130	0.39	0.03	6.55	0.13	13.65	42.3	53	0.96	114.5	6.79
10084		1.12	0.07	7.68	1.8	170	0.36	0.06	6.48	0.14	13.45	40.6	48	0.75	110.0	6.52
10085		0.22	0.16	7.33	1.3	180	0.64	0.12	5.47	0.09	13.80	35.9	45	0.66	284	7.07
10086		1.45	0.08	8.02	1.3	170	0.38	0.08	6.77	0.11	15.05	42.1	47	0.74	113.5	6.89
10087		2.15	0.17	7.60	1.2	180	0.51	0.05	6.04	0.23	13.65	44.7	51	0.88	301	7.54
10088		2.22	0.09	7.61	1.2	200	0.43	0.04	6.44	0.24	13.80	41.6	49	0.82	114.0	6.94
10089		2.12	0.09	7.63	2.3	220	0.37	0.06	5.92	0.42	13.05	42.3	46	0.87	133.0	6.85
10090		1.46	0.11	7.52	1.5	170	0.51	0.06	6.03	0.17	12.15	44.7	57	0.84	104.5	7.30
10091		0.33	0.31	5.41	1.0	30	0.60	0.05	8.96	0.04	9.92	48.9	32	2.09	1235	8.65
10092		1.26	0.08	7.36	1.8	170	0.34	0.11	6.27	0.17	12.40	40.4	52	0.76	119.5	6.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10053		15.80	0.12	1.5	0.065	2.14	6.5	33.6	4.11	1560	0.44	1.53	2.3	86.0	250	22.0
10054		15.20	0.11	1.5	0.084	1.73	8.4	49.6	3.45	1380	0.43	2.09	2.4	79.3	280	52.8
10055		15.85	0.10	1.4	0.406	0.87	11.8	95.1	3.80	1170	2.30	2.08	2.2	78.7	300	128.0
10056		16.40	0.08	1.6	0.083	1.83	7.8	55.9	4.00	1370	0.68	1.72	2.5	81.9	280	17.6
10057		16.10	0.08	1.3	0.217	0.88	8.9	103.0	4.57	1400	3.05	1.54	2.1	72.0	260	32.5
10058		15.90	0.10	1.5	0.068	1.89	7.5	44.3	4.10	1440	0.88	1.59	2.4	79.1	290	66.2
10059		14.80	0.10	1.3	0.070	1.69	10.4	29.4	3.22	1260	0.44	1.49	2.1	65.0	230	13.7
10060		16.60	0.07	1.5	0.052	1.88	5.8	28.9	3.27	1260	0.44	1.58	2.4	70.8	280	24.9
10061		16.90	0.09	1.6	0.092	1.15	8.1	63.3	3.90	1340	1.03	2.50	2.4	70.9	260	76.0
10062		15.60	0.09	1.4	0.053	1.80	5.9	50.9	3.86	1620	0.35	1.99	2.2	69.8	250	32.3
10063		14.95	0.08	1.3	0.061	1.80	8.3	31.4	3.24	1240	2.48	1.42	2.1	64.4	200	21.6
10064		15.70	0.08	1.5	0.056	1.46	6.1	31.5	3.71	1320	0.38	1.55	2.3	79.0	240	17.8
10065		16.55	0.07	1.5	0.064	1.55	6.0	32.0	3.87	1200	1.88	1.58	2.4	81.1	240	27.4
10066		18.20	0.07	1.5	0.150	0.41	5.4	61.9	5.09	1440	17.45	1.83	3.4	95.8	270	8.9
10067		16.40	0.08	1.6	0.053	1.52	6.0	41.0	3.84	1520	0.34	2.01	2.5	80.5	260	13.7
10068		16.85	0.09	1.6	0.054	1.61	6.9	24.1	4.30	1430	0.46	1.54	2.5	91.3	270	9.2
10069		15.70	0.09	1.4	0.055	1.29	6.0	22.7	3.53	1200	0.60	1.60	2.2	75.4	240	6.1
10070		15.60	0.07	1.4	0.059	1.41	6.0	33.0	4.17	1390	0.45	1.57	2.3	89.3	250	158.5
10071		15.95	0.07	1.5	0.056	1.28	6.4	25.7	4.19	1290	0.41	1.51	2.4	87.5	240	7.9
10072		15.15	0.09	1.3	0.123	1.34	6.0	34.6	4.54	1260	0.40	1.58	3.2	93.3	210	10.4
10073		15.10	0.07	1.4	0.061	1.53	5.8	28.5	4.03	1220	0.39	1.60	2.2	86.6	240	8.7
10074		16.05	0.06	1.4	0.060	1.47	5.8	31.5	4.35	1300	0.41	1.64	2.3	90.7	230	7.9
10075		0.33	0.05	0.1	0.005	0.03	1.1	1.4	2.39	113	0.05	0.04	0.1	0.8	70	0.6
10076		15.30	0.07	1.5	0.054	1.40	6.3	31.0	4.20	1320	0.55	1.61	2.2	89.1	230	7.0
10077		15.40	0.05	1.4	0.057	1.37	6.5	27.3	4.25	1290	0.38	1.49	2.2	89.5	240	6.9
10078		18.05	0.08	1.3	0.164	1.28	8.1	38.5	3.53	1430	1.32	2.49	2.6	92.2	430	121.5
10079		15.55	0.05	1.4	0.052	1.42	6.1	26.2	4.48	1440	0.40	1.42	2.2	96.6	220	9.5
10080		15.80	0.07	1.3	0.056	1.39	6.0	25.0	4.49	1440	0.72	1.43	2.2	98.7	240	10.7
10081		11.40	0.22	1.2	0.118	0.29	7.3	9.2	3.96	951	4.20	1.13	5.1	>10000	450	14.4
10082		15.75	<0.05	1.4	0.055	1.16	6.1	34.3	4.32	1430	0.38	1.61	2.3	107.0	230	22.5
10083		15.65	0.06	1.5	0.047	1.00	6.3	27.4	4.14	1260	0.37	1.51	2.4	91.3	250	7.4
10084		15.60	<0.05	1.5	0.057	1.13	6.0	32.4	3.74	1180	0.39	1.70	2.3	83.7	250	8.7
10085		15.85	0.05	1.6	0.065	1.05	6.0	31.7	3.36	1120	2.73	2.30	2.4	74.1	290	10.1
10086		16.05	0.08	1.5	0.059	1.14	6.9	29.5	3.87	1180	0.47	1.63	2.4	83.9	260	7.1
10087		15.35	0.07	1.4	0.061	1.28	6.2	28.2	4.23	1300	1.31	1.71	2.3	89.5	230	9.9
10088		16.85	0.07	1.4	0.061	1.26	6.1	26.8	4.02	1450	0.87	1.52	2.2	90.4	250	20.6
10089		16.20	0.06	1.4	0.057	1.32	5.8	37.4	4.12	1490	0.42	1.59	2.2	85.7	240	52.3
10090		15.80	0.07	1.4	0.053	1.48	5.3	38.7	4.47	1430	0.35	1.50	2.0	97.4	230	64.3
10091		13.20	<0.05	0.9	0.066	0.31	4.5	79.7	5.42	1220	1.13	1.34	1.6	61.3	220	150.0
10092		15.45	0.09	1.3	0.057	1.37	5.5	24.9	4.04	1350	0.37	1.28	2.0	91.5	230	18.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10053		79.9	0.002	0.08	0.51	36.8	1	0.6	153.5	0.16	<0.05	1.54	0.379	0.42	0.6	223
10054		59.7	<0.002	0.09	0.43	34.6	1	0.7	135.5	0.16	0.05	1.64	0.422	0.32	0.7	231
10055		44.7	0.005	0.85	0.28	31.4	2	1.4	68.6	0.16	0.11	1.55	0.347	0.15	1.0	199
10056		59.6	0.003	0.24	0.48	35.5	<1	0.8	101.0	0.18	<0.05	1.69	0.399	0.33	0.7	226
10057		48.2	0.013	1.23	0.36	27.9	2	2.1	57.8	0.14	0.17	1.57	0.308	0.15	2.0	175
10058		59.6	0.003	0.14	0.48	35.2	1	1.1	97.3	0.17	<0.05	1.69	0.393	0.34	0.7	221
10059		74.3	<0.002	0.07	0.26	30.8	<1	0.7	104.5	0.15	<0.05	1.63	0.348	0.29	0.7	196
10060		45.7	<0.002	0.08	0.22	32.2	1	0.7	166.0	0.16	<0.05	1.46	0.394	0.44	0.6	222
10061		29.4	0.005	0.08	0.16	32.7	1	1.2	124.0	0.16	<0.05	1.51	0.396	0.25	0.9	220
10062		49.8	<0.002	0.07	0.44	32.1	<1	0.6	171.5	0.17	<0.05	1.37	0.378	0.46	0.5	216
10063		86.3	0.006	0.10	0.24	29.3	<1	0.6	148.0	0.14	<0.05	1.51	0.334	0.43	0.8	188
10064		44.4	0.002	0.07	0.17	32.6	1	0.6	128.5	0.17	<0.05	1.56	0.376	0.45	0.6	215
10065		46.7	0.003	0.11	0.22	33.3	1	1.1	112.5	0.17	<0.05	1.51	0.388	0.31	1.8	217
10066		14.6	0.030	1.12	0.46	32.7	2	7.7	138.5	0.16	0.17	1.63	0.352	0.07	11.7	185
10067		40.5	0.003	0.06	0.40	32.9	<1	0.7	142.5	0.18	<0.05	1.62	0.393	0.36	0.6	218
10068		52.0	<0.002	0.09	0.17	36.6	<1	0.6	165.5	0.17	<0.05	1.71	0.411	0.36	0.6	234
10069		38.0	<0.002	0.07	0.13	31.8	<1	0.6	148.5	0.16	<0.05	1.65	0.363	0.33	0.6	203
10070		43.1	0.002	0.10	0.25	34.7	1	0.6	139.0	0.16	<0.05	1.47	0.382	0.36	0.5	218
10071		49.6	0.002	0.08	0.13	34.8	1	0.6	139.5	0.17	<0.05	1.64	0.382	0.44	0.5	216
10072		60.7	0.003	0.56	0.19	34.2	1	1.3	115.0	0.16	0.08	1.44	0.356	0.38	0.6	203
10073		49.0	0.003	0.08	0.19	32.5	1	0.8	133.0	0.16	<0.05	1.52	0.375	0.45	0.6	209
10074		57.2	0.002	0.09	0.17	34.5	1	0.9	145.5	0.16	0.06	1.49	0.367	0.43	0.5	209
10075		0.8	<0.002	0.01	0.08	0.3	1	<0.2	73.6	<0.05	<0.05	0.10	0.006	<0.02	0.2	2
10076		55.6	0.002	0.07	0.15	32.4	1	0.7	143.0	0.16	<0.05	1.48	0.367	0.44	0.6	212
10077		63.8	0.002	0.08	0.14	33.7	<1	0.6	152.5	0.16	0.05	1.61	0.369	0.50	0.6	210
10078		65.3	0.008	1.24	0.29	29.4	2	1.0	129.0	0.15	0.18	1.62	0.338	0.36	1.8	181
10079		63.7	0.002	0.08	0.13	35.1	1	0.6	170.0	0.15	<0.05	1.53	0.355	0.54	0.5	210
10080		57.6	0.002	0.08	0.41	34.3	1	0.6	171.5	0.15	<0.05	1.43	0.377	0.48	0.5	217
10081		11.0	0.048	8.24	3.05	8.2	20	2.6	179.0	0.29	4.25	1.06	0.527	0.17	0.4	76
10082		40.6	<0.002	0.08	0.23	34.0	1	0.7	178.5	0.15	<0.05	1.50	0.357	0.42	0.6	202
10083		34.8	0.002	0.08	0.12	32.9	<1	0.6	176.5	0.15	<0.05	1.62	0.369	0.36	0.6	208
10084		34.3	<0.002	0.07	0.12	31.4	<1	0.6	183.5	0.16	<0.05	1.57	0.372	0.46	0.6	208
10085		35.8	0.012	0.10	0.17	30.1	<1	0.9	151.0	0.20	<0.05	1.65	0.348	0.38	0.8	191
10086		42.9	<0.002	0.08	0.16	32.8	1	0.7	174.0	0.16	0.05	1.68	0.381	0.41	0.6	214
10087		52.5	0.007	0.10	0.16	34.8	1	0.7	166.0	0.15	<0.05	1.54	0.361	0.43	0.6	208
10088		43.2	<0.002	0.08	0.44	35.1	<1	0.6	182.0	0.16	<0.05	1.64	0.359	0.44	0.5	215
10089		45.6	<0.002	0.08	0.32	31.0	1	0.7	156.0	0.16	<0.05	1.49	0.350	0.38	0.5	207
10090		50.6	<0.002	0.07	0.20	34.4	<1	0.7	139.5	0.15	<0.05	1.50	0.345	0.38	0.5	213
10091		14.8	0.004	0.16	0.10	20.2	<1	4.9	49.0	0.10	<0.05	1.21	0.234	0.07	2.1	140
10092		48.3	<0.002	0.07	0.17	30.5	<1	0.6	129.0	0.15	0.10	1.44	0.344	0.38	0.5	207

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10053		0.4	15.1	140	52.6			66.8	86.7
10054		1.0	15.9	172	55.8				89.7
10055		1.7	18.3	120	49.5				
10056		0.7	15.8	110	55.8				
10057		1.5	13.4	119	44.4				
10058		0.7	15.8	121	56.2				
10059		0.8	43.6	72	48.7				
10060		0.3	14.6	100	51.7				
10061		1.5	15.6	144	56.3				
10062		0.4	14.0	133	51.1			84.1	
10063		0.4	15.8	96	46.6				
10064		0.4	14.7	96	53.8				
10065		0.5	14.9	84	51.3				
10066		3.6	16.2	149	50.9	1.135			
10067		0.9	15.0	104	54.5				
10068		0.3	16.3	97	57.1				
10069		0.3	14.6	85	50.0				
10070		0.3	14.9	132	51.3				
10071		0.3	15.2	84	52.1				
10072		2.8	15.7	106	49.2				
10073		0.3	14.5	80	50.3				
10074		0.4	15.3	95	52.0				
10075		<0.1	2.1	5	1.9				
10076		0.4	14.8	91	50.4				
10077		0.3	15.3	81	49.4				
10078		1.4	18.2	319	49.0				
10079		0.2	14.7	99	49.9				
10080		0.3	14.2	100	49.1				
10081		2.3	9.5	135	51.8	1.630	4.58		
10082		0.4	14.9	101	50.5				
10083		0.3	14.6	82	55.0				
10084		0.3	14.5	82	54.2				
10085		1.3	16.4	79	51.8				
10086		0.3	15.9	78	54.4				
10087		0.3	15.9	102	51.0				
10088		0.3	15.7	127	54.5				
10089		0.5	14.9	187	52.8				
10090		0.5	14.4	120	52.7				
10091		8.9	11.2	185	33.9				
10092		0.3	14.0	103	49.1			82.0	86.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10093		2.40	0.11	7.53	1.7	150	0.35	0.08	6.66	0.10	13.30	40.8	53	0.76	130.5	6.75
10094		1.10	0.45	7.40	3.3	90	0.95	0.25	3.60	0.65	12.05	99.8	61	1.50	992	7.34
10095		2.20	0.07	7.78	1.7	140	0.35	0.06	6.63	0.13	11.40	41.0	80	0.81	122.5	6.51
10096		0.99	0.10	7.92	1.6	290	0.38	0.06	6.02	0.72	10.65	39.3	74	0.79	123.0	6.26
10097		0.40	0.16	7.72	1.7	200	0.45	0.08	5.61	2.13	11.65	38.1	64	1.03	126.0	6.90
10098		1.13	0.09	8.01	1.7	230	0.29	0.07	6.63	0.25	10.95	38.7	70	0.74	104.5	6.23
10099		2.44	0.10	7.97	2.1	220	0.28	0.07	6.95	0.25	11.10	44.8	81	0.76	125.5	6.80
10100		2.13	0.19	8.38	2.4	210	0.47	0.13	6.38	0.54	11.50	57.4	79	0.85	528	7.21
10101		0.70	0.46	8.20	2.8	220	0.45	0.27	6.21	0.12	10.50	46.4	74	0.81	1525	7.63
10102		2.32	0.10	7.84	1.5	150	0.37	0.08	6.45	0.30	10.90	43.0	85	0.86	297	6.55
10103		2.51	0.14	8.07	1.9	200	0.33	0.11	6.58	0.30	11.05	39.8	81	0.78	293	6.69
10104		2.27	0.11	7.77	1.9	200	0.39	0.10	6.25	1.08	10.30	43.8	93	0.76	122.0	6.58
10105		0.70	0.97	7.80	2.0	250	0.61	0.39	5.84	3.11	14.25	56.2	96	0.87	2240	8.37
10106		2.26	0.14	7.71	1.7	160	0.32	0.08	6.44	0.14	10.40	39.8	88	0.85	120.5	6.13
10107		2.42	0.08	8.20	1.3	130	0.30	0.04	7.13	0.10	10.55	41.2	99	0.81	123.0	6.30
10108		0.49	0.08	7.15	0.4	50	0.76	0.04	7.81	0.02	32.4	37.2	73	2.38	191.0	7.29
10109		2.30	0.17	8.30	0.5	110	1.18	0.07	3.49	0.04	10.80	43.7	98	2.17	1025	7.94
10110		2.18	0.07	7.97	1.2	110	0.23	0.05	6.96	0.10	9.65	42.3	113	0.81	114.0	6.33
10111		1.09	0.09	8.65	1.2	170	0.36	0.06	7.02	0.14	9.95	42.0	113	0.90	131.0	6.47
10112		0.31	4.91	7.22	5.6	80	1.15	5.63	2.67	4.87	11.65	278	97	2.00	>10000	10.75
10113		1.04	0.14	8.18	1.7	220	0.33	0.09	6.47	0.22	9.92	39.1	98	0.80	127.5	5.98
10114		2.28	0.14	7.96	2.3	210	0.35	0.10	6.14	0.14	10.50	38.8	99	0.72	199.0	6.19
10115		2.19	0.07	7.88	1.5	100	0.30	0.05	7.07	0.10	9.49	41.3	134	0.81	104.0	6.03
10116		2.37	0.15	8.47	2.2	130	0.33	0.09	6.70	0.13	10.05	41.6	154	0.94	307	6.46
10117		1.16	0.06	7.91	1.6	100	0.29	0.05	6.64	0.10	9.70	41.3	144	0.88	94.4	5.98
10118		0.48	2.85	4.31	13.2	50	4.25	0.81	6.32	<0.02	36.5	110.0	94	1.46	>10000	18.70
10119		0.52	0.08	7.48	1.7	100	0.27	0.06	6.32	0.11	10.05	46.4	157	0.93	135.0	6.19
10120		0.57	0.08	7.86	1.7	100	0.27	0.06	6.59	0.12	9.48	43.5	156	0.90	127.5	6.17
10121		0.08	3.89	5.46	14.3	120	0.53	0.93	3.63	2.15	15.90	999	269	0.76	>10000	17.80
10122		2.29	0.07	8.40	1.4	100	0.23	0.05	7.44	0.13	9.22	40.8	154	0.79	113.0	6.21
10123		2.43	0.11	8.51	1.9	220	0.37	0.08	6.68	0.08	8.58	37.8	151	0.84	246	6.22
10124		0.91	0.38	6.85	1.3	60	1.34	0.10	1.47	1.03	20.6	18.7	80	0.49	562	5.09
10125		1.38	0.03	0.10	<0.2	20	0.09	0.02	34.9	0.02	1.19	0.8	2	0.06	5.0	0.12
10126		1.92	0.08	8.02	1.2	180	0.55	0.05	6.11	0.11	9.20	40.4	163	0.75	103.5	5.85
10127		2.26	0.05	8.46	0.8	120	0.40	0.03	7.56	0.09	9.57	43.4	244	0.86	129.0	6.29
10128		0.52	0.34	7.70	1.1	150	0.99	0.07	5.54	4.86	48.9	42.8	221	0.85	950	9.59
10129		2.40	0.03	8.12	1.2	100	0.29	0.02	7.57	0.11	8.53	42.0	256	0.61	80.1	5.88
10130		2.44	0.06	7.99	2.1	120	0.38	0.12	7.62	0.24	8.51	42.2	292	0.65	141.5	5.97
10131		1.01	0.17	7.94	13.8	100	2.36	0.09	4.73	0.21	10.85	48.0	259	2.49	308	6.50
10132		2.39	0.04	8.44	1.5	130	0.33	0.02	7.75	0.08	9.36	42.5	287	0.70	85.7	5.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10093		16.35	0.06	1.4	0.053	1.23	5.9	28.4	3.97	1260	0.39	1.38	2.2	92.6	240	8.8
10094		14.80	0.05	1.2	0.082	1.05	5.6	70.6	4.74	1340	3.08	1.88	1.8	95.3	220	125.5
10095		15.60	0.07	1.2	0.046	1.13	5.1	32.1	4.59	1320	0.34	1.29	1.8	109.0	220	16.1
10096		16.30	0.07	1.2	0.054	1.80	4.6	40.7	4.23	1540	0.45	1.47	1.9	102.5	210	60.6
10097		15.80	0.07	1.2	0.072	1.32	5.3	57.9	5.21	1920	1.09	2.19	1.8	96.2	210	489
10098		15.45	0.08	1.2	0.045	1.42	4.8	31.0	4.30	1500	0.37	1.28	1.8	99.4	220	26.0
10099		16.20	0.09	1.1	0.052	1.36	5.0	33.6	4.86	1620	0.38	1.30	1.8	118.0	200	16.3
10100		16.65	0.07	1.2	0.083	1.63	5.0	36.4	4.61	1340	0.85	1.46	1.9	108.5	240	72.4
10101		16.90	0.06	1.1	0.090	1.67	4.8	36.9	4.37	1260	1.28	1.54	1.8	107.5	190	47.8
10102		15.50	0.08	1.0	0.065	1.31	4.9	33.5	4.82	1310	0.36	1.24	1.7	116.0	200	18.9
10103		16.15	0.07	1.1	0.061	1.48	4.9	34.9	4.58	1360	0.61	1.45	1.8	111.5	210	49.2
10104		15.30	0.08	1.1	0.049	1.56	4.6	32.5	4.84	1260	0.37	1.26	1.6	120.5	200	34.6
10105		16.10	0.09	1.0	0.109	1.58	6.7	36.0	4.94	1480	1.54	1.41	1.8	119.5	210	49.8
10106		15.40	0.08	1.1	0.043	1.11	4.6	47.2	4.64	1300	0.49	1.46	1.7	116.5	190	53.9
10107		15.70	0.07	1.1	0.042	1.14	4.7	30.4	4.77	1260	0.32	1.27	1.7	119.0	210	6.4
10108		13.75	0.06	0.9	0.097	0.42	13.6	89.8	5.51	1250	0.28	2.25	1.4	91.4	180	5.4
10109		15.80	0.07	1.1	0.085	0.90	4.9	90.9	5.68	1380	0.43	2.35	1.6	116.5	200	7.8
10110		14.60	0.06	1.0	0.045	0.94	4.3	27.7	5.07	1240	0.29	1.17	1.6	125.5	190	6.8
10111		15.80	0.08	1.1	0.057	1.36	4.5	30.1	5.15	1340	0.43	1.27	1.7	130.0	210	18.9
10112		16.70	0.09	1.0	0.327	0.73	5.0	98.8	7.39	1640	3.89	1.80	1.9	142.0	160	2070
10113		15.55	0.08	1.1	0.044	1.65	4.5	42.2	4.53	1300	0.31	1.35	1.7	115.0	210	99.1
10114		15.25	0.07	1.0	0.054	1.65	4.7	39.8	4.64	1230	0.91	1.36	1.6	112.5	190	65.7
10115		15.10	0.06	1.1	0.042	0.78	4.3	34.5	4.96	1190	0.28	1.25	1.6	125.0	200	9.2
10116		15.50	0.07	1.1	0.056	1.47	4.6	38.1	5.29	1220	0.46	1.23	1.6	128.0	190	10.3
10117		15.25	0.08	1.0	0.045	1.38	4.4	31.0	5.12	1180	0.33	1.11	1.5	129.0	180	7.8
10118		16.60	0.07	0.5	0.433	0.65	17.5	39.1	3.32	1220	24.5	0.61	2.4	83.5	150	12.2
10119		15.05	0.08	1.0	0.042	1.45	4.6	32.3	5.45	1260	0.37	1.05	1.6	141.5	170	7.9
10120		14.75	0.06	1.1	0.045	1.48	4.3	30.9	5.40	1270	0.37	1.08	1.5	134.0	180	7.6
10121		12.20	0.19	1.3	0.118	0.32	6.9	9.7	4.12	1060	4.92	1.16	4.9	>10000	490	13.4
10122		14.90	0.05	1.0	0.041	1.11	4.1	26.9	5.34	1310	0.34	1.12	1.5	146.5	190	7.1
10123		15.30	0.07	1.1	0.055	1.76	3.7	42.3	4.94	1320	0.60	1.36	1.5	120.0	190	55.4
10124		15.15	0.13	2.9	0.043	0.48	9.5	37.5	2.70	652	24.4	3.75	3.3	46.3	390	240
10125		0.35	0.11	0.1	<0.005	0.01	1.3	1.7	1.67	110	0.15	0.04	0.1	<0.2	70	1.6
10126		15.40	0.17	1.1	0.052	1.58	4.2	51.7	4.37	1220	1.13	1.47	1.7	117.5	180	94.6
10127		14.65	0.17	1.0	0.046	1.29	4.5	31.5	5.26	1160	0.34	1.37	1.5	128.5	190	8.6
10128		16.35	0.21	0.9	0.126	1.34	26.5	43.1	4.82	1060	2.67	1.83	1.6	108.0	210	213
10129		13.80	0.16	0.9	0.044	1.15	3.9	22.3	4.97	1130	0.33	1.21	1.4	126.0	160	3.8
10130		14.30	0.17	1.0	0.058	1.30	3.9	32.8	4.90	1140	0.34	1.28	1.5	128.5	180	17.5
10131		13.95	0.15	1.0	0.102	1.09	5.2	116.5	5.36	1180	0.44	2.22	1.5	116.0	180	164.0
10132		15.35	0.15	1.1	0.049	1.63	4.3	25.0	4.57	1130	0.34	1.39	1.6	121.0	180	5.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10093		44.5	0.002	0.07	0.18	31.2	<1	0.6	143.0	0.15	<0.05	1.45	0.350	0.41	0.5	209
10094		48.0	0.009	0.53	0.23	27.4	1	1.3	90.6	0.13	0.09	1.34	0.306	0.18	2.2	182
10095		40.1	<0.002	0.06	0.13	30.2	<1	0.5	143.5	0.13	<0.05	1.31	0.315	0.34	0.4	197
10096		47.0	<0.002	0.06	0.27	28.1	<1	0.5	154.5	0.13	<0.05	1.20	0.320	0.45	0.4	199
10097		46.8	0.002	0.07	0.73	27.7	<1	1.3	136.0	0.13	<0.05	1.26	0.297	0.33	0.5	181
10098		43.1	<0.002	0.06	0.22	27.5	<1	0.5	151.5	0.14	<0.05	1.25	0.318	0.38	0.4	194
10099		43.8	<0.002	0.07	0.27	31.6	<1	0.5	163.0	0.12	<0.05	1.19	0.309	0.41	0.4	201
10100		59.0	0.002	0.29	0.27	28.6	<1	0.8	151.5	0.14	0.07	1.31	0.316	0.45	0.6	196
10101		63.3	0.002	0.26	0.37	27.5	<1	2.7	142.5	0.13	0.05	1.19	0.300	0.44	0.6	187
10102		48.1	<0.002	0.08	0.17	28.4	<1	0.6	139.5	0.13	0.06	1.19	0.295	0.40	0.4	183
10103		48.3	0.002	0.09	0.23	27.8	<1	1.1	157.5	0.13	<0.05	1.18	0.304	0.45	0.5	193
10104		57.4	<0.002	0.08	0.19	29.5	<1	0.7	157.0	0.11	<0.05	1.12	0.280	0.50	0.4	184
10105		81.3	0.005	0.40	0.36	28.6	<1	1.8	142.5	0.12	0.06	1.13	0.278	0.45	0.7	177
10106		38.7	<0.002	0.06	0.22	29.7	<1	0.6	150.0	0.11	0.05	1.25	0.286	0.36	0.4	182
10107		37.7	<0.002	0.07	0.13	29.6	<1	0.5	155.5	0.12	<0.05	1.19	0.299	0.37	0.4	189
10108		19.8	<0.002	0.07	<0.05	23.8	1	1.1	71.4	0.10	<0.05	1.02	0.239	0.11	0.5	148
10109		35.6	<0.002	0.18	0.20	27.7	1	1.0	100.5	0.12	0.05	1.16	0.287	0.20	0.5	187
10110		37.4	<0.002	0.08	0.14	29.0	<1	0.5	137.0	0.11	0.05	1.07	0.286	0.27	0.3	185
10111		48.0	<0.002	0.07	0.21	28.8	<1	0.6	142.0	0.12	0.05	1.18	0.292	0.35	0.4	188
10112		28.9	0.015	2.87	0.28	26.5	4	2.1	75.1	0.11	0.40	1.02	0.271	0.16	0.8	151
10113		45.4	<0.002	0.07	0.28	26.3	<1	0.5	150.0	0.12	<0.05	1.08	0.290	0.39	0.4	181
10114		50.8	0.002	0.08	0.28	26.7	<1	0.7	142.5	0.12	<0.05	1.08	0.279	0.38	0.4	175
10115		25.3	<0.002	0.06	0.13	28.8	<1	0.5	147.5	0.13	<0.05	1.08	0.270	0.25	0.3	179
10116		66.6	<0.002	0.09	0.24	29.0	<1	0.8	124.5	0.11	<0.05	1.11	0.282	0.32	0.4	183
10117		43.1	<0.002	0.06	0.18	32.2	<1	0.5	113.5	0.11	<0.05	1.09	0.268	0.29	0.3	179
10118		33.7	0.044	1.95	0.31	15.3	3	25.8	37.7	0.07	0.59	0.58	0.136	0.10	6.9	107
10119		54.9	<0.002	0.06	0.18	34.6	<1	0.6	117.5	0.11	<0.05	1.14	0.264	0.28	0.4	178
10120		47.7	<0.002	0.07	0.18	28.9	<1	0.5	119.5	0.11	0.05	1.05	0.270	0.26	0.4	176
10121		10.7	0.043	8.35	3.43	8.1	21	2.5	185.5	0.29	4.32	1.05	0.545	0.17	0.3	84
10122		34.9	<0.002	0.07	0.11	26.4	1	0.4	129.0	0.11	<0.05	1.05	0.283	0.24	0.3	184
10123		44.8	<0.002	0.07	0.23	25.3	<1	1.1	128.5	0.12	<0.05	1.06	0.282	0.37	0.4	179
10124		20.9	0.035	0.11	0.15	11.9	1	3.7	60.0	0.36	<0.05	4.60	0.196	0.10	9.5	67
10125		0.5	<0.002	<0.01	0.07	0.3	1	<0.2	87.6	<0.05	<0.05	0.08	0.009	<0.02	0.2	2
10126		42.2	0.003	0.05	0.24	26.6	1	0.9	134.0	0.14	<0.05	1.01	0.262	0.41	0.7	158
10127		69.9	<0.002	0.06	0.13	35.0	<1	0.9	144.5	0.12	<0.05	0.94	0.277	0.46	0.4	182
10128		52.3	0.013	0.19	0.24	29.4	1	2.4	109.5	0.11	<0.05	0.84	0.251	0.34	1.5	171
10129		53.7	<0.002	0.05	0.09	32.6	<1	0.4	135.5	0.11	<0.05	0.86	0.264	0.36	0.3	173
10130		45.9	<0.002	0.06	0.20	33.2	1	0.8	126.0	0.11	<0.05	0.95	0.281	0.31	0.3	184
10131		32.7	0.003	0.20	0.15	33.2	1	0.7	86.8	0.11	0.05	0.81	0.271	0.26	0.3	177
10132		67.7	<0.002	0.06	0.11	35.7	1	0.5	137.0	0.13	<0.05	1.00	0.286	0.47	0.3	188

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10093		0.4	14.3	87	51.6				
10094		1.1	13.0	278	43.9				
10095		0.3	12.7	96	45.1				
10096		0.4	12.3	266	45.2				
10097		5.0	12.5	728	45.7				
10098		0.3	12.2	131	43.0				
10099		0.3	12.3	121	43.2				
10100		0.5	13.3	221	45.3				
10101		15.7	12.4	109	40.7				
10102		0.4	11.9	139	40.3				
10103		1.8	12.0	139	42.4				
10104		0.7	11.4	376	40.0				
10105		4.2	15.0	826	38.1				
10106		0.4	11.9	108	42.9				
10107		0.2	12.0	80	40.9				
10108		2.6	13.8	170	32.0				
10109		1.8	10.8	171	38.7				
10110		0.2	11.2	77	36.8				
10111		0.3	11.7	93	39.9				
10112		1.3	11.5	1760	35.3	1.100			
10113		0.5	11.0	126	39.9				
10114		0.6	11.0	102	37.7				
10115		0.2	11.1	78	38.6				
10116		1.0	11.5	83	37.2				
10117		0.3	11.8	71	38.6				
10118		84.3	15.4	62	18.8	1.315			
10119		0.5	11.8	79	39.6				
10120		0.4	11.1	81	37.4				
10121		2.3	9.5	148	52.1	1.610	4.43		
10122		0.3	10.5	88	35.9				
10123		0.7	10.1	102	35.6				
10124		5.6	11.7	303	102.5				
10125		0.3	2.5	5	2.0				
10126		0.4	9.8	99	40.3				
10127		0.9	11.0	74	33.6				
10128		5.0	11.2	1080	33.1				
10129		0.2	10.0	64	31.3				
10130		0.2	10.6	100	34.0				
10131		1.6	10.6	175	32.2				
10132		0.2	11.3	61	35.2			78.7	87.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10133		2.22	0.04	8.14	1.4	90	0.31	0.03	7.91	0.16	10.55	41.2	285	0.82	88.4	5.97
10134		1.20	0.05	8.37	1.1	110	0.27	0.03	7.87	0.11	9.69	43.0	257	0.77	83.4	5.79
10135		0.22	0.45	8.18	2.5	160	0.90	0.14	6.04	0.09	8.85	42.9	241	0.84	2000	7.21
10136		1.17	0.06	8.60	1.2	120	0.29	0.03	8.16	0.10	9.73	42.9	295	0.72	90.7	6.10
10137		2.33	0.06	7.94	1.6	130	0.37	0.04	7.31	0.19	9.46	42.2	281	0.80	193.0	5.86
10138		2.27	0.07	7.72	2.1	130	0.34	0.04	7.04	0.09	8.69	56.5	166	1.17	191.0	6.26
10139		0.75	0.14	6.50	2.2	140	0.44	0.08	5.98	0.17	7.30	70.9	154	1.19	600	7.14
10140		0.34	1.48	7.32	2.5	140	0.87	0.39	5.82	0.14	10.80	94.5	168	1.07	6080	8.52
10141		1.15	0.09	8.07	1.3	100	0.31	0.03	7.31	0.12	12.05	53.4	198	0.95	90.1	6.23
10142		2.21	0.05	7.54	0.7	80	0.28	0.03	7.30	0.15	8.18	56.9	199	0.94	81.3	6.31
10143		2.25	0.04	7.14	2.1	60	0.24	0.03	6.56	0.20	7.64	68.5	130	1.07	67.2	6.72
10144		2.27	0.04	7.48	1.4	70	0.28	0.03	6.98	0.08	8.64	60.1	142	1.15	68.7	6.58
10145		2.38	0.05	6.82	0.9	70	0.27	0.02	6.49	0.12	8.90	65.1	149	1.30	67.0	6.54
10146		2.30	0.06	7.87	1.5	100	0.31	0.02	7.52	0.11	10.50	46.0	178	0.83	68.0	5.62
10147		1.04	0.08	7.96	3.0	180	0.42	0.06	6.78	0.22	13.95	39.6	187	0.76	87.1	5.80
10148		1.53	0.10	7.82	3.2	180	0.33	0.06	6.95	1.21	10.90	44.1	194	0.73	86.7	6.09
10149		1.31	0.07	7.25	2.1	150	0.33	0.05	6.79	0.35	9.60	45.4	190	0.68	101.0	6.19
10150		0.22	3.87	6.86	4.4	130	0.81	0.52	5.98	0.52	9.69	66.0	185	0.76	>10000	12.80
10151		0.90	0.08	8.00	1.5	150	0.33	0.04	7.56	0.18	10.70	48.9	216	0.68	174.5	6.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10133		14.75	0.18	1.1	0.047	1.04	4.8	22.9	4.67	1140	0.37	1.36	1.7	125.0	200	4.6
10134		15.30	0.17	1.1	0.045	1.32	4.4	26.8	4.46	1100	0.30	1.30	1.6	130.5	180	6.3
10135		16.70	0.19	1.0	0.096	1.71	4.1	39.4	4.49	1160	0.47	1.93	1.6	114.5	170	19.7
10136		14.95	0.16	1.1	0.045	1.51	4.5	24.6	4.69	1150	0.30	1.33	1.6	132.5	190	5.8
10137		13.90	0.17	1.0	0.047	1.37	4.4	31.0	4.59	1160	0.35	1.44	1.5	125.0	180	40.5
10138		13.95	0.16	1.0	0.055	0.94	4.0	31.9	6.29	1100	0.66	1.02	1.5	285	180	7.4
10139		12.25	0.16	0.8	0.060	0.95	3.3	47.8	7.49	1140	0.34	0.82	1.2	393	140	9.3
10140		13.65	0.18	1.0	0.171	0.94	4.9	53.5	6.41	1400	1.73	1.26	1.5	236	320	16.1
10141		14.50	0.14	1.0	0.042	0.68	5.8	32.1	6.04	1220	0.28	1.20	1.5	261	180	51.8
10142		13.50	0.16	0.9	0.040	0.48	3.7	25.6	6.43	1150	0.25	1.01	1.4	302	160	13.2
10143		12.60	0.15	0.8	0.039	0.34	3.5	21.0	7.79	1120	0.24	0.90	1.3	404	150	7.1
10144		12.70	0.16	1.0	0.043	0.40	4.0	26.3	7.07	1140	0.23	1.04	1.4	344	180	3.6
10145		12.50	0.16	0.9	0.034	0.50	4.1	30.9	7.62	1070	0.23	0.89	1.5	380	160	9.5
10146		14.50	0.13	1.1	0.049	0.78	4.8	30.4	5.25	1070	0.30	1.24	1.7	202	200	10.8
10147		14.80	0.16	1.3	0.063	1.66	6.4	32.4	4.48	1240	0.33	1.65	1.9	135.5	210	25.7
10148		14.70	0.15	1.2	0.058	1.59	4.9	30.6	4.49	1380	0.27	1.42	1.8	128.5	210	85.9
10149		13.35	0.16	1.1	0.051	1.36	4.4	26.8	4.61	1310	0.24	1.31	1.7	147.5	190	40.8
10150		13.90	0.18	1.0	0.290	1.07	4.7	30.4	4.41	1440	1.16	1.78	1.5	137.0	170	43.8
10151		14.90	0.15	1.2	0.053	1.54	4.9	24.7	4.85	1240	0.33	1.35	1.8	153.5	210	14.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10133		48.6	<0.002	0.06	0.12	35.5	1	0.5	136.0	0.13	<0.05	1.06	0.298	0.33	0.4	189
10134		61.7	<0.002	0.06	0.11	35.1	1	0.5	136.5	0.12	<0.05	1.00	0.278	0.38	0.3	183
10135		67.0	<0.002	0.28	0.28	32.5	2	2.1	117.0	0.12	0.06	0.90	0.272	0.42	0.5	174
10136		69.9	<0.002	0.06	0.10	37.2	1	0.5	138.0	0.11	<0.05	1.03	0.294	0.43	0.3	193
10137		65.7	<0.002	0.07	0.16	34.5	1	1.0	130.5	0.11	<0.05	0.98	0.270	0.39	0.4	180
10138		44.2	<0.002	0.08	0.13	26.0	1	0.5	141.5	0.11	<0.05	0.88	0.268	0.30	0.4	162
10139		50.3	<0.002	0.13	0.23	21.2	1	0.7	107.0	0.09	0.07	0.67	0.209	0.30	0.4	137
10140		50.6	0.004	1.06	0.29	24.0	2	11.1	112.0	0.11	0.43	0.90	0.246	0.29	0.5	155
10141		27.2	<0.002	0.05	0.11	27.5	1	0.6	142.5	0.12	<0.05	0.93	0.269	0.25	0.6	166
10142		17.6	<0.002	0.05	0.09	24.3	<1	0.4	133.5	0.11	<0.05	0.82	0.247	0.19	0.3	158
10143		15.6	<0.002	0.05	0.07	25.1	1	0.4	116.5	0.09	<0.05	0.74	0.215	0.17	0.2	137
10144		15.2	<0.002	0.04	0.07	25.8	<1	0.4	137.0	0.11	<0.05	0.90	0.261	0.22	0.3	158
10145		21.7	<0.002	0.05	0.08	28.6	<1	0.4	134.5	0.11	<0.05	0.90	0.267	0.16	0.3	161
10146		27.2	<0.002	0.05	0.11	30.2	<1	0.5	144.0	0.13	<0.05	1.05	0.308	0.21	0.3	184
10147		70.4	<0.002	0.05	0.29	33.6	1	0.7	140.5	0.15	<0.05	1.38	0.291	0.34	0.5	177
10148		63.1	<0.002	0.06	0.28	33.8	1	0.6	138.5	0.13	<0.05	1.18	0.305	0.40	0.4	191
10149		56.5	<0.002	0.05	0.22	31.8	1	0.7	134.5	0.12	<0.05	1.03	0.280	0.34	0.4	178
10150		57.3	<0.002	1.79	0.43	30.9	2	16.6	129.0	0.10	0.68	1.08	0.252	0.32	0.8	159
10151		64.9	<0.002	0.07	0.16	34.6	1	1.0	137.5	0.14	<0.05	1.13	0.325	0.43	0.4	206

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10133		0.2	11.7	78	39.6				
10134		0.2	11.6	64	38.0				
10135		5.6	10.7	91	35.0				
10136		0.2	11.6	68	38.2				
10137		0.5	11.2	94	37.3				
10138		0.2	10.3	67	35.3				
10139		0.5	8.4	95	25.3				
10140		8.2	11.1	106	31.0				
10141		0.4	10.6	77	36.9				
10142		0.2	9.5	72	29.5				
10143		0.1	9.0	73	27.4				
10144		0.2	10.1	65	32.4				
10145		0.2	10.5	70	32.3				
10146		0.2	12.1	62	41.3				
10147		1.1	12.0	108	46.0				
10148		0.3	11.7	282	40.6				
10149		0.5	10.6	134	37.4				
10150		106.5	10.2	193	32.2	1.620			
10151		0.5	11.9	87	41.9				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 25-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18313481

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-MS61	ME-OG62	Ni-OG62