ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18319043

Project: ELK LAKE-ROY

This report is for 116 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 14-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10152		1.79	0.07	7.75	2.5	140	0.39	0.11	7.10	0.09	12.85	45.2	459	0.82	114.0	6.81
10153		2.04	0.08	8.18	1.7	160	0.40	0.07	6.97	0.15	13.80	43.3	52	0.90	135.5	7.20
10154		1.00	0.47	8.32	2.2	140	0.35	0.29	6.97	0.80	14.35	43.1	51	0.86	327	7.06
10155		1.35	0.06	8.29	1.3	130	0.41	0.04	7.58	0.11	14.05	40.9	49	1.04	123.5	6.73
10156		1.08	0.09	8.34	2.0	170	0.47	0.08	6.64	0.07	16.85	40.0	54	0.90	200	7.37
10157		1.07	0.08	8.48	2.0	140	0.38	0.06	7.59	0.12	13.90	42.4	50	0.89	124.5	7.06
10158		2.53	0.09	8.20	1.4	130	0.34	0.09	7.14	0.10	13.90	44.5	54	1.06	128.5	7.05
10159		1.15	0.04	8.42	1.1	130	0.25	0.06	7.52	0.12	13.40	44.1	58	1.08	106.0	6.94
10160		1.02	0.07	8.18	1.8	120	0.30	0.06	7.43	0.13	12.85	42.7	58	1.01	104.0	6.93
10161		0.08	4.12	5.23	14.7	120	0.54	1.13	3.52	2.01	17.20	978	255	0.79	>10000	18.05
10162		1.05	0.05	8.46	0.8	120	0.37	0.05	7.12	0.08	12.75	45.4	62	0.83	112.5	6.66
10163		0.29	0.19	7.25	2.1	80	1.08	0.14	4.39	0.76	19.45	74.5	60	1.06	160.0	12.35
10164		1.05	0.07	8.20	1.2	120	0.49	0.07	6.72	0.09	13.35	44.6	64	1.22	155.0	7.54
10165		2.37	0.04	8.10	0.5	110	0.35	0.02	7.38	0.13	12.60	42.3	55	1.11	121.0	6.68
10166		1.31	0.05	8.23	1.9	130	0.43	0.04	7.09	0.08	16.60	39.2	56	1.04	141.0	6.91
10167		1.65	0.06	8.21	1.1	100	0.30	0.04	7.35	0.09	12.20	38.4	53	1.11	139.0	6.59
10168		2.31	0.08	7.98	1.4	170	0.38	0.06	6.89	0.19	12.90	39.1	53	1.01	158.5	6.76
10169		1.27	0.08	8.55	1.7	130	0.33	0.06	7.78	0.16	16.20	41.4	63	1.14	127.5	6.79
10170		1.20	0.15	8.17	1.7	150	0.55	0.17	6.87	0.09	13.50	38.9	64	0.99	1015	8.10
10171		1.15	0.10	8.21	2.1	150	0.35	0.10	7.21	0.18	20.6	38.6	60	0.99	136.5	6.65
10172		1.16	0.24	8.11	1.8	150	0.54	0.19	5.73	0.54	13.45	45.2	68	1.03	382	7.07
10173		1.28	0.07	8.40	1.1	120	0.37	0.07	7.02	0.14	13.00	41.7	70	1.01	122.5	6.39
10174		2.70	0.06	8.22	0.7	90	0.36	0.06	7.04	0.11	12.90	43.9	84	1.14	118.0	6.44
10175		1.04	<0.01	0.08	<0.2	20	0.06	0.04	32.6	0.02	0.99	0.7	2	<0.05	3.7	0.11
10176		1.32	0.06	8.76	0.9	130	0.37	0.04	7.43	0.14	13.30	44.9	82	1.17	122.0	6.53
10177		0.23	1.43	6.06	3.5	140	3.34	0.95	3.19	0.16	14.25	51.8	53	0.95	5210	22.0
10178		1.22	0.07	9.06	1.8	140	0.40	0.08	7.49	0.13	12.60	42.2	70	1.00	131.0	6.55
10179		2.30	0.08	8.62	0.9	100	0.35	0.06	7.24	0.13	12.55	42.4	81	1.14	128.0	6.53
10180		0.90	0.08	8.22	0.5	120	0.33	0.06	6.99	0.14	13.20	45.7	100	1.13	122.0	6.73
10181		1.35	0.07	8.51	1.5	120	0.40	0.08	7.09	0.11	12.95	41.3	78	1.09	132.5	6.30
10182		1.20	0.06	8.25	1.7	140	0.46	0.08	6.16	0.23	12.30	37.7	79	0.95	135.5	6.66
10183		2.34	0.15	8.53	1.1	140	0.39	0.11	7.02	0.38	12.65	43.5	83	1.07	344	6.52
10184		2.35	0.07	8.98	1.4	150	0.45	0.07	6.97	0.11	13.70	41.3	83	1.21	147.0	7.06
10185		2.42	0.06	8.93	1.2	130	0.38	0.07	7.20	0.10	13.55	42.8	82	1.17	117.5	6.62
10186		2.41	0.08	8.38	1.8	150	0.37	0.09	6.77	0.12	13.00	40.4	80	1.02	152.5	6.42
10187		2.18	0.06	8.31	1.7	180	0.39	0.06	6.47	0.08	12.65	40.4	89	1.01	104.5	6.42
10188		1.06	0.07	8.08	1.9	170	0.54	0.08	6.39	0.16	12.15	38.5	82	0.92	142.5	6.75
10189		1.14	0.28	8.40	1.5	160	0.51	0.11	6.39	0.22	11.95	40.6	84	0.93	1255	6.75
10190		2.17	0.05	8.53	0.8	110	0.34	0.06	7.21	0.08	11.70	39.7	89	0.89	107.5	6.11
10191		2.14	0.05	8.50	1.6	130	0.38	0.06	6.82	0.09	13.40	36.8	86	0.96	106.0	5.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10152		15.65	0.05	1.3	0.051	0.51	5.8	21.5	5.13	1210	0.34	1.43	2.1	236	220	7.4
10153		17.60	0.05	1.5	0.060	0.85	6.2	25.0	4.34	1340	0.45	1.59	2.2	97.1	260	9.6
10154		17.30	0.06	1.4	0.063	0.91	6.4	26.5	4.08	1200	0.92	1.66	2.3	89.7	240	103.5
10155		16.75	0.05	1.4	0.061	0.59	6.2	22.7	3.90	1260	0.38	1.51	2.3	88.0	230	12.0
10156		17.35	0.08	1.3	0.067	0.89	7.7	33.3	4.14	1200	0.50	2.13	2.3	92.1	230	10.8
10157		17.15	0.06	1.4	0.050	0.84	6.1	27.2	4.06	1220	0.55	1.61	2.3	93.6	250	12.1
10158		16.75	0.07	1.3	0.057	0.71	6.2	24.6	4.29	1260	0.46	1.52	2.2	96.7	220	7.4
10159		16.05	0.06	1.3	0.053	0.64	6.1	22.5	4.56	1280	0.40	1.49	2.0	104.0	230	6.6
10160		15.90	0.08	1.4	0.046	0.62	5.8	22.4	4.59	1290	0.47	1.46	2.0	104.0	220	6.2
10161		12.00	0.21	1.3	0.118	0.31	7.5	9.7	4.04	992	4.92	1.19	5.3	>10000	480	15.2
10162		16.05	0.08	1.3	0.052	0.79	6.0	24.4	4.33	1100	0.47	1.48	2.0	104.0	220	7.7
10163		15.25	<0.05	1.1	0.068	0.65	9.8	33.4	4.30	1180	1.94	1.58	1.7	86.0	280	60.3
10164		16.35	0.05	1.4	0.056	0.69	6.0	33.2	4.85	1240	0.47	1.57	2.1	106.0	210	32.3
10165		16.75	<0.05	1.3	0.047	0.52	5.5	21.8	4.19	1200	0.40	1.48	2.2	99.9	230	6.5
10166		16.55	0.07	1.4	0.075	0.76	7.2	25.8	4.12	1120	0.41	1.69	2.2	93.7	240	9.0
10167		15.95	0.05	1.2	0.055	0.48	5.4	24.6	4.03	1180	0.35	1.67	2.0	89.5	230	7.1
10168		15.70	0.06	1.3	0.060	0.82	5.7	25.2	4.11	1240	0.47	1.50	2.0	93.5	230	26.6
10169		16.50	0.07	1.4	0.057	0.58	7.4	21.6	4.19	1290	0.33	1.52	2.1	98.6	240	6.9
10170		16.80	0.06	1.3	0.074	0.83	6.1	25.2	4.04	1220	0.83	1.58	2.1	96.0	240	15.1
10171		16.55	0.05	1.4	0.066	0.74	9.2	23.5	3.89	1260	0.44	1.61	2.1	91.8	250	21.2
10172		17.00	0.14	1.3	0.071	0.76	6.0	34.4	4.03	1060	0.99	1.71	2.0	87.9	220	32.9
10173		16.85	0.17	1.3	0.056	0.52	6.1	31.3	3.93	1150	0.35	1.49	2.1	94.2	220	7.0
10174		15.95	0.16	1.2	0.051	0.39	6.2	17.6	4.36	1180	0.33	1.36	1.9	106.0	210	5.3
10175		0.33	0.18	<0.1	0.009	0.01	1.2	1.2	1.82	118	0.07	0.03	0.1	1.0	70	0.7
10176		17.25	0.14	1.4	0.049	0.61	6.3	22.9	4.21	1240	0.35	1.43	2.1	104.0	220	5.9
10177		18.40	0.11	0.8	0.149	0.57	6.7	27.7	3.03	1100	5.84	1.62	1.5	62.0	150	52.3
10178		17.05	0.07	1.4	0.059	0.75	5.9	24.9	3.89	1200	0.34	1.51	2.0	94.2	220	7.2
10179		16.05	0.06	1.2	0.050	0.47	5.9	20.5	4.15	1210	0.40	1.41	1.9	102.5	210	8.1
10180		15.85	0.06	1.2	0.051	0.50	6.2	24.5	4.59	1260	0.30	1.39	1.9	113.0	210	10.0
10181		16.80	0.06	1.3	0.058	0.58	6.1	24.7	3.97	1150	0.36	1.44	2.1	98.6	220	6.6
10182		16.85	0.07	1.2	0.079	0.75	5.6	35.9	4.12	1080	1.26	1.80	1.9	90.5	210	24.3
10183		16.50	0.06	1.3	0.059	0.66	5.9	23.9	3.96	1250	0.75	1.51	2.0	96.6	230	18.0
10184		17.35	0.05	1.3	0.068	0.81	6.5	27.3	4.15	1260	0.73	1.64	2.0	98.7	220	16.0
10185		16.80	0.06	1.3	0.060	0.78	6.4	27.2	4.20	1190	0.56	1.60	2.0	101.0	220	10.9
10186		16.70	0.05	1.3	0.061	0.91	6.1	26.9	3.90	1160	0.69	1.49	1.9	94.6	220	18.0
10187		16.55	0.06	1.2	0.066	0.97	5.8	33.7	4.22	1120	0.71	1.65	1.9	99.5	210	24.6
10188		16.70	0.06	1.2	0.059	0.85	5.5	32.4	3.83	1180	0.80	1.61	2.0	94.0	210	23.9
10189		17.45	0.06	1.3	0.089	0.81	5.5	33.7	3.91	1110	3.59	1.82	2.0	90.5	210	33.2
10190		15.70	0.05	1.2	0.056	0.61	5.6	30.3	4.00	1080	0.32	1.48	1.8	96.1	210	4.7
10191		15.60	0.05	1.3	0.079	0.64	6.1	33.4	4.06	1060	0.35	1.73	2.0	95.3	220	8.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10152		25.3	<0.002	0.08	0.16	30.3	1	0.6	146.0	0.16	<0.05	1.57	0.328	0.15	0.5	196
10153		39.2	<0.002	0.08	0.21	35.1	1	0.7	144.0	0.17	<0.05	1.68	0.362	0.27	0.6	212
10154		43.7	<0.002	0.11	0.22	33.1	1	0.7	138.5	0.16	0.26	1.63	0.355	0.24	0.7	209
10155		27.0	<0.002	0.08	0.15	33.6	1	0.6	151.5	0.17	<0.05	1.70	0.343	0.23	0.5	203
10156		25.3	<0.002	0.09	0.34	32.4	<1	1.2	143.5	0.15	<0.05	1.46	0.364	0.24	0.9	210
10157		31.6	0.002	0.08	0.16	34.0	<1	0.6	148.0	0.17	<0.05	1.61	0.355	0.27	0.6	210
10158		33.4	<0.002	0.09	0.15	34.2	<1	0.7	142.0	0.16	0.05	1.63	0.345	0.20	0.6	202
10159		30.6	<0.002	0.08	0.14	33.3	1	0.6	149.0	0.16	<0.05	1.54	0.336	0.20	0.5	198
10160		26.7	<0.002	0.08	0.14	32.4	1	0.6	146.5	0.15	<0.05	1.51	0.333	0.19	0.5	198
10161		11.5	0.050	8.11	3.33	8.6	20	2.5	187.5	0.35	4.41	1.02	0.525	0.16	0.3	80
10162		27.0	0.002	0.08	0.20	32.8	1	0.6	143.5	0.14	<0.05	1.38	0.326	0.23	0.6	194
10163		27.9	<0.002	0.18	0.41	29.2	1	5.8	87.4	0.12	0.07	1.25	0.286	0.14	10.5	186
10164		30.7	<0.002	0.08	0.17	33.3	1	0.9	134.5	0.16	<0.05	1.55	0.332	0.21	0.7	200
10165		16.9	<0.002	0.07	0.13	30.7	1	0.6	153.0	0.16	0.05	1.41	0.335	0.16	0.6	198
10166		24.9	0.002	0.07	0.23	31.9	1	1.3	151.0	0.16	<0.05	1.52	0.342	0.20	0.9	201
10167		13.4	<0.002	0.08	0.13	29.4	1	0.7	157.5	0.15	<0.05	1.37	0.336	0.16	0.5	196
10168		34.9	<0.002	0.08	0.16	30.7	1	0.7	144.5	0.14	<0.05	1.51	0.327	0.26	0.6	194
10169		23.8	<0.002	0.07	0.14	33.4	<1	0.6	166.0	0.16	<0.05	1.68	0.337	0.22	0.6	197
10170		43.8	0.002	0.16	0.17	31.4	1	2.3	147.0	0.15	0.05	1.55	0.331	0.23	2.7	194
10171		31.3	0.002	0.08	0.20	32.1	1	1.1	153.5	0.15	<0.05	1.53	0.330	0.20	0.8	194
10172		19.1	<0.002	0.13	0.18	32.9	1	1.2	144.5	0.15	0.12	1.33	0.319	0.25	1.3	182
10173		13.7	<0.002	0.07	0.15	35.2	1	0.7	153.5	0.15	<0.05	1.47	0.332	0.21	0.5	193
10174		11.4	<0.002	0.07	0.12	33.1	<1	0.6	153.0	0.14	<0.05	1.45	0.317	0.12	0.5	185
10175		0.3	<0.002	<0.01	0.05	0.4	<1	0.2	88.1	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
10176		19.4	<0.002	0.07	0.10	34.6	<1	0.7	167.0	0.15	<0.05	1.58	0.329	0.24	0.5	192
10177		31.2	0.011	0.72	0.36	27.4	<1	18.0	80.2	0.11	0.85	1.03	0.215	0.20	11.9	131
10178		23.0	<0.002	0.07	0.15	34.8	<1	0.7	171.5	0.16	<0.05	1.48	0.331	0.25	0.5	193
10179		14.9	<0.002	0.07	0.13	34.5	<1	0.7	161.5	0.13	<0.05	1.50	0.318	0.16	0.5	186
10180		16.2	<0.002	0.07	0.11	34.2	<1	0.7	151.0	0.15	0.05	1.46	0.320	0.16	0.5	196
10181		16.9	0.002	0.07	0.14	30.8	1	0.7	161.0	0.15	<0.05	1.43	0.322	0.20	0.5	186
10182		19.7	<0.002	0.06	0.22	32.1	1	1.1	148.5	0.14	<0.05	1.28	0.322	0.22	2.5	186
10183		20.0	<0.002	0.10	0.14	34.4	<1	0.8	165.0	0.14	0.06	1.45	0.322	0.22	0.6	191
10184		34.7	0.002	0.07	0.20	35.5	<1	1.2	168.0	0.15	<0.05	1.58	0.331	0.28	0.9	196
10185		28.8	<0.002	0.07	0.15	36.0	<1	0.8	173.0	0.16	<0.05	1.52	0.333	0.26	0.6	195
10186		28.8	<0.002	0.07	0.21	31.5	<1	0.9	157.0	0.15	<0.05	1.41	0.316	0.27	0.6	186
10187		31.1	<0.002	0.06	0.22	34.8	<1	1.2	162.0	0.14	<0.05	1.37	0.314	0.30	1.2	186
10188		25.4	<0.002	0.06	0.25	31.2	<1	1.6	156.5	0.14	<0.05	1.32	0.307	0.25	1.0	181
10189		26.7	<0.002	0.19	0.22	31.6	<1	1.1	159.0	0.15	0.09	1.39	0.317	0.24	1.2	186
10190		18.0	<0.002	0.06	0.09	33.8	<1	0.6	167.5	0.14	<0.05	1.37	0.312	0.19	0.4	185
10191		22.8	<0.002	0.05	0.21	34.2	<1	1.2	174.5	0.15	<0.05	1.55	0.309	0.20	0.7	180

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10152		0.3	12.8	83	44.9			76.9	90.0
10153		0.4	13.6	96	49.2				
10154		0.4	13.6	292	48.9				
10155		0.3	13.2	87	48.1				
10156		1.0	13.0	84	47.8				
10157		0.4	13.5	88	49.6				
10158		0.4	13.4	87	48.4				
10159		0.3	12.6	90	44.2				
10160		1.3	12.6	89	42.9				
10161		2.5	9.0	143	50.6	1.580	4.58		
10162		0.2	13.4	63	45.9				
10163		15.3	12.7	277	34.3				
10164		0.4	12.8	110	46.7				
10165		0.3	12.2	77	46.2				
10166		0.4	13.1	79	47.1				
10167		0.3	11.9	78	44.8				
10168		0.4	12.5	108	45.0				
10169		0.3	13.3	94	47.6				
10170		11.7	12.9	88	46.8				
10171		0.4	13.7	114	49.7				
10172		0.8	13.6	197	47.1				
10173		0.3	14.3	89	48.2				
10174		0.2	13.6	81	45.9				
10175		<0.1	2.3	6	1.5				
10176		0.2	14.6	88	48.5				
10177		142.5	12.1	121	31.4				
10178		0.4	13.5	87	48.0				
10179		0.4	13.6	86	45.3				
10180		0.2	14.0	91	45.7				
10181		0.2	13.5	80	46.4				
10182		0.5	13.1	111	44.8				
10183		0.3	13.6	154	46.8				
10184		2.3	14.3	92	46.5				
10185		0.3	14.7	80	47.9				
10186		0.3	14.0	82	46.6				
10187		0.4	13.3	85	45.1				
10188		4.4	12.8	102	44.7				
10189		0.8	13.2	130	45.1				
10190		0.2	13.1	68	44.4				
10191		0.3	14.0	76	48.6			76.9	89.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10192		1.98	0.05	9.23	1.5	120	0.33	0.06	7.52	0.07	13.35	40.6	88	1.16	100.5	6.14
10193		1.69	0.08	8.40	1.3	60	0.43	0.11	5.82	0.14	14.70	41.1	98	0.31	91.7	6.49
10194		2.24	0.06	8.63	1.3	10	0.28	0.09	6.23	<0.02	16.10	38.4	97	<0.05	17.5	6.65
10195		2.28	0.08	8.19	1.4	130	0.33	0.08	6.60	0.17	11.50	42.0	104	1.09	109.5	6.12
10196		2.37	0.05	8.41	1.1	100	0.36	0.07	7.09	0.06	11.70	40.7	108	1.01	99.7	6.03
10197		2.36	0.09	8.67	1.3	100	0.37	0.11	6.95	0.14	12.35	43.0	114	1.01	187.0	6.39
10198		1.54	0.07	8.65	2.8	130	0.34	0.08	7.04	0.06	17.45	36.1	111	0.76	84.9	6.40
10199		0.53	0.18	8.21	2.4	110	0.59	0.14	5.73	0.03	14.70	42.5	116	1.31	214	6.22
10200		0.56	0.30	7.61	3.2	100	0.58	0.16	6.48	0.04	22.9	48.6	105	1.37	545	6.15
10201		0.08	4.35	5.50	13.5	120	0.64	0.93	3.47	2.35	18.45	965	267	0.85	>10000	18.15
10202		2.00	0.07	8.16	2.3	110	0.33	0.05	6.36	0.07	10.65	40.3	116	1.21	111.0	6.01
10203		1.15	0.10	8.51	1.8	120	1.11	0.08	6.73	0.09	18.40	37.0	117	1.18	110.0	5.80
10204		1.31	0.24	8.65	1.0	60	2.24	0.22	5.64	0.06	23.3	27.4	106	1.60	132.5	5.07
10205		2.09	0.07	8.59	1.3	130	0.56	0.06	6.54	0.18	12.55	38.5	122	1.13	87.0	5.88
10206		1.12	0.04	9.04	1.4	100	0.34	0.06	7.58	0.07	12.35	39.0	121	0.98	83.7	5.90
10207		2.18	0.07	8.43	1.6	90	0.31	0.06	7.06	0.06	12.00	43.7	134	0.93	182.0	6.14
10208		2.37	0.04	7.73	1.2	80	0.26	0.06	7.75	0.09	10.10	35.2	145	1.07	78.3	5.74
10209		2.50	0.04	7.48	1.8	80	0.28	0.06	8.03	0.08	10.40	36.3	190	0.69	82.9	5.83
10210		2.39	0.08	7.48	2.2	100	0.28	0.09	7.73	0.05	10.30	41.6	191	0.73	92.4	5.90
10211		2.51	0.05	7.42	1.6	80	0.26	0.07	7.67	0.06	9.59	37.1	190	0.72	96.4	5.98
10212		2.15	0.04	7.79	1.5	110	0.31	0.06	7.84	0.04	17.45	31.9	205	0.82	84.6	5.88
10213		2.54	0.04	7.88	1.8	100	0.31	0.05	8.29	0.05	62.1	34.4	217	0.86	76.8	5.82
10214		2.45	0.07	7.90	2.3	100	0.28	0.11	8.24	0.07	13.75	35.3	224	0.91	76.6	5.78
10215		2.13	0.04	7.76	1.6	110	0.51	0.07	7.21	0.04	21.2	32.1	212	0.91	69.2	5.91
10216		2.22	0.05	8.03	1.6	90	0.26	0.05	8.01	0.05	11.15	36.6	217	0.92	80.0	5.92
10217		2.41	0.03	7.44	1.2	100	0.24	0.05	7.72	0.07	10.45	46.2	188	0.87	91.0	6.49
10218		1.17	0.03	7.66	1.4	90	0.34	0.05	7.72	0.04	10.75	42.0	185	0.71	75.6	6.26
10219		0.54	2.00	3.11	27.0	20	2.65	2.55	13.25	<0.02	240	644	65	0.20	939	23.6
10220		1.09	0.04	7.95	1.3	100	0.24	0.04	8.12	0.06	10.20	45.4	179	0.84	83.2	6.54
10221		2.44	0.05	7.78	1.4	110	0.32	0.06	8.01	0.08	10.30	46.4	178	0.79	86.2	6.55
10222		1.11	0.04	7.25	1.1	70	0.18	0.05	7.41	0.11	8.65	50.7	155	1.12	80.9	6.51
10223		1.71	0.06	7.40	2.5	80	0.23	0.08	7.57	0.07	8.86	49.1	146	1.11	80.2	6.18
10224		2.32	0.05	6.66	3.4	50	0.22	0.07	6.99	0.16	8.35	49.5	137	0.63	52.9	6.28
10225		1.15	0.01	0.53	0.2	40	0.18	0.02	32.5	0.02	1.24	0.6	2	<0.05	4.6	0.11
10226		2.58	0.05	7.37	1.9	80	0.29	0.07	7.27	0.09	8.88	54.9	135	1.26	68.9	6.56
10227		1.16	0.04	7.21	2.6	70	0.21	0.06	7.42	0.06	8.56	52.8	128	1.21	53.8	6.39
10228		2.20	0.03	7.37	1.2	80	0.19	0.04	7.50	0.07	8.49	49.6	170	1.19	72.3	6.37
10229		2.49	0.04	7.26	1.4	70	0.18	0.31	7.37	0.05	8.30	51.0	149	1.39	77.8	6.26
10230		2.42	0.03	7.68	1.1	80	0.20	0.04	7.71	0.06	8.63	51.0	150	1.21	75.7	6.43
10231		2.21	0.07	7.30	0.9	60	0.20	0.03	7.75	0.60	8.16	52.4	141	1.29	78.0	5.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10192		16.45	0.06	1.3	0.057	0.56	6.3	34.0	4.19	1070	0.34	1.64	1.9	102.0	220	5.8
10193		15.20	0.05	1.2	0.062	0.23	6.5	53.1	4.25	1020	0.28	2.32	1.9	103.5	210	10.3
10194		16.30	0.06	1.2	0.070	0.04	7.2	43.7	4.41	1000	0.32	2.56	1.8	104.5	200	2.9
10195		14.75	0.05	1.2	0.055	0.49	5.3	42.2	4.40	1110	0.32	1.50	1.8	109.0	210	18.0
10196		15.35	0.05	1.0	0.056	0.48	5.6	21.1	4.23	1000	0.33	1.45	1.8	102.0	200	5.3
10197		16.15	0.05	1.1	0.062	0.53	5.8	27.2	4.34	1180	0.54	1.77	1.9	104.5	210	7.2
10198		14.75	<0.05	1.0	0.060	0.98	9.2	30.5	4.16	1140	0.48	1.66	1.7	92.7	200	13.6
10199		15.60	0.06	1.2	0.079	1.91	6.8	38.7	4.36	1190	0.44	1.71	1.8	96.3	220	12.5
10200		15.15	0.07	1.0	0.093	1.72	10.3	39.2	3.96	1110	0.69	1.55	1.7	91.4	230	14.3
10201		12.50	0.19	1.3	0.134	0.31	8.2	10.4	3.99	991	4.66	1.21	5.3	>10000	470	15.0
10202		15.35	<0.05	1.1	0.058	2.35	5.0	23.8	4.01	1100	0.27	1.18	1.8	118.5	200	9.1
10203		15.45	<0.05	1.1	0.064	2.26	9.5	35.0	3.70	1350	0.29	1.58	1.8	97.4	210	20.2
10204		14.75	0.05	1.1	0.092	1.35	11.9	77.3	4.03	1460	0.27	2.83	1.8	76.6	210	137.0
10205		15.30	<0.05	1.1	0.056	1.96	6.3	29.6	4.04	1220	0.29	1.43	1.8	95.5	200	37.0
10206		16.00	<0.05	1.2	0.064	0.74	5.9	21.2	4.38	1010	0.28	1.41	1.8	102.5	210	5.9
10207		15.90	<0.05	1.1	0.059	0.74	5.7	24.9	4.50	1080	0.47	1.40	1.8	108.0	200	4.8
10208		14.95	0.11	1.0	0.043	0.43	4.2	16.6	4.36	1080	0.29	1.42	1.7	103.5	180	5.6
10209		14.90	0.12	1.1	0.052	0.49	4.3	11.8	4.57	1060	0.27	1.38	1.7	108.5	190	3.6
10210		14.85	0.11	1.0	0.053	0.66	4.2	16.0	4.52	1060	0.63	1.48	1.7	104.0	180	5.3
10211		14.55	0.10	1.0	0.052	0.59	4.0	16.9	4.55	1110	0.48	1.46	1.6	105.0	180	8.4
10212		15.20	0.09	1.0	0.062	0.77	7.8	18.2	4.23	958	0.43	1.58	1.7	95.9	190	3.0
10213		15.70	0.12	1.1	0.061	0.59	30.5	20.8	4.40	996	0.48	1.57	1.7	101.5	190	5.7
10214		15.15	0.11	1.1	0.066	0.58	5.9	20.1	4.36	1000	0.38	1.63	1.8	100.5	190	6.8
10215		16.50	0.10	1.1	0.064	0.96	9.5	20.6	4.14	1000	0.62	1.69	1.8	102.5	190	4.3
10216		15.15	0.10	1.1	0.047	0.59	4.7	23.4	4.41	1020	0.35	1.64	1.8	109.5	190	6.3
10217		14.50	0.09	1.0	0.042	0.66	4.5	12.6	5.49	1150	0.32	1.22	1.6	215	180	3.4
10218		14.65	0.09	1.0	0.047	0.91	4.6	14.2	5.24	1080	0.25	1.21	1.6	201	180	3.5
10219		13.50	0.44	0.4	0.228	0.16	98.8	10.3	2.11	1210	6.26	0.28	1.0	154.0	70	9.8
10220		14.65	0.08	1.0	0.044	0.78	4.3	12.7	5.46	1140	0.28	1.25	1.6	217	190	3.5
10221		15.10	0.06	1.0	0.046	0.76	4.4	14.2	5.38	1120	0.35	1.29	1.6	212	180	7.9
10222		13.35	0.07	0.9	0.044	0.35	3.6	11.5	6.20	1160	0.29	1.13	1.4	286	170	3.6
10223		13.80	0.08	0.9	0.044	0.46	3.7	19.0	6.36	1040	0.23	1.18	1.5	285	160	6.4
10224		13.10	0.08	0.8	0.040	0.31	3.4	25.7	6.31	1020	0.27	1.16	1.4	298	150	6.2
10225		1.62	0.07	0.2	<0.005	0.13	1.2	1.3	1.94	110	0.08	0.32	0.8	1.5	70	1.3
10226		15.05	0.08	0.9	0.046	0.53	3.7	14.8	6.51	1070	0.29	1.10	1.5	312	170	17.7
10227		13.55	0.06	0.9	0.046	0.41	3.5	18.2	6.83	1040	0.20	1.03	1.5	321	150	3.6
10228		13.45	0.07	0.8	0.042	0.45	3.5	14.9	6.61	1080	0.25	1.12	1.4	300	170	3.8
10229		13.15	0.08	0.8	0.039	0.38	3.3	16.5	7.13	1050	0.22	1.10	1.4	329	160	3.0
10230		13.80	0.08	0.9	0.038	0.44	3.6	13.4	6.92	1080	0.87	1.10	1.5	322	170	2.8
10231		13.50	0.07	0.8	0.037	0.24	3.3	20.3	6.55	1110	0.27	1.10	1.4	316	160	58.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10192		21.1	<0.002	0.05	0.13	35.4	<1	0.7	183.5	0.14	<0.05	1.43	0.321	0.13	0.5	188
10193		2.2	<0.002	0.06	0.16	31.9	<1	0.6	192.0	0.14	<0.05	1.14	0.312	0.07	0.5	185
10194		0.2	<0.002	0.04	0.20	33.8	<1	0.6	246	0.13	0.05	1.34	0.302	<0.02	0.4	179
10195		16.4	<0.002	0.06	0.11	31.9	<1	0.6	170.5	0.13	<0.05	1.36	0.302	0.15	0.4	181
10196		13.9	0.002	0.06	0.08	32.1	<1	0.5	159.0	0.12	<0.05	1.34	0.294	0.11	0.4	177
10197		16.6	<0.002	0.07	0.14	34.7	<1	0.8	165.5	0.13	0.05	1.35	0.310	0.13	0.7	183
10198		25.6	<0.002	0.06	0.25	30.8	<1	0.9	151.0	0.12	<0.05	1.18	0.311	0.19	0.6	185
10199		59.7	0.002	0.13	0.27	31.7	<1	1.2	106.0	0.12	0.14	1.34	0.301	0.28	0.9	182
10200		56.1	<0.002	0.23	0.31	29.3	1	2.2	102.0	0.12	0.22	1.17	0.274	0.29	1.2	168
10201		11.2	0.053	8.63	3.47	9.6	21	2.9	188.5	0.34	4.76	1.23	0.538	0.19	0.4	79
10202		67.5	<0.002	0.07	0.19	32.0	<1	0.6	91.0	0.13	<0.05	1.16	0.300	0.36	0.4	181
10203		52.7	<0.002	0.06	0.19	32.2	<1	0.6	92.6	0.13	<0.05	1.14	0.315	0.37	0.5	188
10204		48.4	<0.002	0.05	0.09	31.6	<1	0.8	54.7	0.13	0.06	1.28	0.305	0.23	0.4	181
10205		61.2	<0.002	0.06	0.15	31.8	<1	0.6	108.0	0.13	<0.05	1.20	0.304	0.33	0.5	185
10206		36.8	<0.002	0.05	0.13	35.0	<1	0.7	146.5	0.13	<0.05	1.41	0.301	0.23	0.5	179
10207		25.5	<0.002	0.07	0.13	32.4	<1	0.7	137.5	0.13	0.05	1.32	0.294	0.20	0.5	180
10208		13.9	<0.002	0.06	0.14	27.6	<1	0.5	159.5	0.12	<0.05	1.12	0.292	0.11	0.4	178
10209		21.5	0.002	0.06	0.19	29.7	1	0.6	135.5	0.12	<0.05	1.10	0.293	0.15	0.4	184
10210		29.6	<0.002	0.11	0.25	29.8	<1	0.9	134.0	0.12	0.05	1.07	0.289	0.18	0.4	181
10211		21.9	<0.002	0.08	0.20	29.6	<1	0.5	127.5	0.11	<0.05	1.04	0.285	0.14	2.0	182
10212		30.1	<0.002	0.06	0.24	28.7	<1	1.3	138.5	0.13	<0.05	1.02	0.300	0.20	0.7	188
10213		24.4	<0.002	0.06	0.18	30.8	<1	1.0	148.0	0.13	<0.05	1.17	0.307	0.18	0.8	190
10214		24.8	<0.002	0.09	0.23	31.2	<1	0.9	152.5	0.13	<0.05	1.18	0.307	0.20	0.6	191
10215		37.9	<0.002	0.06	0.25	28.5	<1	1.1	118.0	0.13	<0.05	1.11	0.301	0.18	0.8	186
10216		23.5	<0.002	0.08	0.16	31.1	<1	0.6	137.5	0.14	<0.05	1.17	0.312	0.16	0.4	193
10217		27.1	0.002	0.06	0.16	25.4	<1	0.5	122.5	0.11	<0.05	1.00	0.282	0.15	0.4	177
10218		34.6	<0.002	0.05	0.21	25.6	<1	0.8	122.5	0.13	<0.05	1.08	0.280	0.16	0.4	173
10219		7.5	0.004	3.15	0.41	27.4	2	39.4	104.0	0.05	3.41	0.40	0.104	0.05	4.1	160
10220		28.9	<0.002	0.07	0.12	24.9	<1	0.7	124.5	0.11	<0.05	0.97	0.291	0.16	0.4	182
10221		28.8	<0.002	0.06	0.17	22.2	<1	0.9	125.5	0.12	<0.05	0.95	0.282	0.16	1.0	176
10222		13.0	<0.002	0.05	0.11	22.0	1	0.5	124.0	0.10	<0.05	0.88	0.247	0.10	0.3	154
10223		18.2	<0.002	0.06	0.19	21.4	<1	0.6	144.0	0.11	<0.05	0.91	0.257	0.12	0.4	158
10224		10.8	<0.002	0.05	0.19	18.4	1	0.6	109.0	0.11	<0.05	0.78	0.237	0.07	0.4	149
10225		3.1	<0.002	<0.01	0.12	0.3	<1	0.2	75.1	0.10	<0.05	0.35	0.005	0.02	0.4	1
10226		23.6	<0.002	0.06	0.19	20.3	<1	0.5	127.5	0.11	<0.05	0.86	0.250	0.15	0.4	155
10227		15.9	<0.002	0.06	0.16	18.5	<1	0.5	124.5	0.11	<0.05	0.81	0.244	0.14	0.3	153
10228		17.0	<0.002	0.05	0.14	21.2	1	0.5	125.5	0.11	<0.05	0.84	0.256	0.15	0.3	158
10229		14.4	<0.002	0.05	0.14	19.5	1	0.5	137.0	0.11	<0.05	0.80	0.245	0.14	0.5	154
10230		16.8	<0.002	0.05	0.13	22.3	1	0.5	126.5	0.10	<0.05	0.88	0.251	0.14	1.1	156
10231		8.1	<0.002	0.04	0.14	20.9	<1	0.5	134.5	0.10	<0.05	0.83	0.243	0.10	0.3	152

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10192		0.2	14.0	70	46.2				
10193		1.0	12.5	104	42.2				
10194		1.2	12.9	82	41.5				
10195		0.4	12.9	89	42.3				
10196		0.1	13.0	58	36.8				
10197		0.3	13.2	90	38.6				
10198		0.3	12.2	62	39.6				
10199		1.1	14.7	71	42.4				
10200		3.4	15.9	70	38.3				
10201		2.4	10.0	137	50.1	1.600	4.51		
10202		0.2	12.2	62	39.5				
10203		0.3	13.6	91	40.6				
10204		1.0	15.2	141	40.1				
10205		0.2	12.7	102	40.4				
10206		0.2	13.4	52	42.3				
10207		0.2	13.1	62	41.6				
10208		0.2	11.0	65	37.0				
10209		0.2	11.3	51	37.4				
10210		0.5	11.4	52	37.3				
10211		0.2	11.1	64	35.9				
10212		0.2	11.6	52	37.3				
10213		0.3	13.1	53	39.4				
10214		0.3	12.0	56	39.7				
10215		0.5	12.8	53	39.4				
10216		0.3	12.0	58	40.3				
10217		0.2	10.8	63	35.7				
10218		0.3	11.3	59	36.3				
10219		167.5	88.7	33	12.1				
10220		0.5	10.7	63	35.6			76.3	
10221		1.8	10.9	65	34.2				
10222		0.2	9.6	80	31.1				
10223		0.2	9.7	59	32.7				
10224		0.3	8.7	71	29.7				
10225		0.1	2.8	8	4.4				
10226		0.2	9.6	67	31.4				
10227		0.2	9.1	61	30.1				
10228		0.2	9.3	58	30.1				
10229		0.2	8.9	56	29.4				
10230		0.2	9.6	57	31.6				
10231		0.2	8.9	136	29.9			77.1	89.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10232		2.15	0.14	6.68	2.0	50	0.22	0.07	6.67	0.43	7.84	52.3	139	0.88	84.8	6.15
10233		2.57	0.04	7.86	1.5	80	0.20	0.05	8.10	0.09	9.42	50.9	151	1.46	82.4	6.28
10234		1.22	0.05	7.18	0.5	70	0.20	0.04	7.44	0.16	8.33	50.6	140	1.23	76.9	6.22
10235		2.62	0.04	7.03	1.9	60	0.20	0.04	7.30	0.09	8.03	51.6	136	1.00	64.0	6.36
10236		2.28	0.05	7.25	2.4	110	0.25	0.07	7.33	0.07	8.34	48.1	143	1.05	88.5	6.58
10237		2.63	0.04	7.57	1.6	90	0.23	0.04	8.00	0.06	10.30	44.4	152	1.08	74.2	6.16
10238		2.39	0.04	7.36	2.2	90	0.34	0.05	7.72	0.10	11.95	44.5	155	0.88	89.6	6.60
10239		1.04	0.05	7.65	2.6	120	0.37	0.10	7.67	0.04	13.30	49.8	151	0.90	105.5	7.23
10240		1.07	0.04	6.99	2.2	110	0.38	0.08	6.91	0.04	11.10	45.0	144	0.86	83.4	6.76
10241		0.08	4.25	5.38	14.0	120	0.49	1.01	3.58	2.26	19.40	976	277	0.81	>10000	18.30
10242		2.53	0.09	7.64	2.4	80	0.61	0.09	7.35	0.04	14.95	44.2	155	0.57	78.7	7.06
10243		2.22	0.04	7.32	1.8	90	0.31	0.06	7.20	0.02	11.05	42.8	154	1.12	77.1	6.28
10244		1.09	0.04	7.46	2.1	70	0.95	0.10	6.90	<0.02	18.75	41.2	175	0.63	33.0	7.08
10245		2.59	0.03	7.55	1.9	100	0.35	0.06	7.33	0.03	12.30	43.7	177	1.04	72.2	6.20
10246		2.51	0.05	7.69	2.1	130	0.49	0.10	7.27	0.03	12.10	43.0	175	0.86	99.4	6.53
10247		2.64	0.05	7.90	2.6	140	0.48	0.09	6.89	0.03	12.25	48.3	181	0.77	90.3	6.78
10248		1.28	0.05	7.98	2.2	130	0.36	0.07	7.58	0.03	12.70	44.1	179	0.91	99.9	6.82
10249		0.26	0.17	6.82	11.6	150	0.86	0.33	4.33	1.83	10.25	230	168	0.90	93.1	13.95
10250		1.17	0.06	7.92	2.3	120	0.35	0.08	7.52	0.03	12.20	42.9	186	1.06	104.0	6.83
10251		2.67	0.08	7.88	2.5	110	0.45	0.13	7.08	0.15	12.20	55.5	185	1.08	138.0	6.96
10252		2.21	0.09	7.96	2.7	70	0.36	0.13	6.43	0.04	12.30	48.3	177	0.33	140.5	6.93
10253		2.51	0.06	7.75	3.1	130	0.43	0.14	7.08	0.05	12.95	52.0	169	0.95	101.5	6.99
10254		2.00	0.13	7.52	2.7	110	0.37	0.11	7.15	0.03	11.40	45.8	157	0.93	95.2	6.99
10255		2.43	0.09	7.33	3.4	90	0.38	0.11	7.07	0.03	12.25	45.4	143	0.77	105.0	6.82
10256		2.50	0.40	7.57	6.7	80	0.38	0.64	7.43	7.32	13.60	49.4	133	0.57	105.0	7.03
10257		2.27	0.11	7.88	4.9	110	0.88	0.13	7.37	0.12	19.55	45.8	139	0.85	92.3	7.00
10258		2.09	0.18	7.72	5.4	80	1.47	0.30	7.37	0.29	30.6	125.5	130	1.08	108.5	6.96
10259		2.35	0.11	7.61	4.4	120	0.51	0.09	7.04	0.04	15.10	46.7	138	0.69	106.0	7.20
10260		2.24	0.06	7.06	3.5	110	0.32	0.05	6.69	0.10	11.35	54.5	130	1.14	93.3	7.08
10261		1.84	0.13	7.29	40.9	90	1.12	0.21	7.58	0.07	20.4	56.0	135	1.73	140.5	6.49
10262		2.26	0.07	7.22	2.9	130	0.33	0.05	6.71	0.09	13.05	49.9	143	0.99	103.5	7.10
10263		2.25	0.08	7.48	13.3	170	1.10	0.29	6.69	0.04	19.40	47.7	121	1.84	108.5	6.89
10264		2.27	0.09	7.43	6.7	160	0.87	0.14	5.90	0.04	15.45	45.1	110	0.89	107.0	7.20
10265		2.02	0.10	7.66	2.8	50	1.37	0.11	0.91	<0.02	47.4	18.9	71	0.20	157.5	3.78
10266		1.91	0.03	7.58	1.2	50	1.35	0.06	0.54	<0.02	30.1	15.9	64	0.31	9.1	5.38
10267		2.24	<0.01	8.16	1.2	70	1.78	0.03	0.83	<0.02	67.8	13.3	36	0.57	6.0	4.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10232		13.40	0.07	0.8	0.037	0.28	3.1	34.4	6.58	1120	0.29	1.39	1.4	328	160	230
10233		14.85	0.07	1.0	0.040	0.43	3.9	14.1	6.67	1120	0.40	1.16	1.5	313	170	6.3
10234		13.45	0.08	0.8	0.038	0.29	3.4	10.5	6.38	1140	0.25	1.10	1.5	309	160	5.9
10235		12.70	0.06	0.8	0.045	0.30	3.3	9.3	7.01	1110	0.27	1.06	1.3	345	160	7.2
10236		13.90	0.08	0.8	0.050	0.64	3.5	16.4	6.33	1120	0.60	1.15	1.5	293	160	5.7
10237		14.45	0.10	1.0	0.047	0.51	4.3	13.0	5.61	1080	0.31	1.30	1.7	216	210	3.3
10238		15.70	0.09	1.2	0.050	0.53	5.0	18.3	5.32	1150	0.53	1.45	2.0	184.0	200	5.8
10239		16.30	0.09	1.2	0.061	0.66	5.8	20.1	5.58	1200	0.45	1.47	1.9	187.5	210	5.3
10240		14.30	0.08	1.0	0.051	0.63	4.7	20.2	5.25	1140	0.40	1.53	1.8	179.5	190	4.1
10241		12.75	0.20	1.3	0.121	0.32	7.8	8.2	4.09	1020	4.93	1.20	5.5	>10000	470	14.5
10242		14.90	0.07	1.2	0.063	0.55	7.5	30.7	4.90	1180	0.95	2.02	1.8	150.0	230	7.6
10243		13.80	0.05	1.2	0.052	0.74	5.3	38.6	4.68	1070	0.32	2.01	1.9	127.5	220	3.0
10244		16.15	0.11	1.2	0.080	0.61	8.3	39.6	4.60	1160	0.58	2.48	2.0	121.5	210	6.6
10245		15.95	0.12	1.2	0.045	0.76	5.3	35.7	4.74	1040	0.27	1.68	2.0	129.0	210	9.9
10246		16.15	0.12	1.3	0.052	0.91	5.2	35.2	4.74	1200	0.37	1.59	1.9	118.5	210	7.7
10247		15.70	0.11	1.3	0.054	0.90	5.3	42.5	5.00	1290	0.36	1.83	2.0	119.5	210	15.0
10248		16.05	0.12	1.3	0.044	0.90	5.5	31.1	4.86	1240	0.30	1.57	2.0	121.0	220	7.1
10249		16.45	0.09	1.1	0.067	0.79	4.5	36.7	5.09	1360	2.21	1.82	1.7	109.0	180	36.4
10250		15.70	0.11	1.2	0.050	0.84	5.3	38.7	4.87	1240	0.30	1.74	1.9	120.5	230	14.8
10251		16.90	0.11	1.2	0.055	0.76	5.3	34.0	4.84	1210	0.42	1.68	2.0	121.5	210	17.0
10252		15.65	0.12	1.2	0.050	0.42	5.3	45.8	5.35	1310	0.35	2.46	1.9	139.0	210	23.0
10253		16.55	0.10	1.3	0.055	0.89	5.7	32.2	5.26	1250	0.46	1.64	2.0	139.5	210	11.0
10254		15.55	0.10	1.2	0.056	0.86	4.9	30.2	5.04	1280	0.30	1.73	2.0	138.5	230	10.1
10255		15.70	0.10	1.3	0.057	0.70	5.3	29.8	4.92	1260	0.37	1.71	2.1	128.5	220	12.5
10256		17.15	0.10	1.3	0.072	0.60	6.4	35.0	4.91	1320	0.36	1.88	2.0	124.5	220	652
10257		16.65	0.12	1.4	0.081	0.96	9.3	27.2	4.70	1590	0.37	1.98	2.2	131.0	240	27.5
10258		18.20	0.13	1.5	0.129	0.68	14.7	33.9	4.10	1380	0.42	2.86	2.4	114.5	240	112.0
10259		16.20	0.09	1.4	0.059	1.28	6.8	22.3	4.97	1480	0.30	1.70	2.1	138.5	230	10.2
10260		14.35	0.10	1.2	0.043	1.10	4.9	28.7	6.39	1300	0.25	1.23	1.9	244	220	9.8
10261		15.55	0.10	1.2	0.090	1.39	9.9	32.8	5.45	1730	0.83	1.49	2.0	219	220	24.6
10262		15.85	0.09	1.3	0.049	1.28	5.7	23.2	5.40	1330	0.29	1.32	2.1	169.5	240	7.5
10263		17.05	0.10	1.5	0.071	1.44	9.1	26.1	4.42	1440	0.43	1.60	2.4	119.5	260	7.9
10264		16.85	0.09	1.6	0.057	1.33	6.8	23.5	4.64	1370	0.30	2.13	2.4	109.5	260	3.5
10265		21.2	0.14	3.4	0.037	0.17	21.3	35.7	2.35	315	2.51	4.51	6.0	48.9	580	12.2
10266		21.8	0.12	3.9	0.045	0.17	11.4	34.9	2.62	397	0.62	4.53	6.5	41.6	710	3.6
10267		20.9	0.15	2.6	0.053	0.44	31.3	32.3	2.08	296	0.46	4.59	5.0	28.9	770	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10232		9.7	0.002	0.04	0.15	15.4	<1	0.6	112.0	0.11	<0.05	0.75	0.237	0.08	0.5	152
10233		15.4	<0.002	0.05	0.15	24.0	<1	0.7	142.5	0.12	<0.05	0.97	0.265	0.14	0.6	161
10234		8.9	<0.002	0.05	0.10	20.1	<1	0.5	132.5	0.10	<0.05	0.84	0.244	0.13	0.3	150
10235		11.6	<0.002	0.05	0.16	19.0	<1	0.5	118.0	0.10	<0.05	0.75	0.237	0.13	0.3	146
10236		25.4	<0.002	0.05	0.24	18.9	<1	0.6	120.5	0.12	<0.05	0.80	0.254	0.15	0.4	161
10237		22.6	<0.002	0.05	0.13	26.6	<1	0.6	142.0	0.12	<0.05	1.11	0.287	0.14	0.4	176
10238		24.1	0.002	0.06	0.18	28.3	<1	0.8	139.0	0.15	<0.05	1.27	0.322	0.16	0.5	191
10239		32.2	0.002	0.09	0.34	31.0	<1	0.9	157.5	0.14	<0.05	1.36	0.321	0.14	0.6	194
10240		28.1	<0.002	0.08	0.28	25.7	<1	0.8	131.0	0.13	<0.05	1.12	0.301	0.15	0.5	185
10241		12.1	0.048	8.21	3.74	8.9	21	3.2	182.5	0.35	4.56	1.17	0.541	0.18	0.4	79
10242		21.3	<0.002	0.06	0.46	32.2	1	1.2	152.5	0.14	0.05	1.29	0.329	0.20	1.3	199
10243		31.5	<0.002	0.05	0.16	32.9	<1	0.5	175.0	0.15	<0.05	1.34	0.330	0.21	0.4	199
10244		20.7	<0.002	0.06	0.22	36.4	<1	4.1	107.5	0.15	0.05	1.34	0.337	0.13	0.7	211
10245		41.9	<0.002	0.06	0.20	37.1	<1	0.7	155.5	0.14	<0.05	1.47	0.333	0.26	0.5	207
10246		45.0	0.002	0.06	0.33	36.7	<1	0.7	150.0	0.13	<0.05	1.37	0.334	0.30	0.6	210
10247		45.7	<0.002	0.08	0.30	39.1	1	1.0	149.5	0.15	<0.05	1.48	0.354	0.26	0.6	212
10248		47.8	<0.002	0.06	0.26	38.4	1	0.7	156.5	0.15	<0.05	1.54	0.352	0.27	0.5	216
10249		45.2	<0.002	0.56	0.44	36.7	<1	7.7	97.1	0.13	0.14	1.26	0.299	0.22	0.8	204
10250		39.3	<0.002	0.07	0.28	37.6	<1	0.7	171.0	0.14	<0.05	1.48	0.356	0.26	0.4	218
10251		38.6	<0.002	0.12	0.22	37.9	1	0.8	148.0	0.15	0.05	1.47	0.350	0.23	0.6	211
10252		19.3	<0.002	0.07	0.24	38.8	<1	1.0	160.5	0.14	<0.05	1.43	0.345	0.11	0.5	212
10253		41.9	0.002	0.09	0.41	37.8	<1	0.8	146.5	0.15	<0.05	1.39	0.350	0.24	0.5	220
10254		36.9	<0.002	0.07	0.34	34.6	1	0.7	153.5	0.14	<0.05	1.35	0.361	0.24	0.4	219
10255		32.6	<0.002	0.07	0.39	37.8	<1	0.7	150.5	0.15	<0.05	1.54	0.357	0.20	0.5	219
10256		26.7	<0.002	0.13	0.43	38.3	1	0.7	199.5	0.15	<0.05	1.49	0.352	0.15	0.5	218
10257		49.0	<0.002	0.08	0.31	39.5	1	0.8	147.0	0.15	<0.05	1.60	0.385	0.25	0.6	231
10258		37.0	0.002	0.28	0.42	43.1	<1	1.1	125.5	0.16	0.09	1.83	0.389	0.18	0.8	235
10259		58.1	<0.002	0.08	0.28	39.5	1	0.8	132.5	0.15	<0.05	1.54	0.383	0.30	0.5	230
10260		43.6	<0.002	0.07	0.18	34.3	<1	0.8	134.5	0.13	<0.05	1.35	0.335	0.24	0.4	205
10261		65.6	0.003	0.06	0.38	36.8	<1	0.8	120.5	0.13	<0.05	1.54	0.349	0.21	0.5	213
10262		56.4	<0.002	0.07	0.22	38.3	1	0.9	137.0	0.15	<0.05	1.54	0.364	0.29	0.5	218
10263		61.2	<0.002	0.08	0.34	40.2	1	0.8	153.0	0.15	0.06	1.87	0.388	0.30	0.7	229
10264		54.7	<0.002	0.08	0.44	40.0	<1	0.8	146.0	0.18	<0.05	1.83	0.393	0.32	0.6	231
10265		7.5	0.002	0.07	0.15	12.9	<1	1.4	82.4	0.48	<0.05	7.53	0.288	0.03	2.8	92
10266		3.6	<0.002	0.05	0.16	13.0	<1	1.2	54.8	0.51	<0.05	6.37	0.350	0.05	2.5	103
10267		19.6	<0.002	0.02	0.15	10.8	<1	1.1	118.5	0.38	<0.05	4.30	0.305	0.07	1.3	87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10232		0.9	8.5	120	28.4				
10233		0.2	10.2	65	34.8				
10234		0.2	9.1	86	31.2				
10235		0.1	8.5	77	27.8				
10236		0.2	9.1	65	29.4				
10237		0.2	10.9	56	36.9				
10238		0.4	12.5	71	42.5				
10239		0.7	12.8	70	43.0				
10240		0.6	11.4	70	40.0				
10241		2.4	10.1	146	57.9	1.535	4.43		
10242		1.4	12.8	81	42.6				
10243		0.7	11.8	44	42.4				
10244		2.8	14.7	57	42.3				
10245		0.2	13.0	47	43.1				
10246		0.3	12.5	55	43.1				
10247		1.0	12.7	78	44.4				
10248		0.3	13.3	61	45.0				
10249		17.9	10.3	531	36.3				
10250		0.4	12.7	62	44.1				
10251		0.6	13.0	78	45.1				
10252		1.0	12.8	103	43.5				92.9
10253		0.4	13.0	62	44.9				92.3
10254		0.5	12.2	60	42.9				
10255		0.3	13.2	68	46.1				
10256		0.3	13.5	1170	44.4				
10257		0.4	16.5	88	49.3				
10258		0.8	21.5	135	52.4				
10259		0.3	14.2	65	46.0				
10260		0.2	12.2	79	41.1				
10261		0.3	16.1	66	43.9				
10262		0.2	13.6	81	46.1				
10263		0.3	15.8	61	54.2				
10264		0.5	15.2	66	53.6				
10265		1.0	13.5	29	118.0				
10266		0.8	15.7	37	143.0				
10267		0.7	15.1	27	92.3				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 9-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319043

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:			
CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Cu-OG62	ME-MS61	ME-OG62	Ni-OG62