ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18324933

Project: Elk Lake - Roy

This report is for 81 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
As-OG62	Ore Grade As - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10648		2.25	0.14	7.08	2.0	150	0.50	0.05	6.70	0.15	15.65	41.1	29	1.14	158.0	7.36
10649		1.17	0.20	7.06	2.4	160	0.60	0.07	6.11	0.16	50.3	45.1	29	0.94	431	7.57
10650		1.80	0.12	7.19	1.9	120	0.40	0.08	7.51	0.65	16.95	38.7	27	0.51	123.0	7.44
10651		0.98	0.13	7.12	2.5	200	0.59	0.10	5.46	0.34	15.00	44.3	32	0.68	131.5	7.23
10652		1.06	0.34	7.68	17.5	90	0.70	0.48	6.19	0.18	20.4	46.1	26	0.79	205	6.65
10653		1.55	0.20	7.41	3.3	110	0.47	0.11	5.63	0.43	11.95	38.3	29	0.64	125.5	6.80
10654		1.10	0.18	7.31	5.8	100	0.66	0.19	5.81	0.13	16.80	39.7	29	0.90	289	6.80
10655		0.94	7.67	7.35	>10000	30	2.14	77.7	10.55	0.04	400	8490	28	0.58	2740	3.51
10656		0.53	0.03	0.09	44.3	20	0.06	0.37	34.1	<0.02	2.35	31.8	1	<0.05	17.5	0.13
10657		1.12	0.75	7.22	27.9	120	0.52	0.33	6.04	0.09	14.95	53.1	29	0.69	183.5	6.78
10658		2.17	0.08	7.32	4.6	130	0.40	0.09	6.48	0.19	14.75	42.1	32	0.87	127.0	7.04
10659		1.13	0.10	7.53	3.4	110	0.45	0.08	6.46	0.15	14.75	45.5	37	0.81	93.3	7.62
10660		0.10	4.09	5.29	14.9	110	0.59	0.89	3.40	2.21	16.80	939	257	0.81	>10000	17.50
10661		2.22	0.09	7.57	2.6	160	0.45	0.10	6.20	0.12	14.65	39.0	36	0.82	187.5	6.79
10662		1.23	0.20	7.33	4.2	140	0.72	0.14	5.78	0.05	14.10	36.4	34	0.55	571	6.69
10663		0.36	2.65	7.46	2730	20	1.17	36.5	6.71	0.03	51.1	1880	39	0.32	136.0	2.59
10664		0.64	0.02	0.09	8.6	10	0.06	0.13	33.1	0.03	1.28	6.6	1	<0.05	5.2	0.13
10665		1.23	0.12	7.99	38.5	120	1.29	0.47	7.04	0.05	33.0	54.4	35	1.05	343	5.86
10666		2.41	0.10	7.31	2.9	160	0.39	0.10	6.33	0.12	12.20	37.0	30	0.67	130.0	6.48
10667		2.34	0.21	7.76	10.2	150	0.85	0.15	6.29	0.08	19.15	82.4	34	1.15	476	7.29
10668		2.26	0.15	7.98	10.9	120	0.65	0.08	6.21	0.13	13.90	41.7	42	1.76	120.5	6.98
10669		1.10	0.08	7.74	77.5	70	1.49	1.08	5.37	0.10	23.0	74.6	42	1.31	248	5.73
10670		0.31	3.51	8.00	4990	30	1.18	89.8	8.74	0.03	>500	3380	44	0.81	90.6	4.91
10671		0.52	0.03	0.12	14.0	20	0.08	0.30	34.1	0.02	2.97	10.0	1	0.05	3.9	0.16
10672		1.36	0.30	8.17	284	80	1.52	3.56	6.44	0.12	72.2	214	44	1.53	230	5.71
10673		1.27	0.09	7.15	5.2	90	0.52	0.26	6.32	0.09	11.95	36.3	42	0.60	109.0	6.45
10674		1.35	1.62	6.80	30.2	90	0.49	0.40	7.51	0.11	19.30	108.5	39	1.12	>10000	7.07
10675		0.56	0.01	0.09	0.3	20	0.05	0.04	31.3	0.02	1.06	1.3	2	0.05	24.2	0.17
10676		1.67	0.08	7.14	7.5	90	0.45	0.13	6.32	0.08	14.65	40.9	44	0.97	158.0	6.61
10677		2.17	0.18	7.56	14.9	100	1.18	0.30	7.43	0.05	17.55	43.3	44	1.15	370	5.88
10678		2.42	0.08	7.84	3.6	130	0.51	0.09	6.27	0.10	13.50	38.9	42	0.90	128.5	6.55
10679		1.15	0.13	7.31	77.2	100	0.69	0.55	7.23	0.14	18.75	76.4	38	1.11	131.0	6.49
10680		1.00	0.17	7.59	61.4	110	0.84	0.42	6.73	0.13	15.95	65.2	39	1.11	132.0	6.34
10681		0.09	3.98	5.57	13.1	120	0.56	1.13	3.60	1.97	16.85	977	274	0.74	>10000	18.10
10682		2.28	0.10	8.33	2.5	160	0.42	0.06	6.82	0.12	13.70	40.4	39	0.67	141.5	6.75
10683		1.09	0.11	8.13	12.5	100	0.92	0.49	6.37	0.09	19.40	42.0	43	1.01	263	6.72
10684		0.42	2.26	8.03	1825	20	1.59	24.7	9.40	0.03	60.0	1290	39	0.55	2510	4.22
10685		0.62	0.02	0.10	3.8	10	0.05	0.07	34.7	<0.02	0.99	3.0	1	<0.05	5.7	0.12
10686		1.22	0.07	8.13	8.2	90	0.75	0.24	5.69	0.11	14.30	42.5	47	1.20	197.0	6.96
10687		2.03	0.07	8.00	2.4	110	0.47	0.07	6.28	0.07	13.80	39.3	49	0.64	136.5	6.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10648		15.85	0.05	1.5	0.063	1.50	7.5	30.0	4.03	1380	0.63	1.61	2.5	79.2	260	10.8
10649		17.05	0.08	1.5	0.073	1.49	28.9	35.6	4.12	1400	1.32	1.77	2.4	83.2	240	18.0
10650		18.00	0.06	1.3	0.061	0.89	8.9	38.5	3.72	1240	0.47	1.83	2.2	70.1	230	37.3
10651		16.50	0.05	1.5	0.061	1.42	7.2	42.9	3.97	1440	0.50	2.06	2.4	79.1	270	43.6
10652		18.25	0.09	1.4	0.078	1.75	9.8	40.9	3.37	1400	3.09	2.05	2.5	65.7	280	116.0
10653		17.30	0.07	1.4	0.059	2.14	5.2	36.9	3.29	1600	0.40	1.91	2.2	69.4	240	24.7
10654		17.15	0.08	1.4	0.074	1.98	8.3	37.4	3.06	1670	0.46	1.92	2.6	69.6	260	6.8
10655		18.65	0.41	1.4	0.367	0.69	167.0	38.0	1.53	1560	289	3.74	2.5	849	430	38.3
10656		0.31	0.05	<0.1	0.007	0.02	1.8	1.3	1.37	112	1.42	0.03	0.1	3.4	70	0.8
10657		16.75	0.07	1.5	0.055	1.86	6.9	31.0	3.14	1360	1.41	1.71	2.5	68.8	300	5.4
10658		16.70	0.07	1.5	0.057	1.72	6.8	30.8	3.64	1380	0.47	1.49	2.3	75.4	250	9.8
10659		16.30	0.06	1.5	0.056	1.22	7.0	42.7	4.14	1510	0.47	1.91	2.4	82.6	260	16.7
10660		12.50	0.29	1.2	0.121	0.30	7.9	10.1	3.87	956	4.57	1.16	5.1	>10000	440	14.5
10661		17.00	0.06	1.4	0.053	1.62	6.9	33.8	3.36	1300	0.64	1.71	2.5	77.8	250	10.4
10662		16.75	0.06	1.5	0.073	1.61	6.1	30.2	3.13	1150	1.14	1.85	2.3	68.3	290	8.4
10663		17.70	0.11	1.9	0.077	0.39	22.3	27.5	1.12	681	249	5.10	3.0	264	350	53.4
10664		0.30	<0.05	0.1	<0.005	0.01	1.4	1.5	1.76	115	0.77	0.04	0.1	1.4	70	1.0
10665		17.20	0.08	1.5	0.082	1.69	15.7	34.2	2.91	1340	1.53	2.38	2.3	71.3	230	7.8
10666		16.95	0.05	1.4	0.055	2.01	5.5	28.5	3.04	1270	0.46	1.58	2.3	67.7	240	12.6
10667		17.95	0.06	1.6	0.097	1.92	10.0	40.6	3.41	1280	2.68	1.68	2.6	79.1	270	109.0
10668		16.75	0.07	1.4	0.059	1.94	6.5	51.7	3.68	1270	0.40	1.59	2.2	78.2	240	315
10669		17.85	0.08	1.3	0.064	1.38	10.1	59.7	2.95	1300	1.86	2.72	2.1	92.0	240	14.0
10670		25.2	0.61	1.3	0.212	0.46	338	64.2	2.51	1290	427	3.99	2.0	608	370	81.8
10671		0.39	<0.05	0.1	0.005	0.02	2.1	1.9	1.48	130	1.46	0.04	0.1	2.2	80	1.4
10672		20.6	0.12	1.6	0.088	1.21	32.2	69.1	2.83	1420	12.40	2.97	2.6	111.0	270	22.3
10673		14.25	0.07	1.2	0.048	1.74	5.7	35.3	3.34	1430	0.41	1.96	2.2	71.8	220	14.3
10674		15.05	0.05	1.2	0.159	1.73	9.3	33.0	3.00	1200	0.69	1.47	2.0	80.9	270	8.9
10675		0.31	<0.05	<0.1	0.008	0.02	1.2	1.6	2.61	129	0.12	0.03	0.1	1.2	60	1.1
10676		16.05	0.06	1.4	0.054	1.81	6.8	40.7	3.61	1420	0.42	1.66	2.1	81.6	210	15.5
10677		16.80	0.08	1.3	0.091	1.76	8.5	49.1	3.02	1380	1.33	1.92	2.2	71.5	280	10.4
10678		16.85	0.08	1.4	0.063	2.12	6.2	34.3	3.51	1250	0.45	1.53	2.2	78.0	240	28.6
10679		16.30	0.05	1.4	0.078	1.81	9.0	39.3	3.46	1420	3.32	1.69	2.3	82.4	220	37.9
10680		14.70	0.10	1.3	0.073	1.81	7.0	41.1	3.36	1440	1.98	1.81	2.1	77.4	220	44.1
10681		11.50	0.24	1.1	0.119	0.31	7.2	9.9	4.07	1030	4.66	1.20	4.8	>10000	470	13.2
10682		15.95	0.12	1.4	0.053	2.07	5.9	32.4	3.57	1330	0.47	1.49	2.2	91.9	270	20.8
10683		16.65	0.14	1.3	0.074	1.69	9.8	49.2	3.55	1520	0.34	2.19	2.1	87.1	230	10.3
10684		18.10	0.20	1.2	0.124	0.47	26.0	56.3	1.80	796	83.7	4.44	2.1	238	230	22.9
10685		0.33	0.09	<0.1	<0.005	0.02	1.1	1.4	1.89	116	0.20	0.04	0.1	1.5	50	0.6
10686		15.70	0.14	1.2	0.074	1.70	6.1	54.6	4.06	1370	0.72	2.21	2.1	81.6	220	7.2
10687		15.55	0.11	1.3	0.057	1.81	5.8	39.4	3.83	1280	1.34	1.86	2.1	83.9	230	11.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10648		68.4	0.002	0.09	0.25	39.2	<1	0.6	124.5	0.18	<0.05	1.94	0.410	0.42	0.6	244
10649		71.6	0.003	0.13	0.22	38.9	<1	0.9	122.5	0.17	<0.05	1.80	0.379	0.39	1.2	226
10650		41.3	<0.002	0.07	0.21	35.2	1	0.7	202	0.16	<0.05	1.70	0.370	0.28	0.7	223
10651		48.4	0.002	0.09	0.27	35.5	<1	0.7	139.0	0.19	<0.05	1.72	0.385	0.39	0.6	229
10652		49.3	0.004	0.09	1.27	32.2	1	1.0	109.0	0.18	<0.05	1.59	0.390	0.27	1.0	218
10653		40.0	<0.002	0.08	1.18	29.6	<1	0.5	120.0	0.16	<0.05	1.26	0.365	0.35	0.5	219
10654		44.8	0.002	0.08	0.93	32.0	<1	0.6	118.5	0.17	<0.05	1.43	0.415	0.24	0.6	238
10655		28.9	0.022	0.91	9.17	32.4	2	1.3	64.8	0.18	0.10	1.90	0.375	0.45	3.8	261
10656		0.6	<0.002	0.01	0.11	0.4	1	<0.2	81.3	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
10657		39.0	<0.002	0.07	0.45	30.1	<1	0.6	111.0	0.19	<0.05	1.43	0.404	0.35	0.6	228
10658		58.1	0.003	0.09	0.30	37.4	<1	0.7	114.0	0.17	<0.05	1.76	0.386	0.34	0.6	230
10659		45.2	<0.002	0.08	0.18	39.9	<1	0.6	161.0	0.18	<0.05	1.86	0.401	0.23	0.6	242
10660		11.1	0.047	8.22	3.17	8.8	22	2.6	183.0	0.31	4.39	1.06	0.511	0.16	0.3	76
10661		56.3	0.002	0.08	0.22	34.4	<1	0.7	118.0	0.17	<0.05	1.79	0.385	0.42	0.6	217
10662		39.1	0.002	0.13	0.27	30.4	<1	0.7	118.0	0.18	<0.05	1.46	0.367	0.32	1.0	201
10663		10.1	0.056	0.21	2.59	20.7	1	1.1	51.0	0.22	<0.05	2.73	0.323	0.32	5.7	208
10664		0.5	<0.002	<0.01	0.08	0.4	1	<0.2	80.5	<0.05	<0.05	0.08	0.006	<0.02	0.2	2
10665		64.2	<0.002	0.10	0.31	35.6	1	0.7	116.5	0.17	<0.05	1.80	0.376	0.30	0.9	220
10666		43.0	<0.002	0.08	0.26	28.5	<1	0.5	145.0	0.17	<0.05	1.34	0.358	0.44	0.5	208
10667		67.1	0.004	0.47	0.18	34.8	1	1.1	127.0	0.18	<0.05	1.84	0.375	0.38	2.1	207
10668		67.5	0.004	0.08	0.27	35.8	<1	0.5	108.0	0.16	<0.05	1.67	0.371	0.35	0.5	221
10669		34.5	<0.002	0.07	0.23	31.9	<1	0.6	87.3	0.16	<0.05	1.26	0.355	0.24	0.5	214
10670		19.2	0.045	0.31	5.87	23.4	1	0.9	45.3	0.17	<0.05	1.69	0.379	0.58	1.0	389
10671		0.7	<0.002	<0.01	0.11	0.5	<1	<0.2	79.8	<0.05	<0.05	0.08	0.007	<0.02	0.1	3
10672		55.6	<0.002	0.08	0.57	38.2	<1	0.7	106.0	0.19	<0.05	2.06	0.400	0.23	0.7	237
10673		43.6	0.002	0.09	0.21	30.2	<1	0.5	106.0	0.16	<0.05	1.35	0.374	0.26	0.5	219
10674		72.9	<0.002	1.43	0.25	31.2	2	0.9	94.1	0.16	0.14	1.50	0.325	0.29	0.5	187
10675		0.8	<0.002	0.02	0.08	0.4	<1	<0.2	73.7	<0.05	<0.05	0.06	0.006	<0.02	0.1	2
10676		59.5	0.004	0.08	0.38	36.8	<1	0.6	107.5	0.15	<0.05	1.55	0.349	0.31	0.5	218
10677		59.4	0.002	0.17	0.26	32.9	<1	0.9	108.0	0.17	<0.05	1.64	0.344	0.26	0.9	205
10678		56.7	0.002	0.08	0.24	32.8	<1	0.6	104.0	0.17	<0.05	1.40	0.361	0.35	0.5	211
10679		49.3	<0.002	0.08	0.40	33.1	<1	0.7	101.5	0.17	<0.05	1.38	0.354	0.30	0.6	208
10680		45.3	0.002	0.08	0.32	30.0	1	0.6	101.0	0.15	0.05	1.30	0.367	0.26	0.5	211
10681		11.0	0.044	8.90	2.94	8.3	22	2.4	189.5	0.29	4.90	1.06	0.543	0.17	0.3	81
10682		54.3	<0.002	0.08	0.18	32.2	1	0.6	147.5	0.16	<0.05	1.41	0.379	0.34	0.5	216
10683		49.4	0.002	0.08	0.26	34.2	1	0.5	125.5	0.14	<0.05	1.35	0.377	0.24	0.5	225
10684		20.2	0.011	0.40	1.68	26.1	2	0.8	49.6	0.14	0.07	1.54	0.332	0.17	2.0	236
10685		0.7	<0.002	<0.01	0.05	0.5	1	<0.2	80.3	<0.05	<0.05	0.06	0.006	<0.02	0.2	2
10686		51.2	<0.002	0.08	0.26	32.7	1	0.6	102.0	0.14	<0.05	1.33	0.372	0.25	0.5	214
10687		60.8	0.003	0.08	0.23	32.9	1	0.7	116.5	0.15	<0.05	1.43	0.365	0.28	0.5	213

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	As-OG62 As % 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10648		0.3	16.3	98	58.5				75.7	91.0
10649		0.8	17.8	105	56.1					95.8
10650		0.6	16.5	172	53.7					
10651		0.8	15.4	133	56.7					
10652		0.4	18.5	111	56.5					
10653		0.4	13.0	172	49.6					
10654		0.4	13.7	102	55.5					
10655		2.1	37.1	34	52.7	1.265				
10656		<0.1	2.3	5	1.6					
10657		0.4	13.7	82	54.6					
10658		0.3	15.2	113	53.9					
10659		0.3	15.8	125	55.1					
10660		2.4	9.7	137	49.1		1.680	4.69		
10661		0.3	15.0	88	54.4					
10662		0.3	14.6	77	54.1					
10663		1.8	11.6	35	77.8					
10664		<0.1	2.3	5	2.2					
10665		0.5	16.6	76	55.6					
10666		0.3	12.9	82	51.3					
10667		0.7	16.7	93	58.8					
10668		0.3	14.6	90	50.0					
10669		0.5	11.8	91	48.0					
10670		1.6	22.4	57	48.9					
10671		<0.1	2.2	6	1.9					
10672		0.8	16.5	104	60.4					
10673		0.4	12.4	73	48.4					
10674		0.9	18.4	64	46.8		1.265			
10675		<0.1	2.0	5	1.6					
10676		0.5	14.8	78	51.6					
10677		1.5	17.2	67	49.7					
10678		0.4	14.2	96	51.7					
10679		0.4	17.2	87	53.2					
10680		0.3	14.9	93	49.7					
10681		2.9	9.8	143	48.5		1.630	4.54		
10682		0.3	15.1	89	53.6					
10683		0.5	15.0	105	50.1					
10684		1.6	17.3	54	48.4					
10685		<0.1	2.0	6	1.4					
10686		0.4	14.3	115	47.4					
10687		0.4	15.9	87	49.1				80.7	92.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10688		2.38	0.09	8.27	3.2	160	0.33	0.10	6.94	0.16	11.10	37.2	48	0.55	123.0	6.44
10689		1.04	0.08	8.27	6.3	180	0.30	0.08	6.50	0.40	12.20	37.0	45	0.58	90.2	6.19
10690		2.17	0.08	7.96	17.8	130	0.89	0.28	7.33	0.04	12.90	42.7	64	1.00	220	6.16
10691		2.16	0.07	7.91	2.0	130	0.33	0.08	6.89	0.09	11.70	44.3	64	0.77	128.5	6.78
10692		1.80	0.07	8.56	1.3	140	0.38	0.06	6.61	0.12	11.75	38.6	61	0.69	158.0	6.52
10693		1.16	0.08	8.22	1.6	140	0.43	0.07	6.39	0.09	11.35	43.0	66	0.75	140.5	6.80
10694		0.66	2.99	5.21	16.4	20	5.58	0.54	2.39	0.02	480	1600	38	0.47	8960	18.40
10695		0.59	0.01	0.07	<0.2	20	0.05	0.01	35.4	<0.02	1.75	2.7	1	<0.05	16.6	0.14
10696		1.15	0.08	8.76	3.7	120	0.64	0.09	6.30	0.08	12.15	50.3	71	0.90	195.0	6.96
10697		2.34	0.06	8.36	3.2	140	0.26	0.24	6.92	0.09	10.50	41.2	63	0.69	119.0	6.43
10698		1.06	0.15	7.89	2.9	160	0.56	0.07	5.73	0.06	9.38	256	70	0.80	143.5	7.02
10699		1.09	0.15	8.25	3.6	170	1.28	0.11	5.33	0.77	11.20	246	81	0.95	242	8.36
10700		0.95	0.12	7.57	1.3	170	0.98	0.07	4.37	0.58	10.80	43.2	80	1.08	168.0	6.66
10701		2.08	0.17	7.76	2.1	200	1.15	0.11	5.24	0.19	9.98	92.8	83	0.71	413	9.33
10702		2.37	0.11	8.23	1.4	170	0.50	0.08	6.49	0.06	12.50	38.9	82	0.62	244	6.87
10703		1.06	0.27	8.29	1.3	210	0.41	0.07	6.03	0.05	10.80	43.2	94	0.63	223	6.96
10704		1.73	0.07	8.05	1.3	200	0.33	0.06	5.98	0.08	9.94	44.5	95	0.63	124.0	6.64
10705		0.66	<0.01	0.10	<0.2	20	0.06	0.01	34.2	0.02	0.95	1.0	2	<0.05	3.0	0.15
10706		1.80	0.07	8.45	0.9	160	0.29	0.04	6.72	0.07	10.05	42.7	99	0.66	114.0	6.55
10707		1.02	0.21	7.25	3.5	150	1.03	0.12	5.42	1.05	12.35	195.5	91	0.95	160.0	8.89
10708		1.01	0.12	7.72	2.5	160	0.99	0.09	5.11	0.81	14.70	120.0	82	0.95	170.0	8.15
10709		1.01	0.14	6.53	3.6	110	0.85	0.10	6.34	0.96	31.3	228	79	0.60	198.5	8.78
10710		0.97	0.07	8.11	1.8	190	0.45	0.07	6.43	0.14	9.54	42.6	98	0.69	125.5	6.41
10711		2.25	0.08	8.33	1.3	170	0.42	0.05	6.43	0.51	9.99	40.2	94	0.72	108.5	6.28
10712		0.87	0.09	8.46	2.3	160	0.47	0.07	6.76	0.26	10.25	35.6	91	0.59	178.5	6.46
10713		2.33	0.09	8.38	2.0	130	0.37	0.06	7.00	0.16	11.35	38.9	87	0.60	133.0	6.23
10714		1.10	1.04	8.69	430	50	2.14	3.51	8.22	0.02	39.9	305	87	0.90	491	4.34
10715		1.93	0.13	8.11	2.6	140	0.34	0.06	7.04	0.21	9.41	38.7	88	0.78	118.5	6.26
10716		2.19	0.23	8.04	3.3	150	0.45	0.15	6.55	0.09	10.45	44.6	118	0.75	709	7.10
10717		2.39	0.09	8.73	1.1	110	0.24	0.05	7.43	0.15	10.65	42.1	147	0.85	109.0	6.11
10718		1.01	0.15	8.65	0.9	150	1.06	0.08	5.78	0.06	15.10	53.9	139	1.20	76.3	7.68
10719		1.06	0.09	8.35	2.1	120	0.35	0.08	6.69	0.08	10.40	37.8	145	0.98	97.2	6.20
10720		0.98	0.08	8.65	2.4	130	0.34	0.07	6.72	0.09	10.95	38.4	152	1.03	100.5	6.20
10721		0.10	3.96	5.54	13.7	120	0.65	0.91	3.58	2.13	17.00	981	271	0.79	>10000	18.30
10722		1.00	0.27	8.57	4.4	150	0.88	0.26	6.16	0.11	143.5	177.0	165	1.02	334	8.39
10723		1.97	0.07	8.51	2.7	160	0.30	0.08	6.97	0.12	10.60	39.3	175	0.90	92.5	6.05
10724		2.19	0.09	8.49	2.9	150	0.27	0.07	7.26	0.11	11.85	39.3	187	1.03	97.3	5.98
10725		0.61	0.01	0.11	<0.2	20	0.09	0.03	34.1	0.03	1.06	0.8	3	0.06	3.1	0.15
10726		2.21	0.05	8.55	1.5	90	0.29	0.05	8.19	0.11	11.15	40.1	202	0.80	86.6	6.16
10727		2.33	0.05	8.59	1.3	150	0.30	0.05	7.88	0.11	11.15	38.0	198	0.83	89.0	5.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10688		15.40	0.11	1.2	0.050	1.69	4.7	33.3	3.54	1300	0.35	1.65	1.9	78.8	210	17.6
10689		15.30	0.12	1.2	0.053	1.85	5.1	40.1	3.64	1440	0.44	1.87	1.9	77.4	240	25.4
10690		15.10	0.12	1.1	0.066	1.86	6.0	42.0	3.80	1340	1.14	1.66	1.8	97.2	220	5.5
10691		14.95	0.12	1.1	0.050	1.58	5.0	31.6	4.60	1310	0.32	1.32	1.8	107.5	200	9.8
10692		14.95	0.11	1.2	0.045	1.71	5.1	35.1	4.16	1200	0.96	1.56	2.0	93.9	230	29.7
10693		15.20	0.12	1.2	0.048	1.78	4.7	31.7	4.45	1240	0.46	1.47	1.9	107.0	210	12.8
10694		20.1	0.46	1.7	0.136	0.18	255	33.2	2.57	536	1.84	2.58	2.7	86.4	240	23.7
10695		0.24	0.07	<0.1	<0.005	0.01	1.5	1.3	1.65	110	0.05	0.03	0.1	0.8	70	0.5
10696		15.80	0.09	1.0	0.060	2.17	5.2	31.7	4.43	1250	0.53	1.46	1.9	108.5	190	6.4
10697		14.90	0.09	1.0	0.051	1.70	4.5	24.8	4.39	1250	0.34	1.27	1.7	103.5	180	5.9
10698		14.65	0.08	1.0	0.051	1.90	3.7	38.7	4.33	1180	0.70	1.50	1.7	108.0	220	17.9
10699		15.35	0.11	1.0	0.051	2.11	4.8	45.5	4.68	1420	1.66	1.57	2.1	113.0	180	110.5
10700		14.70	0.11	1.1	0.054	1.93	4.3	70.7	4.89	1360	0.76	1.83	1.7	113.5	220	242
10701		15.60	0.10	1.0	0.067	2.19	3.9	36.4	4.46	1110	6.08	1.46	1.8	107.0	180	40.9
10702		14.55	0.10	1.1	0.065	1.81	5.4	34.9	4.30	1150	1.14	1.52	1.8	101.5	200	17.3
10703		14.85	0.11	1.0	0.164	2.20	4.5	30.5	4.83	1200	0.76	1.50	1.7	119.5	160	15.3
10704		14.35	0.10	1.0	0.044	2.29	4.3	27.2	4.62	1260	0.24	1.30	1.5	123.5	160	16.2
10705		0.24	0.06	<0.1	<0.005	0.02	1.1	1.3	1.81	126	0.07	0.03	0.1	1.3	50	0.6
10706		14.45	0.08	1.0	0.050	1.82	4.5	27.3	4.89	1240	0.35	1.22	1.6	124.5	180	4.9
10707		14.10	0.09	0.9	0.104	1.49	4.6	43.5	5.75	1240	3.18	1.74	1.8	114.0	150	73.8
10708		14.40	0.11	1.0	0.090	1.69	5.8	52.4	5.12	1220	3.22	1.94	1.8	98.8	290	60.3
10709		13.40	0.12	0.9	0.077	1.31	12.8	39.7	5.97	1340	3.43	1.60	1.7	110.5	1000	103.5
10710		15.10	0.09	1.0	0.063	2.07	4.1	34.8	4.42	1230	0.53	1.66	1.7	121.5	210	35.9
10711		15.15	0.10	1.1	0.045	1.85	4.3	40.0	4.43	1300	0.34	1.66	1.8	109.5	200	83.6
10712		14.65	0.09	1.0	0.060	1.99	4.3	28.8	3.92	1240	2.19	1.63	1.8	93.7	220	56.1
10713		15.40	0.11	1.2	0.047	1.91	4.8	27.6	3.82	1140	0.38	1.32	2.0	94.8	240	10.0
10714		15.05	0.14	1.2	0.124	0.98	18.5	67.5	2.30	1040	9.99	4.05	2.0	85.5	240	40.5
10715		15.25	0.09	1.1	0.055	2.16	4.0	31.9	3.75	1260	0.37	1.42	1.9	94.0	230	11.0
10716		16.60	0.07	1.1	0.064	1.81	4.7	33.3	4.37	1180	2.44	1.30	1.8	119.0	190	11.5
10717		15.65	0.08	1.1	0.040	1.04	5.0	29.4	5.14	1220	0.37	1.24	1.7	134.0	170	7.0
10718		16.85	0.07	1.1	0.066	1.64	6.7	57.0	5.05	1220	14.50	1.76	1.9	111.5	190	132.0
10719		15.65	0.09	1.1	0.040	1.60	4.7	38.4	4.47	1180	0.32	1.42	1.7	99.2	190	26.3
10720		16.20	0.06	1.1	0.041	1.67	5.0	37.1	4.52	1160	0.46	1.42	1.7	102.0	190	31.0
10721		12.55	0.32	1.2	0.113	0.32	7.8	9.8	4.06	1020	4.46	1.20	5.2	>10000	470	14.6
10722		17.90	0.18	1.1	0.061	2.24	72.5	36.7	4.35	1120	0.73	1.35	1.9	124.0	290	101.0
10723		15.70	0.07	1.1	0.044	2.12	5.0	34.0	4.40	1200	0.38	1.22	1.7	105.0	180	10.2
10724		16.20	0.07	1.1	0.043	1.94	5.5	36.8	4.47	1170	0.54	1.25	1.7	108.0	200	20.1
10725		0.33	<0.05	<0.1	<0.005	0.02	1.3	1.7	1.89	119	0.09	0.03	0.1	2.4	70	1.0
10726		16.55	0.07	1.1	0.054	1.08	5.0	32.5	4.78	1160	0.36	1.27	1.7	114.5	170	10.6
10727		16.10	0.08	1.2	0.047	1.52	5.2	28.1	4.39	1190	0.44	1.34	1.8	109.5	200	7.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10688		39.0	<0.002	0.07	0.15	28.0	1	0.5	149.5	0.14	<0.05	1.14	0.343	0.31	0.4	198
10689		50.2	<0.002	0.06	0.22	27.3	1	0.6	154.0	0.14	<0.05	1.24	0.344	0.33	0.5	201
10690		48.7	0.002	0.08	0.21	28.6	1	0.6	109.0	0.12	<0.05	1.10	0.328	0.29	0.7	200
10691		52.9	<0.002	0.08	0.15	31.8	1	0.5	130.0	0.13	<0.05	1.27	0.324	0.29	0.4	196
10692		49.7	0.003	0.08	0.14	27.0	1	0.6	136.0	0.13	<0.05	1.26	0.345	0.28	0.5	193
10693		53.0	<0.002	0.07	0.15	29.7	1	0.5	128.5	0.13	<0.05	1.17	0.311	0.31	0.5	184
10694		8.5	0.007	4.53	0.20	10.1	8	6.0	54.6	0.22	0.22	3.74	0.139	0.05	14.3	72
10695		0.3	<0.002	0.01	<0.05	0.4	1	<0.2	85.2	<0.05	<0.05	0.06	0.005	<0.02	0.2	1
10696		58.0	<0.002	0.09	0.16	30.2	1	0.6	111.0	0.12	<0.05	0.97	0.325	0.36	0.5	191
10697		45.1	<0.002	0.07	0.13	27.4	1	0.4	147.0	0.12	<0.05	1.09	0.300	0.31	0.4	181
10698		40.0	0.002	0.68	0.25	24.8	2	0.7	128.5	0.11	0.07	0.88	0.298	0.33	0.4	174
10699		84.3	0.009	0.57	0.31	29.1	2	0.8	113.5	0.13	0.05	1.07	0.298	0.37	1.0	177
10700		44.3	0.002	0.08	0.25	28.4	1	0.6	112.5	0.12	<0.05	0.83	0.297	0.34	0.4	184
10701		56.9	0.026	0.26	0.24	24.9	1	0.9	127.5	0.11	0.06	0.87	0.294	0.39	0.6	181
10702		48.9	0.002	0.12	0.18	26.8	1	0.7	136.0	0.12	<0.05	1.05	0.316	0.33	1.1	189
10703		91.4	0.002	0.08	0.21	30.3	<1	0.8	142.0	0.12	<0.05	1.04	0.296	0.40	0.6	182
10704		87.0	<0.002	0.08	0.18	29.7	1	0.4	141.0	0.11	<0.05	0.98	0.287	0.47	0.4	177
10705		1.0	<0.002	0.01	<0.05	0.5	1	<0.2	86.0	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
10706		65.1	<0.002	0.07	0.10	27.7	1	0.4	144.5	0.11	<0.05	1.05	0.294	0.39	0.4	180
10707		69.2	0.010	0.52	0.23	27.1	2	1.5	102.5	0.11	0.06	0.92	0.263	0.26	5.6	160
10708		72.9	0.012	0.30	0.25	25.3	1	1.3	107.0	0.11	<0.05	0.99	0.267	0.31	3.1	156
10709		61.9	0.009	0.61	0.19	24.7	2	1.4	94.8	0.10	0.05	0.98	0.238	0.23	2.8	150
10710		59.9	<0.002	0.07	0.24	25.5	1	0.5	144.5	0.12	<0.05	0.94	0.296	0.41	0.5	178
10711		48.1	<0.002	0.07	0.20	25.7	1	0.5	145.0	0.12	<0.05	0.97	0.316	0.36	0.4	183
10712		42.6	0.004	0.07	0.20	24.4	1	0.6	140.5	0.12	<0.05	0.89	0.325	0.33	0.6	198
10713		42.3	<0.002	0.07	0.19	26.7	1	0.6	136.5	0.14	<0.05	1.11	0.342	0.33	0.4	197
10714		35.4	0.002	0.07	0.44	26.6	1	1.1	79.4	0.14	<0.05	1.30	0.354	0.15	0.6	195
10715		44.5	<0.002	0.07	0.20	26.3	1	0.5	133.5	0.13	<0.05	0.96	0.335	0.40	0.4	197
10716		53.7	0.008	0.21	0.39	30.5	1	0.6	135.5	0.13	0.07	1.11	0.298	0.42	5.9	189
10717		44.6	<0.002	0.06	0.16	30.8	<1	0.5	145.0	0.11	<0.05	1.20	0.289	0.26	0.4	175
10718		50.3	0.033	0.10	0.27	29.3	<1	0.8	118.0	0.12	0.05	1.15	0.295	0.38	18.7	186
10719		50.7	<0.002	0.06	0.21	31.2	1	0.5	131.5	0.13	<0.05	1.16	0.309	0.36	0.5	189
10720		54.7	<0.002	0.07	0.22	33.0	<1	0.5	135.0	0.12	<0.05	1.26	0.316	0.38	0.6	190
10721		11.5	0.044	8.85	3.56	8.9	20	2.6	189.5	0.32	4.09	1.16	0.538	0.19	0.4	81
10722		86.7	0.002	0.58	0.27	31.8	1	2.4	113.0	0.12	0.08	1.22	0.305	0.40	0.8	190
10723		78.2	0.002	0.06	0.22	33.0	<1	0.5	129.0	0.13	<0.05	1.17	0.303	0.41	0.4	190
10724		82.0	<0.002	0.06	0.20	34.3	<1	0.5	125.0	0.13	<0.05	1.28	0.304	0.41	0.4	188
10725		0.9	<0.002	<0.01	0.11	0.4	<1	<0.2	87.5	<0.05	<0.05	0.07	0.006	0.02	0.1	2
10726		45.4	<0.002	0.06	0.14	34.6	<1	0.5	143.5	0.12	<0.05	1.24	0.293	0.27	0.4	191
10727		64.4	<0.002	0.06	0.15	32.6	<1	0.5	144.5	0.13	<0.05	1.26	0.305	0.37	0.4	189

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	As-OG62 As % 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10688		0.2	12.6	107	45.7					
10689		0.2	13.1	154	48.7					
10690		0.3	13.1	71	43.3					
10691		0.2	13.2	82	44.0					
10692		0.2	12.8	88	45.5					
10693		0.2	12.2	83	45.2					
10694		22.8	32.3	50	63.6					
10695		0.1	2.4	4	1.6					
10696		0.4	11.7	72	38.8					
10697		0.2	11.4	80	40.7					
10698		0.3	10.9	77	39.0					
10699		0.5	13.4	269	40.1					
10700		0.3	12.3	318	41.2					
10701		0.2	14.2	113	39.1					
10702		0.3	12.7	78	41.5					
10703		0.2	12.8	74	38.2					
10704		0.2	11.3	80	36.9					
10705		<0.1	2.1	4	1.3					
10706		0.2	11.1	74	38.0					
10707		0.7	20.9	395	36.0					
10708		0.7	19.0	313	41.6					
10709		1.4	25.8	350	34.0					
10710		0.3	10.9	96	39.4					93.4
10711		0.3	11.1	221	41.3					92.2
10712		0.2	11.9	132	40.0					
10713		0.2	12.7	85	46.1					
10714		1.5	18.6	55	46.8					
10715		0.2	11.2	105	45.1					
10716		0.2	12.5	80	39.3					
10717		0.2	11.5	83	37.1					
10718		0.7	13.2	117	38.4					
10719		0.3	11.9	80	38.3					
10720		0.3	12.3	79	39.7					
10721		2.3	9.7	143	48.6		1.665	4.67		
10722		2.8	17.2	82	38.8					
10723		0.2	12.3	77	39.0					
10724		0.2	12.7	85	39.8					
10725		<0.1	2.2	6	1.4					
10726		0.2	12.4	68	39.4					
10727		0.2	12.8	70	41.3				73.2	89.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10728		1.49	0.13	8.41	1.3	180	0.59	0.11	6.16	0.43	10.80	36.6	211	1.04	216	6.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10728		15.30	0.11	1.0	0.056	1.76	5.2	53.8	5.23	1610	0.35	2.09	1.8	108.5	190	194.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method Analyte Units LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10728		71.2	<0.002	0.05	0.58	34.6	<1	0.5	134.0	0.12	<0.05	1.17	0.305	0.36	0.4	194

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	As-OG62 As % 0.001	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10728		0.4	12.9	221	38.7					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 12-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324933

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

As-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			