ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

CERTIFICATE SD18305053

Project: Elk Lake - Roy

This report is for 111 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 30-NOV-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	
Cu-OG62	Ore Grade Cu - Four Acid	
As-OG62	Ore Grade As - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
9888		2.02	0.10	7.99	1.9	160	0.50	0.07	7.26	0.15	14.95	43.4	42	0.71	123.5	6.71
9889		2.48	0.10	7.73	2.1	130	0.36	0.05	8.05	0.12	12.40	48.6	66	0.88	143.0	7.22
9890		1.23	0.11	7.13	1.8	130	1.13	0.09	6.67	0.79	10.90	103.5	65	0.69	146.5	8.82
9891		1.38	0.09	7.20	1.0	150	0.35	0.07	7.58	0.15	12.60	48.2	71	0.65	138.0	6.80
9892		2.32	0.10	7.59	1.1	130	0.34	0.05	7.74	0.12	12.40	46.4	65	0.74	142.0	6.72
9893		1.27	0.09	7.38	2.3	90	0.78	0.06	5.60	0.20	14.00	47.3	73	0.61	128.5	6.47
9894		2.26	0.14	7.84	2.1	120	0.51	0.12	7.31	0.12	16.85	70.5	64	0.86	149.5	6.85
9895		2.07	0.12	8.16	1.4	110	0.35	0.05	7.84	0.10	12.20	47.1	69	0.81	147.0	6.89
9896		1.33	0.12	7.89	2.5	100	0.49	0.04	7.37	0.16	12.10	44.5	66	0.80	144.0	6.44
9897		0.37	6.11	8.65	97.2	50	1.66	18.80	5.74	0.34	20.3	402	66	1.02	249	6.19
9898		1.03	0.17	8.45	3.7	100	0.69	0.11	7.58	0.23	13.20	49.0	72	1.08	151.5	6.99
9899		1.94	0.16	8.85	2.0	130	0.50	0.15	7.16	0.29	13.25	48.9	61	0.82	124.5	6.21
9900		0.89	0.13	8.02	2.5	130	0.40	0.11	6.55	0.25	11.40	36.8	48	0.76	122.0	5.62
9901		1.10	0.44	8.29	1875	60	1.81	6.84	5.84	<0.02	185.0	1390	51	0.76	148.0	4.12
9902		0.25	15.30	4.55	>10000	10	0.92	547	11.85	0.11	120.5	>10000	12	0.75	7820	11.15
9903		0.99	0.04	0.10	75.9	20	0.05	1.01	34.7	<0.02	1.65	65.7	2	<0.05	15.4	0.16
9904		0.99	0.36	8.59	859	80	1.24	8.65	7.32	0.06	32.4	645	53	1.28	288	5.41
9905		1.67	0.19	7.96	6.2	110	0.50	0.14	6.00	0.21	12.20	42.1	51	0.98	187.0	6.45
9906		2.17	0.20	8.39	12.3	120	0.36	0.20	6.96	0.44	12.10	56.1	60	0.72	130.0	6.30
9907		2.13	0.08	8.62	4.5	120	0.32	0.09	7.30	0.10	11.25	44.7	60	0.68	109.0	6.14
9908		2.15	0.45	8.10	607	80	1.39	5.60	7.53	0.04	44.5	454	64	0.80	246	5.21
9909		2.41	0.22	7.83	3.2	130	0.38	0.12	6.37	0.09	11.55	46.4	66	0.84	128.5	6.45
9910		1.85	0.11	8.60	6.1	110	0.34	0.16	7.20	0.08	12.10	45.9	61	0.72	151.5	6.05
9911		2.06	0.07	8.00	2.6	120	0.34	0.09	6.81	0.10	11.15	45.4	77	0.64	119.5	6.49
9912		1.95	0.09	8.04	8.1	150	0.34	0.11	6.81	0.08	11.15	47.1	76	0.57	116.0	6.24
9913		1.91	0.09	8.34	2.1	230	0.33	0.08	6.08	0.09	9.18	43.3	79	0.69	109.5	6.21
9914		2.39	0.09	8.58	3.0	150	0.36	0.11	7.54	0.16	11.80	41.7	70	0.64	116.5	6.16
9915		1.26	0.32	8.74	1.9	160	0.54	0.14	7.40	0.17	11.80	74.0	72	0.70	2030	7.46
9916		2.49	0.06	8.63	1.5	120	0.29	0.05	7.66	0.09	10.20	42.8	84	0.69	123.0	6.45
9917		2.36	0.11	8.76	1.6	110	0.33	0.06	7.90	0.13	11.60	43.0	104	0.65	118.0	6.14
9918		0.93	2.39	8.23	6.0	130	0.69	0.10	7.20	0.09	12.35	49.4	105	0.74	200	5.79
9919		0.23	1.74	5.02	173.0	40	1.54	2.53	14.00	0.02	35.5	160.5	64	0.24	>10000	6.06
9920		0.61	0.14	8.52	5.8	100	0.52	0.12	7.11	0.12	10.75	44.9	112	0.72	231	5.89
9921		0.58	0.13	8.44	6.7	110	0.52	0.11	7.32	0.10	11.20	45.7	113	0.69	221	5.97
9922		0.07	>100	4.26	676	150	0.83	63.3	0.64	26.6	33.1	10.6	32	2.94	4940	2.11
9923		2.42	0.12	8.34	2.0	100	0.28	0.08	7.37	0.16	10.60	44.0	113	0.66	116.5	6.05
9924		2.31	0.06	8.04	1.7	100	0.30	0.07	7.14	0.11	10.65	42.0	113	0.62	107.0	5.81
9925		0.99	0.01	0.12	<0.2	20	0.18	0.03	33.1	0.02	0.97	0.8	2	<0.05	2.4	0.12
9926		1.38	0.31	7.64	3.2	120	0.85	0.15	6.23	0.08	16.65	117.0	113	0.87	654	7.37
9927		2.03	0.08	8.00	1.9	130	0.41	0.13	7.23	0.13	13.00	40.6	116	0.72	170.5	6.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9888		16.85	0.16	1.6	0.060	1.44	7.4	23.6	3.56	1230	0.98	1.57	2.4	79.8	240	13.8
9889		15.30	0.14	1.3	0.053	1.00	6.1	26.3	4.85	1370	0.49	1.50	2.0	107.5	220	9.1
9890		15.60	0.15	1.5	0.056	1.17	5.4	25.4	4.43	1260	2.51	1.87	2.1	98.1	180	45.4
9891		14.85	0.17	1.4	0.051	1.31	6.2	21.2	4.78	1340	0.43	1.28	2.0	112.5	230	8.2
9892		15.40	0.13	1.4	0.047	1.15	6.2	24.5	4.61	1320	0.42	1.38	2.0	106.5	220	8.7
9893		15.45	0.17	1.9	0.053	1.01	6.8	30.3	4.13	1090	2.59	2.24	2.7	93.2	290	52.7
9894		16.10	0.17	1.4	0.050	1.15	8.6	31.8	4.53	1250	0.67	1.50	2.2	105.5	240	12.5
9895		15.50	0.15	1.3	0.043	1.09	6.1	26.1	4.71	1300	0.42	1.39	2.0	108.5	230	7.1
9896		15.80	0.16	1.4	0.048	1.31	6.1	36.6	4.38	1290	0.34	1.51	1.9	106.0	200	15.8
9897		16.75	0.15	1.3	0.123	1.09	11.2	57.2	3.20	1080	1.35	3.21	2.0	97.8	250	685
9898		16.60	0.16	1.3	0.059	1.63	6.7	39.9	4.68	1500	0.43	1.73	2.0	113.5	220	38.1
9899		16.55	0.17	1.4	0.051	1.79	6.5	40.1	3.92	1260	0.50	1.65	2.1	92.3	220	34.2
9900		16.95	0.19	1.3	0.043	1.86	4.9	41.7	3.34	1420	0.33	1.68	2.0	81.5	220	16.9
9901		18.75	0.31	1.3	0.075	1.08	73.5	50.2	2.12	888	32.9	3.92	2.1	130.0	230	7.1
9902		26.2	0.33	0.3	1.995	0.05	48.6	39.0	3.29	1600	902	1.21	2.5	2550	2170	258
9903		0.37	0.05	<0.1	0.006	0.01	1.4	1.6	1.89	116	3.28	0.03	0.1	4.5	70	1.5
9904		18.05	0.14	1.3	0.106	1.62	13.0	51.1	2.90	1380	21.1	2.53	2.1	121.0	250	13.7
9905		16.60	0.11	1.3	0.047	1.73	5.2	62.1	4.54	1450	0.98	2.04	2.0	81.9	230	138.5
9906		16.55	0.12	1.3	0.053	1.77	5.4	34.8	3.92	1310	0.66	1.54	2.0	91.8	220	268
9907		16.70	0.12	1.2	0.047	1.49	5.0	27.2	3.94	1180	0.42	1.36	1.8	93.5	210	7.4
9908		17.50	0.13	1.2	0.082	1.36	19.2	53.0	3.07	1280	31.0	2.65	1.9	107.0	220	13.1
9909		15.55	0.12	1.2	0.045	1.82	5.2	33.8	4.58	1360	0.44	1.22	1.8	110.0	200	10.7
9910		16.95	0.12	1.2	0.048	1.39	5.4	36.4	3.75	1160	0.68	1.57	2.0	90.5	230	11.0
9911		15.45	0.11	1.2	0.048	1.29	5.0	28.1	4.71	1210	0.40	1.27	1.7	118.0	180	7.8
9912		15.75	0.12	1.2	0.044	1.65	4.8	30.4	4.34	1180	0.38	1.39	1.9	110.0	200	8.2
9913		15.35	0.11	1.1	0.048	2.12	3.9	34.8	4.46	1240	0.29	1.30	1.7	109.0	220	19.4
9914		16.70	0.12	1.3	0.046	1.34	5.1	29.2	3.80	1260	0.72	1.40	2.1	94.0	240	6.5
9915		17.05	0.10	1.1	0.105	1.38	5.2	28.6	4.02	1300	0.45	1.45	1.9	98.4	190	119.5
9916		16.05	0.10	1.1	0.047	0.95	4.5	27.3	4.36	1260	0.41	1.36	1.7	107.5	200	6.9
9917		16.10	0.12	1.2	0.038	0.90	5.2	29.3	4.49	1220	0.40	1.31	1.9	115.5	220	6.5
9918		15.65	0.12	1.1	0.044	1.39	5.7	36.2	4.13	1270	0.37	1.45	1.7	115.5	180	12.7
9919		11.45	0.09	0.6	0.466	0.41	17.5	39.7	3.00	953	0.76	1.47	1.2	162.0	330	8.4
9920		15.10	0.08	1.1	0.039	1.13	5.0	26.7	4.44	1160	0.45	1.41	1.7	118.0	180	9.1
9921		15.55	0.09	1.1	0.044	1.16	5.1	26.9	4.47	1170	0.32	1.36	1.7	122.5	200	8.3
9922		22.7	0.17	2.9	5.22	0.65	15.5	22.2	0.19	231	4.95	0.42	8.3	61.4	570	1030
9923		15.50	0.10	1.1	0.042	0.85	4.7	24.9	4.75	1220	0.36	1.17	1.7	126.0	190	5.3
9924		14.90	0.08	1.1	0.040	0.82	4.8	24.8	4.57	1120	0.38	1.15	1.7	120.5	190	4.2
9925		0.46	0.08	0.1	<0.005	0.01	1.1	1.5	1.60	103	0.08	0.05	0.2	0.6	70	0.6
9926		15.10	0.07	1.1	0.119	1.32	7.7	32.1	4.34	1000	0.46	1.25	1.7	128.5	220	24.0
9927		15.85	0.07	1.1	0.053	1.42	5.8	31.1	4.21	1110	0.56	1.32	1.8	116.0	250	13.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9888		48.2	<0.002	0.08	0.19	39.5	1	0.7	151.5	0.18	<0.05	1.80	0.374	0.34	0.6	220
9889		48.0	<0.002	0.08	0.14	44.8	1	0.5	124.5	0.15	<0.05	1.43	0.348	0.29	0.5	239
9890		58.0	0.004	0.19	0.22	39.7	1	0.7	102.0	0.17	<0.05	1.63	0.314	0.26	1.1	208
9891		63.9	0.002	0.08	0.15	46.3	<1	0.5	121.5	0.15	<0.05	1.46	0.325	0.29	0.5	227
9892		48.8	<0.002	0.08	0.14	42.3	<1	0.5	125.5	0.14	0.05	1.52	0.340	0.26	0.5	223
9893		47.8	0.003	0.10	0.22	36.0	1	0.5	88.1	0.21	<0.05	2.82	0.306	0.19	3.1	190
9894		46.1	<0.002	0.18	0.20	42.0	1	0.6	123.0	0.17	<0.05	1.78	0.339	0.26	0.7	214
9895		45.7	<0.002	0.08	0.17	40.3	1	0.5	125.5	0.15	<0.05	1.41	0.343	0.20	0.5	222
9896		51.0	<0.002	0.08	0.31	41.8	1	0.5	109.5	0.14	0.05	1.48	0.335	0.25	0.5	220
9897		40.6	0.005	1.30	0.25	35.9	4	1.1	68.6	0.16	<0.05	1.51	0.329	0.18	0.6	209
9898		69.3	<0.002	0.08	0.42	44.7	1	0.6	111.0	0.14	<0.05	1.48	0.350	0.28	0.5	236
9899		64.7	<0.002	0.10	0.37	36.6	<1	0.6	124.5	0.17	<0.05	1.61	0.335	0.30	0.6	205
9900		40.3	<0.002	0.06	0.44	31.9	1	0.6	119.0	0.14	<0.05	1.27	0.315	0.30	0.4	192
9901		34.2	0.006	0.13	1.88	21.0	1	1.0	74.1	0.15	<0.05	1.53	0.320	0.25	1.5	218
9902		2.7	0.422	8.23	29.7	33.7	34	1.2	37.3	0.14	0.76	0.42	0.098	2.74	51.4	340
9903		0.5	0.003	0.02	0.12	0.4	1	<0.2	82.1	<0.05	<0.05	0.07	0.006	<0.02	0.2	3
9904		57.5	0.009	0.15	0.94	32.2	2	0.7	92.5	0.14	0.05	1.44	0.327	0.28	1.6	202
9905		48.3	<0.002	0.07	0.48	26.0	1	0.5	109.5	0.14	<0.05	1.41	0.316	0.28	0.5	194
9906		54.6	<0.002	0.10	0.33	35.9	1	0.6	122.5	0.15	<0.05	1.33	0.327	0.35	0.5	209
9907		48.3	<0.002	0.06	0.15	32.2	1	0.5	129.0	0.13	<0.05	1.28	0.302	0.29	0.4	188
9908		45.2	0.008	0.07	0.76	31.6	1	0.7	85.1	0.14	<0.05	1.38	0.314	0.27	0.7	205
9909		59.5	0.002	0.06	0.36	29.0	1	0.5	116.5	0.13	0.05	1.27	0.304	0.32	0.4	193
9910		39.2	0.003	0.08	0.20	30.5	1	0.6	144.0	0.14	<0.05	1.40	0.327	0.29	0.5	193
9911		48.4	0.002	0.07	0.13	33.7	1	0.5	134.0	0.12	<0.05	1.21	0.276	0.30	0.4	177
9912		50.7	<0.002	0.07	0.18	32.1	1	0.6	137.0	0.13	<0.05	1.19	0.301	0.39	0.4	188
9913		62.2	0.002	0.06	0.19	30.2	1	0.5	136.5	0.12	<0.05	0.97	0.296	0.45	0.4	183
9914		42.9	<0.002	0.07	0.17	32.1	1	0.6	137.0	0.14	0.05	1.34	0.340	0.35	0.5	203
9915		60.9	<0.002	0.43	0.18	33.7	1	0.9	138.5	0.12	0.09	1.29	0.313	0.40	0.5	200
9916		31.4	0.003	0.06	0.10	32.4	1	0.5	149.0	0.12	0.05	1.14	0.303	0.32	0.4	192
9917		25.4	<0.002	0.07	0.13	33.0	1	0.6	140.0	0.13	<0.05	1.28	0.308	0.27	0.4	190
9918		39.0	<0.002	0.06	0.13	31.4	1	0.6	120.0	0.13	0.05	1.21	0.285	0.31	0.4	187
9919		19.8	0.003	1.89	0.18	19.5	5	0.8	39.9	0.07	0.25	0.76	0.157	0.08	0.4	122
9920		39.6	0.003	0.07	0.14	30.7	1	0.5	118.5	0.12	<0.05	1.16	0.285	0.27	0.4	177
9921		35.6	<0.002	0.07	0.15	31.2	1	0.6	123.0	0.12	<0.05	1.19	0.286	0.28	0.4	180
9922		29.5	0.002	2.05	89.5	4.4	36	6.1	451	0.62	41.0	7.02	0.214	1.82	2.7	34
9923		34.9	<0.002	0.06	0.16	31.7	1	0.5	126.0	0.13	0.06	1.15	0.277	0.21	0.4	176
9924		32.6	<0.002	0.06	0.13	31.4	1	0.5	122.5	0.12	<0.05	1.20	0.278	0.24	0.4	173
9925		0.3	<0.002	<0.01	0.07	0.3	1	<0.2	83.1	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
9926		57.5	0.002	0.83	0.21	30.1	3	0.6	113.5	0.11	0.16	1.19	0.267	0.30	1.0	170
9927		50.1	0.002	0.07	0.25	26.0	1	0.7	127.5	0.12	<0.05	1.35	0.293	0.30	0.5	189

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	As-OG62 As % 0.001	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9888		0.3	16.3	95	55.8					76.8	87.0
9889		0.2	14.2	89	48.0						
9890		0.4	13.0	237	54.6						
9891		0.3	14.4	87	47.1						
9892		0.2	13.5	84	46.8						
9893		0.2	13.0	109	65.8						85.3
9894		0.3	14.2	82	49.2						
9895		0.2	13.2	80	45.4						
9896		0.2	13.3	90	46.3						
9897		1.1	12.5	150	47.4						
9898		0.3	14.5	121	45.1						
9899		0.3	13.0	128	48.2						
9900		0.3	11.9	111	45.2						
9901		0.9	19.7	47	48.4						
9902		0.5	52.8	30	10.3		4.96	3.61			
9903		<0.1	2.4	6	1.6						
9904		0.5	17.4	63	46.4						
9905		0.2	13.4	137	47.6						
9906		0.3	13.1	164	45.4						
9907		0.2	12.2	74	41.8						
9908		0.6	16.6	63	42.5						
9909		0.2	12.7	78	43.6						
9910		0.4	12.8	72	46.7						
9911		0.2	11.8	79	40.0						
9912		0.2	12.4	73	42.4						
9913		0.2	10.7	86	38.1						
9914		0.3	13.0	106	46.4						
9915		0.4	14.4	100	43.2						
9916		0.2	11.6	81	39.6						
9917		0.2	12.6	81	43.7						
9918		0.3	12.4	81	39.4						
9919		0.5	21.0	60	21.3				2.11		
9920		0.2	11.2	76	38.7						
9921		0.2	11.8	74	40.3						
9922		13.5	6.6	4130	90.2	119					
9923		0.2	11.5	88	40.1						
9924		0.2	11.5	78	39.0						
9925		0.1	2.2	4	2.2						
9926		0.2	11.9	67	38.7						
9927		0.3	13.3	83	42.8					75.3	87.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
9928		1.88	0.07	7.78	1.9	110	0.29	0.11	7.35	0.09	9.51	40.5	113	0.53	113.0	5.82
9929		2.38	0.09	8.04	2.4	110	0.30	0.19	7.01	0.07	10.75	41.2	119	0.72	114.0	5.94
9930		2.46	0.07	7.96	1.6	100	0.32	0.08	7.26	0.10	10.35	42.5	130	0.57	142.0	6.10
9931		1.18	0.08	8.16	2.0	130	0.63	0.07	6.19	0.11	11.10	45.0	148	1.21	109.5	6.20
9932		1.56	0.08	8.22	1.7	130	0.28	0.09	7.01	0.13	9.98	46.3	154	0.74	100.5	6.34
9933		1.79	0.05	7.87	1.6	110	0.48	0.04	6.42	0.09	10.85	40.7	137	0.94	99.0	5.84
9934		1.20	0.18	8.20	2.0	120	0.66	0.14	6.81	0.10	450	52.4	136	0.85	680	6.76
9935		2.03	0.07	7.87	3.1	90	0.33	0.12	7.02	0.09	11.05	43.5	153	0.77	134.5	6.15
9936		2.30	0.08	7.80	1.5	120	0.35	0.06	7.29	0.24	9.92	42.5	145	0.64	98.7	5.76
9937		1.03	0.06	7.74	1.3	130	0.46	0.06	7.27	0.11	14.00	41.9	150	0.71	87.7	5.93
9938		2.26	0.05	7.94	0.9	110	0.28	0.04	7.76	0.08	9.47	39.6	142	0.59	89.4	5.58
9939		2.18	0.04	7.90	0.9	100	0.32	0.06	7.41	0.08	9.78	39.6	148	0.67	82.3	5.58
9940		2.06	0.04	8.10	1.1	110	0.35	0.05	7.76	0.11	10.80	44.2	152	0.65	90.4	5.84
9941		1.21	0.06	8.23	1.4	120	0.40	0.05	7.57	0.09	10.15	38.7	150	0.80	82.5	5.81
9942		2.24	0.05	7.95	1.7	90	0.29	0.04	8.20	0.10	10.00	39.5	159	0.77	89.4	5.76
9943		2.20	0.09	7.37	2.4	90	0.51	0.06	7.54	0.09	155.5	211	244	0.84	131.0	6.87
9944		2.23	0.06	7.81	0.4	120	0.73	0.03	7.43	0.07	172.5	37.9	287	0.90	75.4	7.03
9945		2.20	0.05	7.17	1.6	100	0.50	0.06	7.17	0.13	10.65	91.4	153	0.92	87.4	7.16
9946		2.50	0.24	7.78	1.6	120	0.38	0.04	7.70	0.13	10.40	57.9	210	0.91	1180	6.47
9947		2.36	0.06	6.87	0.7	70	0.23	0.04	7.32	0.10	8.53	57.1	150	1.23	79.3	6.03
9948		2.04	0.07	7.42	2.5	70	0.24	0.04	7.85	0.12	8.34	63.6	153	1.22	82.6	5.96
9949		1.74	0.06	7.34	2.0	50	0.26	0.04	7.38	0.11	9.73	58.8	148	1.41	58.1	6.25
9950		1.34	0.06	7.46	1.4	80	0.30	0.03	7.39	0.07	9.56	56.2	165	1.30	71.3	5.74
9951		1.51	0.05	7.84	1.5	100	0.26	0.03	7.47	0.15	9.77	51.1	159	1.34	72.6	5.88
9952		2.57	0.07	7.47	2.1	90	0.27	0.06	7.15	0.19	10.30	55.6	161	1.28	74.2	6.34
9953		2.53	0.05	6.99	1.1	80	0.52	0.04	6.92	0.09	10.65	68.8	150	0.98	79.3	6.93
9954		1.11	0.04	7.40	2.1	80	0.31	0.04	7.50	0.09	11.35	60.6	154	0.86	77.2	6.65
9955		2.20	0.05	7.41	1.2	80	0.28	0.04	7.41	0.10	10.85	56.4	158	1.04	80.5	6.40
9956		1.67	0.10	6.62	1.7	80	0.25	0.04	6.63	0.20	9.26	63.1	126	1.27	86.4	6.62
9957		1.60	0.08	6.71	2.2	90	0.28	0.06	6.40	0.19	9.78	63.7	140	1.96	85.6	6.60
9958		2.10	0.05	7.64	1.7	90	0.28	0.04	7.62	0.10	10.85	54.9	182	1.23	71.4	6.08
9959		0.97	0.05	7.96	1.1	120	0.39	0.04	7.71	0.10	11.70	46.2	190	1.09	85.5	6.49
9960		0.96	0.05	7.87	1.5	130	0.33	0.04	7.70	0.09	11.25	43.7	194	1.04	83.0	6.39
9961		0.07	>100	4.01	1935	120	0.81	155.0	0.33	58.9	28.3	16.1	34	1.74	9870	2.82
9962		2.49	0.33	7.52	4.5	170	0.48	0.18	5.65	0.10	14.00	46.9	140	1.16	105.5	6.70
9963		1.10	0.10	7.28	3.5	140	0.93	0.14	5.84	0.03	14.65	43.3	152	1.69	224	6.74
9964		1.09	1.35	4.44	138.0	30	1.41	84.2	6.75	0.02	20.3	159.0	96	0.55	3860	4.76
9965		1.83	0.10	7.63	1.5	60	2.19	0.52	6.29	<0.02	21.3	32.1	184	1.35	257	5.07
9966		1.13	0.05	7.59	2.0	30	1.98	0.64	5.27	<0.02	34.4	38.1	176	1.08	531	5.88
9967		0.23	0.11	1.75	9.2	<10	0.49	0.21	17.60	<0.02	95.9	679	29	0.22	579	6.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9928		15.20	0.08	1.0	0.041	1.15	4.2	25.5	4.16	1120	0.35	1.25	1.7	111.5	190	7.0
9929		15.15	0.10	1.1	0.047	1.31	4.9	29.0	4.40	1060	0.33	1.25	1.7	115.5	190	6.0
9930		15.15	0.06	1.1	0.048	1.06	4.6	27.5	4.64	1130	0.53	1.21	1.7	123.5	190	5.0
9931		15.15	0.06	1.0	0.047	1.43	5.2	45.4	5.11	1180	0.38	1.22	1.7	128.5	190	37.3
9932		14.75	0.09	1.1	0.040	1.12	4.4	23.8	5.33	1320	0.42	1.13	1.6	137.0	190	5.2
9933		14.90	0.09	1.1	0.035	1.07	4.9	40.8	4.85	1100	0.37	1.28	1.7	117.5	190	6.0
9934		17.55	0.34	1.1	0.059	1.27	190.0	30.6	4.69	1080	0.32	1.27	1.7	122.0	210	14.9
9935		14.60	0.07	1.1	0.054	0.76	5.1	32.0	5.07	1100	0.31	1.26	1.5	132.0	160	7.9
9936		14.60	0.09	1.0	0.042	0.84	4.7	26.7	4.33	1160	1.10	1.28	1.6	113.0	180	10.8
9937		14.10	0.08	1.0	0.055	0.90	6.7	31.0	4.48	1110	1.34	1.37	1.5	112.5	170	12.1
9938		14.95	0.08	1.1	0.038	0.66	4.4	25.9	4.21	1120	0.43	1.29	1.7	109.5	190	5.8
9939		14.25	0.08	1.0	0.041	0.65	4.6	30.5	4.32	1060	0.42	1.38	1.5	107.5	180	5.8
9940		15.10	0.08	1.2	0.047	0.70	5.1	27.1	4.33	1120	0.62	1.34	1.7	104.5	200	6.1
9941		15.15	0.10	1.1	0.046	0.84	4.7	26.7	4.01	1080	0.51	1.40	1.7	95.8	210	6.2
9942		15.30	0.06	1.2	0.046	0.50	4.6	26.5	4.05	1150	0.38	1.37	1.7	98.9	190	5.8
9943		14.50	0.16	1.0	0.057	0.61	90.1	37.2	5.12	1180	16.30	1.31	1.5	139.0	170	12.4
9944		15.65	0.14	1.2	0.048	0.89	99.4	29.6	4.63	1120	4.26	1.42	1.7	115.5	220	12.6
9945		13.50	0.09	1.1	0.042	0.82	5.1	22.6	6.34	1140	0.37	1.02	1.5	304	200	7.0
9946		14.00	0.08	1.1	0.070	0.96	5.1	30.9	6.09	1160	0.45	1.13	1.5	265	180	5.0
9947		12.70	0.07	1.0	0.038	0.50	4.1	36.7	6.40	1020	0.26	1.05	1.4	319	170	13.5
9948		12.75	0.09	0.9	0.029	0.47	4.0	36.4	6.91	1060	0.24	1.09	1.3	361	160	12.3
9949		13.05	0.06	1.0	0.039	0.36	4.6	53.2	6.90	1230	0.24	1.40	1.4	344	170	16.3
9950		13.25	0.09	1.1	0.038	0.61	4.6	40.7	6.03	1030	0.28	1.33	1.5	298	190	7.4
9951		13.40	0.07	1.1	0.044	0.73	4.6	46.2	6.03	1110	0.23	1.33	1.5	262	180	11.3
9952		12.85	0.08	1.1	0.039	0.67	4.9	38.6	6.52	1140	0.38	1.07	1.4	303	170	41.9
9953		13.25	0.08	1.3	0.050	0.60	5.1	27.5	6.61	1140	0.29	1.03	1.5	317	190	8.1
9954		14.10	0.08	1.2	0.050	0.55	5.5	25.1	6.78	1140	0.33	1.05	1.6	327	200	3.4
9955		13.70	0.07	1.2	0.039	0.51	5.1	25.3	6.42	1160	0.32	1.04	1.7	294	200	3.8
9956		12.20	0.09	1.1	0.041	0.57	4.4	43.7	7.22	1170	0.24	0.99	1.4	361	170	24.2
9957		12.35	0.09	1.1	0.037	0.75	4.9	65.2	7.46	1220	0.22	1.16	1.3	376	160	39.7
9958		13.40	0.06	1.2	0.041	0.69	5.2	35.6	6.61	1100	0.26	1.09	1.7	308	220	7.4
9959		13.75	0.07	1.2	0.045	1.10	5.5	42.8	5.14	1360	0.29	1.69	1.8	156.0	220	10.8
9960		13.55	0.07	1.3	0.046	1.14	5.3	41.7	5.00	1360	0.28	1.66	1.8	141.0	210	9.7
9961		23.1	0.21	2.7	12.00	0.61	13.7	21.0	0.08	142	6.36	0.40	7.6	111.5	540	2050
9962		14.35	0.10	1.3	0.067	1.85	6.6	42.1	5.27	1360	0.28	1.37	2.0	139.0	240	29.0
9963		14.20	0.07	1.3	0.093	1.87	7.1	59.3	4.73	1460	0.40	1.40	2.0	140.5	240	2.3
9964		13.90	0.08	0.7	0.277	0.52	9.7	49.6	2.23	872	62.0	1.50	1.3	76.2	180	37.3
9965		15.25	0.08	1.3	0.098	1.41	11.0	49.5	2.71	1320	1.64	2.23	1.9	104.0	230	6.3
9966		15.75	0.09	1.3	0.131	0.68	16.6	60.3	3.09	1560	0.51	2.98	1.9	106.5	210	1.2
9967		9.42	0.14	0.2	0.393	0.05	45.6	39.7	1.65	2980	0.66	0.29	0.6	57.7	90	0.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
9928		24.2	<0.002	0.06	0.18	23.0	1	0.5	128.5	0.12	<0.05	1.05	0.286	0.26	0.3	183
9929		41.4	<0.002	0.06	0.22	31.9	1	0.5	123.5	0.12	<0.05	1.19	0.287	0.28	0.4	179
9930		28.2	<0.002	0.07	0.16	25.0	1	0.5	126.0	0.12	0.05	1.17	0.280	0.23	0.4	182
9931		59.4	0.004	0.07	0.18	32.5	1	0.6	107.5	0.11	0.05	1.13	0.283	0.30	0.4	177
9932		51.1	<0.002	0.06	0.14	32.8	1	0.4	124.0	0.11	0.05	1.16	0.281	0.25	0.4	180
9933		34.6	0.002	0.06	0.18	25.0	1	0.6	119.0	0.11	<0.05	1.14	0.275	0.24	0.4	173
9934		45.0	0.004	0.23	0.16	32.0	1	1.0	129.5	0.12	0.07	1.85	0.272	0.31	1.0	176
9935		30.8	0.002	0.07	0.19	26.0	1	0.4	124.0	0.10	<0.05	1.20	0.260	0.21	0.4	174
9936		22.0	<0.002	0.06	0.42	28.6	1	0.5	135.0	0.11	<0.05	0.94	0.273	0.24	0.4	176
9937		25.6	0.002	0.07	0.19	28.2	1	0.5	129.5	0.12	<0.05	0.95	0.269	0.24	0.4	178
9938		14.4	0.002	0.06	0.18	23.0	1	0.5	148.5	0.13	<0.05	1.03	0.284	0.20	0.4	181
9939		15.5	0.002	0.06	0.13	29.8	<1	0.4	138.0	0.11	<0.05	0.98	0.268	0.20	0.3	173
9940		18.7	<0.002	0.07	0.14	31.0	1	0.5	139.5	0.12	<0.05	1.17	0.290	0.23	0.5	187
9941		28.1	<0.002	0.06	0.15	30.0	<1	0.5	135.5	0.13	0.06	1.08	0.298	0.25	0.5	188
9942		11.5	<0.002	0.06	0.11	32.4	1	0.5	155.0	0.11	<0.05	1.12	0.296	0.22	0.4	195
9943		27.2	0.033	0.54	0.13	27.0	2	0.8	123.5	0.10	0.10	1.20	0.255	0.19	2.9	182
9944		29.7	0.008	0.05	0.14	28.0	1	2.3	128.5	0.12	<0.05	1.22	0.289	0.22	1.7	197
9945		38.7	<0.002	0.15	0.16	21.0	1	0.9	116.5	0.11	<0.05	1.04	0.262	0.29	0.3	170
9946		40.5	<0.002	0.20	0.19	23.0	2	0.5	121.0	0.11	<0.05	1.15	0.265	0.25	0.4	175
9947		14.1	<0.002	0.04	0.09	20.0	<1	0.4	155.5	0.10	<0.05	0.88	0.248	0.14	0.3	165
9948		11.0	<0.002	0.08	0.10	23.0	1	0.4	201	0.09	<0.05	0.91	0.241	0.15	0.3	162
9949		11.3	<0.002	0.05	0.11	23.0	1	0.4	127.0	0.11	0.05	1.07	0.259	0.10	0.3	170
9950		16.1	0.002	0.06	0.08	23.0	1	0.4	198.5	0.11	<0.05	1.06	0.275	0.15	0.3	175
9951		24.0	<0.002	0.03	0.13	27.2	<1	0.5	165.0	0.12	<0.05	1.14	0.271	0.18	0.4	169
9952		27.7	<0.002	0.05	0.16	23.0	1	0.4	130.0	0.09	<0.05	1.27	0.249	0.25	0.3	166
9953		30.6	<0.002	0.08	0.17	22.0	<1	1.5	111.0	0.10	<0.05	1.40	0.256	0.22	0.3	168
9954		23.8	<0.002	0.05	0.12	21.0	<1	0.5	126.5	0.12	<0.05	1.45	0.277	0.25	0.4	179
9955		21.5	0.002	0.05	0.09	23.0	1	0.6	129.0	0.12	<0.05	1.30	0.283	0.23	0.3	182
9956		20.8	<0.002	0.06	0.11	23.0	<1	0.5	148.0	0.10	0.05	1.00	0.264	0.14	0.3	171
9957		28.2	<0.002	0.06	0.13	23.0	1	0.4	144.5	0.10	<0.05	1.08	0.255	0.15	0.3	173
9958		26.0	<0.002	0.07	0.11	25.0	<1	0.4	132.0	0.12	<0.05	1.26	0.307	0.20	0.4	190
9959		48.4	<0.002	0.06	0.14	34.0	1	0.6	153.5	0.13	<0.05	1.34	0.325	0.31	0.4	209
9960		44.4	<0.002	0.06	0.14	32.9	1	0.5	157.5	0.13	<0.05	1.31	0.325	0.30	0.4	211
9961		23.9	<0.002	3.70	224	4.0	62	13.1	500	0.58	60.9	5.72	0.200	4.33	2.7	33
9962		76.4	<0.002	0.07	0.46	33.4	<1	0.5	130.0	0.15	0.11	1.57	0.342	0.32	0.5	215
9963		66.3	0.002	0.08	0.26	33.0	1	0.6	106.5	0.14	0.05	1.33	0.336	0.27	0.5	214
9964		20.3	0.035	0.57	0.32	24.3	3	1.4	27.1	0.08	0.12	0.87	0.176	0.18	0.8	151
9965		67.2	<0.002	0.06	0.22	33.9	<1	1.1	57.4	0.13	0.05	1.52	0.322	0.21	0.5	209
9966		36.2	<0.002	0.09	0.17	39.4	<1	1.2	28.2	0.15	<0.05	1.47	0.314	0.11	0.5	208
9967		1.6	<0.002	1.42	0.22	68.5	5	3.0	43.2	<0.05	0.06	0.24	0.048	<0.02	0.2	67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	As-OG62 As % 0.001	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9928		0.2	10.8	69	39.3						
9929		0.2	11.6	63	40.1						
9930		0.2	11.9	71	40.0						
9931		0.3	11.2	93	36.8						
9932		0.2	11.3	89	36.8						
9933		0.3	11.7	78	39.2						
9934		0.3	21.2	74	39.9						
9935		0.2	12.0	71	36.2						
9936		0.2	10.7	102	37.0						
9937		0.2	11.5	79	34.6						
9938		0.2	11.0	72	41.3						
9939		0.2	10.8	67	35.9						
9940		0.2	12.0	73	40.1						
9941		0.3	11.7	70	39.4						
9942		0.2	11.9	71	40.7						
9943		0.6	16.2	80	36.3						
9944		4.5	15.7	80	40.9						
9945		2.1	11.7	75	36.5						
9946		0.2	11.8	88	36.8						
9947		0.2	10.1	70	33.1						
9948		0.2	9.9	70	31.8						
9949		0.2	11.3	87	35.5					77.2	
9950		0.2	11.4	54	38.5						
9951		0.2	11.3	75	38.5						
9952		0.2	12.2	92	36.6						
9953		8.3	13.0	69	41.9						
9954		0.2	13.1	68	41.1						
9955		0.2	12.7	71	40.7						
9956		0.2	11.3	90	35.0						
9957		0.2	12.5	104	36.2						
9958		0.2	12.7	76	42.0						
9959		0.2	13.1	85	42.7						
9960		0.3	12.7	84	43.0						
9961		16.1	5.9	9370	86.4	285					
9962		0.4	14.4	101	48.2						
9963		0.5	14.2	68	45.9						
9964		1.9	15.5	26	27.2						
9965		2.3	14.5	46	44.7						
9966		2.8	17.3	50	46.8						
9967		17.2	47.5	14	6.7					91.1	92.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
9968		1.22	0.06	7.35	1.6	90	2.46	0.15	5.56	<0.02	25.2	53.4	178	1.53	725	6.59
9969		2.22	0.06	7.17	5.4	220	1.77	0.13	7.75	0.03	20.5	39.9	140	2.14	271	6.22
9970		2.35	0.12	7.49	9.7	180	0.51	0.11	6.35	0.21	12.10	47.0	169	1.50	105.5	6.62
9971		1.71	0.12	7.37	3.6	160	0.77	0.12	6.11	0.22	13.40	43.5	170	1.31	85.6	6.73
9972		1.81	0.04	7.10	1.8	170	1.89	0.09	5.96	<0.02	25.7	47.5	139	1.83	241	7.28
9973		1.22	0.04	7.46	1.6	170	1.44	0.07	6.20	0.02	16.80	42.4	156	2.36	272	6.69
9974		0.20	0.37	2.77	1.6	40	1.31	0.13	14.05	<0.02	37.2	84.5	45	0.79	9680	5.64
9975		0.84	<0.01	0.07	<0.2	20	0.07	0.01	33.9	<0.02	0.96	0.8	2	0.05	9.3	0.12
9976		1.21	0.05	7.60	1.1	120	1.15	0.08	5.92	<0.02	14.20	43.3	144	2.36	174.5	6.49
9977		2.03	0.04	7.34	2.4	160	0.46	0.09	6.01	0.03	11.80	51.3	136	2.05	102.0	6.66
9978		1.08	0.11	6.99	10.7	240	0.92	0.18	6.64	0.04	13.85	93.0	122	2.57	93.6	6.67
9979		1.75	0.04	7.71	1.9	130	2.21	0.09	7.97	0.02	19.80	41.4	135	2.13	131.0	5.92
9980		1.07	0.04	7.61	1.0	80	2.49	0.21	7.78	<0.02	21.6	35.2	139	1.44	180.0	5.78
9981		0.79	0.40	6.32	24.9	10	1.79	0.45	4.80	<0.02	27.2	1405	130	0.55	675	13.00
9982		1.14	0.06	7.64	1.0	70	2.17	0.10	5.87	<0.02	18.95	44.6	154	1.41	374	7.01
9983		1.66	0.04	6.72	1.3	40	1.71	0.12	4.19	<0.02	28.7	55.4	97	0.82	144.0	5.86
9984		2.32	0.07	7.29	1.8	100	1.61	0.17	6.50	0.03	18.10	42.3	138	1.68	154.5	6.41
9985		2.31	0.09	7.63	2.7	140	0.78	0.09	6.69	0.05	15.95	48.2	135	1.82	111.5	6.73
9986		2.32	0.12	6.98	9.6	120	1.38	0.16	5.49	0.06	14.85	40.4	134	1.96	125.0	7.15
9987		1.46	0.10	7.47	5.5	170	0.38	0.10	6.09	0.09	11.65	52.1	146	1.06	98.0	7.07
9988		1.46	0.07	7.38	2.3	160	0.34	0.04	6.18	0.07	12.10	48.1	129	1.12	89.0	6.86
9989		1.07	0.11	7.49	1.5	80	0.77	0.08	4.19	0.02	16.90	47.0	130	2.72	175.0	7.38
9990		2.34	0.10	7.05	2.8	190	0.31	0.05	6.01	0.17	12.70	51.1	133	1.31	133.0	6.93
9991		2.48	0.12	7.46	3.2	190	0.44	0.05	5.57	0.09	12.05	52.5	135	1.55	123.5	7.32
9992		2.19	0.07	7.44	3.3	180	0.32	0.04	5.99	0.09	12.10	52.3	133	1.46	81.7	6.96
9993		1.09	0.47	7.01	45.3	140	1.09	0.22	5.78	1.07	15.05	59.5	120	4.27	330	7.03
9994		2.62	0.04	7.18	1.3	140	0.32	0.03	7.05	0.11	12.35	50.9	126	1.31	102.0	7.39
9995		2.42	0.07	7.44	1.4	150	0.35	0.04	6.89	0.11	12.95	52.3	128	1.40	101.5	7.33
9996		2.29	0.09	7.34	2.6	150	0.37	0.04	6.49	0.12	14.10	49.0	120	1.54	111.5	7.26
9997		2.27	0.07	7.20	3.9	140	0.47	0.04	5.87	0.12	14.95	45.1	115	1.28	100.0	7.04
9998		1.43	0.10	7.22	3.6	200	0.53	0.06	6.43	0.23	23.8	44.7	113	2.29	212	7.33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
9968		16.60	0.05	1.2	0.099	1.28	13.2	56.7	2.83	1290	0.35	2.10	1.8	110.0	230	1.3
9969		14.20	0.05	1.2	0.115	1.74	10.8	49.7	3.57	1740	0.25	1.40	1.7	110.0	220	9.7
9970		14.70	0.07	1.3	0.059	2.26	5.8	35.5	4.68	1410	0.33	1.31	2.0	130.0	230	20.9
9971		14.90	0.07	1.2	0.061	2.18	6.5	40.0	4.61	1470	0.39	1.47	2.0	132.5	230	22.0
9972		17.10	0.09	1.1	0.114	1.46	11.1	76.3	3.86	1450	0.35	1.76	1.7	125.0	230	2.2
9973		14.95	0.07	1.2	0.065	2.15	7.0	60.0	4.04	1480	0.27	1.37	1.7	139.0	230	2.9
9974		10.10	0.10	0.4	0.396	0.39	16.0	70.3	2.29	2770	0.36	0.45	0.6	62.1	100	1.9
9975		0.25	0.10	<0.1	0.005	0.01	1.1	1.3	1.63	117	0.05	0.02	0.1	0.7	70	0.5
9976		15.10	0.08	1.3	0.057	1.95	6.4	67.4	4.22	1360	0.27	1.51	1.9	143.5	240	4.2
9977		14.15	0.07	1.2	0.070	2.06	5.2	58.7	5.10	1200	0.26	1.29	1.8	145.0	230	13.9
9978		14.35	0.09	1.2	0.083	1.78	6.1	82.3	5.05	1430	0.34	1.20	1.7	146.5	220	184.5
9979		15.45	0.08	1.3	0.078	2.04	9.1	49.3	3.57	1780	0.30	1.47	1.9	150.0	250	3.4
9980		14.85	0.07	1.3	0.092	1.57	9.9	60.9	2.88	1620	0.26	2.07	1.8	151.0	240	4.8
9981		16.75	0.10	1.0	0.147	0.22	13.9	87.6	3.72	780	1.15	2.51	1.4	162.5	190	3.1
9982		15.55	0.09	1.2	0.104	1.45	9.3	63.8	3.79	1380	0.26	2.12	1.9	153.5	240	1.9
9983		13.70	0.07	2.3	0.076	0.56	12.6	51.3	2.61	936	0.65	3.28	2.9	78.9	280	1.5
9984		15.05	0.07	1.3	0.087	1.47	7.9	62.8	4.24	1560	0.31	1.92	1.9	154.5	240	3.9
9985		15.15	0.08	1.3	0.063	2.14	7.0	47.1	4.74	1400	0.32	1.46	1.9	150.0	240	11.0
9986		14.25	0.07	1.2	0.100	1.25	6.7	72.7	4.79	1400	0.24	2.09	1.8	144.0	230	41.4
9987		14.50	0.08	1.2	0.051	2.25	5.3	30.2	5.23	1340	0.33	1.22	1.8	157.0	240	12.0
9988		13.65	0.07	1.2	0.055	2.01	5.3	28.9	5.35	1240	0.29	1.14	1.7	170.5	220	26.4
9989		13.95	0.08	1.2	0.071	1.33	7.5	98.9	6.66	1280	0.27	2.01	1.7	172.5	230	59.2
9990		13.85	0.10	1.2	0.049	2.18	5.7	37.1	5.52	1300	0.26	1.20	1.6	187.0	230	21.8
9991		14.35	0.08	1.2	0.054	2.17	5.3	43.5	6.13	1360	0.26	1.28	1.7	196.5	230	42.8
9992		14.10	0.08	1.2	0.044	1.92	5.4	44.6	5.96	1370	0.25	1.27	1.7	196.0	230	77.4
9993		14.20	0.07	1.3	0.087	1.24	7.1	95.3	6.11	1420	0.43	1.38	2.0	209	240	672
9994		14.05	0.06	1.3	0.050	1.34	5.5	27.8	5.62	1300	0.33	1.17	1.9	192.5	240	5.4
9995		14.05	0.07	1.3	0.048	1.50	5.7	29.6	5.50	1280	0.29	1.18	2.0	177.5	250	8.0
9996		14.65	0.07	1.4	0.047	1.88	6.0	31.0	5.19	1260	0.29	1.25	2.1	145.0	270	12.3
9997		13.65	0.07	1.3	0.054	1.93	6.3	35.3	5.21	1160	0.26	1.25	2.0	131.5	250	24.2
9998		14.20	0.07	1.4	0.092	1.54	10.2	35.7	5.10	1160	0.26	1.32	2.0	122.0	250	26.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
9968		64.0	<0.002	0.17	0.29	32.7	1	1.8	43.1	0.13	<0.05	1.35	0.303	0.18	0.6	208
9969		85.1	<0.002	0.08	0.40	32.4	1	0.7	78.6	0.13	<0.05	1.36	0.299	0.26	0.5	202
9970		77.5	0.002	0.06	0.37	35.1	<1	0.6	110.5	0.15	<0.05	1.41	0.333	0.36	0.5	217
9971		64.5	<0.002	0.06	0.34	35.3	<1	0.7	107.0	0.14	<0.05	1.37	0.335	0.35	0.5	223
9972		62.4	<0.002	0.10	0.29	36.1	1	0.9	66.4	0.11	<0.05	1.18	0.298	0.19	0.5	198
9973		88.0	<0.002	0.08	0.43	35.7	<1	0.7	94.9	0.13	<0.05	1.33	0.316	0.34	0.4	202
9974		17.9	<0.002	1.10	0.28	36.4	2	1.8	57.3	<0.05	<0.05	0.42	0.094	0.07	0.2	92
9975		0.6	<0.002	<0.01	0.07	0.3	1	<0.2	87.0	<0.05	<0.05	0.06	0.005	<0.02	0.1	2
9976		90.4	<0.002	0.07	0.32	36.2	<1	0.8	90.8	0.13	<0.05	1.41	0.342	0.30	0.4	213
9977		91.0	<0.002	0.07	0.41	34.6	<1	0.5	99.6	0.14	<0.05	1.40	0.331	0.31	0.4	205
9978		82.3	<0.002	0.18	0.42	35.3	<1	0.5	91.3	0.12	<0.05	1.22	0.313	0.28	0.5	193
9979		98.7	0.002	0.07	0.31	37.6	<1	0.6	111.5	0.13	<0.05	1.48	0.349	0.34	0.5	217
9980		70.2	<0.002	0.07	0.18	38.1	<1	0.6	86.1	0.13	<0.05	1.46	0.333	0.26	0.5	217
9981		7.8	0.002	2.78	0.28	35.2	11	4.8	20.4	0.10	0.14	1.18	0.245	0.04	0.6	197
9982		58.6	<0.002	0.10	0.23	36.1	<1	0.8	71.1	0.14	<0.05	1.39	0.342	0.23	0.5	219
9983		26.9	<0.002	0.13	0.16	20.1	<1	1.1	42.0	0.26	<0.05	3.33	0.247	0.09	1.1	129
9984		42.2	0.002	0.06	0.20	37.7	<1	0.6	93.9	0.14	<0.05	1.26	0.341	0.22	0.5	216
9985		90.8	0.002	0.07	0.34	36.9	<1	0.6	108.0	0.13	<0.05	1.43	0.341	0.34	0.4	211
9986		31.2	<0.002	0.06	0.29	32.7	1	0.7	71.9	0.13	<0.05	1.15	0.330	0.20	0.4	211
9987		86.4	<0.002	0.07	0.28	34.4	<1	0.5	120.5	0.13	<0.05	1.38	0.336	0.31	0.4	207
9988		74.3	<0.002	0.06	0.18	35.0	1	0.5	128.0	0.13	<0.05	1.40	0.322	0.29	0.4	207
9989		56.0	0.002	0.08	0.17	36.3	<1	0.6	75.0	0.12	<0.05	1.35	0.324	0.18	0.4	208
9990		79.0	<0.002	0.06	0.29	38.6	<1	0.5	136.5	0.12	<0.05	1.45	0.303	0.33	0.4	205
9991		85.0	<0.002	0.07	0.33	33.5	<1	0.6	134.5	0.13	<0.05	1.40	0.317	0.34	0.4	209
9992		78.7	<0.002	0.06	0.28	34.9	<1	0.6	132.0	0.12	<0.05	1.42	0.313	0.35	0.4	203
9993		61.4	<0.002	0.09	0.56	35.9	1	0.6	105.5	0.14	<0.05	1.44	0.339	0.30	0.4	208
9994		49.8	<0.002	0.07	0.14	35.2	<1	0.5	136.0	0.13	<0.05	1.49	0.349	0.24	0.4	215
9995		58.7	<0.002	0.07	0.17	35.1	1	0.5	143.5	0.14	<0.05	1.57	0.360	0.29	0.5	219
9996		78.4	<0.002	0.07	0.23	37.7	<1	0.6	125.5	0.16	<0.05	1.60	0.363	0.34	0.5	219
9997		77.0	<0.002	0.07	0.23	34.9	<1	0.6	119.5	0.14	<0.05	1.51	0.362	0.34	0.5	220
9998		72.3	0.002	0.08	0.39	36.5	1	1.0	131.0	0.14	<0.05	1.52	0.366	0.28	0.6	224

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	As-OG62 As % 0.001	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
9968		6.1	14.0	44	41.7						
9969		0.9	15.3	56	42.3						
9970		0.3	13.9	112	46.3						
9971		0.3	13.8	137	43.8						
9972		1.3	14.0	56	41.3						
9973		0.7	12.7	60	46.6						
9974		4.3	31.7	27	12.6						
9975		<0.1	2.1	4	1.3						
9976		0.8	13.1	65	48.6						
9977		0.2	13.2	72	45.3						
9978		0.2	13.7	85	42.1						
9979		0.5	15.8	57	49.9						
9980		2.9	15.0	61	48.0						
9981		27.4	10.5	57	36.9						
9982		2.1	13.8	69	46.7						
9983		3.0	13.5	47	87.4						
9984		0.4	14.6	82	46.9						
9985		0.3	16.3	81	51.8						
9986		0.4	11.8	110	45.5						
9987		0.3	12.8	85	46.3						
9988		0.2	13.1	78	44.7						
9989		0.3	14.8	155	45.5						
9990		0.3	14.5	99	48.6						
9991		0.2	12.8	111	45.7						
9992		0.2	13.0	107	46.7						
9993		0.3	13.8	504	50.7						
9994		0.2	13.5	82	48.0						
9995		0.3	14.2	85	50.2						
9996		0.3	15.3	86	51.8						
9997		0.2	14.1	92	49.5						
9998		0.3	15.2	129	49.5						

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 24-DEC-2018
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18305053

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	As-OG62	Co-OG62	Cu-OG62
ME-MS61	ME-OG62		