ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18319040

Project: ELK LAKE-ROY

This report is for 153 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 14-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10410		2.28	0.29	7.19	8.2	190	0.77	0.12	6.21	0.08	27.7	48.5	8	0.51	461	8.25
10411		2.36	0.18	7.39	10.8	140	0.62	0.11	5.13	0.59	23.1	53.7	10	0.36	92.8	8.86
10412		2.45	0.13	7.16	6.4	150	0.58	0.11	5.26	0.28	21.1	48.4	8	0.49	89.1	8.81
10413		2.41	0.18	7.12	11.3	150	0.56	0.13	5.21	0.59	21.1	48.5	7	0.45	119.5	8.76
10414		2.43	0.21	7.11	5.4	220	0.55	0.13	5.29	0.90	20.9	50.6	7	0.62	140.0	8.88
10415		2.37	0.66	6.87	5.2	160	1.08	0.16	4.73	0.06	19.55	87.2	7	0.47	1270	9.50
10416		2.34	0.16	6.78	4.1	160	0.55	0.12	5.33	0.11	19.95	48.3	8	0.39	117.0	8.48
10417		2.43	0.22	7.28	4.7	160	0.57	0.16	5.40	0.28	21.0	49.1	8	0.29	112.0	8.71
10418		1.74	0.17	7.25	4.9	210	0.58	0.17	5.60	0.28	20.3	46.9	8	0.50	118.5	8.62
10419		2.43	0.27	7.41	18.4	190	0.90	0.76	6.81	0.15	35.6	54.5	8	0.59	149.5	8.14
10420		2.33	0.14	7.34	4.4	170	0.68	0.12	5.93	0.08	25.5	55.5	8	0.56	183.5	8.86
10421		2.26	0.44	7.29	24.6	170	1.09	0.44	6.13	0.14	24.3	106.5	10	1.48	649	8.05
10422		2.17	0.24	7.24	7.9	260	0.65	0.14	5.14	0.16	19.65	50.5	9	1.46	183.5	8.70
10423		1.24	0.19	6.97	5.9	180	0.62	0.10	5.26	0.16	19.65	48.4	8	0.85	121.5	8.48
10424		0.23	8.69	3.84	726	80	1.11	3.43	17.20	0.25	133.0	1140	5	0.67	>10000	7.25
10425		1.02	0.03	0.11	1.7	20	0.06	0.02	33.6	0.02	1.24	3.1	1	0.05	31.0	0.14
10426		1.21	0.50	7.01	11.5	210	0.72	0.16	5.45	0.17	23.5	58.2	8	0.68	928	8.43
10427		0.99	0.18	7.21	4.1	220	0.60	0.13	5.58	0.11	20.8	49.2	8	0.79	149.5	8.59
10428		1.08	0.66	6.53	5.9	140	1.07	0.19	5.38	0.05	145.5	87.3	8	0.44	1255	9.70
10429		1.89	0.21	7.30	4.3	210	0.59	0.13	5.50	0.09	20.2	53.1	7	0.79	116.5	8.58
10430		2.32	0.26	7.28	4.0	160	0.53	0.11	5.47	0.16	19.10	47.1	7	0.56	109.5	8.23
10431		2.44	0.20	7.28	4.6	170	0.47	0.22	5.93	0.20	19.15	46.6	8	0.54	121.0	8.23
10432		2.26	0.17	7.18	4.3	170	0.48	0.22	5.65	0.15	19.25	47.6	7	0.51	130.0	8.28
10433		2.58	0.13	7.22	4.6	180	0.52	0.11	5.99	0.15	19.30	46.5	7	0.79	130.0	8.32
10434		2.21	0.21	7.29	4.1	150	0.66	0.12	5.48	0.07	19.45	50.1	8	0.69	423	8.84
10435		1.20	0.38	7.15	27.6	150	1.16	0.21	5.33	0.03	22.7	68.4	8	0.76	651	8.50
10436		0.20	2.27	5.39	2380	10	1.72	6.32	16.05	<0.02	68.1	1955	5	0.66	579	4.64
10437		0.66	0.01	0.11	5.9	20	0.07	0.07	34.4	0.02	1.30	5.4	1	<0.05	6.0	0.14
10438		2.26	0.19	6.99	29.3	140	0.71	0.20	5.73	0.07	21.7	57.2	7	0.75	191.5	8.05
10439		0.47	0.17	7.29	2.8	180	1.13	0.15	4.94	0.05	22.7	49.2	8	0.99	162.5	8.70
10440		0.46	0.16	7.25	2.8	160	0.99	0.13	4.59	0.04	23.6	46.1	8	0.93	164.0	8.70
10441		1.47	2.46	1.05	1555	10	0.55	5.34	24.9	0.04	179.0	1425	1	0.29	4140	13.00
10442		0.75	0.02	0.18	6.6	30	0.07	0.04	34.2	<0.02	2.03	7.1	2	<0.05	11.1	0.25
10443		0.07	0.88	7.01	4.3	250	1.05	0.06	5.66	0.83	39.6	>10000	173	0.74	1865	7.12
10444		2.11	0.27	6.98	58.1	140	1.30	0.24	6.17	0.09	29.3	74.5	7	1.22	197.0	7.99
10445		0.24	>100	6.74	206	90	1.45	0.72	9.77	0.04	41.5	147.0	7	1.01	385	4.98
10446		1.12	0.32	6.95	6.1	170	0.59	0.07	5.71	0.10	18.65	45.5	9	0.79	119.0	8.18
10447		2.33	0.48	7.02	3.9	190	0.62	0.07	6.17	0.14	17.60	48.4	9	0.89	126.5	8.39
10448		2.16	0.14	6.96	3.2	200	0.53	0.07	5.84	0.12	17.15	46.4	8	0.87	122.5	8.00
10449		2.09	0.14	7.14	2.7	190	0.47	0.08	5.91	0.14	17.20	46.8	8	0.80	142.0	8.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10410		18.55	0.14	1.9	0.095	1.84	12.4	29.1	3.05	1540	0.77	2.10	3.1	40.9	320	46.0
10411		18.80	0.15	2.3	0.091	1.66	9.9	24.5	3.37	1640	1.40	2.57	3.3	42.1	340	98.7
10412		18.30	0.13	1.9	0.070	1.66	9.6	28.3	3.22	1600	0.57	2.42	3.0	41.4	330	22.5
10413		18.55	0.15	1.9	0.083	1.74	9.2	26.2	3.11	1570	0.56	2.20	3.1	41.1	320	42.0
10414		18.25	0.12	1.8	0.078	1.90	9.2	35.2	3.24	1640	0.60	2.01	3.1	41.4	330	60.9
10415		18.10	0.10	1.8	0.118	1.54	8.5	29.0	3.32	1410	0.76	2.15	2.9	46.2	300	9.7
10416		18.20	0.11	1.7	0.080	1.45	8.8	26.6	3.07	1440	0.74	2.09	2.9	39.6	320	14.1
10417		18.30	0.13	1.8	0.080	1.34	9.1	26.3	3.21	1490	0.51	2.44	3.1	41.4	350	60.2
10418		18.70	0.11	1.8	0.077	1.79	8.8	32.6	3.15	1560	0.69	2.05	3.0	41.2	340	38.4
10419		18.80	0.12	1.9	0.105	1.81	15.9	29.6	2.99	1560	1.33	2.07	3.0	43.5	420	57.2
10420		19.30	0.15	1.9	0.090	1.79	11.2	26.8	3.15	1480	0.78	2.09	3.1	44.5	360	11.8
10421		18.55	0.13	1.9	0.103	1.69	11.6	47.4	3.10	1520	0.86	1.97	3.0	42.4	350	35.1
10422		18.05	0.11	1.7	0.079	1.82	9.0	50.1	3.70	1530	0.91	1.76	2.9	43.8	300	45.1
10423		17.60	0.15	1.7	0.074	1.80	8.9	35.4	3.56	1580	0.57	1.87	2.8	42.8	290	55.3
10424		12.50	0.23	0.9	0.375	0.70	59.3	32.1	1.76	4090	32.0	1.09	1.7	134.0	1350	722
10425		0.37	0.10	<0.1	0.005	0.02	1.2	1.5	1.84	118	0.10	0.04	0.1	1.3	90	2.4
10426		16.85	0.09	1.6	0.084	1.69	11.2	31.5	3.31	1680	0.83	1.98	2.7	42.3	340	25.7
10427		18.20	0.09	1.8	0.071	1.81	9.2	33.5	3.36	1500	0.58	1.85	2.8	43.9	310	12.5
10428		19.20	0.20	1.6	0.126	1.33	66.1	30.7	3.60	1280	0.61	1.96	2.7	55.0	290	8.0
10429		18.50	0.12	1.6	0.071	1.71	8.7	35.7	3.36	1430	0.57	1.97	2.8	47.1	300	10.5
10430		17.50	0.13	1.7	0.075	1.85	8.1	30.1	3.58	1440	0.51	1.98	2.8	45.8	320	50.2
10431		17.95	0.10	1.7	0.076	1.83	8.4	26.4	3.33	1470	0.63	1.89	2.9	46.2	310	16.2
10432		17.40	0.10	1.8	0.067	1.77	8.4	28.6	3.46	1420	0.48	2.01	2.7	46.5	310	13.2
10433		17.95	0.09	1.8	0.062	1.86	8.5	28.4	3.25	1420	0.58	1.77	2.9	47.5	310	8.5
10434		18.70	0.12	1.8	0.088	1.85	8.7	29.8	3.55	1400	0.64	1.85	2.9	48.6	330	16.1
10435		18.50	0.10	1.7	0.125	1.60	10.6	37.0	3.37	1300	0.55	2.16	2.8	47.6	310	4.7
10436		15.80	0.12	1.3	0.272	0.25	30.1	51.2	2.26	1990	7.59	2.52	2.1	104.5	210	9.1
10437		0.41	0.08	0.1	0.007	0.02	1.3	1.7	1.50	120	0.10	0.04	0.2	1.6	80	1.0
10438		17.00	0.09	1.7	0.069	1.81	10.0	30.1	3.25	1460	0.58	1.90	2.7	45.8	290	6.8
10439		18.40	0.08	1.8	0.105	1.68	10.1	39.4	3.59	1710	0.56	2.05	2.9	45.7	310	38.1
10440		17.40	0.08	1.7	0.111	1.67	10.2	36.9	3.56	1720	0.51	2.05	2.7	44.5	320	31.9
10441		9.28	0.29	0.2	0.397	0.05	69.0	15.1	0.87	4030	5.20	0.20	1.0	143.0	360	66.8
10442		0.58	0.06	0.1	0.007	0.02	1.6	1.8	1.58	142	0.08	0.06	0.2	4.0	90	1.2
10443		18.95	0.27	3.1	0.062	0.66	18.2	7.5	3.71	945	2.49	2.18	21.1	>10000	1460	18.2
10444		17.05	0.14	1.7	0.106	1.29	12.6	45.2	3.17	1800	1.22	2.06	2.6	51.0	290	16.8
10445		16.55	0.15	1.7	0.151	1.09	20.0	44.4	2.22	1300	0.89	2.39	2.6	51.4	240	5.3
10446		17.25	0.14	1.7	0.061	1.72	8.7	28.1	3.28	1490	0.59	1.78	2.7	48.0	350	6.2
10447		16.90	0.15	1.9	0.072	1.67	7.9	25.7	3.42	1440	0.58	1.68	2.8	48.4	290	6.0
10448		17.00	0.12	1.7	0.058	1.74	7.6	27.2	3.33	1380	0.48	1.68	2.6	47.5	290	7.7
10449		16.80	0.17	1.7	0.067	1.71	7.7	30.2	3.70	1430	0.58	1.71	2.5	53.4	310	9.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10410		75.7	<0.002	0.14	0.93	44.2	1	1.0	138.0	0.22	<0.05	2.51	0.477	0.26	0.9	277
10411		74.2	0.003	0.19	0.72	46.3	1	0.8	148.5	0.27	<0.05	3.11	0.486	0.24	1.2	285
10412		76.5	<0.002	0.11	0.42	47.3	1	0.8	123.5	0.22	<0.05	2.51	0.488	0.32	0.8	283
10413		84.2	0.003	0.16	0.47	45.9	2	0.8	127.0	0.23	<0.05	2.61	0.471	0.29	0.9	277
10414		94.4	<0.002	0.10	0.58	46.5	1	0.8	113.0	0.22	<0.05	2.42	0.483	0.40	0.8	285
10415		74.0	0.003	0.39	0.54	43.3	1	1.7	111.5	0.21	0.05	2.36	0.452	0.27	0.8	273
10416		75.4	0.002	0.11	0.52	44.2	1	0.7	131.0	0.20	<0.05	2.32	0.450	0.30	0.8	270
10417		65.1	0.003	0.15	0.54	46.2	1	0.7	157.0	0.21	<0.05	2.45	0.482	0.24	0.8	280
10418		90.0	0.002	0.10	0.32	46.6	1	0.8	117.5	0.21	0.05	2.34	0.481	0.40	0.8	281
10419		87.2	<0.002	0.10	0.52	47.1	1	1.0	120.5	0.22	<0.05	2.35	0.474	0.34	0.8	281
10420		84.5	0.002	0.15	0.41	48.3	1	1.3	117.5	0.23	<0.05	2.49	0.478	0.32	0.9	281
10421		77.6	0.003	0.25	0.36	45.4	1	1.3	110.0	0.22	0.06	2.41	0.479	0.32	0.8	279
10422		82.9	0.002	0.11	0.57	44.6	<1	0.8	138.5	0.19	<0.05	2.33	0.458	0.43	0.8	273
10423		78.3	0.002	0.10	0.78	43.8	2	0.8	120.0	0.19	<0.05	2.31	0.447	0.28	0.8	263
10424		32.6	0.014	3.33	2.05	27.6	4	4.7	91.9	0.14	0.58	1.36	0.237	0.18	0.6	187
10425		0.6	<0.002	0.01	0.07	0.4	<1	<0.2	77.4	<0.05	<0.05	0.08	0.008	<0.02	0.2	3
10426		79.5	<0.002	0.18	0.66	42.4	1	1.1	111.5	0.20	<0.05	2.16	0.451	0.35	0.8	272
10427		82.6	0.002	0.10	0.53	43.1	1	0.8	131.5	0.20	<0.05	2.35	0.453	0.43	0.8	268
10428		52.9	0.002	0.42	0.32	40.2	1	3.5	131.0	0.20	0.06	2.28	0.418	0.25	1.1	253
10429		89.9	0.002	0.13	0.40	44.4	1	0.8	135.5	0.19	<0.05	2.24	0.446	0.44	0.7	267
10430		84.4	0.002	0.10	0.32	45.2	1	0.7	132.0	0.20	<0.05	2.34	0.433	0.32	0.8	266
10431		86.9	0.002	0.10	0.29	46.4	<1	0.7	130.5	0.20	0.06	2.41	0.456	0.36	0.8	274
10432		88.0	<0.002	0.10	0.26	45.5	1	0.8	119.0	0.20	<0.05	2.27	0.447	0.38	0.7	268
10433		91.6	<0.002	0.10	0.26	45.8	1	0.8	113.5	0.22	<0.05	2.35	0.457	0.42	0.8	268
10434		88.0	<0.002	0.15	0.36	45.5	1	1.0	108.0	0.20	<0.05	2.25	0.464	0.32	0.8	275
10435		70.7	<0.002	0.19	0.42	45.3	1	1.3	96.0	0.20	<0.05	2.19	0.459	0.24	0.8	278
10436		11.0	0.004	0.32	3.46	34.7	2	1.5	52.4	0.17	0.16	1.95	0.303	0.05	0.8	206
10437		0.6	<0.002	0.01	0.07	0.5	1	<0.2	85.3	<0.05	<0.05	0.08	0.008	<0.02	0.2	3
10438		76.4	0.002	0.11	0.53	44.5	1	0.8	105.0	0.20	<0.05	2.32	0.446	0.26	0.8	269
10439		71.3	0.003	0.12	0.53	45.1	<1	2.1	100.5	0.22	<0.05	2.21	0.438	0.29	0.9	264
10440		69.7	0.002	0.12	0.52	42.9	1	2.0	94.6	0.19	<0.05	2.08	0.441	0.25	0.8	267
10441		2.1	0.014	1.85	1.57	14.7	3	28.4	54.5	0.06	0.28	0.23	0.038	0.05	0.8	75
10442		0.7	<0.002	0.01	0.07	0.9	<1	0.2	88.0	<0.05	<0.05	0.09	0.014	<0.02	0.2	5
10443		19.5	<0.002	2.67	2.11	18.6	1	1.4	415	1.14	<0.05	2.63	1.005	0.09	0.7	144
10444		56.8	<0.002	0.12	0.87	40.9	<1	2.2	101.0	0.21	<0.05	2.06	0.427	0.30	0.7	261
10445		50.9	<0.002	0.13	0.75	41.5	1	1.3	110.0	0.19	<0.05	2.01	0.420	0.20	0.7	248
10446		77.6	0.002	0.10	0.51	41.9	1	0.7	115.0	0.21	<0.05	2.14	0.440	0.39	0.7	266
10447		82.6	0.002	0.10	0.19	43.7	1	0.7	118.0	0.21	<0.05	2.16	0.445	0.45	0.7	266
10448		81.9	0.003	0.10	0.22	41.5	1	0.8	124.5	0.20	<0.05	2.09	0.418	0.45	0.7	248
10449		83.9	<0.002	0.10	0.21	42.4	<1	0.7	134.0	0.20	<0.05	2.03	0.419	0.46	0.7	251

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10410		1.4	21.5	106	68.4					75.6	92.3
10411		0.7	22.6	183	84.2						93.9
10412		1.2	20.8	135	71.8						
10413		0.6	21.3	176	74.6						
10414		0.6	20.7	217	70.3						
10415		1.6	21.0	107	66.8						
10416		0.8	19.7	107	66.7						
10417		0.6	20.2	127	71.4						
10418		0.5	20.7	123	72.3						
10419		0.6	26.2	105	69.8						
10420		1.2	23.1	87	73.6						
10421		1.3	20.4	110	68.1						
10422		0.4	19.1	134	66.2						
10423		0.6	19.2	120	67.5						
10424		2.6	73.7	71	33.7			1.160			
10425		<0.1	2.2	5	1.8						
10426		1.1	19.9	115	63.8						
10427		0.9	18.8	114	64.7						
10428		2.9	25.5	105	59.7						
10429		0.7	19.1	109	65.0						
10430		0.5	18.6	113	67.5						
10431		0.4	18.7	118	66.5						
10432		0.6	18.9	108	64.8						
10433		0.4	19.1	105	65.6						
10434		0.6	19.2	94	66.2						
10435		1.9	20.3	85	66.1						
10436		3.4	38.3	55	51.0						
10437		<0.1	2.4	4	1.8						
10438		0.7	19.6	87	64.5						
10439		1.6	21.4	100	67.7						
10440		1.4	19.4	100	60.9						
10441		137.0	104.5	22	5.1						
10442		0.6	3.0	5	2.5						
10443		1.6	20.1	121	132.5		2.02		2.27		
10444		2.6	22.7	100	64.5						
10445		2.4	19.9	70	62.9	207					
10446		0.5	18.3	94	64.2						
10447		0.4	18.1	101	67.6						
10448		0.4	17.1	99	65.3						
10449		0.4	17.3	104	64.7					71.4	85.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10450		0.99	0.17	6.91	2.3	170	0.46	0.11	5.39	0.12	16.25	46.2	8	0.59	116.5	7.96
10451		2.16	0.13	7.04	2.3	180	0.51	0.07	5.75	0.13	16.20	54.9	9	0.82	121.5	7.95
10452		2.07	0.10	7.04	2.2	190	0.45	0.07	5.81	0.13	15.40	46.1	9	0.88	132.5	8.02
10453		1.11	0.58	6.85	27.3	170	0.97	0.40	4.97	0.09	15.30	572	9	0.83	434	10.35
10454		2.01	1.13	7.04	8.7	150	0.85	0.26	4.48	0.03	16.40	169.5	9	0.83	1815	10.15
10455		1.34	0.17	7.41	2.4	160	0.67	0.09	5.52	0.08	16.05	59.5	9	0.82	228	8.95
10456		0.24	21.8	4.09	70.9	80	1.40	1.00	9.14	0.10	14.20	2340	5	0.39	>10000	16.35
10457		0.89	0.22	7.37	3.0	160	0.64	0.10	5.55	0.06	16.05	53.9	9	0.71	281	8.25
10458		2.17	0.24	7.34	3.2	150	0.57	0.11	5.94	0.14	16.80	55.2	10	0.65	392	8.36
10459		1.24	0.12	7.44	2.6	150	0.47	0.09	5.60	0.08	16.70	46.4	9	0.60	129.5	8.20
10460		1.32	0.13	7.22	3.0	180	0.49	0.09	6.03	0.12	15.85	48.0	10	0.81	132.0	8.06
10461		2.52	0.14	7.29	4.6	140	0.52	0.10	5.58	0.05	15.70	45.4	9	0.61	123.5	7.97
10462		1.02	0.21	7.18	29.4	40	0.88	0.22	3.15	0.03	13.85	66.8	10	0.18	184.0	8.40
10463		0.40	0.71	5.20	45.2	<10	1.26	0.96	23.4	<0.02	89.2	56.8	3	<0.05	801	5.54
10464		0.99	0.14	7.34	6.4	70	0.95	0.16	4.45	0.05	14.95	47.5	10	0.27	118.0	8.69
10465		2.02	0.14	7.49	5.2	130	0.85	0.10	5.68	0.11	15.30	45.2	10	0.69	117.5	8.27
10466		1.70	0.14	7.08	3.0	130	0.73	0.10	5.72	0.08	14.70	44.5	10	0.57	129.5	8.19
10467		2.61	0.18	7.55	2.8	150	0.51	0.09	5.94	0.11	15.50	47.1	10	0.69	126.5	8.28
10468		2.12	0.11	7.30	2.4	150	0.53	0.07	5.82	0.10	15.30	45.6	11	0.79	120.0	7.91
10469		2.62	0.12	7.54	2.4	180	0.48	0.06	6.29	0.12	15.20	46.6	14	0.69	132.5	8.06
10470		1.89	2.03	7.06	6.8	110	0.95	0.28	5.22	0.06	18.65	95.3	12	0.64	4390	9.43
10471		1.06	1.76	7.27	9.0	110	0.98	0.40	5.36	0.05	20.7	127.0	13	0.77	3990	9.97
10472		1.12	1.34	6.16	119.0	90	1.51	0.29	9.98	0.02	32.0	130.0	11	1.43	3830	6.83
10473		1.10	0.91	7.29	19.4	120	1.25	0.12	5.41	0.04	15.35	82.5	14	1.46	2180	8.95
10474		1.34	0.13	7.36	1.8	80	0.91	0.09	5.05	0.04	18.10	45.9	14	1.68	239	7.42
10475		0.59	0.02	0.09	1.8	20	0.06	0.01	32.5	0.02	1.15	1.6	1	<0.05	8.4	0.14
10476		2.15	0.10	7.25	1.9	140	0.78	0.08	4.70	0.13	14.60	42.7	14	0.97	136.5	8.10
10477		1.01	1.02	7.30	5.1	140	0.87	0.13	4.62	0.09	14.10	84.0	15	0.83	2380	10.20
10478		1.56	0.09	7.35	2.4	170	0.48	0.10	6.28	0.12	14.30	43.9	15	0.72	147.5	7.79
10479		1.18	0.13	7.58	2.5	150	0.51	0.07	6.22	0.15	14.65	44.5	16	0.72	141.5	7.75
10480		1.18	0.13	7.63	2.2	150	0.45	0.10	6.02	0.15	15.90	44.6	16	0.71	126.0	7.59
10481		0.07	3.83	5.32	12.9	110	0.58	0.87	3.36	2.12	17.65	952	256	0.81	>10000	17.35
10482		2.43	0.09	7.44	2.1	160	0.43	0.07	6.00	0.18	16.00	43.3	16	0.68	134.5	7.18
10483		2.20	0.31	7.66	4.0	160	0.54	0.16	5.79	0.22	16.80	50.2	16	1.02	663	8.01
10484		2.22	0.07	7.64	5.2	160	0.38	0.06	6.61	0.09	15.45	45.2	18	1.10	132.5	7.58
10485		1.07	0.14	7.52	40.3	100	0.49	0.13	6.15	0.07	19.60	48.1	18	0.80	148.0	7.16
10486		0.61	4.73	3.23	2430	10	0.82	3.08	15.50	0.02	94.8	1845	13	0.14	7190	5.30
10487		1.06	0.11	7.53	38.0	110	0.50	0.08	6.27	0.07	20.2	51.3	18	0.60	131.5	7.29
10488		2.47	0.07	7.66	13.4	140	0.44	0.06	6.72	0.11	15.85	51.6	20	1.11	146.5	7.75
10489		2.18	0.19	7.81	5.2	120	0.45	0.11	6.45	0.11	15.70	49.1	22	0.84	162.0	7.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10450		16.35	0.13	1.6	0.062	1.56	7.3	31.3	3.70	1460	0.40	2.17	2.4	51.9	310	10.6
10451		16.75	0.17	1.5	0.072	1.70	7.4	28.6	3.55	1400	0.51	1.68	2.4	53.9	300	43.7
10452		16.75	0.17	1.6	0.054	1.76	6.9	27.9	3.63	1380	0.47	1.72	2.5	54.6	260	12.1
10453		17.20	0.16	1.5	0.075	1.72	6.9	32.9	3.70	1260	0.96	1.64	2.3	88.3	250	54.2
10454		17.60	0.14	1.5	0.110	1.61	7.3	38.0	4.15	1260	12.25	1.87	2.5	70.2	260	18.2
10455		17.75	0.15	1.6	0.069	1.98	7.2	29.1	3.75	1340	0.51	1.66	2.5	57.3	270	7.2
10456		11.35	0.12	0.8	0.115	0.74	7.8	16.3	2.36	1280	5.53	1.17	1.6	414	120	31.0
10457		17.35	0.11	1.5	0.072	1.89	6.9	28.1	3.81	1390	0.87	1.79	2.5	56.5	270	12.6
10458		17.10	0.13	1.5	0.063	1.82	7.7	27.8	3.82	1380	0.68	1.85	2.4	57.7	310	7.8
10459		16.35	0.14	1.5	0.063	1.61	7.9	29.9	3.97	1420	0.44	2.21	2.4	56.2	270	5.7
10460		17.20	0.15	1.5	0.052	1.85	7.2	32.1	3.71	1420	0.53	1.65	2.4	58.7	280	6.2
10461		16.55	0.15	1.5	0.056	1.62	7.0	30.3	3.84	1440	0.40	2.12	2.3	57.7	290	3.9
10462		17.90	0.17	1.6	0.059	0.53	5.6	46.2	3.99	1440	2.24	3.29	2.7	70.3	250	4.5
10463		20.7	0.16	0.4	0.348	0.05	46.3	13.7	1.11	1130	1.15	0.53	0.9	18.2	190	7.2
10464		15.85	0.16	1.5	0.065	0.90	6.6	39.7	4.20	1690	0.32	2.94	2.5	63.0	290	12.7
10465		17.50	0.16	1.5	0.066	1.66	6.9	40.2	4.01	1580	0.40	2.06	2.4	61.5	250	13.4
10466		17.30	0.14	1.5	0.058	1.74	6.6	32.5	3.81	1390	1.33	1.96	2.4	59.1	260	15.1
10467		17.15	0.19	1.5	0.062	1.81	7.0	35.8	3.98	1400	0.41	1.97	2.3	59.0	270	17.3
10468		16.95	0.15	1.5	0.056	1.71	7.1	32.5	3.77	1350	0.49	1.85	2.4	57.8	280	12.1
10469		17.15	0.16	1.5	0.066	1.90	6.8	29.1	3.85	1400	0.46	1.80	2.4	63.3	280	5.5
10470		16.15	0.16	1.5	0.176	1.67	8.0	36.7	4.59	1240	2.23	1.84	2.4	72.8	360	14.3
10471		17.40	0.17	1.6	0.178	1.87	8.8	33.7	4.35	1300	0.60	1.78	2.3	75.3	420	9.6
10472		14.80	0.14	1.1	0.294	0.86	14.8	66.6	3.21	1460	0.70	1.98	1.8	60.4	320	123.0
10473		16.85	0.14	1.5	0.112	1.55	7.1	54.2	3.78	1300	0.48	2.02	2.2	61.2	250	8.9
10474		16.75	0.19	1.4	0.079	1.32	9.4	72.4	4.32	1450	0.32	2.31	2.2	60.2	250	11.7
10475		0.24	0.14	<0.1	<0.005	0.02	1.2	1.4	2.12	121	0.06	0.03	0.1	0.6	70	0.5
10476		16.70	0.14	1.4	0.072	1.69	6.4	50.4	4.22	1360	0.55	2.02	2.3	61.2	250	67.7
10477		17.05	0.13	1.4	0.103	1.71	6.2	40.0	4.17	1280	0.69	1.93	2.1	65.1	220	19.5
10478		16.65	0.12	1.4	0.057	1.96	6.4	25.4	3.80	1360	0.50	1.67	2.3	62.5	270	9.4
10479		16.55	0.16	1.5	0.059	1.75	6.5	34.9	4.01	1360	0.43	1.98	2.3	65.3	260	31.2
10480		16.15	0.07	1.6	0.052	1.74	7.1	35.8	3.90	1400	0.84	1.90	2.3	67.7	270	34.5
10481		11.35	0.18	1.2	0.134	0.30	8.0	9.6	3.84	990	4.75	1.15	5.0	>10000	450	14.9
10482		15.80	0.08	1.4	0.052	1.77	7.3	33.2	3.73	1420	0.42	1.78	2.3	91.5	270	42.2
10483		16.00	0.08	1.5	0.076	1.76	7.8	40.6	4.32	1460	0.83	1.77	2.3	72.2	300	17.0
10484		15.90	0.08	1.5	0.050	1.57	7.2	31.9	4.16	1420	0.42	1.56	2.2	73.3	260	6.8
10485		15.45	0.07	1.5	0.107	1.48	9.1	34.1	3.93	1460	0.45	1.98	2.1	72.6	230	17.1
10486		11.10	0.15	0.6	0.721	0.10	39.2	38.5	1.81	1400	26.7	1.28	1.1	126.0	810	239
10487		15.25	<0.05	1.4	0.068	1.44	9.4	36.5	4.32	1620	0.51	2.19	2.2	70.8	250	12.9
10488		15.35	0.06	1.5	0.052	1.38	7.4	33.2	4.40	1440	0.48	1.63	2.3	74.0	260	7.6
10489		15.75	0.06	1.4	0.067	1.40	7.4	38.6	4.67	1470	0.55	2.08	2.2	79.8	260	6.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10450		61.1	<0.002	0.09	0.41	40.4	1	0.7	127.5	0.19	<0.05	1.79	0.412	0.42	0.6	249
10451		82.8	0.004	0.11	0.26	41.6	1	0.7	129.5	0.19	<0.05	1.88	0.402	0.49	0.6	245
10452		70.9	<0.002	0.09	0.26	40.5	1	0.7	133.5	0.18	<0.05	1.82	0.407	0.41	0.6	251
10453		84.3	0.004	1.38	0.32	39.1	2	0.9	118.0	0.17	0.25	1.73	0.384	0.38	0.6	251
10454		76.1	0.013	0.70	0.42	40.7	2	1.8	107.5	0.19	0.18	1.79	0.394	0.32	1.9	258
10455		93.9	0.003	0.15	0.35	42.8	1	0.9	110.0	0.18	<0.05	1.84	0.411	0.38	0.6	259
10456		31.6	0.010	5.71	0.62	22.7	9	18.5	84.3	0.11	0.60	0.82	0.200	0.21	1.0	143
10457		81.4	<0.002	0.11	0.40	42.0	1	0.9	108.5	0.19	<0.05	1.76	0.411	0.33	0.8	245
10458		77.7	0.002	0.12	0.26	41.1	<1	0.9	114.5	0.17	<0.05	1.92	0.411	0.33	0.7	250
10459		70.9	<0.002	0.09	0.21	40.9	<1	0.7	109.5	0.18	<0.05	1.82	0.403	0.35	0.6	251
10460		77.0	<0.002	0.09	0.23	42.2	1	0.7	115.5	0.19	<0.05	1.66	0.402	0.46	0.6	246
10461		71.5	<0.002	0.09	0.25	40.2	<1	0.7	111.5	0.17	<0.05	1.84	0.391	0.35	0.6	241
10462		8.7	0.004	0.15	0.14	36.3	<1	1.9	68.3	0.19	<0.05	1.45	0.405	0.12	1.2	238
10463		0.6	0.002	0.24	1.32	16.6	1	5.3	658	0.05	<0.05	0.52	0.110	<0.02	4.8	195
10464		25.8	0.002	0.10	0.19	42.6	1	0.9	90.5	0.19	<0.05	1.81	0.419	0.16	0.7	252
10465		65.5	0.002	0.09	0.29	41.1	<1	0.7	112.5	0.17	<0.05	1.74	0.401	0.31	0.7	246
10466		54.2	0.002	0.09	0.26	39.2	1	0.8	114.0	0.17	<0.05	1.73	0.397	0.30	1.1	248
10467		68.4	0.002	0.10	0.24	40.6	1	0.7	118.5	0.19	<0.05	1.85	0.404	0.37	0.6	253
10468		74.2	0.003	0.10	0.19	40.5	1	0.7	118.0	0.17	<0.05	1.84	0.387	0.37	0.6	238
10469		71.2	<0.002	0.09	0.17	40.5	1	0.7	134.5	0.18	<0.05	1.64	0.401	0.43	0.6	248
10470		77.6	0.005	0.72	0.18	38.3	2	1.1	103.5	0.18	0.13	2.00	0.364	0.32	1.3	223
10471		85.6	0.002	0.88	0.24	40.2	3	1.0	103.5	0.18	0.19	1.84	0.368	0.32	0.8	236
10472		37.3	0.003	0.60	0.75	32.0	2	0.8	95.9	0.12	0.14	1.41	0.323	0.21	0.5	217
10473		71.1	0.003	0.43	0.30	37.5	2	0.8	112.5	0.16	0.08	1.65	0.377	0.32	0.6	253
10474		47.6	0.002	0.08	0.20	38.3	1	0.7	96.5	0.17	<0.05	1.63	0.377	0.21	0.5	236
10475		0.5	<0.002	<0.01	<0.05	0.3	1	<0.2	75.1	<0.05	<0.05	0.07	0.006	<0.02	0.2	2
10476		56.7	<0.002	0.09	0.36	38.0	1	0.8	130.0	0.16	<0.05	1.58	0.381	0.34	0.6	238
10477		79.5	0.003	0.48	0.31	37.6	1	1.0	117.0	0.16	0.12	1.60	0.374	0.32	0.7	254
10478		62.4	<0.002	0.09	0.18	38.2	<1	0.7	137.0	0.18	<0.05	1.60	0.390	0.43	0.6	243
10479		68.3	<0.002	0.09	0.16	40.9	1	0.7	137.0	0.16	<0.05	1.76	0.390	0.37	0.6	240
10480		67.9	<0.002	0.09	0.49	40.2	1	0.6	136.5	0.18	<0.05	1.83	0.405	0.38	0.6	244
10481		10.9	0.040	8.20	2.72	8.6	22	2.5	183.5	0.33	3.70	1.15	0.521	0.19	0.4	77
10482		78.7	<0.002	0.09	0.24	41.4	1	0.6	138.0	0.18	<0.05	1.82	0.391	0.37	0.8	239
10483		81.8	<0.002	0.20	0.27	41.5	1	0.7	137.5	0.17	<0.05	1.96	0.392	0.36	0.6	243
10484		64.9	0.002	0.09	0.49	42.1	1	0.6	150.5	0.16	<0.05	1.82	0.389	0.37	0.6	245
10485		61.6	<0.002	0.09	0.89	41.1	<1	0.7	115.0	0.17	<0.05	1.80	0.375	0.32	0.6	239
10486		3.6	0.011	1.91	3.65	19.2	3	3.3	47.5	0.08	0.30	0.78	0.140	0.07	16.0	108
10487		56.5	<0.002	0.08	1.35	40.5	<1	0.7	117.5	0.17	<0.05	1.77	0.375	0.28	0.6	238
10488		56.9	<0.002	0.09	0.55	41.9	<1	0.6	130.0	0.17	<0.05	1.85	0.400	0.28	0.6	249
10489		55.9	<0.002	0.12	0.22	44.0	<1	0.6	128.5	0.17	<0.05	1.80	0.387	0.32	0.6	246

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10450		0.8	16.0	104	59.1						
10451		0.4	16.3	102	58.3						
10452		0.5	15.9	102	59.0						
10453		0.6	18.0	95	55.4						
10454		2.7	19.1	84	56.6						
10455		0.5	17.5	80	59.0						
10456		36.2	13.8	49	26.9			5.11			
10457		0.8	18.4	79	57.8						
10458		0.6	16.4	91	59.6						
10459		0.7	15.9	96	56.1						
10460		0.4	16.1	100	54.1						
10461		0.7	16.0	82	56.0						
10462		3.5	14.8	111	60.4						
10463		1.3	32.7	34	13.5						
10464		2.8	17.3	112	59.8						
10465		0.6	15.4	90	58.7						
10466		0.6	15.7	89	56.4						
10467		0.5	16.2	96	57.1						
10468		0.5	15.5	94	56.2						
10469		0.3	16.0	86	56.6						
10470		0.4	23.4	93	54.5						
10471		0.3	23.3	78	55.7						
10472		0.7	25.1	82	44.4						
10473		0.4	16.7	80	51.6						
10474		0.4	14.9	115	53.4						
10475		0.1	2.0	5	1.8						
10476		0.3	16.4	107	52.9						
10477		0.4	16.9	95	53.4						
10478		0.3	14.7	91	53.6						
10479		0.3	15.4	108	54.9						
10480		0.3	15.9	106	53.4						
10481		2.2	9.4	140	47.0			1.530	4.42		
10482		0.3	16.2	110	51.4						
10483		0.3	17.3	128	50.7						
10484		0.3	15.5	88	49.9						
10485		0.7	16.3	87	48.3						
10486		3.3	43.8	42	19.7						
10487		0.5	17.5	82	50.1						
10488		0.3	15.5	89	52.5						
10489		0.3	15.7	88	50.9					82.4	92.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10490		2.14	0.28	8.03	17.5	120	0.42	0.07	6.99	0.09	14.55	47.4	22	1.04	133.5	7.55
10491		1.05	0.26	7.33	30.7	50	0.92	0.48	8.00	0.14	15.10	62.7	21	0.27	108.0	6.89
10492		2.25	0.20	7.66	11.7	120	0.44	0.08	7.04	0.12	14.60	46.3	21	1.09	157.0	7.30
10493		2.18	0.13	7.95	3.4	120	0.48	0.06	7.17	0.18	14.35	46.0	28	1.00	160.0	7.29
10494		2.15	0.14	7.95	2.2	140	0.37	0.09	7.32	0.12	14.25	45.3	29	0.79	140.0	7.49
10495		2.22	0.09	7.67	1.9	110	0.36	0.06	7.05	0.11	14.00	45.0	29	0.78	142.5	7.04
10496		2.43	0.10	7.44	9.3	100	0.52	0.06	7.15	0.13	14.20	45.2	31	0.97	156.5	6.84
10497		2.24	0.12	7.60	7.3	100	0.52	0.06	6.84	0.09	13.05	42.8	28	0.87	147.0	6.82
10498		1.54	0.36	7.29	28.8	80	1.10	0.08	5.29	1.17	13.65	41.2	30	2.19	409	7.07
10499		2.26	0.11	7.95	1.5	120	0.45	0.06	6.85	0.15	14.00	47.3	30	0.79	146.0	7.28
10500		2.04	0.10	7.71	1.1	110	0.36	0.05	7.35	0.15	13.45	46.6	31	0.94	150.0	7.14
10501		2.19	0.07	8.20	1.0	130	0.35	0.07	7.65	0.12	13.70	45.0	35	1.13	159.5	6.96
10502		2.20	0.09	8.03	2.4	110	0.31	0.06	7.79	0.12	13.00	47.8	45	0.95	151.0	7.18
10503		1.06	0.27	7.43	200	80	1.20	0.87	11.20	0.09	40.6	148.5	33	0.70	214	4.95
10504		0.93	0.08	8.44	12.0	120	0.31	0.10	6.72	0.16	12.20	42.2	34	0.90	152.5	6.27
10505		0.91	0.71	7.52	374	70	0.76	3.76	7.14	0.18	27.4	302	40	0.54	1420	6.31
10506		2.22	0.10	7.80	4.0	80	0.41	0.07	6.58	0.14	12.50	43.9	42	0.83	156.5	6.73
10507		2.14	0.07	8.48	2.2	140	0.39	0.07	7.56	0.12	11.55	41.1	42	0.97	140.5	6.34
10508		1.98	0.08	8.17	2.0	160	0.30	0.07	7.09	0.06	9.31	35.7	32	0.86	127.5	5.81
10509		2.28	0.14	8.00	4.9	140	0.37	0.08	6.77	0.19	10.90	44.0	45	0.85	217	7.11
10510		2.14	0.10	8.27	1.3	150	0.31	0.06	7.28	0.19	10.45	36.5	43	1.07	125.5	5.84
10511		1.90	0.18	8.57	2.3	130	0.40	0.09	6.91	0.89	11.65	41.0	59	1.02	158.5	6.64
10512		2.29	0.08	8.38	0.8	90	0.31	0.04	7.22	0.13	10.30	44.1	62	1.05	139.0	6.61
10513		1.06	0.19	8.19	61.1	70	2.40	0.55	8.44	0.04	29.0	50.3	66	1.14	378	5.39
10514		0.98	0.12	7.61	16.5	90	1.03	0.08	7.22	0.09	12.60	40.8	61	1.47	215	5.81
10515		1.04	0.11	8.02	1.6	130	0.40	0.06	5.91	0.27	10.55	43.0	64	1.17	156.0	6.51
10516		1.68	0.11	7.63	<0.2	110	0.37	0.04	5.73	0.17	9.79	41.5	71	1.07	141.0	6.06
10517		2.11	0.11	8.01	0.9	140	0.33	0.04	5.56	0.24	9.56	40.3	66	1.14	147.5	5.90
10518		1.88	0.11	8.28	1.1	150	0.32	0.04	5.67	0.10	8.86	38.6	64	1.80	134.5	5.92
10519		0.81	0.08	8.16	1.4	140	0.38	0.04	5.07	0.13	8.75	33.7	57	1.50	120.0	5.48
10520		0.78	0.12	8.34	2.2	140	0.42	0.05	5.12	0.91	8.99	35.9	57	1.54	125.0	5.73
10521		0.06	>100	4.55	707	80	0.87	63.3	0.66	26.6	32.9	10.0	32	2.72	5400	2.29
10522		0.86	0.83	7.58	278	60	0.85	1.89	7.11	0.04	26.3	231	48	0.54	654	5.04
10523		0.93	0.10	8.07	2.2	130	0.62	0.05	3.59	0.04	8.75	36.6	60	1.52	119.0	5.83
10524		0.63	0.14	8.31	6.6	70	0.85	0.12	4.96	0.04	10.80	33.5	63	0.70	118.5	5.61
10525		0.59	0.01	0.18	<0.2	20	0.05	0.02	32.6	0.02	1.10	1.2	2	0.17	3.5	0.21
10526		1.30	0.09	8.10	0.6	120	0.64	0.07	5.08	0.03	11.25	36.6	70	1.17	202	5.95
10527		1.05	0.11	8.21	9.9	110	0.83	0.11	5.20	0.05	11.30	40.6	76	1.24	189.0	6.12
10528		1.88	0.10	8.28	2.5	120	0.33	0.07	6.40	0.09	10.40	38.2	67	1.21	144.5	5.98
10529		2.27	0.07	8.50	<0.2	120	0.31	0.04	7.07	0.10	8.88	39.0	64	1.25	119.5	5.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10490		15.45	0.06	1.4	0.057	1.39	6.8	37.0	4.39	1510	0.41	1.76	2.0	85.1	250	8.6
10491		12.70	<0.05	1.3	0.045	0.86	7.3	30.7	4.08	1520	0.36	2.81	2.0	80.1	230	48.0
10492		15.75	0.05	1.4	0.057	1.28	6.8	36.3	4.28	1450	0.43	1.61	2.1	79.1	240	10.7
10493		15.15	0.06	1.3	0.053	1.35	6.7	33.9	4.56	1540	0.33	1.70	2.0	88.1	230	46.1
10494		15.40	0.06	1.2	0.057	1.63	6.7	28.8	4.48	1460	0.29	1.60	1.9	87.8	240	9.9
10495		15.10	0.06	1.3	0.052	1.38	6.4	29.9	4.35	1400	0.31	1.62	2.0	85.4	230	5.9
10496		14.85	0.08	1.2	0.051	1.42	6.6	37.7	4.17	1340	0.27	1.58	1.9	87.8	220	37.0
10497		14.45	0.05	1.3	0.053	1.68	6.3	28.3	4.18	1360	0.28	1.52	1.8	87.5	210	8.3
10498		14.25	0.06	1.3	0.077	0.88	6.7	129.5	4.80	1200	0.28	2.00	1.7	86.4	220	519
10499		15.90	0.07	1.4	0.054	1.61	6.5	35.6	4.71	1480	0.33	1.74	2.0	95.0	230	9.0
10500		15.25	0.07	1.3	0.056	1.26	6.3	30.8	4.43	1400	0.31	1.51	1.9	95.4	210	9.2
10501		15.85	0.06	1.3	0.051	1.13	6.2	39.9	4.40	1300	0.35	1.68	1.9	95.8	220	5.9
10502		15.25	0.06	1.3	0.048	1.32	6.1	33.3	4.94	1390	0.31	1.54	1.8	108.5	210	4.3
10503		14.00	0.09	1.1	0.165	1.30	19.0	44.3	3.08	1140	2.76	2.05	1.7	85.6	190	15.1
10504		16.55	0.07	1.2	0.053	1.96	5.5	37.6	3.85	1340	0.36	1.59	1.8	88.8	220	8.4
10505		14.75	0.06	1.1	0.122	1.29	12.5	37.8	3.80	1470	13.45	2.30	1.8	124.5	240	67.0
10506		15.10	<0.05	1.2	0.053	0.94	5.7	43.0	4.52	1410	0.25	2.71	1.7	102.0	200	6.9
10507		15.40	0.05	1.2	0.048	1.31	5.3	34.8	4.14	1260	0.36	1.52	1.7	93.3	200	4.9
10508		16.25	0.06	1.1	0.043	1.50	4.3	38.9	3.17	1130	0.32	1.69	1.8	75.9	220	5.6
10509		14.40	0.08	1.0	0.068	1.28	5.1	40.0	4.63	1470	0.41	1.98	1.5	102.0	190	9.6
10510		15.85	<0.05	1.2	0.043	1.32	4.9	39.2	3.61	1170	0.42	1.50	1.8	85.3	200	8.7
10511		14.90	0.05	1.2	0.058	1.43	5.4	43.2	4.58	1330	0.32	1.77	1.7	95.6	190	219
10512		14.45	0.07	1.1	0.040	1.25	4.8	34.6	4.83	1280	0.26	1.33	1.4	111.0	180	9.9
10513		14.70	0.07	1.0	0.103	1.11	17.2	68.7	3.46	1460	0.99	2.81	1.5	113.0	170	31.8
10514		13.25	0.06	0.9	0.069	1.69	6.4	73.7	4.69	1400	0.26	1.57	1.5	110.0	170	309
10515		14.60	<0.05	1.1	0.033	1.88	4.9	65.9	5.48	1200	0.25	1.37	1.5	115.5	180	211
10516		14.60	0.10	1.1	0.035	1.64	4.5	65.0	5.32	1150	0.30	1.70	1.6	119.0	180	51.6
10517		15.65	0.13	1.1	0.045	1.77	4.3	57.3	5.06	1260	0.27	1.81	1.7	106.5	190	112.5
10518		15.90	0.15	1.0	0.039	1.87	3.9	52.7	4.73	1160	0.24	1.84	1.5	101.0	180	11.4
10519		15.35	0.13	1.0	0.039	1.90	3.8	54.9	4.47	1160	0.21	2.02	1.4	88.4	170	23.5
10520		16.05	0.13	1.0	0.037	1.91	4.0	57.9	4.77	1180	0.20	1.98	1.5	92.8	190	145.0
10521		22.5	0.16	2.8	5.62	0.71	15.7	21.7	0.20	242	4.55	0.47	7.7	61.7	600	1095
10522		16.10	0.18	0.8	0.141	1.32	12.8	71.5	4.03	860	3.77	2.79	1.5	105.0	180	5.0
10523		15.75	0.13	0.9	0.043	2.12	4.0	58.2	5.04	1160	0.22	2.05	1.5	96.1	180	2.9
10524		14.85	0.15	1.0	0.079	1.39	5.1	65.1	4.53	1120	0.27	3.05	1.4	88.6	190	22.8
10525		0.38	0.09	<0.1	<0.005	0.03	1.2	2.1	1.63	134	<0.05	0.05	0.1	2.3	70	2.2
10526		15.35	0.10	1.0	0.058	2.07	5.1	46.1	4.60	928	0.23	1.44	1.5	99.6	180	6.6
10527		15.15	0.13	1.0	0.060	2.08	5.4	66.7	4.91	1070	0.29	1.56	1.4	108.5	170	41.7
10528		15.00	0.12	1.0	0.043	1.58	4.9	44.4	4.65	1030	0.25	1.40	1.4	101.5	180	33.0
10529		15.85	0.13	1.1	0.039	1.29	4.1	35.8	4.21	985	0.24	1.34	1.4	99.4	180	6.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10490		53.6	<0.002	0.09	0.40	41.5	<1	0.6	126.5	0.17	<0.05	1.72	0.380	0.33	0.6	242
10491		34.3	<0.002	0.31	0.34	40.8	1	0.6	122.5	0.16	<0.05	1.60	0.360	0.16	0.5	221
10492		54.5	<0.002	0.08	0.30	43.1	<1	0.6	130.0	0.16	<0.05	1.66	0.367	0.33	0.5	235
10493		56.1	<0.002	0.08	0.21	43.5	1	0.6	147.0	0.14	<0.05	1.62	0.355	0.27	0.5	235
10494		66.2	<0.002	0.09	0.19	42.7	2	0.6	150.0	0.14	<0.05	1.48	0.365	0.28	0.5	242
10495		56.3	<0.002	0.09	0.24	42.4	1	0.5	143.5	0.14	<0.05	1.60	0.356	0.26	0.5	232
10496		57.2	<0.002	0.08	0.51	41.8	<1	0.5	128.5	0.14	<0.05	1.55	0.345	0.29	0.5	226
10497		64.8	<0.002	0.08	0.85	39.8	1	0.5	127.0	0.14	0.05	1.55	0.333	0.29	0.5	218
10498		33.7	<0.002	0.10	0.31	37.9	1	0.5	104.5	0.13	<0.05	1.43	0.325	0.21	0.5	214
10499		65.6	<0.002	0.08	0.30	44.3	<1	0.5	151.0	0.15	<0.05	1.66	0.353	0.30	0.5	235
10500		53.6	<0.002	0.08	0.14	41.9	1	0.5	146.0	0.15	<0.05	1.55	0.341	0.29	0.5	225
10501		45.5	<0.002	0.09	0.12	41.7	1	0.5	171.0	0.14	<0.05	1.62	0.350	0.32	0.5	228
10502		56.8	<0.002	0.08	0.41	46.5	1	0.5	132.5	0.15	<0.05	1.49	0.335	0.28	0.5	234
10503		55.6	<0.002	0.15	0.57	35.4	1	0.7	95.3	0.12	0.07	1.33	0.280	0.26	0.8	182
10504		55.3	<0.002	0.09	1.22	37.2	1	0.5	120.0	0.14	<0.05	1.30	0.329	0.40	0.5	211
10505		56.0	0.002	0.47	1.70	41.6	1	0.9	129.5	0.13	0.12	1.42	0.309	0.29	1.9	214
10506		28.0	<0.002	0.09	0.38	41.5	1	0.5	131.0	0.13	0.05	1.33	0.327	0.25	0.8	224
10507		45.7	<0.002	0.07	0.13	36.5	1	0.5	186.5	0.13	<0.05	1.34	0.304	0.40	0.4	201
10508		29.4	<0.002	0.07	0.13	26.3	1	0.4	180.5	0.14	<0.05	1.01	0.314	0.42	0.4	191
10509		58.1	<0.002	0.13	0.14	38.9	1	0.4	155.0	0.12	<0.05	1.21	0.286	0.39	0.5	200
10510		28.4	<0.002	0.07	0.14	29.1	1	0.5	184.5	0.15	<0.05	1.11	0.307	0.38	0.4	191
10511		58.0	<0.002	0.08	0.19	39.5	1	0.5	154.5	0.13	<0.05	1.36	0.319	0.32	0.4	210
10512		47.0	<0.002	0.08	0.10	37.5	1	0.4	133.5	0.10	<0.05	1.21	0.289	0.24	0.4	197
10513		39.4	<0.002	0.07	0.16	37.7	1	0.5	92.0	0.12	<0.05	1.18	0.295	0.19	0.4	205
10514		70.4	<0.002	0.07	0.24	34.9	1	0.3	96.1	0.11	<0.05	1.21	0.282	0.28	0.4	186
10515		62.8	<0.002	0.07	0.17	34.8	<1	0.4	109.0	0.13	<0.05	1.19	0.287	0.33	0.4	190
10516		51.5	<0.002	0.07	0.24	38.1	<1	0.5	106.0	0.13	0.05	1.08	0.291	0.29	0.4	191
10517		38.8	<0.002	0.07	0.24	35.2	<1	0.4	137.0	0.14	<0.05	0.98	0.310	0.32	0.4	192
10518		35.1	<0.002	0.07	0.23	33.2	1	0.4	147.5	0.12	<0.05	0.92	0.288	0.34	0.3	187
10519		31.9	<0.002	0.07	0.22	29.0	<1	0.5	134.5	0.12	0.07	0.92	0.277	0.36	0.3	172
10520		40.9	<0.002	0.08	0.27	29.9	1	0.4	134.0	0.12	0.06	1.01	0.277	0.34	0.4	169
10521		26.9	<0.002	2.28	92.1	4.3	31	5.8	488	0.64	43.6	6.72	0.233	1.82	2.5	34
10522		44.8	0.002	0.20	0.35	28.1	1	0.9	72.5	0.09	0.23	0.93	0.227	0.18	4.2	150
10523		39.3	<0.002	0.06	0.16	29.4	<1	0.4	109.0	0.11	<0.05	0.81	0.278	0.34	0.3	171
10524		30.6	<0.002	0.06	0.14	28.0	<1	0.5	92.2	0.11	<0.05	0.87	0.273	0.19	0.5	176
10525		1.1	<0.002	<0.01	0.09	0.7	<1	<0.2	75.9	<0.05	<0.05	0.07	0.008	0.03	0.1	4
10526		47.5	<0.002	0.08	0.13	30.8	<1	0.4	104.5	0.12	0.06	0.88	0.284	0.34	0.3	177
10527		64.3	<0.002	0.07	0.18	34.0	<1	0.4	89.2	0.11	0.05	0.99	0.270	0.32	0.4	178
10528		43.9	<0.002	0.07	0.21	31.4	1	0.5	136.0	0.11	<0.05	0.97	0.275	0.30	0.4	172
10529		27.5	<0.002	0.07	0.13	29.7	<1	0.4	155.0	0.11	<0.05	0.99	0.267	0.34	0.3	166

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10490		0.2	15.0	87	46.9						
10491		0.5	13.1	132	46.7						
10492		0.3	15.1	86	48.0						
10493		0.2	14.8	110	47.9						
10494		0.2	14.2	84	43.3						
10495		0.2	14.3	75	44.6						
10496		0.3	14.1	86	45.0						
10497		0.2	13.2	72	41.9						
10498		0.3	12.8	527	40.4						
10499		0.2	15.0	85	48.0						
10500		0.2	14.1	99	44.8						
10501		0.2	14.0	77	46.8						
10502		0.2	14.0	75	42.3						
10503		0.7	25.5	64	37.1						
10504		0.3	12.8	84	41.9						
10505		0.8	20.6	83	39.2						
10506		0.4	13.2	77	41.7						
10507		0.2	11.9	72	40.4						
10508		0.2	9.7	66	37.2						
10509		0.2	12.3	98	34.5						
10510		0.2	10.7	97	40.6					72.6	
10511		0.2	12.9	258	39.9						
10512		0.2	11.5	85	33.8						
10513		0.8	14.0	65	36.9						
10514		0.2	11.7	84	32.9						
10515		0.2	11.2	150	36.0						
10516		0.2	11.2	115	37.6						
10517		0.2	10.6	134	39.3						
10518		0.2	10.2	83	34.0						
10519		0.2	9.8	93	34.6						
10520		0.2	10.2	312	35.2						
10521		13.7	6.2	4370	88.9	119					
10522		0.7	11.0	61	27.1						
10523		0.3	9.6	67	32.3						
10524		0.4	8.8	84	32.4						
10525		<0.1	2.1	8	1.6						
10526		0.3	10.3	62	33.8						
10527		0.2	10.4	74	34.3						
10528		0.2	10.7	73	34.1						
10529		0.2	9.8	64	34.1					71.7	89.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10530		2.03	0.08	8.17	1.8	160	0.35	0.06	5.85	0.09	8.37	38.2	73	1.14	114.5	6.05
10531		1.80	0.13	8.00	14.5	90	0.77	0.23	5.47	0.05	14.05	38.7	59	1.25	148.0	5.34
10532		1.91	0.25	8.43	2.4	100	0.27	0.13	5.50	0.70	10.55	38.9	73	1.23	328	6.02
10533		1.06	0.10	8.38	7.6	80	0.80	0.09	4.75	0.09	11.45	36.0	78	1.17	132.0	5.64
10534		0.95	0.10	8.05	4.5	70	1.14	0.10	3.92	0.03	10.30	34.5	59	0.86	110.0	5.67
10535		0.95	0.11	8.59	23.3	60	2.96	0.39	7.63	0.02	51.6	30.2	58	1.53	206	5.17
10536		2.23	0.08	8.27	2.8	110	0.49	0.04	5.83	0.04	9.31	36.9	58	0.83	117.5	5.72
10537		2.40	0.10	8.47	2.4	150	0.29	0.05	6.48	0.10	8.89	36.4	56	1.20	114.0	5.66
10538		2.08	0.06	8.92	0.9	140	0.24	0.06	6.59	0.09	7.91	37.5	66	1.19	114.5	5.95
10539		2.17	0.08	8.43	2.4	110	0.34	0.07	5.92	0.06	9.60	39.2	65	1.21	118.5	5.80
10540		2.22	0.08	7.98	2.4	100	0.42	0.09	5.96	0.09	65.0	46.6	90	1.14	127.5	7.22
10541		2.26	0.08	8.61	2.2	120	0.28	0.06	6.50	0.06	9.42	39.9	73	1.12	123.5	5.99
10542		2.02	0.08	7.85	5.5	90	0.39	0.09	5.57	0.05	8.35	39.3	67	0.86	132.5	5.98
10543		2.14	0.07	8.70	1.9	130	0.26	0.04	6.81	0.12	8.20	41.4	71	1.04	122.0	6.00
10544		0.90	0.09	8.05	6.4	80	1.32	0.11	6.88	0.06	12.30	32.7	78	1.19	124.5	5.12
10545		2.17	0.15	8.06	3.1	100	1.17	0.32	5.75	0.27	41.8	69.8	98	0.98	110.5	7.19
10546		2.47	0.33	8.39	3.2	100	1.07	0.18	5.97	0.38	17.05	70.7	106	1.08	115.5	7.22
10547		1.91	0.08	8.32	0.6	100	0.29	0.04	7.14	0.13	9.10	43.7	109	0.89	123.5	6.18
10548		1.42	0.09	8.35	1.2	80	0.37	0.10	7.61	0.10	53.7	38.2	92	0.92	113.5	6.04
10549		1.95	0.09	8.98	1.8	110	0.33	0.11	7.13	0.07	9.97	43.5	120	0.97	122.0	6.72
10550		2.53	0.06	8.78	1.6	90	0.30	0.04	7.29	0.09	9.30	40.3	108	0.99	121.5	5.78
10551		2.13	0.10	8.90	1.2	90	0.33	0.05	7.51	0.10	9.61	38.4	96	0.93	130.5	6.18
10552		2.12	0.10	8.29	2.5	50	1.80	0.18	5.27	0.04	15.05	26.2	117	1.01	171.0	5.14
10553		2.31	0.05	8.79	1.0	90	0.22	0.06	7.48	0.10	7.21	39.8	164	1.60	87.7	5.67
10554		2.35	0.09	7.08	7.2	80	0.37	0.14	6.18	0.09	8.04	70.9	181	0.88	443	7.36
10555		1.23	0.05	7.46	1.3	40	0.14	0.04	6.95	0.08	4.71	70.9	157	1.54	80.9	7.30
10556		1.20	0.04	6.98	0.7	40	0.16	0.02	6.42	0.11	6.59	75.2	131	1.50	68.5	7.25
10557		0.95	0.03	6.63	1.5	30	0.20	0.04	6.19	0.06	6.71	86.2	115	2.48	79.1	7.41
10558		1.24	0.03	6.27	0.8	40	0.22	0.03	5.80	0.08	6.98	81.0	130	1.37	56.8	6.84
10559		0.99	0.19	8.25	15.9	90	0.85	0.28	7.19	0.06	9.30	68.1	185	1.25	878	8.18
10560		0.99	0.05	8.18	2.1	100	0.67	0.09	6.83	0.05	7.99	54.7	185	1.17	128.5	6.87
10561		0.07	4.10	5.46	14.1	110	0.60	0.87	3.36	2.11	17.40	972	266	0.77	>10000	17.95
10562		2.63	0.07	8.40	2.8	100	0.40	0.06	7.11	0.07	8.66	62.2	176	1.19	303	6.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10530		15.35	0.11	1.0	0.045	2.06	3.7	35.7	4.44	1120	0.24	1.35	1.5	104.0	180	18.9
10531		15.55	0.15	1.0	0.063	1.99	6.7	67.6	3.64	1180	1.41	1.91	1.5	88.1	180	19.7
10532		15.15	0.12	0.9	0.043	2.32	4.9	45.3	4.68	1110	0.45	1.39	1.4	102.5	180	37.2
10533		15.05	0.15	1.1	0.041	1.87	5.7	59.7	4.21	1090	0.22	2.14	1.5	101.0	170	11.2
10534		15.45	0.16	1.0	0.045	1.33	4.8	59.2	4.72	1080	0.38	3.05	1.4	91.3	170	2.9
10535		15.00	0.20	1.0	0.125	0.96	24.8	64.9	3.11	1040	0.85	3.66	1.4	85.7	160	13.0
10536		15.90	0.12	1.1	0.037	1.44	4.2	44.3	4.37	1120	0.27	2.28	1.5	94.7	190	5.6
10537		15.40	0.12	1.1	0.033	1.33	4.0	52.2	3.99	1140	0.27	2.04	1.6	91.0	190	11.6
10538		15.50	0.13	1.0	0.032	1.31	3.6	51.5	4.53	1110	0.23	1.96	1.5	100.5	180	6.9
10539		15.75	0.17	1.0	0.033	1.37	4.3	50.2	4.59	1080	0.23	1.96	1.4	101.5	180	3.7
10540		15.80	0.23	0.9	0.054	1.33	33.2	41.6	5.88	1120	0.30	1.30	1.4	140.0	160	9.2
10541		15.35	0.15	1.0	0.032	1.37	4.4	45.8	5.05	1120	0.24	1.59	1.5	115.0	180	6.2
10542		13.60	0.14	0.9	0.031	1.38	3.9	58.6	4.94	1120	0.21	1.74	1.3	104.5	170	13.6
10543		15.75	0.13	1.0	0.030	1.33	3.7	39.2	4.52	1140	0.23	1.34	1.3	107.5	170	5.3
10544		14.90	0.13	1.0	0.060	1.45	6.0	50.7	3.69	1240	0.82	2.38	1.5	104.5	180	10.5
10545		18.05	0.16	1.0	0.070	1.07	18.9	41.7	4.67	1120	33.6	2.22	1.7	113.5	180	13.4
10546		17.65	0.14	1.0	0.062	1.21	8.0	41.0	4.93	1160	5.03	1.92	1.5	127.0	170	11.8
10547		14.85	0.17	1.0	0.037	0.83	4.1	24.0	4.72	1160	0.36	1.29	1.4	129.0	170	8.8
10548		14.55	0.18	1.0	0.038	0.81	28.3	40.2	4.57	1300	0.86	2.29	1.4	109.0	190	49.4
10549		14.60	0.15	1.0	0.036	1.22	4.6	32.9	5.09	1180	0.31	1.52	1.4	126.0	180	8.3
10550		15.50	0.16	1.0	0.045	0.89	4.4	38.3	4.48	1100	0.25	1.63	1.5	123.0	180	6.9
10551		15.75	0.14	1.0	0.046	0.86	4.3	32.9	4.47	1100	0.36	1.58	1.4	111.5	290	5.1
10552		17.35	0.09	1.1	0.060	0.93	7.6	52.4	3.48	807	4.51	3.43	1.6	96.0	270	6.6
10553		15.00	0.08	0.9	0.037	0.64	3.3	27.9	4.53	1000	0.31	1.69	1.4	119.0	160	6.5
10554		12.80	<0.05	0.8	0.049	0.49	3.6	19.0	8.01	1120	0.66	1.07	1.2	381	180	3.4
10555		11.65	<0.05	0.5	0.032	0.21	2.1	27.3	8.02	1160	0.13	0.93	0.8	395	80	4.5
10556		12.70	<0.05	0.7	0.034	0.13	3.0	31.8	8.61	1120	0.18	0.80	1.1	435	120	4.6
10557		11.25	<0.05	0.6	0.032	0.13	3.0	37.1	9.88	1180	0.24	0.64	1.1	548	120	4.5
10558		11.55	<0.05	0.7	0.025	0.14	3.2	24.5	9.49	1080	0.20	0.68	1.1	524	130	8.2
10559		14.65	<0.05	0.8	0.068	0.63	4.3	17.4	6.72	1060	0.50	1.00	1.3	335	140	9.3
10560		13.85	<0.05	0.8	0.046	0.66	3.8	18.8	6.68	1040	0.26	1.02	1.2	325	140	5.1
10561		12.25	0.18	1.2	0.112	0.31	7.7	10.2	4.02	990	5.48	1.18	5.4	>10000	470	14.4
10562		14.50	<0.05	1.0	0.045	0.61	3.9	21.4	7.17	1060	0.55	1.05	1.5	375	150	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10530		40.9	<0.002	0.07	0.18	28.3	<1	0.5	117.0	0.12	0.06	0.90	0.288	0.31	0.4	171
10531		48.6	0.002	0.09	0.18	24.4	<1	0.7	93.8	0.11	0.05	0.84	0.261	0.29	0.5	154
10532		67.1	<0.002	0.12	0.24	27.3	<1	0.5	108.0	0.10	0.06	0.89	0.267	0.31	0.5	161
10533		40.9	<0.002	0.06	0.16	28.4	<1	0.4	94.2	0.12	<0.05	0.94	0.286	0.31	0.3	169
10534		23.5	<0.002	0.06	0.15	26.7	<1	0.5	101.5	0.12	0.05	0.76	0.261	0.20	0.3	160
10535		44.1	<0.002	0.05	0.19	32.6	1	0.9	65.8	0.10	<0.05	1.05	0.261	0.17	0.4	168
10536		26.5	<0.002	0.07	0.20	28.2	<1	0.4	137.0	0.12	<0.05	0.89	0.283	0.27	0.3	172
10537		22.7	<0.002	0.06	0.13	26.9	<1	0.5	159.0	0.12	<0.05	0.99	0.290	0.37	0.4	173
10538		23.0	<0.002	0.07	0.11	26.4	<1	0.4	153.0	0.11	<0.05	0.86	0.282	0.32	0.3	169
10539		27.4	<0.002	0.06	0.18	27.2	<1	0.4	128.0	0.11	<0.05	0.88	0.260	0.30	0.3	159
10540		54.1	<0.002	0.07	0.17	35.9	1	1.0	108.5	0.10	<0.05	1.08	0.275	0.23	0.8	181
10541		31.9	<0.002	0.06	0.16	29.4	1	0.4	136.0	0.12	<0.05	1.03	0.279	0.26	0.3	169
10542		33.0	<0.002	0.06	0.20	25.5	<1	0.3	96.0	0.10	<0.05	0.83	0.249	0.22	0.3	152
10543		29.4	<0.002	0.06	0.11	27.8	<1	0.4	139.0	0.11	0.05	0.87	0.257	0.29	0.3	159
10544		32.6	<0.002	0.06	0.31	25.1	1	0.5	91.6	0.12	0.06	0.84	0.268	0.20	0.5	166
10545		29.7	0.012	0.36	0.23	26.4	<1	0.8	93.8	0.11	0.27	0.97	0.276	0.23	1.2	162
10546		39.7	0.002	0.39	0.22	29.7	1	0.6	103.5	0.11	0.18	0.97	0.271	0.27	0.8	171
10547		25.8	0.002	0.07	0.13	30.8	<1	0.4	136.5	0.11	0.07	0.96	0.279	0.22	0.3	170
10548		19.5	<0.002	0.08	0.17	27.8	1	0.5	140.0	0.11	0.05	0.93	0.263	0.14	0.6	163
10549		44.5	<0.002	0.09	0.13	30.4	<1	0.4	127.0	0.10	0.05	0.99	0.281	0.25	0.4	178
10550		27.3	<0.002	0.07	0.11	29.9	1	0.4	132.0	0.12	0.07	0.96	0.276	0.20	0.3	163
10551		22.9	<0.002	0.09	0.11	27.0	<1	1.1	146.0	0.10	0.11	0.94	0.274	0.23	0.4	170
10552		19.5	0.002	0.06	0.15	24.8	<1	0.7	89.9	0.13	0.05	1.19	0.247	0.18	1.9	155
10553		10.1	<0.002	0.06	0.13	26.4	<1	0.4	172.0	0.10	<0.05	0.89	0.255	0.18	0.4	169
10554		23.5	<0.002	0.15	0.14	27.2	1	0.4	104.0	0.09	<0.05	1.24	0.211	0.13	0.6	145
10555		8.2	<0.002	0.06	0.07	24.5	1	0.3	133.5	0.06	<0.05	0.48	0.165	0.09	0.2	129
10556		5.6	<0.002	0.05	0.08	20.4	1	0.4	123.5	0.06	<0.05	0.64	0.177	0.07	0.2	121
10557		4.7	<0.002	0.09	0.09	22.9	1	0.3	122.0	0.08	<0.05	0.73	0.195	0.04	0.2	124
10558		5.6	<0.002	0.03	0.09	23.1	<1	0.3	104.0	0.08	<0.05	0.74	0.189	0.07	0.2	125
10559		34.6	<0.002	0.39	0.28	27.4	<1	1.8	116.0	0.08	0.26	0.90	0.214	0.16	0.4	140
10560		31.2	<0.002	0.07	0.29	23.4	<1	0.6	109.5	0.10	0.05	0.83	0.213	0.17	0.4	142
10561		11.3	0.051	8.60	3.39	8.8	20	2.8	188.5	0.32	4.69	1.13	0.526	0.18	0.4	81
10562		30.5	<0.002	0.11	0.19	25.4	<1	0.6	119.5	0.10	<0.05	0.93	0.244	0.20	0.5	152

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10530		0.2	9.6	80	33.1						
10531		0.3	9.7	77	33.0						
10532		0.2	10.1	271	30.6						
10533		0.3	9.3	97	34.4						
10534		0.4	8.9	75	32.4						
10535		1.0	15.5	60	32.1						
10536		0.2	9.4	70	35.4						
10537		0.2	9.6	74	35.5						
10538		0.2	8.9	71	32.9						
10539		0.3	9.6	65	32.5						
10540		2.3	13.3	83	32.7						
10541		0.3	9.7	68	34.7						
10542		0.2	8.6	77	29.0						
10543		0.2	9.2	81	32.3						
10544		0.3	10.4	73	33.4						
10545		0.2	14.0	122	35.3						
10546		0.2	11.8	132	32.8						
10547		0.2	10.2	85	32.7						
10548		0.4	12.7	78	31.3						
10549		0.2	10.7	74	32.7						
10550		0.3	10.3	72	33.7						
10551		0.7	10.8	71	32.6						
10552		0.6	9.6	49	40.6						
10553		0.2	8.5	69	31.6						
10554		0.1	9.0	72	30.7						
10555		0.1	6.1	71	17.9						
10556		0.1	7.4	74	24.2						
10557		0.1	7.8	69	25.4						
10558		0.1	8.4	65	27.5						
10559		7.9	10.2	68	30.8						
10560		0.6	8.8	68	29.1						
10561		2.4	10.0	141	53.3			1.560	4.50		
10562		0.7	10.3	67	35.2						

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319040

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Co-OG62	Cu-OG62	ME-MS61
ME-OG62	Ni-OG62		