ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18324929

Project: Elk Lake - Roy

This report is for 73 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10789		2.31	0.10	8.08	1.0	180	0.41	0.07	6.82	0.15	15.90	42.8	30	0.83	121.0	7.22
10790		2.42	0.22	7.81	1.7	190	0.73	0.12	5.77	0.13	15.35	44.0	36	1.00	281	7.76
10791		1.56	0.22	7.70	3.9	160	0.42	0.09	6.89	0.15	15.35	43.0	40	0.96	113.0	7.20
10792		1.21	0.43	7.38	8.8	100	0.78	0.17	6.39	0.12	16.90	39.8	41	0.76	869	7.32
10793		0.24	3.71	5.72	418	20	1.48	14.60	12.25	<0.02	57.3	317	28	1.21	7010	5.48
10794		1.70	0.21	7.90	14.1	120	0.72	0.20	6.29	0.08	17.65	45.9	38	0.75	265	6.96
10795		2.24	0.44	7.28	4.2	100	0.72	0.21	5.83	0.08	14.35	48.6	37	0.65	1045	9.18
10796		2.26	0.17	7.61	2.1	170	0.54	0.10	5.59	0.13	14.70	41.2	36	0.72	549	7.49
10797		2.04	0.14	8.18	1.2	180	0.45	0.14	6.25	0.27	15.90	40.1	29	0.70	174.5	7.01
10798		1.99	0.17	7.88	2.4	200	0.40	0.06	6.32	0.11	14.05	40.9	32	0.70	120.5	6.96
10799		0.65	0.08	8.04	6.0	140	0.68	0.07	6.77	0.08	14.85	40.1	34	0.89	203	6.65
10800		0.70	0.11	7.57	6.7	140	0.58	0.07	6.83	0.10	14.30	38.2	32	0.95	235	6.47
10801		0.48	2.45	6.69	5180	40	0.90	31.4	11.00	0.06	76.3	4430	26	0.29	645	4.78
10802		0.55	0.03	0.11	20.1	20	0.07	0.17	32.6	<0.02	1.32	16.2	1	<0.05	5.8	0.15
10803		0.07	0.78	6.98	2.3	250	1.04	0.08	5.63	0.80	37.2	>10000	166	0.71	1820	7.14
10804		1.23	0.14	7.74	33.0	110	0.50	0.34	6.14	0.21	16.60	86.4	31	0.56	112.0	6.87
10805		2.58	0.13	7.69	3.8	150	0.36	0.07	6.80	0.11	14.35	44.6	33	0.69	92.1	6.71
10806		2.30	0.15	7.24	2.6	240	0.52	0.15	5.04	0.22	12.35	36.2	39	0.68	309	6.79
10807		1.92	0.13	7.60	1.5	230	0.51	0.09	5.45	0.09	16.80	36.1	40	0.74	194.0	7.51
10808		1.28	0.19	7.53	2.0	210	0.50	0.11	5.36	0.08	12.65	41.8	38	0.70	610	7.24
10809		2.23	0.13	7.43	1.7	160	0.62	0.07	4.46	0.09	13.45	40.1	38	0.82	566	7.88
10810		1.49	3.36	7.54	2.2	180	0.48	0.06	5.81	0.09	12.15	37.6	39	0.66	1035	7.04
10811		2.25	0.08	7.61	1.7	150	0.28	0.06	6.69	0.27	13.10	40.3	40	0.61	116.0	7.14
10812		2.52	0.08	8.05	1.7	150	0.29	0.08	6.97	0.17	12.65	40.3	41	0.61	116.0	7.10
10813		1.60	0.08	7.79	2.2	160	0.36	0.14	6.65	0.12	13.05	39.9	41	0.67	127.0	7.07
10814		2.36	0.08	8.26	1.5	160	0.29	0.05	6.97	0.14	13.35	41.3	51	0.87	115.5	7.17
10815		1.23	0.06	7.42	6.8	140	0.45	0.19	6.00	0.14	13.20	37.6	38	0.83	142.5	6.10
10816		0.93	1.79	8.36	1630	40	1.32	33.7	11.40	<0.02	116.0	1090	36	0.48	58.4	2.94
10817		0.53	0.02	0.07	1.6	10	0.06	0.07	32.6	<0.02	0.94	1.5	1	<0.05	1.0	0.11
10818		1.14	0.18	7.94	183.0	90	1.27	2.23	9.57	0.06	21.9	136.5	36	1.00	157.0	4.55
10819		1.65	0.09	8.15	3.1	140	0.38	0.10	6.95	0.08	13.30	43.1	44	1.04	121.5	6.91
10820		1.15	0.11	7.74	2.5	110	0.43	0.11	4.07	0.16	11.30	39.9	44	1.70	122.5	6.72
10821		1.97	0.11	8.18	2.2	170	0.35	0.19	6.42	0.19	12.50	43.2	46	0.88	148.5	7.05
10822		1.09	0.08	7.96	8.7	130	0.72	0.25	5.75	0.09	33.8	42.0	47	0.97	270	6.70
10823		0.73	1.45	6.83	1475	10	1.07	20.9	8.63	0.05	207	996	31	0.11	659	1.46
10824		0.58	0.02	0.08	7.6	10	0.08	0.14	31.9	0.02	1.33	5.4	2	<0.05	3.4	0.14
10825		1.15	0.13	7.57	7.3	100	0.91	0.24	5.57	0.05	345	42.5	47	1.39	431	7.67
10826		2.00	0.09	7.59	3.5	160	0.52	0.11	6.46	0.11	58.2	43.8	51	0.95	190.0	7.69
10827		1.26	0.11	7.77	4.0	150	0.33	0.20	6.03	0.11	12.20	43.6	59	0.84	116.5	7.13
10828		1.72	0.07	7.93	2.9	160	0.34	0.11	6.54	0.09	11.50	41.0	53	0.76	109.5	6.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10789		17.80	0.08	1.7	0.057	1.61	7.2	29.2	3.38	1340	0.64	1.59	2.5	69.8	300	9.6
10790		17.25	0.08	1.7	0.079	1.60	6.8	38.4	4.05	1480	0.61	1.91	2.4	79.1	280	42.5
10791		16.50	0.09	1.7	0.073	1.44	7.0	44.0	4.07	1440	0.47	1.62	2.3	83.8	300	21.1
10792		17.05	0.08	1.7	0.115	0.96	7.8	42.6	3.90	1240	1.24	1.87	2.3	79.3	240	24.4
10793		14.55	0.09	1.2	0.264	0.38	28.7	60.6	2.65	1600	4.75	2.29	1.9	78.3	180	6.5
10794		16.85	0.06	1.8	0.067	1.79	7.9	33.0	3.53	1300	0.55	1.94	2.4	78.7	270	8.1
10795		16.70	0.08	1.5	0.111	1.29	6.3	37.8	4.69	1360	2.17	1.97	2.2	84.8	230	18.6
10796		16.80	0.08	1.6	0.080	1.52	6.5	34.4	3.78	1270	0.77	2.12	2.3	73.6	250	10.5
10797		16.80	0.11	1.7	0.057	1.52	7.2	37.2	3.48	1320	2.05	1.90	2.4	67.9	270	37.2
10798		17.45	0.07	1.7	0.052	2.05	6.1	27.0	3.23	1360	0.49	1.66	2.4	70.8	290	12.0
10799		16.85	0.08	1.6	0.059	1.68	6.7	36.5	2.84	1280	0.68	1.87	2.3	67.8	280	7.3
10800		16.20	0.07	1.6	0.053	1.65	6.5	37.4	2.76	1260	0.69	1.84	2.2	65.2	280	11.8
10801		17.10	0.11	1.4	0.252	0.58	35.6	33.3	1.95	860	174.0	2.50	2.0	396	280	31.9
10802		0.34	<0.05	<0.1	0.006	0.02	1.3	2.1	2.45	122	1.11	0.04	0.1	2.7	80	1.4
10803		18.70	0.11	3.5	0.053	0.67	18.1	7.4	3.73	948	2.88	2.17	21.3	>10000	1470	17.2
10804		17.30	0.05	1.6	0.063	1.49	6.5	34.7	3.13	1370	2.18	2.00	2.2	100.0	290	56.5
10805		16.55	0.06	1.7	0.056	1.76	6.3	31.0	3.25	1280	0.66	1.54	2.2	75.8	270	15.6
10806		14.60	0.08	1.3	0.068	1.67	5.5	29.9	3.25	1310	3.76	2.04	2.4	62.3	240	30.0
10807		15.25	0.09	1.4	0.064	1.80	6.4	32.5	3.39	1280	4.42	1.98	2.4	67.5	670	17.9
10808		15.05	0.09	1.4	0.072	1.71	5.1	34.2	3.49	1240	4.05	2.00	2.3	69.8	260	12.0
10809		14.20	0.08	1.3	0.083	1.45	5.6	39.2	4.10	1260	1.07	2.12	2.1	67.1	270	19.0
10810		14.10	0.09	1.3	0.071	1.75	5.0	28.8	3.47	1210	0.97	1.78	2.2	69.7	260	14.9
10811		14.45	0.09	1.3	0.055	1.12	5.4	39.2	3.67	1280	0.41	1.70	2.2	75.5	260	26.4
10812		14.70	0.09	1.2	0.057	1.14	5.3	33.7	3.54	1220	0.48	1.49	2.1	73.3	250	21.3
10813		14.20	0.07	1.3	0.063	1.39	5.4	28.0	3.63	1260	0.42	1.50	2.1	76.0	240	10.9
10814		14.05	0.08	1.3	0.055	1.59	5.7	22.5	3.86	1320	0.51	1.39	2.0	80.3	250	7.4
10815		14.35	0.09	1.3	0.053	1.62	5.6	30.4	3.19	1280	0.30	1.68	2.1	72.6	220	8.9
10816		15.95	0.16	1.3	0.183	1.10	51.8	34.4	1.30	1200	187.5	4.15	2.2	211	240	39.9
10817		0.24	0.11	<0.1	0.006	0.01	1.0	1.8	1.74	115	0.29	0.03	0.1	0.9	70	0.8
10818		15.00	0.09	1.3	0.128	1.88	10.5	42.2	2.05	1420	9.95	2.35	2.1	80.6	210	15.6
10819		14.95	0.09	1.3	0.062	2.31	5.6	33.4	3.63	1310	0.39	1.48	2.0	82.2	230	13.1
10820		13.75	0.09	1.2	0.051	1.62	4.6	73.9	4.83	1460	0.38	1.96	2.0	79.8	210	470
10821		15.15	0.09	1.3	0.059	2.23	5.2	34.0	3.95	1450	0.43	1.48	2.1	86.0	220	20.1
10822		15.25	0.10	1.4	0.088	1.82	16.8	41.3	3.72	1430	0.61	1.92	2.1	88.0	270	9.4
10823		12.15	0.21	3.5	0.126	0.05	101.5	10.3	0.51	489	138.0	5.49	5.2	152.0	560	24.8
10824		0.30	0.14	<0.1	0.006	0.02	1.2	2.0	1.70	110	0.71	0.04	0.1	1.6	60	1.2
10825		15.50	0.24	1.5	0.088	1.67	201	48.1	3.90	1340	5.74	1.83	2.3	86.3	290	24.5
10826		14.85	0.10	1.2	0.070	1.91	33.0	33.7	4.35	1270	10.60	1.37	2.3	93.2	260	8.2
10827		13.65	0.08	1.2	0.063	2.00	5.3	38.1	4.76	1410	0.43	1.33	1.8	103.5	220	19.8
10828		14.30	0.09	1.2	0.055	1.86	4.9	32.2	4.13	1260	0.43	1.35	1.8	94.0	190	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10789		71.7	0.002	0.09	0.16	38.3	1	0.7	152.0	0.19	<0.05	1.72	0.412	0.40	0.6	230
10790		76.1	0.002	0.10	0.46	40.9	<1	0.8	143.5	0.17	<0.05	1.81	0.418	0.32	0.7	237
10791		67.1	0.004	0.09	0.26	41.2	<1	0.7	130.5	0.17	<0.05	1.70	0.400	0.39	0.6	235
10792		44.3	0.005	0.12	0.35	40.9	1	1.0	146.5	0.17	<0.05	1.64	0.392	0.19	0.8	224
10793		17.3	0.007	0.64	0.50	27.7	2	1.4	46.2	0.14	0.12	1.68	0.273	0.08	0.9	152
10794		84.1	0.002	0.09	0.39	41.2	<1	0.7	110.0	0.19	<0.05	1.75	0.412	0.34	0.7	236
10795		62.1	0.006	0.20	0.32	40.0	1	2.0	114.5	0.16	<0.05	1.48	0.378	0.23	0.9	232
10796		68.0	0.003	0.13	0.24	36.6	1	0.9	135.0	0.18	<0.05	1.56	0.394	0.41	0.7	218
10797		66.0	0.003	0.08	0.20	33.9	1	0.7	146.0	0.18	<0.05	1.70	0.405	0.39	0.7	220
10798		59.2	<0.002	0.08	0.44	34.0	<1	0.7	136.0	0.18	<0.05	1.59	0.394	0.48	0.6	223
10799		68.8	0.002	0.10	0.39	33.5	<1	0.9	120.5	0.17	<0.05	1.59	0.376	0.32	0.7	205
10800		52.6	0.003	0.09	0.39	32.1	1	0.8	121.0	0.17	<0.05	1.45	0.373	0.31	0.7	201
10801		21.9	0.052	0.42	4.22	30.8	2	2.8	99.3	0.16	0.07	1.38	0.291	0.21	2.4	183
10802		0.6	<0.002	<0.01	0.08	0.4	1	<0.2	75.8	<0.05	<0.05	0.09	0.006	<0.02	0.2	2
10803		19.3	<0.002	2.63	1.86	17.6	1	1.4	412	1.19	<0.05	2.40	1.015	0.09	0.6	143
10804		36.7	0.002	0.08	0.32	32.7	1	0.6	175.5	0.18	<0.05	1.47	0.388	0.25	0.7	216
10805		53.2	<0.002	0.08	0.22	33.6	1	0.6	127.0	0.18	<0.05	1.50	0.381	0.35	0.8	216
10806		31.6	0.006	0.13	0.19	24.8	<1	1.0	128.0	0.19	<0.05	1.22	0.378	0.37	1.4	202
10807		42.4	0.010	0.08	0.21	27.6	1	0.9	142.5	0.17	<0.05	1.48	0.367	0.39	1.3	210
10808		41.0	0.008	0.19	0.20	27.7	1	1.0	135.5	0.17	<0.05	1.29	0.364	0.35	1.0	207
10809		35.8	0.004	0.12	0.20	28.8	<1	0.9	123.0	0.15	<0.05	1.24	0.368	0.32	0.7	216
10810		41.5	<0.002	0.17	0.21	28.4	1	0.7	135.5	0.16	<0.05	1.23	0.367	0.40	0.5	215
10811		23.1	<0.002	0.08	0.15	31.0	1	0.6	208	0.16	<0.05	1.31	0.383	0.27	0.5	224
10812		26.6	<0.002	0.08	0.14	30.2	1	0.6	166.0	0.14	<0.05	1.35	0.373	0.26	0.4	220
10813		32.8	<0.002	0.09	0.15	30.4	<1	0.6	149.0	0.15	<0.05	1.31	0.366	0.31	0.5	222
10814		57.9	0.002	0.07	0.13	32.7	1	0.6	142.0	0.15	<0.05	1.43	0.380	0.34	0.5	229
10815		35.7	0.002	0.07	0.15	29.4	<1	0.6	122.0	0.15	<0.05	1.21	0.351	0.31	0.5	210
10816		42.0	0.013	0.15	1.33	25.1	1	0.8	60.0	0.15	<0.05	1.48	0.368	0.34	1.3	247
10817		0.2	<0.002	<0.01	0.10	0.3	1	<0.2	72.5	<0.05	<0.05	0.06	0.006	<0.02	0.1	2
10818		64.3	0.002	0.08	0.25	31.0	<1	0.6	110.5	0.16	<0.05	1.38	0.357	0.29	0.5	213
10819		71.9	<0.002	0.08	0.26	34.1	1	0.6	120.0	0.15	<0.05	1.35	0.369	0.36	0.5	223
10820		50.3	<0.002	0.06	0.27	31.7	<1	0.6	99.4	0.14	<0.05	1.27	0.357	0.23	0.4	212
10821		59.3	<0.002	0.08	0.27	32.5	<1	0.6	129.0	0.15	<0.05	1.32	0.367	0.33	0.5	222
10822		48.2	<0.002	0.09	0.28	32.1	1	0.7	118.5	0.16	<0.05	1.39	0.378	0.30	0.6	226
10823		0.4	0.086	0.27	1.11	11.4	1	0.8	32.7	0.44	0.09	4.56	0.392	0.25	7.6	79
10824		0.4	<0.002	<0.01	0.09	0.4	1	<0.2	74.3	<0.05	<0.05	0.06	0.007	<0.02	0.1	3
10825		70.2	0.009	0.11	0.35	31.7	<1	0.8	87.4	0.17	<0.05	2.18	0.405	0.22	7.5	217
10826		46.4	0.023	0.09	0.23	30.8	<1	0.7	114.0	0.15	<0.05	1.27	0.383	0.28	1.9	219
10827		51.5	0.002	0.07	0.28	32.3	1	0.5	113.5	0.13	<0.05	1.18	0.354	0.29	0.4	220
10828		44.9	0.002	0.08	0.21	31.4	1	0.6	124.0	0.14	<0.05	1.18	0.330	0.30	0.4	202

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10789		0.4	17.1	97	58.9				81.7	90.8
10790		0.5	17.5	105	62.1					85.9
10791		0.3	17.3	92	57.3					
10792		0.5	19.3	96	56.5					
10793		1.6	26.7	61	39.5					
10794		0.6	17.1	85	58.7					
10795		3.0	18.2	108	54.9					
10796		0.6	17.2	94	54.5					
10797		0.4	16.5	120	60.3					
10798		0.3	15.6	91	58.7					
10799		0.5	15.8	85	56.6					
10800		0.5	15.3	87	54.0					
10801		3.1	27.4	72	47.9					
10802		<0.1	2.2	5	1.7					
10803		1.7	20.8	124	136.0	2.07		2.23		
10804		0.5	14.9	103	53.4					
10805		0.3	14.9	73	56.1					
10806		0.4	12.1	119	50.6					
10807		0.5	15.9	97	54.3					
10808		0.6	13.6	89	52.7					
10809		0.4	13.7	109	49.6					
10810		0.4	13.0	85	49.7					
10811		0.3	13.4	124	50.6					
10812		0.3	13.4	103	48.2					
10813		0.3	13.4	85	49.5					
10814		0.3	13.9	95	51.1				76.0	
10815		0.3	12.4	94	51.2					
10816		1.3	23.3	38	50.9					
10817		<0.1	1.8	5	1.5					
10818		0.5	16.3	51	50.7					
10819		0.3	14.2	78	49.5					
10820		0.3	13.2	134	46.6					
10821		0.3	14.0	113	49.7					
10822		0.4	14.6	93	54.9					
10823		1.5	18.6	24	136.5					
10824		<0.1	2.0	6	1.7					
10825		0.3	22.6	80	58.0					
10826		0.3	14.5	84	47.4					
10827		0.2	12.1	96	43.9					
10828		0.2	12.1	84	44.4				78.1	86.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10829		2.18	0.07	7.96	3.2	130	0.72	0.21	5.82	0.10	21.1	40.7	54	0.83	184.0	6.41
10830		1.15	0.20	8.10	133.0	80	1.46	2.00	6.95	0.15	52.0	110.5	55	0.95	122.5	5.80
10831		1.42	0.08	7.72	3.0	160	0.36	0.09	6.15	0.12	10.90	42.5	55	0.71	121.0	6.44
10832		1.10	0.32	8.04	245	50	1.66	4.26	9.40	0.02	93.9	163.0	53	0.71	91.9	3.72
10833		0.67	2.39	4.53	1430	10	0.84	38.2	20.6	0.02	375	978	34	0.65	165.5	4.20
10834		0.62	0.03	0.41	4.0	40	0.08	0.18	31.8	0.02	2.64	4.5	5	<0.05	1.4	0.48
10835		1.11	0.13	7.90	309	100	0.97	1.55	7.13	0.10	38.0	227	64	0.85	113.0	5.56
10836		2.15	0.09	8.38	8.3	150	0.32	0.30	6.93	0.10	13.55	46.6	62	0.84	120.5	6.60
10837		2.50	0.07	7.93	2.6	110	0.30	0.06	7.03	0.11	10.25	40.7	72	0.66	113.0	6.29
10838		1.86	0.08	8.36	1.7	130	0.31	0.07	7.04	0.11	11.15	43.9	76	0.75	119.5	6.51
10839		0.72	0.13	7.54	16.2	120	0.98	0.35	5.74	0.11	11.05	43.8	81	1.44	130.5	6.20
10840		0.68	0.13	8.08	20.8	130	0.87	0.31	5.97	0.10	12.05	48.1	80	1.62	135.5	6.34
10841		0.08	3.82	5.30	13.8	110	0.44	0.95	3.46	2.03	16.75	949	269	0.71	>10000	17.55
10842		1.37	0.11	7.97	2.8	170	0.28	0.08	5.92	0.12	10.70	44.5	87	0.91	122.5	6.34
10843		1.16	0.12	8.23	2.4	140	0.32	0.12	5.28	0.72	10.55	42.9	87	1.00	120.5	6.43
10844		1.23	0.26	7.92	1.2	150	0.39	0.09	5.69	0.09	10.90	47.3	98	0.98	861	6.27
10845		2.33	0.09	8.32	1.4	120	0.30	0.05	6.14	0.09	9.44	39.9	107	0.78	112.5	5.73
10846		1.15	0.47	7.76	13.4	100	0.78	0.21	5.83	0.07	9.75	41.4	112	1.89	606	5.64
10847		2.22	0.08	8.53	0.8	120	0.29	0.07	6.71	0.15	9.52	41.5	113	0.64	117.5	6.03
10848		1.09	0.23	7.65	17.4	140	0.81	0.07	6.29	0.21	12.40	37.3	116	1.24	1095	5.71
10849		2.67	0.05	8.04	0.5	100	0.25	0.04	6.40	0.10	9.59	41.8	145	0.78	107.0	6.01
10850		1.16	0.12	8.06	3.6	170	0.54	0.07	5.71	0.10	10.15	40.4	131	1.16	192.5	5.53
10851		0.56	0.93	5.93	100.0	10	1.36	1.91	7.92	<0.02	372	90.4	40	0.33	1695	4.98
10852		1.17	0.07	8.64	6.0	130	0.44	0.07	6.51	0.12	11.45	40.7	128	0.82	109.5	5.72
10853		2.74	0.06	8.55	1.6	100	0.27	0.06	6.80	0.10	10.75	42.1	138	0.78	112.0	5.99
10854		1.07	0.08	8.16	3.1	120	0.31	0.06	4.33	0.12	8.38	38.7	151	1.34	66.7	6.21
10855		1.17	0.11	8.36	3.5	140	0.33	0.05	6.28	0.14	9.71	39.0	147	1.49	86.6	5.73
10856		1.10	0.14	8.50	45.9	100	1.46	0.35	7.25	0.04	17.55	55.4	147	1.64	260	4.94
10857		0.30	2.82	6.44	4340	10	1.56	46.5	11.30	<0.02	38.3	2920	118	2.36	1575	6.41
10858		0.51	0.02	0.15	8.8	10	0.08	0.19	32.2	0.02	1.28	7.0	4	0.08	8.9	0.20
10859		1.10	0.19	8.16	127.0	90	1.17	1.07	6.21	0.03	10.90	110.0	166	1.28	165.0	5.49
10860		2.19	0.05	8.59	1.0	80	0.26	0.07	7.22	0.10	9.80	39.8	162	0.70	88.2	5.89
10861		1.45	0.07	8.34	2.1	110	0.31	0.07	6.82	0.12	9.71	41.8	200	0.87	87.9	5.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10829		14.75	0.10	1.2	0.069	1.95	10.9	49.4	4.14	1440	0.34	1.74	1.9	96.0	270	9.1
10830		15.30	0.12	1.2	0.100	1.23	24.3	55.8	3.28	1460	9.83	2.74	1.9	99.2	220	11.4
10831		13.75	0.09	1.1	0.049	2.02	4.6	38.3	4.06	1400	0.54	1.38	1.9	101.5	210	7.1
10832		14.75	0.15	1.2	0.127	0.99	42.8	49.1	1.92	1220	20.1	3.78	1.8	84.3	140	8.4
10833		14.65	0.32	0.8	0.594	0.11	168.0	43.4	2.14	1920	192.5	2.04	1.3	218	280	48.2
10834		1.01	0.07	0.1	0.009	0.04	1.7	2.6	1.41	145	0.90	0.15	0.2	3.5	80	0.6
10835		14.20	0.10	1.2	0.069	1.48	17.5	48.4	3.45	1240	4.54	2.31	1.9	116.5	230	6.0
10836		14.20	0.10	1.2	0.048	1.62	5.8	30.5	4.27	1280	1.73	1.33	1.9	102.0	230	5.1
10837		13.90	0.08	1.1	0.043	1.28	4.2	30.0	4.31	1200	0.36	1.39	1.7	105.0	210	10.0
10838		13.90	0.09	1.1	0.048	1.48	4.7	29.8	4.62	1280	0.33	1.27	1.7	114.0	200	7.6
10839		13.90	0.09	1.0	0.068	1.63	4.8	59.2	4.41	1200	0.39	1.89	1.7	111.5	190	43.3
10840		14.15	0.09	1.0	0.065	1.71	5.4	59.4	4.45	1210	0.47	1.87	1.7	114.5	200	40.9
10841		10.75	0.17	1.2	0.123	0.31	6.9	9.3	3.94	978	4.54	1.16	4.8	>10000	460	13.2
10842		15.10	0.08	1.2	0.041	1.93	5.0	31.6	4.57	1260	0.91	1.16	1.9	117.5	210	14.0
10843		15.20	0.10	1.2	0.048	1.62	4.8	67.0	5.24	1260	0.59	1.43	1.8	117.5	190	26.9
10844		15.30	0.09	1.1	0.098	1.40	4.9	47.6	4.92	1340	2.22	1.51	1.9	123.5	210	15.4
10845		14.65	0.09	1.1	0.043	1.46	4.4	32.6	4.49	1110	0.38	1.19	1.7	116.5	170	5.9
10846		14.30	0.07	1.0	0.062	2.07	4.8	52.7	4.11	1180	0.49	1.31	1.6	118.0	170	15.7
10847		15.50	0.08	1.1	0.048	1.35	4.4	27.0	4.55	1220	0.39	1.13	1.7	119.0	190	4.1
10848		13.60	0.07	0.9	0.089	1.87	6.0	62.5	4.35	1260	0.36	1.18	1.6	108.5	170	38.3
10849		14.70	0.07	1.1	0.044	1.29	4.4	29.3	4.86	1160	0.34	1.14	1.6	129.0	180	4.5
10850		15.10	0.08	1.0	0.046	2.36	4.8	40.6	4.10	1200	0.36	1.37	1.7	111.0	180	13.5
10851		17.00	0.31	3.0	0.253	0.03	181.0	44.2	2.17	857	118.5	3.39	4.4	40.3	630	31.9
10852		15.50	0.07	1.1	0.045	1.79	5.7	41.6	4.36	1220	0.63	1.37	1.8	118.0	200	24.5
10853		15.50	0.08	1.1	0.043	1.24	5.0	30.6	4.75	1160	0.91	1.21	1.8	124.0	190	5.4
10854		12.65	0.07	0.9	0.042	1.31	3.9	67.9	5.71	1200	0.33	1.72	1.4	109.5	180	308
10855		15.00	0.08	1.1	0.042	2.20	4.5	52.5	4.67	1200	0.29	1.32	1.7	112.5	190	14.5
10856		16.05	0.08	1.1	0.075	1.51	9.3	66.5	3.33	1440	0.54	2.14	1.7	105.0	190	8.3
10857		18.00	0.10	0.8	0.414	0.16	16.8	110.5	3.94	1840	161.5	2.25	1.4	508	170	18.4
10858		0.42	0.06	<0.1	0.007	0.02	1.3	3.2	2.15	137	0.89	0.04	0.1	2.4	70	0.9
10859		15.85	0.07	1.0	0.064	1.64	5.4	65.5	3.82	1100	3.64	1.94	1.7	118.5	190	3.2
10860		15.20	0.07	1.1	0.041	1.19	4.5	30.8	4.56	1140	0.35	1.18	1.7	113.0	190	3.8
10861		14.70	0.07	1.0	0.047	1.31	4.6	36.5	4.89	1190	0.36	1.32	1.6	118.5	180	11.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10829		47.1	<0.002	0.07	0.20	31.7	1	0.6	106.0	0.14	<0.05	1.18	0.359	0.28	0.5	216
10830		44.1	0.004	0.07	0.21	33.6	<1	1.0	82.1	0.14	<0.05	1.30	0.349	0.19	1.0	214
10831		45.8	<0.002	0.07	0.23	29.5	1	0.5	112.0	0.13	<0.05	1.09	0.339	0.31	0.4	203
10832		36.3	0.002	0.06	0.30	26.3	1	0.8	62.4	0.13	<0.05	1.28	0.327	0.17	0.7	228
10833		4.5	0.039	0.39	1.42	26.4	2	1.1	47.9	0.09	0.06	0.92	0.194	0.22	1.6	318
10834		0.5	<0.002	<0.01	0.07	1.8	1	<0.2	79.5	<0.05	<0.05	0.09	0.037	<0.02	0.1	13
10835		41.4	<0.002	0.08	0.34	30.6	<1	0.6	101.5	0.13	<0.05	1.17	0.350	0.23	0.5	213
10836		47.5	<0.002	0.07	0.14	31.8	1	0.5	133.0	0.14	<0.05	1.31	0.344	0.26	0.4	205
10837		25.1	<0.002	0.07	0.11	28.2	1	0.5	137.0	0.13	<0.05	1.06	0.321	0.22	0.4	194
10838		41.8	<0.002	0.07	0.11	31.1	1	0.5	140.5	0.13	<0.05	1.15	0.316	0.26	0.4	192
10839		34.5	<0.002	0.06	0.18	27.2	1	0.7	90.7	0.12	<0.05	0.91	0.301	0.31	0.4	190
10840		44.0	0.002	0.06	0.18	29.8	1	0.6	95.3	0.11	<0.05	0.98	0.303	0.29	0.4	190
10841		9.4	0.047	8.35	2.82	7.8	21	2.6	182.5	0.30	4.50	0.99	0.517	0.15	0.3	79
10842		61.1	0.002	0.07	0.50	31.5	1	0.5	115.5	0.14	<0.05	1.12	0.302	0.37	0.4	183
10843		64.6	<0.002	0.07	0.35	30.5	1	0.6	113.0	0.13	<0.05	1.23	0.296	0.28	0.4	182
10844		52.4	<0.002	0.22	0.23	30.6	1	0.8	125.0	0.13	0.06	1.15	0.288	0.28	3.5	176
10845		46.5	<0.002	0.06	0.17	27.8	1	0.5	120.5	0.12	<0.05	1.08	0.277	0.29	0.4	169
10846		72.3	<0.002	0.13	0.28	27.5	1	0.7	82.8	0.11	0.06	0.94	0.258	0.29	0.4	163
10847		36.0	<0.002	0.06	0.14	27.8	1	0.5	121.0	0.12	0.05	1.03	0.278	0.27	0.4	172
10848		56.9	<0.002	0.16	0.20	24.7	1	0.7	91.9	0.11	<0.05	0.89	0.254	0.33	0.4	157
10849		43.0	<0.002	0.06	0.12	28.6	1	0.5	124.0	0.12	<0.05	1.07	0.265	0.24	0.3	170
10850		57.6	<0.002	0.09	0.28	24.5	1	0.6	105.0	0.12	0.05	0.83	0.267	0.41	0.4	169
10851		1.5	0.170	0.35	0.24	6.2	1	2.5	35.3	0.37	0.09	4.28	0.135	0.08	51.7	52
10852		42.1	<0.002	0.06	0.21	26.7	1	0.5	129.5	0.13	<0.05	0.95	0.294	0.32	0.5	177
10853		35.3	0.002	0.06	0.14	28.9	<1	0.5	134.0	0.12	0.05	1.10	0.281	0.26	0.6	176
10854		49.1	<0.002	0.05	0.16	27.4	1	0.4	109.5	0.10	<0.05	0.90	0.273	0.24	0.3	171
10855		62.1	<0.002	0.05	0.42	27.5	1	0.5	103.5	0.11	<0.05	0.97	0.280	0.35	0.3	172
10856		45.6	<0.002	0.05	0.19	28.0	<1	0.6	101.5	0.13	<0.05	1.02	0.276	0.27	0.4	173
10857		8.2	0.185	0.43	2.03	24.2	4	1.7	39.6	0.10	0.12	0.85	0.198	0.25	1.9	183
10858		0.9	<0.002	0.01	0.09	0.5	1	<0.2	74.4	<0.05	<0.05	0.08	0.008	<0.02	0.1	4
10859		38.1	0.003	0.04	0.21	27.7	1	0.6	92.7	0.12	<0.05	0.86	0.281	0.30	0.4	180
10860		40.1	<0.002	0.05	0.10	28.9	1	0.5	126.5	0.11	<0.05	1.07	0.279	0.24	0.4	177
10861		46.8	<0.002	0.06	0.13	31.4	<1	0.5	129.5	0.12	<0.05	1.07	0.271	0.28	0.3	177

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10829		0.3	13.0	99	47.2					
10830		0.5	16.6	102	45.4					
10831		0.3	11.7	102	44.3					
10832		1.3	15.8	49	46.2					
10833		1.3	57.7	51	28.7					
10834		<0.1	3.2	8	3.6					
10835		0.6	12.9	85	44.0					
10836		0.2	13.1	83	47.2					
10837		0.2	11.0	79	41.8					
10838		0.2	12.0	81	43.3					
10839		0.4	9.9	106	39.2					85.1
10840		0.4	10.6	106	40.9					86.9
10841		2.2	8.8	139	52.8		1.610	4.52		
10842		0.3	12.2	83	43.8					
10843		0.3	11.8	219	42.6					
10844		0.4	12.9	96	42.8					
10845		0.2	10.5	72	39.5					
10846		0.3	10.3	68	35.4				76.0	
10847		0.2	10.8	94	41.3					
10848		0.3	9.8	128	35.5					
10849		0.2	10.7	74	38.4					
10850		0.3	9.9	75	37.5					
10851		3.6	41.9	44	109.5					
10852		0.3	11.3	84	41.7					
10853		0.3	11.0	72	40.8					
10854		0.3	9.8	119	33.3					
10855		0.2	10.8	85	39.5					
10856		0.8	12.3	65	40.3					
10857		1.3	37.8	76	28.3					
10858		0.1	2.4	5	1.7					
10859		0.6	9.9	61	38.0					
10860		0.2	11.2	68	39.4					
10861		0.2	11.1	79	38.0					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324929

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Co-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			