ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18319041

Project: ELK LAKE-ROY

This report is for 65 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 14-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10294		2.32	0.18	6.66	6.8	220	0.92	0.15	4.39	0.43	30.2	58.3	5	0.45	112.5	11.30
10295		2.44	0.29	6.59	6.3	120	1.11	0.25	2.95	0.16	41.9	59.3	6	0.53	129.0	10.60
10296		2.25	0.13	6.29	4.6	130	0.94	0.09	3.55	0.10	32.9	46.6	4	0.29	72.6	10.80
10297		2.49	0.36	6.34	6.3	180	0.81	0.13	4.50	0.21	26.1	48.1	4	0.26	72.9	11.05
10298		2.58	0.31	6.52	7.7	150	0.98	0.19	3.19	3.35	25.9	42.5	3	0.19	98.2	10.45
10299		2.26	0.18	6.54	12.6	100	0.87	0.11	2.50	1.07	24.4	31.5	8	0.14	35.6	8.76
10300		2.60	0.35	6.04	5.4	140	0.76	0.15	3.84	0.24	24.7	44.2	7	0.14	90.7	10.85
10301		2.55	0.16	6.53	4.5	170	0.70	0.13	4.13	0.29	25.0	50.8	3	0.18	55.7	10.05
10302		2.49	0.20	6.63	5.9	220	0.68	0.15	4.69	0.09	23.2	48.4	5	0.26	74.2	10.20
10303		2.32	0.20	6.61	4.0	160	0.75	0.15	4.57	1.06	63.7	47.5	4	0.24	80.0	9.99
10304		2.41	0.19	6.68	6.0	210	0.71	0.14	4.88	0.09	26.6	48.6	4	0.27	94.0	9.99
10305		2.38	0.16	6.56	4.5	200	0.72	0.11	4.96	0.07	23.0	60.2	8	0.30	56.5	10.20
10306		2.36	0.15	6.73	8.3	150	0.81	0.09	5.46	0.20	29.3	46.2	4	0.30	59.6	9.06
10307		2.46	0.17	6.56	6.5	140	0.60	0.15	4.84	0.14	23.9	54.2	4	0.32	74.3	9.46
10308		2.26	0.30	6.73	12.4	120	0.85	0.17	5.16	0.08	53.1	47.7	4	0.30	71.3	9.11
10309		2.40	0.18	6.68	6.3	170	0.70	0.15	5.44	0.12	24.1	47.1	5	0.30	61.2	9.63
10310		2.25	0.20	6.55	49.4	110	0.91	0.47	5.85	0.04	29.0	67.6	5	0.52	54.5	9.02
10311		2.57	0.26	6.73	6.4	250	0.68	0.14	5.48	0.10	38.7	48.5	5	0.36	163.0	9.60
10312		2.31	0.12	7.01	3.0	210	0.62	0.11	6.45	0.23	20.0	47.6	6	0.73	127.5	8.84
10313		1.55	0.08	7.13	2.8	190	0.54	0.11	6.88	0.13	18.55	46.9	7	0.97	138.0	8.59
10314		2.83	0.07	7.09	2.9	200	0.60	0.10	6.88	0.09	17.00	45.4	7	1.01	124.5	8.37
10315		2.49	0.07	7.23	1.4	140	0.48	0.07	7.17	0.12	16.70	47.4	8	1.11	118.0	8.44
10316		2.25	0.06	7.02	1.1	130	0.51	0.05	7.04	0.11	16.00	46.2	7	1.07	122.5	8.07
10317		1.99	0.35	6.91	38.5	170	0.47	0.10	6.22	2.02	15.20	48.9	8	0.83	829	8.96
10318		2.35	0.30	6.97	32.3	160	0.46	0.07	6.70	0.16	14.60	45.7	7	0.84	640	8.94
10319		0.56	0.24	7.00	13.6	210	0.44	0.08	6.88	0.62	15.90	44.3	8	0.78	123.0	8.26
10320		0.55	0.26	7.16	27.4	220	0.44	0.11	7.17	0.46	16.05	47.3	8	0.80	132.5	8.28
10321		0.07	4.15	5.31	14.5	120	0.49	0.82	3.54	2.07	17.05	992	261	0.71	>10000	18.35
10322		2.27	0.19	7.35	4.2	200	0.39	0.10	6.89	0.14	14.90	46.6	10	0.86	135.5	7.86
10323		1.14	2.22	7.31	6.9	260	0.44	0.10	6.49	0.14	14.90	48.0	9	0.77	130.0	7.97
10324		0.37	8.33	5.32	98.3	130	0.99	0.22	6.06	17.40	17.80	71.5	7	0.80	4000	11.15
10325		1.04	0.03	0.06	0.4	20	<0.05	0.01	33.8	0.06	0.88	0.6	1	<0.05	10.5	0.13
10326		1.17	0.18	7.00	7.3	250	0.51	0.08	6.53	0.18	15.25	45.7	9	0.60	129.5	8.08
10327		2.19	0.20	6.89	5.0	210	0.48	0.09	6.40	0.27	15.10	43.1	8	0.82	183.0	7.96
10328		2.24	0.17	7.09	2.4	140	0.44	0.09	7.15	0.24	12.50	44.8	11	0.93	116.0	7.82
10329		1.19	0.31	7.36	1.9	160	0.31	0.07	7.43	0.18	13.55	45.4	11	0.92	127.5	7.95
10330		0.31	2.73	6.85	7.1	100	0.83	1.05	5.36	22.5	89.2	55.9	10	1.07	2060	9.34
10331		1.17	0.23	7.41	1.8	120	0.33	0.05	7.30	0.17	13.60	46.1	11	1.11	136.0	7.76
10332		2.42	0.16	7.27	1.2	110	0.40	0.05	7.33	0.18	13.65	46.0	11	1.02	137.0	7.75
10333		2.33	0.18	7.30	1.2	90	0.38	0.05	7.14	0.10	12.50	45.6	14	0.72	117.5	7.57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10294		19.55	0.11	2.8	0.118	1.10	15.0	25.0	2.60	1740	2.19	2.69	4.6	34.6	490	46.7
10295		21.8	0.11	3.7	0.123	0.69	20.7	32.9	2.80	1340	4.07	3.03	5.7	37.8	690	108.5
10296		18.55	0.11	3.4	0.128	0.76	16.5	18.6	2.14	1460	0.94	3.22	5.4	20.3	570	19.3
10297		18.00	0.08	2.5	0.100	1.09	12.3	18.2	2.59	1600	1.79	2.64	4.0	26.1	400	40.6
10298		19.20	0.11	2.6	0.113	0.63	10.7	19.6	2.46	1610	0.94	3.51	4.4	23.7	380	325
10299		18.40	0.10	2.5	0.080	0.42	9.6	16.6	2.18	1200	0.62	4.04	4.2	25.0	390	48.5
10300		17.90	0.10	2.6	0.118	0.67	9.9	12.1	2.15	1620	0.72	3.34	4.4	27.1	380	41.5
10301		17.50	0.09	2.0	0.117	0.86	11.1	14.3	2.47	1540	0.56	3.16	3.3	30.7	350	76.0
10302		17.65	0.09	2.3	0.095	1.19	9.7	14.7	2.70	1560	0.74	2.54	3.6	30.4	430	27.0
10303		18.00	0.13	2.1	0.111	1.01	34.8	16.6	2.94	1520	6.91	2.88	3.6	32.4	410	65.0
10304		17.80	0.09	2.2	0.105	1.16	11.1	14.6	2.71	1580	17.00	2.51	3.5	32.2	410	24.6
10305		17.45	0.10	2.2	0.089	1.31	9.9	14.8	2.70	1660	1.41	2.26	3.4	33.0	420	17.6
10306		18.10	0.11	2.3	0.100	1.02	13.9	18.8	2.76	1460	0.77	2.62	3.5	34.2	400	56.6
10307		16.75	0.10	2.2	0.098	1.27	11.0	16.3	2.77	1620	5.27	2.40	3.3	33.1	400	31.4
10308		18.35	0.12	2.5	0.092	1.05	26.3	26.6	2.93	1570	28.6	2.60	3.7	34.6	430	147.0
10309		17.55	0.09	2.4	0.086	1.32	10.6	23.5	2.76	1730	1.61	2.19	3.5	31.8	410	14.2
10310		17.75	0.09	2.1	0.112	0.97	13.2	28.8	2.86	1460	3.59	2.58	3.4	38.1	390	22.2
10311		17.45	0.09	2.2	0.094	1.30	19.8	21.3	2.85	1590	3.16	2.23	3.4	43.6	410	10.9
10312		17.30	0.09	1.9	0.073	0.82	8.5	41.5	3.05	1620	0.53	2.19	2.9	41.3	320	13.3
10313		16.65	0.08	1.7	0.065	0.74	8.0	43.0	3.29	1620	0.56	2.02	2.7	44.9	300	15.4
10314		16.55	0.09	1.7	0.062	0.70	7.2	36.9	3.22	1560	0.51	2.04	2.5	45.2	300	9.7
10315		16.15	0.09	1.7	0.056	0.60	7.0	29.7	3.57	1510	0.42	1.88	2.3	49.5	300	6.7
10316		15.90	0.09	1.5	0.057	0.59	6.8	33.3	3.43	1440	0.39	1.91	2.4	50.7	260	6.7
10317		15.90	0.09	1.4	0.089	0.88	6.6	35.4	3.68	1470	2.52	2.01	2.2	54.0	250	475
10318		15.95	0.08	1.4	0.083	0.70	6.3	32.1	3.58	1400	0.94	1.93	2.2	55.8	250	25.1
10319		15.80	0.07	1.5	0.073	0.91	6.8	26.3	3.60	1480	1.13	1.81	2.4	55.2	330	329
10320		16.15	0.07	1.6	0.065	0.94	6.8	25.5	3.63	1490	0.84	1.77	2.4	57.6	300	116.0
10321		11.70	0.19	1.1	0.125	0.32	6.9	9.9	4.09	1000	4.91	1.21	4.9	>10000	480	13.1
10322		15.95	0.06	1.6	0.058	0.81	6.9	23.5	3.67	1420	1.03	1.74	2.3	57.1	260	28.1
10323		16.70	0.08	1.5	0.054	1.11	7.0	24.0	3.71	1500	0.58	1.77	2.2	55.8	250	35.9
10324		17.05	0.07	1.1	0.547	0.62	8.2	33.1	4.30	1540	4.78	1.41	2.3	66.8	330	8010
10325		0.23	<0.05	<0.1	<0.005	0.01	1.1	1.3	1.58	107	0.06	0.03	0.1	1.3	70	21.9
10326		15.25	0.06	1.4	0.071	1.09	6.5	29.2	3.83	1530	0.46	2.16	2.3	58.9	280	113.0
10327		15.05	0.05	1.4	0.078	0.95	6.5	28.1	3.82	1490	3.94	1.87	2.2	57.0	260	68.4
10328		14.90	0.07	1.3	0.068	0.55	5.8	24.7	3.96	1440	0.35	1.71	2.1	65.1	240	17.6
10329		15.00	0.05	1.4	0.058	0.62	6.3	20.7	4.11	1510	0.62	1.69	2.1	67.3	240	62.5
10330		15.65	0.11	1.5	0.315	0.40	46.7	41.2	4.67	1520	15.10	2.03	2.1	105.0	310	2950
10331		15.75	0.06	1.4	0.059	0.47	6.4	18.6	3.95	1420	0.40	1.72	2.1	68.8	240	12.0
10332		15.40	0.07	1.4	0.053	0.42	6.2	18.4	4.01	1410	0.44	1.73	2.1	68.7	230	15.9
10333		15.30	0.05	1.3	0.049	0.35	5.8	29.7	4.05	1420	0.35	2.32	2.1	72.1	240	11.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10294		50.4	0.003	0.21	0.38	44.4	<1	1.1	113.0	0.33	<0.05	3.68	0.844	0.21	1.5	431
10295		32.2	0.004	0.60	0.28	38.3	1	1.1	85.9	0.41	<0.05	4.78	0.667	0.11	2.9	260
10296		34.7	0.004	0.33	0.33	40.0	1	1.3	104.5	0.40	<0.05	4.27	0.790	0.12	1.6	341
10297		48.2	0.003	0.23	0.30	43.9	1	1.0	107.5	0.29	<0.05	3.11	0.846	0.18	2.7	466
10298		29.9	<0.002	0.18	0.26	43.2	1	1.0	96.8	0.36	<0.05	4.32	0.883	0.10	2.1	684
10299		18.1	<0.002	0.16	0.25	36.8	1	0.9	80.6	0.33	<0.05	4.25	0.664	0.08	1.7	507
10300		29.4	0.005	0.21	0.20	41.8	1	0.9	92.0	0.34	<0.05	4.33	0.993	0.12	1.7	692
10301		38.7	0.002	0.17	0.23	43.9	1	0.8	122.5	0.25	<0.05	3.14	0.688	0.14	1.4	405
10302		51.7	0.003	0.15	0.23	42.3	1	1.0	113.0	0.26	<0.05	2.80	0.623	0.21	2.4	353
10303		45.2	0.003	0.24	0.29	42.5	<1	1.1	111.0	0.25	<0.05	2.61	0.641	0.18	12.0	357
10304		51.9	0.003	0.19	0.33	43.9	1	0.9	104.5	0.25	<0.05	2.79	0.618	0.22	2.4	351
10305		57.6	0.002	0.24	0.44	42.0	<1	1.0	106.5	0.25	<0.05	2.78	0.589	0.21	1.0	343
10306		44.8	0.002	0.12	0.34	42.1	<1	0.9	91.7	0.26	<0.05	2.92	0.604	0.17	1.1	355
10307		51.5	0.003	0.23	0.38	41.5	1	0.9	99.3	0.24	<0.05	2.71	0.558	0.18	2.4	326
10308		44.4	0.009	0.12	0.34	42.5	<1	1.0	89.4	0.27	<0.05	2.84	0.604	0.19	4.3	333
10309		56.0	0.004	0.11	0.54	44.3	1	0.9	114.0	0.25	<0.05	2.71	0.581	0.22	1.0	331
10310		41.0	<0.002	0.28	0.47	42.9	1	1.0	90.5	0.23	<0.05	2.59	0.563	0.17	1.3	327
10311		57.7	0.004	0.21	0.54	44.7	1	1.0	127.5	0.24	0.05	2.66	0.553	0.30	1.5	326
10312		36.0	<0.002	0.11	0.26	47.8	1	0.9	194.5	0.21	<0.05	2.21	0.468	0.27	0.7	288
10313		29.6	<0.002	0.10	0.20	46.0	1	0.8	176.0	0.18	<0.05	2.05	0.450	0.22	0.7	276
10314		28.7	<0.002	0.10	0.17	46.2	1	0.7	170.0	0.19	<0.05	2.13	0.439	0.23	0.7	270
10315		25.6	<0.002	0.10	0.13	44.8	1	0.6	157.5	0.17	<0.05	1.80	0.406	0.18	0.6	257
10316		20.4	<0.002	0.10	0.14	42.8	1	0.6	159.5	0.17	<0.05	1.77	0.416	0.19	0.6	261
10317		39.8	<0.002	0.37	0.38	42.4	1	0.7	153.5	0.15	<0.05	1.66	0.384	0.27	2.0	255
10318		33.2	<0.002	0.29	0.31	42.6	1	0.6	152.5	0.16	<0.05	1.64	0.391	0.28	4.7	266
10319		39.5	<0.002	0.14	0.26	43.6	<1	0.7	153.5	0.17	<0.05	1.71	0.396	0.28	1.0	262
10320		42.1	<0.002	0.20	0.24	45.6	1	0.7	156.0	0.16	<0.05	1.72	0.414	0.28	0.8	266
10321		10.0	0.048	8.79	3.11	8.4	22	2.5	190.5	0.28	4.58	0.96	0.533	0.18	0.3	81
10322		39.7	0.002	0.09	0.71	43.5	<1	0.7	154.5	0.17	<0.05	1.77	0.402	0.26	0.6	249
10323		52.7	0.003	0.09	0.69	43.1	<1	0.7	151.0	0.17	<0.05	1.69	0.392	0.30	0.6	241
10324		27.5	0.003	2.52	8.15	31.7	5	2.4	100.5	0.14	0.09	1.20	0.296	0.15	7.6	197
10325		0.3	<0.002	0.01	0.07	0.2	1	<0.2	79.0	<0.05	<0.05	0.06	0.005	<0.02	0.1	2
10326		46.2	<0.002	0.10	0.63	42.7	1	0.7	162.0	0.16	<0.05	1.63	0.395	0.26	0.7	250
10327		41.4	0.002	0.10	0.43	41.7	1	0.6	154.0	0.15	<0.05	1.56	0.377	0.26	0.8	239
10328		22.8	<0.002	0.08	0.20	40.4	1	0.7	139.0	0.14	<0.05	1.53	0.366	0.17	0.5	235
10329		26.3	<0.002	0.09	0.19	41.5	1	0.6	152.0	0.15	<0.05	1.55	0.372	0.23	0.6	239
10330		16.4	0.002	0.95	0.55	37.3	2	0.9	114.5	0.15	0.10	1.74	0.332	0.14	5.8	211
10331		19.6	<0.002	0.09	0.15	40.7	1	0.6	158.0	0.15	<0.05	1.60	0.367	0.19	0.5	234
10332		17.3	<0.002	0.09	0.14	42.0	1	0.6	149.0	0.14	<0.05	1.47	0.366	0.14	0.5	235
10333		8.2	<0.002	0.09	0.12	39.9	<1	0.5	160.5	0.14	<0.05	1.56	0.370	0.15	0.5	234

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10294		0.8	29.8	217	102.5			77.5	94.0
10295		0.5	33.1	164	138.5				93.9
10296		0.4	32.6	111	121.5				
10297		0.4	26.0	136	91.8				
10298		0.6	19.9	977	93.6				
10299		0.3	19.0	362	88.8				
10300		0.3	20.0	133	95.5				
10301		0.3	20.0	152	78.1			76.3	
10302		0.4	24.4	96	88.4				
10303		0.4	27.6	363	83.8				
10304		0.5	24.6	98	82.9				
10305		2.2	23.1	101	80.4				
10306		0.6	24.3	126	85.7				
10307		0.5	23.8	113	80.4				
10308		1.5	24.5	97	89.0				
10309		0.5	23.4	107	85.6				
10310		1.0	23.8	82	78.5				
10311		0.4	24.4	97	83.3				
10312		0.5	20.5	129	73.3				
10313		0.5	19.3	103	66.2				
10314		0.4	18.2	91	61.3				
10315		0.4	17.5	96	59.7				
10316		0.4	17.1	89	56.9				
10317		0.4	16.3	614	53.9				
10318		0.5	16.1	110	52.5				
10319		0.4	17.2	229	55.9				
10320		0.3	17.2	184	59.2				
10321		2.3	9.1	145	46.3	1.600	4.61		
10322		0.4	16.6	104	57.1				
10323		0.4	16.0	104	54.3				
10324		0.7	29.4	5060	41.2				
10325		0.1	2.0	19	1.3				
10326		0.5	16.6	110	53.4				
10327		0.4	15.9	134	51.1				
10328		0.3	14.2	123	49.3				
10329		0.3	14.7	109	50.9				
10330		0.9	19.5	7450	53.7				
10331		0.3	15.1	103	52.9				
10332		0.3	14.9	107	50.8				
10333		0.4	14.1	90	50.4			76.8	85.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10334		1.18	0.68	7.32	25.2	260	0.50	0.09	6.79	0.08	15.40	44.4	16	0.63	365	8.17
10335		2.49	0.08	7.38	0.8	90	0.34	0.05	7.66	0.12	11.35	43.1	19	0.62	129.5	7.37
10336		1.00	0.31	7.55	1.9	120	0.41	0.05	7.75	0.33	11.35	43.3	19	0.68	133.5	7.57
10337		0.29	1.20	7.35	5.4	160	0.47	0.12	7.41	0.67	12.70	52.7	20	0.67	853	7.93
10338		1.18	0.21	7.23	1.7	110	0.37	0.04	7.73	0.09	12.25	43.3	20	0.63	129.5	7.41
10339		2.24	0.11	7.13	0.6	100	0.30	0.05	7.64	0.11	11.75	45.3	21	0.74	134.0	7.45
10340		2.27	0.17	7.44	5.8	140	0.54	0.11	6.78	0.41	11.90	42.2	26	0.66	126.5	7.04
10341		2.10	0.12	7.20	2.2	130	0.38	0.10	7.47	0.10	11.05	54.4	21	0.79	142.5	7.21
10342		2.25	0.17	7.23	2.2	120	0.43	0.13	7.39	0.12	11.40	46.0	21	0.78	146.5	7.10
10343		1.82	0.10	7.14	2.0	110	0.33	0.06	7.26	0.10	10.80	42.6	22	0.64	135.0	7.04
10344		0.74	0.18	6.62	11.0	30	1.44	0.10	5.53	0.13	26.7	19.2	26	0.29	57.7	4.13
10345		1.78	0.09	7.41	1.7	120	0.40	0.05	7.67	0.12	13.25	48.0	24	0.82	137.5	7.45
10346		2.29	0.08	7.30	1.3	120	0.33	0.05	7.72	0.10	13.35	47.6	24	0.90	142.5	7.42
10347		1.12	0.09	7.38	2.9	120	0.47	0.06	7.40	0.12	13.65	46.8	24	0.84	148.5	7.40
10348		1.41	0.14	7.49	9.6	100	1.19	0.13	6.51	0.21	13.00	40.9	26	1.03	222	7.10
10349		2.18	0.32	7.49	2.1	120	0.37	0.05	7.81	0.15	13.55	49.2	28	1.03	177.5	7.49
10350		2.33	0.07	7.21	1.2	120	0.53	0.03	7.68	0.09	12.70	44.8	36	0.93	148.5	7.11
10351		1.21	0.04	6.53	1.0	10	0.83	0.04	0.87	<0.02	18.55	12.9	36	0.12	48.7	3.79
10352		1.33	0.14	6.67	3.9	10	0.87	0.06	0.68	<0.02	16.40	75.5	34	0.05	65.2	4.20
10353		1.83	0.09	7.36	1.6	120	0.55	0.05	7.07	0.07	12.50	45.1	34	0.80	148.5	7.18
10354		2.42	0.07	7.02	1.2	130	0.32	0.03	7.97	0.14	12.55	46.0	39	0.92	137.0	7.09
10355		1.24	1.99	7.02	13.4	140	0.37	2.64	7.76	0.25	18.45	54.1	40	0.74	619	7.49
10356		0.61	23.2	3.70	445	60	0.87	41.4	7.24	1.76	>500	362	20	0.34	>10000	13.20
10357		1.13	0.17	7.76	7.5	150	0.33	0.11	7.81	0.16	13.35	48.6	40	0.76	171.0	6.95
10358		2.26	0.13	7.15	5.2	100	0.32	0.15	7.81	0.17	13.85	46.2	40	0.72	186.0	7.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10334		15.30	0.07	1.3	0.088	1.09	6.2	21.9	4.05	1510	50.1	1.85	1.9	74.5	310	18.8
10335		14.65	0.05	1.3	0.047	0.35	5.2	14.5	4.17	1340	0.45	1.62	1.8	78.1	220	3.7
10336		14.65	0.07	1.2	0.056	0.55	5.1	15.8	4.34	1380	5.66	1.63	1.8	79.8	230	27.8
10337		15.70	0.07	1.3	0.129	0.80	5.8	23.9	4.41	1410	15.70	1.85	2.0	80.4	240	83.5
10338		14.45	0.06	1.3	0.051	0.46	5.5	15.2	4.25	1360	0.37	1.65	1.9	78.3	210	3.9
10339		14.75	0.06	1.3	0.053	0.38	5.5	15.9	4.36	1360	0.36	1.65	1.8	80.3	210	3.5
10340		15.00	0.05	1.1	0.045	0.65	5.4	25.7	4.32	1320	0.54	2.22	1.6	81.5	160	80.0
10341		14.20	0.06	1.2	0.048	0.62	5.1	19.6	4.31	1320	0.36	1.57	1.7	83.7	190	9.1
10342		14.65	0.06	1.2	0.057	0.62	5.3	20.5	4.28	1310	0.52	1.61	1.8	84.5	210	14.9
10343		13.90	0.05	1.2	0.047	0.75	5.1	20.3	4.32	1320	0.36	1.67	1.7	82.5	200	8.7
10344		16.05	0.07	2.5	0.057	0.17	13.7	26.3	2.19	699	11.40	3.80	3.8	32.6	350	44.8
10345		15.95	0.06	1.2	0.060	0.77	5.9	20.6	4.63	1430	0.45	1.61	2.0	88.2	220	9.1
10346		15.90	0.06	1.4	0.058	0.71	6.0	19.4	4.63	1420	0.64	1.55	2.0	86.4	200	6.9
10347		16.50	0.06	1.3	0.049	0.88	6.0	21.8	4.54	1420	0.40	1.70	2.1	87.8	220	19.2
10348		15.95	<0.05	1.4	0.072	0.77	5.9	34.0	4.50	1340	2.91	2.13	2.0	84.8	200	297
10349		16.00	0.08	1.3	0.056	0.59	6.1	21.7	4.66	1410	0.43	1.70	2.1	90.9	200	9.0
10350		15.30	0.06	1.2	0.058	0.53	5.8	23.8	4.65	1360	0.36	1.62	1.9	100.5	200	6.8
10351		17.60	0.05	4.1	0.027	0.06	6.5	16.6	1.38	286	6.49	4.62	6.2	21.3	510	2.6
10352		17.70	0.05	3.7	0.022	0.02	6.1	15.0	1.35	273	6.75	4.86	5.4	20.9	420	3.4
10353		15.50	0.05	1.2	0.057	0.56	5.6	27.9	4.86	1190	0.34	2.04	1.8	95.0	210	3.7
10354		15.00	<0.05	1.2	0.051	0.48	5.9	24.1	5.08	1350	0.33	1.52	1.8	98.2	190	5.8
10355		15.55	0.06	1.2	0.086	0.75	8.8	24.0	5.22	1430	74.2	1.63	2.0	102.0	190	340
10356		17.30	0.78	0.6	0.878	0.43	449	16.7	4.55	1700	1290	1.00	2.2	170.5	430	2750
10357		15.40	0.09	1.2	0.057	0.81	6.9	21.7	4.66	1420	2.65	1.54	1.8	101.5	200	13.3
10358		15.15	0.07	1.1	0.054	0.52	6.5	21.8	4.89	1420	3.18	1.65	1.8	99.6	180	24.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10334		45.2	0.010	0.51	1.93	38.4	1	0.6	141.5	0.13	0.07	1.46	0.334	0.27	3.5	220
10335		12.5	<0.002	0.08	0.14	38.8	1	0.5	136.5	0.13	<0.05	1.34	0.332	0.11	0.4	224
10336		18.9	<0.002	0.09	0.17	39.5	<1	0.5	139.5	0.12	<0.05	1.32	0.330	0.19	1.4	226
10337		36.4	0.002	0.20	0.37	42.4	1	0.7	138.0	0.14	<0.05	1.48	0.340	0.23	3.1	223
10338		13.1	<0.002	0.08	0.12	41.5	1	0.5	136.5	0.13	<0.05	1.42	0.344	0.19	0.5	229
10339		15.0	<0.002	0.08	0.11	42.7	<1	0.6	136.0	0.12	<0.05	1.36	0.349	0.12	0.4	235
10340		19.5	<0.002	0.10	0.13	38.2	1	0.4	145.5	0.14	<0.05	1.83	0.276	0.15	0.8	216
10341		23.7	<0.002	0.13	0.13	39.4	1	0.5	137.5	0.12	<0.05	1.33	0.314	0.17	0.5	218
10342		24.2	<0.002	0.09	0.14	39.8	1	0.5	142.0	0.12	<0.05	1.31	0.319	0.17	0.5	218
10343		23.0	<0.002	0.08	0.15	40.5	1	0.5	129.5	0.12	<0.05	1.36	0.316	0.17	0.4	219
10344		7.0	<0.002	0.04	0.22	19.3	<1	0.5	75.0	0.39	<0.05	5.85	0.228	0.04	11.4	118
10345		31.9	<0.002	0.08	0.17	41.5	<1	0.5	136.5	0.15	<0.05	1.63	0.347	0.16	0.5	231
10346		32.0	0.002	0.09	0.19	43.5	<1	0.5	133.5	0.15	<0.05	1.59	0.341	0.19	0.6	228
10347		38.6	<0.002	0.08	0.24	41.9	<1	0.6	134.5	0.16	<0.05	1.66	0.340	0.25	0.5	228
10348		35.8	<0.002	0.14	0.37	40.9	<1	0.6	140.5	0.15	<0.05	1.48	0.320	0.15	0.8	207
10349		26.4	<0.002	0.10	0.14	43.2	1	0.6	149.0	0.15	<0.05	1.64	0.354	0.17	0.5	234
10350		23.7	<0.002	0.08	0.26	41.0	1	0.5	139.5	0.14	<0.05	1.43	0.324	0.16	0.5	223
10351		2.9	0.002	0.04	0.06	10.8	<1	0.5	26.2	0.58	<0.05	12.70	0.252	0.02	3.8	67
10352		0.5	<0.002	0.31	0.07	10.1	1	0.5	27.6	0.52	<0.05	7.40	0.231	<0.02	4.7	68
10353		25.0	0.002	0.09	0.24	40.5	<1	0.5	154.0	0.14	<0.05	1.52	0.311	0.17	0.5	221
10354		22.3	<0.002	0.08	0.20	43.5	1	0.5	143.0	0.12	<0.05	1.37	0.315	0.15	0.4	227
10355		37.8	0.011	0.17	0.48	45.9	1	0.6	138.5	0.14	<0.05	1.39	0.313	0.25	19.0	225
10356		19.4	0.584	6.01	7.43	23.7	11	1.8	79.1	0.14	0.54	0.98	0.166	0.32	153.0	132
10357		36.9	0.004	0.09	0.59	45.2	1	0.5	143.5	0.14	<0.05	1.33	0.313	0.23	0.6	219
10358		25.0	0.002	0.09	0.30	42.2	1	0.5	134.0	0.13	<0.05	1.42	0.313	0.14	0.8	221

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10334		0.3	18.6	69	45.8				
10335		0.3	12.7	77	45.0				
10336		0.3	13.6	131	42.7				
10337		0.4	17.2	248	48.0				
10338		0.3	13.7	76	47.3				
10339		0.2	13.8	78	47.0				
10340		0.5	10.7	182	39.2				
10341		0.2	12.8	79	44.1				
10342		0.3	12.8	86	44.0				
10343		0.3	12.1	77	42.7				
10344		0.6	12.8	77	86.3				
10345		0.3	13.2	80	45.0				
10346		0.3	13.2	79	43.3				
10347		0.4	13.9	91	46.4				
10348		1.0	13.6	131	43.2				
10349		0.3	13.9	92	47.8				
10350		0.3	12.6	73	39.8				
10351		0.4	10.5	23	144.5				
10352		0.9	8.9	21	132.0				
10353		0.3	12.5	67	41.7				
10354		0.2	12.5	77	40.0				
10355		0.3	17.9	112	41.9				
10356		0.5	79.2	456	19.9	1.985			
10357		0.3	13.4	79	40.0				
10358		0.3	12.6	86	41.3				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: ELK LAKE-ROY

CERTIFICATE OF ANALYSIS SD18319041

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Cu-OG62	ME-MS61	ME-OG62	Ni-OG62