ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18324935

Project: Elk Lake - Roy

This report is for 85 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10563		1.07	0.21	6.96	50.8	200	1.72	0.40	7.17	0.03	64.6	65.5	9	1.47	254	7.14
10564		2.15	0.12	6.91	6.4	210	0.53	0.15	4.88	0.07	18.65	45.2	9	1.03	137.0	8.70
10565		1.97	0.26	7.08	12.0	250	0.99	0.27	5.83	0.06	25.9	55.6	7	0.91	182.0	8.05
10566		2.13	0.41	6.99	8.6	220	0.74	0.18	4.59	0.14	20.2	127.0	8	0.69	322	9.02
10567		2.33	0.32	6.92	6.2	210	0.63	0.12	4.92	0.63	20.8	45.6	7	0.84	142.5	8.20
10568		2.44	0.50	7.32	14.2	250	0.71	0.13	4.88	0.82	19.20	47.8	8	1.01	201	8.53
10569		2.24	0.46	7.07	9.1	230	0.58	0.13	5.00	0.63	19.25	44.7	8	0.71	154.0	8.15
10570		2.73	0.35	6.95	7.0	220	0.47	0.12	4.91	0.27	18.40	49.9	7	0.79	142.5	7.91
10571		2.31	0.25	7.05	5.0	220	0.57	0.14	4.81	0.46	19.30	46.8	7	0.76	123.5	8.66
10572		1.16	0.22	7.30	5.4	210	0.59	0.12	4.99	0.07	20.9	46.5	8	0.97	143.0	8.59
10573		0.21	0.70	6.81	942	90	1.86	2.50	9.71	<0.02	50.8	640	7	0.75	96.1	3.89
10574		1.05	0.10	7.19	19.8	220	0.82	0.16	5.06	<0.02	22.7	52.0	8	0.80	96.9	7.84
10575		0.66	0.01	0.09	0.6	20	0.05	0.03	35.2	0.02	1.07	1.4	1	<0.05	2.3	0.14
10576		2.16	0.22	7.19	16.7	220	0.83	0.25	5.70	0.05	23.3	45.9	8	1.23	287	7.36
10577		1.92	0.21	7.24	4.3	310	0.61	0.13	4.13	0.31	18.35	47.2	9	2.07	143.5	8.22
10578		1.02	0.62	6.81	2.9	230	0.72	0.13	5.01	0.07	82.7	48.3	8	1.37	766	8.04
10579		1.08	0.77	6.53	5.9	200	1.11	0.38	5.35	0.03	32.0	63.7	8	1.06	1150	10.30
10580		1.69	0.21	7.06	4.1	200	0.86	0.13	4.39	0.03	18.60	55.0	8	0.99	142.5	8.54
10581		0.85	0.40	6.98	6.9	90	0.84	0.16	2.74	0.02	16.50	51.6	8	1.86	245	8.69
10582		2.34	0.23	6.97	4.3	200	0.56	0.12	5.08	0.05	20.8	46.1	8	0.58	86.1	8.07
10583		2.26	0.29	7.16	5.7	240	0.51	0.13	4.79	0.27	19.50	47.9	8	1.28	109.0	8.36
10584		1.99	0.27	7.32	4.1	230	0.44	0.12	4.91	0.22	18.65	47.8	8	0.95	121.0	8.28
10585		1.64	0.18	7.38	4.0	220	0.48	0.11	5.39	0.12	20.5	48.2	9	1.33	137.0	8.34
10586		1.18	0.17	6.93	2.8	180	0.69	0.12	4.72	0.03	22.5	52.7	8	0.90	159.5	8.64
10587		1.98	0.23	7.14	3.0	190	0.62	0.14	4.31	0.05	20.6	52.9	8	0.70	119.0	8.48
10588		2.30	0.10	7.34	3.4	220	0.44	0.11	5.41	0.12	19.20	47.0	10	0.88	135.0	8.24
10589		1.05	0.93	7.02	3.2	150	0.64	0.18	4.96	0.07	101.0	60.8	10	0.67	3770	9.01
10590		0.88	0.05	7.29	3.3	170	0.50	0.10	4.97	0.05	20.0	46.3	11	0.72	100.5	8.15
10591		1.20	0.25	7.10	3.7	180	1.05	0.18	3.55	0.05	356	43.5	10	0.83	787	9.72
10592		2.34	0.07	7.38	4.1	180	0.48	0.10	5.14	0.06	19.35	46.7	11	0.81	102.0	8.22
10593		2.30	0.10	7.17	4.2	170	0.66	0.13	4.73	0.05	>500	44.4	11	0.91	230	8.75
10594		1.44	0.07	7.65	3.8	180	0.48	0.10	5.42	0.08	19.20	45.7	12	0.89	113.0	8.12
10595		1.00	0.67	5.74	18.5	60	0.95	0.35	8.46	0.10	81.9	58.4	10	0.67	678	10.80
10596		2.19	0.11	7.07	3.7	200	0.49	0.08	4.95	0.06	18.50	43.5	12	0.94	90.7	7.83
10597		1.09	0.52	6.90	42.2	100	1.13	0.77	5.31	0.12	44.6	112.0	13	1.21	504	7.18
10598		2.35	0.11	7.17	3.8	210	0.53	0.09	5.29	0.11	17.90	44.6	13	1.12	114.0	7.67
10599		0.53	0.31	7.34	3.9	160	0.55	0.22	4.79	0.05	18.10	63.0	12	0.72	126.5	7.83
10600		0.47	0.24	7.64	3.1	170	0.53	0.17	4.69	0.09	17.75	49.9	13	0.73	190.0	8.12
10601		0.08	3.91	5.43	13.2	120	0.50	0.86	3.26	2.03	17.35	970	267	0.80	>10000	17.55
10602		2.21	0.10	7.04	2.6	200	0.41	0.09	5.27	0.07	17.25	45.2	14	0.93	135.5	7.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10563		18.20	0.10	1.9	0.133	1.13	31.2	65.2	2.86	1960	1.37	2.10	2.9	41.9	440	11.0
10564		16.75	0.07	1.8	0.076	1.91	8.6	32.4	3.18	1560	0.56	1.72	3.0	45.7	340	14.3
10565		18.50	0.07	2.0	0.113	1.60	12.3	43.1	3.13	1500	0.74	2.03	3.1	43.8	320	48.5
10566		17.20	0.08	1.8	0.084	1.81	9.0	32.6	3.36	1500	0.76	1.77	2.9	46.8	570	30.7
10567		16.80	0.08	1.9	0.079	1.71	9.8	36.4	3.37	1600	0.61	1.82	3.0	42.9	310	120.0
10568		17.55	0.09	2.0	0.077	1.84	8.9	43.8	3.63	1700	0.59	1.78	3.0	46.3	310	346
10569		17.20	0.09	1.9	0.074	1.81	8.8	34.5	3.27	1580	0.70	1.75	3.0	43.7	320	291
10570		16.85	0.08	1.8	0.069	1.92	8.3	32.0	3.14	1500	0.50	1.66	2.9	43.9	300	41.2
10571		17.20	0.08	2.0	0.082	1.92	8.8	39.4	3.41	1510	0.51	1.75	3.1	45.6	330	84.6
10572		17.95	0.09	2.0	0.073	1.83	9.7	38.9	3.38	1540	0.56	1.84	3.1	46.3	340	41.8
10573		16.30	0.09	2.1	0.115	1.20	26.4	52.6	1.68	1350	7.75	2.49	3.1	107.0	330	19.4
10574		17.35	0.08	1.8	0.095	1.68	10.8	34.8	3.18	1540	0.53	2.26	2.9	46.6	350	9.1
10575		0.25	0.06	<0.1	0.009	0.01	1.2	1.5	1.52	115	0.08	0.03	0.1	0.6	80	0.8
10576		16.90	0.08	1.8	0.086	1.55	10.9	48.6	3.01	1480	0.54	1.88	2.8	44.7	330	21.5
10577		17.45	0.07	1.9	0.073	1.67	8.7	68.9	4.01	1360	0.66	1.66	3.0	47.5	320	70.9
10578		17.05	0.12	1.8	0.091	1.52	41.0	46.7	3.71	1350	0.55	1.74	2.7	46.1	320	39.1
10579		16.65	0.09	1.7	0.104	1.71	16.3	27.7	3.15	1380	1.45	1.55	2.8	48.5	390	5.6
10580		17.10	0.08	1.7	0.091	1.78	8.6	34.8	3.62	1300	0.49	1.67	2.8	49.7	310	21.8
10581		16.60	0.09	1.8	0.088	0.89	6.8	89.1	4.87	1260	0.60	2.20	2.8	49.6	300	593
10582		16.75	0.08	1.8	0.074	1.84	9.6	28.8	3.35	1430	0.97	1.77	2.9	47.3	320	28.6
10583		17.40	0.07	1.8	0.081	1.96	8.7	39.9	3.56	1500	0.43	1.56	3.0	50.7	330	74.2
10584		17.00	0.08	1.8	0.075	1.93	8.6	36.8	3.66	1480	0.48	1.65	2.9	50.7	320	37.4
10585		17.80	0.09	2.0	0.069	1.97	9.7	30.4	3.39	1460	0.54	1.61	3.0	51.3	320	15.2
10586		18.00	0.08	1.8	0.087	1.67	10.3	35.6	3.64	1420	0.56	1.75	2.9	48.6	330	4.5
10587		18.25	0.08	1.9	0.072	1.54	9.4	35.8	3.72	1340	0.52	1.88	3.1	51.3	320	12.9
10588		17.30	0.07	1.9	0.070	1.88	8.8	30.6	3.42	1440	0.48	1.68	2.9	52.9	330	7.6
10589		17.40	0.14	1.8	0.134	1.56	49.9	30.6	3.36	1290	1.04	1.84	2.7	54.9	310	6.4
10590		17.20	0.08	1.9	0.078	1.89	9.3	27.7	3.45	1280	0.48	1.78	2.9	54.3	310	5.2
10591		19.80	0.33	1.8	0.117	1.54	173.0	39.5	3.76	1180	0.71	1.93	2.9	54.5	360	13.0
10592		16.90	0.08	1.8	0.071	1.97	8.7	28.6	3.48	1410	0.49	1.72	2.9	56.1	300	11.7
10593		20.8	0.48	1.8	0.084	1.76	282	33.1	3.60	1300	1.18	1.67	2.8	57.5	290	7.6
10594		16.75	0.07	1.9	0.067	1.99	8.8	29.0	3.49	1420	0.58	1.74	2.9	55.3	320	8.4
10595		15.70	0.12	1.4	0.162	0.85	41.1	47.9	2.73	1580	4.18	1.85	2.3	34.1	310	364
10596		16.45	0.07	1.8	0.061	1.86	8.1	32.8	3.48	1480	0.39	1.80	2.8	54.4	320	10.8
10597		18.25	0.10	1.7	0.118	1.23	21.7	52.3	3.44	1240	15.55	1.87	2.8	61.2	270	33.3
10598		16.45	0.08	1.8	0.065	1.87	8.2	34.7	3.39	1400	0.56	1.61	2.7	55.5	300	9.8
10599		16.90	0.09	1.7	0.075	1.89	8.0	30.0	3.62	1350	4.22	1.79	2.7	57.3	330	7.8
10600		16.70	0.07	1.8	0.072	1.94	7.9	31.1	3.87	1380	6.95	1.94	2.8	55.0	330	13.4
10601		11.85	0.24	1.3	0.116	0.30	7.4	9.0	3.93	959	5.07	1.16	5.0	>10000	470	14.0
10602		16.65	0.08	1.7	0.067	1.88	7.6	29.4	3.49	1320	0.49	1.63	2.6	66.7	280	4.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10563		52.6	0.003	0.14	0.30	39.3	1	3.6	84.3	0.20	<0.05	2.14	0.437	0.23	0.8	267
10564		74.0	<0.002	0.11	0.45	38.3	1	0.9	94.2	0.21	<0.05	2.02	0.476	0.31	0.7	278
10565		70.4	0.002	0.13	0.39	40.6	1	1.4	100.5	0.22	<0.05	2.28	0.457	0.25	0.9	263
10566		77.1	0.002	0.30	0.51	40.2	1	1.6	109.5	0.21	<0.05	2.18	0.455	0.27	0.7	272
10567		71.1	<0.002	0.09	0.62	40.3	1	1.0	109.5	0.22	<0.05	2.15	0.459	0.32	0.7	270
10568		78.7	<0.002	0.09	0.72	41.5	1	0.8	111.5	0.22	<0.05	2.18	0.480	0.35	0.7	282
10569		78.8	0.002	0.09	0.79	40.7	1	0.8	121.5	0.21	<0.05	2.10	0.456	0.32	0.7	272
10570		79.9	<0.002	0.11	0.46	39.7	1	0.8	122.0	0.21	<0.05	2.06	0.449	0.33	0.7	267
10571		73.0	<0.002	0.10	0.34	40.1	1	0.8	114.0	0.22	<0.05	2.18	0.485	0.30	0.8	280
10572		72.9	0.002	0.10	0.47	40.7	1	0.9	125.5	0.22	<0.05	2.14	0.484	0.31	0.7	283
10573		50.8	<0.002	0.15	0.80	35.4	1	1.5	78.0	0.23	<0.05	2.39	0.459	0.16	1.4	265
10574		77.9	<0.002	0.10	0.21	40.4	<1	0.8	103.5	0.20	<0.05	2.07	0.456	0.24	0.8	269
10575		0.4	<0.002	<0.01	0.06	0.3	1	<0.2	81.1	<0.05	<0.05	0.06	0.007	<0.02	0.2	3
10576		71.5	0.002	0.12	0.35	36.6	1	0.8	96.0	0.20	<0.05	2.01	0.461	0.32	0.8	270
10577		75.6	0.002	0.09	0.43	39.9	<1	0.9	105.0	0.21	<0.05	2.04	0.451	0.47	0.7	265
10578		71.5	0.002	0.19	0.29	39.5	1	0.9	85.1	0.19	<0.05	2.14	0.425	0.29	0.8	249
10579		79.3	0.002	0.27	0.38	38.2	<1	5.1	94.8	0.19	0.05	1.96	0.429	0.27	1.1	252
10580		79.4	0.002	0.15	0.34	40.0	1	1.0	104.0	0.19	<0.05	2.04	0.436	0.28	1.0	249
10581		43.6	<0.002	0.10	0.13	40.0	1	0.8	64.0	0.19	<0.05	2.06	0.451	0.15	0.7	256
10582		75.9	0.002	0.11	0.33	39.0	1	0.8	129.5	0.20	<0.05	2.12	0.451	0.28	0.8	259
10583		85.7	<0.002	0.09	0.38	41.3	1	0.8	121.0	0.21	<0.05	2.10	0.449	0.39	0.7	261
10584		84.8	<0.002	0.10	0.37	40.9	1	0.8	119.0	0.20	<0.05	2.08	0.458	0.37	0.7	260
10585		98.7	0.002	0.10	0.38	42.4	1	0.8	117.5	0.21	<0.05	2.29	0.466	0.43	0.7	268
10586		69.1	<0.002	0.15	0.29	38.6	1	2.4	101.5	0.20	<0.05	2.05	0.441	0.30	0.8	253
10587		75.6	<0.002	0.12	0.25	40.4	1	0.8	120.5	0.21	<0.05	2.32	0.475	0.31	0.9	263
10588		95.1	<0.002	0.10	0.28	40.6	1	0.8	115.5	0.21	<0.05	2.21	0.458	0.44	0.7	263
10589		76.1	0.003	0.57	0.26	38.9	1	2.0	128.0	0.18	0.12	2.03	0.426	0.28	1.0	246
10590		90.8	0.002	0.11	0.26	40.6	1	0.8	106.0	0.20	<0.05	2.21	0.444	0.34	0.9	255
10591		76.5	0.003	0.18	0.28	38.2	1	3.0	91.9	0.20	<0.05	2.32	0.434	0.27	5.2	246
10592		91.8	<0.002	0.10	0.31	39.6	1	0.7	111.5	0.20	<0.05	2.08	0.453	0.37	0.7	263
10593		79.6	0.005	0.10	0.34	39.9	<1	2.9	105.0	0.20	<0.05	2.06	0.418	0.33	1.6	242
10594		90.8	0.002	0.10	0.27	39.3	1	0.7	111.0	0.20	<0.05	2.09	0.456	0.39	0.7	260
10595		38.5	0.008	0.22	0.27	35.1	1	12.1	65.2	0.15	<0.05	1.66	0.335	0.14	9.8	208
10596		60.1	<0.002	0.10	0.33	36.7	<1	0.7	119.0	0.19	<0.05	1.88	0.449	0.40	0.7	255
10597		53.6	0.022	0.34	0.21	36.2	1	1.0	81.4	0.18	<0.05	2.02	0.420	0.21	10.5	242
10598		77.5	0.002	0.10	0.27	38.1	1	0.7	122.5	0.18	<0.05	2.02	0.432	0.43	0.7	249
10599		89.5	0.010	0.17	0.31	39.8	1	0.8	121.0	0.18	0.15	2.01	0.415	0.36	1.2	243
10600		81.5	0.015	0.13	0.32	38.5	<1	0.7	123.0	0.19	0.06	2.05	0.439	0.34	1.5	254
10601		10.8	0.049	8.27	2.98	8.3	21	2.5	179.5	0.31	4.29	1.01	0.524	0.17	0.3	79
10602		68.9	0.002	0.10	0.32	38.0	1	0.7	134.5	0.18	<0.05	1.85	0.404	0.48	0.7	242

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10563		6.6	29.0	80	69.1				72.8	88.9
10564		0.7	19.6	99	67.1					
10565		1.8	23.1	107	74.4					
10566		2.4	20.7	137	69.8					
10567		0.7	19.7	247	69.6					
10568		0.6	19.1	319	71.0					
10569		0.6	19.1	262	69.5					93.9
10570		0.4	18.4	157	66.5					96.6
10571		0.5	19.4	188	73.4					
10572		0.6	19.6	119	71.2					
10573		2.6	24.4	55	73.0					
10574		0.4	19.4	68	65.9					
10575		0.1	2.2	4	1.6					
10576		0.7	17.5	102	64.9					
10577		0.7	18.3	176	69.6					
10578		0.9	21.1	109	62.2					
10579		14.5	20.6	84	62.3					
10580		0.9	18.7	93	62.7					
10581		2.0	18.7	145	64.9					
10582		0.6	19.0	106	66.9					
10583		0.6	19.5	156	67.0					
10584		0.8	19.2	140	66.8					
10585		0.7	20.5	114	70.2					
10586		1.2	19.1	88	65.0					
10587		0.9	19.8	109	71.3					
10588		0.6	19.3	114	68.3					
10589		2.0	20.8	101	63.8					
10590		0.6	19.4	79	67.7					
10591		4.7	30.8	96	66.7					
10592		0.6	18.9	113	65.0					
10593		5.9	36.3	102	64.0					
10594		0.5	18.4	98	67.4					
10595		23.1	19.7	93	50.8					
10596		0.6	17.5	94	65.1					
10597		1.4	20.2	112	64.1					
10598		0.5	18.0	103	63.9					
10599		0.5	19.2	92	62.9					
10600		0.5	18.1	106	63.6					
10601		2.8	9.5	135	49.7		1.550	4.38		
10602		0.4	18.0	94	61.6				67.2	96.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10603		2.28	0.13	7.29	3.7	220	0.45	0.12	5.47	0.19	18.65	46.1	16	0.90	129.5	7.78
10604		1.11	0.67	6.81	6.5	190	0.89	0.23	4.42	0.06	18.40	84.5	15	0.84	2320	8.82
10605		2.28	0.08	6.89	3.6	230	0.37	0.09	5.24	0.09	16.85	44.3	16	1.04	112.5	7.88
10606		1.92	0.11	7.25	4.2	200	0.34	0.10	5.25	0.09	18.05	45.9	21	0.96	134.5	7.93
10607		1.15	0.10	7.17	4.9	210	0.42	0.07	5.25	0.08	17.40	47.1	20	0.97	130.5	7.70
10608		0.82	0.26	6.25	10.3	160	0.47	0.29	6.89	0.09	19.60	56.0	17	0.57	162.5	7.16
10609		2.41	0.09	7.16	7.0	240	0.39	0.10	5.55	0.10	17.80	45.7	22	0.94	135.5	7.95
10610		1.43	0.71	6.67	31.1	140	0.56	0.47	6.06	0.07	67.3	100.5	21	0.51	1665	7.93
10611		1.11	0.07	7.36	7.1	210	0.44	0.10	5.74	0.07	20.5	47.2	24	0.87	127.5	8.07
10612		1.23	0.28	7.12	14.4	140	0.60	0.30	4.48	0.04	24.7	212	25	0.53	142.0	8.58
10613		2.09	0.08	7.60	6.8	240	0.41	0.10	5.79	0.12	19.20	46.4	24	0.97	120.5	8.18
10614		2.42	0.12	7.12	3.4	190	0.39	0.19	6.15	0.09	17.75	42.5	25	0.54	112.5	7.62
10615		2.33	0.10	7.35	2.6	200	0.40	0.07	6.34	0.10	14.85	43.5	33	0.67	131.0	7.67
10616		1.17	0.42	7.50	47.5	100	0.86	1.70	5.62	0.04	19.25	66.7	31	0.53	605	6.97
10617		2.14	0.10	7.46	4.3	240	0.40	0.09	6.22	0.16	14.80	40.7	31	0.61	133.0	7.38
10618		1.29	0.09	7.28	2.5	220	0.39	0.08	6.24	0.13	15.50	41.4	28	0.63	127.0	7.51
10619		1.72	0.06	6.96	1.9	200	0.40	0.06	6.40	0.07	11.70	42.5	40	0.60	125.5	7.39
10620		1.08	0.94	6.39	13.0	90	1.58	0.73	2.46	0.04	25.8	286	47	1.26	2390	10.55
10621		2.19	0.12	7.01	2.6	160	0.50	0.09	5.89	0.05	18.20	44.5	40	0.63	277	7.27
10622		2.44	0.10	7.32	2.3	270	0.35	0.08	6.20	0.24	12.60	42.7	45	0.68	135.5	7.40
10623		2.32	0.09	7.30	1.8	170	0.59	0.07	5.47	0.08	13.90	40.8	43	0.71	176.5	7.73
10624		1.35	0.47	7.47	3.2	140	0.97	0.22	4.68	0.04	127.0	56.2	43	0.78	1260	8.78
10625		0.57	0.01	0.06	<0.2	30	0.05	0.01	34.0	0.02	1.07	0.7	2	<0.05	5.3	0.14
10626		2.33	0.08	7.68	2.0	210	0.40	0.06	6.47	0.10	14.70	43.1	45	0.66	141.5	7.61
10627		2.25	0.08	7.85	1.7	160	0.36	0.05	6.69	0.06	13.60	43.5	68	0.77	110.5	7.13
10628		2.26	0.08	7.16	2.2	150	0.32	0.06	6.52	0.08	13.40	38.8	45	0.54	109.5	6.85
10629		2.00	0.14	7.38	6.0	170	0.29	0.06	6.75	0.10	13.75	41.4	44	0.77	123.5	7.27
10630		1.11	1.42	7.53	39.3	120	0.80	0.15	7.88	0.07	110.5	55.1	39	0.85	518	6.88
10631		2.15	0.13	7.28	2.5	160	0.34	0.09	6.77	0.16	13.00	43.9	51	0.82	131.5	7.77
10632		1.44	0.07	7.04	3.1	110	0.34	0.11	6.63	0.03	7.71	45.5	235	0.58	139.0	5.99
10633		2.56	0.03	7.14	1.2	10	0.19	0.08	10.15	<0.02	11.00	34.1	231	<0.05	4.6	7.81
10634		1.26	0.05	7.21	2.1	10	0.23	0.14	5.53	<0.02	10.45	51.0	160	0.05	46.9	7.19
10635		2.06	0.07	7.14	1.6	50	0.39	0.12	6.28	<0.02	10.40	42.7	145	0.13	85.0	7.43
10636		0.93	5.74	5.20	28.9	10	0.71	1.07	10.20	<0.02	7.65	403	96	0.07	>10000	14.10
10637		2.18	0.96	6.79	5.0	20	0.59	0.28	10.30	<0.02	14.05	63.8	133	0.07	3000	9.92
10638		2.45	0.06	6.71	2.7	240	0.53	0.12	5.62	0.05	11.45	38.9	98	0.56	148.0	7.24
10639		0.97	0.02	6.76	0.9	80	1.29	0.02	0.75	<0.02	41.4	13.1	70	0.20	89.3	3.35
10640		1.04	0.01	6.72	1.0	70	1.25	0.03	0.84	<0.02	32.4	13.1	67	0.19	107.5	3.23
10641		0.07	>100	4.32	673	140	0.74	59.1	0.64	24.0	30.7	9.3	46	2.57	4920	2.17
10642		2.08	0.24	6.71	1.9	60	1.23	0.12	0.99	0.03	22.3	21.1	66	0.20	35.5	2.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10603		16.50	0.08	1.7	0.066	1.74	8.4	35.8	3.59	1380	0.50	1.69	2.7	64.9	300	27.6
10604		16.10	0.07	1.8	0.107	1.59	8.5	38.9	3.93	1300	1.24	1.74	2.6	67.7	270	9.2
10605		15.45	0.06	1.8	0.060	1.73	7.5	34.4	3.65	1380	0.49	1.55	2.7	63.1	280	8.2
10606		16.30	0.07	1.6	0.070	1.65	8.1	35.7	3.91	1380	0.52	1.77	2.6	68.4	280	5.8
10607		16.15	0.08	1.7	0.064	1.69	7.7	37.6	3.89	1340	0.54	1.68	2.6	70.2	260	5.5
10608		14.45	0.08	1.4	0.067	1.89	9.3	41.7	4.37	1130	1.22	1.39	2.2	61.5	260	18.8
10609		16.80	0.08	1.9	0.069	1.77	8.4	41.9	3.76	1400	0.65	1.68	2.9	67.9	310	9.5
10610		16.60	0.10	1.8	0.098	1.38	34.6	30.1	3.22	1260	20.0	1.89	2.8	67.3	350	10.9
10611		16.80	0.08	1.8	0.066	1.68	9.2	38.2	3.85	1480	0.58	1.75	2.7	75.1	320	10.3
10612		17.55	0.08	1.7	0.079	1.37	12.0	35.5	4.20	1320	6.45	2.09	2.7	72.9	280	8.2
10613		16.95	0.07	1.8	0.069	1.82	8.6	42.5	3.99	1440	0.47	1.81	2.9	71.4	310	7.5
10614		15.30	0.09	1.6	0.067	1.49	7.7	41.0	3.54	1320	0.69	1.86	2.5	68.1	310	12.5
10615		15.80	0.08	1.5	0.062	1.64	6.2	38.7	3.42	1420	0.53	1.76	2.4	71.3	280	7.1
10616		16.85	0.08	1.4	0.075	1.16	8.6	43.9	3.10	1240	8.56	2.90	2.3	70.4	270	18.0
10617		15.25	0.08	1.5	0.057	1.74	6.4	35.2	3.31	1420	0.46	1.70	2.2	65.0	290	7.0
10618		14.95	0.08	1.5	0.059	1.55	6.3	36.0	3.32	1460	0.46	1.83	2.4	63.4	290	14.6
10619		15.05	0.07	1.2	0.058	1.51	5.1	37.0	3.51	1320	0.45	1.62	2.0	76.6	250	9.6
10620		18.50	0.08	1.2	0.120	0.87	12.4	79.8	4.55	940	2.25	1.78	1.9	100.5	200	12.0
10621		15.20	0.08	1.3	0.065	1.46	8.6	41.7	3.63	1280	0.73	1.93	2.2	76.8	260	11.3
10622		15.00	0.08	1.3	0.051	1.79	5.6	37.1	3.72	1440	0.48	1.62	2.0	79.8	250	14.0
10623		15.70	0.08	1.4	0.070	1.61	5.9	43.0	3.93	1340	0.78	1.86	2.1	76.9	270	16.0
10624		17.55	0.16	1.4	0.122	1.27	66.4	51.5	4.43	1340	4.62	2.42	2.4	75.7	360	13.5
10625		0.25	0.12	<0.1	0.005	0.01	1.2	1.7	1.59	118	0.09	0.02	0.1	0.6	70	0.8
10626		15.60	0.08	1.4	0.058	1.64	6.3	35.7	3.88	1410	0.61	1.67	2.2	80.5	260	11.8
10627		15.00	0.08	1.2	0.067	1.31	5.8	33.6	4.53	1180	0.45	1.43	1.9	108.0	230	7.3
10628		14.25	0.07	1.3	0.057	1.11	5.7	36.7	3.81	1240	0.38	1.85	2.2	79.6	270	10.0
10629		15.20	0.08	1.4	0.059	1.18	5.8	36.2	3.72	1250	0.40	1.63	2.1	77.9	260	15.7
10630		15.95	0.14	1.4	0.101	1.07	55.1	35.1	3.59	1440	2.15	2.08	2.2	71.1	290	1635
10631		14.20	0.08	1.2	0.051	1.04	5.6	31.7	4.12	1480	0.40	1.41	1.9	85.7	260	10.4
10632		12.30	0.08	0.9	0.044	0.59	3.4	57.9	5.69	1180	0.29	2.14	1.4	217	200	5.0
10633		16.70	0.08	0.6	0.069	0.03	5.4	22.2	5.50	1130	0.34	0.91	0.9	199.5	150	3.3
10634		11.00	0.07	1.3	0.051	0.08	4.3	45.3	5.63	1100	0.28	2.64	2.0	187.0	270	1.9
10635		13.35	0.07	1.1	0.054	0.27	4.3	36.4	4.40	1150	0.46	2.34	1.9	110.5	250	2.3
10636		15.00	0.08	0.7	0.483	0.03	4.1	9.3	3.66	1040	6.07	0.24	1.1	113.5	110	14.5
10637		16.95	0.08	1.1	0.172	0.08	6.9	13.1	3.95	1090	2.37	0.46	1.6	78.9	240	6.1
10638		13.90	0.07	1.2	0.057	0.99	4.8	38.8	4.37	1310	0.38	2.28	2.0	100.0	260	4.6
10639		18.40	0.11	2.8	0.024	0.14	21.8	36.5	1.65	259	0.95	4.37	4.8	32.5	440	2.0
10640		17.45	0.11	2.8	0.025	0.14	16.1	33.3	1.56	265	1.10	4.36	4.6	29.3	460	2.0
10641		19.95	0.16	2.3	5.13	0.70	15.5	22.2	0.20	233	4.79	0.45	7.0	69.4	580	1045
10642		15.25	0.11	2.2	0.025	0.08	10.8	37.8	1.56	237	0.53	4.59	3.6	33.2	380	2.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10603		94.5	0.002	0.10	0.34	40.4	<1	0.8	133.5	0.18	<0.05	1.98	0.427	0.49	0.7	249
10604		83.7	0.004	0.49	0.35	38.4	1	0.9	111.0	0.18	0.15	2.10	0.399	0.39	1.5	231
10605		77.4	0.003	0.10	0.25	37.4	1	0.7	125.5	0.18	<0.05	1.93	0.426	0.51	0.6	250
10606		87.1	0.002	0.10	0.44	40.0	1	0.7	144.0	0.17	<0.05	1.86	0.417	0.53	0.7	249
10607		91.0	<0.002	0.10	0.40	40.0	1	0.7	139.0	0.18	<0.05	1.99	0.408	0.51	0.7	244
10608		72.0	<0.002	0.18	0.38	33.0	1	0.6	112.0	0.16	<0.05	1.59	0.357	0.37	0.8	215
10609		77.9	0.002	0.10	0.29	39.8	1	0.8	144.5	0.21	<0.05	1.98	0.459	0.55	0.7	261
10610		69.2	0.011	0.45	0.33	35.9	1	2.8	112.5	0.19	0.25	2.06	0.414	0.33	3.3	235
10611		88.3	0.002	0.10	0.35	42.0	1	0.7	134.0	0.20	<0.05	2.00	0.443	0.43	0.7	262
10612		68.4	0.005	0.46	0.34	39.2	1	0.8	102.5	0.18	0.19	2.01	0.440	0.29	2.4	256
10613		84.2	<0.002	0.10	0.34	41.6	1	0.7	141.0	0.19	<0.05	2.01	0.470	0.55	0.7	271
10614		44.7	<0.002	0.09	0.36	35.4	<1	0.7	146.5	0.18	<0.05	1.74	0.442	0.39	0.7	250
10615		43.0	0.002	0.08	0.20	34.8	1	0.6	141.5	0.16	<0.05	1.55	0.427	0.40	0.6	249
10616		34.5	0.008	0.12	0.33	32.8	<1	1.6	106.5	0.17	<0.05	1.44	0.398	0.25	0.9	238
10617		51.0	0.002	0.09	0.23	32.2	<1	0.7	144.0	0.17	<0.05	1.53	0.415	0.45	0.6	242
10618		48.7	<0.002	0.09	0.17	33.0	<1	0.6	141.0	0.17	<0.05	1.63	0.435	0.42	0.6	252
10619		32.7	<0.002	0.08	0.18	31.2	1	0.6	144.0	0.15	<0.05	1.25	0.377	0.40	0.5	232
10620		17.2	0.002	1.25	0.26	23.3	1	2.2	74.6	0.14	0.63	1.10	0.363	0.18	6.9	197
10621		33.5	<0.002	0.11	0.25	29.8	<1	0.7	134.5	0.15	<0.05	1.25	0.391	0.32	0.6	234
10622		45.3	<0.002	0.08	0.17	30.8	<1	0.6	148.5	0.15	<0.05	1.33	0.382	0.45	0.5	232
10623		40.3	<0.002	0.09	0.22	31.3	<1	1.2	132.0	0.15	<0.05	1.38	0.381	0.34	0.7	230
10624		39.0	0.007	0.31	0.25	32.7	<1	1.2	127.5	0.16	0.13	1.58	0.407	0.25	1.7	235
10625		0.4	<0.002	<0.01	0.08	0.3	1	<0.2	81.4	<0.05	<0.05	0.06	0.006	<0.02	0.1	2
10626		48.5	<0.002	0.09	0.23	33.6	<1	0.6	160.5	0.16	<0.05	1.49	0.402	0.39	0.5	241
10627		61.6	<0.002	0.06	0.34	33.9	1	0.6	161.0	0.13	<0.05	1.38	0.347	0.32	0.5	212
10628		23.3	<0.002	0.06	0.78	29.5	<1	0.6	160.5	0.15	<0.05	1.38	0.397	0.29	0.5	229
10629		31.0	<0.002	0.08	1.56	30.6	1	0.6	164.0	0.15	<0.05	1.44	0.390	0.33	0.5	233
10630		46.1	0.002	0.16	2.17	34.0	<1	0.8	136.0	0.16	<0.05	1.76	0.397	0.22	7.7	232
10631		28.7	<0.002	0.09	0.37	31.7	1	0.6	164.5	0.15	<0.05	1.34	0.385	0.30	0.5	237
10632		11.4	<0.002	0.07	0.21	29.3	<1	0.4	154.5	0.10	<0.05	0.81	0.295	0.22	0.3	197
10633		0.3	<0.002	0.01	0.15	27.2	<1	1.7	714	0.06	<0.05	0.70	0.198	<0.02	0.4	152
10634		1.2	<0.002	0.06	0.13	33.6	<1	0.6	166.5	0.15	<0.05	1.26	0.370	0.03	0.4	214
10635		3.1	<0.002	0.06	0.16	30.7	<1	1.0	149.0	0.13	<0.05	1.03	0.352	0.09	0.5	229
10636		0.7	0.003	4.91	0.34	22.4	5	31.5	287	0.07	1.87	0.78	0.193	0.03	6.5	148
10637		3.2	0.002	0.52	0.47	28.3	1	12.1	416	0.11	0.22	1.25	0.306	0.03	4.8	193
10638		18.9	<0.002	0.07	0.48	29.8	<1	0.7	222	0.14	<0.05	1.18	0.371	0.26	0.6	234
10639		4.5	<0.002	0.02	0.08	8.2	<1	0.9	62.5	0.46	<0.05	7.48	0.219	0.03	1.6	63
10640		4.6	<0.002	0.02	0.08	7.6	<1	0.8	61.0	0.45	<0.05	7.38	0.214	0.03	1.6	60
10641		29.5	<0.002	2.10	81.1	3.8	30	5.3	459	0.53	41.1	6.34	0.217	1.68	2.4	34
10642		2.6	<0.002	0.04	0.20	10.1	<1	0.8	48.0	0.31	0.06	4.05	0.249	0.04	1.1	80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10603		0.6	18.4	129	62.8					
10604		1.0	18.1	108	62.4					
10605		0.4	16.9	104	61.1					
10606		0.5	18.0	104	60.0					
10607		0.4	18.1	98	61.6				75.6	
10608		0.4	15.2	98	51.8					
10609		0.7	18.2	101	66.4					
10610		7.9	21.6	77	63.5					
10611		0.6	19.8	100	64.0					
10612		1.0	17.7	109	61.9					
10613		0.5	18.8	103	65.9					
10614		0.4	17.2	92	61.1					
10615		0.4	16.2	97	56.7					
10616		1.1	15.9	81	54.6					
10617		0.5	16.2	111	55.5					
10618		0.6	16.5	101	59.5					
10619		0.4	13.3	88	47.7					
10620		3.3	10.9	113	48.3					
10621		0.7	14.1	86	51.2					
10622		0.6	13.9	139	50.3					
10623		1.1	15.0	108	52.3					
10624		0.9	25.3	103	51.7					
10625		<0.1	2.0	6	1.6					
10626		0.4	15.4	94	51.9					
10627		0.2	15.4	65	45.1					
10628		0.3	14.2	81	50.0					
10629		0.3	14.8	78	51.2					
10630		0.4	30.2	76	53.5					
10631		0.4	14.5	114	46.3					
10632		0.6	10.8	73	34.8					
10633		1.0	9.7	72	23.2					
10634		1.9	12.1	91	47.0					
10635		3.2	12.2	82	42.8					
10636		31.6	10.6	61	25.4		3.02			
10637		5.9	14.3	64	38.7					
10638		0.8	12.3	91	46.5					
10639		0.9	9.4	35	107.5					
10640		0.9	8.6	34	104.0					
10641		12.0	6.3	4100	82.4	117				
10642		1.5	10.9	35	82.8				74.6	94.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOD	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
10643		2.01	0.11	6.60	2.6	50	1.48	0.13	1.25	<0.02	70.3	45.3	76	0.24	171.0	4.24
10644		1.19	0.05	7.37	1.2	130	1.67	0.03	0.67	<0.02	11.50	25.8	136	0.60	5.6	6.77
10645		2.08	0.04	7.14	3.5	120	1.58	0.06	1.36	<0.02	29.9	71.0	79	0.43	67.0	4.38
10646		1.97	0.01	7.24	1.2	170	1.36	0.02	1.01	<0.02	43.5	9.4	57	0.34	5.0	2.88
10647		1.63	0.02	7.11	0.7	130	1.30	0.02	1.55	<0.02	35.7	11.1	64	0.27	7.0	3.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10643		16.25	0.13	2.1	0.045	0.08	40.6	30.7	1.49	284	1.16	4.27	3.5	35.6	410	1.7
10644		20.6	0.09	2.0	0.033	0.45	3.7	87.3	3.70	387	0.28	3.82	3.5	73.0	460	1.5
10645		16.00	0.10	2.0	0.028	0.30	13.9	52.6	2.35	334	0.52	4.14	3.6	47.0	510	2.8
10646		15.85	0.11	2.1	0.012	0.42	21.3	52.5	2.08	235	0.44	4.55	4.0	35.5	460	1.5
10647		16.05	0.11	2.0	0.015	0.27	17.0	49.1	2.10	260	0.29	4.58	3.5	38.9	430	1.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10643		2.7	<0.002	0.18	0.13	10.7	<1	2.6	46.8	0.33	0.06	3.95	0.255	0.04	1.5	94
10644		3.1	<0.002	<0.01	0.18	23.5	<1	1.2	90.5	0.27	<0.05	1.61	0.425	0.08	1.3	180
10645		9.3	<0.002	0.20	0.14	13.2	<1	2.3	96.9	0.27	0.05	3.38	0.299	0.05	1.2	105
10646		11.4	<0.002	0.01	0.10	10.3	<1	1.0	117.0	0.35	<0.05	5.18	0.268	0.07	0.9	92
10647		7.6	<0.002	0.02	0.09	10.7	<1	1.1	97.3	0.26	<0.05	2.99	0.272	0.06	1.0	98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10643		4.2	14.0	30	77.9					
10644		1.1	8.5	58	75.0					
10645		4.4	13.5	42	75.2					
10646		1.3	8.9	35	80.6					
10647		1.5	9.7	36	78.2					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324935

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-23
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Ni-OG62			