ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

CERTIFICATE SD18324922

Project: Elk Lake - Roy

This report is for 85 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 20-DEC-2018.

The following have access to data associated with this certificate:

SEUN AJBODE	PETER DOYLE	JON EDWARDS
GEORDIE HAMILTON	MIKE HENDRICKSON	SEAN HICKS
MALLORY METCALF	SARAH MILLS	FRANK PLOEGER
IAN PRINGLE	MERCEDES RICH	ISAAC RIDDLE
CLYDE SMITH		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10862		2.27	0.44	7.04	11.1	250	0.89	0.14	3.65	0.86	22.7	52.3	7	0.78	165.0	9.49
10863		1.11	0.28	6.60	6.1	190	0.69	0.10	4.14	0.29	26.0	45.8	7	0.39	126.0	9.18
10864		1.29	0.30	6.84	7.2	230	0.61	0.11	4.50	0.29	23.4	48.5	5	0.41	116.5	9.11
10865		1.30	0.34	6.76	8.0	250	0.61	0.19	4.67	0.48	21.4	48.2	5	0.42	121.5	9.15
10866		1.13	0.26	6.98	9.7	210	0.68	0.12	4.38	0.09	22.6	47.5	5	0.33	98.2	9.18
10867		0.81	24.8	6.84	500	230	0.80	45.4	4.21	0.16	31.0	329	9	0.33	275	8.90
10868		0.55	0.06	0.12	0.3	20	0.06	0.11	33.1	0.03	1.12	1.2	1	0.05	4.8	0.20
10869		1.17	0.61	6.43	12.0	290	0.60	0.40	4.38	0.79	21.1	49.5	6	0.44	153.5	9.15
10870		2.04	0.38	6.73	7.2	220	0.67	0.15	4.78	2.01	24.0	45.9	8	0.41	80.8	8.90
10871		2.18	0.21	6.89	5.5	280	0.72	0.13	3.84	0.36	21.1	42.8	6	0.59	99.0	8.90
10872		1.45	1.71	7.08	34.3	120	1.46	0.14	2.35	1.01	15.95	57.7	7	1.08	103.0	8.62
10873		0.24	5.28	2.70	6.4	30	1.09	1.03	11.25	4.42	30.1	17.8	4	0.39	1930	3.86
10874		0.83	0.42	7.21	14.6	220	1.14	0.24	2.34	0.10	19.70	44.0	7	1.24	250	8.57
10875		0.57	0.03	0.09	<0.2	10	0.06	0.02	32.5	0.02	1.22	0.8	1	<0.05	11.3	0.15
10876		2.33	0.88	6.99	16.4	260	1.00	0.18	3.67	0.96	22.9	45.2	6	0.95	124.0	8.78
10877		1.19	0.61	6.88	11.8	220	0.74	0.16	4.19	2.08	20.3	45.1	6	0.70	76.5	9.05
10878		2.10	0.80	7.06	6.2	240	0.50	0.11	5.60	0.23	20.1	45.8	10	1.40	131.5	8.41
10879		0.47	0.99	7.22	15.1	200	0.46	0.11	5.43	0.22	20.1	44.4	11	0.69	129.0	8.37
10880		0.56	0.95	6.99	15.7	200	0.47	0.11	5.34	0.14	18.40	44.1	11	0.67	133.0	8.29
10881		0.47	39.7	6.52	218	130	0.75	1.73	7.38	0.16	27.6	170.5	10	0.66	912	6.49
10882		0.62	0.17	0.11	0.5	20	0.07	0.03	33.6	0.03	1.03	1.2	1	<0.05	7.6	0.15
10883		1.35	1.14	6.96	16.9	230	0.52	0.19	5.35	0.45	17.85	44.5	12	0.78	144.5	8.18
10884		0.07	4.10	5.29	13.2	110	0.53	0.85	3.41	2.06	16.05	943	264	0.75	>10000	17.60
10885		2.33	0.60	6.74	5.8	240	0.46	0.12	5.74	0.51	19.15	43.1	12	1.02	143.5	8.06
10886		1.12	0.76	6.70	9.0	200	0.44	0.13	5.07	1.03	18.85	44.3	12	0.68	161.5	8.22
10887		1.20	1.39	6.86	46.1	260	1.19	0.17	4.56	1.34	21.4	50.6	16	1.73	286	8.26
10888		1.76	0.80	6.90	29.2	270	0.47	0.21	5.35	0.94	18.70	48.0	18	1.23	151.5	8.38
10889		2.20	0.23	6.97	12.3	350	0.57	0.15	6.35	0.16	23.8	43.1	19	0.87	155.0	7.71
10890		2.15	0.36	6.83	20.2	320	0.54	0.12	5.64	0.64	20.3	49.0	21	0.97	118.0	7.63
10891		2.38	0.36	7.16	8.6	290	0.43	0.44	6.17	0.32	17.55	43.9	28	0.92	140.5	7.71
10892		2.35	0.41	7.08	20.6	280	0.44	0.47	5.97	0.39	16.40	49.0	28	1.12	138.5	7.74
10893		2.34	0.36	7.12	44.0	280	1.09	0.25	6.99	0.32	29.6	55.9	27	0.97	127.5	6.62
10894		2.22	0.20	7.21	12.4	250	0.57	0.09	6.62	0.18	22.4	44.5	26	0.97	125.5	7.20
10895		2.58	0.10	6.83	3.0	300	0.39	0.05	5.86	0.23	14.25	43.6	27	0.92	124.0	7.37
10896		1.23	0.14	7.07	5.2	230	0.47	0.06	5.76	0.12	15.85	45.6	32	0.88	108.5	7.46
10897		0.55	0.89	3.23	26.4	60	0.68	0.25	15.75	0.10	97.9	865	14	0.53	1175	13.55
10898		0.73	0.01	0.09	0.9	20	<0.05	0.04	33.4	0.02	1.18	1.2	1	<0.05	4.0	0.15
10899		1.50	0.10	7.11	2.4	180	0.61	0.10	5.43	0.03	16.75	47.0	36	0.70	135.0	8.31
10900		1.62	0.08	7.02	2.9	230	0.54	0.09	6.13	0.18	15.80	42.6	38	0.68	102.5	7.24
10901		0.37	1.65	3.30	15.5	70	0.53	0.21	9.03	0.65	50.5	502	18	0.29	7100	20.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
10862		18.45	0.12	2.2	0.078	1.67	9.8	56.7	3.86	1720	0.65	2.16	3.5	39.6	390	856
10863		16.75	0.12	2.1	0.084	1.69	11.6	33.3	3.41	1720	0.71	2.04	3.4	35.5	390	186.0
10864		17.60	0.10	2.3	0.074	1.84	10.2	29.9	3.21	1750	0.65	2.00	3.4	36.5	380	48.6
10865		17.85	0.11	2.3	0.070	1.97	9.2	34.4	3.09	1790	0.51	1.97	3.4	36.4	390	56.6
10866		17.75	0.13	2.3	0.072	1.88	10.0	26.5	3.13	1760	0.50	2.15	3.5	37.1	390	43.5
10867		17.35	0.12	2.0	0.093	1.79	14.7	35.8	3.74	1760	1.18	2.17	3.1	180.5	360	7110
10868		0.39	<0.05	0.1	<0.005	0.02	1.2	1.7	2.05	116	0.06	0.04	0.1	1.3	80	15.5
10869		16.20	<0.05	2.0	0.074	1.65	9.2	34.3	3.41	1800	0.54	1.91	3.1	40.4	330	192.5
10870		17.10	0.07	2.2	0.089	1.61	10.1	30.4	3.43	1710	0.54	2.20	3.6	39.0	380	305
10871		16.95	0.05	2.0	0.088	1.66	8.8	32.9	3.39	1600	0.52	2.20	3.3	37.6	380	67.4
10872		17.55	0.07	2.2	0.115	0.77	7.0	66.8	4.22	1250	0.78	2.78	3.3	41.0	380	910
10873		7.38	<0.05	1.0	0.128	0.09	13.9	56.7	1.95	887	1.91	1.01	1.2	14.0	90	2680
10874		16.80	0.05	2.3	0.112	1.09	8.1	65.4	4.12	1330	0.73	2.78	3.7	41.4	390	410
10875		0.27	<0.05	<0.1	<0.005	0.01	1.2	1.7	1.90	113	0.09	0.03	0.1	0.7	70	13.3
10876		16.80	<0.05	2.2	0.081	1.30	10.2	53.6	4.03	1460	0.43	2.30	3.3	38.9	360	873
10877		16.45	<0.05	2.0	0.076	1.49	8.6	44.2	4.04	1560	0.48	2.17	3.2	39.3	340	623
10878		16.65	<0.05	2.0	0.060	1.87	8.7	29.4	3.22	1480	0.59	1.71	3.1	50.0	330	17.2
10879		16.10	0.05	1.9	0.062	1.81	8.8	31.1	3.37	1580	0.53	1.92	2.8	49.7	350	34.1
10880		16.20	<0.05	1.9	0.057	1.81	8.1	30.1	3.29	1560	0.54	1.90	2.9	50.1	340	31.4
10881		15.55	<0.05	1.8	0.116	1.11	11.9	42.2	3.23	1290	14.50	2.14	2.5	62.0	290	764
10882		0.30	<0.05	0.1	<0.005	0.02	1.2	1.2	1.36	106	0.11	0.04	0.1	0.8	70	3.4
10883		16.70	<0.05	1.9	0.062	1.91	7.9	33.0	3.33	1590	0.65	1.88	3.0	56.9	320	72.5
10884		11.35	0.13	1.2	0.113	0.30	7.1	9.2	3.90	950	4.98	1.17	4.9	>10000	460	13.5
10885		15.70	<0.05	1.9	0.061	1.80	8.5	32.2	3.28	1480	0.64	1.66	2.7	55.2	310	35.4
10886		15.35	<0.05	1.8	0.058	1.65	8.2	32.3	3.57	1610	0.70	1.86	2.7	50.9	320	61.6
10887		15.70	<0.05	1.7	0.084	1.25	10.5	65.3	4.37	1460	0.81	2.03	2.8	56.2	320	1295
10888		15.65	<0.05	1.7	0.066	1.76	8.3	42.0	3.74	1490	0.75	1.68	2.7	59.2	310	312
10889		15.85	<0.05	1.7	0.077	1.74	10.8	34.5	3.47	1520	0.52	1.81	2.7	59.9	320	43.2
10890		15.50	<0.05	1.8	0.068	1.60	9.0	32.3	3.59	1440	0.53	1.77	2.8	59.3	300	139.0
10891		15.70	<0.05	1.6	0.066	1.60	7.6	40.4	3.84	1380	0.38	1.73	2.7	66.6	290	44.0
10892		15.70	0.05	1.7	0.064	1.78	7.2	35.0	3.76	1380	0.42	1.68	2.6	69.5	300	69.7
10893		15.90	0.12	1.8	0.090	1.65	13.4	34.5	3.27	1710	0.91	1.93	2.5	71.8	280	111.5
10894		15.90	0.13	1.7	0.068	1.72	9.7	33.6	3.50	1440	0.53	1.79	2.6	71.3	300	55.1
10895		15.25	0.11	1.6	0.053	1.64	6.6	31.1	3.52	1340	0.39	1.58	2.4	70.2	280	12.5
10896		15.65	0.12	1.7	0.063	1.58	7.4	38.5	3.91	1500	0.44	1.77	2.4	74.2	270	154.5
10897		9.79	0.16	0.7	0.227	0.46	41.8	27.2	2.08	3640	3.20	0.86	1.2	75.7	100	115.0
10898		0.24	0.10	<0.1	<0.005	0.01	1.2	1.2	1.41	116	0.07	0.03	0.1	0.9	60	1.4
10899		15.70	0.11	1.6	0.076	1.57	7.7	32.2	4.15	1370	0.70	1.81	2.2	74.9	260	12.4
10900		15.00	0.10	1.5	0.054	1.75	7.6	28.3	3.69	1470	0.43	1.69	2.2	74.2	260	11.6
10901		12.25	0.13	0.7	0.231	0.36	22.9	20.6	1.73	2090	5.43	1.24	1.1	77.0	90	130.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
10862		64.0	0.003	0.11	0.54	44.7	1	1.0	120.5	0.25	<0.05	2.59	0.544	0.27	0.9	288
10863		61.7	0.002	0.11	0.36	41.5	1	1.2	108.5	0.24	<0.05	2.40	0.545	0.23	0.8	284
10864		76.5	0.003	0.11	0.42	44.7	<1	1.0	127.5	0.23	<0.05	2.36	0.552	0.27	0.8	292
10865		63.7	0.003	0.11	0.49	42.1	<1	1.0	145.0	0.25	<0.05	2.41	0.538	0.28	0.8	290
10866		77.2	0.003	0.11	0.39	44.8	<1	1.1	134.5	0.25	<0.05	2.64	0.545	0.24	0.9	289
10867		58.9	0.003	0.27	0.63	42.7	<1	1.9	99.2	0.21	<0.05	2.27	0.504	0.32	0.9	276
10868		0.6	<0.002	<0.01	0.06	0.4	1	0.2	83.4	<0.05	<0.05	0.11	0.009	<0.02	0.2	3
10869		67.0	0.003	0.12	0.49	44.1	<1	1.0	115.5	0.21	<0.05	2.31	0.496	0.26	0.8	275
10870		66.0	0.003	0.13	0.39	41.1	<1	1.0	123.5	0.25	<0.05	2.67	0.535	0.24	0.9	278
10871		64.2	0.002	0.11	0.31	39.1	<1	0.9	128.5	0.24	<0.05	2.34	0.522	0.28	0.8	278
10872		29.9	0.003	0.11	0.27	39.9	<1	1.0	64.8	0.25	<0.05	2.52	0.529	0.13	0.9	276
10873		3.3	0.005	0.32	0.28	10.7	<1	0.5	32.2	0.14	<0.05	2.26	0.136	0.03	1.0	76
10874		42.7	0.002	0.09	0.23	44.1	<1	1.2	89.1	0.27	<0.05	2.62	0.566	0.17	1.0	278
10875		0.3	<0.002	<0.01	0.09	0.4	1	<0.2	75.9	<0.05	<0.05	0.09	0.007	<0.02	0.1	3
10876		52.7	0.003	0.10	0.26	40.0	<1	0.9	100.5	0.25	<0.05	2.64	0.517	0.20	0.9	272
10877		60.2	<0.002	0.11	0.34	39.4	<1	0.9	117.0	0.23	<0.05	2.48	0.512	0.23	0.8	273
10878		76.9	0.003	0.10	0.98	39.5	<1	0.9	152.0	0.22	<0.05	2.29	0.487	0.39	0.8	263
10879		72.7	0.003	0.10	2.27	38.9	<1	0.9	146.0	0.19	<0.05	2.22	0.458	0.30	0.7	251
10880		59.1	0.004	0.10	2.07	38.7	<1	0.9	147.5	0.21	<0.05	2.09	0.472	0.33	0.7	258
10881		43.6	0.005	0.16	2.84	34.2	<1	0.8	113.5	0.18	<0.05	1.83	0.413	0.17	1.0	230
10882		0.5	0.002	<0.01	0.08	0.5	1	<0.2	81.1	<0.05	<0.05	0.07	0.010	<0.02	0.3	3
10883		61.3	0.002	0.10	2.57	38.4	<1	0.9	143.5	0.20	<0.05	1.97	0.463	0.34	0.7	256
10884		10.2	0.051	8.04	2.75	8.5	20	2.5	183.5	0.30	4.01	0.99	0.518	0.16	0.3	77
10885		61.2	0.002	0.10	0.99	39.0	<1	0.9	140.5	0.20	<0.05	2.01	0.454	0.31	0.7	254
10886		59.5	0.002	0.08	0.74	38.5	1	0.9	136.5	0.18	<0.05	2.03	0.452	0.26	0.7	247
10887		54.3	<0.002	0.10	0.99	39.2	1	0.9	103.0	0.19	<0.05	1.87	0.469	0.23	0.6	260
10888		75.2	0.003	0.11	0.83	41.7	1	0.8	136.5	0.18	<0.05	1.95	0.453	0.36	0.7	257
10889		74.3	0.002	0.10	0.49	41.0	<1	0.8	130.0	0.18	<0.05	1.89	0.441	0.30	0.6	254
10890		73.2	0.003	0.09	0.48	39.9	<1	0.8	133.0	0.20	<0.05	2.04	0.458	0.30	0.7	258
10891		69.0	<0.002	0.09	0.33	41.0	<1	0.7	136.0	0.18	0.05	1.89	0.441	0.29	0.6	246
10892		63.6	<0.002	0.09	0.43	39.3	<1	0.7	132.0	0.19	<0.05	1.74	0.439	0.37	0.6	248
10893		75.5	0.003	0.07	0.62	39.9	1	0.8	125.5	0.19	<0.05	1.99	0.413	0.30	0.7	238
10894		68.9	0.002	0.09	0.46	38.5	<1	0.7	124.5	0.18	<0.05	1.81	0.416	0.34	0.6	238
10895		50.5	0.002	0.09	0.24	35.8	<1	0.6	127.5	0.17	<0.05	1.63	0.400	0.34	0.6	234
10896		62.0	0.002	0.09	0.43	39.9	<1	0.7	117.0	0.18	<0.05	1.73	0.408	0.33	0.6	240
10897		21.2	0.003	2.78	0.14	21.9	2	11.9	60.7	0.09	0.27	0.83	0.168	0.08	0.6	126
10898		0.5	0.002	<0.01	0.07	0.3	1	<0.2	83.3	<0.05	<0.05	0.06	0.006	<0.02	0.1	2
10899		69.4	<0.002	0.10	0.26	39.3	<1	1.2	98.8	0.16	<0.05	1.81	0.403	0.25	0.7	241
10900		77.0	0.003	0.09	0.34	37.4	1	0.8	110.0	0.15	<0.05	1.64	0.390	0.32	0.5	235
10901		17.1	0.002	2.31	0.20	19.0	2	24.5	53.4	0.08	0.12	0.69	0.153	0.09	0.8	122

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10862		0.7	22.5	408	82.2			72.6	92.5
10863		0.7	22.7	193	79.9				
10864		0.6	23.6	184	81.8				
10865		0.8	22.1	241	79.9				
10866		0.7	23.1	127	82.7				
10867		1.4	25.5	175	73.1				
10868		<0.1	2.1	13	2.0				
10869		0.8	22.0	330	74.5				
10870		0.4	22.9	695	84.5				
10871		0.4	21.2	213	77.4				
10872		1.0	18.9	454	79.3				
10873		0.4	16.2	1530	29.3				
10874		0.7	20.4	177	76.8				
10875		<0.1	2.5	12	1.3				
10876		0.7	21.5	436	77.3				
10877		0.5	21.4	774	70.2				
10878		0.4	20.3	131	72.8				
10879		0.5	20.1	137	69.6				
10880		0.5	18.9	123	69.7				
10881		1.3	22.6	140	60.2				
10882		<0.1	2.1	7	1.7				
10883		0.6	19.3	202	71.9				
10884		2.2	9.4	136	48.6	1.630	4.62		
10885		0.5	18.6	220	65.7				
10886		0.5	18.8	333	64.4				
10887		0.5	18.8	604	62.9				
10888		0.4	18.9	373	66.0				
10889		0.4	21.2	116	63.0				
10890		0.3	20.0	224	64.1				
10891		0.3	18.7	164	63.9				
10892		0.3	17.7	187	61.1				
10893		0.3	23.3	177	62.1				
10894		0.4	21.6	124	60.8				
10895		0.3	16.0	125	56.8				93.9
10896		0.6	17.7	111	57.7				
10897		36.9	69.1	66	21.3				
10898		0.1	2.2	6	1.6				
10899		0.9	18.5	76	54.3				
10900		0.7	16.6	112	53.4				
10901		76.5	37.5	186	23.6			85.8	98.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10902		0.57	0.01	0.09	<0.2	20	<0.05	0.01	33.5	0.02	1.11	1.3	1	<0.05	10.8	0.18
10903		1.17	0.06	7.21	2.7	270	0.40	0.07	6.24	0.08	14.90	46.5	38	0.63	139.0	7.74
10904		2.36	0.09	7.28	2.2	280	0.40	0.06	6.45	0.30	14.80	43.2	38	0.81	121.5	7.46
10905		1.10	0.49	7.27	41.9	210	0.62	0.33	6.17	0.26	17.10	61.1	36	0.79	120.0	7.39
10906		2.59	0.07	6.79	2.5	250	0.39	0.07	6.30	0.14	14.80	47.4	42	0.98	130.0	7.97
10907		1.30	0.09	7.07	4.3	230	0.48	0.08	5.60	0.13	15.45	46.4	35	0.83	134.0	7.66
10908		0.49	3.97	4.17	20.9	90	0.73	0.35	9.22	0.16	56.6	677	23	0.68	>10000	14.40
10909		0.55	0.01	0.10	0.2	20	0.06	0.01	33.1	0.02	1.06	1.4	1	<0.05	39.6	0.17
10910		0.72	0.19	6.63	2.7	240	0.65	0.10	5.00	0.03	17.10	53.5	33	0.93	741	10.50
10911		1.05	0.07	6.97	2.3	170	0.69	0.08	4.27	0.10	15.65	51.1	34	0.94	90.1	8.34
10912		0.38	0.61	1.44	2.0	<10	0.30	0.03	26.8	0.28	76.8	93.0	9	0.11	207	2.39
10913		0.62	0.01	0.09	0.5	10	0.07	0.01	33.2	0.02	1.12	2.0	1	<0.05	3.5	0.16
10914		1.27	0.27	6.69	4.8	140	0.93	0.08	6.22	1.58	29.0	53.2	39	0.99	391	7.91
10915		1.48	0.06	7.39	3.0	250	0.46	0.07	6.20	0.06	14.80	44.0	32	0.69	118.5	7.65
10916		1.97	0.07	6.98	2.8	190	0.54	0.09	5.50	0.10	16.15	44.5	30	0.51	117.0	7.93
10917		2.44	0.12	7.06	3.8	210	0.70	0.15	5.32	0.08	16.50	111.5	38	0.58	378	7.83
10918		2.38	0.21	6.53	4.8	200	0.86	0.16	5.00	0.02	18.70	108.0	45	0.84	282	9.65
10919		1.02	0.11	7.10	2.8	240	0.63	0.11	5.15	0.07	17.35	46.8	57	0.96	136.5	7.53
10920		1.02	0.13	6.97	2.4	230	0.63	0.10	5.05	0.06	18.75	49.0	61	1.06	137.5	7.75
10921		0.08	4.05	5.17	12.8	110	0.54	0.90	3.34	2.00	16.25	923	254	0.72	>10000	17.20
10922		1.82	0.11	7.28	2.4	190	0.59	0.11	5.77	0.08	15.35	44.7	51	0.81	343	7.04
10923		2.32	0.07	7.74	3.4	200	0.45	0.09	6.11	0.06	16.25	43.6	50	0.94	102.0	7.37
10924		2.33	0.08	7.38	3.2	190	0.56	0.10	6.35	0.04	15.55	55.6	51	0.88	129.5	7.04
10925		0.07	4.03	5.37	12.5	120	0.53	0.89	3.47	2.03	15.70	964	267	0.73	>10000	17.80
10926		2.56	0.07	7.23	3.1	190	0.51	0.09	6.01	0.06	12.80	43.8	84	0.83	155.0	7.25
10927		2.16	0.05	6.06	1.5	110	0.25	0.05	6.12	0.06	6.82	60.6	128	1.17	108.0	7.26
10928		2.44	0.59	7.34	5.0	140	0.83	0.08	5.98	0.06	10.30	110.5	156	0.87	597	6.88
10929		1.26	0.08	7.63	2.1	200	0.72	0.13	5.17	0.06	10.70	46.6	152	1.30	393	7.10
10930		1.53	0.12	5.76	1.1	90	2.02	0.08	4.51	0.10	11.70	41.2	111	0.84	817	7.97
10931		1.18	0.04	7.55	1.9	200	0.33	0.08	6.46	0.08	10.15	49.7	133	1.13	91.8	6.54
10932		1.43	0.05	7.82	1.0	150	0.40	0.06	7.08	0.06	10.20	51.3	151	1.24	114.5	6.53
10933		0.98	0.04	7.50	1.2	220	0.37	0.04	7.05	0.05	10.85	48.5	154	1.35	83.0	6.45
10934		2.35	0.08	7.55	4.2	160	0.60	0.09	6.80	0.07	11.15	128.5	138	1.27	157.0	7.59
10935		1.08	0.05	7.64	1.1	210	0.47	0.05	6.82	0.05	11.45	48.1	121	1.10	112.0	5.95
10936		0.71	0.05	7.67	1.1	240	0.41	0.06	6.67	0.05	10.85	48.3	124	1.10	79.2	6.38
10937		1.69	0.07	7.76	1.4	210	0.45	0.05	6.91	0.07	12.20	58.9	128	1.24	98.5	6.96
10938		2.29	0.15	6.76	1.3	150	0.50	0.08	7.01	0.04	13.00	53.8	106	1.14	726	7.60
10939		2.34	0.06	7.32	1.2	190	0.29	0.06	7.15	0.10	12.25	52.4	125	1.50	99.7	7.16
10940		2.33	0.07	7.41	1.7	340	0.51	0.07	6.72	0.10	13.75	46.9	100	1.40	101.0	7.04
10941		1.80	0.04	6.54	0.6	190	1.29	0.06	0.36	<0.02	46.8	9.2	48	0.13	26.5	2.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10902		0.27	0.08	<0.1	<0.005	0.01	1.2	1.4	1.38	112	0.06	0.03	0.1	1.0	60	1.0
10903		16.15	0.09	1.6	0.062	1.86	6.8	28.5	3.94	1410	0.40	1.63	2.4	80.9	280	11.5
10904		15.50	0.09	1.7	0.057	1.77	7.0	28.0	3.82	1560	0.43	1.56	2.4	75.3	270	25.9
10905		15.95	0.11	1.6	0.066	1.71	8.1	31.1	3.89	1330	0.74	1.73	2.3	77.6	260	152.0
10906		14.75	0.08	1.5	0.057	1.61	6.9	23.7	4.33	1430	0.38	1.44	2.2	84.1	260	7.6
10907		15.95	0.10	1.6	0.062	1.82	7.3	29.5	4.09	1540	0.43	1.65	2.4	79.4	280	17.2
10908		12.65	0.11	0.9	0.560	0.50	27.8	36.3	2.40	2850	1.65	1.23	1.6	108.0	160	42.4
10909		0.32	0.06	<0.1	<0.005	0.02	1.2	1.3	1.56	115	0.09	0.03	0.1	1.0	80	0.9
10910		15.05	0.08	1.4	0.071	1.60	7.9	32.9	3.63	1370	1.53	1.55	2.2	70.8	330	13.3
10911		15.80	0.09	1.6	0.070	1.38	7.1	43.2	4.13	1640	0.48	2.18	2.3	90.8	280	52.1
10912		5.06	0.13	0.4	0.079	0.02	36.6	19.6	1.09	1440	0.19	0.46	0.6	16.1	40	161.5
10913		0.27	0.07	<0.1	<0.005	0.01	1.2	1.4	1.54	118	0.08	0.03	0.1	0.8	70	1.1
10914		15.25	0.10	1.6	0.113	0.95	13.3	55.7	4.23	1920	0.50	2.24	2.4	76.6	280	263
10915		15.55	0.08	1.4	0.061	1.94	6.9	25.2	3.80	1320	0.41	1.54	2.2	72.8	260	4.7
10916		15.85	0.09	1.6	0.077	1.52	7.6	29.7	3.83	1320	0.40	1.86	2.3	71.1	260	10.1
10917		16.35	0.08	1.6	0.070	1.45	7.9	30.6	3.45	1310	0.48	2.19	2.3	71.7	280	12.7
10918		15.60	0.08	1.4	0.075	1.55	8.3	36.1	4.12	1150	0.92	1.57	2.1	78.4	230	11.0
10919		15.10	0.09	1.6	0.054	1.80	7.6	35.3	4.36	1300	0.40	1.38	2.3	96.1	270	3.6
10920		15.15	0.09	1.4	0.056	1.74	8.4	40.9	4.65	1320	0.50	1.31	2.2	100.5	250	4.0
10921		11.35	0.20	1.2	0.197	0.30	7.4	9.2	3.83	941	4.66	1.14	4.8	>10000	460	14.1
10922		15.70	0.08	1.5	0.066	1.51	7.2	30.2	3.70	1100	0.41	1.65	2.3	106.5	270	49.8
10923		16.00	0.08	1.6	0.064	1.76	7.6	28.5	3.91	1160	0.45	1.52	2.3	84.6	270	5.8
10924		15.25	0.10	1.4	0.063	1.69	7.3	32.9	3.86	1120	0.40	1.50	2.0	85.3	240	4.3
10925		11.35	0.17	1.2	0.117	0.31	7.1	9.4	3.96	966	4.66	1.18	4.8	>10000	470	13.9
10926		14.80	0.09	1.4	0.056	1.59	5.9	37.6	4.01	1240	0.46	1.54	2.2	116.0	270	5.2
10927		11.65	0.08	0.6	0.032	0.74	3.2	44.7	6.60	1180	0.21	1.03	1.0	327	130	4.9
10928		13.85	0.08	1.3	0.049	0.96	4.8	28.5	4.54	997	0.37	1.59	1.7	146.0	230	16.4
10929		15.90	0.11	1.3	0.068	1.54	5.1	41.4	5.28	1000	0.81	1.49	1.7	177.0	200	10.1
10930		14.55	0.08	1.5	0.104	0.70	3.8	36.3	5.61	893	1.29	2.02	1.8	100.0	150	17.5
10931		14.10	0.09	1.2	0.043	1.49	4.6	37.3	5.32	1080	0.43	1.17	1.7	204	200	6.4
10932		13.80	0.08	1.1	0.036	0.93	4.6	47.0	5.12	1200	0.32	1.61	1.6	193.0	200	4.1
10933		14.20	0.08	1.2	0.039	0.96	5.0	46.3	5.11	1180	0.29	1.43	1.7	181.0	210	3.6
10934		14.55	0.08	1.2	0.044	1.10	5.1	34.3	5.48	1140	0.57	1.27	1.7	215	200	5.2
10935		14.00	0.06	1.3	0.042	0.85	5.1	46.9	5.51	1090	0.31	1.38	1.7	216	210	4.4
10936		13.75	0.08	1.3	0.037	0.87	4.9	48.2	5.69	1080	0.30	1.40	1.7	218	210	5.3
10937		14.85	0.09	1.4	0.052	0.91	5.5	50.9	5.82	1200	0.34	1.60	1.9	219	230	4.4
10938		14.70	0.12	1.3	0.067	0.92	5.9	45.3	5.64	1240	0.84	1.27	1.8	242	220	3.4
10939		14.90	0.08	1.3	0.048	0.70	5.6	36.6	5.60	1300	0.31	1.27	1.9	198.5	240	6.0
10940		15.80	0.07	1.5	0.060	1.00	6.2	40.7	4.46	1180	0.32	1.66	2.2	111.0	260	4.6
10941		15.55	0.10	3.2	0.015	0.63	22.2	21.7	1.11	181	0.57	4.29	4.4	23.7	440	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10902		0.5	<0.002	<0.01	0.07	0.3	1	0.2	82.8	<0.05	<0.05	0.06	0.006	<0.02	0.1	3
10903		62.4	0.002	0.10	0.30	39.4	1	0.8	132.5	0.16	<0.05	1.62	0.410	0.34	0.6	249
10904		80.3	<0.002	0.09	0.23	38.7	1	0.7	124.5	0.18	<0.05	1.74	0.416	0.42	0.6	246
10905		79.5	0.003	0.08	0.54	38.4	1	0.7	118.0	0.17	<0.05	1.81	0.389	0.34	0.6	236
10906		74.1	<0.002	0.09	0.18	41.6	<1	0.7	123.0	0.15	<0.05	1.63	0.408	0.37	0.5	253
10907		77.1	<0.002	0.09	0.33	39.9	<1	0.8	112.5	0.17	<0.05	1.79	0.409	0.38	0.6	246
10908		24.0	0.004	5.15	0.18	22.0	6	23.8	59.6	0.10	0.53	1.01	0.215	0.11	0.7	168
10909		0.6	<0.002	0.02	0.05	0.4	1	0.2	79.2	<0.05	<0.05	0.06	0.007	<0.02	0.1	3
10910		75.8	0.003	0.21	0.35	35.5	<1	6.6	96.9	0.15	<0.05	1.57	0.389	0.31	0.6	241
10911		41.9	0.002	0.11	0.22	38.3	<1	1.0	89.0	0.18	<0.05	1.55	0.408	0.26	0.6	251
10912		0.7	<0.002	0.28	0.12	11.2	1	3.0	32.0	0.05	<0.05	0.32	0.063	<0.02	0.6	47
10913		0.4	<0.002	<0.01	0.06	0.3	<1	<0.2	79.7	<0.05	<0.05	0.07	0.006	<0.02	0.1	2
10914		45.8	0.003	0.17	0.18	38.6	<1	2.2	79.3	0.18	<0.05	1.96	0.396	0.19	0.7	242
10915		74.7	0.002	0.09	0.25	37.1	<1	0.6	128.5	0.16	<0.05	1.59	0.418	0.38	0.5	261
10916		54.6	0.002	0.09	0.31	37.2	<1	0.9	134.5	0.17	<0.05	1.77	0.417	0.30	0.6	257
10917		61.8	0.002	0.31	0.31	35.2	<1	0.9	114.0	0.17	<0.05	1.77	0.407	0.29	0.7	244
10918		74.5	0.002	0.30	0.36	34.4	1	5.1	98.9	0.15	<0.05	1.46	0.342	0.30	0.7	214
10919		79.2	0.002	0.09	0.26	35.8	<1	0.7	118.5	0.17	<0.05	1.66	0.385	0.44	0.6	223
10920		86.9	0.002	0.09	0.33	36.9	<1	0.7	119.5	0.17	<0.05	1.58	0.369	0.44	0.5	219
10921		10.2	0.061	8.16	2.78	8.1	21	2.5	177.5	0.29	4.35	1.01	0.503	0.16	0.3	75
10922		49.8	<0.002	0.14	0.29	32.7	1	0.7	106.5	0.16	<0.05	1.53	0.387	0.33	0.6	218
10923		82.9	0.002	0.09	0.25	35.9	1	0.6	121.5	0.17	<0.05	1.76	0.388	0.37	0.6	224
10924		60.2	0.002	0.15	0.28	33.3	<1	0.7	119.5	0.15	0.05	1.49	0.341	0.41	0.5	206
10925		10.1	0.051	8.34	2.93	8.1	21	2.5	183.5	0.30	4.20	0.99	0.529	0.17	0.3	77
10926		54.8	0.002	0.10	0.23	32.2	<1	0.6	123.0	0.16	0.05	1.34	0.379	0.41	0.5	220
10927		31.5	0.002	0.06	0.12	24.3	<1	0.3	130.0	0.08	<0.05	0.58	0.208	0.28	0.2	152
10928		46.8	0.002	0.35	0.15	30.1	<1	0.8	121.0	0.13	0.07	1.09	0.286	0.23	0.5	165
10929		74.0	<0.002	0.11	0.62	33.2	<1	0.6	113.0	0.13	<0.05	1.24	0.305	0.41	0.6	181
10930		39.0	0.009	0.18	0.34	47.8	1	2.1	71.1	0.17	<0.05	1.67	0.219	0.18	0.7	141
10931		75.0	0.002	0.06	0.25	30.0	<1	0.5	131.5	0.12	<0.05	1.20	0.301	0.44	0.4	182
10932		42.1	0.002	0.07	0.20	32.2	1	0.6	154.5	0.13	<0.05	1.15	0.298	0.35	0.4	184
10933		41.3	<0.002	0.06	0.15	35.0	<1	0.5	179.0	0.13	<0.05	1.22	0.301	0.34	0.4	187
10934		52.1	0.002	0.27	0.18	33.7	1	1.5	131.5	0.13	0.07	1.22	0.298	0.34	0.6	182
10935		36.8	<0.002	0.07	0.17	31.3	<1	0.5	176.5	0.14	<0.05	1.29	0.305	0.26	0.4	187
10936		37.8	<0.002	0.07	0.13	31.1	<1	0.5	186.0	0.13	<0.05	1.26	0.305	0.25	0.4	185
10937		41.3	0.002	0.07	0.14	29.0	1	0.6	155.0	0.13	<0.05	1.42	0.316	0.27	0.5	195
10938		39.7	<0.002	0.12	0.18	24.0	<1	1.5	138.0	0.14	<0.05	1.45	0.301	0.28	0.5	190
10939		27.0	<0.002	0.07	0.13	35.6	1	0.6	155.5	0.15	<0.05	1.38	0.340	0.22	0.5	206
10940		37.1	<0.002	0.08	0.38	32.0	1	0.7	186.0	0.16	<0.05	1.59	0.374	0.29	0.6	226
10941		11.5	0.003	0.01	0.09	6.0	<1	0.5	106.5	0.47	<0.05	7.70	0.173	0.05	3.3	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10902		0.2	2.1	7	1.5				
10903		0.6	16.8	79	58.1				
10904		0.5	16.5	165	57.1				
10905		0.3	16.5	134	56.3				
10906		0.3	16.4	96	53.3				
10907		0.6	16.7	104	57.5				
10908		57.7	34.5	83	32.8	2.93			
10909		0.1	2.1	8	1.4				
10910		23.4	16.8	74	48.8				
10911		1.5	16.5	144	56.2				
10912		1.5	95.9	102	13.0				
10913		<0.1	2.1	5	1.4				
10914		2.6	22.4	544	56.3				
10915		0.3	16.0	72	51.2				
10916		0.5	17.5	90	58.2				
10917		1.1	18.1	81	59.9				
10918		16.0	18.0	74	48.5				
10919		0.4	17.3	95	53.3				
10920		0.4	17.2	104	51.1				
10921		2.1	9.2	133	46.9	1.635	4.61		
10922		0.7	16.6	74	53.5				
10923		0.3	16.8	63	59.5				
10924		0.4	14.9	62	49.4				
10925		2.3	9.0	138	47.7	1.595	4.50		
10926		0.3	14.3	83	50.3				
10927		0.2	7.8	83	21.7				
10928		0.8	13.6	71	43.8				
10929		0.3	13.6	74	43.8				
10930		1.9	38.7	93	48.0				
10931		0.3	11.9	70	41.2				
10932		0.6	11.9	71	40.3				
10933		0.5	12.4	68	42.7				
10934		3.1	13.5	80	42.0				
10935		0.7	12.6	69	44.8				
10936		0.7	12.5	72	43.3				
10937		0.4	14.5	78	49.0				
10938		1.0	15.1	74	47.1				
10939		0.2	13.9	86	47.4				
10940		0.6	15.8	73	49.1				
10941		0.4	7.0	23	105.0			78.5	98.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
10942		2.22	0.23	6.63	0.7	330	2.26	0.04	0.24	<0.02	44.6	9.3	54	0.31	5.8	2.03
10943		2.05	0.03	6.61	0.6	70	1.08	0.02	0.51	<0.02	5.80	7.9	50	<0.05	41.6	2.12
10944		1.52	0.05	7.11	0.2	350	1.85	0.02	0.39	<0.02	44.9	10.2	72	0.28	10.2	3.10
10945		0.95	0.08	6.13	0.3	30	0.65	0.03	0.66	<0.02	4.71	13.1	42	<0.05	861	2.98
10946		1.22	0.06	6.28	0.5	30	0.65	0.03	1.26	<0.02	7.91	20.9	57	0.09	24.8	2.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
10942		16.50	0.11	3.4	0.014	1.44	20.5	24.4	1.07	121	0.72	3.87	4.3	25.4	450	2.2
10943		15.85	0.08	3.0	0.010	0.51	2.0	15.3	0.91	143	1.66	4.69	4.2	20.5	470	0.7
10944		22.0	0.11	4.3	0.017	1.20	20.1	31.4	1.53	195	0.61	4.16	6.4	35.0	610	2.7
10945		14.35	0.08	1.9	0.035	0.03	1.8	10.0	0.78	173	2.25	4.51	3.1	17.1	290	0.7
10946		15.60	0.08	2.6	0.019	0.10	3.6	17.3	1.51	306	2.77	4.18	3.6	41.9	310	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
10942		33.8	0.003	<0.01	0.15	6.6	<1	0.6	101.5	0.41	<0.05	7.46	0.165	0.14	3.1	47
10943		7.7	0.003	0.02	0.08	5.8	<1	0.6	17.5	0.41	<0.05	6.80	0.158	0.04	3.8	44
10944		19.8	0.002	<0.01	0.12	8.6	<1	0.9	91.7	0.64	<0.05	10.60	0.234	0.12	5.7	61
10945		0.4	0.006	0.14	0.07	4.0	<1	1.0	11.5	0.30	<0.05	3.88	0.123	0.02	1.5	42
10946		2.7	0.003	0.05	0.06	8.1	<1	0.8	25.4	0.39	<0.05	4.89	0.169	0.04	1.4	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
10942		0.3	14.8	15	111.5				
10943		0.5	8.3	15	103.5				
10944		1.1	12.5	31	147.5				
10945		0.8	5.7	18	62.5				
10946		1.1	6.2	32	89.0				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
SUITE 400 – 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 10-JAN-2019
Account: BMRPLLBW

Project: Elk Lake - Roy

CERTIFICATE OF ANALYSIS SD18324922

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	LOG-24
	PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Cu-OG62	ME-MS61	ME-OG62	Ni-OG62