ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

CERTIFICATE TB18193334

Project: 180.04BA.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 8-AUG-2018.

The following have access to data associated with this certificate:

BILL HUMPHRIES	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y072724		4.23	0.08	<0.2	8.32	3	<10	20	<0.5	2	6.95	<0.5	14	32	33	2.82
Y072725		3.38	12.10	0.2	7.30	<2	<10	40	<0.5	3	7.2	<0.5	17	78	312	4.03
Y072726		4.12	0.01	<0.2	9.81	6	<10	30	<0.5	<2	8.8	<0.5	19	113	11	2.47
Y072727		4.30	<0.01	<0.2	9.85	6	<10	10	<0.5	<2	8.1	<0.5	21	53	7	3.40
Y072728		4.09	0.05	<0.2	9.62	5	<10	30	<0.5	<2	8.0	<0.5	15	186	33	3.79
Y072729		4.24	0.01	<0.2	9.37	3	<10	10	<0.5	<2	7.6	<0.5	19	33	22	4.26
Y072730		2.00	4.30	0.3	7.49	15	<10	20	<0.5	6	8.2	<0.5	25	66	9	4.04
Y072731		4.02	<0.01	<0.2	10.00	6	<10	10	<0.5	<2	10.0	<0.5	18	45	24	2.06
Y072732		4.03	<0.01	<0.2	8.11	<2	<10	10	<0.5	<2	6.36	<0.5	29	74	97	2.71
Y072733		3.35	<0.01	<0.2	7.78	3	<10	80	<0.5	<2	7.4	<0.5	24	44	4	3.32
Y072734		3.93	0.14	<0.2	8.77	2	<10	20	<0.5	2	7.02	<0.5	25	86	80	3.02
Y072735		4.33	<0.01	<0.2	8.24	5	<10	40	<0.5	<2	7.28	<0.5	28	76	25	3.44
Y072736		4.67	0.21	<0.2	5.31	<2	<10	110	<0.5	<2	5.38	<0.5	20	102	24	3.64
Y072737		4.31	<0.01	<0.2	3.56	<2	<10	30	<0.5	<2	4.15	<0.5	22	282	45	3.07
Y072738		4.30	0.02	<0.2	6.82	2	<10	80	<0.5	<2	6.30	<0.5	20	28	52	3.21
Y072739		4.31	<0.01	<0.2	8.44	<2	<10	10	<0.5	<2	6.48	<0.5	21	39	92	2.76
Y072740		4.16	<0.01	<0.2	7.86	3	<10	20	<0.5	2	6.00	<0.5	23	142	29	4.03
Y072741		4.12	0.01	<0.2	7.29	<2	<10	20	<0.5	<2	5.24	<0.5	26	25	68	3.97
Y072742		4.13	0.05	<0.2	7.96	3	<10	20	<0.5	<2	5.73	<0.5	23	21	48	3.51
Y072743		4.33	0.01	<0.2	9.13	2	<10	10	<0.5	<2	7.2	<0.5	19	44	51	2.76
Y072744		0.05	0.65	2.1	0.67	<2	<10	40	<0.5	<2	0.38	<0.5	6	6	22	1.79
Y072745		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	1	0.49
Y072746		4.18	0.82	<0.2	7.63	<2	<10	30	<0.5	<2	4.73	<0.5	23	128	1	3.77
Y072747		4.01	0.40	<0.2	6.01	5	<10	80	<0.5	<2	5.19	<0.5	22	94	1	3.26
Y072748		5.29	<0.01	<0.2	2.25	2	<10	740	<0.5	<2	1.75	<0.5	13	6	27	4.34
Y072749		4.36	0.08	<0.2	7.88	2	<10	70	<0.5	<2	5.87	<0.5	20	89	30	3.23
Y072750		4.54	<0.01	<0.2	9.14	<2	<10	10	<0.5	<2	7.4	<0.5	22	53	27	3.09
Y072751		4.14	<0.01	<0.2	6.34	4	<10	10	<0.5	<2	6.56	<0.5	23	67	14	3.28
Y072752		4.27	<0.01	<0.2	8.36	3	<10	10	<0.5	<2	7.6	<0.5	18	92	40	2.58
Y072753		4.23	<0.01	<0.2	8.99	2	<10	10	<0.5	<2	7.4	<0.5	21	85	43	2.65
Y072754		4.46	<0.01	<0.2	9.16	5	<10	10	<0.5	<2	7.10	<0.5	25	58	42	2.96
Y072755		4.22	0.23	<0.2	9.72	4	<10	20	<0.5	2	6.21	<0.5	29	142	31	4.06
Y072756		4.14	<0.01	<0.2	7.66	<2	<10	10	<0.5	<2	9.9	<0.5	16	34	16	2.17
Y072757		4.83	<0.01	<0.2	9.53	<2	<10	10	<0.5	<2	7.8	<0.5	19	114	14	2.59
Y072758		4.32	<0.01	<0.2	9.48	3	<10	10	<0.5	<2	7.7	<0.5	22	34	62	2.71
Y072759		4.26	<0.01	<0.2	9.32	4	<10	10	<0.5	<2	7.8	<0.5	22	166	50	2.98
Y072760		4.29	<0.01	<0.2	8.97	4	<10	10	<0.5	<2	7.8	<0.5	30	117	39	3.58
Y072761		4.00	0.01	<0.2	6.88	5	<10	30	<0.5	<2	6.37	<0.5	28	131	56	3.87
Y072762		4.29	0.01	<0.2	8.33	3	<10	20	<0.5	<2	6.20	<0.5	24	34	54	3.14
Y072763		3.91	<0.01	<0.2	8.29	7	<10	10	<0.5	<2	9.0	<0.5	29	550	8	3.94

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
Y072724		10	1	0.06	<10	1.13	579	<1	0.56	38	110	<2	0.13	<2	3	72
Y072725		10	<1	0.11	<10	1.60	979	<1	0.44	56	50	<2	0.19	<2	3	53
Y072726		10	<1	0.11	<10	1.36	590	<1	0.64	50	50	<2	<0.01	<2	5	82
Y072727		10	<1	0.03	<10	1.38	750	<1	0.66	66	110	<2	0.02	<2	5	67
Y072728		10	1	0.10	<10	1.49	874	<1	0.62	59	70	<2	0.14	<2	7	64
Y072729		10	1	0.04	<10	2.15	1020	<1	0.56	96	60	<2	0.06	<2	8	59
Y072730		10	1	0.07	<10	2.13	1150	<1	0.40	200	680	<2	0.03	<2	6	44
Y072731		10	<1	0.03	<10	1.12	567	<1	0.63	58	80	<2	0.03	<2	3	78
Y072732		10	<1	0.02	<10	1.67	441	<1	0.56	102	100	<2	0.15	<2	3	67
Y072733		10	<1	0.18	<10	2.14	689	<1	0.55	82	70	<2	<0.01	<2	5	59
Y072734		10	<1	0.04	<10	1.76	560	<1	0.57	86	70	<2	0.12	<2	2	76
Y072735		10	1	0.08	<10	2.04	726	<1	0.53	102	70	<2	0.02	<2	4	71
Y072736		10	<1	0.31	<10	1.89	720	<1	0.41	79	50	<2	0.09	<2	6	50
Y072737		10	<1	0.11	20	2.64	563	<1	0.16	121	1280	<2	0.01	<2	5	40
Y072738		10	<1	0.25	<10	1.79	611	<1	0.52	63	110	<2	0.10	<2	4	89
Y072739		10	<1	0.02	<10	1.48	537	<1	0.59	69	110	<2	0.15	<2	3	67
Y072740		10	1	0.03	<10	2.38	876	<1	0.44	86	40	<2	0.06	<2	4	55
Y072741		10	<1	0.03	<10	1.76	760	<1	0.48	91	90	<2	0.18	<2	3	47
Y072742		10	<1	0.04	<10	1.89	665	<1	0.56	88	70	2	0.07	<2	4	56
Y072743		10	<1	0.02	<10	1.80	505	<1	0.66	60	90	<2	<0.01	<2	3	73
Y072744		<10	<1	0.14	10	0.19	176	8	0.11	8	340	22	0.02	<2	1	18
Y072745		<10	<1	<0.01	<10	<0.01	48	1	0.01	1	10	<2	0.01	<2	<1	1
Y072746		10	<1	0.14	<10	2.08	595	<1	0.59	83	80	<2	<0.01	<2	8	53
Y072747		10	<1	0.56	<10	1.78	596	<1	0.53	81	80	<2	<0.01	<2	8	58
Y072748		10	<1	1.54	70	1.00	771	3	0.07	8	2130	7	0.32	<2	4	90
Y072749		10	<1	0.52	<10	1.70	596	<1	0.62	73	210	<2	0.06	<2	4	121
Y072750		10	<1	0.04	<10	1.70	611	<1	0.61	76	80	<2	0.03	<2	3	81
Y072751		10	<1	0.03	<10	1.91	656	<1	0.43	82	80	<2	0.02	<2	3	47
Y072752		10	<1	0.02	<10	1.56	549	<1	0.58	60	80	<2	0.01	<2	3	71
Y072753		10	<1	0.02	<10	1.68	511	<1	0.64	66	80	<2	0.02	<2	3	77
Y072754		10	<1	0.03	<10	1.61	540	<1	0.66	88	80	<2	0.09	<2	3	76
Y072755		10	<1	0.05	<10	2.26	700	<1	0.57	106	70	<2	0.09	<2	4	75
Y072756		10	1	0.02	<10	1.33	471	<1	0.46	53	70	<2	0.01	<2	3	70
Y072757		10	<1	0.01	<10	1.70	547	<1	0.64	67	80	<2	<0.01	<2	3	86
Y072758		10	<1	0.02	<10	1.66	528	<1	0.62	79	100	<2	0.07	<2	3	90
Y072759		10	<1	0.01	<10	2.06	601	<1	0.56	87	70	<2	0.03	<2	3	84
Y072760		10	<1	0.02	<10	2.29	626	<1	0.56	102	70	<2	0.03	<2	4	82
Y072761		10	<1	0.09	<10	2.48	709	<1	0.43	103	80	<2	0.04	<2	6	68
Y072762		10	<1	0.04	<10	2.03	501	<1	0.61	86	80	<2	0.01	<2	4	109
Y072763		10	<1	0.02	<10	2.79	718	<1	0.46	115	70	<2	<0.01	<2	7	88

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y072724		<20	0.03	<10	<10	49	<10	21
Y072725		<20	0.03	<10	<10	41	<10	32
Y072726		<20	0.03	<10	<10	52	<10	17
Y072727		<20	0.02	<10	<10	58	<10	36
Y072728		<20	0.03	<10	<10	64	<10	42
Y072729		<20	0.03	<10	<10	67	<10	54
Y072730		<20	0.02	<10	<10	75	<10	71
Y072731		<20	0.02	<10	<10	36	<10	18
Y072732		<20	0.04	<10	<10	42	<10	21
Y072733		<20	0.06	<10	<10	67	<10	31
Y072734		<20	0.05	<10	<10	41	<10	22
Y072735		<20	0.05	<10	<10	65	<10	28
Y072736		<20	0.06	<10	<10	88	<10	33
Y072737		<20	0.11	<10	<10	40	<10	41
Y072738		<20	0.07	<10	<10	63	<10	30
Y072739		<20	0.05	<10	<10	46	<10	22
Y072740		<20	0.03	<10	<10	64	<10	38
Y072741		<20	0.03	<10	<10	48	<10	37
Y072742		<20	0.04	<10	<10	58	<10	36
Y072743		<20	0.07	<10	<10	64	<10	25
Y072744		20	0.27	<10	10	34	<10	41
Y072745		<20	<0.01	<10	<10	2	<10	<2
Y072746		<20	0.05	<10	<10	88	10	38
Y072747		<20	0.05	<10	<10	87	10	34
Y072748		20	0.26	<10	<10	68	<10	88
Y072749		<20	0.07	<10	<10	69	<10	35
Y072750		<20	0.03	<10	<10	55	<10	29
Y072751		<20	0.01	<10	<10	57	<10	33
Y072752		<20	0.04	<10	<10	45	<10	25
Y072753		<20	0.04	<10	<10	46	<10	25
Y072754		<20	0.04	<10	<10	49	<10	27
Y072755		<20	0.04	<10	<10	77	<10	38
Y072756		<20	0.04	<10	<10	37	<10	18
Y072757		<20	0.05	<10	<10	42	<10	24
Y072758		<20	0.05	<10	<10	55	<10	27
Y072759		<20	0.04	<10	<10	50	<10	24
Y072760		<20	0.04	<10	<10	62	<10	29
Y072761		<20	0.05	<10	<10	79	<10	36
Y072762		<20	0.05	<10	<10	72	<10	31
Y072763		<20	0.04	<10	<10	81	<10	39

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y072764		4.11	0.01	<0.2	8.26	4	<10	10	<0.5	<2	8.7	<0.5	25	428	16	3.42
Y072765		0.06	4.97	5.2	0.84	<2	<10	90	<0.5	<2	0.43	<0.5	6	11	30	1.79
Y072766		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	1	0.47
Y072767		4.04	0.41	<0.2	6.59	11	<10	30	<0.5	<2	6.03	<0.5	26	188	4	4.07
Y072768		3.88	0.16	<0.2	5.85	14	<10	50	<0.5	<2	8.1	<0.5	28	192	14	4.19
Y072769		3.94	0.14	<0.2	5.30	9	<10	40	<0.5	<2	5.29	<0.5	23	191	8	3.56
Y072770		4.08	0.09	<0.2	6.61	10	<10	20	<0.5	<2	6.84	<0.5	28	160	21	3.75
Y072771		4.02	0.01	<0.2	8.45	16	<10	20	<0.5	<2	8.2	<0.5	37	141	47	4.18
Y072772		4.11	<0.01	<0.2	9.58	16	<10	10	<0.5	<2	8.5	<0.5	32	102	17	3.73
Y072773		4.11	<0.01	<0.2	5.58	17	<10	10	<0.5	<2	8.5	<0.5	23	83	12	2.58

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Y072764		10	1	0.02	<10	2.56	713	<1	0.50	101	80	<2	<0.01	<2	7	68
Y072765		<10	<1	0.21	10	0.36	206	10	0.11	9	370	17	0.03	<2	1	19
Y072766		<10	<1	<0.01	<10	<0.01	49	<1	0.01	1	10	<2	0.01	<2	<1	1
Y072767		10	<1	0.13	<10	2.47	904	<1	0.49	104	70	<2	0.01	<2	10	46
Y072768		10	<1	0.22	<10	2.34	1080	<1	0.40	107	60	<2	0.02	<2	10	39
Y072769		10	1	0.19	<10	1.91	788	<1	0.39	84	70	<2	0.01	<2	9	38
Y072770		10	<1	0.09	<10	2.24	816	<1	0.45	110	80	<2	0.01	<2	11	51
Y072771		10	<1	0.06	<10	3.03	853	<1	0.52	145	100	<2	<0.01	<2	9	65
Y072772		10	<1	0.03	<10	2.59	714	<1	0.61	120	90	<2	<0.01	<2	9	77
Y072773		10	<1	0.03	<10	1.69	860	<1	0.39	83	70	<2	0.02	<2	7	46

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y072764		<20	0.05	<10	<10	87	<10	31
Y072765		<20	0.24	<10	10	37	<10	38
Y072766		<20	<0.01	<10	<10	<1	<10	<2
Y072767		<20	0.04	<10	<10	89	<10	42
Y072768		<20	0.05	<10	<10	86	10	40
Y072769		<20	0.05	<10	<10	85	10	35
Y072770		<20	0.02	<10	<10	85	<10	35
Y072771		<20	0.04	<10	<10	82	<10	39
Y072772		<20	0.04	<10	<10	87	<10	32
Y072773		<20	0.02	<10	<10	64	<10	25

Comments: Additional Au-AA26 check assay for sample Y072725 are 9.89 ppm and 7.88 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 19-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18193334

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41