ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

CERTIFICATE TB18129850

Project: 180.04BA.84A12A

This report is for 42 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 1-JUN-2018.

The following have access to data associated with this certificate:

BILL HUMPHRIES	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
W866934		2.51	<0.01	<0.2	7.24	<2	<10	20	<0.5	<2	3.72	<0.5	40	126	55	6.97
W866935		2.61	0.02	<0.2	7.36	3	<10	20	<0.5	<2	3.76	<0.5	31	147	52	7.20
W866936		4.10	0.26	<0.2	9.73	<2	<10	20	<0.5	<2	6.72	<0.5	24	57	53	3.09
W866937		4.12	<0.01	<0.2	10.10	13	<10	10	<0.5	<2	6.64	<0.5	22	69	2	3.04
W866938		4.30	0.19	<0.2	7.63	7	<10	10	<0.5	<2	5.96	<0.5	28	43	62	3.67
W866939		3.03	0.54	<0.2	8.86	17	<10	10	<0.5	<2	6.35	<0.5	27	40	27	3.48
W866940		2.69	<0.01	<0.2	9.96	37	<10	10	<0.5	<2	8.4	<0.5	29	48	15	3.41
W866941		1.97	0.01	<0.2	7.00	49	<10	10	<0.5	<2	5.94	<0.5	43	163	27	5.37
W866942		2.77	<0.01	<0.2	8.16	29	<10	10	<0.5	<2	7.3	<0.5	37	102	10	4.47
W866943		2.89	<0.01	<0.2	7.35	16	<10	10	<0.5	<2	5.82	<0.5	26	97	17	3.50
W866944		2.95	<0.01	<0.2	6.59	19	<10	10	<0.5	<2	5.98	<0.5	39	136	25	4.97
W866945		2.73	<0.01	<0.2	5.57	8	<10	40	<0.5	<2	5.86	<0.5	35	149	18	4.36
W866946		2.97	<0.01	<0.2	3.46	32	<10	180	<0.5	<2	3.93	<0.5	26	238	17	3.34
W866947		0.06	0.99	2.5	1.17	<2	<10	90	<0.5	<2	0.68	<0.5	14	8	62	3.29
W866948		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	1	0.40
W866949		2.77	<0.01	<0.2	4.57	18	<10	30	<0.5	<2	4.97	<0.5	43	223	62	3.93
W866950		2.33	0.06	<0.2	3.48	6	<10	140	<0.5	<2	4.10	<0.5	35	229	94	3.62
W866951		2.84	<0.01	<0.2	4.18	10	<10	20	<0.5	<2	4.23	<0.5	22	183	55	2.55
W866952		2.76	0.03	<0.2	4.62	14	<10	40	<0.5	<2	4.86	<0.5	28	257	52	3.94
W866953		1.96	0.07	<0.2	4.60	9	<10	120	<0.5	<2	5.99	<0.5	37	171	60	5.84
W866954		2.16	0.54	<0.2	5.52	2	<10	160	<0.5	<2	2.01	<0.5	23	132	1	4.48
W866955		2.47	0.28	<0.2	4.39	11	<10	50	<0.5	<2	2.76	<0.5	22	129	1	3.02
W866956		2.33	0.39	<0.2	4.64	6	<10	90	<0.5	<2	8.0	<0.5	22	134	1	3.53
W866957		2.71	0.42	<0.2	5.79	4	<10	40	<0.5	<2	1.77	<0.5	24	199	1	3.79
W866958		2.61	0.77	<0.2	4.82	<2	<10	30	<0.5	<2	3.73	<0.5	30	336	63	4.36
W866959		2.14	0.04	<0.2	6.60	5	<10	50	<0.5	<2	2.42	<0.5	38	343	61	7.04
W866960		2.49	0.09	<0.2	3.16	6	<10	30	<0.5	<2	5.17	<0.5	11	113	1	1.56
W866961		2.40	<0.01	<0.2	3.65	2	<10	<10	<0.5	<2	2.98	<0.5	6	179	<1	0.97
W866962		0.06	5.29	8.9	1.90	316	<10	70	<0.5	4	1.17	12.0	84	128	6790	11.10
W866963		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	4	6	0.46
W866964		2.90	0.03	<0.2	7.53	3	<10	20	<0.5	<2	0.31	<0.5	38	247	9	6.68
W866965		2.88	0.16	<0.2	4.00	14	<10	320	<0.5	<2	3.27	<0.5	31	342	48	5.34
W866966		3.04	0.05	<0.2	5.24	9	<10	130	<0.5	<2	4.59	<0.5	40	479	43	6.36
W866967		2.99	0.22	<0.2	2.90	20	<10	100	<0.5	<2	3.92	<0.5	29	302	57	4.75
W866968		2.48	0.95	0.3	4.63	36	<10	20	<0.5	2	1.99	<0.5	24	167	77	10.10
W866969		4.07	0.16	0.7	2.07	144	<10	30	<0.5	11	3.07	0.6	81	178	218	34.1
W866970		2.24	0.01	<0.2	4.66	10	<10	90	<0.5	<2	3.27	0.8	43	231	111	9.38
W866971		2.23	<0.01	<0.2	4.43	10	<10	40	<0.5	<2	3.30	0.7	51	213	128	7.22
W866972		3.13	<0.01	<0.2	3.50	13	<10	10	<0.5	<2	2.32	<0.5	52	201	132	7.58
W866973		3.07	<0.01	<0.2	2.73	5	<10	<10	<0.5	2	3.73	<0.5	37	145	103	4.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
W866934		10	2	0.05	<10	3.67	1025	<1	0.34	148	70	2	0.20	<2	4	33
W866935		10	1	0.06	<10	3.58	1045	<1	0.33	112	90	<2	0.30	<2	4	32
W866936		10	2	0.05	<10	1.14	598	1	0.83	98	40	<2	0.22	<2	3	80
W866937		10	1	0.04	<10	1.50	581	1	0.83	86	60	<2	<0.01	<2	3	79
W866938		10	2	0.04	<10	1.27	664	<1	0.61	106	50	<2	0.45	<2	2	57
W866939		10	1	0.03	<10	1.52	673	1	0.67	95	70	<2	0.13	<2	2	67
W866940		10	1	0.02	<10	1.70	781	<1	0.69	107	80	<2	0.04	6	2	77
W866941		10	1	0.03	<10	3.13	1130	<1	0.36	182	70	<2	0.07	<2	4	39
W866942		10	1	0.01	<10	2.89	864	1	0.49	176	90	<2	0.03	<2	4	58
W866943		10	<1	0.02	<10	2.25	626	<1	0.52	106	70	<2	0.02	<2	3	55
W866944		10	2	0.03	<10	2.98	921	<1	0.37	177	70	<2	0.09	<2	4	45
W866945		10	1	0.10	<10	3.34	885	<1	0.28	173	70	<2	0.05	<2	5	45
W866946		10	<1	0.46	20	2.23	612	1	0.17	137	860	<2	0.07	<2	3	58
W866947		10	<1	0.29	10	0.54	302	11	0.11	17	760	8	0.07	2	3	18
W866948		<10	<1	<0.01	<10	<0.01	43	<1	0.01	1	10	<2	0.01	2	<1	1
W866949		10	1	0.08	<10	2.91	725	1	0.20	150	170	<2	0.16	<2	3	36
W866950		10	<1	0.42	10	2.72	618	<1	0.13	156	740	<2	0.27	2	3	43
W866951		10	1	0.04	<10	2.22	438	1	0.26	92	250	<2	0.07	<2	3	58
W866952		10	<1	0.09	<10	2.83	683	<1	0.23	104	140	<2	0.06	<2	4	44
W866953		10	<1	0.50	<10	3.24	1370	1	0.12	114	120	<2	0.15	<2	11	34
W866954		10	<1	0.92	<10	3.12	749	<1	0.32	67	70	<2	<0.01	<2	14	50
W866955		10	1	0.39	<10	4.05	817	<1	0.13	112	70	<2	<0.01	<2	16	29
W866956		10	1	0.72	<10	4.05	1600	<1	0.14	97	50	<2	<0.01	<2	16	52
W866957		10	1	0.35	<10	6.46	742	<1	0.03	129	330	<2	<0.01	<2	24	15
W866958		10	2	0.39	10	5.62	795	<1	0.01	163	370	<2	0.14	<2	17	28
W866959		10	1	0.44	10	7.22	814	<1	0.01	164	270	<2	0.60	<2	30	22
W866960		10	<1	0.18	10	5.07	763	<1	0.03	70	200	<2	<0.01	<2	16	32
W866961		10	<1	0.02	10	6.03	687	<1	0.01	60	260	<2	<0.01	<2	15	17
W866962		10	1	0.26	10	0.71	577	17	0.11	430	450	862	2.36	10	4	43
W866963		<10	<1	<0.01	<10	<0.01	47	1	0.01	1	10	2	0.02	2	<1	1
W866964		20	2	0.15	<10	8.17	743	<1	0.01	149	310	2	0.07	<2	31	5
W866965		10	1	0.84	20	4.93	1015	1	0.03	144	950	<2	0.49	<2	17	46
W866966		10	1	0.86	20	6.90	1350	1	0.02	210	1560	2	0.11	<2	24	86
W866967		10	1	0.59	20	4.31	1020	1	0.03	132	1010	3	0.44	4	13	67
W866968		10	1	0.15	10	5.21	748	1	0.03	125	310	5	3.32	<2	21	32
W866969		<10	<1	0.20	<10	1.59	962	1	0.02	124	150	7	>10.0	<2	10	17
W866970		10	<1	0.30	<10	4.25	1285	<1	0.03	120	260	3	2.16	<2	16	11
W866971		10	1	0.09	<10	4.39	1315	<1	0.04	124	270	<2	1.33	4	16	9
W866972		10	1	0.03	<10	3.32	1115	<1	0.07	125	260	2	2.62	<2	16	9
W866973		10	<1	0.02	<10	2.34	944	<1	0.10	95	380	2	0.71	<2	11	21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
W866934		<20	0.05	10	<10	105	<10	58
W866935		<20	0.04	<10	<10	107	<10	57
W866936		<20	0.03	<10	<10	47	<10	21
W866937		<20	0.04	<10	<10	64	<10	26
W866938		<20	0.03	<10	<10	43	<10	24
W866939		<20	0.03	<10	<10	45	<10	27
W866940		<20	0.03	<10	<10	51	<10	27
W866941		<20	0.04	<10	<10	89	<10	45
W866942		<20	0.05	10	<10	77	<10	32
W866943		<20	0.06	<10	<10	62	<10	23
W866944		<20	0.05	<10	<10	63	<10	33
W866945		<20	0.07	<10	<10	74	<10	32
W866946		<20	0.11	<10	<10	54	<10	33
W866947		<20	0.37	<10	<10	79	<10	51
W866948		<20	<0.01	<10	<10	<1	<10	<2
W866949		<20	0.09	<10	<10	56	<10	29
W866950		<20	0.14	<10	<10	55	<10	27
W866951		<20	0.07	<10	<10	46	<10	21
W866952		<20	0.08	<10	<10	79	<10	31
W866953		<20	0.09	<10	<10	127	<10	59
W866954		<20	0.12	<10	<10	186	<10	48
W866955		<20	0.04	<10	<10	93	<10	46
W866956		<20	0.06	<10	<10	88	<10	43
W866957		<20	0.03	<10	<10	161	<10	87
W866958		<20	0.05	10	<10	141	<10	44
W866959		<20	0.06	<10	<10	204	<10	65
W866960		<20	0.02	<10	<10	67	<10	35
W866961		<20	<0.01	<10	<10	69	<10	29
W866962		<20	0.14	<10	<10	65	<10	3740
W866963		<20	<0.01	<10	<10	1	<10	4
W866964		<20	0.02	<10	<10	212	<10	65
W866965		<20	0.10	<10	<10	115	<10	55
W866966		<20	0.09	<10	<10	157	<10	91
W866967		<20	0.06	<10	<10	86	<10	54
W866968		<20	0.01	<10	<10	136	<10	83
W866969		<20	0.03	<10	<10	80	<10	97
W866970		<20	0.08	<10	<10	200	<10	140
W866971		<20	0.06	<10	<10	167	<10	92
W866972		<20	0.04	<10	<10	146	<10	68
W866973		<20	0.06	<10	<10	105	<10	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
W866974		4.81	<0.01	<0.2	2.57	3	<10	<10	<0.5	<2	3.13	<0.5	21	80	120	2.84
W866975		4.75	<0.01	<0.2	2.25	4	<10	<10	<0.5	<2	2.88	<0.5	22	79	126	3.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
W866974		10	1	0.02	<10	1.40	527	<1	0.19	60	390	<2	0.11	<2	8	47
W866975		<10	<1	0.02	<10	1.48	523	<1	0.16	62	250	<2	0.11	3	10	31

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
W866974		<20	0.07	<10	<10	69	<10	35
W866975		<20	0.06	<10	<10	74	<10	33

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 14-JUN-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18129850

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:			
CRU-31	CRU-QC	LOG-21	LOG-23
PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	
Au-AA26	ME-ICP41