ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

CERTIFICATE TB18195596

Project: 180.04BA.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 10-AUG-2018.

The following have access to data associated with this certificate:

BILL HUMPHRIES	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y072952		4.30	0.01	<0.2	8.86	<2	<10	80	<0.5	2	6.67	<0.5	15	52	45	2.57
Y072953		2.01	0.09	<0.2	6.60	<2	<10	50	<0.5	<2	6.28	<0.5	19	75	85	3.73
Y072954		4.39	0.05	<0.2	8.23	<2	<10	60	<0.5	3	5.92	<0.5	16	26	80	2.62
Y072955		3.77	<0.01	0.3	9.35	<2	<10	50	<0.5	<2	6.97	<0.5	15	21	24	2.25
Y072956		2.94	5.20	0.2	5.41	<2	<10	170	<0.5	12	4.46	<0.5	14	71	73	4.18
Y072957		4.54	<0.01	<0.2	9.54	2	<10	60	<0.5	2	7.5	<0.5	12	116	8	1.88
Y072958		4.02	0.01	<0.2	8.63	<2	<10	70	<0.5	<2	6.74	<0.5	15	66	16	2.21
Y072959		4.85	<0.01	<0.2	8.06	2	<10	80	<0.5	<2	6.23	<0.5	15	66	38	2.50
Y072960		4.41	0.01	<0.2	8.18	3	<10	190	<0.5	2	5.37	<0.5	36	88	85	3.81
Y072961		4.49	0.01	<0.2	7.68	2	<10	80	<0.5	2	6.54	<0.5	27	141	89	3.74
Y072962		4.98	<0.01	0.2	11.25	3	<10	80	<0.5	2	8.1	<0.5	18	113	8	2.84
Y072963		4.61	<0.01	<0.2	8.85	<2	<10	30	<0.5	<2	6.99	<0.5	15	189	4	2.27
Y072964		4.63	<0.01	0.2	8.58	<2	<10	50	<0.5	<2	6.9	<0.5	20	74	74	2.58
Y072965		2.14	0.01	<0.2	5.11	<2	<10	40	<0.5	<2	3.60	<0.5	37	130	97	6.65
Y072966		4.02	<0.01	<0.2	9.30	5	<10	50	<0.5	2	6.63	<0.5	29	57	123	3.03
Y072967		4.43	0.01	<0.2	9.86	<2	<10	40	<0.5	2	6.59	<0.5	15	17	25	2.32
Y072968		2.10	0.01	0.2	7.71	2	<10	70	<0.5	<2	4.54	<0.5	18	256	135	4.74
Y072969		4.34	<0.01	<0.2	8.89	<2	<10	50	<0.5	<2	6.08	<0.5	18	189	44	2.86
Y072970		4.55	<0.01	0.2	7.99	3	<10	40	<0.5	<2	5.99	<0.5	31	53	110	3.21
Y072971		3.26	0.07	0.5	6.73	3	<10	120	<0.5	<2	3.88	<0.5	37	122	487	5.22
Y072972		0.06	0.96	2.5	1.14	<2	<10	80	<0.5	<2	0.73	<0.5	14	9	59	3.19
Y072973		0.16	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	1	8	1	0.57
Y072974		4.07	<0.01	0.2	7.94	7	<10	90	<0.5	2	3.34	<0.5	46	113	36	5.10
Y072975		4.32	<0.01	<0.2	3.66	<2	<10	50	<0.5	<2	1.72	<0.5	47	20	135	5.10
Y072976		3.12	<0.01	<0.2	6.30	2	<10	110	<0.5	2	2.40	<0.5	32	11	75	6.62
Y072977		4.29	<0.01	<0.2	6.62	3	<10	70	<0.5	<2	5.21	<0.5	24	71	75	3.34
Y072978		3.07	0.02	<0.2	5.09	<2	<10	40	<0.5	<2	5.98	<0.5	25	412	5	3.83
Y072979		1.90	<0.01	<0.2	6.47	<2	<10	40	<0.5	<2	4.02	<0.5	18	80	6	4.61
Y072980		4.20	<0.01	<0.2	7.64	<2	<10	40	<0.5	<2	6.17	<0.5	21	146	7	2.90
Y072981		4.40	<0.01	<0.2	5.68	2	<10	30	<0.5	<2	4.72	<0.5	25	86	42	3.11
Y072982		4.61	<0.01	<0.2	4.70	<2	<10	30	<0.5	<2	4.43	<0.5	22	60	79	4.17
Y072983		3.82	<0.01	<0.2	5.39	2	<10	20	<0.5	<2	5.74	<0.5	32	342	17	4.54
Y072984		3.90	0.01	<0.2	5.53	<2	<10	20	<0.5	<2	5.00	<0.5	27	187	55	4.19
Y072985		2.78	0.01	<0.2	4.54	2	<10	10	<0.5	2	6.81	<0.5	28	73	57	5.41
Y072986		4.17	0.02	<0.2	5.25	<2	<10	70	<0.5	<2	5.62	<0.5	24	108	35	3.47
Y072987		4.13	<0.01	<0.2	5.40	<2	<10	20	<0.5	<2	5.45	<0.5	29	261	50	3.82
Y072988		4.21	0.01	<0.2	4.81	<2	<10	30	<0.5	<2	5.29	<0.5	27	257	67	3.53
Y072989		4.40	<0.01	<0.2	5.72	3	<10	30	<0.5	<2	4.97	<0.5	21	34	51	2.59
Y072990		4.63	<0.01	<0.2	4.98	<2	<10	40	<0.5	2	3.37	<0.5	37	172	58	5.70
Y072991		0.06	4.98	5.3	0.85	<2	<10	100	<0.5	<2	0.43	<0.5	6	11	26	1.81

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Y072952		10	<1	0.13	<10	0.92	568	<1	0.67	43	150	<2	0.10	3	3	65
Y072953		10	<1	0.12	<10	1.40	798	<1	0.46	64	60	<2	0.23	<2	2	41
Y072954		10	<1	0.10	<10	0.90	549	<1	0.63	39	130	<2	0.18	3	3	62
Y072955		10	<1	0.13	<10	1.23	436	<1	0.69	39	90	<2	0.03	<2	2	73
Y072956		<10	1	0.41	<10	1.56	882	<1	0.39	67	40	2	0.36	3	3	28
Y072957		10	<1	0.14	<10	1.09	463	<1	0.69	44	70	<2	0.03	<2	2	75
Y072958		10	<1	0.18	<10	1.33	395	<1	0.55	43	70	<2	0.02	3	2	95
Y072959		10	<1	0.19	<10	1.41	417	<1	0.51	37	100	2	0.06	<2	2	94
Y072960		10	<1	0.50	<10	2.19	652	<1	0.44	141	560	2	0.08	<2	4	99
Y072961		10	<1	0.26	<10	2.10	728	<1	0.42	131	230	<2	0.35	2	5	73
Y072962		10	<1	0.24	<10	1.82	505	<1	0.56	77	210	<2	<0.01	2	6	127
Y072963		10	1	0.08	<10	1.57	435	<1	0.53	50	60	2	<0.01	<2	4	98
Y072964		10	<1	0.12	<10	1.28	592	<1	0.50	58	90	<2	0.13	<2	2	84
Y072965		10	<1	0.12	<10	2.79	1235	<1	0.13	123	280	<2	0.61	3	2	22
Y072966		10	<1	0.11	<10	1.57	472	<1	0.65	108	80	<2	0.22	<2	1	99
Y072967		10	<1	0.08	<10	1.23	389	<1	0.64	38	100	<2	0.03	<2	2	92
Y072968		10	<1	0.17	<10	2.13	745	<1	0.47	67	40	<2	0.36	3	2	57
Y072969		10	<1	0.09	<10	1.33	550	<1	0.59	55	50	<2	0.07	<2	2	79
Y072970		10	<1	0.07	<10	1.59	608	<1	0.47	92	60	<2	0.16	<2	2	68
Y072971		10	<1	0.31	<10	2.77	1000	<1	0.44	106	120	2	0.11	<2	7	42
Y072972		10	<1	0.27	10	0.55	308	11	0.10	16	740	9	0.08	2	3	17
Y072973		<10	<1	<0.01	<10	<0.01	57	1	<0.01	1	10	<2	0.02	<2	<1	1
Y072974		10	<1	0.18	<10	2.86	824	<1	0.52	167	80	<2	0.04	<2	5	60
Y072975		10	<1	0.13	<10	2.44	738	<1	0.13	167	40	2	0.49	<2	3	19
Y072976		10	<1	0.28	<10	3.49	1035	<1	0.28	114	50	<2	0.18	2	3	33
Y072977		10	<1	0.15	<10	1.69	630	<1	0.44	71	90	<2	0.18	4	2	64
Y072978		10	<1	0.12	20	2.89	860	<1	0.22	131	790	<2	0.01	<2	5	39
Y072979		10	<1	0.10	<10	3.07	766	<1	0.30	70	60	<2	0.02	<2	6	43
Y072980		10	<1	0.08	<10	2.00	565	<1	0.46	73	60	<2	0.01	<2	3	74
Y072981		10	<1	0.05	<10	2.08	621	<1	0.33	81	70	2	0.06	<2	2	56
Y072982		10	<1	0.05	<10	2.01	704	<1	0.23	85	80	2	0.36	2	3	47
Y072983		10	<1	0.04	10	3.89	842	<1	0.22	156	690	<2	0.01	2	9	41
Y072984		10	<1	0.05	10	3.28	684	<1	0.27	120	320	3	0.02	<2	8	46
Y072985		10	<1	0.05	<10	3.86	851	<1	0.05	103	100	<2	0.08	<2	10	8
Y072986		10	<1	0.07	<10	2.53	635	<1	0.35	79	100	<2	0.03	<2	6	42
Y072987		10	<1	0.04	10	3.18	708	<1	0.27	128	350	<2	0.05	<2	5	49
Y072988		10	<1	0.06	<10	2.65	728	<1	0.25	98	70	<2	0.08	2	3	51
Y072989		10	<1	0.08	<10	1.69	574	1	0.37	78	80	<2	0.06	2	2	56
Y072990		10	<1	0.09	<10	4.02	926	<1	0.10	161	240	<2	0.16	4	5	23
Y072991		<10	<1	0.21	10	0.37	218	10	0.10	8	380	20	0.04	2	1	19

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y072952		<20	0.04	<10	<10	51	<10	22
Y072953		<20	0.03	<10	<10	28	<10	31
Y072954		<20	0.06	<10	<10	48	<10	21
Y072955		<20	0.03	<10	<10	43	<10	19
Y072956		<20	0.04	<10	<10	33	<10	81
Y072957		<20	0.05	<10	<10	35	<10	22
Y072958		<20	0.07	<10	<10	41	<10	19
Y072959		<20	0.08	<10	<10	51	<10	21
Y072960		<20	0.09	<10	<10	106	<10	36
Y072961		<20	0.07	<10	<10	87	<10	30
Y072962		<20	0.06	<10	<10	78	<10	25
Y072963		<20	0.04	<10	<10	41	<10	21
Y072964		<20	0.06	<10	<10	36	<10	21
Y072965		<20	0.03	<10	<10	53	<10	59
Y072966		<20	0.05	<10	<10	34	<10	25
Y072967		<20	0.06	<10	<10	41	<10	21
Y072968		<20	0.04	<10	<10	45	<10	41
Y072969		<20	0.05	<10	<10	40	<10	25
Y072970		<20	0.05	<10	<10	38	<10	31
Y072971		<20	0.07	<10	<10	112	<10	55
Y072972		<20	0.38	<10	<10	81	<10	53
Y072973		<20	<0.01	<10	<10	2	<10	<2
Y072974		<20	0.06	<10	<10	84	<10	60
Y072975		<20	0.03	<10	<10	84	<10	49
Y072976		<20	0.05	<10	<10	89	<10	61
Y072977		<20	0.07	<10	<10	49	<10	28
Y072978		<20	0.09	<10	<10	56	<10	39
Y072979		<20	0.04	<10	<10	67	<10	48
Y072980		<20	0.05	<10	<10	49	<10	26
Y072981		<20	0.05	<10	<10	38	<10	30
Y072982		<20	0.04	<10	<10	41	<10	40
Y072983		<20	0.08	<10	<10	84	<10	50
Y072984		<20	0.04	<10	<10	89	<10	42
Y072985		<20	0.02	<10	<10	85	<10	49
Y072986		<20	0.01	<10	<10	66	<10	33
Y072987		<20	0.06	<10	<10	66	<10	38
Y072988		<20	0.05	<10	<10	51	<10	34
Y072989		<20	0.06	<10	<10	45	<10	22
Y072990		<20	0.06	<10	<10	76	<10	56
Y072991		<20	0.25	<10	10	38	<10	40

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y072992		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	8	1	0.57
Y072993		4.42	<0.01	<0.2	4.19	3	<10	40	<0.5	<2	4.55	<0.5	28	111	22	3.99
Y072994		2.27	0.04	<0.2	5.30	<2	<10	70	<0.5	<2	2.36	<0.5	16	66	10	3.22
Y072995		4.41	0.35	<0.2	8.52	2	<10	30	<0.5	<2	5.98	<0.5	14	52	41	2.21
Y072996		4.27	0.05	<0.2	9.18	5	<10	20	<0.5	2	6.09	<0.5	14	46	23	2.00
Y072997		4.20	2.51	<0.2	8.92	6	<10	20	<0.5	5	5.97	<0.5	15	37	14	1.94
Y072998		4.48	0.08	<0.2	8.27	6	<10	70	<0.5	2	5.34	<0.5	14	42	3	1.95
Y072999		4.14	0.04	<0.2	2.16	6	<10	720	<0.5	<2	2.13	<0.5	13	8	58	4.23
Y073000		3.08	0.01	<0.2	2.33	4	<10	920	<0.5	<2	2.03	<0.5	14	7	34	4.47
Y073001		4.22	<0.01	<0.2	7.29	6	<10	120	<0.5	<2	4.96	<0.5	20	53	38	3.40

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
Y072992		<10	<1	<0.01	<10	<0.01	57	1	<0.01	1	10	<2	0.02	<2	<1	1
Y072993		10	<1	0.12	<10	2.05	923	<1	0.18	118	200	<2	0.16	2	2	32
Y072994		10	<1	0.28	<10	1.62	516	<1	0.47	53	90	<2	0.05	<2	5	68
Y072995		10	<1	0.11	<10	0.98	400	<1	0.63	45	40	<2	0.14	2	2	101
Y072996		10	<1	0.07	<10	0.99	358	<1	0.66	45	40	<2	0.06	<2	1	92
Y072997		10	<1	0.06	<10	1.03	356	<1	0.66	47	40	<2	0.05	<2	1	83
Y072998		10	<1	0.35	<10	1.10	406	<1	0.62	46	40	<2	0.01	<2	1	103
Y072999		10	1	1.40	70	1.03	808	1	0.06	7	2190	11	0.44	<2	4	123
Y073000		10	<1	1.60	70	1.08	831	<1	0.06	7	2330	10	0.31	<2	4	140
Y073001		10	<1	0.82	<10	1.53	608	1	0.56	70	60	4	0.22	3	4	100

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y072992		<20	<0.01	<10	<10	2	<10	<2
Y072993		<20	0.06	<10	<10	44	<10	35
Y072994		<20	0.04	<10	<10	52	<10	47
Y072995		<20	0.03	<10	<10	25	<10	21
Y072996		<20	0.04	<10	<10	21	<10	20
Y072997		<20	0.04	<10	<10	18	<10	20
Y072998		<20	0.05	<10	<10	27	<10	24
Y072999		20	0.27	<10	<10	59	<10	85
Y073000		20	0.29	<10	<10	69	<10	89
Y073001		<20	0.06	<10	<10	60	<10	38

Comments: Additional Au-AA26 check assay for sample Y072956 are 15.20 ppm and 8.47 ppm.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 22-AUG-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18195596

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41