ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-SEP-2018
Account: SXY

CERTIFICATE TB18227549

Project: 180.04BA.84A12A

This report is for 39 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-SEP-2018.

The following have access to data associated with this certificate:

BILL HUMPHRIES	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: LANDORE RESOURCES CANADA INC.
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227549

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y074729		5.01	0.03	<0.2	4.64	<2	<10	20	<0.5	2	5.58	<0.5	41	180	127	7.41
Y074730		5.65	0.18	0.3	0.93	7	<10	30	<0.5	2	1.03	<0.5	8	9	106	3.18
Y074731		5.01	0.06	<0.2	2.79	4	<10	40	<0.5	2	3.50	<0.5	25	95	86	5.39
Y074732		5.03	0.08	<0.2	4.82	<2	<10	20	<0.5	<2	6.03	<0.5	41	208	80	7.51
Y074733		5.26	0.01	<0.2	4.55	<2	<10	<10	<0.5	2	5.95	<0.5	43	190	121	7.45
Y074734		5.15	0.02	<0.2	4.63	2	<10	<10	<0.5	3	6.26	<0.5	43	188	133	7.84
Y074735		4.21	0.02	<0.2	5.28	8	<10	10	<0.5	<2	6.03	<0.5	44	207	127	8.56
Y074736		6.15	0.42	<0.2	3.46	61	<10	20	<0.5	2	2.94	<0.5	39	118	159	6.25
Y074737		6.40	1.17	<0.2	3.52	43	<10	20	<0.5	<2	1.60	<0.5	50	79	29	4.68
Y074738		7.14	32.0	0.6	2.88	30	<10	30	<0.5	12	1.94	<0.5	85	112	315	19.90
Y074739		4.99	0.01	<0.2	3.26	85	<10	20	<0.5	<2	0.54	<0.5	34	116	37	4.09
Y074740		4.00	<0.01	<0.2	3.20	79	<10	40	<0.5	<2	0.49	<0.5	27	126	11	2.79
Y074741		0.06	2.17	4.2	0.77	<2	<10	60	<0.5	2	0.42	<0.5	9	8	489	1.95
Y074742		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	4	0.59
Y074743		4.15	0.03	<0.2	5.52	187	<10	20	<0.5	<2	0.85	<0.5	242	201	68	7.17
Y074744		5.37	0.11	<0.2	4.15	1005	<10	20	<0.5	<2	3.97	<0.5	37	163	99	6.08
Y074745		5.68	0.01	<0.2	4.02	36	<10	10	<0.5	2	3.80	0.7	47	144	71	6.05
Y074746		6.85	<0.01	<0.2	2.06	4	<10	10	<0.5	<2	3.02	<0.5	28	49	84	4.41
Y074747		8.14	0.01	<0.2	1.98	3	<10	10	<0.5	<2	2.09	0.5	30	59	102	4.69
Y074748		5.57	0.01	<0.2	1.73	<2	<10	60	<0.5	2	1.98	<0.5	30	107	186	4.68
Y074749		5.36	<0.01	<0.2	1.61	2	<10	<10	<0.5	2	3.06	<0.5	34	92	136	3.98
Y074750		5.65	<0.01	<0.2	1.16	2	<10	<10	<0.5	<2	1.83	<0.5	34	69	139	2.85
Y074751		5.10	<0.01	<0.2	2.23	11	<10	10	<0.5	2	3.08	<0.5	44	105	213	4.09
Y074752		5.39	<0.01	<0.2	1.10	<2	<10	10	<0.5	<2	1.32	<0.5	37	68	182	2.92
Y074753		5.37	<0.01	<0.2	1.11	<2	<10	10	<0.5	<2	1.43	<0.5	26	65	134	2.34
Y074754		0.06	0.97	2.3	1.13	<2	<10	90	<0.5	<2	0.70	<0.5	13	8	59	3.22
Y074755		0.16	<0.01	<0.2	<0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	6	3	0.61
Y074756		5.46	<0.01	<0.2	1.01	<2	<10	10	<0.5	<2	1.66	<0.5	27	63	156	2.33
Y074757		5.73	<0.01	<0.2	1.05	<2	<10	10	<0.5	2	1.68	<0.5	25	64	120	2.44
Y074758		5.27	<0.01	<0.2	1.98	<2	<10	<10	<0.5	<2	3.42	<0.5	28	118	115	3.73
Y074759		4.71	<0.01	<0.2	1.50	2	<10	10	<0.5	<2	3.36	<0.5	21	76	93	2.50
Y074760		5.24	<0.01	<0.2	0.97	<2	<10	10	<0.5	<2	1.82	<0.5	11	51	37	1.58
Y074761		5.65	<0.01	<0.2	1.51	<2	<10	10	<0.5	<2	2.83	<0.5	25	61	190	2.48
Y074762		5.32	<0.01	<0.2	1.34	<2	<10	10	<0.5	<2	2.16	<0.5	21	64	134	2.25
Y074763		6.13	<0.01	<0.2	1.89	2	<10	10	<0.5	<2	3.36	<0.5	23	84	126	2.74
Y074764		7.63	<0.01	<0.2	2.38	5	<10	40	<0.5	3	3.70	<0.5	29	88	128	3.05
Y074765		5.04	<0.01	<0.2	3.71	<2	<10	190	<0.5	<2	7.8	<0.5	41	187	154	6.24
Y074766		5.16	<0.01	<0.2	3.46	<2	<10	190	<0.5	2	7.23	<0.5	33	171	116	5.62
Y074767		5.16	<0.01	<0.2	2.21	12	<10	10	<0.5	2	4.90	1.1	45	107	233	3.79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: LANDORE RESOURCES CANADA INC.
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227549

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Y074729		10	<1	0.12	<10	3.94	1205	<1	0.02	119	250	2	0.39	<2	13	22
Y074730		10	<1	0.13	20	0.53	293	1	0.05	4	550	3	1.36	<2	3	8
Y074731		10	<1	0.13	10	2.19	771	1	0.03	67	440	2	0.87	<2	10	15
Y074732		10	<1	0.07	<10	4.10	1210	1	0.01	115	230	2	0.28	<2	17	22
Y074733		10	<1	0.02	<10	3.73	1070	1	0.02	115	250	2	0.40	<2	17	23
Y074734		10	<1	0.02	<10	3.79	1250	1	0.02	114	230	<2	0.41	<2	17	25
Y074735		10	<1	0.04	<10	4.21	1340	1	0.02	120	240	4	0.46	<2	22	27
Y074736		10	<1	0.14	10	3.91	740	1	0.03	173	280	3	2.14	2	12	21
Y074737		10	<1	0.14	<10	3.24	620	1	0.03	195	260	2	0.55	<2	10	10
Y074738		10	<1	0.21	<10	2.45	507	2	0.02	422	190	6	8.66	3	11	11
Y074739		10	<1	0.11	10	3.37	247	1	0.01	186	180	3	1.19	<2	10	5
Y074740		10	<1	0.21	<10	3.34	264	1	0.02	158	140	<2	0.10	<2	12	5
Y074741		<10	1	0.18	10	0.30	218	21	0.11	10	450	23	0.10	<2	1	17
Y074742		<10	<1	<0.01	<10	<0.01	64	<1	<0.01	2	10	<2	0.01	<2	<1	<1
Y074743		10	1	0.10	<10	5.80	521	1	0.03	926	200	6	2.00	<2	25	7
Y074744		10	<1	0.11	<10	3.21	729	1	0.12	105	310	5	0.58	<2	13	25
Y074745		10	1	0.03	<10	3.04	784	<1	0.14	148	290	6	0.77	<2	16	27
Y074746		10	<1	0.06	10	1.44	418	<1	0.08	52	470	<2	0.86	<2	11	12
Y074747		10	<1	0.03	<10	1.40	490	<1	0.11	62	420	2	1.10	<2	10	10
Y074748		10	1	0.09	<10	1.61	571	<1	0.08	95	260	<2	1.40	<2	10	10
Y074749		10	<1	0.02	<10	1.44	696	<1	0.08	99	250	<2	0.94	<2	11	12
Y074750		<10	<1	0.01	<10	1.05	442	<1	0.08	99	270	<2	0.74	<2	7	7
Y074751		10	<1	0.02	<10	1.75	639	<1	0.12	113	280	2	1.12	<2	10	18
Y074752		<10	<1	0.01	<10	1.06	412	<1	0.08	89	280	<2	0.82	<2	6	6
Y074753		<10	<1	0.01	<10	0.95	407	<1	0.10	75	260	<2	0.43	<2	6	8
Y074754		10	<1	0.27	10	0.55	299	10	0.10	17	770	7	0.08	<2	3	16
Y074755		<10	<1	<0.01	<10	<0.01	66	<1	<0.01	1	10	<2	0.01	<2	<1	1
Y074756		<10	1	0.01	<10	0.82	417	<1	0.11	79	250	<2	0.47	<2	6	8
Y074757		<10	1	0.02	<10	0.84	479	<1	0.11	80	240	<2	0.42	<2	7	6
Y074758		10	<1	0.01	<10	1.75	747	1	0.06	80	240	<2	0.48	<2	12	11
Y074759		<10	<1	0.01	<10	1.12	505	<1	0.10	70	250	2	0.24	<2	9	13
Y074760		<10	<1	0.01	<10	0.62	349	1	0.10	34	180	<2	0.10	<2	5	12
Y074761		<10	<1	0.01	<10	0.88	516	1	0.15	81	250	<2	0.52	<2	6	21
Y074762		<10	<1	0.01	<10	0.88	440	<1	0.13	73	260	<2	0.36	<2	6	14
Y074763		<10	<1	0.01	<10	1.25	585	1	0.14	68	250	2	0.34	<2	8	20
Y074764		10	<1	0.02	<10	1.28	547	<1	0.18	88	260	<2	0.43	<2	8	25
Y074765		10	<1	0.06	<10	3.09	1345	1	0.01	103	250	<2	0.40	<2	17	17
Y074766		10	<1	0.06	<10	2.93	1040	1	0.01	87	240	<2	0.28	<2	15	14
Y074767		10	<1	0.01	<10	1.73	579	<1	0.05	84	220	<2	0.47	<2	6	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: LANDORE RESOURCES CANADA INC.
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227549

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y074729		<20	0.06	<10	<10	176	<10	82
Y074730		<20	0.03	<10	<10	22	<10	21
Y074731		<20	0.04	<10	<10	101	<10	53
Y074732		<20	0.04	<10	<10	182	10	83
Y074733		<20	0.04	<10	<10	182	<10	77
Y074734		<20	0.03	<10	<10	187	<10	79
Y074735		<20	0.02	<10	<10	218	<10	84
Y074736		<20	0.01	<10	<10	86	<10	109
Y074737		<20	0.03	<10	<10	106	<10	88
Y074738		<20	0.03	<10	<10	85	<10	127
Y074739		<20	<0.01	<10	<10	85	<10	141
Y074740		<20	0.02	<10	<10	93	<10	98
Y074741		<20	0.30	<10	10	44	<10	65
Y074742		<20	<0.01	<10	<10	<1	<10	2
Y074743		<20	0.02	<10	<10	179	<10	174
Y074744		<20	0.06	<10	<10	150	<10	76
Y074745		<20	0.10	<10	<10	154	<10	164
Y074746		<20	0.07	<10	<10	96	<10	57
Y074747		<20	0.11	<10	<10	109	<10	62
Y074748		<20	0.06	<10	<10	86	<10	50
Y074749		<20	0.06	<10	<10	86	<10	40
Y074750		<20	0.06	<10	<10	58	<10	28
Y074751		<20	0.06	<10	<10	73	<10	39
Y074752		<20	0.06	<10	<10	49	<10	24
Y074753		<20	0.07	<10	<10	48	<10	20
Y074754		<20	0.37	<10	<10	79	<10	49
Y074755		<20	<0.01	<10	<10	<1	<10	2
Y074756		<20	0.07	<10	<10	49	<10	18
Y074757		<20	0.08	<10	<10	56	<10	18
Y074758		<20	0.05	<10	<10	93	<10	38
Y074759		<20	0.06	<10	<10	64	<10	27
Y074760		<20	0.05	<10	<10	36	<10	13
Y074761		<20	0.07	<10	<10	43	<10	21
Y074762		<20	0.07	<10	<10	45	<10	21
Y074763		<20	0.06	<10	<10	60	<10	30
Y074764		<20	0.06	<10	<10	71	<10	31
Y074765		<20	0.05	<10	<10	174	<10	56
Y074766		<20	0.06	<10	<10	161	<10	48
Y074767		<20	0.07	<10	<10	87	<10	218

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: LANDORE RESOURCES CANADA INC.
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 26-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227549

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41