ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

CERTIFICATE TB18227545

Project: 180.04BA.84A12A

This report is for 50 Drill Core samples submitted to our lab in Thunder Bay, ON, Canada on 13-SEP-2018.

The following have access to data associated with this certificate:

BILL HUMPHRIES	MICHELE TUOMI	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA26	Ore Grade Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y074529		4.37	0.01	<0.2	3.99	2	<10	50	<0.5	<2	4.06	<0.5	16	203	5	2.55
Y074530		4.35	<0.01	<0.2	3.68	2	<10	<10	<0.5	<2	3.24	<0.5	15	147	1	1.46
Y074531		4.54	<0.01	<0.2	4.27	25	<10	10	<0.5	<2	6.70	<0.5	28	177	1	2.54
Y074532		4.85	<0.01	<0.2	3.75	4	<10	10	<0.5	<2	2.52	<0.5	23	88	13	3.76
Y074533		4.77	0.13	<0.2	3.21	<2	<10	10	<0.5	<2	4.79	<0.5	22	59	16	3.50
Y074534		4.68	<0.01	<0.2	3.92	3	<10	30	<0.5	<2	3.47	<0.5	25	133	23	4.17
Y074535		4.80	<0.01	<0.2	5.38	3	<10	10	<0.5	2	3.51	<0.5	31	137	14	4.96
Y074536		4.09	<0.01	<0.2	5.76	9	<10	10	<0.5	<2	4.27	<0.5	27	96	2	3.97
Y074537		4.29	0.01	<0.2	5.56	13	<10	10	<0.5	<2	3.75	<0.5	40	212	18	4.29
Y074538		4.09	<0.01	<0.2	6.54	100	<10	10	<0.5	<2	6.53	<0.5	73	270	8	3.90
Y074539		4.21	<0.01	<0.2	4.48	9	<10	60	<0.5	<2	5.83	<0.5	37	260	21	3.31
Y074540		4.20	<0.01	<0.2	4.75	5	<10	20	<0.5	<2	6.09	<0.5	30	203	7	2.21
Y074541		4.14	<0.01	<0.2	5.96	<2	<10	50	<0.5	<2	5.46	<0.5	14	143	5	2.18
Y074542		3.13	<0.01	<0.2	4.71	<2	<10	60	<0.5	<2	5.68	<0.5	8	185	3	1.93
Y074543		5.24	0.01	<0.2	4.48	10	<10	50	<0.5	<2	6.37	<0.5	17	166	1	2.39
Y074544		4.02	0.01	<0.2	3.93	22	<10	20	<0.5	<2	5.66	<0.5	20	134	5	1.42
Y074545		3.97	0.02	<0.2	3.45	16	<10	10	<0.5	<2	4.04	<0.5	13	136	1	0.87
Y074546		3.93	0.35	<0.2	3.72	4	<10	20	<0.5	<2	1.15	<0.5	8	133	12	1.60
Y074547		4.14	0.13	<0.2	5.53	7	<10	<10	<0.5	<2	0.29	<0.5	28	202	2	4.28
Y074548		4.81	0.32	0.5	3.71	9	<10	20	<0.5	6	1.40	0.5	53	158	702	17.80
Y074549		0.05	8.92	1.4	0.12	171	<10	30	<0.5	2	1.80	<0.5	144	12	3700	1.72
Y074550		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	7	4	0.73
Y074551		4.05	0.51	<0.2	3.68	17	<10	10	<0.5	<2	0.21	<0.5	25	115	4	2.81
Y074552		4.52	2.47	0.6	4.66	17	<10	10	<0.5	2	0.22	<0.5	26	150	2	3.69
Y074553		4.46	0.56	<0.2	4.37	6	<10	10	<0.5	4	0.17	<0.5	36	170	91	7.00
Y074554		4.86	0.29	0.7	2.93	20	<10	10	<0.5	5	0.10	<0.5	53	120	602	21.1
Y074555		3.91	0.06	<0.2	2.89	4	<10	10	<0.5	4	0.24	<0.5	22	95	79	4.84
Y074556		3.30	0.15	<0.2	1.49	17	<10	10	<0.5	3	0.21	<0.5	25	48	93	2.01
Y074557		5.87	0.04	<0.2	5.28	<2	<10	10	<0.5	7	4.40	<0.5	40	185	91	7.05
Y074558		5.27	0.02	<0.2	5.76	<2	<10	10	<0.5	<2	6.01	<0.5	46	208	155	8.25
Y074559		5.96	0.01	<0.2	5.45	<2	<10	10	<0.5	<2	5.48	13.1	46	202	165	7.62
Y074560		4.82	0.02	<0.2	5.64	<2	<10	10	<0.5	<2	5.40	2.2	45	201	148	7.94
Y074561		5.49	0.01	<0.2	5.34	2	<10	10	<0.5	<2	6.22	<0.5	44	205	145	8.08
Y074562		5.69	0.01	<0.2	4.53	<2	<10	10	<0.5	<2	5.79	<0.5	41	167	144	6.73
Y074563		5.22	0.02	<0.2	4.45	<2	<10	<10	<0.5	<2	5.61	<0.5	39	146	145	6.31
Y074564		4.65	<0.01	<0.2	4.09	<2	<10	20	<0.5	3	5.45	<0.5	36	157	127	6.84
Y074565		4.39	0.28	0.2	2.55	<2	<10	20	<0.5	8	2.03	<0.5	45	136	537	23.4
Y074566		3.32	0.43	<0.2	3.76	38	<10	20	<0.5	3	3.52	<0.5	36	148	104	6.87
Y074567		3.60	0.19	0.2	4.70	108	<10	10	<0.5	3	1.22	<0.5	79	162	92	8.50
Y074568		5.27	<0.01	<0.2	4.43	29	<10	10	<0.5	2	6.01	<0.5	40	164	134	6.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
Y074529		10	<1	0.20	<10	3.31	843	<1	0.17	95	220	<2	<0.01	<2	18	20
Y074530		10	<1	0.01	<10	3.37	589	<1	0.16	96	230	<2	<0.01	3	14	17
Y074531		10	1	0.03	<10	3.76	1005	<1	0.15	150	350	<2	<0.01	2	21	20
Y074532		10	<1	0.05	<10	1.85	541	<1	0.23	50	50	2	0.14	<2	7	21
Y074533		10	<1	0.03	<10	1.21	661	<1	0.23	58	80	<2	0.44	<2	5	23
Y074534		10	<1	0.09	<10	2.34	706	<1	0.19	64	200	<2	0.14	2	7	19
Y074535		10	<1	0.02	<10	2.87	670	<1	0.29	86	70	<2	0.10	<2	6	29
Y074536		10	2	0.03	<10	2.26	600	<1	0.42	75	200	2	0.04	3	6	42
Y074537		10	<1	0.03	<10	2.74	577	<1	0.32	123	100	2	0.13	3	7	34
Y074538		10	<1	0.03	<10	3.59	822	1	0.32	270	60	<2	0.09	2	10	46
Y074539		10	1	0.31	<10	3.50	751	<1	0.18	161	180	<2	0.14	<2	13	36
Y074540		10	<1	0.11	<10	2.71	560	<1	0.33	132	20	<2	0.02	2	11	57
Y074541		10	<1	0.21	<10	2.51	479	<1	0.46	75	30	<2	0.02	2	13	75
Y074542		10	<1	0.28	<10	3.21	679	<1	0.31	58	30	<2	<0.01	<2	17	48
Y074543		10	<1	0.23	<10	4.81	904	<1	0.17	105	10	<2	<0.01	<2	19	31
Y074544		10	<1	0.07	<10	4.98	650	<1	0.15	138	70	<2	0.01	2	15	27
Y074545		10	<1	0.06	<10	4.20	482	<1	0.09	82	150	<2	0.01	<2	15	19
Y074546		10	<1	0.09	10	4.11	290	<1	0.07	47	220	2	0.15	<2	9	11
Y074547		10	<1	0.03	<10	6.36	417	<1	0.01	109	120	<2	0.03	<2	23	2
Y074548		10	<1	0.16	<10	3.10	588	1	0.03	149	220	5	6.37	2	14	6
Y074549		<10	<1	0.04	10	0.78	385	<1	0.02	26	60	194	1.45	<2	5	11
Y074550		<10	<1	<0.01	<10	<0.01	78	<1	<0.01	1	10	2	0.02	<2	<1	<1
Y074551		10	1	0.09	<10	3.69	229	1	0.01	93	360	<2	0.01	<2	6	2
Y074552		10	<1	0.08	<10	4.65	301	<1	0.01	124	370	<2	0.02	<2	11	2
Y074553		10	<1	0.10	<10	3.40	472	<1	0.02	135	150	2	0.81	<2	13	3
Y074554		10	1	0.08	<10	2.09	361	1	0.02	161	170	5	8.32	6	9	1
Y074555		10	<1	0.12	<10	2.28	278	<1	0.02	82	260	3	0.92	<2	5	3
Y074556		<10	<1	0.14	<10	1.01	129	1	0.01	49	140	2	0.32	<2	3	2
Y074557		10	<1	0.07	<10	4.23	905	1	0.05	125	260	4	0.12	<2	13	16
Y074558		10	<1	0.05	<10	4.48	994	<1	0.04	129	220	6	0.24	<2	16	18
Y074559		10	<1	0.06	<10	4.07	986	1	0.08	125	250	8	0.47	<2	14	23
Y074560		10	<1	0.03	<10	4.51	1085	1	0.04	136	240	9	0.16	<2	18	20
Y074561		10	<1	0.04	<10	4.29	1150	1	0.02	132	230	5	0.27	<2	20	19
Y074562		10	<1	0.03	<10	3.70	999	<1	0.05	121	220	<2	0.27	<2	16	30
Y074563		10	<1	0.02	<10	3.61	873	<1	0.08	118	250	4	0.16	<2	15	43
Y074564		10	<1	0.10	<10	3.32	1095	<1	0.02	94	280	<2	0.49	<2	17	29
Y074565		10	<1	0.14	<10	2.06	765	1	0.02	182	170	7	8.10	4	15	11
Y074566		10	<1	0.15	<10	3.99	994	<1	0.04	147	180	2	1.43	<2	17	34
Y074567		10	<1	0.13	<10	4.72	539	1	0.05	283	120	3	3.44	<2	20	24
Y074568		10	<1	0.02	<10	2.91	1450	<1	0.19	103	230	<2	0.90	<2	22	45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y074529		<20	0.07	<10	<10	86	<10	26
Y074530		<20	0.05	<10	<10	71	<10	10
Y074531		<20	0.05	<10	<10	81	<10	10
Y074532		<20	0.05	<10	<10	110	<10	22
Y074533		<20	0.04	<10	<10	75	<10	20
Y074534		<20	0.06	<10	<10	150	<10	29
Y074535		<20	0.04	<10	<10	134	<10	27
Y074536		<20	0.04	<10	<10	115	<10	25
Y074537		<20	0.03	<10	<10	100	<10	61
Y074538		<20	0.03	<10	<10	70	<10	19
Y074539		<20	0.06	<10	<10	80	<10	28
Y074540		<20	0.02	<10	<10	68	<10	16
Y074541		<20	0.03	<10	<10	85	<10	16
Y074542		<20	0.03	<10	<10	77	<10	14
Y074543		<20	0.02	<10	<10	99	<10	19
Y074544		<20	0.01	<10	<10	101	<10	6
Y074545		<20	<0.01	<10	<10	89	<10	13
Y074546		<20	0.01	<10	<10	61	<10	33
Y074547		<20	0.01	<10	<10	155	<10	51
Y074548		<20	0.03	<10	<10	125	<10	234
Y074549		<20	<0.01	<10	<10	2	<10	12
Y074550		<20	<0.01	<10	<10	2	<10	2
Y074551		<20	<0.01	<10	<10	70	<10	49
Y074552		<20	<0.01	<10	<10	103	<10	43
Y074553		<20	0.02	<10	<10	121	<10	245
Y074554		<20	0.01	<10	<10	88	<10	98
Y074555		<20	0.01	<10	<10	56	<10	162
Y074556		<20	<0.01	<10	<10	29	<10	100
Y074557		<20	0.05	<10	<10	186	<10	118
Y074558		<20	0.05	<10	<10	219	<10	93
Y074559		<20	0.05	<10	<10	208	<10	1155
Y074560		<20	0.06	<10	<10	212	<10	379
Y074561		<20	0.06	<10	<10	215	<10	77
Y074562		<20	0.06	<10	<10	150	<10	69
Y074563		<20	0.06	<10	<10	131	<10	65
Y074564		<20	0.05	<10	<10	158	<10	67
Y074565		<20	0.05	<10	<10	133	<10	75
Y074566		<20	0.02	<10	<10	127	<10	87
Y074567		<20	0.02	<10	<10	144	<10	114
Y074568		<20	0.04	<10	<10	160	<10	56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA26 Au ppm 0.01	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
Y074569		0.06	9.16	15.3	3.17	477	<10	90	<0.5	2	0.51	2.3	134	32	873	10.50
Y074570		0.17	<0.01	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.29
Y074571		5.15	<0.01	<0.2	3.64	53	<10	10	<0.5	<2	5.37	<0.5	40	113	132	4.40
Y074572		5.19	<0.01	<0.2	3.32	31	<10	10	<0.5	<2	6.73	<0.5	127	96	178	6.52
Y074573		5.49	<0.01	<0.2	2.62	47	<10	<10	<0.5	<2	4.47	<0.5	33	108	73	4.03
Y074574		4.76	<0.01	<0.2	3.14	36	<10	10	<0.5	<2	5.46	<0.5	40	118	151	5.22
Y074575		4.03	<0.01	<0.2	2.20	51	<10	10	<0.5	<2	5.03	<0.5	37	103	90	4.26
Y074576		4.62	<0.01	<0.2	2.22	25	<10	10	<0.5	<2	2.76	<0.5	30	85	156	3.00
Y074577		4.85	<0.01	<0.2	2.18	17	<10	<10	<0.5	<2	2.88	<0.5	28	85	156	3.17
Y074578		5.19	<0.01	<0.2	1.84	20	<10	<10	<0.5	<2	2.93	<0.5	26	78	116	2.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
Y074569		10	2	0.20	10	0.45	408	6	0.07	307	710	253	0.30	16	4	25
Y074570		<10	<1	<0.01	<10	<0.01	30	<1	<0.01	1	10	<2	0.02	<2	<1	1
Y074571		10	<1	0.01	<10	2.00	1105	1	0.26	83	270	<2	0.30	<2	15	45
Y074572		10	<1	0.01	<10	1.94	1360	1	0.22	166	580	3	2.65	<2	14	45
Y074573		10	<1	0.01	<10	2.03	1035	<1	0.18	75	240	<2	0.16	<2	15	30
Y074574		10	<1	0.01	<10	2.49	1135	<1	0.19	84	280	<2	0.33	<2	19	37
Y074575		10	<1	0.01	<10	2.29	1025	<1	0.14	70	240	2	0.09	<2	17	26
Y074576		10	<1	0.01	<10	1.36	515	<1	0.18	71	260	<2	0.33	<2	9	24
Y074577		10	<1	0.01	<10	1.52	653	<1	0.14	68	250	2	0.41	<2	9	18
Y074578		<10	<1	0.01	<10	1.22	502	<1	0.13	54	240	<2	0.24	<2	7	19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

Sample Description	Method / Analyte / Units / LOD	ME-ICP41 Th ppm 20	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
Y074569		<20	0.22	<10	<10	120	<10	852
Y074570		<20	<0.01	<10	<10	<1	<10	2
Y074571		<20	0.05	<10	<10	117	<10	41
Y074572		<20	0.04	<10	<10	97	<10	51
Y074573		<20	0.04	<10	<10	104	<10	43
Y074574		<20	0.04	<10	<10	128	<10	56
Y074575		<20	0.03	<10	<10	100	<10	57
Y074576		<20	0.07	<10	<10	69	<10	31
Y074577		<20	0.09	<10	<10	67	<10	36
Y074578		<20	0.07	<10	<10	59	<10	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **LANDORE RESOURCES CANADA INC.**
555 CENTRAL AVE
SUITE 1
THUNDER BAY ON P7B 5R5

Finalized Date: 27-SEP-2018
Account: SXY

Project: 180.04BA.84A12A

CERTIFICATE OF ANALYSIS TB18227545

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada

Applies to Method:	CRU-31	CRU-QC	LOG-21	LOG-23
	PUL-32	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Au-AA26	ME-ICP41