

We are committed to providing <u>accessible customer service</u>. If you need accessible formats or communications supports, please <u>contact us</u>.

Nous tenons à améliorer <u>l'accessibilité des services à la clientèle</u>. Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez <u>nous contacter</u>. Report of Grassroots Prospecting on the Rock On! Property

Submitted By Paul Gerlach October 13, 2020

# Table of Contents

Pages 3-4-5: Account of the prospecting activities.Pages 5-6: Location and description of samplesPage 6-7: ExpendituresFollowing page 7: Receipts, Documentation, and Maps

All activities performed in this report were completed by Paul Gerlach [13592]

The Mining Lands in which the work was performed is located on Crown Lands approx. 21km north of Terrace Bay, in the Aguasabon Lake Area more precisely Claim cell unit #'s 609968,609969,609970. Access to the area is via the Diversion Road which is accessed from HWY17 turning onto Mill Road travelling approx.28km to a fork [Y] in the road, taking the left branch [Wintering Road] for another 1-2km, the property is on the south side of the road.

After investigating all available reports, maps, surveys in the MNDM archives the decision was made to visit this area because of lack of exploration.

The first traverse was made on May 13 2020. Starting at a point approx. 1/2km north of the Y, on the south side of the road I walked into the bush and connected onto a grown in snowmobile trail and continued on until I came upon the creek coming from lake approx. 1/2km south, continuing on the conditions got worse as the shady areas still had snow cover. Arriving at the lake I walked down the shore a bit, then cut into bush going west. Walking through the bush on my way back to the road I noticed an outcrop went over and moved some snow and moss took rock sample, continued down the mountain to the road to a point approx. 600m north from where I had started.

The second traverse was made on May 15 2020. Starting at a point approx. 2km north of the Y, an old cut road on south side. Pulled truck into an old cut road just off the main road. Left walking south looking for a ravine up the mountain to explore for outcrops, again I notice large boulders some 2-3m, made it to the top of the hill found an outcrop took rock sample, and headed towards previous sample area. The previous sample area was more exposed took more samples headed down the hill to road came out at a point approx. 400m south of truck.

The area is of rugged terrain, many small valleys, and ravines going in all directions. The vegetation is mixed, alders, spruce, birch, it is old growth forest, a lot of debris on floor. All the ravines, valleys, shorelines of lake are populated with rocks and boulders, thin overburden over rocks and boulders makes for careful traversing, thicker overburden is present in the center areas of ravines, valleys. A few boulders are of considerable size, most 1-3m. Elevation is 60-80m above the main road.

The third traverse was made on May 17 2020, the purpose of this trip was to establish a trail to sample area1 so that access was by an established route to the area for future traverses to the south into unexplored areas. Flagging was hung, made a few probes into the overburden could not confirm bedrock contact. Rocks and boulders. Searched the slope to the south for outcrops. Established the sample area1 outcrop definitely bedrock approx. 40m.

On May 26 2020 Travel was made to Thunder Bay to submit samples for examination. One of the samples submitted [WPT65] was from sample area1. Received confirmation from Actlabs that samples have been submitted for testing on May 27 2020.

On June 10 2020 results from the samples were received. Sample WPT65 from area1 was anomalous for tungsten and had exceeded the testing threshold. The sample was resubmitted for further evaluation. On June 29 2020 the results for the tungsten assays were received. I shared the information that I had and was in contact with Mark Puumala the Regional Resident Geologist.

On June15 2020, Returned to the point where I would brush out a small area of the old cut road and snowmobile trail to use as a staging

area, thus keeping truck off the main road. I then proceeded up to area1 straightening and establishing rough trail that I could in future brush out for best route up the mountain and possibly get ATV into.

On July 14 2020 I returned to sample area1 to assess the outcrop appears to be a medium grained diorite with quartz inclusions. The outcrop is a good 4-5m from the ravine floor, has a fairly smooth surface that dips at about 60- 70 degrees and transitions to lightly covered rock and boulders with the overburden getting thicker as you get to the floor where the wildlife of the area travels. Sample collected from the north east of the outcrop.

Returned to the area on July21 2020. Started to pull back small patches of thin overburden to the southwest along outcrop came across a section sheeting where the 6-8 inch extrusive veneer had separated exposing a rusty weathered, foliated, sericitic, rock that is fine grained with mineralization between layers, the rock is a blue/grey colour. Sample collected. Outcrop striking approx. 51 degrees southwest –northeast.

On August 24 2020 6 claim cells were staked.

Sample Locations/ Descriptions.

A total of 5 samples were taken 1 from Sample area 2, this is a medium grained diorite schist, location UTM 16 U 0491097 5424861. 4 samples taken from vicinity of area 1 WPT65 sample location UTM 16 U 0491188 5424833, this is a white fine grained quartz?, medium grain black, greenish black, diorite. Another sample taken approx. 2m higher in outcrop and 3m southwest is a medium grained diorite with a sugary texture with some biotite. The 4<sup>th</sup> sample taken on strike at UTM 16 U 0491207 5424848 appears to be a possible wall or roof rock with several large jointed pieces of quartz, diorite with fissures, also with green quartz? Veins throughout. The final sample located at UTM 16 U 0491185 5424825 is described as a foliated, sericitic, fine grained rock that is blue/ grey with mineralization in the layers, schist?

For the period of this report:

1 sample WPT65 was analyzed, results and documentation are attached.

Costs associated with the Grassroots prospecting on Crown Land described above.

Travel from Terrace Bay to area and return:

May 13/20	56km@ .50\$/km		28.00	
May 15/20	54km@ .50\$/km		27.00	
May 17/20	55km@ .50\$/km		27.50	
June 15/20	58km@ .50\$/km		29.00	
July 14/20	57km@.50\$/km		28.50	
July21/20	59km@ .50/km		29.50	
		Tatal		¢10

Total

\$169.50

Grassroots prospecting

May 13/20	\$300
May15/20	\$300
May17/20	\$300
June 15/20	\$300
July 14/20	\$300
July21/20	\$300
Total	\$1800.00

The following items were taken from stock and replenished Energizer batteries for GPS 24/pack tax included \$16.94 Batteries used 12 = \$8:47 1 pair safety glasses =\$8.57 Food for 6 trips @ \$5.00/trip= \$30.00

Total \$47.04

ActLabs invoice #A-20-05515 3 samples submitted for the same testing, WPT65 is the only sample for this area. 162.55/3=\$ 54.18

ActLabs invoice #A20-05515B is further testing to determine actual mineral content [assay] on WPT65. \$48.59 ActLab Total \$ 102.77 Note bottom left of invoice: payment made

Total Expenditures/Labour= \$2119.31









Quality Analysis ...



## Innovative Technologies

Report No.:A20-05515Report Date:10-Jun-20Date Submitted:27-May-20Your Reference:10-Jun-20

Rock On Exploration 4 Cavanaugh Crescent THUNDER BAY ON Canada

ATTN: Paul Gerlach

# **CERTIFICATE OF ANALYSIS**

3 Rock samples were submitted for analysis.

The following analytical package(s) were requested:		Testing Date:
1C-Exp	QOP PGE ICP-MS (Fire Assay-ICPMS)	2020-06-08 21:19:30

#### REPORT A20-05515

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

We recommend reanalysis by fire assay Au, Pt, Pd Code 8 if values exceed upper limit.

CERTIFIED BY:

Emmanuel Eseme , Ph.D. Quality Control Coordinator

ACTIVATION LABORATORIES LTD. 41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5 TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613 E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

## Quality Analysis ...

## Innovative Technologies

Report No.:A20-05515Report Date:10-Jun-20Date Submitted:27-May-20Your Reference:10-Jun-20

Rock On Exploration 4 Cavanaugh Crescent THUNDER BAY ON Canada

ATTN: Paul Gerlach

# **CERTIFICATE OF ANALYSIS**

3 Rock samples were submitted for analysis.

The following analytical package(s) were requested:		Testing Date:
1E3-Tbay	QOP AquaGeo (Aqua Regia ICPOES)	2020-06-01 10:31:07

#### REPORT A20-05515

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

We recommend reanalysis by fire assay Au, Pt, Pd Code 8 if values exceed upper limit.

CERTIFIED BY:

Emmanuel Eseme , Ph.D. Quality Control Coordinator

ACTIVATION LABORATORIES LTD. 1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6 TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613 E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Activation Laboratories Ltd.

Analyte Symbol	Pd	Pt	Au	Ag	Cd	Cu	Mn	Мо	Ni	Pb	Zn	Al	As	В	Ва	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg
Unit Symbol	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm							
Lower Limit	1	1	2	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1
Method Code	FA-MS	FA-MS	FA-MS	AR-ICP																			
AWPT 50	< 1	< 1	5	< 0.2	< 0.5	24	416	2	18	3	47	1.49	5	< 10	29	< 0.5	< 2	0.50	9	26	5.17	< 10	1
WPT 64	< 1	< 1	4	< 0.2	< 0.5	24	793	< 1	86	< 2	97	2.87	< 2	< 10	14	< 0.5	3	1.28	26	95	7.56	10	< 1
WPT 65	< 1	< 1	4	< 0.2	< 0.5	11	409	45	28	< 2	32	1.95	< 2	< 10	28	< 0.5	< 2	3.02	9	84	2.74	< 10	< 1

Activation Laboratories Ltd.

Analyte Symbol	К	La	Mg	Na	Р	S	Sb	Sc	Sr	Ti	Th	Те	TI	U	V	W	Y	Zr
Unit Symbol	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppm							
Lower Limit	0.01	10	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP																	
AWPT 50	0.29	< 10	0.90	0.038	0.073	0.62	2	4	12	0.25	< 20	4	< 2	< 10	55	< 10	9	13
WPT 64	0.04	< 10	2.30	0.033	0.070	2.64	3	8	77	0.38	< 20	3	< 2	< 10	98	< 10	7	6
WPT 65	0.12	17	0.86	0.101	0.152	0.07	2	7	227	0.21	< 20	2	< 2	< 10	62	> 200	10	5

QC

### Activation Laboratories Ltd.

Analyte Symbol	Pd	Pt	Au	Ag	Cd	Cu	Mn	Мо	Ni	Pb	Zn	Al	As	В	Ba	Be	Bi	Ca	Co	Cr	Fe	Ga	Hg
Unit Symbol	ppb	ppb	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm							
Lower Limit	1	1	2	0.2	0.5	1	5	1	1	2	2	0.01	2	10	10	0.5	2	0.01	1	1	0.01	10	1
Method Code	FA-MS	FA-MS	FA-MS	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP							
GXR-6 Meas				0.3	< 0.5	68	1030	1	25	93	123	6.90	223	< 10	679	0.8	3	0.13	13	81	5.60	20	2
GXR-6 Cert				1.30	1.00	66.0	1010	2.40	27.0	101	118	17.7	330	9.80	1300	1.40	0.290	0.180	13.8	96.0	5.58	35.0	0.0680
PK2 Meas	5900	4750	4750																				
PK2 Cert	5918	4749	4785																				
OREAS 922 (AQUA REGIA) Meas				1.0	< 0.5	2190	735	< 1	35	57	251	2.76	5		73	0.7	9	0.40	18	46	5.07	< 10	
OREAS 922 (AQUA REGIA) Cert				0.851	0.28	2176	730	0.69	34.3	60	256	2.72	6.12		70	0.65	10.3	0.324	19.4	40.7	5.05	7.62	
OREAS 923 (AQUA REGIA) Meas				1.8	< 0.5	4430	861	< 1	36	80	331	2.87	6		61	0.7	23	0.42	21	46	5.98	< 10	
OREAS 923 (AQUA REGIA) Cert				1.62	0.40	4248	850	0.84	32.7	81	335	2.80	7.07		54	0.61	21.8	0.326	22.2	39.4	5.91	8.01	
Oreas 621 (Aqua Regia) Meas				66.3	274	3490	512	13	24	> 5000	> 10000	1.64	77			0.6	7	1.62	28	31	3.20	< 10	3
Oreas 621 (Aqua Regia) Cert				68.0	278	3660	520	13.3	25.8	13600	51700	1.60	75.0			0.530	3.85	1.65	27.9	31.3	3.43	9.29	3.93
OREAS 45f (Aqua Regia) Meas						341	163	< 1	230	8	25	6.98			135	1.0	3	0.07	37	352	13.8	20	< 1
OREAS 45f (Aqua Regia) Cert						336	150	1.19	192	12.4	22.2	4.81			158	0.980	0.170	0.0750	39.2	341	13.7	20.3	0.0310
AWPT 50 Orig	< 1	< 1	5																				
AWPT 50 Dup	< 1	< 1	5																				
Method Blank				< 0.2	< 0.5	< 1	< 5	< 1	< 1	< 2	< 2	< 0.01	< 2	< 10	< 10	< 0.5	< 2	< 0.01	< 1	< 1	< 0.01	< 10	< 1
Method Blank	< 1	< 1	< 2																				
Method Blank	< 1	< 1	< 2																				

QC

### Activation Laboratories Ltd.

Analyte Symbol	K	La	Mg	Na	Р	S	Sb	Sc	Sr	Ti	Th	Те	TI	U	V	W	Y	Zr
Unit Symbol	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppm							
Lower Limit	0.01	10	0.01	0.001	0.001	0.01	2	1	1	0.01	20	1	2	10	1	10	1	1
Method Code	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP	AR-ICP
GXR-6 Meas	1.12	< 10	0.38	0.113	0.033	0.01	5	20	29		< 20	< 1	4	< 10	164	< 10	5	6
GXR-6 Cert	1.87	13.9	0.609	0.104	0.0350	0.0160	3.60	27.6	35.0		5.30	0.0180	2.20	1.54	186	1.90	14.0	110
PK2 Meas																		
PK2 Cert																		
OREAS 922 (AQUA REGIA) Meas	0.46	37	1.26	0.029	0.061	0.36	2	4	16		< 20		< 2	< 10	34	< 10	18	19
OREAS 922 (AQUA REGIA) Cert	0.376	32.5	1.33	0.021	0.063	0.386	0.57	3.15	15.0		14.5		0.14	1.98	29.4	1.12	16.0	22.3
OREAS 923 (AQUA REGIA) Meas	0.41	35	1.38		0.059	0.67	< 2	4	15		< 20		< 2	< 10	35	< 10	17	26
OREAS 923 (AQUA REGIA) Cert	0.322	30.0	1.43		0.061	0.684	0.58	3.09	13.6		14.3		0.12	1.80	30.6	1.96	14.3	22.5
Oreas 621 (Aqua Regia) Meas	0.37	20	0.41	0.145	0.032	4.51	99	2	18		< 20		< 2	< 10	12	< 10	7	61
Oreas 621 (Aqua Regia) Cert	0.333	19.4	0.436	0.160	0.0335	4.50	107	2.20	18.9		5.91		0.770	1.63	10.9	1.00	6.87	55.0
OREAS 45f (Aqua Regia) Meas	0.11	11	0.17	0.045	0.020	0.02		28	14	0.10	< 20		< 2	< 10	196		5	11
OREAS 45f (Aqua Regia) Cert	0.0820	10.7	0.152	0.0320	0.0220	0.0270		31.4	13.2	0.0970	7.67		0.120	1.09	217		6.74	30.0
AWPT 50 Orig																		
AWPT 50 Dup																		
Method Blank	< 0.01	< 10	< 0.01	0.011	< 0.001	< 0.01	< 2	< 1	< 1	< 0.01	< 20	< 1	< 2	< 10	< 1	< 10	< 1	< 1
Method Blank																		
Method Blank																		

Quality Analysis ...



## Innovative Technologies

Report No.: Report Date: Date Submitted: Your Reference: A20-05515-Final2 29-Jun-20 27-May-20

Rock On Exploration 4 Cavanaugh Crescent THUNDER BAY ON Canada

ATTN: Paul Gerlach

# CERTIFICATE OF ANALYSIS

3 Rock samples were submitted for analysis.

The following analytical package(s) were requested:		Testing Date:
1D	QOP INAAGEO (INAA)	2020-06-24 10:21:26
8-Peroxide ICP	QOP Sodium Peroxide (Sodium Peroxide Fusion ICP)	2020-06-12 19:58:36

#### REPORT A20-05515-Final2

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY:

Emmanuel Eseme , Ph.D. Quality Control Coordinator

ACTIVATION LABORATORIES LTD.

41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5 TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613 E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Activation Laboratories Ltd.

Analyte Symbol	Au	Ag	As	Ва	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	lr	Мо	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Та
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Lower Limit	5	5	2	100	1	1	5	10	2	0.02	1	1	5	5	0.05	50	30	0.2	0.1	5	0.05	0.1	1
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
WPT 65	< 5	< 5	< 2	< 100	< 1	7	18	270	< 2	5.71	< 1	< 1	< 5	48	1.40	< 50	< 30	< 0.2	16.9	< 5	< 0.05	< 0.1	< 1

Activation Laboratories Ltd.

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	W
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	%
Lower Limit	0.5	0.5	4	50	1	3	5	0.1	0.2	0.5	0.2	0.05		0.005
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	FUS- Na2O2
WPT 65	8.6	< 0.5	7790	< 50	22	61	< 5	6.0	0.7	< 0.5	4.3	0.06	1.06	0.846

### Activation Laboratories Ltd.

Analyte Symbol	Au	Ag	As	Ва	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	lr	Мо	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Та
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Lower Limit	5	5	2	100	1	1	5	10	2	0.02	1	1	5	5	0.05	50	30	0.2	0.1	5	0.05	0.1	1
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
GBW 07239 (NCS DC 70007) Meas																							
GBW 07239 (NCS DC 70007) Cert																							
GBW 07238 (NCS DC 70006) Meas																							
GBW 07238 (NCS DC 70006) Cert																							
MP-1b Meas																							
MP-1b Cert																							
W 106 Meas																							
W 106 Cert																							
MP 2a Meas		< 5		< 100		< 1	< 5	150	< 2	5.11	< 1			1430			70		4.8		< 0.05	< 0.1	10
MP 2a Cert		4.82		12.3		3.22	5.50	150	5.78	5.00	9.40			1586.0 000			229		4.87		0.05	0.001	11.6
OREAS 905 (INAA) Meas	360		35	2500		< 1	19		< 2	4.03	6						80	1.6			< 0.05	< 0.1	< 1
OREAS 905 (INAA) Cert	391		36.2	2800		0.608	15.3		7.10	4.23	7.26						137	1.96			0.00074 9	0.0159	1.38
WPT 65 Orig																							
WPT 65 Dup																							
Method Blank	< 5	< 5	< 2	< 100	< 1	< 1	< 5	< 10	< 2	< 0.02	< 1	< 1	< 5	< 5	< 0.05	< 50	< 30	< 0.2	< 0.1	< 5	< 0.05	< 0.1	< 1
Method Blank																							

QC

### Activation Laboratories Ltd.

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass	W
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g	%
Lower Limit	0.5	0.5	4	50	1	3	5	0.1	0.2	0.5	0.2	0.05		0.005
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	FUS- Na2O2
GBW 07239 (NCS DC 70007) Meas														0.103
GBW 07239 (NCS DC 70007) Cert														0.10
GBW 07238 (NCS DC 70006) Meas														0.356
GBW 07238 (NCS DC 70006) Cert														0.360
MP-1b Meas														0.110
MP-1b Cert														0.110
W 106 Meas														2.14
W 106 Cert														2.16
MP 2a Meas	56.5	33.7	3200	5220	142	322	129	25.3		3.0	26.0	3.93		
MP 2a Cert	61.3	37.0	3380.0 00	5660.0 00	157	357	117.9	26.7		4.82	28.8	4.36		
OREAS 905 (INAA) Meas	13.7	5.5	< 4	< 50	45	91	39	7.2	0.5	< 0.5	< 0.2			
OREAS 905 (INAA) Cert	14.7	5.00	3.02	139	48.0	96.0	40.5	7.64	1.46	0.810	0.760			
WPT 65 Orig														0.839
WPT 65 Dup														0.854
Method Blank	< 0.5	< 0.5	< 4	< 50	< 1	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	1.00	
Method Blank														< 0.005