Quality Analysis ... *Innovative Technologies*

Date Submitted:	10-Sep-18
Invoice No.:	A18-12763-TD-ICP
Invoice Date:	09-Oct-18
Your Reference:	BMK-2017

MacDonald Mines Exploration Ltd.
145 Wellington Street West
Suite 1001
Toronto ON M5J 1H8
Canada

ATTN: Vice President of Exploration Quentin Yarie (INV+CERT)

CERTIFICATE OF ANALYSIS

99 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code ME-MS61-RedPine Total Digestion ICP & ICP/MS

REPORT **A18-12763-TD-ICP**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Values which exceed the upper limit should be assayed for accurate numbers.

CERTIFIED BY:

Emmanuel Eseme , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	Al	Ba	Ca	Cr	Fe	K	Mg	Mn	Na	P	S	Ti	V	Zn	Ag	Co	Cu	Ni	Pb
Unit Symbol	%	ppm	%	ppm	%	%	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	1	0.01	0.01	0.01	5	0.01	10	0.01	0.005	1	2	0.3	1	1	1	3
Method Code	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
712101	7.75	70	7.27	78	9.48	0.33	4.17	1340	1.65	390	0.02	0.249	190	87	< 0.3	51	234	78	< 3
712102	7.64	70	6.62	87	8.99	0.28	4.50	1110	1.56	410	0.02	0.424	240	85	< 0.3	49	224	92	< 3
712103	7.76	120	5.20	98	8.57	1.13	4.75	831	1.33	470	0.04	0.623	308	71	< 0.3	48	247	99	< 3
712104	7.04	170	0.32	148	4.23	1.66	2.64	184	3.01	420	0.10	0.128	93	16	0.4	20	47	79	< 3
712105	7.26	260	0.18	113	2.76	1.45	1.55	68	3.20	430	0.20	0.279	88	7	0.4	12	11	47	< 3
712106	7.21	270	0.23	178	3.83	1.64	2.22	123	2.92	450	0.18	0.269	119	23	< 0.3	15	38	61	< 3
712107	6.61	150	0.22	170	2.77	1.33	1.68	152	3.69	430	0.12	0.278	89	10	< 0.3	15	40	48	< 3
712108	8.00	50	0.19	159	1.73	0.78	1.42	36	5.75	460	0.49	0.335	113	11	0.4	26	24	59	< 3
712109	7.79	40	0.33	226	2.37	0.92	1.83	92	5.01	550	0.30	0.293	91	36	0.6	13	49	50	< 3
712110	1.64	10	6.66	150	2.78	0.14	5.14	414	0.57	1580	0.44	0.051	59	864	0.3	120	28	260	10
712111	6.92	20	0.47	186	3.50	0.28	2.49	121	4.58	930	0.68	0.306	84	72	0.6	83	27	230	< 3
712112	6.47	50	0.33	128	2.38	0.71	2.74	49	3.98	450	0.30	0.249	89	81	0.4	29	29	76	< 3
712113	5.53	50	0.25	324	2.32	1.35	1.56	137	2.99	430	0.40	0.208	68	5	< 0.3	26	13	75	< 3
712114	6.33	50	1.46	142	2.26	1.83	1.42	257	3.61	550	1.35	0.236	72	7	< 0.3	52	16	117	< 3
712115	3.70	30	3.87	251	4.88	0.81	2.39	352	2.23	1560	3.61	0.106	60	6	0.4	127	23	265	< 3
712116	4.13	20	2.48	123	4.94	0.71	1.53	190	2.75	1270	4.91	0.118	56	6	< 0.3	152	7	331	< 3
712117	3.78	20	0.11	603	1.20	0.92	0.25	122	2.42	180	0.17	0.113	29	5	< 0.3	8	10	22	< 3
712118	0.09	10	16.8	149	5.10	0.04	9.38	699	0.05	280	2.16	< 0.005	101	13	< 0.3	77	11	222	< 3
712119	1.94	20	3.56	222	2.21	0.34	1.95	278	1.33	130	0.36	0.071	38	6	< 0.3	18	22	51	< 3
712120	0.92	< 10	5.37	118	2.31	0.09	2.65	245	0.68	590	1.28	0.028	29	2	< 0.3	40	20	101	< 3
712121	6.74	30	1.96	212	2.18	0.54	1.39	131	4.81	600	1.08	0.218	83	5	< 0.3	44	13	103	< 3
712122	0.85	10	3.20	196	2.33	0.18	1.65	246	0.56	250	0.70	0.018	20	3	< 0.3	26	24	64	< 3
712123	6.81	170	0.20	193	1.35	1.14	1.07	50	4.10	360	0.15	0.216	58	4	0.4	13	21	28	< 3
712124	5.90	50	7.44	120	2.23	0.56	4.64	258	4.11	270	0.39	0.191	89	5	< 0.3	16	18	46	< 3
712125	2.78	30	0.10	288	1.24	0.32	0.32	103	1.97	130	0.09	0.106	30	3	< 0.3	7	17	19	< 3
712126	6.02	100	0.21	227	1.57	1.20	0.97	92	3.70	310	0.22	0.233	60	12	0.3	26	51	57	< 3
712127	0.41	20	4.80	162	8.08	0.12	2.43	260	0.21	1070	6.55	0.013	39	8	< 0.3	254	28	596	< 3
712128	3.41	30	5.64	83	6.68	0.41	3.30	243	2.36	890	5.83	0.099	75	7	< 0.3	217	28	529	< 3
712129	2.24	30	5.52	155	3.59	0.22	2.81	280	1.68	520	2.32	0.046	40	4	< 0.3	90	15	224	< 3
712130	3.25	20	6.02	84	5.79	0.24	3.11	218	2.53	1310	5.19	0.078	49	5	< 0.3	182	8	459	3
712131	6.22	60	1.76	232	3.07	0.45	1.20	148	4.36	490	1.43	0.186	48	35	< 0.3	52	21	109	< 3
712132	4.31	30	5.34	146	3.53	0.30	2.93	241	3.19	700	1.91	0.153	72	8	< 0.3	63	16	150	< 3
712133	5.18	30	3.10	186	3.51	0.46	1.79	189	3.72	680	1.84	0.195	72	3	< 0.3	72	14	178	< 3
712134	3.22	20	4.85	110	5.00	0.19	2.45	172	2.45	1100	4.20	0.091	49	3	< 0.3	132	17	334	< 3
712135	0.07	< 10	1.70	201	1.47	0.02	0.79	201	0.04	130	0.01	< 0.005	11	< 2	< 0.3	1	4	13	< 3
712136	1.33	10	2.44	199	2.60	0.10	1.19	196	0.99	370	1.28	0.032	25	< 2	< 0.3	48	8	112	< 3
712137	2.18	20	4.81	232	4.05	0.30	2.39	249	1.56	590	2.59	0.044	40	4	< 0.3	91	20	213	< 3
712138	6.17	100	0.56	208	1.69	0.71	0.51	110	4.27	270	0.35	0.179	54	6	< 0.3	23	21	53	< 3
712139	5.84	70	0.51	456	1.23	0.63	0.38	81	4.16	270	0.34	0.182	56	7	< 0.3	18	22	34	< 3
712140	7.47	140	6.91	162	8.54	0.20	4.21	1340	2.33	340	0.15	0.171	140	77	< 0.3	44	160	93	4
712141	6.51	120	0.37	196	1.87	0.97	0.60	102	4.17	300	0.24	0.204	59	7	< 0.3	16	18	41	< 3
712142	4.25	30	1.35	296	2.62	0.35	0.69	127	3.15	670	1.71	0.142	52	2	< 0.3	74	7	160	< 3

Analyte Symbol	Al	Ba	Ca	Cr	Fe	K	Mg	Mn	Na	P	S	Ti	V	Zn	Ag	Co	Cu	Ni	Pb
Unit Symbol	%	ppm	%	ppm	%	%	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	1	0.01	0.01	0.01	5	0.01	10	0.01	0.005	1	2	0.3	1	1	1	3
Method Code	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
712143	2.28	10	8.12	94	4.28	0.20	3.81	372	1.76	1450	2.33	0.088	63	< 2	< 0.3	88	4	228	< 3
712144	1.66	< 10	9.07	158	4.68	0.21	4.32	403	1.26	1160	2.50	0.059	63	4	< 0.3	86	1	222	< 3
712145	3.46	10	2.09	124	5.99	0.18	0.94	188	2.68	540	4.95	0.091	32	3	0.3	206	7	396	< 3
712146	2.18	20	2.42	207	5.68	0.19	0.99	189	1.63	1540	4.61	0.061	67	7	< 0.3	184	12	420	< 3
712147	3.16	20	2.93	147	4.79	0.82	1.41	368	1.96	1330	2.90	0.104	73	4	< 0.3	120	9	242	< 3
712148	5.48	30	1.19	452	2.62	1.03	0.88	192	3.47	620	1.30	0.195	72	5	< 0.3	56	13	126	< 3
712149	5.57	20	2.88	226	3.74	0.38	1.29	269	3.96	950	2.49	0.215	76	4	< 0.3	113	8	181	< 3
712150	11.0	20	0.27	4	0.85	2.72	0.04		7.45	< 10	< 0.01	< 0.005	< 1	26	< 0.3	< 1	< 1	3	< 3
709501	6.61	30	2.44	249	1.54	0.39	1.23	214	4.80	520	0.63	0.262	89	4	< 0.3	38	9	71	< 3
709502	5.84	20	2.61	213	1.92	0.29	1.28	246	4.25	420	0.79	0.194	67	3	< 0.3	28	4	79	< 3
709503	5.99	30	2.41	241	2.70	0.42	1.45	258	4.15	490	1.02	0.195	83	9	< 0.3	31	10	104	< 3
709504	5.13	20	2.82	241	2.86	0.32	1.29	204	3.80	770	2.10	0.193	64	6	< 0.3	70	8	160	< 3
709505	6.23	40	2.11	295	2.89	0.58	1.19	266	4.36	740	1.40	0.259	88	10	0.3	53	13	135	< 3
709506	7.28	40	0.80	227	2.12	0.85	1.30	78	4.79	450	0.53	0.286	101	20	< 0.3	25	42	95	< 3
709507	9.00	30	1.09	227	2.12	0.59	1.56	118	6.32	510	0.67	0.363	128	8	0.3	26	9	103	< 3
709508	3.19	20	1.19	224	1.83	0.34	0.77	115	2.23	390	1.00	0.117	49	5	< 0.3	39	11	98	< 3
709509	5.78	30	2.18	194	1.72	0.41	1.27	142	4.06	410	0.59	0.233	82	6	< 0.3	21	17	79	< 3
709510	6.73	40	0.27	270	2.40	0.73	2.18	109	4.41	370	0.28	0.258	113	263	0.3	29	10	81	< 3
709511	2.27	10	0.07	215	10.4	0.68	0.39	46	1.26	130	> 10.0	0.049	21	57	< 0.3	177	40	312	7
709512	2.19	20	0.10	183	11.5	0.62	0.40	52	1.27	120	> 10.0	0.041	17	41	< 0.3	190	43	349	6
709513	4.21	30	0.33	218	4.35	0.80	0.76	107	2.72	280	3.56	0.136	47	46	< 0.3	45	30	113	< 3
709514	4.14	20	0.22	189	2.29	0.65	0.71	50	2.85	240	1.76	0.133	48	151	< 0.3	22	31	77	< 3
709515	7.18	60	1.14	279	2.23	0.94	1.27	175	4.50	430	0.22	0.224	77	145	< 0.3	8	57	49	< 3
709516	7.02	40	1.26	183	2.19	0.89	1.20	172	4.58	560	0.88	0.237	79	156	< 0.3	29	51	115	< 3
709517	3.69	20	3.90	160	6.14	0.32	2.02	322	2.74	1180	5.00	0.119	76	13	< 0.3	174	7	406	< 3
709518	5.41	30	2.10	312	4.30	0.45	1.16	239	3.88	680	3.49	0.196	99	22	< 0.3	139	4	287	< 3
709519	6.69	50	2.49	216	2.40	0.54	1.27	262	4.67	570	1.18	0.190	80	8	< 0.3	53	9	119	< 3
709520	6.08	40	2.27	238	2.40	0.51	1.50	210	4.14	630	1.26	0.229	123	6	< 0.3	59	17	159	< 3
709521	4.84	50	2.34	205	5.55	0.45	1.17	267	3.54	960	4.17	0.171	88	6	< 0.3	182	12	381	< 3
709522	7.46	20	1.84	173	1.03	0.40	0.98	125	5.76	480	0.40	0.266	83	5	< 0.3	19	10	52	< 3
709523	7.28	10	2.67	208	1.40	0.41	1.35	157	5.48	460	0.45	0.232	75	9	< 0.3	20	5	31	< 3
709524	6.12	20	2.07	187	3.11	0.31	1.01	114	4.49	840	2.68	0.182	61	3	< 0.3	82	8	226	< 3
709525	4.51	20	2.84	151	5.28	0.27	1.31	128	3.42	1340	4.97	0.112	50	26	< 0.3	161	12	365	< 3
709526	4.01	10	2.90	160	5.62	0.31	1.38	178	3.04	1120	4.94	0.108	60	12	< 0.3	153	6	353	< 3
709527	3.89	30	1.87	355	2.78	0.35	0.89	104	2.88	660	2.38	0.130	41	5	< 0.3	80	11	183	< 3
709528	2.64	20	3.74	261	2.00	0.14	1.86	215	2.03	270	0.58	0.063	34	3	< 0.3	23	13	58	< 3
709529	6.94	60	0.83	153	2.03	1.11	1.52	76	4.12	390	0.43	0.256	110	7	< 0.3	26	10	81	< 3
709530	6.93	40	1.70	252	2.04	0.97	1.05	145	4.55	590	1.05	0.221	77	5	< 0.3	45	13	91	< 3
709531	5.23	30	2.33	144	4.42	0.63	1.59	135	3.56	960	3.53	0.137	77	8	< 0.3	109	10	271	< 3
709532	2.72	20	3.27	227	7.19	0.26	1.49	192	2.02	2080	6.90	0.062	54	3	< 0.3	220	8	527	3
709533	6.51	180	0.55	187	1.47	2.33	0.73	80	3.61	290	0.30	0.170	50	131	0.4	21	32	54	5
709534	6.74	190	0.50	240	2.21	1.76	0.87	120	3.79	310	0.23	0.203	62	100	0.4	14	14	41	4

Analyte Symbol	Al	Ba	Ca	Cr	Fe	K	Mg	Mn	Na	P	S	Ti	V	Zn	Ag	Co	Cu	Ni	Pb
Unit Symbol	%	ppm	%	ppm	%	%	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	1	0.01	0.01	0.01	5	0.01	10	0.01	0.005	1	2	0.3	1	1	1	3
Method Code	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
709535	5.84	60	0.62	279	1.26	0.79	0.57	73	4.04	260	0.47	0.182	53	30	0.3	16	15	38	< 3
709536	7.50	70	0.35	222	1.43	0.97	1.04	53	5.10	350	0.25	0.236	73	7	0.4	13	13	33	< 3
709537	7.86	160	0.17	159	1.47	1.25	1.18	80	4.77	350	0.15	0.280	73	14	0.4	15	22	32	< 3
709538	3.39	20	4.84	161	8.53	0.41	2.35	182	2.45	2090	6.68	0.071	55	4	< 0.3	196	43	469	7
709539	2.42	10	4.57	112	6.64	0.25	2.22	157	1.79	1740	6.68	0.050	42	6	< 0.3	214	13	550	< 3
709540	7.60	150	6.94	170	8.67	0.20	4.22	1350	2.37	350	0.15	0.251	161	77	< 0.3	44	160	93	< 3
709541	1.73	20	4.79	133	10.6	0.33	2.41	225	1.15	1680	> 10.0	0.036	39	16	< 0.3	391	29	908	7
709542	3.85	50	0.68	139	7.75	0.78	0.77	84	2.33	1190	7.21	0.103	42	7	0.4	295	65	592	5
709543	6.28	150	0.25	212	1.60	0.89	1.00	66	3.81	290	0.18	0.219	60	9	< 0.3	9	13	32	< 3
709544	0.04	< 10	0.48	308	0.84	< 0.01	0.23	76	0.03	20	0.42	< 0.005	5	< 2	< 0.3	16	11	29	< 3
709545	6.14	40	1.76	188	5.49	0.58	1.10	163	4.10	1240	4.20	0.141	70	83	< 0.3	137	62	322	4
709546	5.84	40	1.69	157	8.77	0.76	1.49	159	3.63	2600	7.90	0.100	72	14	< 0.3	274	18	604	5
709547	3.26	10	2.16	232	5.87	0.41	1.02	214	2.34	1490	4.55	0.115	49	12	< 0.3	175	17	437	4
709548	7.24	70	1.23	356	2.45	1.10	1.59	164	4.61	530	0.42	0.290	94	213	< 0.3	11	71	76	8
709549	11.5	30	0.26	3	0.82	2.91	0.05	145	7.51	10	< 0.01	< 0.005	< 1	26	< 0.3	< 1	< 1	1	3

Analyte Symbol	Al	Ba	Ca	Cr	Fe	K	Mg	Mn	Na	P	S	Ti	V	Zn	Ag	Co	Cu	Ni	Pb
Unit Symbol	%	ppm	%	ppm	%	%	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	1	0.01	0.01	0.01	5	0.01	10	0.01	0.005	1	2	0.3	1	1	1	3
Method Code	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
GXR-4 Meas	6.86	130	1.04	49	3.00	4.09	1.68	150	0.51	1250	1.71	0.249	88	72	3.4	14	6430	43	49
GXR-4 Cert	7.20	1640	1.01	64.0	3.09	4.01	1.66	155	0.564	1200	1.77	0.29	87.0	73.0	4.0	14.6	6520	42.0	52.0
SDC-1 Meas	8.59	690	1.12	47	4.95	2.18	1.08	944	1.63	590		0.152	43	108		19	34	38	24
SDC-1 Cert	8.34	630	1.00	64.00	4.82	2.72	1.02	880.00	1.52	690		0.606	102.00	103.00		18.0	30.000	38.0	25.00
GXR-6 Meas	12.8	1300	0.17	57	5.52	1.39	0.61	1050	0.10	340	0.02		129	136	0.4	14	70	26	100
GXR-6 Cert	17.7	1300	0.180	96.0	5.58	1.87	0.609	1010	0.104	350	0.0160		186	118	1.30	13.8	66.0	27.0	101
OREAS 97 (4 Acid) Meas											7.16			625	19.8	64	> 10000		141
OREAS 97 (4 Acid) Cert											6.07			646	19.6	62.9	63100.00		147
OREAS 98 (4 Acid) Meas											> 10.0			1290	43.3	119	> 10000		320
OREAS 98 (4 Acid) Cert											15.5			1360	45.1	121	148000.0		345
DNC-1a Meas		110	7.98	131	7.02				1.51			0.279	151	61		57	104	262	< 3
DNC-1a Cert		118	8.21	270	1.25				1.40			0.29	148	70		57	100	247	6.3
SBC-1 Meas		540		102								0.499	228	191		23	32	88	31
SBC-1 Cert		788.0		109								0.51	220.0	186		22.7	31.0	83	35.0
OREAS 45d (4-Acid) Meas	8.29	180	0.19	546	14.6	0.42	0.24	483	0.10	370	0.05	0.391	173	46		31	386	239	25
OREAS 45d (4-Acid) Cert	8.150	183.0	0.185	549	14.5	0.412	0.245	490.000	0.101	420.000	0.049	0.773	235.0	45.7		29.50	371	231.0	21.8
OREAS 96 (4 Acid) Meas											4.51			447	11.7	51	> 10000		98
OREAS 96 (4 Acid) Cert											4.19			457	11.5	49.9	39300		101
712118 Orig	0.10	10	16.9	151	5.09	0.04	9.36	697	0.05	280	2.26	< 0.005	101	14	< 0.3	78	11	221	< 3
712118 Dup	0.09	10	16.7	147	5.11	0.04	9.39	700	0.05	280	2.06	< 0.005	101	12	< 0.3	77	11	223	< 3
712123 Orig	6.89	170	0.20	196	1.35	1.11	1.07	49	4.10	360	0.15	0.223	60	4	0.3	13	20	28	< 3
712123 Dup	6.73	170	0.20	191	1.36	1.16	1.07	50	4.10	350	0.15	0.209	56	4	0.4	13	22	27	< 3
712150 Orig	10.1	20	0.26	5	0.87	2.28	0.02		7.54	< 10	< 0.01	< 0.005	< 1	27	< 0.3	< 1	< 1	3	< 3
712150 Dup	12.0	30	0.28	3	0.84	3.16	0.06		7.35	10	< 0.01	< 0.005	3	26	< 0.3	< 1	< 1	3	< 3
709501 Orig	6.61	30	2.44	249	1.54	0.39	1.23	214	4.80	520	0.63	0.262	89	4	< 0.3	38	9	71	< 3
709501 Split PREP DUP	6.49	30	2.50	253	1.56	0.39	1.26	220	4.84	530	0.62	0.247	89	4	0.3	37	10	71	< 3
709501 Orig	6.62	30	2.43	231	1.53	0.39	1.22	212	4.82	530	0.63	0.269	89	4	< 0.3	37	9	71	< 3
709501 Dup	6.59	30	2.45	267	1.55	0.39	1.24	216	4.78	520	0.63	0.256	89	3	< 0.3	38	9	70	< 3
709528 Orig	2.65	20	3.75	290	2.02	0.14	1.86	217	2.04	260	0.58	0.063	34	3	< 0.3	23	14	57	< 3
709528 Dup	2.63	20	3.73	232	1.98	0.14	1.86	213	2.01	270	0.58	0.063	34	2	< 0.3	22	11	58	< 3
709539 Orig	2.42	10	4.57	118	6.64	0.25	2.21	159	1.80	1740	6.73	0.053	42	6	< 0.3	214	12	549	< 3
709539 Dup	2.42	10	4.58	105	6.65	0.25	2.23	156	1.79	1740	6.64	0.047	41	7	< 0.3	214	14	551	< 3
709548 Orig	7.24	70	1.23	356	2.45	1.10	1.59	164	4.61	530	0.42	0.290	94	213	< 0.3	11	71	76	8
709548 Split PREP DUP	7.56	70	1.28	263	2.49	1.03	1.62	150	4.60	540	0.42	0.295	96	205	0.3	11	72	77	8

Analyte Symbol	Al	Ba	Ca	Cr	Fe	K	Mg	Mn	Na	P	S	Ti	V	Zn	Ag	Co	Cu	Ni	Pb
Unit Symbol	%	ppm	%	ppm	%	%	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	10	0.01	1	0.01	0.01	0.01	5	0.01	10	0.01	0.005	1	2	0.3	1	1	1	3
Method Code	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
Method Blank	0.01	< 10	< 0.01		< 0.01	< 0.01	< 0.01	< 5	< 0.01	< 10	< 0.01	< 0.005	< 1	< 2	< 0.3	< 1	< 1	< 1	< 3
Method Blank	< 0.01	< 10	< 0.01		< 0.01	< 0.01	< 0.01	< 5	< 0.01	< 10	< 0.01	< 0.005	< 1	< 2	< 0.3	< 1	< 1	< 1	< 3
Method Blank	< 0.01	< 10	< 0.01		< 0.01	< 0.01	< 0.01		< 0.01	< 10	< 0.01	< 0.005	< 1	< 2	< 0.3	< 1	< 1	< 1	< 3
Method Blank	< 0.01	< 10	< 0.01		< 0.01	< 0.01	< 0.01		< 0.01	< 10	< 0.01	< 0.005	< 1	< 2	< 0.3	< 1	10	< 1	< 3