

We are committed to providing [accessible customer service](#).
If you need accessible formats or communications supports, please [contact us](#).


Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).
Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

ASSESSMENT REPORT ON THE WEEBIGEE PROJECT, SANDY LAKE, ONTARIO, CANADA FOR GOLDEYE EXPLORATIONS LIMITED

Prepared by:

David R. Jamieson, B.Sc

Senior Technical Advisor, Goldeye Explorations Limited



Aug 27, 2014

Peterborough, Ontario

Winter 2014 Diamond Drilling Program

Northwest Arm Gold Showings

TABLE OF CONTENTS

| | |
|--|-------|
| INTRODUCTION AND GENERAL INFORMATION | pg 2 |
| PROPERTY LOCATION, ACCESS, DESCRIPTION AND OWNERSHIP | pg 4 |
| PREVIOUS WORK | pg5 |
| GEOLOGY | pg 6 |
| DIAMOND DRILL PROGRAM | pg 8 |
| DISCUSSION OF RESULTS | pg 12 |
| GOLD POTENTIAL OF THE SANDY LAKE GREENSTONE BELT | pg 16 |
| CONCLUSIONS | pg 17 |
| RECOMMENDATIONS | pg 19 |
| REFERENCES | pg 22 |
| CERTIFICATE OF QUALIFICATIONS | pg 24 |

APPENDICES

Appendix i – Figures

after pg 25

| | |
|----------|---|
| Figure 1 | Location map for Weebigee Project |
| Figure 2 | Goldeye Claim Block |
| Figure 3 | Regional Geology |
| Figure 4 | Geology Northwest Arm Area |
| Figure 5 | Northwest Arm Structural Interpretation |
| Figure 6 | Diamond Drill Plan |
| Figure 7 | Detail of Knoll and Bernadette Plan |
| Figure 8 | Detail of RvG4 Drill Plan |
| Figure 9 | Historic Sampling Northwest Arm Area |

Figure 10 North Caribou Terrane/Shear Zones

Figure 11 North Caribou Terrane showing Red Lake Gold Camp, Musselwhite, Weebigee Project

Appendix ii – Assay Certificates

Appendix iii – Diamond Drill Logs

Maps: Drill Plans and Sections

following Appendix iii

SUMMARY

Goldeye Explorations Limited ("Goldeye") owns 100% of 225 contiguous claims north of Red Lake, Ontario near the First Nation community of Sandy Lake (See Fig. 1). The project area, known as **Weebigee**, covers nearly 6000 ha., including the majority of the known gold showings within the Sandy Lake greenstone belt. The Sandy Lake greenstone belt is located within the North Caribou Terrane of the northwestern Superior Province (See Fig. 2 and Fig. 3). Despite the fact that the highly prolific Red Lake gold camp and the Musselwhite gold mine are located within the same geological terrane, the Sandy Lake greenstone belt (and other greenstone belts of the northern parts of the North Caribou Terrane) has seen very little exploration.

The focus of Goldeye's initial exploration effort at Weebigee has been on an area referred to as the Northwest Arm. Here, hydrothermal events within a sequence of highly strained felsic pyroclastics, ultramafic sills and iron formation, have produced carbonate-rich shear zones, broad areas of biotitization, discordant zones of silicification /sodium depletion, and the deposition of gold within zones of quartz veining, quartz-tourmaline veining and silica-carbonate-biotite(sericite, chlorite)-sulphide alteration.

In January 2014, a 2000 metre diamond drilling program was initiated by Goldeye to follow-up on significant gold values from 2013 channel sampling in the Northwest Arm area. The main objective was to test for depth and strike extensions of three gold showings, Knoll, Bernadette, and RvG4 (See Fig 6).

Significant drill core intercepts were returned from all three showing areas, including **12.86 g/t over 6.85 metres**(Bernadette), **12.17 g/t over 6.2 metres**(Knoll), **8.59 g/t over 6.83 metres**(Knoll), **23.15 g/t over 3.97 metres**(RvG4) and **10.89 g/t over 3.86 metres**(Bernadette).

The drilling results at Knoll, Bernadette and RvG4 are compelling and show that the grade and widths of the original gold showings improve at depth and along strike, with widths of mineralized

alteration haloes increasing as well. All three zones are within 500 metres of each other, indicating that the three zones are likely part of one large gold-bearing hydrothermal system.

A number of other gold showings remain to be drill tested, including Wavano, Sandborn and Tully. These showings can be explored to some degree by handstripping, powerstripping, detailed mapping and channel sampling and this work should be a high priority for the summer of 2014. Diamond drilling during the fall of 2014 is possible, as the drill has been stored on site. Priorities for this drilling would be based on results of ongoing field work. A larger drill program should be planned for the winter of 2014/2015 to take advantage of the winter road and lake ice drill platforms.

A program of prospecting, stripping and detailed mapping of areas peripheral to known mineralization, followed by drill testing of new and existing showings is likely to locate new gold zones within the belt. As well, modern geochemical and geophysical techniques can now help "expose" large areas of highly prospective geology within the Sandy Lake greenstone belt that are obscured by clay cover.

INTRODUCTION AND GENERAL INFORMATION

Goldeye Explorations Limited owns 100% of 225 contiguous claims north of Red Lake, Ontario near the First Nation community of Sandy Lake (See Fig. 1). The project area has been named Weebigee, the Oji-Cree name for a whitefish common to this area and is known as Goldeneye or Goldeye. The project area covers nearly 6000 ha. including many of the known gold showings within the Sandy Lake Greenstone belt, as well as a number of base metal showings on the south portion of the claim block. The current exploration focus is systematic channel sampling and drill testing of high grade gold showings within an area known as the Northwest Arm at the northwest end of the claim block.

The area was staked in 1986 and the majority of claims were transferred to Goldeye Exploration Limited in 1988. Little exploration was carried out, due to a lack of an exploration agreement between Goldeye and Sandy Lake First Nation. Despite several periods of negotiations, it was not until 2013, that a renewed effort by both sides resulted in ratification of the current Exploration Agreement. In June of 2013, an initial phase of exploration began, included prospecting, channel sampling, geological mapping, line cutting, and surface geophysics in preparation for a winter drilling program. **This was the first modern, comprehensive exploration program completed within the Sandy Lake Greenstone belt since the 1940's.**

In January 2014, a 2000 metre diamond drilling program was initiated to follow-up on the 2013 channel sampling results. The main objective was to test for depth and strike extensions of three gold showings, Knoll, Bernadette, and RvG4, located on the north shore of the Northwest Arm of Sandy Lake (See Fig. 6). The main showing examined was the Knoll Zone, which was tested with 15 drill holes (See Fig. 7). A discrete, coherent zone of gold mineralization was outlined over a strike length of 100 metres and to a depth of 100 metres. The zone remains open in all directions. Gold mineralization is associated with strong, multi-stage silicification and quartz veining along a north-northwest trending, sub vertical high strain zone. Bernadette and RvG4 zones appear to occur within the hanging wall and footwall of Knoll, consisting of gold-bearing quartz-tourmaline veining within broad zones of carbonate-sericite alteration.

Significant drill core intercepts were returned from all three showing areas, including 12.86 g/t over 6.85 metres(Bernadette), 12.17 g/t over 6.2 metres(Knoll), 8.59 g/t over 6.83 metres(Knoll), 23.15 g/t over 3.97 metres(RvG4) and 10.89 g/t over 3.86 metres(Bernadette).

This report provides the technical data for this winter 2014 drill program.

PROPERTY LOCATION, ACCESS, CLIMATE AND OWNERSHIP

The Weebigee project is located in the Granite Bay, Kakapitam Lake, and Rathouse Bay Areas, of the Red Lake Mining Division, Ontario. The area is 225 kilometers north of Red Lake, northwestern Ontario, and is accessible by scheduled flights (1 hour) to Sandy Lake from Winnipeg (Perimeter Airlines) and Red Lake (Wasaya Airlines), as well as by winter road from Pikangikum, 90 kilometers north of Red Lake (See Fig 1). A second winter road extends to the community of Kee-way-win on the south shore of Sandy Lake from an all weather gravel road 80 km to the east at Windigo Lake (Northern Ontario Resource Trail 808 linking to hwy 599 at Pickle Lake). All weather roads through the community and west through the Northwest Arm area provide excellent year-round access to the work area. Accommodations, some supplies and services are available from the 3000 person community of Sandy Lake. Travel time by boat or vehicle from the community of Sandy Lake to the work areas on the Northwest Arm is between 10 and 15 minutes.

The claims are 100% owned by Goldeye subject to NSR royalties and total 363 units in 225 claims, with an overall areal extent of approximately 6000 ha (See Fig 2).

This area of northwestern Ontario is typified by extensive spruce bush mixed with some poplar, jack pine and other species. The latest glaciations have created a mosaic of numerous lakes, swamp and muskeg, with numerous creeks incising a generally flat to slightly rolling clay plain. Much of the property is covered by 5 to 10 metres of glaciolauustrine clays, with very little evidence of glaciofluvial or till deposits in the immediate project area.

The climate is typical of northern boreal forest, with sub-zero temperatures between November and April, and hot, dry summers between June and September. The summer and early fall periods are generally the most favourable times to undertake field work. Diamond drilling can be done year round. Winter road access to Red Lake reduces costs associated with exploration between January and April.

PREVIOUS WORK

The following list briefly outlines the history of known mapping and exploration work in the Northwest Arm area of the Sandy Lake Greenstone belt.

M.E. Hurst 1928 – Ontario Department of Mines reconnaissance mapping of the Sandy Lake.

J. Satterly 1939 – Ontario Department of Mines comprehensive geological mapping Sandy Lake.

Prospectors Airways 1937 – Examination of Bernadette (Dubeau-Dussault) gold showing; limited diamond drilling.

Berens River Mines 1937-1945 – Examination of Bernadette and several other gold showings; limited diamond drilling.

Noranda Mines 1962 – Examination of Northwest Arm area; limited geophysical surveys.

Michael Ogden/Wavano Explorations 1977-1983 - Examination of Tully-Burton and Wavano gold showings; limited diamond drilling.

Goldeye/Freewest 1986–1988 - Examination of Northwest Arm area with reconnaissance sampling of shoreline showings, veins and alteration zones (See Fig 9); extensive geophysical surveying; three drill holes at Bernadette showing.

Thurston, 1986-1987 - Ontario Geological Survey reconnaissance examination of the Sandy Lake Greenstone belt; included stratigraphic analysis and structural interpretation of the belt in general.

Goldeye 2013 - Examination of Northwest Arm area showings; detailed mapping of six gold showings with 200 channel samples cut; limited line cutting and geophysics.

Goldeye 2014 - Diamond drilling program; 23 holes totaling 2219 metres.

GEOLOGY

The Sandy Lake greenstone belt is over 70 kilometers long and up to seven kilometers wide. The waters of Sandy Lake core the greenstone belt and cover much of it (See Fig 3). The greenstone belt is one of several in the North Caribou Terrane of the Archaean Superior Province. Gold occurrences are common within these greenstone belts. Prolific gold production from the Red Lake gold camp on the south margin of the North Caribou Terrane, as well as the Musselwhite gold mine further to the north, are notable examples. The Sandy Lake greenstone belt was mapped in 1937 by Satterly (1939) of the Ontario Department of Mines and selectively remapped by the Ontario Geological Survey in 1987 (Thurston et al. 1987).

Evaluation of the Sandy Lake greenstone belt by Thurston determined that several discrete sequences of rock units compose the Sandy Lake Greenstone belt. The Northwest Arm area is underlain by the North Shore Sequence, a Mesoarchean, 2945 Ma aged volcanic arc consisting of a southward facing succession of bi-modal mafic and felsic volcanics that have undergone greenschist to amphibolites facies metamorphism.

The main area of current exploration is in the Northwest Arm of Sandy Lake (See Fig 4). The North Shore Sequence in this area is dominated by a northwest striking, sub vertical dipping felsic package consisting of quartz phytic crystal tuff, ash flow to lapilli-bomb tuffs and rare sediment interbeds. Moderate to highly magnetic iron formation and an ultramafic sill occur at the lower contact and toward the upper contact, respectively, of the felsic package. A major synclinal fold, is obvious from the magnetic pattern in the area.

The southwest shore of the lake consists of gneissic and granitic rocks that have been separated from the North Shore Sequence by the Sandy Lake and Northwest Arm Shear Zones. A strong penetrative planar foliation related to these major structures as well as the axial plane of the synclinal fold generally parallels both the lithological trend and the topography of the northwest trending Northwest Arm of Sandy Lake (See Fig 5). Penetrative cleavage within the felsic

pyroclastics commonly strikes between 110 and 130 degrees with subvertical dips. The larger shear zones and fault zones are noted to be concordant to this penetrative cleavage, with chlorite, chlorite-carbonate, or carbonate being the dominant minerals, with localized silica-biotite alteration.

Structures that are discordant to the main penetrative cleavage appear to be either splays or extensional features that have been affected by hydrothermal events resulting in carbonatization, biotitization, silicification, sericitization, quartz/quartz tourmaline veining, pyrite-pyrrhotite-chalcopyrite mineralization and gold mineralization. These discordant features tend to dip subvertically and strike between 145 and 180 degrees. Local drag folds are evident within quartz tourmaline veins that appear to be caused by continued accommodation of strain along the extensional structures, with offsets of veins locally caused by the continued accommodation of strain along 110 to 130 striking penetrative cleavage.

Hydrothermal alteration within the sill like body of ultramafic volcanics has led to serpentinization, talc-chlorite alteration, carbonatization and hematization.

The overall structural fabric of the area, as well as the hydrothermal alteration and mineralization patterns are assumed to be the result of movement along major fault features such as the Northwest Arm Fault and the Sandy Lake Shear Zone. With further work in the Sandy Lake Greenstone belt, important controls on gold mineralization as they relate to these major structures can be worked out. The Sandy Lake Shear Zone may represent a major crustal structure within the North Caribou Terrane.

Glaciolacustrine clay sediments cover much of the bedrock surrounding Sandy Lake. Outcrop exposure is poor. Ridges of mafic volcanics, iron formation, granite and gabbroic rocks exist locally. Exposures of felsic volcanics are generally only located along the shores Sandy Lake where wave action has exposed flat-lying outcrops and reefs.

DIAMOND DRILLING PROGRAM

Diamond drilling was done under contract to Minotaur Drilling, of Tisdale, Saskatchewan. The drill rig was mobilized from South Trout Lake, north of Red Lake on Jan 28, 2014. The drill was demobilized to the community of Sandy Lake, on March 28, 2014. Core was logged and cut at the project area by constructing temporary tent facilities near the community power plant. Core remains stored in racks directly beside the tent facilities. Logging of the core was completed by David Jamieson P.Geo, Peterborough, Ontario, and Pat Toth P.Geo (APGO #1080) Peterborough, Ontario. Assistance in program implementation was provided by Chris Hobbs of Richmond Hill, Ontario, Nick Bain, Lindsay, Ontario, Ackewance Exploration and Services (Mike Desmuelles, and Willie Desmuelles) Red Lake, Ontario. The overall program was managed by David Jamieson P.Geo.

A number of Sandy Lake FN community members were hired for ice pad and drill pad construction, core shack construction and maintenance, drilling helper, and general camp duties: Curtis Linklater, Michael Linklater, Manashe Rae, Elvis Harper, James Kakegamick, Dylan Meekis, and Dan Dan Meekis

A total of 23 holes for 2219 metres were completed between late January and mid March of 2014. The NQ drill core from the program was either picked up at the drill by Goldeye personnel or was delivered by Minotaur Drilling to the core facility. After measuring and logging of the core was complete, samples were marked up by the geologist and cut in half with a Vancon diamond bladed core saw. One half of the core was archived and the other was sent for gold fire assay at Activation Labs in Thunder Bay via Red Lake.

Certified standards, and certified blanks sourced from Analytical Solutions Ltd. were inserted into the sample stream at the core facility roughly every 25 samples. Results for standard, blank, pulp duplicates and reject duplicates analyses were plotted and examined for QA/QC issues. No QA/QC issues were evident. Check assaying, duplicates and screen metallic assaying indicate

that coarse gold is present in all zones but does not cause problematic nugget effect, presumably due to significant amounts of fine gold associated with coarser gold occurrences.

Drill hole collars for the program were spotted by chaining from a base point marked on the main Knoll outcrop exposure on the shore of Sandy Lake. The holes were later surveyed in using a Thales GPS surveying unit with correcting base station. Many of the casings were removed as they were drilled from ice pads. Holes were plugged with Portland cement when drilled from the ice.

The first sets of drill holes consisted of relatively short holes beneath the Knoll, Bernadette, and RvG4 showings in order to determine the strike and dip of the zones. Subsequent drill holes were spotted to follow the Knoll zone along strike and dip (See Fig. 7).

The main objective for the winter 2014 diamond drilling program was to test for depth and strike extensions of three gold showings (See Fig. 6). These gold showings had been channel sampled by Goldeye in 2013 with very positive results. The best channel sample results (numerous samples assaying > 8 g/t gold) is the Knoll Zone, which was tested with 15 drill holes (See Fig. 7). A coherent zone of gold mineralization was outlined over a strike length of 100 metres and to a depth of 100 metres. The zone remains open in all directions. Gold mineralization is associated with strong, multi-stage silicification and quartz veining along a north-northwest trending, sub vertical zone. An earlier alteration event appears as a pervasive carbonate-sericite-silica-biotite mineral assemblage between 20 and 30 metres thick. Subsequent quartz veining, quartz-tourmaline veining and silica flooding overprint the earlier alteration and is the main gold mineralizing event. A mafic to ultramafic biotite-rich dyke, several metres thick, intrudes the high strain zone and although marginally mineralized, having intruded during extension of the structural zone, is a post mineralization intrusive. Non-mineralized extensional calcitic fractures within the dyke indicate that dilation within the zone continued post dyke.

The two other gold showings tested during the winter drilling program are known as Bernadette and RvG4. The Bernadette showing was tested with 3 drill holes (See Fig. 7), and RvG4 showing

was tested with 5 drill holes (See Fig. 8). Both of these zones consist of discrete sets of 2 to 30 cm, gold-bearing quartz tourmaline veins with variably thick alteration haloes. At Bernadette, there is evidence of an earlier alteration event similar to the Knoll Zone, however it is not as pervasive, and may be to some degree more of a coalescing of alteration haloes related to the quartz tourmaline veining. Coarse visible gold within the quartz-tourmaline veins was noted in all three holes cutting Bernadette. At RvG4, two of the five holes returned coarse visible gold in quartz tourmaline veins. Limited drilling indicates that both Bernadette and RvG4 dip vertically to steeply west, and strike slightly more westerly than Knoll. It appears that there is potential for Bernadette and Knoll zones to coalesce to the north, with RvG4 sitting in the footwall of that system. More drilling is needed to confirm this.

Brief descriptions of rock types encountered in the drill holes are presented below:

FELSIC VOLCANICS

Felsic volcanics were the most common rock type encountered by the drilling program. These were massive to strongly foliated, fine-grained, quartz phyric to locally quartz feldspar phyric. Satterly had described these rocks as dacite porphyries. The quartz phyric units in drill core generally showed some degree of biotite alteration and strain. Quartz phenocrysts ranged from pale grey to pale blue to sky blue. Strain was indicated by slight stretching of the quartz phenocrysts to form eyes, and the presence of biotite-rich foliation lamellae. Thus the field name for the host of many of the gold showings in the Northwest Arm was Blue Quartz Eye Tuff (BQET). Felsic units on fresh surface would vary between dark grey to brown black, depending on the amount of fine-grained biotite in the matrix. Degree of penetrative strain was not always obvious due to the fine-grained nature of the biotite, however a distinct foliation fabric could be observed under magnification, which tended to increase toward the footwall ultramafics at the Knoll zone. Pyrite, pyrrhotite, and chalcopyrite are often present as very fine to fine grained disseminations and as coarser patchy aggregates. The felsic volcanics have been termed ignimbrites by Thurston, and the pyroclastic nature of the unit can be observed in outcrop scale

as interbedded finer-grained (siltstone-wackes) and coarser grained lapilli and bomb-rich horizons.

VOLCANICLASTIC SEDIMENTS

Minor wacke and argillaceous sediments occur within the felsic volcanic package. These units are very fine-grained to fine-grained, massive to poorly bedded and show sharp contacts with felsic pyroclastic units. Peperite textures were observed in one instance, with small blocks of felsic pyroclastics situated within a dominantly sedimentary matrix.

ULTRAMAFICS VOLCANICS

This unit is moderately to highly magnetic, highly altered, soft, pale grey to pale green, often showing ductile strain as strong to intense foliation, as well as badly broken core and fault gouge proximal to the contact with felsic volcanics. Talc-carbonate-serpentine(antigorite)-magnetite is the dominant mineral assemblage. Magnetite occurs as both fine-grained disseminations and irregular stringers associated with serpentinization. Coarser grained, highly feldspathic, massive sections are likely intrusive dykes. Several dark green dykes composed of massive chlorite-actinolite were noted within the ultramafic package in several holes. Chlorite-biotite rich highly foliated rocks intersected in the top section of BK14-19 may represent mafic to ultramafic flow units that have been strongly affected by the Northwest Arm Deformation Zone interpreted to trend beneath the Northwest Arm of Sandy Lake. Strong hematite alteration of talc-chlorite altered serpentinized ultramafic units was also noted in hole BK14-19.

MAFIC DYKES

This intrusive unit is dark grey to black, massive, fine to coarse grained, biotite-rich, generally equigranular with local sections being porphyritic with elongated black phenocrysts of amphibole (hornblende?) up to 15%. The dykes are generally weakly to moderately calcitic, except at the margins, slightly soft, non-magnetic with primary constituents consisting of feldspar, biotite and hornblende. Extensional, evenly spaced fine veinlets of pale green chlorite-carbonate generally parallel dyke contacts at the Knoll zone. The dyke and mineralized zone at Knoll appear to be concordant with each other. Other similar dykes have been mapped in the Northwest Arm area

and generally appear to trend north northwest or east-west. These dykes have been noted at Bernadette, RvG4, Wavano and Sandborn showings, adjacent to silica-carbonate-sericite alteration and quartz-tourmaline veins. The dykes and hydrothermal fluids have taken advantage of zones of extension (low pressure) within the strain regime that developed in the Northwest Arm area.

IRON FORMATION

A thin (1 to 5 metres) unit of very lean, weakly to moderately banded, weakly to moderately magnetic silicate iron formation occurs at the contact between the felsic volcanics and ultramafic volcanics. Fine layering appears to reflect alternating enrichments of fine-grained chlorite and fine-grained biotite and pyrrhotite within an overall cherty matrix. Pyrite appears to overprint pyrrhotite.

DISCUSSION OF RESULTS

The winter 2014 drilling program was designed to begin systematically testing several of the gold showings known to occur in the Northwest Arm area of the Sandy Lake greenstone belt. An initial channel sampling program completed by Goldeye during 2013 identified six areas requiring further evaluation: Bernadette, Knoll, RvG4, Sandborn, Tully and Wavano. Three of the areas, Bernadette, Knoll, and RvG4 returned a number of gold values in channels samples of greater than 10 g/t and locally greater than 40 g/t. Due to this strong tenor of gold mineralization and the associated strong alteration zones, these three showings were selected to be drilled during the winter 2014. All three showings are within 500 metres of each other, with RvG4 appearing to be on strike with Knoll and Bernadette, indicating the potential for one large system.

Drilling of the RvG4 showing was done using five holes from one ice pad area. Strike and dip of the zone were not well constrained on the small outcrop showing, so a number of strike

possibilities were tested (See Fig 8). Drilling of the Bernadette and Knoll showings was done from both land and ice set-ups.

Significant gold intercepts from this drill program are listed below:

| | |
|----------------------|----------------------------|
| BK14-03(Bernadette) | 12.86 g/t over 6.85 metres |
| BK14-05(Knoll) | 12.45 g/t over 3.5 metres |
| Bk14-07(Knoll) | 12.17 g/t over 6.2 metres |
| BK14-08(Knoll) | 8.59 g/t over 2.18 metres |
| BK14-11(Knoll) | 6.71 g/t over 5.47 metres |
| BK14-12(Knoll) | 6.76 g/t over 7.03 metres |
| BK14-16(Knoll) | 8.59 g/t over 6.83 metres |
| BK14-17 (RvG4) | 9.35 g/t over 4.51 metres |
| BK14-18 (RvG4) | 23.15 g/t over 3.97 metres |
| BK14-23 (Bernadette) | 10.89 g/t over 3.86 metres |

KNOLL ZONE

The Knoll zone shows a relatively wide halo of anomalous gold values associated with a complex discordant dilational zone trending north northwest. Host rocks are highly altered quartz crystal tuffs intruded by a mafic dyke. The dyke is several metres thick and intrudes along the hanging wall of the altered structure (shear zone). This shear zone is highly discordant to the regional foliation. The regional foliation was observed in various shoreline exposures, generally expressed as relatively consistent 110 to 130 striking schistosity within wide zones of carbonate-chlorite alteration. The Knoll structure consists of a 10's of metres thick silica, carbonate and sericite alteration, which appears to overprint a broader biotite dominant alteration. There may also be a second, relatively later biotite alteration event related to quartz, quartz tourmaline

veining and gold mineralization. Higher grade gold values are associated with quartz tourmaline veining and local silica flooding as smokey grey, mottled to porcelain lustre patches or zones. Sulphides can be disseminated, streaky or blebby. Pyrite, pyrrhotite and chalcopyrite are the dominant sulphides, visually estimated up to 5% but generally less than 2% of the rock volume, with the sulphides often intergrowing or overprinting each other. Quartz veining is multi-phase, with an earlier set of grey quartz veins having diffuse contacts and are broken, folded and dismembered (boudinage). Quartz tourmaline veining overprints the dismembered grey quartz veins. Tourmaline occurs as trace to 5 % very fine grained needles within quartz veins, or as an amorphous mixture with biotite along crack-and-seal fractures. Veins are generally less than 30 cm in width, although composite/stockwork zones of quartz veining can be several metres wide. Grey, to smokey grey, mottled quartz flooding appears to be contemporaneous with quartz tourmaline veining. Minor very fine to fine- grained arsenopyrite is relatively rare, but where observed in core, occurs as needles or granular crystals. Arsenopyrite can occasionally be associated with very high grade gold values, although the correlation of arsenic with gold has not been determined.

A mafic dyke occurs within the main gold mineralized section of the Knoll zone, concordant to the zone, and for the most part is a post mineralization dyke. Anomalous gold values do commonly occur along dyke margins and less commonly within the dyke itself. The dyke appears to have been subjected to some strain and chlorite-biotite alteration, however does not appear to be silicified, carbonatized (other than late extensional calcite veinlets) or sericitized. Pale green epidote or green mica is observed as part of the chilled marginal dyke contact locally. The key interpretive point is that the dyke represents a phase in the extension of the Knoll structure, at or toward the end of the main gold mineralization event. Active extension over time permitted high hydrothermal fluid flux over several phases of active dilation and deformation, as well as created preferable areas for dyke emplacement.

A narrow zone termed the FW Zone is located in the footwall of the Knoll Zone alteration, proximal to the felsic/ultramafic contact. The FW zone is generally less than 1.5 metres thick,

with discrete, mm scale grey quartz veinlets that show increased sulphides and very fine visible gold. The FW zone occurs within the same altered felsic package as the Knoll Zone and appears to be parallel to it. There does not appear to be a mafic dyke association with this zone.

A limited multielement assaying program using a four acid digestion of samples taken from surface exploration at Knoll (channel samples) has revealed alteration patterns that generally fit field mapping observations. Moderate to strong sodic depletion is common and appears to be associated with the addition of iron and potassium (biotite). Intense silicification is a more restricted alteration event, but causes an apparent depletion in most major and many minor elements, including relatively immobile elements. Higher gold values tend to occur within the intense silica alteration zones. In summary, there appears to be real metasomatic additions of silica, iron and potassium, along with depletion of sodium. The limited data also seem to show multi-stage additions and depletions of iron, potassium, silica and sodium, depending on the visual alteration stage assigned to each sample. Early alteration is typified by a pervasive weak to moderate silica-biotite-carbonate-sericite, with local increases in silica-biotite alteration. The intense silicification event related to high grade gold mineralization is associated with apparent decreases in all major oxides and trace elements except for gold, silver, antimony, arsenic, copper, and nickel.

BERNADETTE AND RvG4

Gold values at Bernadette and RvG4 are associated with discrete quartz tourmaline veining, hosted by variably altered quartz crystal tuff. The veins themselves carry coarse visible gold. Bleached alteration haloes around the veins host weakly to highly anomalous gold values. Veins are relatively narrow (0.1 to 0.5 metres), however multiple vein sets are common. Sulphides at Bernadette are generally less than 5% and are dominantly pyrite and pyrrhotite with local chalcopyrite. Pyrite is the dominant sulphide mineral at RvG4, with only traces of pyrrhotite. Visible gold is coarser grained and more prevalent at RvG4 and Bernadette than at Knoll.

GOLD POTENTIAL OF THE SANDY LAKE GREENSTONE BELT: REGIONAL PERSPECTIVE

The Sandy Lake Greenstone belt is located within the North Caribou Terrane of the Superior Province. The North Caribou Terrane hosts the highly prolific Red Lake gold camp, as well as the Musselwhite gold mine (*2013 production: 1.39M tonnes grading 5.92 g/tonne totaling 256,300 oz gold; Current Proven/Probable Reserves: 1.85M ounces; Goldcorp website*).

Lode gold deposits throughout the world show very distinct clustering along major lineaments and deformation zones which tend to be crustal scale, terrane bounding features. Kerrich and Feng (1992) summarize: *"The giant quartz vein systems with lateral extents of tens of kilometers and up to 3 kilometers in depth are hosted in brittle-ductile shear zones and are restricted to terrane boundaries. These are regional structures that cut through the lithosphere, but are usually recognized at strike-slip fault, duplexes and second and third order splays at mid-crustal levels."*

Terrane boundaries and major shear zones associated with these boundaries is illustrated in Figure 10. Musselwhite gold mine, the Favourable Lake gold camp, and the Northwest Arm gold showings covered by Goldeye's Weebigee Project are highlighted in the figure, however numerous gold showings not shown also cluster along the major deformation zones.

Fyon et al. (1992) and Thurston et al. (1992) have interpreted the Sandy Lake Shear Zone as a terrane boundary, aged between 2950 and 2970 Ma., developed as part of the interaction between the north and southern units of the North Caribou Terrane. Portions of the Bear Lake Fault and the North Caribou – Totogan Lake Shear Zone are interpreted as late faults (post cratonization), however the locations of these structures may have been controlled by earlier tectonic boundaries.

Fyon et al. (1992) have also attributed most of the gold deposits in the Superior Province of Ontario to structural and hydrothermal events related to the Kenoran Orogeny (2.7 to 2.66 Ma) within Neoproterozoic volcanic assemblages. This of course included the prolific gold deposits along the Cadillac-Larder and Porcupine-Destor deformation zones as well as other major "breaks"

within the Superior Province, often demarcated regionally by younger (2.69-2.59 Ma) Temiskaming style sediments occupying deformed pull apart sub-basins. However, age relations worked out for a number of deposits in the North Caribou Terrane, notably in the Pickle Lake camp, Uchi Subprovince and North Caribou greenstone belt, suggest an older gold mineralizing event, pre- or syn- 2741 Ma (Fyon et al. 1992).

Of interest to the current project is the age of the Musselwhite gold deposit. The emplacement of the North Caribou batholith (2860 Ma) is likely contemporaneous with an early orogenic event that produced axial planar cleavage and folding in the Musselwhite area which at least partly controls gold mineralization in the area. Stott and Biczok (2010), after a review of structural mapping in the North Caribou greenstone belt, indicate that the gold mineralization at Musselwhite is likely temporally and structurally related to the 2860 Ma emplacement of the North Caribou batholith. Thus, older, pre-Kenoran gold deposits are likely key features of the northwestern part of the Superior Province, forming during the construction or accretion of volcanic arcs (Fyon et al. 1992). The impingement of granitic intrusions which surround the structural deformed rocks (volcanic arc/collapsed caldera) of the Northwest Arm of Sandy Lake may also be related to the same pre-Kenoran orogeny. This, along with the implications that the Sandy Lake Shear Zone is an extensive deep-seated structure, pre-dating the Kenoran orogeny, indicates that a favourable tectonic environment for developing a camp scale gold deposit system exists at Sandy Lake.

CONCLUSIONS

The drill results from the winter 2014 program are compelling. In less than a year, Goldeye has outlined a significant gold zone that is now ready for systematic drilling. This success is partly due to a tight exploration focus and partly due to the underexplored yet highly prospective nature of the Sandy Lake greenstone belt. The lack of previous work in an area where high grade gold showings occurs can be explained by several factors. Historic workers exploring in the Sandy

Lake Greenstone belt were limited by poor outcrop exposure due to moderately thick, pervasive clay overburden. Secondly, transportation constraints into the area at the time limited the availability of modern drilling equipment. Thirdly, the Sandy Lake First Nation community, while not hostile toward mining, was not willing to accommodate exploration in the area without consultation and a level of trust with the companies involved. On this point, Goldeye persisted and has been able to develop a strong relationship with SLFN. The resulting permitting, signed Exploration Agreement, business development and logistical benefits are now key assets for the Weebigee project.

The diamond drilling program at Knoll, Bernadette and RvG4 has shown that surface gold zones improve at depth and along strike, with widths of mineralization increasing as well. The gold-bearing zones show good continuity at moderate to high grades. Based on current drilling, Knoll, RvG4 and Bernadette gold zones appear to be part of one large north northwest trending, vertically dipping structural corridor of gold mineralization. It is suggested that the central portion of the trend is represented by the Knoll zone, with the Bernadette zone of quartz tourmaline veining in the hanging wall and the RvG4 vein sets occupying the footwall. It is also suggested that two or all three of the zones may coalesce at some point along strike or at depth. Further drilling to the north will be needed to investigate this hypothesis. Continuation of Knoll and Bernadette zones to the south southeast are also high priority targets where they would extend through felsic volcanic rocks, within discordant structures or deformed along axial planar shear zones.

The local controls on gold mineralization within the Northwest Arm area appear to be related to dilational north northwest trending structures within relatively brittle felsic volcanics. Knoll, Bernadette, RvG4, Wavano and Sandborn are all north northwest to northwest trending structures, although Knoll appears to be more northerly (between 345 and 360). Mafic dykes, either in tact or dismembered are also associated with all these zones/showings, reinforcing the idea of significant periodic dilation and strain occurring along these features. The RvG4 zone

mineralization may have more of an axial planar shear zone component than Knoll and Bernadette, however more detailed mapping/drilling is required to determine this.

Quartz tourmaline veining hosts the bulk of gold values at all of the showings listed above, however at Knoll, a more pervasive, high grade gold associated, silicification event is evident as well. Knoll also appears to have a much larger and stronger alteration footprint, both in terms of widespread biotitization and more focused carbonate-silica-sericite alteration.

The lack of outcrop in the Northwest Arm area precludes a comprehensive program of detailed mapping. A more detailed interpretation of alteration and structural gold controls will need to rely on a combination of detailed shoreline mapping and systematic drilling.

RECOMMENDATIONS

Significant drilling is recommended in order to continue outlining the gold mineralization discovered at Knoll, Bernadette and RvG4 showings. A modest amount of drilling at Knoll, Bernadette and RvG4 would provide enough information to proceed with a much larger program, possibly with two drills, during the winter of 2014-2015.

A number of other showings remain to be drill tested, including Wavano, Sandborn and Tully. These showings can be explored to some degree by handstripping, powerstripping, detailed mapping and channel sampling and this work should be a high priority for the summer of 2014. This work can be expected to guide further drilling in these areas in 2014 and 2015. The prioritization of all targets requires additional field work and budget review.

Structural mapping, lithochemical assaying and alteration studies in the Northwest Arm area should be ongoing in order to help locate additional mineralized structures. Oriented drill core is also recommended to aid in working out the structural controls on mineralization. Multielement

geochemical assaying of bedrock and drill core is an important tool to help characterize individual vein systems and the potential for locating higher grade gold values within these systems. Gold is often its own best pathfinder, however enrichments of copper, silver, antimony and arsenic, iron and potassium along with strong sodium depletion show potential as pathfinders and can help focus attention to larger and stronger alteration systems.

Detailed orientation studies should be initiated in various geophysical and geochemical methodologies over the known mineralized zones, especially where clay cover thickens. It is suggested that detailed magnetics, soil gas hydrocarbon survey, and partial leach geochemistry may provide tools to locate additional gold mineralized structures beneath clay cover.

In summary, the current drill program has shown that a focused, low cost program of prospecting, channel sampling and detailed mapping can yield exceptional drill targets and drill results within this greenstone belt. Furthermore, thin to moderately thick (3 to 10 metres) clay cover over much of the belt means that many areas of highly prospective geology have not received any exploration attention. Goldeye can use the work to date to begin developing a toolbox of modern geochemical and geophysical techniques that will help "prospect" these large areas for gold and other metal enrichments. These unexplored areas offer real potential to outline a number of significant gold zones along the Sandy Lake Shear Zone.

BUDGET

Drilling costs are projected to be significantly lower in future for both summer and winter drilling programs, as all drilling equipment, core camp, and ancillary equipment/supplies have been mobilized and stored on site. Fuel costs are also expected to decrease, as arrangements will be negotiated for onsite storage of bulk deliveries. Phase 2 drilling meterage will depend on market conditions, thus only an initial 1000 metre drill program is budgeted below:

| | |
|--|-------------------------|
| <i>Diamond Drilling (1000 metres)</i> | <i>\$140,000</i> |
| <i>Supervision and Support</i> | <i>\$100,000</i> |
| <i>Analyses</i> | <i>\$ 30,000</i> |
| <i>Contingency</i> | <i>\$ 30,000</i> |
| <u>TOTAL DRILLING BUDGET</u> | <u>\$300,000</u> |
| <i>Mapping, prospecting, powerstripping</i> | <i>\$100,000</i> |
| <i>Linecutting, geophysics, geochemistry</i> | <i>\$75,000</i> |
| <u>TOTAL EXPLORATION BUDGET</u> | <u>\$475,000</u> |

REFERENCES

Fischer, Peter, 1997: Goldeye Sandy Lake Project, 1988 Drilling. Stereomicroscope re-logging of core, (Goldeye files).

Fyon, J.A., et al., 1992, Metallogeny of Metallic Mineral Deposits in the Superior Province of Ontario; *in* Geology of Ontario, Ontario Geological Survey, Special Volume 4, Part 2 p. 1091 – 1178.

Kerrich, R., and Feng, R., 1992, Archaean Geodynamics and the Abitibi-Pontiac Collision – Implications for Advection of Fluids at Transpressive Collisional Boundaries and the Origin of Giant Quartz Veins Systems: *Earth-Science Reviews*, v.32 p.33-60.

Sandborn-Barrie, M., Skulski, T., and Parker, J., 2004. Geology, Red Lake Greenstone Belt, western Superior Province, Ontario. Geological Survey of Canada, Open File 4594.

Satterly, J., 1939, Geology of the Sandy Lake Area Volume 47, Part II, Ontario Department of Mines Annual Report, p. 1-43 including map #47F.

Stott, G.M. and Biczok, J., 2010, Project Unit 03-011, North Caribou Greenstone Belt: Gold and Its Possible Relation to the North Caribou Pluton Emplacement – A Belt-wide Contact-strain Aureole? Ontario Geological Survey, Open File Report 6260.22.

Thurston, P.C., et al., 1987, A Reconnaissance Reevaluation of a Number of Northwestern Greenstone Belts; Evidence for an Early Archean Sialic Crust, Ontario Geological Survey, Misc. Paper 137, Summary of Field Work and Other Activities p. 4-25.

Thurston, P.C., et al., 1992, Northwestern Superior Province: Review and Terrane Analysis; *in* Geology of Ontario, Ontario Geological Survey, Special Volume 4, Part 1 p. 81 – 144.

Von Guttenberg, R., 2003, Technical Report Sandy Lake Gold-Base Metal Property Northwestern Ontario for Goldeye Explorations Limited.

Webster, B., and Guttenberg, R., 1988, Report on Field Work, Summer 1988, Sandy Lake Property, Red Lake Mining District, Northwestern Ontario for Freewest Resources Inc., Montreal, Quebec, (OGS Assessment Files)

Webster, B., and Guttenberg, R., 1988b, Report on Ground Geophysical Surveys and Diamond Drilling Conducted at Sandy Lake, Red Lake Mining District, Northwestern Ontario for Freewest Resources Inc., Montreal, Quebec, (OGS Assessment Files)

Winter, L.D.S., 1990, Report on the Sandy Lake Property, Patricia Portion, District of Kenora, Northwestern Ontario, NTS 53F/3 and C/14 for: Sandy Lake Explorations Ltd, (Goldeye Files)

CERTIFICATE OF QUALIFICATIONS

David R. Jamieson is a professional geoscientist (APGO practicing member 1843) in Ontario, and has provided geological consulting services to the mineral exploration industry for over 28 years, the last 15 years as a principal in D.R. Jamieson Geological Consulting Ltd. He has specialized in diamond drill program management, alluvial and glacial sediment sampling design and implementation, geological mapping, geological compilation, and design and supervision of multi-phase mineral exploration programs for gold, base metals, and diamonds.

Upon graduation with a B.Sc. from the University of Waterloo, in Ontario, Canada in 1984, David worked on a contract basis with UMEX (base metals), Silver Lake Resources (gold, silver), Stewart Lake Resources (graphite), Geological Survey of Canada (zinc), Hardrock Extension/Roxmark Ltd. (gold) and spent several years working on gold exploration programs in the Northwest Territories, Canada for Aber Resources, Sikaman Gold, Borealis Exploration, and Stratabound Resources.

From 1991 to 1999, David provided geological consulting services to the Agnico Group of companies through Hubacheck Consulting, mainly in the Abitibi Greenstone Belt in Ontario and Quebec, Canada. Work here ranged from project generation (diamonds) to underground development of the Victoria Creek Gold Project and underground drilling at the Goldex Project in Kirkland Lake, Ontario and Val D'Or Quebec respectively.

From 1999 to the present, David has continued to consult as a geologist for D.R. Jamieson Geological Consulting Ltd. Clients have included the Hubacheck Group, Intrepid Mines, Platinex Inc., Patricia Mining and Goldeye Explorations Ltd. along with a number of other junior mining companies.

David has been a member of the Prospectors and Developers Association for 25 years and has been a member of the CIMM, the Ontario Prospectors Association and the Southern Ontario Prospectors Association.

David Jamieson currently resides at 555 Maniece Ave. Peterborough, Ontario, Canada K9L 0C1.

I certify that the above statements of qualifications are accurate and true.

Signed

"David Jamieson"

David Jamieson, P. Geo

This page intentionally left blank




FIGURE 1 - LOCATION MAP

Appendix i – FIGURES




FIGURE 2 - GOLDEYE CLAIM BLOCK

Appendix i – FIGURES




FIGURE 3 - GEOLOGY GOLDEYE CLAIM BLOCK




FIGURE 4 - GEOLOGY NORTHWEST ARM AREA




FIGURE 5 - NORTHWEST ARM - STRUCTURAL INTERPRETATION




FIGURE 6 - DIAMOND DRILL PLAN




FIGURE 7 - KNOLL AND BERNADETTE DRILL PLAN




FIGURE 8 - RVG4 DRILL PLAN




FIGURE 9 - HISTORICAL SAMPLING OF EAST PORTION NORTHWEST ARM; NOTE THAT RvG4 IS LOCATED ON THE WEST SIDE OF THE PHOTO WHERE SAMPLES 3872 AND 3873 ARE LOCATED



Figure 10 North Caribou Terrane and Associated Major Shear Zones




Figure 11 - Location of Red Lake Gold Camp, Musselwhite Gold Mine and Weebigee Project in the North Caribou Terrane; modified from Sanborn-Barrie, 2004.



Appendix ii – Assay Certificates



Date Submitted: 24-Feb-14
Invoice No.: A14-01273
Invoice Date: 28-Feb-14
Your Reference: WEEBIGEE (SANDY LAKE)

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

160 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A3-Tbay Au - Fire Assay Gravimetric (QOP Fire Assay Tbay)

REPORT **A14-01273**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 1000 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Eric Hoffman".

Eric Hoffman Ph.D.
President/General Manager

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com





Date Submitted: 24-Feb-14
Invoice No.: A14-01273
Invoice Date: 28-Feb-14
Your Reference: WEEBIGEE (SANDY LAKE)

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

160 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A4-1000 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-1000g

REPORT **A14-01273**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 1000 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Eric Hoffman".

Eric Hoffman Ph.D.
President/General Manager

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 589001 | 1320 | | | | | | | | |
| 589002 | 1480 | | | | | | | | |
| 589003 | 2190 | | | | | | | | |
| 589004 | 945 | | | | | | | | |
| 589005 | 969 | | | | | | | | |
| 589006 | 1840 | | | | | | | | |
| 589007 | 169 | | | | | | | | |
| 589008 | 42 | | | | | | | | |
| 589009 | 18 | | | | | | | | |
| 589010 | 518 | | | | | | | | |
| 589011 | 2910 | | | | | | | | |
| 589012 | 1490 | | | | | | | | |
| 589013 | 1390 | | | | | | | | |
| 589014 | 1350 | | | | | | | | |
| 589015 | 54 | | | | | | | | |
| 589016 | 1830 | | | | | | | | |
| 589017 | 107 | | | | | | | | |
| 589018 | 37 | | | | | | | | |
| 589019 | 47 | | | | | | | | |
| 589020 | 1060 | | | | | | | | |
| 589021 | 14 | | | | | | | | |
| 589022 | 22 | | | | | | | | |
| 589023 | < 5 | | | | | | | | |
| 589024 | 56 | | | | | | | | |
| 589025 | < 5 | | | | | | | | |
| 589026 | 49 | | | | | | | | |
| 589027 | 105 | | | | | | | | |
| 589028 | 18 | | | | | | | | |
| 589029 | 22 | | | | | | | | |
| 589030 | < 5 | | | | | | | | |
| 589031 | 6 | | | | | | | | |
| 589032 | < 5 | | | | | | | | |
| 589033 | 8 | | | | | | | | |
| 589034 | 16 | | | | | | | | |
| 589035 | 14 | | | | | | | | |
| 589036 | 239 | | | | | | | | |
| 589037 | 12 | | | | | | | | |
| 589038 | 61 | | | | | | | | |
| 589039 | 425 | | | | | | | | |
| 589040 | < 5 | | | | | | | | |
| 589041 | 30 | | | | | | | | |
| 589042 | 35 | | | | | | | | |
| 589043 | 982 | | | | | | | | |
| 589044 | 102 | | | | | | | | |
| 589045 | 77 | | | | | | | | |
| 589046 | 13 | | | | | | | | |
| 589047 | 49 | | | | | | | | |
| 589048 | 526 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 589049 | 5 | | | | | | | | |
| 589050 | 8 | | | | | | | | |
| 589051 | 17 | | | | | | | | |
| 866001 | < 5 | | | | | | | | |
| 866002 | < 5 | | | | | | | | |
| 866003 | < 5 | | | | | | | | |
| 866004 | 8 | | | | | | | | |
| 866005 | 7 | | | | | | | | |
| 866006 | < 5 | | | | | | | | |
| 866007 | < 5 | | | | | | | | |
| 866008 | < 5 | | | | | | | | |
| 866009 | < 5 | | | | | | | | |
| 866010 | > 5000 | | | | | | | | 9.30 |
| 866011 | 7 | | | | | | | | |
| 866012 | 5 | | | | | | | | |
| 866013 | 26 | | | | | | | | |
| 866014 | 7 | | | | | | | | |
| 866015 | 30 | | | | | | | | |
| 866016 | < 5 | | | | | | | | |
| 866017 | < 5 | | | | | | | | |
| 866018 | 20 | | | | | | | | |
| 866019 | 84 | | | | | | | | |
| 866020 | 12 | | | | | | | | |
| 866021 | 33 | | | | | | | | |
| 866022 | 9 | | | | | | | | |
| 866023 | 19 | | | | | | | | |
| 866024 | 94 | | | | | | | | |
| 866025 | 224 | | | | | | | | |
| 866026 | 10 | | | | | | | | |
| 866027 | < 5 | | | | | | | | |
| 866028 | 6 | | | | | | | | |
| 866029 | 6 | | | | | | | | |
| 866030 | < 5 | | | | | | | | |
| 866031 | 24 | | | | | | | | |
| 866032 | 8 | | | | | | | | |
| 866033 | 12 | | | | | | | | |
| 866034 | 75 | | | | | | | | |
| 866035 | 1300 | | | | | | | | |
| 866036 | 394 | | | | | | | | |
| 866037 | 40 | | | | | | | | |
| 866038 | > 5000 | | | | | | | | 5.74 |
| 866039 | 2740 | | | | | | | | |
| 866040 | 28 | | | | | | | | |
| 866041 | 318 | | | | | | | | |
| 866042 | 1490 | | | | | | | | |
| 866043 | > 5000 | | | | | | | | 6.86 |
| 866044 | 24 | | | | | | | | |
| 866045 | 15 | | | | | | | | |
| 866046 | 295 | | | | | | | | |
| 866047 | 1220 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866048 | > 5000 | | | | | | | | 8.59 |
| 866049 | 1010 | | | | | | | | |
| 866050 | 3660 | | | | | | | | |
| 866051 | 2370 | | | | | | | | |
| 866052 | 1740 | | | | | | | | |
| 866053 | > 5000 | | | | | | | | 9.34 |
| 866054 | 1720 | | | | | | | | |
| 866055 | 883 | | | | | | | | |
| 866056 | 807 | | | | | | | | |
| 866057 | 650 | | | | | | | | |
| 866058 | 445 | | | | | | | | |
| 866059 | 1910 | | | | | | | | |
| 866060 | 101 | | | | | | | | |
| 866061 | 32 | | | | | | | | |
| 866062 | 19 | | | | | | | | |
| 866063 | 15 | | | | | | | | |
| 866064 | 10 | | | | | | | | |
| 866065 | 11 | | | | | | | | |
| 866066 | 37 | | | | | | | | |
| 866067 | 429 | | | | | | | | |
| 866068 | 78 | | | | | | | | |
| 866069 | 75 | | | | | | | | |
| 866070 | < 5 | | | | | | | | |
| 866071 | 45 | | | | | | | | |
| 866072 | 48 | | | | | | | | |
| 866073 | 113 | | | | | | | | |
| 866074 | 97 | | | | | | | | |
| 866075 | 35 | | | | | | | | |
| 866076 | 16 | | | | | | | | |
| 866077 | 50 | | | | | | | | |
| 866078 | 8 | | | | | | | | |
| 866079 | 16 | | | | | | | | |
| 866080 | 13 | | | | | | | | |
| 866081 | 47 | | | | | | | | |
| 866082 | | 4200 | 103 | 104 | 230 | 17.76 | 558.00 | 575.76 | |
| 866083 | 168 | | | | | | | | |
| 866084 | 505 | | | | | | | | |
| 866085 | < 5 | | | | | | | | |
| 866086 | 6 | | | | | | | | |
| 866087 | 18 | | | | | | | | |
| 866088 | 9 | | | | | | | | |
| 866089 | > 5000 | | | | | | | | 7.44 |
| 866090 | 211 | | | | | | | | |
| 866091 | 199 | | | | | | | | |
| 866092 | 37 | | | | | | | | |
| 866093 | 11 | | | | | | | | |
| 866094 | 14 | | | | | | | | |
| 866095 | 58 | | | | | | | | |
| 866096 | > 5000 | | | | | | | | 10.2 |
| 866097 | 997 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866098 | 7 | | | | | | | | |
| 866099 | 87 | | | | | | | | |
| 866100 | 64 | | | | | | | | |
| 866101 | | 27.5 | 2.49 | 3.05 | 3.54 | 15.69 | 492.50 | 508.19 | |
| 866102 | 55 | | | | | | | | |
| 866103 | 14 | | | | | | | | |
| 866104 | 14 | | | | | | | | |
| 866105 | 30 | | | | | | | | |
| 866106 | < 5 | | | | | | | | |
| 866107 | 5 | | | | | | | | |
| 866108 | < 5 | | | | | | | | |
| 866109 | 9 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.68 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 425 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 420 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 385 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 447 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 445 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 434 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 854 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 821 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 891 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 904 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 907 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.63 |
| OxK110 Cert | | | | | | | | | 3.602 |
| 589010 Orig | 510 | | | | | | | | |
| 589010 Dup | 526 | | | | | | | | |
| 589021 Orig | 15 | | | | | | | | |
| 589021 Dup | 13 | | | | | | | | |
| 589030 Orig | < 5 | | | | | | | | |
| 589030 Split | < 5 | | | | | | | | |
| 589030 Orig | < 5 | | | | | | | | |
| 589030 Dup | 6 | | | | | | | | |
| 589044 Orig | 122 | | | | | | | | |
| 589044 Dup | 82 | | | | | | | | |
| 589050 Orig | 8 | | | | | | | | |
| 589050 Split | 10 | | | | | | | | |
| 866003 Orig | < 5 | | | | | | | | |
| 866003 Dup | < 5 | | | | | | | | |
| 866009 Orig | < 5 | | | | | | | | |
| 866009 Split | 5 | | | | | | | | |
| 866013 Orig | 16 | | | | | | | | |
| 866013 Dup | 36 | | | | | | | | |
| 866036 Orig | 380 | | | | | | | | |
| 866036 Dup | 409 | | | | | | | | |
| 866039 Orig | 2740 | | | | | | | | |
| 866039 Split | 2470 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866048 Orig | | | | | | | | | 8.46 |
| 866048 Dup | | | | | | | | | 8.71 |
| 866049 Orig | 1010 | | | | | | | | |
| 866049 Split | 1260 | | | | | | | | |
| 866049 Orig | 1020 | | | | | | | | |
| 866049 Dup | 998 | | | | | | | | |
| 866059 Orig | 1990 | | | | | | | | |
| 866059 Dup | 1820 | | | | | | | | |
| 866069 Orig | 75 | | | | | | | | |
| 866069 Split | 71 | | | | | | | | |
| 866069 Orig | 85 | | | | | | | | |
| 866069 Dup | 65 | | | | | | | | |
| 866079 Orig | 14 | | | | | | | | |
| 866079 Dup | 18 | | | | | | | | |
| 866094 Orig | 15 | | | | | | | | |
| 866094 Dup | 13 | | | | | | | | |
| 866099 Orig | 87 | | | | | | | | |
| 866099 Split | 63 | | | | | | | | |
| 866105 Orig | 24 | | | | | | | | |
| 866105 Dup | 35 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | < 0.07 | 30.00 | | 30.000 | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | | | | | | | | | < 0.03 |



Date Submitted: 24-Feb-14
Invoice No.: A14-01278
Invoice Date: 03-Mar-14
Your Reference: WEEBIGEE (SANDY LAKE)

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

260 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A3-Tbay Au - Fire Assay Gravimetric (QOP Fire Assay Tbay)

REPORT **A14-01278**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé, Ph.D.
Quality Control





Date Submitted: 24-Feb-14
Invoice No.: A14-01278
Invoice Date: 03-Mar-14
Your Reference: WEEBIGEE (SANDY LAKE)

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

260 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-01278**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend re-assay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866110 | 256 | | | | | | | | |
| 866111 | 151 | | | | | | | | |
| 866112 | 129 | | | | | | | | |
| 866113 | 74 | | | | | | | | |
| 866114 | 19 | | | | | | | | |
| 866115 | 14 | | | | | | | | |
| 866116 | 66 | | | | | | | | |
| 866117 | 5 | | | | | | | | |
| 866118 | 14 | | | | | | | | |
| 866119 | 33 | | | | | | | | |
| 866120 | < 5 | | | | | | | | |
| 866121 | 256 | | | | | | | | |
| 866122 | 60 | | | | | | | | |
| 866123 | 24 | | | | | | | | |
| 866124 | 19 | | | | | | | | |
| 866125 | 86 | | | | | | | | |
| 866126 | 377 | | | | | | | | |
| 866127 | 150 | | | | | | | | |
| 866128 | > 5000 | | | | | | | | 11.4 |
| 866129 | 35 | | | | | | | | |
| 866130 | 75 | | | | | | | | |
| 866131 | > 5000 | | | | | | | | 12.8 |
| 866132 | 890 | | | | | | | | |
| 866133 | < 5 | | | | | | | | |
| 866134 | 10 | | | | | | | | |
| 866135 | < 5 | | | | | | | | |
| 866136 | < 5 | | | | | | | | |
| 866137 | < 5 | | | | | | | | |
| 866138 | < 5 | | | | | | | | |
| 866139 | 13 | | | | | | | | |
| 866140 | > 5000 | | | | | | | | 9.47 |
| 866141 | 491 | | | | | | | | |
| 866142 | < 5 | | | | | | | | |
| 866143 | 74 | | | | | | | | |
| 866144 | 29 | | | | | | | | |
| 866145 | 89 | | | | | | | | |
| 866146 | 96 | | | | | | | | |
| 866147 | 166 | | | | | | | | |
| 866148 | 245 | | | | | | | | |
| 866149 | 2150 | | | | | | | | |
| 866150 | 14 | | | | | | | | |
| 866151 | < 5 | | | | | | | | |
| 866152 | 6 | | | | | | | | |
| 866153 | 28 | | | | | | | | |
| 866154 | 9 | | | | | | | | |
| 866155 | 18 | | | | | | | | |
| 866156 | 41 | | | | | | | | |
| 866157 | 28 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866158 | 3610 | | | | | | | | |
| 866159 | 66 | | | | | | | | |
| 866160 | < 5 | | | | | | | | |
| 866161 | 13 | | | | | | | | |
| 866162 | < 5 | | | | | | | | |
| 866163 | < 5 | | | | | | | | |
| 866164 | < 5 | | | | | | | | |
| 866165 | 16 | | | | | | | | |
| 866166 | 13 | | | | | | | | |
| 866167 | 54 | | | | | | | | |
| 866168 | 427 | | | | | | | | |
| 866169 | 3110 | | | | | | | | |
| 866170 | 1120 | | | | | | | | |
| 866171 | 116 | | | | | | | | |
| 866172 | 88 | | | | | | | | |
| 866173 | 101 | | | | | | | | |
| 866174 | 577 | | | | | | | | |
| 866175 | 237 | | | | | | | | |
| 866176 | < 5 | | | | | | | | |
| 866177 | 30 | | | | | | | | |
| 866178 | 71 | | | | | | | | |
| 866179 | 64 | | | | | | | | |
| 866180 | 1070 | | | | | | | | |
| 866181 | 194 | | | | | | | | |
| 866182 | 202 | | | | | | | | |
| 866183 | 252 | | | | | | | | |
| 866184 | 144 | | | | | | | | |
| 866185 | 432 | | | | | | | | |
| 866186 | 164 | | | | | | | | |
| 866187 | 789 | | | | | | | | |
| 866188 | > 5000 | | | | | | | | 12.9 |
| 866189 | > 5000 | | | | | | | | 11.7 |
| 866190 | 1110 | | | | | | | | |
| 866191 | 48 | | | | | | | | |
| 866192 | 55 | | | | | | | | |
| 866193 | 17 | | | | | | | | |
| 866194 | 79 | | | | | | | | |
| 866195 | 44 | | | | | | | | |
| 866196 | 49 | | | | | | | | |
| 866197 | 6 | | | | | | | | |
| 866198 | 13 | | | | | | | | |
| 866199 | 11 | | | | | | | | |
| 866200 | 8 | | | | | | | | |
| 866201 | 117 | | | | | | | | |
| 866202 | 498 | | | | | | | | |
| 866203 | < 5 | | | | | | | | |
| 866204 | 38 | | | | | | | | |
| 866205 | < 5 | | | | | | | | |
| 866206 | 9 | | | | | | | | |
| 866207 | 12 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866208 | 63 | | | | | | | | |
| 866209 | 11 | | | | | | | | |
| 866210 | < 5 | | | | | | | | |
| 866211 | 50 | | | | | | | | |
| 866212 | 62 | | | | | | | | |
| 866213 | 1110 | | | | | | | | |
| 866214 | 6 | | | | | | | | |
| 866215 | 33 | | | | | | | | |
| 866216 | > 5000 | | | | | | | | 11.6 |
| 866217 | > 5000 | | | | | | | | 7.17 |
| 866218 | > 5000 | | | | | | | | 19.1 |
| 866219 | > 5000 | | | | | | | | 9.63 |
| 866220 | 1800 | | | | | | | | |
| 866221 | 53 | | | | | | | | |
| 866222 | 134 | | | | | | | | |
| 866223 | 123 | | | | | | | | |
| 866224 | 215 | | | | | | | | |
| 866225 | 772 | | | | | | | | |
| 866226 | 439 | | | | | | | | |
| 866227 | 194 | | | | | | | | |
| 866228 | 462 | | | | | | | | |
| 866229 | 34 | | | | | | | | |
| 866230 | > 5000 | | | | | | | | 9.30 |
| 866231 | 305 | | | | | | | | |
| 866232 | 65 | | | | | | | | |
| 866233 | 316 | | | | | | | | |
| 866234 | 78 | | | | | | | | |
| 866235 | < 5 | | | | | | | | |
| 866236 | 41 | | | | | | | | |
| 866237 | < 5 | | | | | | | | |
| 866238 | < 5 | | | | | | | | |
| 866239 | < 5 | | | | | | | | |
| 866240 | < 5 | | | | | | | | |
| 866241 | < 5 | | | | | | | | |
| 866242 | < 5 | | | | | | | | |
| 866243 | < 5 | | | | | | | | |
| 866244 | 16 | | | | | | | | |
| 866245 | 9 | | | | | | | | |
| 866246 | 14 | | | | | | | | |
| 866247 | 19 | | | | | | | | |
| 866248 | 1110 | | | | | | | | |
| 866249 | 141 | | | | | | | | |
| 866250 | < 5 | | | | | | | | |
| 866251 | 16 | | | | | | | | |
| 866252 | 46 | | | | | | | | |
| 866253 | 259 | | | | | | | | |
| 866254 | 660 | | | | | | | | |
| 866255 | 31 | | | | | | | | |
| 866256 | 3720 | | | | | | | | |
| 866257 | 20 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866258 | 13 | | | | | | | | |
| 866259 | 16 | | | | | | | | |
| 866260 | 101 | | | | | | | | |
| 866261 | 11 | | | | | | | | |
| 866262 | 9 | | | | | | | | |
| 866263 | 144 | | | | | | | | |
| 866264 | 30 | | | | | | | | |
| 866265 | 9 | | | | | | | | |
| 866266 | 8 | | | | | | | | |
| 866267 | 17 | | | | | | | | |
| 866268 | 14 | | | | | | | | |
| 866269 | 53 | | | | | | | | |
| 866270 | 1090 | | | | | | | | |
| 866271 | 8 | | | | | | | | |
| 866272 | 10 | | | | | | | | |
| 866273 | 93 | | | | | | | | |
| 866274 | 14 | | | | | | | | |
| 866275 | 30 | | | | | | | | |
| 866276 | 13 | | | | | | | | |
| 866277 | 166 | | | | | | | | |
| 866278 | < 5 | | | | | | | | |
| 866279 | < 5 | | | | | | | | |
| 866280 | 1640 | | | | | | | | |
| 866281 | 642 | | | | | | | | |
| 866282 | < 5 | | | | | | | | |
| 866283 | 36 | | | | | | | | |
| 866284 | 8 | | | | | | | | |
| 866285 | 17 | | | | | | | | |
| 866286 | 6 | | | | | | | | |
| 866287 | 14 | | | | | | | | |
| 866288 | 85 | | | | | | | | |
| 866289 | 38 | | | | | | | | |
| 866290 | < 5 | | | | | | | | |
| 866291 | 27 | | | | | | | | |
| 866292 | 26 | | | | | | | | |
| 866293 | 663 | | | | | | | | |
| 866294 | 2750 | | | | | | | | |
| 866295 | 954 | | | | | | | | |
| 866296 | 2360 | | | | | | | | |
| 866297 | 896 | | | | | | | | |
| 866298 | 309 | | | | | | | | |
| 866299 | 66 | | | | | | | | |
| 866300 | 80 | | | | | | | | |
| 866301 | 10 | | | | | | | | |
| 866302 | 203 | | | | | | | | |
| 866303 | 251 | | | | | | | | |
| 866304 | 1890 | | | | | | | | |
| 866305 | 2050 | | | | | | | | |
| 866306 | 97 | | | | | | | | |
| 866307 | 50 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866308 | 39 | | | | | | | | |
| 866309 | 583 | | | | | | | | |
| 866310 | > 5000 | | | | | | | | 9.39 |
| 866311 | 71 | | | | | | | | |
| 866312 | > 5000 | | | | | | | | 5.03 |
| 866313 | > 5000 | | | | | | | | 16.5 |
| 866314 | > 5000 | | | | | | | | 11.8 |
| 866315 | | 758 | 18.2 | 17.6 | 27.5 | 13.85 | 1056.8 | 1070.7 | |
| 866316 | > 5000 | | | | | | | | 50.9 |
| 866317 | > 5000 | | | | | | | | 16.2 |
| 866318 | 442 | | | | | | | | |
| 866319 | 385 | | | | | | | | |
| 866320 | 2950 | | | | | | | | |
| 866321 | 1110 | | | | | | | | |
| 866322 | 82 | | | | | | | | |
| 866323 | 170 | | | | | | | | |
| 866324 | 711 | | | | | | | | |
| 866325 | 311 | | | | | | | | |
| 866326 | 386 | | | | | | | | |
| 866327 | 297 | | | | | | | | |
| 866328 | 327 | | | | | | | | |
| 866329 | 553 | | | | | | | | |
| 866330 | < 5 | | | | | | | | |
| 866331 | 79 | | | | | | | | |
| 866332 | 36 | | | | | | | | |
| 866333 | 226 | | | | | | | | |
| 866334 | 296 | | | | | | | | |
| 866335 | 27 | | | | | | | | |
| 866336 | 117 | | | | | | | | |
| 866337 | 9 | | | | | | | | |
| 866338 | 18 | | | | | | | | |
| 866339 | 12 | | | | | | | | |
| 866340 | 104 | | | | | | | | |
| 866341 | 8 | | | | | | | | |
| 866342 | 101 | | | | | | | | |
| 866343 | 20 | | | | | | | | |
| 866344 | 49 | | | | | | | | |
| 866345 | 41 | | | | | | | | |
| 866346 | 8 | | | | | | | | |
| 866347 | 5 | | | | | | | | |
| 866348 | 11 | | | | | | | | |
| 866349 | 36 | | | | | | | | |
| 866350 | 1100 | | | | | | | | |
| 866351 | 19 | | | | | | | | |
| 866352 | 6 | | | | | | | | |
| 866353 | 9 | | | | | | | | |
| 866354 | 6 | | | | | | | | |
| 866355 | 327 | | | | | | | | |
| 866356 | 26 | | | | | | | | |
| 866357 | 49 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866358 | 50 | | | | | | | | |
| 866359 | 28 | | | | | | | | |
| 866360 | 7 | | | | | | | | |
| 866361 | 151 | | | | | | | | |
| 866362 | 188 | | | | | | | | |
| 866363 | 303 | | | | | | | | |
| 866364 | 161 | | | | | | | | |
| 866365 | 8 | | | | | | | | |
| 866366 | 37 | | | | | | | | |
| 866367 | 44 | | | | | | | | |
| 866368 | 42 | | | | | | | | |
| 866369 | 45 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.56 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OXN92 Meas | | | | | | | | | 7.66 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 438 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 453 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 442 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 433 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 453 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 446 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 441 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 446 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 900 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 889 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 929 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 897 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 925 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 932 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 926 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 924 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.88 |
| OxK110 Cert | | | | | | | | | 3.602 |
| OxK110 Meas | | | | | | | | | 3.61 |
| OxK110 Cert | | | | | | | | | 3.602 |
| 866119 Orig | 31 | | | | | | | | |
| 866119 Dup | 35 | | | | | | | | |
| 866128 Orig | | | | | | | | | 11.4 |
| 866128 Dup | | | | | | | | | 11.4 |
| 866129 Orig | 37 | | | | | | | | |
| 866129 Dup | 34 | | | | | | | | |
| 866139 Orig | 13 | | | | | | | | |
| 866139 Split | < 5 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866139 Orig | 8 | | | | | | | | |
| 866139 Dup | 18 | | | | | | | | |
| 866153 Orig | 34 | | | | | | | | |
| 866153 Dup | 22 | | | | | | | | |
| 866159 Orig | 66 | | | | | | | | |
| 866159 Split | 70 | | | | | | | | |
| 866163 Orig | < 5 | | | | | | | | |
| 866163 Dup | 6 | | | | | | | | |
| 866169 Orig | 3110 | | | | | | | | |
| 866169 Split | 3720 | | | | | | | | |
| 866173 Orig | 114 | | | | | | | | |
| 866173 Dup | 89 | | | | | | | | |
| 866186 Orig | 184 | | | | | | | | |
| 866186 Dup | 144 | | | | | | | | |
| 866196 Orig | 57 | | | | | | | | |
| 866196 Dup | 42 | | | | | | | | |
| 866199 Orig | 11 | | | | | | | | |
| 866199 Split | 6 | | | | | | | | |
| 866206 Orig | 10 | | | | | | | | |
| 866206 Dup | 8 | | | | | | | | |
| 866209 Orig | 11 | | | | | | | | |
| 866209 Split | 15 | | | | | | | | |
| 866219 Orig | > 5000 | | | | | | | | |
| 866219 Dup | > 5000 | | | | | | | | |
| 866229 Orig | 34 | | | | | | | | |
| 866229 Split | 44 | | | | | | | | |
| 866229 Orig | 36 | | | | | | | | |
| 866229 Dup | 31 | | | | | | | | |
| 866239 Orig | < 5 | | | | | | | | |
| 866239 Dup | < 5 | | | | | | | | |
| 866253 Orig | 215 | | | | | | | | |
| 866253 Dup | 303 | | | | | | | | |
| 866259 Orig | 16 | | | | | | | | |
| 866259 Split | 10 | | | | | | | | |
| 866263 Orig | 120 | | | | | | | | |
| 866263 Dup | 169 | | | | | | | | |
| 866273 Orig | 91 | | | | | | | | |
| 866273 Dup | 96 | | | | | | | | |
| 866287 Orig | 15 | | | | | | | | |
| 866287 Dup | 13 | | | | | | | | |
| 866289 Orig | 38 | | | | | | | | |
| 866289 Split | 28 | | | | | | | | |
| 866297 Orig | 957 | | | | | | | | |
| 866297 Dup | 834 | | | | | | | | |
| 866307 Orig | 45 | | | | | | | | |
| 866307 Dup | 54 | | | | | | | | |
| 866309 Orig | 583 | | | | | | | | |
| 866309 Split | 745 | | | | | | | | |
| 866316 Orig | | | | | | | | | 50.9 |
| 866316 Dup | | | | | | | | | 50.8 |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866319 Orig | 385 | | | | | | | | |
| 866319 Split | 377 | | | | | | | | |
| 866321 Orig | 1110 | | | | | | | | |
| 866321 Dup | 1100 | | | | | | | | |
| 866331 Orig | 90 | | | | | | | | |
| 866331 Dup | 69 | | | | | | | | |
| 866341 Orig | 6 | | | | | | | | |
| 866341 Dup | 9 | | | | | | | | |
| 866349 Orig | 36 | | | | | | | | |
| 866349 Split | 28 | | | | | | | | |
| 866355 Orig | 303 | | | | | | | | |
| 866355 Dup | 351 | | | | | | | | |
| 866359 Orig | 28 | | | | | | | | |
| 866359 Split | 32 | | | | | | | | |
| 866365 Orig | 6 | | | | | | | | |
| 866365 Dup | 11 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | < 0.07 | 30.05 | | 30.050 | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | | | | | | | | | < 0.03 |
| Method Blank | | | | | | | | | < 0.03 |
| Method Blank | | | | | | | | | < 0.03 |



Date Submitted: 27-Feb-14
Invoice No.: A14-01392
Invoice Date: 06-Mar-14
Your Reference: Weebigee

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

307 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-01392**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866370 | < 5 | | | | | | | | |
| 866371 | 168 | | | | | | | | |
| 866372 | 82 | | | | | | | | |
| 866373 | > 5000 | | | | | | | | 6.49 |
| 866374 | > 5000 | | | | | | | | 9.13 |
| 866375 | 1480 | | | | | | | | |
| 866376 | 1830 | | | | | | | | |
| 866377 | 669 | | | | | | | | |
| 866378 | 345 | | | | | | | | |
| 866379 | 519 | | | | | | | | |
| 866380 | 47 | | | | | | | | |
| 866381 | 106 | | | | | | | | |
| 866382 | 4020 | | | | | | | | |
| 866383 | 942 | | | | | | | | |
| 866384 | 717 | | | | | | | | |
| 866385 | 1440 | | | | | | | | |
| 866386 | 478 | | | | | | | | |
| 866387 | 2140 | | | | | | | | |
| 866388 | 139 | | | | | | | | |
| 866389 | 1780 | | | | | | | | |
| 866390 | > 5000 | | | | | | | | 9.43 |
| 866391 | > 5000 | | | | | | | | 4.96 |
| 866392 | 1470 | | | | | | | | |
| 866393 | 251 | | | | | | | | |
| 866394 | < 5 | | | | | | | | |
| 866395 | 145 | | | | | | | | |
| 866396 | 115 | | | | | | | | |
| 866397 | 471 | | | | | | | | |
| 866398 | 106 | | | | | | | | |
| 866399 | 517 | | | | | | | | |
| 866400 | < 5 | | | | | | | | |
| 866401 | 9 | | | | | | | | |
| 866402 | 8 | | | | | | | | |
| 866403 | 7 | | | | | | | | |
| 866404 | < 5 | | | | | | | | |
| 866405 | 18 | | | | | | | | |
| 866406 | < 5 | | | | | | | | |
| 866407 | 14 | | | | | | | | |
| 866408 | 22 | | | | | | | | |
| 866409 | 42 | | | | | | | | |
| 866410 | < 5 | | | | | | | | |
| 866411 | 25 | | | | | | | | |
| 866412 | 166 | | | | | | | | |
| 866413 | 12 | | | | | | | | |
| 866414 | < 5 | | | | | | | | |
| 866415 | 59 | | | | | | | | |
| 866416 | | 11.8 | 1.49 | 1.39 | 1.61 | 8.890 | 551.90 | 560.79 | |
| 866417 | | 330 | 5.41 | 4.87 | 11.6 | 12.80 | 627.00 | 639.80 | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866418 | | 192 | 11.4 | 9.43 | 16.4 | 17.60 | 510.20 | 527.80 | |
| 866419 | 134 | | | | | | | | |
| 866420 | 109 | | | | | | | | |
| 866421 | 2030 | | | | | | | | |
| 866422 | 252 | | | | | | | | |
| 866423 | 347 | | | | | | | | |
| 866424 | 80 | | | | | | | | |
| 866425 | 56 | | | | | | | | |
| 866426 | 34 | | | | | | | | |
| 866427 | 55 | | | | | | | | |
| 866428 | < 5 | | | | | | | | |
| 866429 | < 5 | | | | | | | | |
| 866430 | 1060 | | | | | | | | |
| 866431 | < 5 | | | | | | | | |
| 866432 | < 5 | | | | | | | | |
| 866433 | 12 | | | | | | | | |
| 866434 | 18 | | | | | | | | |
| 866435 | < 5 | | | | | | | | |
| 866436 | 271 | | | | | | | | |
| 866437 | 6 | | | | | | | | |
| 866438 | 38 | | | | | | | | |
| 866439 | < 5 | | | | | | | | |
| 866440 | 34 | | | | | | | | |
| 866441 | 20 | | | | | | | | |
| 866442 | 1760 | | | | | | | | |
| 866443 | 1780 | | | | | | | | |
| 866444 | 712 | | | | | | | | |
| 866445 | 235 | | | | | | | | |
| 866446 | 73 | | | | | | | | |
| 866447 | 1700 | | | | | | | | |
| 866448 | 300 | | | | | | | | |
| 866449 | 1120 | | | | | | | | |
| 866450 | < 5 | | | | | | | | |
| 866451 | > 5000 | | | | | | | | 9.72 |
| 866452 | > 5000 | | | | | | | | 7.84 |
| 866453 | 2990 | | | | | | | | |
| 866454 | > 5000 | | | | | | | | 11.1 |
| 866455 | 12 | | | | | | | | |
| 866456 | 22 | | | | | | | | |
| 866457 | 1300 | | | | | | | | |
| 866458 | 461 | | | | | | | | |
| 866459 | 37 | | | | | | | | |
| 866460 | 14 | | | | | | | | |
| 866461 | 44 | | | | | | | | |
| 866462 | 8 | | | | | | | | |
| 866463 | 31 | | | | | | | | |
| 866464 | 53 | | | | | | | | |
| 866465 | 36 | | | | | | | | |
| 866466 | 7 | | | | | | | | |
| 866467 | 10 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866468 | 84 | | | | | | | | |
| 866469 | 103 | | | | | | | | |
| 866470 | > 5000 | | | | | | | | 9.57 |
| 866471 | 93 | | | | | | | | |
| 866472 | 23 | | | | | | | | |
| 866473 | 100 | | | | | | | | |
| 866474 | 138 | | | | | | | | |
| 866475 | 268 | | | | | | | | |
| 866476 | 11 | | | | | | | | |
| 866477 | 33 | | | | | | | | |
| 866478 | 13 | | | | | | | | |
| 866479 | 35 | | | | | | | | |
| 866480 | 157 | | | | | | | | |
| 866481 | 368 | | | | | | | | |
| 866482 | 162 | | | | | | | | |
| 866483 | 18 | | | | | | | | |
| 866484 | 12 | | | | | | | | |
| 866485 | 55 | | | | | | | | |
| 866486 | < 5 | | | | | | | | |
| 866487 | 5 | | | | | | | | |
| 866488 | < 5 | | | | | | | | |
| 866489 | < 5 | | | | | | | | |
| 866490 | < 5 | | | | | | | | |
| 866491 | < 5 | | | | | | | | |
| 866492 | 15 | | | | | | | | |
| 866493 | 56 | | | | | | | | |
| 866494 | < 5 | | | | | | | | |
| 866495 | < 5 | | | | | | | | |
| 866496 | < 5 | | | | | | | | |
| 866497 | 7 | | | | | | | | |
| 866498 | 60 | | | | | | | | |
| 866499 | < 5 | | | | | | | | |
| 866500 | < 5 | | | | | | | | |
| 1401501 | < 5 | | | | | | | | |
| 1401502 | 10 | | | | | | | | |
| 1401503 | < 5 | | | | | | | | |
| 1401504 | < 5 | | | | | | | | |
| 1401505 | < 5 | | | | | | | | |
| 1401506 | 71 | | | | | | | | |
| 1401507 | 31 | | | | | | | | |
| 1401508 | 208 | | | | | | | | |
| 1401509 | 893 | | | | | | | | |
| 1401510 | 1110 | | | | | | | | |
| 1401511 | 215 | | | | | | | | |
| 1401512 | 8 | | | | | | | | |
| 1401513 | 10 | | | | | | | | |
| 1401514 | 27 | | | | | | | | |
| 1401515 | 373 | | | | | | | | |
| 1401516 | 43 | | | | | | | | |
| 1401517 | 43 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401518 | 3110 | | | | | | | | |
| 1401519 | 72 | | | | | | | | |
| 1401520 | 267 | | | | | | | | |
| 1401521 | 679 | | | | | | | | |
| 1401522 | > 5000 | | | | | | | | 7.74 |
| 1401523 | > 5000 | | | | | | | | 6.89 |
| 1401524 | 3290 | | | | | | | | |
| 1401525 | > 5000 | | | | | | | | 6.16 |
| 1401526 | > 5000 | | | | | | | | 11.4 |
| 1401527 | > 5000 | | | | | | | | 6.96 |
| 1401528 | 4550 | | | | | | | | |
| 1401529 | > 5000 | | | | | | | | 12.9 |
| 1401530 | < 5 | | | | | | | | |
| 1401531 | > 5000 | | | | | | | | 5.10 |
| 1401532 | > 5000 | | | | | | | | 7.09 |
| 1401533 | 700 | | | | | | | | |
| 1401534 | 3810 | | | | | | | | |
| 1401535 | > 5000 | | | | | | | | 8.70 |
| 1401536 | > 5000 | | | | | | | | 8.28 |
| 1401537 | 229 | | | | | | | | |
| 1401538 | 704 | | | | | | | | |
| 1401539 | 244 | | | | | | | | |
| 1401540 | 485 | | | | | | | | |
| 1401541 | 156 | | | | | | | | |
| 1401542 | 223 | | | | | | | | |
| 1401543 | 169 | | | | | | | | |
| 1401544 | 777 | | | | | | | | |
| 1401545 | > 5000 | | | | | | | | 7.45 |
| 1401546 | > 5000 | | | | | | | | 8.50 |
| 1401547 | > 5000 | | | | | | | | 5.46 |
| 1401548 | 2460 | | | | | | | | |
| 1401549 | 3950 | | | | | | | | |
| 1401550 | > 5000 | | | | | | | | 9.44 |
| 1401551 | 2170 | | | | | | | | |
| 1401552 | 387 | | | | | | | | |
| 1401553 | 45 | | | | | | | | |
| 1401554 | 63 | | | | | | | | |
| 1401555 | 166 | | | | | | | | |
| 1401556 | 156 | | | | | | | | |
| 1401557 | 260 | | | | | | | | |
| 1401558 | 250 | | | | | | | | |
| 1401559 | 187 | | | | | | | | |
| 1401560 | 7 | | | | | | | | |
| 1401561 | 54 | | | | | | | | |
| 1401562 | 299 | | | | | | | | |
| 1401563 | 371 | | | | | | | | |
| 1401564 | 130 | | | | | | | | |
| 1401565 | 204 | | | | | | | | |
| 1401566 | 36 | | | | | | | | |
| 1401567 | 68 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401568 | 366 | | | | | | | | |
| 1401569 | 24 | | | | | | | | |
| 1401570 | < 5 | | | | | | | | |
| 1401571 | 96 | | | | | | | | |
| 1401572 | 29 | | | | | | | | |
| 1401573 | 7 | | | | | | | | |
| 1401574 | 5 | | | | | | | | |
| 1401575 | 15 | | | | | | | | |
| 1401576 | 9 | | | | | | | | |
| 1401577 | 11 | | | | | | | | |
| 1401578 | < 5 | | | | | | | | |
| 1401579 | 8 | | | | | | | | |
| 1401580 | 16 | | | | | | | | |
| 1401581 | 45 | | | | | | | | |
| 1401582 | 27 | | | | | | | | |
| 1401583 | 422 | | | | | | | | |
| 1401584 | 175 | | | | | | | | |
| 1401585 | 131 | | | | | | | | |
| 1401586 | 30 | | | | | | | | |
| 1401587 | 7 | | | | | | | | |
| 1401588 | 749 | | | | | | | | |
| 1401589 | < 5 | | | | | | | | |
| 1401590 | 1080 | | | | | | | | |
| 1401591 | < 5 | | | | | | | | |
| 1401592 | < 5 | | | | | | | | |
| 1401593 | < 5 | | | | | | | | |
| 1401594 | 10 | | | | | | | | |
| 1401595 | 8 | | | | | | | | |
| 1401596 | 48 | | | | | | | | |
| 1401597 | 296 | | | | | | | | |
| 1401598 | > 5000 | | | | | | | | 18.3 |
| 1401599 | < 5 | | | | | | | | |
| 1401600 | < 5 | | | | | | | | |
| 1401601 | < 5 | | | | | | | | |
| 1401602 | 30 | | | | | | | | |
| 1401603 | 45 | | | | | | | | |
| 1401604 | 99 | | | | | | | | |
| 1401605 | 5 | | | | | | | | |
| 1401606 | < 5 | | | | | | | | |
| 1401607 | < 5 | | | | | | | | |
| 1401608 | < 5 | | | | | | | | |
| 1401609 | < 5 | | | | | | | | |
| 1401610 | < 5 | | | | | | | | |
| 1401611 | < 5 | | | | | | | | |
| 1401612 | 7 | | | | | | | | |
| 1401613 | 21 | | | | | | | | |
| 1401614 | 36 | | | | | | | | |
| 1401615 | < 5 | | | | | | | | |
| 1401616 | 10 | | | | | | | | |
| 1401617 | 26 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401618 | 10 | | | | | | | | |
| 1401619 | 2700 | | | | | | | | |
| 1401620 | 8 | | | | | | | | |
| 1401621 | 687 | | | | | | | | |
| 1401622 | 743 | | | | | | | | |
| 1401623 | 30 | | | | | | | | |
| 1401624 | 129 | | | | | | | | |
| 1401625 | 230 | | | | | | | | |
| 1401626 | 47 | | | | | | | | |
| 1401627 | 423 | | | | | | | | |
| 1401628 | 61 | | | | | | | | |
| 1401629 | 240 | | | | | | | | |
| 1401630 | > 5000 | | | | | | | | 9.75 |
| 1401631 | 117 | | | | | | | | |
| 1401632 | 6 | | | | | | | | |
| 1401633 | 19 | | | | | | | | |
| 1401634 | 24 | | | | | | | | |
| 1401635 | 584 | | | | | | | | |
| 1401636 | 19 | | | | | | | | |
| 1401637 | < 5 | | | | | | | | |
| 1401638 | 190 | | | | | | | | |
| 1401639 | 478 | | | | | | | | |
| 1401640 | 310 | | | | | | | | |
| 1401641 | | 86.5 | 13.8 | 13.0 | 15.3 | 14.20 | 540.00 | 554.20 | |
| 1401642 | | 2.79 | 3.59 | 3.88 | 3.72 | 12.20 | 659.90 | 672.10 | |
| 1401643 | 817 | | | | | | | | |
| 1401644 | 183 | | | | | | | | |
| 1401645 | 99 | | | | | | | | |
| 1401646 | 8 | | | | | | | | |
| 1401647 | 124 | | | | | | | | |
| 1401648 | 369 | | | | | | | | |
| 1401649 | 147 | | | | | | | | |
| 1401650 | < 5 | | | | | | | | |
| 1401651 | 417 | | | | | | | | |
| 1401652 | 2130 | | | | | | | | |
| 1401653 | 3130 | | | | | | | | |
| 1401654 | > 5000 | | | | | | | | 8.22 |
| 1401655 | > 5000 | | | | | | | | 11.9 |
| 1401656 | 712 | | | | | | | | |
| 1401657 | 760 | | | | | | | | |
| 1401658 | 10 | | | | | | | | |
| 1401659 | 15 | | | | | | | | |
| 1401660 | 11 | | | | | | | | |
| 1401661 | 285 | | | | | | | | |
| 1401662 | 264 | | | | | | | | |
| 1401663 | 17 | | | | | | | | |
| 1401664 | 631 | | | | | | | | |
| 1401665 | 327 | | | | | | | | |
| 1401666 | 21 | | | | | | | | |
| 1401667 | 46 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401668 | 794 | | | | | | | | |
| 1401669 | 619 | | | | | | | | |
| 1401670 | 1050 | | | | | | | | |
| 1401671 | < 5 | | | | | | | | |
| 1401672 | 16 | | | | | | | | |
| 1401673 | 42 | | | | | | | | |
| 1401674 | 12 | | | | | | | | |
| 1401675 | 31 | | | | | | | | |
| 1401676 | 10 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.71 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 446 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 453 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 439 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 433 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 428 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 427 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 442 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 459 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 448 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 446 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 443 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 897 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 886 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 868 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 889 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 885 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 902 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 865 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 904 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 895 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 900 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 903 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.62 |
| OxK110 Cert | | | | | | | | | 3.602 |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 866379 Orig | 544 | | | | | | | | |
| 866379 Dup | 493 | | | | | | | | |
| 866389 Orig | 1940 | | | | | | | | |
| 866389 Dup | 1610 | | | | | | | | |
| 866399 Orig | 517 | | | | | | | | |
| 866399 Split | 522 | | | | | | | | |
| 866413 Orig | 7 | | | | | | | | |
| 866413 Dup | 17 | | | | | | | | |
| 866419 Orig | 134 | | | | | | | | |
| 866419 Split | 184 | | | | | | | | |
| 866426 Orig | 39 | | | | | | | | |
| 866426 Dup | 29 | | | | | | | | |
| 866429 Orig | < 5 | | | | | | | | |
| 866429 Split | < 5 | | | | | | | | |
| 866436 Orig | 308 | | | | | | | | |
| 866436 Dup | 234 | | | | | | | | |
| 866449 Orig | 1020 | | | | | | | | |
| 866449 Dup | 1220 | | | | | | | | |
| 866459 Orig | 37 | | | | | | | | |
| 866459 Split | 23 | | | | | | | | |
| 866459 Orig | 44 | | | | | | | | |
| 866459 Dup | 30 | | | | | | | | |
| 866469 Orig | 103 | | | | | | | | |
| 866469 Split | 94 | | | | | | | | |
| 866469 Orig | 107 | | | | | | | | |
| 866469 Dup | 98 | | | | | | | | |
| 866482 Orig | 142 | | | | | | | | |
| 866482 Dup | 182 | | | | | | | | |
| 866489 Orig | < 5 | | | | | | | | |
| 866489 Split | < 5 | | | | | | | | |
| 866492 Orig | 15 | | | | | | | | |
| 866492 Dup | 15 | | | | | | | | |
| 1401502 Orig | 10 | | | | | | | | |
| 1401502 Dup | 9 | | | | | | | | |
| 1401516 Orig | 48 | | | | | | | | |
| 1401516 Dup | 37 | | | | | | | | |
| 1401519 Orig | 72 | | | | | | | | |
| 1401519 Split | 62 | | | | | | | | |
| 1401523 Orig | | | | | | | | | 6.58 |
| 1401523 Dup | | | | | | | | | 7.20 |
| 1401526 Orig | > 5000 | | | | | | | | |
| 1401526 Dup | > 5000 | | | | | | | | |
| 1401536 Orig | > 5000 | | | | | | | | |
| 1401536 Dup | > 5000 | | | | | | | | |
| 1401546 Orig | | | | | | | | | 8.93 |
| 1401546 Dup | | | | | | | | | 8.08 |
| 1401549 Orig | 3950 | | | | | | | | |
| 1401549 Split | 4000 | | | | | | | | |
| 1401551 Orig | 2260 | | | | | | | | |
| 1401551 Dup | 2080 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| Method Blank | | | | | < 0.07 | 30.00 | | 30.000 | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | | | | | | | | | < 0.03 |
| Method Blank | | | | | | | | | < 0.03 |



Date Submitted: 05-Mar-14
Invoice No.: A14-01541
Invoice Date: 11-Mar-14
Your Reference: Weebigee

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

195 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Goldeye Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-01541**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401677 | 160 | | | | | | | | |
| 1401678 | 2210 | | | | | | | | |
| 1401679 | 4860 | | | | | | | | |
| 1401680 | 104 | | | | | | | | |
| 1401681 | 895 | | | | | | | | |
| 1401682 | 372 | | | | | | | | |
| 1401683 | 1170 | | | | | | | | |
| 1401684 | 1280 | | | | | | | | |
| 1401685 | 198 | | | | | | | | |
| 1401686 | 40 | | | | | | | | |
| 1401687 | 1640 | | | | | | | | |
| 1401688 | 1630 | | | | | | | | |
| 1401689 | 4020 | | | | | | | | |
| 1401690 | < 5 | | | | | | | | |
| 1401691 | | 77.8 | 15.5 | 17.4 | 20.0 | 30.68 | 498.60 | 529.28 | |
| 1401692 | > 5000 | | | | | | | | 17.2 |
| 1401693 | 174 | | | | | | | | |
| 1401694 | 111 | | | | | | | | |
| 1401695 | 2880 | | | | | | | | |
| 1401696 | 1950 | | | | | | | | |
| 1401697 | 67 | | | | | | | | |
| 1401698 | 184 | | | | | | | | |
| 1401699 | 116 | | | | | | | | |
| 1401700 | > 5000 | | | | | | | | 13.1 |
| 1401701 | 255 | | | | | | | | |
| 1401702 | 16 | | | | | | | | |
| 1401703 | 8 | | | | | | | | |
| 1401704 | 6 | | | | | | | | |
| 1401705 | 9 | | | | | | | | |
| 1401706 | 32 | | | | | | | | |
| 1401707 | 10 | | | | | | | | |
| 1401708 | 16 | | | | | | | | |
| 1401709 | 10 | | | | | | | | |
| 1401710 | > 5000 | | | | | | | | 9.40 |
| 1401711 | < 5 | | | | | | | | |
| 1401712 | 7 | | | | | | | | |
| 1401713 | 11 | | | | | | | | |
| 1401714 | < 5 | | | | | | | | |
| 1401715 | 5 | | | | | | | | |
| 1401716 | < 5 | | | | | | | | |
| 1401717 | 11 | | | | | | | | |
| 1401718 | 60 | | | | | | | | |
| 1401719 | 3290 | | | | | | | | |
| 1401720 | 2010 | | | | | | | | |
| 1401721 | 69 | | | | | | | | |
| 1401722 | 180 | | | | | | | | |
| 1401723 | 54 | | | | | | | | |
| 1401724 | 50 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401725 | 25 | | | | | | | | |
| 1401726 | 53 | | | | | | | | |
| 1401727 | 109 | | | | | | | | |
| 1401728 | 150 | | | | | | | | |
| 1401729 | 326 | | | | | | | | |
| 1401730 | < 5 | | | | | | | | |
| 1401731 | 336 | | | | | | | | |
| 1401732 | 53 | | | | | | | | |
| 1401733 | | 146 | 7.00 | 7.74 | 8.71 | 3.100 | 318.00 | 321.10 | |
| 1401734 | 95 | | | | | | | | |
| 1401735 | 184 | | | | | | | | |
| 1401736 | 172 | | | | | | | | |
| 1401737 | 44 | | | | | | | | |
| 1401738 | 58 | | | | | | | | |
| 1401739 | < 5 | | | | | | | | |
| 1401740 | < 5 | | | | | | | | |
| 1401741 | < 5 | | | | | | | | |
| 1401742 | 64 | | | | | | | | |
| 1401743 | 16 | | | | | | | | |
| 1401744 | 60 | | | | | | | | |
| 1401745 | < 5 | | | | | | | | |
| 1401746 | < 5 | | | | | | | | |
| 1401747 | < 5 | | | | | | | | |
| 1401748 | < 5 | | | | | | | | |
| 1401749 | 11 | | | | | | | | |
| 1401750 | 1100 | | | | | | | | |
| 1401751 | 42 | | | | | | | | |
| 1401752 | 7 | | | | | | | | |
| 1401753 | 226 | | | | | | | | |
| 1401754 | 88 | | | | | | | | |
| 1401755 | 78 | | | | | | | | |
| 1401756 | > 5000 | | | | | | | | 50.6 |
| 1401757 | 98 | | | | | | | | |
| 1401758 | 603 | | | | | | | | |
| 1401759 | | 45.9 | 9.54 | 8.94 | 10.4 | 19.90 | 625.70 | 645.60 | |
| 1401760 | 80 | | | | | | | | |
| 1401761 | 303 | | | | | | | | |
| 1401762 | > 5000 | | | | | | | | 31.4 |
| 1401763 | | 1280 | 34.5 | 29.3 | 58.5 | 11.70 | 538.80 | 550.50 | |
| 1401764 | 578 | | | | | | | | |
| 1401765 | 275 | | | | | | | | |
| 1401766 | 36 | | | | | | | | |
| 1401767 | 34 | | | | | | | | |
| 1401768 | 44 | | | | | | | | |
| 1401769 | 36 | | | | | | | | |
| 1401770 | < 5 | | | | | | | | |
| 1401771 | 33 | | | | | | | | |
| 1401772 | 24 | | | | | | | | |
| 1401773 | 109 | | | | | | | | |
| 1401774 | 79 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401775 | 99 | | | | | | | | |
| 1401776 | 134 | | | | | | | | |
| 1401777 | 371 | | | | | | | | |
| 1401778 | 1250 | | | | | | | | |
| 1401779 | 1950 | | | | | | | | |
| 1401780 | 369 | | | | | | | | |
| 1401781 | 120 | | | | | | | | |
| 1401782 | 308 | | | | | | | | |
| 1401783 | | 60.0 | 38.7 | 34.2 | 37.0 | 14.10 | 553.60 | 567.70 | |
| 1401784 | 416 | | | | | | | | |
| 1401785 | 77 | | | | | | | | |
| 1401786 | 30 | | | | | | | | |
| 1401787 | 304 | | | | | | | | |
| 1401788 | < 5 | | | | | | | | |
| 1401789 | 226 | | | | | | | | |
| 1401790 | > 5000 | | | | | | | | 9.31 |
| 1401791 | 85 | | | | | | | | |
| 1401792 | 340 | | | | | | | | |
| 1401793 | 77 | | | | | | | | |
| 1401794 | 78 | | | | | | | | |
| 1401795 | < 5 | | | | | | | | |
| 1401796 | < 5 | | | | | | | | |
| 1401797 | < 5 | | | | | | | | |
| 1401798 | 19 | | | | | | | | |
| 1401799 | 19 | | | | | | | | |
| 1401800 | < 5 | | | | | | | | |
| 1401801 | < 5 | | | | | | | | |
| 1401802 | 433 | | | | | | | | |
| 1401803 | 932 | | | | | | | | |
| 1401804 | 89 | | | | | | | | |
| 1401805 | 83 | | | | | | | | |
| 1401806 | 79 | | | | | | | | |
| 1401807 | 1680 | | | | | | | | |
| 1401808 | > 5000 | | | | | | | | 57.9 |
| 1401809 | > 5000 | | | | | | | | 9.31 |
| 1401810 | < 5 | | | | | | | | |
| 1401811 | 127 | | | | | | | | |
| 1401812 | 592 | | | | | | | | |
| 1401813 | > 5000 | | | | | | | | 7.83 |
| 1401814 | 104 | | | | | | | | |
| 1401815 | 32 | | | | | | | | |
| 1401816 | 480 | | | | | | | | |
| 1401817 | 449 | | | | | | | | |
| 1401818 | | 69.1 | 12.3 | 11.6 | 13.5 | 10.50 | 386.60 | 397.10 | |
| 1401819 | 326 | | | | | | | | |
| 1401820 | 2490 | | | | | | | | |
| 1401821 | > 5000 | | | | | | | | 5.73 |
| 1401822 | 534 | | | | | | | | |
| 1401823 | 74 | | | | | | | | |
| 1401824 | 1930 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401825 | 60 | | | | | | | | |
| 1401826 | 280 | | | | | | | | |
| 1401827 | 19 | | | | | | | | |
| 1401828 | 6 | | | | | | | | |
| 1401829 | 59 | | | | | | | | |
| 1401830 | 3530 | | | | | | | | |
| 1401831 | 72 | | | | | | | | |
| 1401832 | 132 | | | | | | | | |
| 1401833 | 173 | | | | | | | | |
| 1401834 | 15 | | | | | | | | |
| 1401835 | 6 | | | | | | | | |
| 1401836 | 565 | | | | | | | | |
| 1401837 | 63 | | | | | | | | |
| 1401838 | 378 | | | | | | | | |
| 1401839 | 127 | | | | | | | | |
| 1401840 | 535 | | | | | | | | |
| 1401841 | 406 | | | | | | | | |
| 1401842 | 148 | | | | | | | | |
| 1401843 | 489 | | | | | | | | |
| 1401844 | 22 | | | | | | | | |
| 1401845 | 10 | | | | | | | | |
| 1401846 | 43 | | | | | | | | |
| 1401847 | 6 | | | | | | | | |
| 1401848 | 16 | | | | | | | | |
| 1401849 | 82 | | | | | | | | |
| 1401850 | < 5 | | | | | | | | |
| 1401851 | 11 | | | | | | | | |
| 1401852 | 15 | | | | | | | | |
| 1401853 | 5 | | | | | | | | |
| 1401854 | < 5 | | | | | | | | |
| 1401855 | 9 | | | | | | | | |
| 1401856 | 20 | | | | | | | | |
| 1401857 | 6 | | | | | | | | |
| 1401858 | 6 | | | | | | | | |
| 1401859 | 11 | | | | | | | | |
| 1401860 | 7 | | | | | | | | |
| 1401861 | < 5 | | | | | | | | |
| 1401862 | 10 | | | | | | | | |
| 1401863 | 25 | | | | | | | | |
| 1401864 | 29 | | | | | | | | |
| 1401865 | > 5000 | | | | | | | | 22.7 |
| 1401866 | 169 | | | | | | | | |
| 1401867 | 9 | | | | | | | | |
| 1401868 | 398 | | | | | | | | |
| 1401869 | 67 | | | | | | | | |
| 1401870 | 92 | | | | | | | | |
| 1401871 | 428 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.64 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 440 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 439 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 438 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 432 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 431 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 393 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 443 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 869 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 866 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 906 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 868 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 834 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 874 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.55 |
| OxK110 Cert | | | | | | | | | 3.602 |
| 1401686 Orig | 38 | | | | | | | | |
| 1401686 Dup | 41 | | | | | | | | |
| 1401692 Orig | | | | | | | | | 17.5 |
| 1401692 Dup | | | | | | | | | 16.9 |
| 1401697 Orig | 79 | | | | | | | | |
| 1401697 Dup | 55 | | | | | | | | |
| 1401706 Orig | 32 | | | | | | | | |
| 1401706 Split | 13 | | | | | | | | |
| 1401707 Orig | 10 | | | | | | | | |
| 1401707 Dup | 10 | | | | | | | | |
| 1401724 Orig | 52 | | | | | | | | |
| 1401724 Dup | 48 | | | | | | | | |
| 1401726 Orig | 53 | | | | | | | | |
| 1401726 Split | 36 | | | | | | | | |
| 1401730 Orig | < 5 | | | | | | | | |
| 1401730 Dup | < 5 | | | | | | | | |
| 1401736 Orig | 172 | | | | | | | | |
| 1401736 Split | 185 | | | | | | | | |



Date Submitted: 14-Mar-14
Invoice No.: A14-01812
Invoice Date: 19-Mar-14
Your Reference: WEEBIGEE (SANDY LAKE)

Goldeye Explorations Limited
Unit 22, 60 Wilmont St.
Richmond Hill ON L4B 1M6
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

234 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Goldeye Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-01812**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401872 | 3370 | | | | | | | | |
| 1401873 | < 5 | | | | | | | | |
| 1401874 | < 5 | | | | | | | | |
| 1401875 | < 5 | | | | | | | | |
| 1401876 | < 5 | | | | | | | | |
| 1401877 | 13 | | | | | | | | |
| 1401878 | < 5 | | | | | | | | |
| 1401879 | < 5 | | | | | | | | |
| 1401880 | 40 | | | | | | | | |
| 1401881 | 23 | | | | | | | | |
| 1401882 | 9 | | | | | | | | |
| 1401883 | 8 | | | | | | | | |
| 1401884 | 202 | | | | | | | | |
| 1401885 | 8 | | | | | | | | |
| 1401886 | < 5 | | | | | | | | |
| 1401887 | 20 | | | | | | | | |
| 1401888 | 18 | | | | | | | | |
| 1401889 | 200 | | | | | | | | |
| 1401890 | < 5 | | | | | | | | |
| 1401891 | 52 | | | | | | | | |
| 1401892 | 35 | | | | | | | | |
| 1401893 | 208 | | | | | | | | |
| 1401894 | 237 | | | | | | | | |
| 1401895 | 314 | | | | | | | | |
| 1401896 | 882 | | | | | | | | |
| 1401897 | 726 | | | | | | | | |
| 1401898 | 66 | | | | | | | | |
| 1401899 | 79 | | | | | | | | |
| 1401900 | | 414 | 102 | 100 | 110 | 15.91 | 562.87 | 578.78 | |
| 1401901 | 539 | | | | | | | | |
| 1401902 | 1440 | | | | | | | | |
| 1401903 | 643 | | | | | | | | |
| 1401904 | 696 | | | | | | | | |
| 1401905 | 358 | | | | | | | | |
| 1401906 | > 5000 | | | | | | | | 19.9 |
| 1401907 | 24 | | | | | | | | |
| 1401908 | 32 | | | | | | | | |
| 1401909 | 16 | | | | | | | | |
| 1401910 | 3420 | | | | | | | | |
| 1401911 | < 5 | | | | | | | | |
| 1401912 | < 5 | | | | | | | | |
| 1401913 | < 5 | | | | | | | | |
| 1401914 | < 5 | | | | | | | | |
| 1401915 | < 5 | | | | | | | | |
| 1401916 | < 5 | | | | | | | | |
| 1401917 | 98 | | | | | | | | |
| 1401918 | 11 | | | | | | | | |
| 1401919 | 90 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401920 | 103 | | | | | | | | |
| 1401921 | 64 | | | | | | | | |
| 1401922 | 41 | | | | | | | | |
| 1401923 | 89 | | | | | | | | |
| 1401924 | 165 | | | | | | | | |
| 1401925 | 20 | | | | | | | | |
| 1401926 | 88 | | | | | | | | |
| 1401927 | 30 | | | | | | | | |
| 1401928 | 208 | | | | | | | | |
| 1401929 | 46 | | | | | | | | |
| 1401930 | < 5 | | | | | | | | |
| 1401931 | 118 | | | | | | | | |
| 1401932 | 9 | | | | | | | | |
| 1401933 | 24 | | | | | | | | |
| 1401934 | 23 | | | | | | | | |
| 1401935 | 13 | | | | | | | | |
| 1401936 | 67 | | | | | | | | |
| 1401937 | 34 | | | | | | | | |
| 1401938 | 120 | | | | | | | | |
| 1401939 | 18 | | | | | | | | |
| 1401940 | 45 | | | | | | | | |
| 1401941 | 47 | | | | | | | | |
| 1401942 | 22 | | | | | | | | |
| 1401943 | 349 | | | | | | | | |
| 1401944 | 299 | | | | | | | | |
| 1401945 | 180 | | | | | | | | |
| 1401946 | 1520 | | | | | | | | |
| 1401947 | 291 | | | | | | | | |
| 1401948 | 105 | | | | | | | | |
| 1401949 | 54 | | | | | | | | |
| 1401950 | 3440 | | | | | | | | |
| 1401951 | 418 | | | | | | | | |
| 1401952 | 114 | | | | | | | | |
| 1401953 | 255 | | | | | | | | |
| 1401954 | 89 | | | | | | | | |
| 1401955 | 66 | | | | | | | | |
| 1401956 | 115 | | | | | | | | |
| 1401957 | 8 | | | | | | | | |
| 1401958 | 25 | | | | | | | | |
| 1401959 | 18 | | | | | | | | |
| 1401960 | < 5 | | | | | | | | |
| 1401961 | 110 | | | | | | | | |
| 1401962 | 246 | | | | | | | | |
| 1401963 | 10 | | | | | | | | |
| 1401964 | 9 | | | | | | | | |
| 1401965 | 111 | | | | | | | | |
| 1401966 | 51 | | | | | | | | |
| 1401967 | < 5 | | | | | | | | |
| 1401968 | 1410 | | | | | | | | |
| 1401969 | 138 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401970 | < 5 | | | | | | | | |
| 1401971 | 144 | | | | | | | | |
| 1401972 | 4840 | | | | | | | | |
| 1401973 | 17 | | | | | | | | |
| 1401974 | 539 | | | | | | | | |
| 1401975 | 6 | | | | | | | | |
| 1401976 | 33 | | | | | | | | |
| 1401977 | 83 | | | | | | | | |
| 1401978 | 43 | | | | | | | | |
| 1401979 | 1380 | | | | | | | | |
| 1401980 | 48 | | | | | | | | |
| 1401981 | 18 | | | | | | | | |
| 1401982 | 51 | | | | | | | | |
| 1401983 | 442 | | | | | | | | |
| 1401984 | 9 | | | | | | | | |
| 1401985 | 5 | | | | | | | | |
| 1401986 | < 5 | | | | | | | | |
| 1401987 | 26 | | | | | | | | |
| 1401988 | < 5 | | | | | | | | |
| 1401989 | < 5 | | | | | | | | |
| 1401990 | > 5000 | | | | | | | | 9.21 |
| 1401991 | 7 | | | | | | | | |
| 1401992 | 5 | | | | | | | | |
| 1401993 | 32 | | | | | | | | |
| 1401994 | 1030 | | | | | | | | |
| 1401995 | 11 | | | | | | | | |
| 1401996 | < 5 | | | | | | | | |
| 1401997 | < 5 | | | | | | | | |
| 1401998 | 14 | | | | | | | | |
| 1401999 | < 5 | | | | | | | | |
| 1402000 | < 5 | | | | | | | | |
| 860905 | < 5 | | | | | | | | |
| 860906 | 66 | | | | | | | | |
| 860907 | < 5 | | | | | | | | |
| 860908 | 36 | | | | | | | | |
| 860909 | 353 | | | | | | | | |
| 860910 | < 5 | | | | | | | | |
| 860911 | 67 | | | | | | | | |
| 860912 | 83 | | | | | | | | |
| 860913 | 272 | | | | | | | | |
| 860914 | < 5 | | | | | | | | |
| 860915 | 22 | | | | | | | | |
| 860916 | < 5 | | | | | | | | |
| 860917 | 6 | | | | | | | | |
| 860918 | 5 | | | | | | | | |
| 860919 | 34 | | | | | | | | |
| 860920 | 94 | | | | | | | | |
| 860921 | 24 | | | | | | | | |
| 860922 | < 5 | | | | | | | | |
| 860923 | < 5 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 860924 | < 5 | | | | | | | | |
| 860925 | 9 | | | | | | | | |
| 860926 | 33 | | | | | | | | |
| 860927 | 5 | | | | | | | | |
| 860928 | 317 | | | | | | | | |
| 860929 | 41 | | | | | | | | |
| 860930 | < 5 | | | | | | | | |
| 860931 | 16 | | | | | | | | |
| 860932 | 42 | | | | | | | | |
| 860933 | 4020 | | | | | | | | |
| 860934 | 3540 | | | | | | | | |
| 860935 | 55 | | | | | | | | |
| 860936 | < 5 | | | | | | | | |
| 860937 | < 5 | | | | | | | | |
| 860938 | 15 | | | | | | | | |
| 860939 | 15 | | | | | | | | |
| 860940 | < 5 | | | | | | | | |
| 860941 | 16 | | | | | | | | |
| 860942 | 20 | | | | | | | | |
| 860943 | < 5 | | | | | | | | |
| 860944 | 6 | | | | | | | | |
| 860945 | 34 | | | | | | | | |
| 860946 | 9 | | | | | | | | |
| 860947 | 15 | | | | | | | | |
| 860948 | 20 | | | | | | | | |
| 860949 | < 5 | | | | | | | | |
| 860950 | 37 | | | | | | | | |
| 860951 | 15 | | | | | | | | |
| 860952 | 10 | | | | | | | | |
| 860953 | 6 | | | | | | | | |
| 860954 | < 5 | | | | | | | | |
| 860955 | 141 | | | | | | | | |
| 860956 | 114 | | | | | | | | |
| 860957 | 47 | | | | | | | | |
| 860958 | 83 | | | | | | | | |
| 860959 | 311 | | | | | | | | |
| 860960 | 123 | | | | | | | | |
| 860961 | 62 | | | | | | | | |
| 860962 | 554 | | | | | | | | |
| 860963 | 4990 | | | | | | | | |
| 860964 | 711 | | | | | | | | |
| 860965 | 656 | | | | | | | | |
| 860966 | 1070 | | | | | | | | |
| 860967 | 217 | | | | | | | | |
| 860968 | > 5000 | | | | | | | | 6.22 |
| 860969 | > 5000 | | | | | | | | 10.4 |
| 860970 | 3180 | | | | | | | | |
| 860971 | 222 | | | | | | | | |
| 860972 | 56 | | | | | | | | |
| 860973 | 28 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 860974 | > 5000 | | | | | | | | 9.12 |
| 860975 | 107 | | | | | | | | |
| 860976 | 2840 | | | | | | | | |
| 860977 | 15 | | | | | | | | |
| 860978 | 7 | | | | | | | | |
| 860979 | 10 | | | | | | | | |
| 860980 | 79 | | | | | | | | |
| 860981 | 5 | | | | | | | | |
| 860982 | 45 | | | | | | | | |
| 860983 | 224 | | | | | | | | |
| 860984 | 45 | | | | | | | | |
| 860985 | < 5 | | | | | | | | |
| 860986 | < 5 | | | | | | | | |
| 860987 | < 5 | | | | | | | | |
| 860988 | 21 | | | | | | | | |
| 860989 | 26 | | | | | | | | |
| 860990 | < 5 | | | | | | | | |
| 860991 | < 5 | | | | | | | | |
| 860992 | 15 | | | | | | | | |
| 860993 | 32 | | | | | | | | |
| 860994 | < 5 | | | | | | | | |
| 860995 | 69 | | | | | | | | |
| 860996 | < 5 | | | | | | | | |
| 860997 | 21 | | | | | | | | |
| 860998 | 8 | | | | | | | | |
| 860999 | < 5 | | | | | | | | |
| 861000 | < 5 | | | | | | | | |
| 544751 | 49 | | | | | | | | |
| 544752 | 22 | | | | | | | | |
| 544753 | < 5 | | | | | | | | |
| 544754 | 9 | | | | | | | | |
| 544755 | 8 | | | | | | | | |
| 544756 | 217 | | | | | | | | |
| 544757 | 234 | | | | | | | | |
| 544758 | 11 | | | | | | | | |
| 544759 | 75 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.46 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 443 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 455 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 453 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 448 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 442 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 440 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 912 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 928 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 942 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 920 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 889 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 864 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 906 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.68 |
| OxK110 Cert | | | | | | | | | 3.602 |
| 1401881 Orig | 22 | | | | | | | | |
| 1401881 Dup | 24 | | | | | | | | |
| 1401891 Orig | 45 | | | | | | | | |
| 1401891 Dup | 60 | | | | | | | | |
| 1401901 Orig | 539 | | | | | | | | |
| 1401901 Split | 483 | | | | | | | | |
| 1401902 Orig | 1440 | | | | | | | | |
| 1401902 Dup | 1440 | | | | | | | | |
| 1401906 Orig | | | | | | | | | 19.5 |
| 1401906 Dup | | | | | | | | | 20.2 |
| 1401915 Orig | < 5 | | | | | | | | |
| 1401915 Dup | < 5 | | | | | | | | |
| 1401921 Orig | 64 | | | | | | | | |
| 1401921 Split | 94 | | | | | | | | |
| 1401925 Orig | 18 | | | | | | | | |
| 1401925 Dup | 21 | | | | | | | | |
| 1401931 Orig | 118 | | | | | | | | |
| 1401931 Split | 122 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 1401935 Orig | 12 | | | | | | | | |
| 1401935 Dup | 14 | | | | | | | | |
| 1401948 Orig | 106 | | | | | | | | |
| 1401948 Dup | 103 | | | | | | | | |
| 1401958 Orig | 26 | | | | | | | | |
| 1401958 Dup | 23 | | | | | | | | |
| 1401961 Orig | 110 | | | | | | | | |
| 1401961 Split | 93 | | | | | | | | |
| 1401968 Orig | 1470 | | | | | | | | |
| 1401968 Dup | 1360 | | | | | | | | |
| 1401971 Orig | 144 | | | | | | | | |
| 1401971 Split | 117 | | | | | | | | |
| 1401981 Orig | 15 | | | | | | | | |
| 1401981 Dup | 21 | | | | | | | | |
| 1401991 Orig | 7 | | | | | | | | |
| 1401991 Split | 7 | | | | | | | | |
| 1401991 Orig | 7 | | | | | | | | |
| 1401991 Dup | 7 | | | | | | | | |
| 860905 Orig | < 5 | | | | | | | | |
| 860905 Dup | < 5 | | | | | | | | |
| 860919 Orig | 31 | | | | | | | | |
| 860919 Dup | 37 | | | | | | | | |
| 860925 Orig | 9 | | | | | | | | |
| 860925 Split | 11 | | | | | | | | |
| 860929 Orig | 29 | | | | | | | | |
| 860929 Dup | 52 | | | | | | | | |
| 860939 Orig | 16 | | | | | | | | |
| 860939 Dup | 15 | | | | | | | | |
| 860953 Orig | 6 | | | | | | | | |
| 860953 Dup | 6 | | | | | | | | |
| 860955 Orig | 141 | | | | | | | | |
| 860955 Split | 107 | | | | | | | | |
| 860963 Orig | 4980 | | | | | | | | |
| 860963 Dup | 4990 | | | | | | | | |
| 860973 Orig | 28 | | | | | | | | |
| 860973 Dup | 28 | | | | | | | | |
| 860975 Orig | 107 | | | | | | | | |
| 860975 Split | 80 | | | | | | | | |
| 860985 Orig | < 5 | | | | | | | | |
| 860985 Split | 6 | | | | | | | | |
| 860986 Orig | < 5 | | | | | | | | |
| 860986 Dup | < 5 | | | | | | | | |
| 860996 Orig | < 5 | | | | | | | | |
| 860996 Dup | < 5 | | | | | | | | |
| 544756 Orig | 240 | | | | | | | | |
| 544756 Dup | 193 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | < 5 | | | | | | | | |
| Method Blank | | | | | < 0.07 | | | 30.640 | |
| Method Blank | | | | | | | | | < 0.03 |



Date Submitted: 24-Mar-14
Invoice No.: A14-02013
Invoice Date: 31-Mar-14
Your Reference: Weebigee

Goldeye Explorations Limited
100 West Beaver Creek Rd., Unit 2
Richmond Hill ON L4B 1H4
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

304 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Goldeye Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-02013**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control



Results

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544760 | 8 | | | | | | | | |
| 544761 | 143 | | | | | | | | |
| 544762 | < 5 | | | | | | | | |
| 544763 | 6 | | | | | | | | |
| 544764 | 3490 | | | | | | | | |
| 544765 | < 5 | | | | | | | | |
| 544766 | 7 | | | | | | | | |
| 544767 | < 5 | | | | | | | | |
| 544768 | < 5 | | | | | | | | |
| 544769 | < 5 | | | | | | | | |
| 544770 | 500 | | | | | | | | |
| 544771 | < 5 | | | | | | | | |
| 544772 | 7 | | | | | | | | |
| 544773 | < 5 | | | | | | | | |
| 544774 | 71 | | | | | | | | |
| 544775 | < 5 | | | | | | | | |
| 544776 | < 5 | | | | | | | | |
| 544777 | < 5 | | | | | | | | |
| 544778 | < 5 | | | | | | | | |
| 544779 | < 5 | | | | | | | | |
| 544780 | 84 | | | | | | | | |
| 544781 | < 5 | | | | | | | | |
| 544782 | 5 | | | | | | | | |
| 544783 | < 5 | | | | | | | | |
| 544784 | < 5 | | | | | | | | |
| 544785 | < 5 | | | | | | | | |
| 544786 | < 5 | | | | | | | | |
| 544787 | 12 | | | | | | | | |
| 544788 | 10 | | | | | | | | |
| 544789 | < 5 | | | | | | | | |
| 544790 | < 5 | | | | | | | | |
| 544791 | < 5 | | | | | | | | |
| 544792 | < 5 | | | | | | | | |
| 544793 | < 5 | | | | | | | | |
| 544794 | < 5 | | | | | | | | |
| 544795 | < 5 | | | | | | | | |
| 544796 | < 5 | | | | | | | | |
| 544797 | 31 | | | | | | | | |
| 544798 | 19 | | | | | | | | |
| 544799 | < 5 | | | | | | | | |
| 544800 | 139 | | | | | | | | |
| 544801 | 291 | | | | | | | | |
| 544802 | 15 | | | | | | | | |
| 544803 | 124 | | | | | | | | |
| 544804 | > 5000 | | | | | | | | 9.51 |
| 544805 | 237 | | | | | | | | |
| 544806 | 7 | | | | | | | | |
| 544807 | 138 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544808 | 16 | | | | | | | | |
| 544809 | 5 | | | | | | | | |
| 544810 | 1230 | | | | | | | | |
| 544811 | 934 | | | | | | | | |
| 544812 | 8 | | | | | | | | |
| 544813 | 39 | | | | | | | | |
| 544814 | 37 | | | | | | | | |
| 544815 | > 5000 | | | | | | | | 6.63 |
| 544816 | 280 | | | | | | | | |
| 544817 | 3830 | | | | | | | | |
| 544818 | 24 | | | | | | | | |
| 544819 | 88 | | | | | | | | |
| 544820 | 33 | | | | | | | | |
| 544821 | 348 | | | | | | | | |
| 544822 | > 5000 | | | | | | | | 11.7 |
| 544823 | 74 | | | | | | | | |
| 544824 | < 5 | | | | | | | | |
| 544825 | 451 | | | | | | | | |
| 544826 | 13 | | | | | | | | |
| 544827 | < 5 | | | | | | | | |
| 544828 | 6 | | | | | | | | |
| 544829 | < 5 | | | | | | | | |
| 544830 | 8 | | | | | | | | |
| 544831 | 21 | | | | | | | | |
| 544832 | 28 | | | | | | | | |
| 544833 | 9 | | | | | | | | |
| 544834 | 393 | | | | | | | | |
| 544835 | < 5 | | | | | | | | |
| 544836 | 9 | | | | | | | | |
| 544837 | 20 | | | | | | | | |
| 544838 | 10 | | | | | | | | |
| 544839 | 15 | | | | | | | | |
| 544840 | 30 | | | | | | | | |
| 544841 | 76 | | | | | | | | |
| 544842 | 80 | | | | | | | | |
| 544843 | 136 | | | | | | | | |
| 544844 | 3490 | | | | | | | | |
| 544845 | 181 | | | | | | | | |
| 544846 | 22 | | | | | | | | |
| 544847 | 44 | | | | | | | | |
| 544848 | 29 | | | | | | | | |
| 544849 | 10 | | | | | | | | |
| 544850 | 23 | | | | | | | | |
| 544851 | 11 | | | | | | | | |
| 544852 | < 5 | | | | | | | | |
| 544853 | < 5 | | | | | | | | |
| 544854 | < 5 | | | | | | | | |
| 544855 | 8 | | | | | | | | |
| 544856 | 15 | | | | | | | | |
| 544857 | 25 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544858 | < 5 | | | | | | | | |
| 544859 | < 5 | | | | | | | | |
| 544860 | < 5 | | | | | | | | |
| 544861 | 7 | | | | | | | | |
| 544862 | < 5 | | | | | | | | |
| 544863 | < 5 | | | | | | | | |
| 544864 | < 5 | | | | | | | | |
| 544865 | 6 | | | | | | | | |
| 544866 | < 5 | | | | | | | | |
| 544867 | < 5 | | | | | | | | |
| 544868 | < 5 | | | | | | | | |
| 544869 | < 5 | | | | | | | | |
| 544870 | < 5 | | | | | | | | |
| 544871 | < 5 | | | | | | | | |
| 544872 | < 5 | | | | | | | | |
| 544873 | < 5 | | | | | | | | |
| 544874 | < 5 | | | | | | | | |
| 544875 | < 5 | | | | | | | | |
| 544876 | < 5 | | | | | | | | |
| 544877 | 60 | | | | | | | | |
| 544878 | 8 | | | | | | | | |
| 544879 | 16 | | | | | | | | |
| 544880 | 579 | | | | | | | | |
| 544881 | 229 | | | | | | | | |
| 544882 | 109 | | | | | | | | |
| 544883 | 51 | | | | | | | | |
| 544884 | > 5000 | | | | | | | | 9.21 |
| 544885 | 47 | | | | | | | | |
| 544886 | 782 | | | | | | | | |
| 544887 | < 5 | | | | | | | | |
| 544888 | 59 | | | | | | | | |
| 544889 | < 5 | | | | | | | | |
| 544890 | < 5 | | | | | | | | |
| 544891 | < 5 | | | | | | | | |
| 544892 | 6 | | | | | | | | |
| 544893 | > 5000 | | | | | | | | 5.51 |
| 544894 | 107 | | | | | | | | |
| 544895 | 8 | | | | | | | | |
| 544896 | < 5 | | | | | | | | |
| 544897 | 110 | | | | | | | | |
| 544898 | < 5 | | | | | | | | |
| 544899 | < 5 | | | | | | | | |
| 544900 | < 5 | | | | | | | | |
| 544901 | < 5 | | | | | | | | |
| 544902 | < 5 | | | | | | | | |
| 544903 | < 5 | | | | | | | | |
| 544904 | < 5 | | | | | | | | |
| 544905 | < 5 | | | | | | | | |
| 544906 | < 5 | | | | | | | | |
| 544907 | < 5 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544908 | 89 | | | | | | | | |
| 544909 | 6 | | | | | | | | |
| 544910 | < 5 | | | | | | | | |
| 544911 | < 5 | | | | | | | | |
| 544912 | < 5 | | | | | | | | |
| 544913 | 923 | | | | | | | | |
| 544914 | 638 | | | | | | | | |
| 544915 | 94 | | | | | | | | |
| 544916 | 892 | | | | | | | | |
| 544917 | 610 | | | | | | | | |
| 544918 | 1100 | | | | | | | | |
| 544919 | 3430 | | | | | | | | |
| 544920 | 590 | | | | | | | | |
| 544921 | > 5000 | | | | | | | | 131 |
| 544922 | 269 | | | | | | | | |
| 544923 | 282 | | | | | | | | |
| 544924 | 160 | | | | | | | | |
| 544925 | 298 | | | | | | | | |
| 544926 | 233 | | | | | | | | |
| 544927 | 42 | | | | | | | | |
| 544928 | 959 | | | | | | | | |
| 544929 | 45 | | | | | | | | |
| 544930 | 839 | | | | | | | | |
| 544931 | 1050 | | | | | | | | |
| 544932 | 388 | | | | | | | | |
| 544933 | 41 | | | | | | | | |
| 544934 | < 5 | | | | | | | | |
| 544935 | 368 | | | | | | | | |
| 544936 | 10 | | | | | | | | |
| 544937 | 10 | | | | | | | | |
| 544938 | 172 | | | | | | | | |
| 544939 | > 5000 | | | | | | | | 5.93 |
| 544940 | 18 | | | | | | | | |
| 544941 | 94 | | | | | | | | |
| 544942 | 40 | | | | | | | | |
| 544943 | 203 | | | | | | | | |
| 544944 | 17 | | | | | | | | |
| 544945 | 5 | | | | | | | | |
| 544946 | < 5 | | | | | | | | |
| 544947 | 702 | | | | | | | | |
| 544948 | 927 | | | | | | | | |
| 544949 | > 5000 | | | | | | | | 9.55 |
| 544950 | 67 | | | | | | | | |
| 544951 | 53 | | | | | | | | |
| 544952 | 56 | | | | | | | | |
| 544953 | 43 | | | | | | | | |
| 544954 | 14 | | | | | | | | |
| 544955 | | 72.2 | 3.53 | 2.82 | 4.01 | 6.080 | 496.70 | 502.78 | |
| 544956 | 16 | | | | | | | | |
| 544957 | 34 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544958 | 12 | | | | | | | | |
| 544959 | 29 | | | | | | | | |
| 544960 | < 5 | | | | | | | | |
| 544961 | 468 | | | | | | | | |
| 544962 | 205 | | | | | | | | |
| 544963 | 24 | | | | | | | | |
| 544964 | < 5 | | | | | | | | |
| 544965 | 481 | | | | | | | | |
| 544966 | 33 | | | | | | | | |
| 544967 | 48 | | | | | | | | |
| 544968 | < 5 | | | | | | | | |
| 544969 | 37 | | | | | | | | |
| 544970 | 16 | | | | | | | | |
| 544971 | 159 | | | | | | | | |
| 544972 | 38 | | | | | | | | |
| 544973 | 161 | | | | | | | | |
| 544974 | 12 | | | | | | | | |
| 544975 | 12 | | | | | | | | |
| 544976 | 14 | | | | | | | | |
| 544977 | 56 | | | | | | | | |
| 544978 | 15 | | | | | | | | |
| 544979 | 3360 | | | | | | | | |
| 544980 | 67 | | | | | | | | |
| 544981 | < 5 | | | | | | | | |
| 544982 | 137 | | | | | | | | |
| 544983 | 9 | | | | | | | | |
| 544984 | < 5 | | | | | | | | |
| 544985 | < 5 | | | | | | | | |
| 544986 | 43 | | | | | | | | |
| 544987 | 39 | | | | | | | | |
| 544988 | 19 | | | | | | | | |
| 544989 | 11 | | | | | | | | |
| 544990 | 378 | | | | | | | | |
| 544991 | 33 | | | | | | | | |
| 544992 | 11 | | | | | | | | |
| 544993 | > 5000 | | | | | | | | 9.25 |
| 544994 | 16 | | | | | | | | |
| 544995 | 18 | | | | | | | | |
| 544996 | 19 | | | | | | | | |
| 544997 | 13 | | | | | | | | |
| 544998 | 91 | | | | | | | | |
| 544999 | 18 | | | | | | | | |
| 545000 | < 5 | | | | | | | | |
| 545501 | < 5 | | | | | | | | |
| 545502 | 89 | | | | | | | | |
| 545503 | 157 | | | | | | | | |
| 545504 | 526 | | | | | | | | |
| 545505 | 805 | | | | | | | | |
| 545506 | 18 | | | | | | | | |
| 545507 | 79 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 545508 | 53 | | | | | | | | |
| 545509 | 85 | | | | | | | | |
| 545510 | 165 | | | | | | | | |
| 545511 | < 5 | | | | | | | | |
| 545512 | 14 | | | | | | | | |
| 545513 | 18 | | | | | | | | |
| 545514 | < 5 | | | | | | | | |
| 545515 | 24 | | | | | | | | |
| 545516 | 11 | | | | | | | | |
| 545517 | 43 | | | | | | | | |
| 545518 | 2070 | | | | | | | | |
| 545519 | 2520 | | | | | | | | |
| 545520 | 1510 | | | | | | | | |
| 545521 | 1150 | | | | | | | | |
| 545522 | 4510 | | | | | | | | |
| 545523 | 475 | | | | | | | | |
| 545524 | 19 | | | | | | | | |
| 545525 | 41 | | | | | | | | |
| 545526 | > 5000 | | | | | | | | 9.47 |
| 545527 | 84 | | | | | | | | |
| 545528 | 975 | | | | | | | | |
| 545529 | 2580 | | | | | | | | |
| 545530 | 251 | | | | | | | | |
| 545531 | 335 | | | | | | | | |
| 545532 | 1730 | | | | | | | | |
| 545533 | 2440 | | | | | | | | |
| 545534 | 618 | | | | | | | | |
| 545535 | 2010 | | | | | | | | |
| 545536 | 2550 | | | | | | | | |
| 545537 | 2010 | | | | | | | | |
| 545538 | 271 | | | | | | | | |
| 545539 | 50 | | | | | | | | |
| 545540 | 10 | | | | | | | | |
| 545541 | 3370 | | | | | | | | |
| 545542 | 9 | | | | | | | | |
| 545543 | 6 | | | | | | | | |
| 545544 | 15 | | | | | | | | |
| 545545 | 70 | | | | | | | | |
| 545546 | 196 | | | | | | | | |
| 545547 | 319 | | | | | | | | |
| 545548 | 571 | | | | | | | | |
| 545549 | 424 | | | | | | | | |
| 545550 | 126 | | | | | | | | |
| 545551 | 66 | | | | | | | | |
| 545552 | 59 | | | | | | | | |
| 545553 | 53 | | | | | | | | |
| 545554 | 263 | | | | | | | | |
| 545555 | | 0.21 | < 0.07 | 0.10 | 0.08 | 14.10 | 483.10 | 497.20 | |
| 545556 | < 5 | | | | | | | | |
| 545557 | 96 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|-------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 545558 | 100 | | | | | | | | |
| 545559 | 19 | | | | | | | | |
| 545560 | 170 | | | | | | | | |
| 545561 | 48 | | | | | | | | |
| 545562 | 793 | | | | | | | | |
| 545563 | 60 | | | | | | | | |

QC

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|---------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| OXN92 Meas | | | | | | | | | 7.62 |
| OXN92 Cert | | | | | | | | | 7.64 |
| OxD108 Meas | 438 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 408 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 406 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 432 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 412 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 421 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 419 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 417 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| OxD108 Meas | 401 | | | | | | | | |
| OxD108 Cert | 414.000 | | | | | | | | |
| SF67 Meas | 895 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 888 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 753 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 825 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 910 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 777 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 915 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| SF67 Meas | 753 | | | | | | | | |
| SF67 Cert | 835.000 | | | | | | | | |
| OxK110 Meas | | | | | | | | | 3.52 |
| OxK110 Cert | | | | | | | | | 3.602 |
| 544769 Orig | < 5 | | | | | | | | |
| 544769 Dup | < 5 | | | | | | | | |
| 544779 Orig | < 5 | | | | | | | | |
| 544779 Dup | < 5 | | | | | | | | |
| 544789 Orig | < 5 | | | | | | | | |
| 544789 Split | < 5 | | | | | | | | |
| 544789 Orig | < 5 | | | | | | | | |
| 544789 Dup | < 5 | | | | | | | | |
| 544807 Orig | 130 | | | | | | | | |
| 544807 Dup | 146 | | | | | | | | |

| Analyte Symbol | Au | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight | Au |
|-----------------|--------|---------------|-------------------|-------------------|----------|------------|------------|--------------|---------|
| Unit Symbol | ppb | g/mt | g/mt | g/mt | g/mt | g | g | g | g/tonne |
| Detection limit | 5 | 0.07 | 0.07 | 0.07 | 0.07 | | | | 0.03 |
| Analysis Method | FA-AA | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-GRA |
| 544809 Orig | 5 | | | | | | | | |
| 544809 Split | 6 | | | | | | | | |
| 544813 Orig | 48 | | | | | | | | |
| 544813 Dup | 29 | | | | | | | | |
| 544819 Orig | 88 | | | | | | | | |
| 544819 Split | 102 | | | | | | | | |
| 544823 Orig | 80 | | | | | | | | |
| 544823 Dup | 69 | | | | | | | | |
| 544836 Orig | 10 | | | | | | | | |
| 544836 Dup | 9 | | | | | | | | |
| 544846 Orig | 22 | | | | | | | | |
| 544846 Dup | 22 | | | | | | | | |
| 544849 Orig | 10 | | | | | | | | |
| 544849 Split | 9 | | | | | | | | |
| 544856 Orig | 15 | | | | | | | | |
| 544856 Dup | 14 | | | | | | | | |
| 544859 Orig | < 5 | | | | | | | | |
| 544859 Split | < 5 | | | | | | | | |
| 544869 Orig | < 5 | | | | | | | | |
| 544869 Dup | < 5 | | | | | | | | |
| 544879 Orig | 16 | | | | | | | | |
| 544879 Split | 19 | | | | | | | | |
| 544879 Orig | 17 | | | | | | | | |
| 544879 Dup | 15 | | | | | | | | |
| 544889 Orig | < 5 | | | | | | | | |
| 544889 Dup | < 5 | | | | | | | | |
| 544903 Orig | < 5 | | | | | | | | |
| 544903 Dup | < 5 | | | | | | | | |
| 544909 Orig | 6 | | | | | | | | |
| 544909 Split | 6 | | | | | | | | |
| 544913 Orig | 876 | | | | | | | | 5.93 |
| 544913 Dup | 969 | | | | | | | | 5.17 |
| 544923 Orig | 287 | | | | | | | | |
| 544923 Dup | 277 | | | | | | | | |
| 544937 Orig | 12 | | | | | | | | |
| 544937 Dup | 8 | | | | | | | | |
| 544939 Orig | > 5000 | | | | | | | | |
| 544939 Split | > 5000 | | | | | | | | |
| 544947 Orig | 617 | | | | | | | | |
| 544947 Dup | 786 | | | | | | | | |
| 544958 Orig | 13 | | | | | | | | |
| 544958 Dup | 11 | | | | | | | | |
| 544959 Orig | 29 | | | | | | | | |
| 544959 Split | 24 | | | | | | | | |
| 544969 Orig | 37 | | | | | | | | |
| 544969 Split | 35 | | | | | | | | |
| 544971 Orig | 156 | | | | | | | | |
| 544971 Dup | 162 | | | | | | | | |
| 544981 Orig | < 5 | | | | | | | | |
| 544981 Dup | < 5 | | | | | | | | |



Date Submitted: 24-Mar-14
Invoice No.: A14-02013 (i)
Invoice Date: 03-Apr-14
Your Reference: Weebigee

Goldeye Explorations Limited
100 West Beaver Creek Rd., Unit 2
Richmond Hill ON L4B 1H4
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

304 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Goldeye Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)
Code 1A4 (100mesh)-Tbay Au-Fire Assay-Metallic Screen-500g

REPORT **A14-02013 (i)**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

A representative 500 gram split is sieved at 100 mesh (149 micron) with assays performed on the entire +100 mesh and 2 splits of the -100 mesh fraction. A final assay is calculated based on the weight of each fraction.

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé".

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight |
|-----------------|---------------|-------------------|-------------------|----------|------------|------------|--------------|
| Unit Symbol | g/mt | g/mt | g/mt | g/mt | g | g | g |
| Detection limit | 0.07 | 0.07 | 0.07 | 0.07 | | | |
| Analysis Method | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT |
| 544921 | 1280 | 36.8 | 40.9 | 102 | 17.00 | 316.55 | 333.55 |
| 544931 | < 0.07 | 1.32 | 0.99 | 1.14 | 5.620 | 503.72 | 509.34 |
| 544939 | 41.2 | 5.29 | 6.21 | 6.41 | 9.340 | 493.05 | 502.39 |

QC

| Analyte Symbol | Au + 100 mesh | Au - 100 mesh (A) | Au - 100 mesh (B) | Total Au | + 100 mesh | - 100 mesh | Total Weight |
|-----------------|---------------|-------------------|-------------------|----------|------------|------------|--------------|
| Unit Symbol | g/mt | g/mt | g/mt | g/mt | g | g | g |
| Detection limit | 0.07 | 0.07 | 0.07 | 0.07 | | | |
| Analysis Method | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT | FA-MeT |
| Method Blank | | | | < 0.07 | 30.94 | | 30.940 |



Date Submitted: 25-Mar-14
Invoice No.: A14-02035
Invoice Date: 31-Mar-14
Your Reference: Weebigee

Goldeye Explorations Limited
100 West Beaver Creek Rd., Unit 2
Richmond Hill ON L4B 1H4
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

34 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Goldeye Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)

REPORT **A14-02035**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control



Results

| Analyte Symbol | Au | Au |
|-----------------|--------|---------|
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| 545564 | 50 | |
| 545565 | 108 | |
| 545566 | 23 | |
| 545567 | 273 | |
| 545568 | 301 | |
| 545569 | 225 | |
| 545570 | 419 | |
| 545571 | 3430 | |
| 545572 | 34 | |
| 545573 | 119 | |
| 545574 | < 5 | |
| 545575 | < 5 | |
| 545576 | 34 | |
| 545577 | 40 | |
| 545578 | 187 | |
| 545579 | 60 | |
| 545580 | 30 | |
| 545581 | 96 | |
| 545582 | 63 | |
| 545583 | 18 | |
| 545584 | 37 | |
| 545585 | 22 | |
| 545586 | > 5000 | 8.92 |
| 545587 | < 5 | |
| 545588 | 13 | |
| 545589 | 497 | |
| 545590 | 11 | |
| 545591 | 18 | |
| 545592 | 9 | |
| 545593 | < 5 | |
| 545594 | < 5 | |
| 545595 | < 5 | |
| 545596 | 8 | |
| 545597 | < 5 | |

QC

| Analyte Symbol | Au | Au |
|-----------------|---------|---------|
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| OXN92 Meas | | 7.62 |
| OXN92 Cert | | 7.64 |
| OxD108 Meas | 426 | |
| OxD108 Cert | 414.000 | |
| SF67 Meas | 895 | |
| SF67 Cert | 835.000 | |
| SF67 Meas | 801 | |
| SF67 Cert | 835.000 | |
| OxK110 Meas | | 3.52 |
| OxK110 Cert | | 3.602 |
| 545573 Orig | 128 | |
| 545573 Dup | 109 | |
| 545593 Orig | < 5 | |
| 545593 Split | < 5 | |
| 545593 Orig | < 5 | |
| 545593 Dup | < 5 | |
| Method Blank | < 5 | |
| Method Blank | < 5 | |
| Method Blank | | < 0.03 |
| Method Blank | < 5 | |



Date Submitted: 04-Apr-14
Invoice No.: A14-02299
Invoice Date: 11-Apr-14
Your Reference: Weebigee

Goldeye Explorations Limited
100 West Beaver Creek Rd., Unit 2
Richmond Hill ON L4B 1H4
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

48 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)

REPORT **A14-02299**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé", is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au | Au |
|-----------------|--------|---------|
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| 545598 | 188 | |
| 545599 | > 5000 | 13.2 |
| 545600 | 8 | |
| 545601 | < 5 | |
| 545602 | 234 | |
| 545603 | 9 | |
| 545604 | < 5 | |
| 545605 | 7 | |
| 545606 | 7 | |
| 545607 | 45 | |
| 545608 | 43 | |
| 545609 | < 5 | |
| 545610 | 48 | |
| 545611 | 2550 | |
| 545612 | 32 | |
| 545613 | 44 | |
| 545614 | 8 | |
| 545615 | 6 | |
| 545616 | > 5000 | 9.63 |
| 545617 | 90 | |
| 545618 | 10 | |
| 545619 | 12 | |
| 545620 | 63 | |
| 545621 | 149 | |
| 545622 | 27 | |
| 545623 | 28 | |
| 545624 | < 5 | |
| 545625 | < 5 | |
| 545626 | 6 | |
| 545627 | < 5 | |
| 545628 | 181 | |
| 545629 | 63 | |
| 545630 | 30 | |
| 545631 | 3610 | |
| 545632 | 10 | |
| 545633 | 19 | |
| 545634 | 10 | |
| 545635 | 766 | |
| 545636 | > 5000 | 19.7 |
| 545637 | > 5000 | 5.56 |
| 545638 | 2650 | |
| 545639 | 394 | |
| 545640 | 109 | |
| 545641 | 60 | |
| 545642 | 639 | |
| 545643 | 105 | |
| 545644 | 73 | |
| 545645 | 756 | |

QC

| Analyte Symbol | Au | Au |
|-----------------|---------|---------|
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| OxN92 Meas | | 7.66 |
| OxN92 Cert | | 7.64 |
| OxD108 Meas | 431 | |
| OxD108 Cert | 414.000 | |
| OxD108 Meas | 448 | |
| OxD108 Cert | 414.000 | |
| SF67 Meas | 924 | |
| SF67 Cert | 835.000 | |
| SF67 Meas | 807 | |
| SF67 Cert | 835.000 | |
| OxK110 Meas | | 3.55 |
| OxK110 Cert | | 3.602 |
| 545599 Orig | | 13.9 |
| 545599 Dup | | 12.5 |
| 545607 Orig | 44 | |
| 545607 Dup | 46 | |
| 545617 Orig | 72 | |
| 545617 Dup | 108 | |
| 545627 Orig | < 5 | |
| 545627 Split | < 5 | |
| 545627 Orig | < 5 | |
| 545627 Dup | < 5 | |
| 545641 Orig | 61 | |
| 545641 Dup | 59 | |
| Method Blank | < 5 | |
| Method Blank | < 5 | |
| Method Blank | < 5 | |
| Method Blank | < 5 | |
| Method Blank | | < 0.03 |



Date Submitted: 07-Apr-14
Invoice No.: A14-02359
Invoice Date: 11-Apr-14
Your Reference: Weebigee

Goldeye Explorations Limited
100 West Beaver Creek Rd., Unit 2
Richmond Hill ON L4B 1H4
Canada

ATTN: David Jamieson

CERTIFICATE OF ANALYSIS

24 Core samples were submitted for analysis.

The following analytical package was requested:

Code 1A2-Tbay Au - Fire Assay AA (QOP Fire Assay Tbay)

REPORT **A14-02359**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.

1201 Walsh Street West, Thunder Bay, Ontario, Canada, P7E 4X6
TELEPHONE +807 622-6707 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Tbay@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com



Results

| Analyte Symbol | Au | Au |
|-----------------|--------|---------|
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| 545646 | < 5 | |
| 545647 | 10 | |
| 545648 | 8 | |
| 545649 | 31 | |
| 545650 | 8 | |
| 545651 | 11 | |
| 545652 | 16 | |
| 545653 | 9 | |
| 545654 | 54 | |
| 545655 | 8 | |
| 545656 | 18 | |
| 545657 | 9 | |
| 545658 | 15 | |
| 545659 | 11 | |
| 545660 | 9 | |
| 545661 | > 5000 | 9.34 |
| 545662 | 8 | |
| 545663 | 6 | |
| 545664 | < 5 | |
| 545665 | < 5 | |
| 545666 | < 5 | |
| 545667 | 7 | |
| 545668 | < 5 | |
| 545669 | < 5 | |

QC

| | | |
|-----------------|---------|---------|
| Analyte Symbol | Au | Au |
| Unit Symbol | ppb | g/tonne |
| Detection limit | 5 | 0.03 |
| Analysis Method | FA-AA | FA-GRA |
| OXN92 Meas | | 7.66 |
| OXN92 Cert | | 7.64 |
| SF67 Meas | 750 | |
| SF67 Cert | 835.000 | |
| OxK110 Meas | | 3.55 |
| OxK110 Cert | | 3.602 |
| 545655 Orig | 7 | |
| 545655 Dup | 9 | |
| 545665 Orig | < 5 | |
| 545665 Dup | < 5 | |
| 545669 Orig | < 5 | |
| 545669 Split | < 5 | |
| Method Blank | < 5 | |
| Method Blank | < 5 | |
| Method Blank | | < 0.03 |

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-01 | Az: 263 | Dip: -45 | Length: 93.0 |
| Easting: 474178.68 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879387.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 277.6 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll Zone | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 09-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 10-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|------|-----------|
| 15.0 | 263.4 | -45.1 | 0.0 | 0.0 |
| 67.0 | 263.8 | -44.2 | 0.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|----------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 4.4 | CAS | | | Casing | | | | | | | | | |
| 4.4 | 9.6 | BQET | S Sil | DISS | Blue Quartz Eye Tuff Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Strongly Altered; silica-bio-po-cp-py; crude fabric 40 to 50 tca defined by streaks of biotite-rich laminations, sulphide rich laminations and stretching/alignment of mineral fragments; occasional quartz stringers parallel and crosscutting foliation; disseminated 1-2% blebby f.g. po-cp, locally up to 3%; pyrite is porphyroblastic, euhedral, pale to brassy often overprinting diffuse quartz vein fragments; some incipient breccia fabric healed with biotite-v.f.g sulphides; some cataclastic fabric with ptgmatitic quartz veinlets or dismembered quartz veinlets | 589001 | 4.45 | 5.00 | 0.55 | 1320 | 1.320 | | | |
| | | | | | | 589002 | 5.00 | 6.00 | 1.00 | 1480 | 1.480 | | | |
| | | | | | | 589003 | 6.00 | 7.00 | 1.00 | 2190 | 2.190 | | | |
| | | | | | | 589004 | 7.00 | 8.00 | 1.00 | 945 | 0.945 | | | |
| | | | | | | 589005 | 8.00 | 9.00 | 1.00 | 969 | 0.969 | | | |
| | | | | | | 589006 | 9.00 | 9.65 | 0.65 | 1840 | 1.840 | | | |
| 9.6 | 13.1 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | M.g., brownish grey, massive with spaced veinlets of pale green chlorite-carb @ 60 tca; sharp upper contact at 45 tca. Lower contact broken but with a sharp transition to strong to intense silicification | 589007 | 9.65 | 11.00 | 1.35 | 169 | 0.169 | | | |
| | | | | | | 589008 | 11.00 | 12.00 | 1.00 | 42 | 0.042 | | | |
| | | | | | | 589009 | 12.00 | 13.10 | 1.10 | 18 | 0.018 | | | |
| 13.1 | 18.4 | ALTZ | S Sil | DISS | Altered Zone Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Knoll Zone; strong to intense silica-carb-sericite alteration cut by quartz, quartz tourmaline veins and overprinted by grey quartz flooding; main sulphide is brown to brassy pyrite, generally v.f.g and less than 2%; no real coherent structure, but crude | 589010 | 13.10 | 13.60 | 0.50 | 518 | 0.518 | | | |
| | | | | | | 589011 | 13.60 | 14.10 | 0.50 | 2910 | 2.910 | | | |
| | | | | | | 589012 | 14.10 | 14.60 | 0.50 | 1490 | 1.490 | | | |

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-01 | Az: 263 | Dip: -45 | Length: 93.0 |
| Easting: 474178.68 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879387.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 277.6 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll Zone | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 09-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 10-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|------|-----------|
| 15.0 | 263.4 | -45.1 | 0.0 | 0.0 |
| 67.0 | 263.8 | -44.2 | 0.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|----------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 4.4 | CAS | | | Casing | | | | | | | | | |
| 4.4 | 9.6 | BQET | S Sil | DISS | Blue Quartz Eye Tuff Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Strongly Altered; silica-bio-po-cp-py; crude fabric 40 to 50 tca defined by streaks of biotite-rich laminations, sulphide rich laminations and stretching/alignment of mineral fragments; occasional quartz stringers parallel and crosscutting foliation; disseminated 1-2% blebby f.g. po-cp, locally up to 3%; pyrite is porphyroblastic, euhedral, pale to brassy often overprinting diffuse quartz vein fragments; some incipient breccia fabric healed with biotite-v.f.g sulphides; some cataclastic fabric with ptgmatitic quartz veinlets or dismembered quartz veinlets | 589001 | 4.45 | 5.00 | 0.55 | 1320 | 1.320 | | | |
| | | | | | | 589002 | 5.00 | 6.00 | 1.00 | 1480 | 1.480 | | | |
| | | | | | | 589003 | 6.00 | 7.00 | 1.00 | 2190 | 2.190 | | | |
| | | | | | | 589004 | 7.00 | 8.00 | 1.00 | 945 | 0.945 | | | |
| | | | | | | 589005 | 8.00 | 9.00 | 1.00 | 969 | 0.969 | | | |
| | | | | | | 589006 | 9.00 | 9.65 | 0.65 | 1840 | 1.840 | | | |
| 9.6 | 13.1 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | M.g., brownish grey, massive with spaced veinlets of pale green chlorite-carb @ 60 tca; sharp upper contact at 45 tca. Lower contact broken but with a sharp transition to strong to intense silicification | 589007 | 9.65 | 11.00 | 1.35 | 169 | 0.169 | | | |
| | | | | | | 589008 | 11.00 | 12.00 | 1.00 | 42 | 0.042 | | | |
| | | | | | | 589009 | 12.00 | 13.10 | 1.10 | 18 | 0.018 | | | |
| 13.1 | 18.4 | ALTZ | S Sil | DISS | Altered Zone Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Knoll Zone; strong to intense silica-carb-sericite alteration cut by quartz, quartz tourmaline veins and overprinted by grey quartz flooding; main sulphide is brown to brassy pyrite, generally v.f.g and less than 2%; no real coherent structure, but crude | 589010 | 13.10 | 13.60 | 0.50 | 518 | 0.518 | | | |
| | | | | | | 589011 | 13.60 | 14.10 | 0.50 | 2910 | 2.910 | | | |
| | | | | | | 589012 | 14.10 | 14.60 | 0.50 | 1490 | 1.490 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|--------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | fabric can be seen 45 to 50 tca; sharp transition at 18.4 metres to host blue quartz eye tuff with biotite-rich matrix | 589013 | 14.60 | 15.10 | 0.50 | 1390 | 1.390 |
| | | | | | | 589014 | 15.10 | 15.60 | 0.50 | 1350 | 1.350 |
| | 13.10 | 13.60 | | | strong to intense silicification, minor folded early quartz veinlets | 589015 | 15.60 | 16.10 | 0.50 | 54 | 0.054 |
| | 13.60 | 13.65 | | | mafic dyke? | 589016 | 16.10 | 16.60 | 0.50 | 1830 | 1.830 |
| | 13.65 | 14.10 | | | quartz-tourmaline vein with 1-2% v.f.g. pyrite | 589017 | 16.60 | 17.10 | 0.50 | 107 | 0.107 |
| | 14.10 | 14.60 | | | intense silicification and folded early quartz veins | 589018 | 17.10 | 17.70 | 0.60 | 37 | 0.037 |
| | 14.60 | 15.10 | | | intense silicification and folded early quartz veins grading into yellow-beige intense silica-carb-sericite alteration with broken early quartz veins | 589019 | 17.70 | 18.40 | 0.70 | 47 | 0.047 |
| | 15.10 | 15.60 | | | strong silica-carb-ser alteration with 10 cm QTV 45 tca | | | | | | |
| | 15.60 | 16.10 | | | intense silica-carb-ser alteration | | | | | | |
| | 16.10 | 18.40 | | | gradual decrease in intensity of silica-carb-ser alteration downhole | | | | | | |
| 18.4 | 55.0 | BQET | | | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | massive, black with sections of feldspar phyrlic tuff in apparent volcanoclastic or sedimentary matrix; minor local bleached sections | 589021 | 18.40 | 18.80 | 0.40 | 14 | 0.014 |
| | | | | | | 589022 | 18.80 | 19.80 | 1.00 | 22 | 0.022 |
| | 25.35 | 25.85 | | | broken quartz vein with 0.1m lost core; majority of section is strongly bleached; minor v.f.g. pyrite | 589023 | 19.80 | 20.70 | 0.90 | 2 | 0.002 |
| | | | | | | 589024 | 25.35 | 25.85 | 0.50 | 56 | 0.056 |
| | 41.88 | 41.92 | | | 4 cm quartz tourmaline vein 45 tca with strong silica-carb-biotite halo mainly on the downhole side (down to 43.25); 1% f.g. to m.g. disseminated pyrite | 589025 | 40.80 | 41.30 | 0.50 | 2 | 0.002 |
| | | | | | | 589026 | 41.30 | 41.90 | 0.60 | 49 | 0.049 |
| | | | | | | 589027 | 41.90 | 42.30 | 0.40 | 105 | 0.105 |
| | | | | | | 589028 | 42.30 | 42.65 | 0.35 | 18 | 0.018 |
| | | | | | | 589029 | 42.65 | 43.25 | 0.60 | 22 | 0.022 |
| | | | | | | 589030 | 43.25 | 44.00 | 0.75 | 2 | 0.002 |
| | | | | | | 589031 | 50.75 | 51.50 | 0.75 | 6 | 0.006 |
| | | | | | | 589032 | 51.50 | 52.50 | 1.00 | 2 | 0.002 |
| | | | | | | 589033 | 52.50 | 53.50 | 1.00 | 8 | 0.008 |
| | | | | | | 589034 | 53.50 | 54.50 | 1.00 | 16 | 0.016 |
| | | | | | | 589035 | 54.50 | 54.95 | 0.45 | 14 | 0.014 |
| 55.0 | 62.0 | ALTZ | M Sil | TR | Altered Zone Moderate Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Composite or series of quartz-tourmaline veins (QTV), generally at high angles to core; patchy but strong silica-carb alteration; local coarse euhedral pyrite; local blebby chalcopyrite disseminations; local folded, deformed quartz veinlets; appears to be several ages of veining: early deformed, crack-seal veins with tourmaline, and occasional quartz-only extensional veins; 1-2% pyrite overall; gradational decrease in alteration below 62 metres; | 589036 | 54.95 | 55.30 | 0.35 | 239 | 0.239 |
| | | | | | | 589037 | 55.30 | 56.00 | 0.70 | 12 | 0.012 |
| | | | | | | 589038 | 56.00 | 56.80 | 0.80 | 61 | 0.061 |
| | | | | | | 589039 | 56.80 | 57.30 | 0.50 | 425 | 0.425 |
| | | | | | | 589041 | 57.30 | 58.00 | 0.70 | 30 | 0.030 |
| | 54.97 | 55.00 | | | 3 cm QTV 70 tca with 5% cp | 589042 | 58.00 | 58.50 | 0.50 | 35 | 0.035 |
| | 58.00 | 58.90 | | | composite of deformed veinlets and a high angle tca extensional 15 cm QTV | 589043 | 58.50 | 58.90 | 0.40 | 982 | 0.982 |
| | | | | | | 589044 | 58.90 | 59.30 | 0.40 | 102 | 0.102 |
| | 61.45 | 61.55 | | | 10 cm QTV extensional 50 tca | 589045 | 59.30 | 60.00 | 0.70 | 77 | 0.077 |
| | | | | | | 589046 | 60.00 | 60.75 | 0.75 | 13 | 0.013 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|--------------|----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 589047 | 60.75 | 61.50 | 0.75 | 49 | 0.049 |
| | | | | | | 589048 | 61.50 | 62.00 | 0.50 | 526 | 0.526 |
| 62.0 | 73.5 | BQET | <i>W Sil</i> | | Blue Quartz Eye Tuff Weak Silicification minor to moderate patchy bleaching; relatively massive; no significant sulphides; crude bedding 40 tca | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 589049 | 62.00 | 62.50 | 0.50 | 5 | 0.005 |
| | | | | | | 589050 | 62.50 | 63.00 | 0.50 | 8 | 0.008 |
| | | | | | | 589051 | 63.00 | 63.60 | 0.60 | 17 | 0.017 |
| 73.5 | 93.2 | ALTZ | <i>M Sil</i> | | Altered Zone Moderate Silicification Increasing extent and strength of silica-carb bleaching; alteration can be massive to foliated 40 tca; alteration appears fracture controlled rather than vein haloes; trace to minor py-po 75.00 75.30 Strong silicification 78.00 81.80 relatively fresh, massive, blue quartz eye tuff 81.80 85.50 moderate to strong silica-carb bleaching with locally well developed biotitic foliation 45 tca; several 0.5 to 1 cm qtz-tourm veinlets at various core angles; 1-2% po-cp-py along vein margins between 83.3 and 83.8; 84.6-84.65 quartz vein 30 tca with minor chlorite-tourmaline healed frags and strong silica-carb halo 91.15 93.20 moderate silica-carb alteration controlled by cm scale grey folded quartz veins; 92.0 10 cm QTV (minor tourmaline) 55 tca; trace pyrite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866001 | 74.55 | 75.00 | 0.45 | 2 | 0.002 |
| | | | | | | 866002 | 75.00 | 75.55 | 0.55 | 2 | 0.002 |
| | | | | | | 866003 | 75.55 | 76.50 | 0.95 | 2 | 0.002 |
| | | | | | | 866004 | 76.50 | 77.35 | 0.85 | 8 | 0.008 |
| | | | | | | 866005 | 77.35 | 78.00 | 0.65 | 7 | 0.007 |
| | | | | | | 866006 | 78.00 | 79.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866007 | 79.00 | 80.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866008 | 80.00 | 81.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866009 | 81.00 | 81.80 | 0.80 | 2 | 0.002 |
| | | | | | | 866011 | 81.80 | 82.70 | 0.90 | 7 | 0.007 |
| | | | | | | 866012 | 82.70 | 83.30 | 0.60 | 5 | 0.005 |
| | | | | | | 866013 | 83.30 | 83.80 | 0.50 | 26 | 0.026 |
| | | | | | | 866014 | 83.80 | 84.60 | 0.80 | 7 | 0.007 |
| | | | | | | 866015 | 84.60 | 85.05 | 0.45 | 30 | 0.030 |
| | | | | | | 866016 | 85.05 | 85.50 | 0.45 | 2 | 0.002 |
| | | | | | | 866017 | 85.50 | 86.50 | 1.00 | 2 | 0.002 |
| | | | | | | 866018 | 86.50 | 87.50 | 1.00 | 20 | 0.020 |
| | | | | | | 866019 | 87.50 | 88.50 | 1.00 | 84 | 0.084 |
| | | | | | | 866020 | 88.50 | 89.50 | 1.00 | 12 | 0.012 |
| | | | | | | 866021 | 89.50 | 90.50 | 1.00 | 33 | 0.033 |
| | | | | | | 866022 | 90.50 | 91.15 | 0.65 | 9 | 0.009 |
| | | | | | | 866023 | 91.15 | 92.00 | 0.85 | 19 | 0.019 |
| | | | | | | 866024 | 92.00 | 92.70 | 0.70 | 94 | 0.094 |
| | | | | | | 866025 | 92.70 | 93.20 | 0.50 | 224 | 0.224 |
| 93.2 | 0.0 | EOH | | | End of Hole EOH | | | | | | |

From **To** UNIT ALT Min
(m) **(m)** code code code **Geological Description**

Geochemical Results

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-02 | Az: 262 | Dip: -70 | Length: 51.0 |
| Easting: 474178.68 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879387.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 277.6 | | Sampled by: D. Jamieson | |
| | | Relogged by: | |
| Project: Weebigee | Drill Operator: Minotaur | ReLog Date: | |
| Location: Knoll Zone | Hole Diameter: NQ | | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 10-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 10-Mar-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 262.7 | -70.1 | 57500.0 | 0.0 |
| 51.0 | 265.7 | -70.3 | 56920.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-----------|----------|----------|------------------------|
|----------|--------|-----------|----------|----------|------------------------|

| | | | | | |
|-----|-----|------------|--|--|--------|
| 0.0 | 2.2 | CAS | | | Casing |
|-----|-----|------------|--|--|--------|

Geochemical Results

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-------------|---------------|-----------|--|
| 2.2 | 16.5 | BQET | <i>M Bich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching |

patchy weak to moderate bleaching, massive; minor qtz stringers at low angles tca with 1 to 2% m.g. to c.g. euhedral py; from approximately 9.0 m qtz veinlets are at 50 tca with finer grained py>po>cp along veinlet margins and as patches associated with bleaching

13.55 0.00 5 cm white extensional quartz tourmaline vein with some crack and seal texture; slightly folded but mainly 50 tca; 0.5 m bleaching uphole associated with folded white qtz veinlets subparallel to c.a. with 5% py>po>cp

14.30 0.00 stringers of py>po>cp sub parallel tca

15.00 16.40 strong to intense yellow-beige silica-carb alteration; crude foliation 30 tca as biotite-tourmaline healed fracs and qtz veinlets; 0.5 to 1% py>po>cp

16.40 16.50 silicified, black, chilled lower contact with dyke sharp 25 tca

| Sample | From | To | Interval | Au ppb | Au g/t |
|--------|-------|-------|----------|--------|--------|
| 866026 | 2.20 | 3.00 | 0.80 | 10 | 0.010 |
| 866027 | 3.00 | 4.00 | 1.00 | 2 | 0.002 |
| 866028 | 4.00 | 5.00 | 1.00 | 6 | 0.006 |
| 866029 | 5.00 | 6.00 | 1.00 | 6 | 0.006 |
| 866031 | 6.00 | 7.00 | 1.00 | 24 | 0.024 |
| 866032 | 7.00 | 8.00 | 1.00 | 8 | 0.008 |
| 866033 | 8.00 | 9.00 | 1.00 | 12 | 0.012 |
| 866034 | 9.00 | 10.00 | 1.00 | 75 | 0.075 |
| 866035 | 10.00 | 11.00 | 1.00 | 1300 | 1.300 |
| 866036 | 11.00 | 12.00 | 1.00 | 394 | 0.394 |
| 866037 | 12.00 | 13.10 | 1.10 | 40 | 0.040 |
| 866038 | 13.10 | 13.65 | 0.55 | 6 | 5.740 |
| 866039 | 13.65 | 14.50 | 0.85 | 2740 | 2.740 |
| 866040 | 14.50 | 15.00 | 0.50 | 28 | 0.028 |
| 866041 | 15.00 | 15.50 | 0.50 | 318 | 0.318 |
| 866042 | 15.50 | 16.00 | 0.50 | 1490 | 1.490 |
| 866043 | 16.00 | 16.50 | 0.50 | | 6.860 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|---------------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 16.5 | 30.6 | MDYKE | | | Mafic Dyke f.g. to m.g medium grey-brown; chilled black upper contact with very gradual increase in grain size down hole; pale green calcitic stringers generally 20 tca; chilled silicified black lower contact 25 tca | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866044 | 16.50 | 17.00 | 0.50 | 24 | 0.024 |
| | | | | | | 866045 | 17.00 | 18.00 | 1.00 | 15 | 0.015 |
| | | | | | | 866046 | 29.60 | 30.20 | 0.60 | 295 | 0.295 |
| | | | | | | 866047 | 30.20 | 30.60 | 0.40 | 1220 | 1.220 |
| | | | | | | 866048 | 30.60 | 31.20 | 0.60 | | 8.590 |
| 30.6 | 37.0 | BQET | <i>S Sil</i> | DISS | Blue Quartz Eye Tuff Strong Silicification KNOLL ZONE - upper contact is a 2 cm quartz tourmaline vein 25 tca; overall a composite siliceous deformation zone with several vein types and ages 1. Earliest - pervasive silica-carb bleaching associated with qtz veining that has now been remobilized and dismembered into qtz-silica-biotite zones; sulphides variable but generally v.f.g to f.g py>po>cp; no tourmaline 2. milky white quartz-tourmaline veining showing some crack and seal or tourmaline-rich margins; generally 25 tca; 0.5% v.f.g disseminated pyrite 3. crosscutting white 1 cm extensional extensional qtz veinlets 1 to 2 cm wide, 45 tca | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866049 | 31.20 | 31.80 | 0.60 | 1010 | 1.010 |
| | | | | | | 866051 | 31.80 | 32.30 | 0.50 | 2370 | 2.370 |
| | | | | | | 866052 | 32.30 | 32.70 | 0.40 | 1740 | 1.740 |
| | | | | | | 866053 | 32.70 | 33.20 | 0.50 | | 9.340 |
| | | | | | | 866054 | 33.20 | 33.70 | 0.50 | 1720 | 1.720 |
| | | | | | | 866055 | 33.70 | 34.20 | 0.50 | 883 | 0.883 |
| | | | | | | 866056 | 34.20 | 34.70 | 0.50 | 807 | 0.807 |
| | | | | | | 866057 | 34.70 | 35.20 | 0.50 | 650 | 0.650 |
| | | | | | | 866058 | 35.20 | 35.80 | 0.60 | 445 | 0.445 |
| | | | | | | 866059 | 35.80 | 36.40 | 0.60 | 1910 | 1.910 |
| | | | | | | 866060 | 36.40 | 37.00 | 0.60 | 101 | 0.101 |
| 37.0 | 48.0 | BQET | <i>M Bich</i> | DISS | Blue Quartz Eye Tuff Moderate Bleaching variably altered BQET; strong pyritic silica-carb-sericite bleaching from 40.5 to 42.8 due to well laminated, pyritic quartz tourmaline vein 5 cm wide and 15 tca; 5% v.f.g py>po>cp 42.8 - 48.0 weakly bleached but with 1 to 2% f.g.- m.g. disseminated pyrite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866061 | 37.00 | 37.50 | 0.50 | 32 | 0.032 |
| | | | | | | 866062 | 37.50 | 38.50 | 1.00 | 19 | 0.019 |
| | | | | | | 866063 | 38.50 | 39.50 | 1.00 | 15 | 0.015 |
| | | | | | | 866064 | 39.50 | 40.50 | 1.00 | 10 | 0.010 |
| | | | | | | 866065 | 40.50 | 41.50 | 1.00 | 11 | 0.011 |
| | | | | | | 866066 | 41.50 | 41.95 | 0.45 | 37 | 0.037 |
| | | | | | | 866067 | 41.95 | 42.40 | 0.45 | 429 | 0.429 |
| | | | | | | 866068 | 42.40 | 42.80 | 0.40 | 78 | 0.078 |
| | | | | | | 866069 | 42.80 | 43.50 | 0.70 | 75 | 0.075 |
| | | | | | | 866071 | 43.50 | 44.50 | 1.00 | 45 | 0.045 |
| | | | | | | 866072 | 44.50 | 45.50 | 1.00 | 48 | 0.048 |
| | | | | | | 866073 | 45.50 | 46.50 | 1.00 | 113 | 0.113 |
| | | | | | | 866074 | 46.50 | 47.50 | 1.00 | 97 | 0.097 |
| | | | | | | 866075 | 47.50 | 48.50 | 1.00 | 35 | 0.035 |
| 48.0 | 51.0 | BQET | | | Blue Quartz Eye Tuff relatively fresh, massive, black; 0.5 to 1% f.g. disseminated pyrite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866076 | 48.50 | 49.50 | 1.00 | 16 | 0.016 |
| | | | | | | 866077 | 49.50 | 51.00 | 1.50 | 50 | 0.050 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|----------------------|---------------------|---------------------|-------------------------------|----------------------------|
| 51.0 | 0.0 | <i>EOH</i> | | | End of Hole | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-03 | Az: 75 | Dip: -45 | Length: 123.0 |
| Easting: 474194.84 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879393 | Survey Type: Flexit | Log Date: | |
| Elevation: 277.91 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Bernadette | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 10-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 11-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 74.1 | -44.8 | 58690.0 | 0.0 |
| 66.0 | 73.8 | -44.0 | 56950.0 | 0.0 |
| 117.0 | 73.7 | -44.6 | 56680.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|---------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 3.0 | CAS | | | Casing | | | | | | | | | |
| 3.0 | 82.4 | BQET | <i>M Blch</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Black, massive, local bleaching associated with fine white mm scale qtz veinlets at various core angles; some veinlets are slightly broken and deformed; 0.5 to 1% vfg to fg pyrite mainly as disseminations or along veinlet margins | 866110 | 3.00 | 4.00 | 1.00 | 256 | 0.256 | | | |
| | | | | | 9.10 9.20 10 cm qtz shear 40 tca; 1% m.g. pyrite | 866111 | 4.00 | 5.00 | 1.00 | 151 | 0.151 | | | |
| | | | | | 10.00 11.80 moderate bleaching associated with qtz stringers 45 tca; patch of silicification at 11.5m | 866112 | 5.00 | 6.00 | 1.00 | 129 | 0.129 | | | |
| | | | | | 11.80 12.50 weak bleaching but increase in pyrite as f.g to m.g. disseminations up to 2% locally | 866113 | 6.00 | 7.00 | 1.00 | 74 | 0.074 | | | |
| | | | | | 25.00 27.00 patchy weak to moderate bleaching; minor pyrite | 866114 | 7.00 | 8.00 | 1.00 | 19 | 0.019 | | | |
| | | | | | 33.00 34.15 weak bleaching; 1% disseminated py | 866115 | 8.00 | 9.00 | 1.00 | 14 | 0.014 | | | |
| | | | | | 34.15 34.50 VG QTV - QUARTZ TOURMALINE VEIN VISIBLE GOLD | 866116 | 9.00 | 9.40 | 0.40 | 66 | 0.066 | | | |
| | | | | | quartz tourmaline/siliceous bands 50 tca; numerous specks VG; possibly 1% granular arsenopyrite with rare vfg needles; 1-2% py>po>cp | 866117 | 9.40 | 10.00 | 0.60 | 5 | 0.005 | | | |
| | | | | | 34.50 35.50 moderate to strong bleaching along 40 tca foliation; 1% fg pyrite | 866118 | 10.00 | 10.50 | 0.50 | 14 | 0.014 | | | |
| | | | | | 35.50 37.60 moderate bleaching along foliation; local m.g. pyrite along foliation planes; very minor qtz parallel to foliation | 866119 | 10.50 | 11.30 | 0.80 | 33 | 0.033 | | | |
| | | | | | 49.80 MAFIC DYKE 5 cm mafic dyklet with contacts 40 tca | 866121 | 11.30 | 11.80 | 0.50 | 256 | 0.256 | | | |
| | | | | | | 866122 | 11.80 | 12.50 | 0.70 | 60 | 0.060 | | | |
| | | | | | | 866123 | 12.50 | 13.50 | 1.00 | 24 | 0.024 | | | |
| | | | | | | 866124 | 13.50 | 14.50 | 1.00 | 19 | 0.019 | | | |
| | | | | | | 866125 | 14.50 | 15.50 | 1.00 | 86 | 0.086 | | | |
| | | | | | | 866078 | 31.50 | 32.50 | 1.00 | 8 | 0.008 | | | |
| | | | | | | 866079 | 32.50 | 33.00 | 0.50 | 16 | 0.016 | | | |
| | | | | | | 866080 | 33.00 | 33.80 | 0.80 | 13 | 0.013 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|---|---------------------|-------|-------|------|-----|---------|
| 50.20 | 50.30 | | | | MAFIC DYKE broken no core angles possible on contacts | 866081 | 33.80 | 34.15 | 0.35 | 47 | 0.047 |
| 55.40 | | | | | MAFIC DYKE 5 cm dyke with contacts 45 tca; minor q.v./sulphides along contacts | 866082 | 34.15 | 34.50 | 0.35 | | 230.000 |
| | | | | | | 866083 | 34.50 | 34.90 | 0.40 | 168 | 0.168 |
| 60.65 | 61.00 | | | | QTV - Quartz Tourmalline Vein; laminated 50 tca, 1% f.g to m.g. pyrite with traces of v.f.g pyrrhotite-chalcopyrite; minor pale green chlorite; local biotite rich laminations | 866084 | 34.90 | 35.30 | 0.40 | 505 | 0.505 |
| | | | | | | 866085 | 35.30 | 35.80 | 0.50 | 2 | 0.002 |
| 61.00 | 63.10 | | | | moderate to strong bleaching along crude 50 tca foliation; minor crosscutting high angle tca white tensional qtz veinlet; patchy f.g. to m.g. pyrite up to 1% | 866086 | 35.80 | 36.30 | 0.50 | 6 | 0.006 |
| | | | | | 62.2 - 62.75 high strain zone of folded broken grey qtz veins with pyritic margins (aids in tracing folds); strong to intense pale grey carb-silica-ser alteration; minor tourmaline-biotite stylolites | 866087 | 36.30 | 36.80 | 0.50 | 18 | 0.018 |
| | | | | | 62.75 - 63.1 folded qtz veinlets, less alteration than previous; 2% f.g. to m.g. pyrite; strong foln 50 tca. | 866088 | 36.80 | 37.20 | 0.40 | 9 | 0.009 |
| | | | | | | 866089 | 37.20 | 37.60 | 0.40 | | 7.440 |
| | | | | | | 866090 | 37.60 | 38.10 | 0.50 | 211 | 0.211 |
| | | | | | | 866091 | 38.10 | 38.50 | 0.40 | 199 | 0.199 |
| 63.10 | 82.40 | | | | tuff becomes more feldspathic, progressing to a crowded porphyry texture; qtz eyes remain blue | 866092 | 38.50 | 39.00 | 0.50 | 37 | 0.037 |
| | | | | | 79.25 - 79.55 strong sil-carb bleaching | 866093 | 39.00 | 39.50 | 0.50 | 11 | 0.011 |
| | | | | | 79.55 - 80.3 intense silicification and strong strain; folded broken qtz veins, with pale green calcite-rich fragments; minor v.f.g pyrite | 866094 | 39.50 | 40.10 | 0.60 | 14 | 0.014 |
| | | | | | | 866095 | 40.10 | 40.60 | 0.50 | 58 | 0.058 |
| | | | | | | 866096 | 40.60 | 41.00 | 0.40 | | 10.200 |
| | | | | | | 860979 | 41.00 | 41.50 | 0.50 | 10 | 0.010 |
| | | | | | | 860980 | 41.50 | 42.00 | 0.50 | 79 | 0.079 |
| | | | | | | 860981 | 42.00 | 43.00 | 1.00 | 5 | 0.005 |
| | | | | | | 860982 | 43.00 | 44.00 | 1.00 | 45 | 0.045 |
| | | | | | | 860983 | 44.00 | 45.00 | 1.00 | 224 | 0.224 |
| | | | | | | 860984 | 45.00 | 46.00 | 1.00 | 45 | 0.045 |
| | | | | | | 860985 | 46.00 | 47.00 | 1.00 | 2 | 0.002 |
| | | | | | | 860986 | 47.00 | 47.87 | 0.87 | 2 | 0.002 |
| | | | | | | 860987 | 47.87 | 48.37 | 0.50 | 2 | 0.002 |
| | | | | | | 860988 | 48.37 | 48.87 | 0.50 | 21 | 0.021 |
| | | | | | | 860989 | 48.87 | 49.37 | 0.50 | 26 | 0.026 |
| | | | | | | 860990 | 49.37 | 50.38 | 1.01 | 2 | 0.002 |
| | | | | | | 860991 | 50.38 | 51.00 | 0.62 | 2 | 0.002 |
| | | | | | | 860992 | 51.00 | 51.50 | 0.50 | 15 | 0.015 |
| | | | | | | 860993 | 51.50 | 52.00 | 0.50 | 32 | 0.032 |
| | | | | | | 860995 | 52.00 | 52.50 | 0.50 | 69 | 0.069 |
| | | | | | | 860996 | 52.50 | 53.00 | 0.50 | 2 | 0.002 |
| | | | | | | 860997 | 53.00 | 53.50 | 0.50 | 21 | 0.021 |
| | | | | | | 860998 | 53.50 | 54.00 | 0.50 | 8 | 0.008 |
| | | | | | | 860999 | 54.00 | 54.50 | 0.50 | 2 | 0.002 |
| | | | | | | 861000 | 54.50 | 55.03 | 0.53 | 2 | 0.002 |
| | | | | | | 544751 | 55.03 | 55.53 | 0.50 | 49 | 0.049 |
| | | | | | | 544752 | 55.53 | 56.03 | 0.50 | 22 | 0.022 |
| | | | | | | 544753 | 56.03 | 56.50 | 0.47 | 2 | 0.002 |
| | | | | | | 544754 | 56.50 | 57.00 | 0.50 | 9 | 0.009 |
| | | | | | | 544755 | 57.00 | 57.50 | 0.50 | 8 | 0.008 |
| | | | | | | 544756 | 57.50 | 58.00 | 0.50 | 217 | 0.217 |
| | | | | | | 544757 | 58.00 | 58.50 | 0.50 | 234 | 0.234 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|----------|----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 544758 | 58.50 | 59.00 | 0.50 | 11 | 0.011 |
| | | | | | | 544759 | 59.00 | 59.70 | 0.70 | 75 | 0.075 |
| | | | | | | 866126 | 59.70 | 60.20 | 0.50 | 377 | 0.377 |
| | | | | | | 866127 | 60.20 | 60.65 | 0.45 | 150 | 0.150 |
| | | | | | | 866128 | 60.65 | 61.00 | 0.35 | | 11.400 |
| | | | | | | 866129 | 61.00 | 61.50 | 0.50 | 35 | 0.035 |
| | | | | | | 866130 | 61.50 | 62.20 | 0.70 | 75 | 0.075 |
| | | | | | | 866131 | 62.20 | 62.75 | 0.55 | | 12.800 |
| | | | | | | 866132 | 62.75 | 63.10 | 0.35 | 890 | 0.890 |
| | | | | | | 866133 | 63.10 | 63.90 | 0.80 | 2 | 0.002 |
| | | | | | | 866134 | 63.90 | 64.50 | 0.60 | 10 | 0.010 |
| | | | | | | 866135 | 78.80 | 79.25 | 0.45 | 2 | 0.002 |
| | | | | | | 866136 | 79.25 | 79.55 | 0.30 | 2 | 0.002 |
| | | | | | | 866137 | 79.55 | 80.30 | 0.75 | 2 | 0.002 |
| | | | | | | 866138 | 80.30 | 80.80 | 0.50 | 2 | 0.002 |
| 82.4 | 82.7 | GWKE | | | Greywacke bedding and contacts 45 tca; sharp sedimentary contacts | | | | | | |
| 82.7 | 86.3 | BQET | | | Blue Quartz Eye Tuff relatively massive and unmineralized; minor local peperite texture (blocks of qtz-eye tuff in fine sediment matrix) | | | | | | |
| 86.3 | 91.0 | ARG | | | Argillite Argillite/siltstone with sharp contacts 40 tca; massive, black, no bedding visible, conchoidal fracture (argillaceous) | | | | | | |
| 91.0 | 108.3 | BQET | | | Blue Quartz Eye Tuff feldspathic, massive, dark grey to black matrix (biotite) 97.80 97.90 10 cm laminated QTV 30 tca; trace to minor v.f.g. pyrite 97.90 99.00 weak to moderate bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866139 | 97.30 | 97.80 | 0.50 | 13 | 0.013 |
| | | | | | | 866141 | 97.80 | 98.20 | 0.40 | 491 | 0.491 |
| | | | | | | 866142 | 98.20 | 99.00 | 0.80 | 2 | 0.002 |
| 108.3 | 114.2 | FZ | | | Fault Zone Quartz-eye tuff is locally badly broken with clay, chlorite and clay coated slip surfaces; minor broken glassy quartz veins; minor gouge at 113.8m; tuff is not bleached; 0.5m lost core between 108.3 and 109.0 | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|----------------------|---------------------|---------------------|---|----------------------------|
| 114.2 | 123.0 | BQET | | | Blue Quartz Eye Tuff variably oriented calcite fractures, healed enough to drill reasonably well with 100% recovery and 90 RQD; unit becomes increasingly competent from 120m | |
| 123.0 | 0.0 | EOH | | | End of Hole | |

General Comments:

Hole ID: **BK14-04** Az: **75** Dip: **-65** Length: **81.0**

Easting: 474194.84 Hole Type: Core Logged by: P. Toth
 Northing: 5879393 Survey Type: Flexit Log Date: 3/26/2014
 Elevation: 277.91 Sampled by: D. Jamieson
 Relogged by:
 ReLog Date:

Project: **Weebigee** Drill Operator: Minotaur
 Location: Bernadette Hole Diameter: NQ
 Grid: Units: metres Storage:
 Claim: 977009 Start Date: 11-Feb-14 Sandy Lake core shack beside Power Plant
 MapSheet 53F/3 End Date: 11-Feb-14
 Purpose/Comments Left Casing:

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 74 | -65.0 | 56690.0 | 0.0 |
| 51.0 | 72 | -64.7 | 57030.0 | 0.0 |
| 81.0 | 71.2 | -64.4 | 56730.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|----------|-----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 1.2 | CAS | | | Casing | | | | | | | | | |
| | | | | | 0.00 0.00 | | | | | | | | | |
| 1.2 | 81.0 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Med to dk-gry; generally massive in appearance with very wk fol'n @ 20-30 to CA; local, wkly bleached patches up to 30cm wide; cut by sporadic, milky-wh to lt-gry, dirty qtz & qtz-py vnlts usually parallel to flo'n; vnlts range in size from 0.5cm up to 10cm wide; approx 1% fine diss py with tr blebby cpy; majority of sulphides in or close proximity to qtz vnlts. | 1401917 | 1.22 | 1.52 | 0.30 | 98 | 0.098 | | | |
| | | | | | 7.42 7.44 2cm dirty lt-gry qtz-py veinlet @ 20 to CA. | 1401918 | 1.52 | 1.82 | 0.30 | 11 | 0.011 | | | |
| | | | | | 7.89 8.10 dirty green carb veinlet @ 20 to CA. | 1401919 | 1.82 | 3.13 | 1.31 | 90 | 0.090 | | | |
| | | | | | 14.50 14.51 1 cm lt-gry, folded qtz-pyrite veinlets @ 20 tca | 1401920 | 3.13 | 4.40 | 1.27 | 103 | 0.103 | | | |
| | | | | | 15.10 15.13 1.5 cm, broken milky-white qtz-pyrite veinlet @ 15 tca | 1401921 | 4.40 | 5.70 | 1.30 | 64 | 0.064 | | | |
| | | | | | 19.70 20.20 zone of mily-wh qtz brecciation with 6cm vnl @ 50 tca at lower contact; 1-2% blebby py. | 1401922 | 5.70 | 6.96 | 1.26 | 41 | 0.041 | | | |
| | | | | | 22.60 25.60 weak, lt-beige bleaching. | 1401923 | 6.96 | 7.36 | 0.40 | 89 | 0.089 | | | |
| | | | | | 25.44 25.47 3cm dirty, lt-gry qtz-pyrite vnl @ 30 tca. | 1401924 | 7.36 | 7.76 | 0.40 | 165 | 0.165 | | | |
| | | | | | 28.36 28.85 milky-white to lt-grey, banded to brecciated qtz-pyrite vein @ 35 to CA; upper portion banded with frags of mod silica flooded tuff with 7% fine diss pyrite stringers; more blebby py in lower part. | 1401925 | 7.76 | 8.16 | 0.40 | 20 | 0.020 | | | |
| | | | | | 31.50 31.80 weakly bleached and cut by narrow lt-gry qtz veinlet @ 20 to CA; 0.5% blebby py. | 1401926 | 8.16 | 9.38 | 1.22 | 88 | 0.088 | | | |
| | | | | | | 1401927 | 9.38 | 10.68 | 1.30 | 30 | 0.030 | | | |
| | | | | | | 1401928 | 10.68 | 11.93 | 1.25 | 208 | 0.208 | | | |
| | | | | | | 1401929 | 11.93 | 13.22 | 1.29 | 46 | 0.046 | | | |
| | | | | | | 1401931 | 13.22 | 14.60 | 1.38 | 118 | 0.118 | | | |
| | | | | | | 1401932 | 14.60 | 15.00 | 0.40 | 9 | 0.009 | | | |
| | | | | | | 1401933 | 15.00 | 15.30 | 0.30 | 24 | 0.024 | | | |
| | | | | | | 1401934 | 15.30 | 15.70 | 0.40 | 23 | 0.023 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|---|---------------------|-------|-------|------|------|-------|
| 36.96 | 36.97 | | | | 1cm, dirty lt-gry qtz-py vnlt @ 30 to CA. | 1401935 | 15.70 | 17.00 | 1.30 | 13 | 0.013 |
| 39.94 | 39.95 | | | | 1cm dirty lt-gry qtz py vnlt @ 80 to CA. | 1401936 | 17.00 | 18.30 | 1.30 | 67 | 0.067 |
| 42.00 | 42.50 | | | | weakly bleached. | 1401937 | 18.30 | 19.30 | 1.00 | 34 | 0.034 |
| 42.60 | 42.61 | | | | 1cm dirty lt-gry qtz-py vnlt @ 20 to CA. | 1401938 | 19.30 | 19.70 | 0.40 | 120 | 0.120 |
| 59.88 | 59.91 | VG | | | 3cm wh to lt-gry, banded qtz vnlt @ 35 to CA; speck of V.G.; tr py-po. | 1401939 | 19.70 | 20.20 | 0.50 | 18 | 0.018 |
| 73.40 | 73.42 | | | | 2cm lt-gry dirty qtz-py vnlt @ 40 to CA; 2cm band of wispy carb stringers @ upper contact zone. | 1401940 | 20.20 | 20.60 | 0.40 | 45 | 0.045 |
| | | | | | | 1401941 | 20.60 | 21.60 | 1.00 | 47 | 0.047 |
| | | | | | | 1401942 | 21.60 | 22.60 | 1.00 | 22 | 0.022 |
| | | | | | | 1401943 | 22.60 | 23.60 | 1.00 | 349 | 0.349 |
| | | | | | | 1401944 | 23.60 | 24.60 | 1.00 | 299 | 0.299 |
| | | | | | | 1401945 | 24.60 | 25.10 | 0.50 | 180 | 0.180 |
| | | | | | | 1401946 | 25.10 | 25.61 | 0.51 | 1520 | 1.520 |
| | | | | | | 1401947 | 25.61 | 26.61 | 1.00 | 291 | 0.291 |
| | | | | | | 1401948 | 26.61 | 27.97 | 1.36 | 105 | 0.105 |
| | | | | | | 1401949 | 27.97 | 28.36 | 0.39 | 54 | 0.054 |
| | | | | | | 1401951 | 28.36 | 29.00 | 0.64 | 418 | 0.418 |
| | | | | | | 1401952 | 29.00 | 29.41 | 0.41 | 114 | 0.114 |
| | | | | | | 1401953 | 29.41 | 30.26 | 0.85 | 255 | 0.255 |
| | | | | | | 1401954 | 30.26 | 31.10 | 0.84 | 89 | 0.089 |
| | | | | | | 1401955 | 31.10 | 31.50 | 0.40 | 66 | 0.066 |
| | | | | | | 1401956 | 31.50 | 31.80 | 0.30 | 115 | 0.115 |
| | | | | | | 1401957 | 31.80 | 32.20 | 0.40 | 8 | 0.008 |
| | | | | | | 1401958 | 32.20 | 33.70 | 1.50 | 25 | 0.025 |
| | | | | | | 1401959 | 33.70 | 35.20 | 1.50 | 18 | 0.018 |
| | | | | | | 1401960 | 35.20 | 36.39 | 1.19 | 2 | 0.002 |
| | | | | | | 1401961 | 36.39 | 36.79 | 0.40 | 110 | 0.110 |
| | | | | | | 1401962 | 36.79 | 37.08 | 0.29 | 246 | 0.246 |
| | | | | | | 1401963 | 37.08 | 37.48 | 0.40 | 10 | 0.010 |
| | | | | | | 1401964 | 37.48 | 38.88 | 1.40 | 9 | 0.009 |
| | | | | | | 1401965 | 38.88 | 40.38 | 1.50 | 111 | 0.111 |
| | | | | | | 1401966 | 40.38 | 41.89 | 1.51 | 51 | 0.051 |
| | | | | | | 1401967 | 41.89 | 42.40 | 0.51 | 2 | 0.002 |
| | | | | | | 1401968 | 42.40 | 42.90 | 0.50 | 1410 | 1.410 |
| | | | | | | 1401969 | 42.90 | 43.40 | 0.50 | 138 | 0.138 |
| | | | | | | 1401971 | 43.40 | 44.40 | 1.00 | 144 | 0.144 |
| | | | | | | 1401972 | 44.40 | 45.36 | 0.96 | 4840 | 4.840 |
| | | | | | | 1401973 | 45.36 | 46.66 | 1.30 | 17 | 0.017 |
| | | | | | | 1401974 | 46.66 | 48.10 | 1.44 | 539 | 0.539 |
| | | | | | | 1401975 | 48.10 | 49.59 | 1.49 | 6 | 0.006 |
| | | | | | | 1401976 | 49.59 | 50.59 | 1.00 | 33 | 0.033 |
| | | | | | | 1401977 | 50.59 | 51.14 | 0.55 | 83 | 0.083 |
| | | | | | | 1401978 | 51.14 | 51.54 | 0.40 | 43 | 0.043 |
| | | | | | | 1401979 | 51.54 | 51.84 | 0.30 | 1380 | 1.380 |
| | | | | | | 1401980 | 51.84 | 52.24 | 0.40 | 48 | 0.048 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|-------------|-----------|--------------|-------------|-------------|------------------------|---------------------|-------|-------|------|------|-------|--|--|--|
| | | | | | | 1401981 | 52.24 | 53.24 | 1.00 | 18 | 0.018 | | | |
| | | | | | | 1401982 | 53.24 | 54.30 | 1.06 | 51 | 0.051 | | | |
| | | | | | | 1401983 | 54.30 | 55.30 | 1.00 | 442 | 0.442 | | | |
| | | | | | | 1401984 | 55.30 | 56.30 | 1.00 | 9 | 0.009 | | | |
| | | | | | | 1401985 | 56.30 | 57.30 | 1.00 | 5 | 0.005 | | | |
| | | | | | | 866098 | 57.30 | 58.30 | 1.00 | 7 | 0.007 | | | |
| | | | | | | 866099 | 58.30 | 59.30 | 1.00 | 87 | 0.087 | | | |
| | | | | | | 866100 | 59.30 | 59.70 | 0.40 | 64 | 0.064 | | | |
| | | | | | | 866101 | 59.70 | 60.00 | 0.30 | | 3.540 | | | |
| | | | | | | 866102 | 60.00 | 60.40 | 0.40 | 55 | 0.055 | | | |
| | | | | | | 866103 | 60.40 | 60.90 | 0.50 | 14 | 0.014 | | | |
| | | | | | | 866104 | 60.90 | 61.40 | 0.50 | 14 | 0.014 | | | |
| | | | | | | 866105 | 61.40 | 62.30 | 0.90 | 30 | 0.030 | | | |
| | | | | | | 866106 | 62.30 | 63.00 | 0.70 | 2 | 0.002 | | | |
| | | | | | | 866107 | 63.00 | 64.00 | 1.00 | 5 | 0.005 | | | |
| | | | | | | 866108 | 64.00 | 65.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 866109 | 65.00 | 65.75 | 0.75 | 9 | 0.009 | | | |
| | | | | | | 1401986 | 65.75 | 67.04 | 1.29 | 2 | 0.002 | | | |
| | | | | | | 1401987 | 67.04 | 68.34 | 1.30 | 26 | 0.026 | | | |
| | | | | | | 1401988 | 68.34 | 69.65 | 1.31 | 2 | 0.002 | | | |
| | | | | | | 1401989 | 69.65 | 71.15 | 1.50 | 2 | 0.002 | | | |
| | | | | | | 1401991 | 71.15 | 72.00 | 0.85 | 7 | 0.007 | | | |
| | | | | | | 1401992 | 72.00 | 72.87 | 0.87 | 5 | 0.005 | | | |
| | | | | | | 1401993 | 72.87 | 73.27 | 0.40 | 32 | 0.032 | | | |
| | | | | | | 1401994 | 73.27 | 73.57 | 0.30 | 1030 | 1.030 | | | |
| | | | | | | 1401995 | 73.57 | 73.97 | 0.40 | 11 | 0.011 | | | |
| | | | | | | 1401996 | 73.97 | 75.00 | 1.03 | 2 | 0.002 | | | |
| | | | | | | 1401997 | 75.00 | 76.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 1401998 | 76.00 | 77.00 | 1.00 | 14 | 0.014 | | | |
| | | | | | | 1401999 | 77.00 | 78.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 1402000 | 78.00 | 79.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 860905 | 79.00 | 80.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 860906 | 80.00 | 81.00 | 1.00 | 66 | 0.066 | | | |

81.0 0.0 EOH End of Hole

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-05 | Az: 270 | Dip: -45 | Length: 93.0 |
| Easting: 474177.9 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879362.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 276.66 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 12-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 13-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 272.8 | -44.1 | 57410.0 | 0.0 |
| 63.0 | 270.5 | -43.6 | 56820.0 | 0.0 |
| 93.0 | 270.8 | -43.2 | 56920.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|--------------|-------------|--|---------------------|---------------|-------------|-----------|-----------------|---------------|---------------|--|--|
| 0.0 | 1.5 | CAS | | | Casing | | | | | | | | | |
| 1.5 | 9.9 | BQET | <i>W</i> | | Blue Quartz Eye Tuff Weak Bleaching | <i>Bloch</i> | | | | | | | | |
| | | | | | competent core, good recovery, minor patches of moderate bleaching | | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | |
| | | | | | 9.65 9.85 Quartz Vein Breccia, healed with silica-biotite; sharp lower contact with mafic dyke 40 tca; minor f.g. pyrite | | 866211 | 8.00 | 9.00 | 1.00 | 50 | 0.050 | | |
| | | | | | | | 866212 | 9.00 | 9.65 | 0.65 | 62 | 0.062 | | |
| | | | | | | | 866213 | 9.65 | 10.00 | 0.35 | 1110 | 1.110 | | |
| 9.9 | 14.6 | MDYKE | | | Mafic Dyke | | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | |
| | | | | | Typical mafic dyke, magnetic sus. Approx. 0.25 (x10-3 SI units); sharp but irregular lower contact | | 866214 | 10.00 | 10.50 | 0.50 | 6 | 0.006 | | |
| | | | | | | | 866215 | 14.25 | 14.65 | 0.40 | 33 | 0.033 | | |
| 14.6 | 23.4 | BQET | <i>S Sil</i> | DISS | Blue Quartz Eye Tuff Strong Silicification | | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | |
| | | | | | KNOLL ZONE strong silicification and multi-stage quartz veining intrudes earlier silica-carb-sericite alteration | | 866216 | 14.65 | 15.50 | 0.85 | | 11.600 | | |
| | | | | | 14.65 15.25 mottled grey white qtz vein, 0.5% po>py>cp; upper portion of zone is locally broken but recovery is >90% | | 866217 | 15.50 | 16.40 | 0.90 | | 7.170 | | |
| | | | | | | | 866218 | 16.40 | 17.50 | 1.10 | | 19.100 | | |
| | | | | | | | 866219 | 17.50 | 18.15 | 0.65 | | 9.630 | | |
| | | | | | 15.25 16.40 mainly intense sil-carb-ser alteration with local deformed grey qtz veinlets; minor v.f.g pyrite | | 866220 | 18.15 | 18.80 | 0.65 | 1800 | 1.800 | | |
| | | | | | | | 866221 | 18.80 | 19.40 | 0.60 | 53 | 0.053 | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|--------------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 16.40 | 18.80 | | | | mottled grey-white qtz vein with minor qtz tourmaline; 1% py>po>cp, increasing to 2% from 17.8 to 18.0 | 866222 | 19.40 | 20.30 | 0.90 | 134 | 0.134 |
| | | | | | | 866223 | 20.30 | 21.00 | 0.70 | 123 | 0.123 |
| 18.80 | 21.50 | | | | strong sil-carb alteration associated with 5-10% one cm grey qtz veinlets generally at moderate angles tca; patchy f.g. po>cp>py up to 0.5%; local m.g. recrystallized pyrite | 866224 | 21.00 | 21.50 | 0.50 | 215 | 0.215 |
| | | | | | | 866225 | 21.50 | 22.00 | 0.50 | 772 | 0.772 |
| 21.50 | 22.75 | | | | milky white quartz vein with beige carb-ser selveges; 1% brassy pyrite as local disseminations; trace chalcopyrite | 866226 | 22.00 | 22.75 | 0.75 | 439 | 0.439 |
| | | | | | | 866227 | 22.75 | 23.40 | 0.65 | 194 | 0.194 |
| 22.75 | 23.40 | | | | deformed diffuse grey qtz veinlets in strong carb-ser alteration; one milky white quartz vein with fine brassy pyrite laminations and diss py>cp; 3% sulphides overall | | | | | | |
| <hr/> | | | | | | | | | | | |
| 23.4 | 74.5 | BQET | <i>W</i> | | Blue Quartz Eye Tuff Weak Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | <i>Blich</i> | | variably bleached; local quartz veining | 866228 | 23.40 | 24.00 | 0.60 | 462 | 0.462 |
| | | | | | | 866229 | 24.00 | 25.00 | 1.00 | 34 | 0.034 |
| 43.50 | 45.90 | | | | weak to moderate patchy bleaching associated with silica healed hairline fractures; local c.g. pyrite along fractures | 866231 | 25.00 | 26.00 | 1.00 | 305 | 0.305 |
| | | | | | | 866232 | 26.00 | 27.00 | 1.00 | 65 | 0.065 |
| 45.90 | 58.70 | | | | strong silica-carb bleached zone, silicified fractures and 5% grey white irregular openly folded quartz veinlets 30 to 40 tca; up to 1% po>cp>py | 866233 | 27.00 | 28.00 | 1.00 | 316 | 0.316 |
| | | | | | | 866234 | 28.00 | 29.00 | 1.00 | 78 | 0.078 |
| | | | | | 52.2 - 52.6 QTV quartz tourmaline vein 50-60 tca minor po>cp | 866235 | 29.00 | 30.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866236 | 30.00 | 31.00 | 1.00 | 41 | 0.041 |
| | | | | | 52.6 - 53.3 QTV quartz tourmaline vein and boudinaged quartz veinlets along strong 40 tca foliation | 866237 | 43.50 | 44.50 | 1.00 | 2 | 0.002 |
| | | | | | | 866238 | 44.50 | 45.00 | 0.50 | 2 | 0.002 |
| | | | | | 53.3 - 56.4 strong sil-carb-ser bleaching; local 1 cm white qtz veinlets with black tourmaline margins parallel to foliation | 866239 | 45.00 | 45.90 | 0.90 | 2 | 0.002 |
| | | | | | | 866240 | 45.90 | 46.90 | 1.00 | 2 | 0.002 |
| | | | | | 56.4 - 56.8 QTV quartz tourmaline vein with contacts and stylolites 50 tca; 0.5% po>cp | 866241 | 46.90 | 47.30 | 0.40 | 2 | 0.002 |
| | | | | | | 866242 | 47.30 | 48.00 | 0.70 | 2 | 0.002 |
| | | | | | 56.8 - 58.2 strong bleaching, relatively soft, 0.25% v.f.g po>cp | 866243 | 48.00 | 49.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866244 | 49.00 | 50.00 | 1.00 | 16 | 0.016 |
| | | | | | 58.2 - 58.7 QTV quartz tourmaline vein with irregular crosscutting contacts; 1% diss f.g-m.g. po>cp>py with locall coarse blebby po>cp | 866245 | 50.00 | 51.00 | 1.00 | 9 | 0.009 |
| | | | | | | 866246 | 51.00 | 51.50 | 0.50 | 14 | 0.014 |
| 58.70 | 66.00 | | | | moderate to strong bleaching; well developed foliation 40 tca | 866247 | 51.50 | 52.20 | 0.70 | 19 | 0.019 |
| | | | | | | 866248 | 52.20 | 52.60 | 0.40 | 1110 | 1.110 |
| | | | | | 61.3 - 61.7 QTV parallel to foliation; minor pyrite | 866249 | 52.60 | 53.30 | 0.70 | 141 | 0.141 |
| 66.00 | 66.30 | | | | quartz-tourmaline flooding; 0.5% v.f.g py>po>cp | 866251 | 53.30 | 54.00 | 0.70 | 16 | 0.016 |
| 66.30 | 69.85 | | | | patchy weak to moderate bleaching; patchy pyrite to 0.5% | 866252 | 54.00 | 55.20 | 1.20 | 46 | 0.046 |
| 69.85 | 70.00 | | | | QTV 40 tca; 0.5% po-cp | 866253 | 55.20 | 56.37 | 1.17 | 259 | 0.259 |
| 70.00 | 74.50 | | | | high strain zone; strain increasing downhole; pale grey beige silica-carb-ser schist with 1-2% folded diffuse grey-white qtz veinlets with minor toumaline and v.f.g sulphides; blue qtz eyes becoming increasingly stretched downhole | 866254 | 56.37 | 56.80 | 0.43 | 660 | 0.660 |
| | | | | | | 866255 | 56.80 | 58.20 | 1.40 | 31 | 0.031 |
| | | | | | | 866256 | 58.20 | 58.70 | 0.50 | 3720 | 3.720 |
| | | | | | | 866257 | 58.70 | 60.00 | 1.30 | 20 | 0.020 |
| | | | | | | 866258 | 60.00 | 60.80 | 0.80 | 13 | 0.013 |
| | | | | | | 866259 | 60.80 | 61.30 | 0.50 | 16 | 0.016 |
| | | | | | | 866260 | 61.30 | 61.70 | 0.40 | 101 | 0.101 |
| | | | | | | 866261 | 61.70 | 63.00 | 1.30 | 11 | 0.011 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|----------|----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 866262 | 63.00 | 64.00 | 1.00 | 9 | 0.009 |
| | | | | | | 866263 | 64.00 | 65.00 | 1.00 | 144 | 0.144 |
| | | | | | | 866264 | 65.00 | 66.00 | 1.00 | 30 | 0.030 |
| | | | | | | 866265 | 66.00 | 66.50 | 0.50 | 9 | 0.009 |
| | | | | | | 866266 | 66.50 | 67.50 | 1.00 | 8 | 0.008 |
| | | | | | | 866267 | 67.50 | 68.50 | 1.00 | 17 | 0.017 |
| | | | | | | 866268 | 68.50 | 69.85 | 1.35 | 14 | 0.014 |
| | | | | | | 866269 | 69.85 | 70.10 | 0.25 | 53 | 0.053 |
| | | | | | | 866271 | 70.10 | 71.00 | 0.90 | 8 | 0.008 |
| | | | | | | 866272 | 71.00 | 72.00 | 1.00 | 10 | 0.010 |
| | | | | | | 866273 | 72.00 | 73.00 | 1.00 | 93 | 0.093 |
| | | | | | | 866274 | 73.00 | 74.50 | 1.50 | 14 | 0.014 |
| 74.5 | 77.8 | LBIF | | | TR Lean Iron Formation | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | LEAN SILICATE FACIES IRON FORMATION | 866275 | 74.50 | 76.25 | 1.75 | 30 | 0.030 |
| | | | | | green-brown cherty with 1 to 2% v.f.g. pyrite in minor bands; becomes increasingly magnetic down hole with M.S. to 12; bedding 50 tca | 866276 | 76.25 | 76.80 | 0.55 | 13 | 0.013 |
| | | | | | | 866277 | 76.80 | 77.80 | 1.00 | 166 | 0.166 |
| 77.8 | 93.0 | UM | | | Ultramafic Extrusive | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | CARB-TALC SCHIST | 866278 | 77.80 | 78.50 | 0.70 | 2 | 0.002 |
| | | | | | soft, mottled, foliated 30 to 40 tca, competent | 866279 | 78.50 | 79.50 | 1.00 | 2 | 0.002 |
| | | | | | lost core 79.5 to 80.5 | | | | | | |
| | | | | | 80.50 81.00 Mafic Dyke green actinolite rich some lost core and rubbly sections; M.S. = 10 to 20 | | | | | | |
| | | | | | 81.00 93.00 massive talc-chlorite-carb schist, pale grey green; M.S. = 5 to 35 | | | | | | |
| 93.0 | 0.0 | EOH | | | End of Hole | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-06 | Az: 270 | Dip: -70 | Length: 60.0 |
| Easting: 474177.9 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879362.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 276.66 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 14-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 14-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 269.9 | -69.9 | 57560.0 | 0.0 |
| 60.0 | 274.5 | -69.8 | 56840.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-----------|----------|----------|------------------------|
|----------|--------|-----------|----------|----------|------------------------|

Geochemical Results

| | | | | | |
|-----|-----|------------|--|--|--------|
| 0.0 | 3.7 | CAS | | | Casing |
|-----|-----|------------|--|--|--------|

| | | | | | |
|-----|------|-------------|---------------|-----------|--|
| 3.7 | 15.3 | BQET | <i>W Blch</i> | TR | Blue Quartz Eye Tuff Weak Bleaching |
|-----|------|-------------|---------------|-----------|--|

massive, black, biotite altered, with local sections of weak bleaching; minor hairline qtz healed fracs

7.30 9.00 qtz stringers 0 to 10 tca associated with moderate bleaching
8.2 - 8.7 stronger bands of bleaching 10 tca with 1-2% arsenopyrite needles disseminated in alteration; minor py>po

12.30 15.00 moderate bleaching, 1% py overgrowing po and py-po stringers; foliation 20 tca controls bleaching

15.00 15.30 strongly bleached contact with mafic dyke; sharp contact 50 tca

| Sample | From | To | Interval | Au ppb | Au g/t |
|--------|-------|-------|----------|--------|--------|
| 866143 | 3.70 | 4.10 | 0.50 | 74 | 0.074 |
| 866144 | 4.10 | 5.00 | 0.90 | 29 | 0.029 |
| 866145 | 5.00 | 6.10 | 1.10 | 89 | 0.089 |
| 866146 | 6.10 | 7.30 | 1.20 | 96 | 0.096 |
| 866147 | 7.30 | 7.80 | 0.50 | 166 | 0.166 |
| 866148 | 7.80 | 8.20 | 0.40 | 245 | 0.245 |
| 866149 | 8.20 | 8.70 | 0.50 | 2150 | 2.150 |
| 866150 | 8.70 | 9.00 | 0.30 | 14 | 0.014 |
| 866151 | 9.00 | 9.50 | 0.50 | 2 | 0.002 |
| 866152 | 9.50 | 10.00 | 0.50 | 6 | 0.006 |
| 866153 | 10.00 | 11.00 | 1.00 | 28 | 0.028 |
| 866154 | 11.00 | 11.75 | 0.75 | 9 | 0.009 |
| 866155 | 11.75 | 12.50 | 0.75 | 18 | 0.018 |
| 866156 | 12.50 | 13.50 | 1.00 | 41 | 0.041 |
| 866157 | 13.50 | 14.50 | 1.00 | 28 | 0.028 |
| 866159 | 14.50 | 15.30 | 0.80 | 66 | 0.066 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|---|--------|--------------|----------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | Sample | From | To | Interval | Au ppb | Au g/t |
| 15.3 | 27.8 | MDYKE | | | Mafic Dyke | | | | | | |
| sharp, chilled, black, weakly silicified, calcite-poor upper contact, pyritic, 50 tca; | | | | | | 866161 | 15.30 | 15.90 | 0.60 | 13 | 0.013 |
| increase in calcium carbonate downhole; low angle (15 tca) extensional calcitic veinlets are common throughout unit | | | | | | 866162 | 22.30 | 23.00 | 0.70 | 2 | 0.002 |
| 26.35 calcite is replaced, unit becomes black, pyritic, hard (chilled) | | | | | | 866163 | 23.00 | 24.00 | 1.00 | 2 | 0.002 |
| 26.9 fabric develops 25 tca, grading into pale green (fuschite/epidote) iron- carb rich chill zone; minor qtz-bio-tourmaline veinlets or stylonites with v.f.g. arsenopyrite needles along 025 tca fabric; 0.5% euhedral, m.g. pyrite | | | | | | 866164 | 24.00 | 25.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866165 | 25.00 | 26.00 | 1.00 | 16 | 0.016 |
| | | | | | | 866166 | 26.00 | 26.90 | 0.90 | 13 | 0.013 |
| | | | | | | 866167 | 26.90 | 27.75 | 0.85 | 54 | 0.054 |
| 27.75 sharp contact 25 toc with qtz vein; vein has a biotite-rich margin with a cluster of v.f.g arsenopyrite needles | | | | | | | | | | | |
| 27.8 | 41.3 | BQET | <i>S Sil</i> | TR | Blue Quartz Eye Tuff Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| KNOLL ZONE- generally good recovery, high RQD; minor local badly broken core in brittle quartz veins; 85-90% overall recovery | | | | | | 866168 | 27.75 | 28.60 | 0.85 | 427 | 0.427 |
| 27.75 28.60 mottled grey-white qtz vein 15 to 25 tca; wispy yellow green sericite or black tourmaline rich selveges; 0.5% brassy disseminated or fracture controlled v.f.g pyrite; broken, minor lost core | | | | | | 866169 | 28.60 | 29.00 | 0.40 | 3110 | 3.110 |
| | | | | | | 866170 | 29.00 | 29.50 | 0.50 | 1120 | 1.120 |
| | | | | | | 866171 | 29.50 | 30.00 | 0.50 | 116 | 0.116 |
| | | | | | | 866172 | 30.00 | 30.50 | 0.50 | 88 | 0.088 |
| 28.60 31.20 deformed grey-white quartz veins with 50% intense carb-sericite selveges; local patches of blebby py>cp>po mainly in the larger white qtz veins | | | | | | 866173 | 30.50 | 31.20 | 0.70 | 101 | 0.101 |
| | | | | | | 866174 | 31.20 | 32.00 | 0.80 | 577 | 0.577 |
| 31.20 33.00 spaced set of QTV (quartz tourmaline veins) 25 tca crosscuts earlier carb-sericite alteration with deformed,diffuse qtz veinlets; 1-2% blebby pyrite with minor cp intergrowths in QTV; 0.5 to 1% v.f.g pyrite in carb-sericite material | | | | | | 866175 | 32.00 | 33.00 | 1.00 | 237 | 0.237 |
| | | | | | | 866177 | 33.00 | 34.00 | 1.00 | 30 | 0.030 |
| | | | | | | 866178 | 34.00 | 35.00 | 1.00 | 71 | 0.071 |
| 33.00 34.00 pale beige carb-sericite alteration with deformed early qtz veinlets; 0.5% v.f.g. py>po>cp as disseminations | | | | | | 866179 | 35.00 | 35.50 | 0.50 | 64 | 0.064 |
| | | | | | | 866181 | 35.50 | 36.00 | 0.50 | 194 | 0.194 |
| 34.00 38.00 less bleached, biotite-rich BQET with a spaced set of 0.5 to 1 cm grey qtz veinlets 25 tca; weak to moderate strain; 1% patchy to stringer recrystallized f.g. to m.g. pyrite | | | | | | 866182 | 36.00 | 36.70 | 0.70 | 202 | 0.202 |
| | | | | | | 866183 | 36.70 | 37.15 | 0.45 | 252 | 0.252 |
| | | | | | | 866184 | 37.15 | 38.00 | 0.85 | 144 | 0.144 |
| | | | | | | 866185 | 38.00 | 38.40 | 0.40 | 432 | 0.432 |
| 38.00 41.25 essentially one large or composite QTV with selveges of carb-sericite and deformed early qtz veinlet material; internal fabric 25 tca; QTV has 1-2% brassy pyrite blebs associated with brown black biotite-tourmaline inclusions with blebby po>cp | | | | | | 866186 | 38.40 | 38.90 | 0.50 | 164 | 0.164 |
| | | | | | | 866187 | 38.90 | 39.50 | 0.60 | 789 | 0.789 |
| | | | | | | 866188 | 39.50 | 40.20 | 0.70 | | 12.900 |
| | | | | | | 866189 | 40.20 | 40.70 | 0.50 | | 11.700 |
| | | | | | | 866190 | 40.70 | 41.25 | 0.55 | 1110 | 1.110 |
| 41.3 | 60.0 | BQET | <i>W Blich</i> | TR | Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| variably altered, as weak to moderate patchy bleaching; 0.5 to 1% local f.g. to m.g. disseminated pyrite | | | | | | 866191 | 41.25 | 42.00 | 0.75 | 48 | 0.048 |
| | | | | | | 866192 | 42.00 | 43.00 | 1.00 | 55 | 0.055 |
| | | | | | | 866193 | 43.00 | 44.00 | 1.00 | 17 | 0.017 |
| | | | | | | 866194 | 44.00 | 45.00 | 1.00 | 79 | 0.079 |
| | | | | | | 866195 | 45.00 | 46.00 | 1.00 | 44 | 0.044 |
| | | | | | | 866196 | 46.00 | 47.00 | 1.00 | 49 | 0.049 |
| | | | | | | 866197 | 47.00 | 48.00 | 1.00 | 6 | 0.006 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|------------------------|---------------------|-------|-------|------|-----|-------|
| | | | | | | 866198 | 48.00 | 49.00 | 1.00 | 13 | 0.013 |
| | | | | | | 866199 | 49.00 | 50.00 | 1.00 | 11 | 0.011 |
| | | | | | | 866200 | 50.00 | 51.00 | 1.00 | 8 | 0.008 |
| | | | | | | 866201 | 51.00 | 52.00 | 1.00 | 117 | 0.117 |
| | | | | | | 866202 | 52.00 | 53.00 | 1.00 | 498 | 0.498 |
| | | | | | | 866203 | 53.00 | 54.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866204 | 54.00 | 55.00 | 1.00 | 38 | 0.038 |
| | | | | | | 866205 | 55.00 | 56.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866206 | 56.00 | 57.00 | 1.00 | 9 | 0.009 |
| | | | | | | 866207 | 57.00 | 58.00 | 1.00 | 12 | 0.012 |
| | | | | | | 866208 | 58.00 | 59.00 | 1.00 | 63 | 0.063 |
| | | | | | | 866209 | 59.00 | 60.00 | 1.00 | 11 | 0.011 |

60.0 0.0 **EOH** End of Hole

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-07 | Az: 275 | Dip: -80 | Length: 99.0 |
| Easting: 474177.9 | Hole Type: Core | Logged by: PT / DJ | |
| Northing: 5879362.5 | Survey Type: Flexit | Log Date: 3/19/2014 | |
| Elevation: 276.66 | | Sampled by: D. Jameison | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 14-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 15-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 277.9 | -79.5 | 57170.0 | 0.0 |
| 63.0 | 278.2 | -79.7 | 56820.0 | 0.0 |
| 99.0 | 279.1 | -80.0 | 56220.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|------------|----------|----------|------------------------|
| 0.0 | 2.7 | CAS | | | Casing |

Geochemical Results

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|-------------------------|-----------|---|--------|-------|-------|----------|--------|--------|
| 2.7 | 23.1 | BQET | <i>M</i> <i>Bldh</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | | | | | | |
| | | | | | Med brn-gry-beige with mod lt-blu qtz eyes; local, patchy sections of mod-str bleaching; wk fol'n @ 20 to CA; minor, narrow, lt-gry qtz, qtz-py vnlts; minor cal stringers and vnlts; 2% diss py. | 866280 | 2.65 | 3.15 | 0.50 | 1640 | 1.640 |
| | | | | | | 866281 | 3.15 | 4.15 | 1.00 | 642 | 0.642 |
| | | | | | | 866282 | 4.15 | 5.15 | 1.00 | 2 | 0.002 |
| | | | | | | 866283 | 5.15 | 6.00 | 0.85 | 36 | 0.036 |
| | | | | | | 866284 | 6.00 | 7.00 | 1.00 | 8 | 0.008 |
| | | | | | | 866285 | 7.00 | 8.00 | 1.00 | 17 | 0.017 |
| | | | | | | 866286 | 8.00 | 9.00 | 1.00 | 6 | 0.006 |
| | | | | | | 866287 | 9.00 | 9.95 | 0.95 | 14 | 0.014 |
| | | | | | | 866288 | 9.95 | 10.95 | 1.00 | 85 | 0.085 |
| | | | | | | 866289 | 10.95 | 12.00 | 1.05 | 38 | 0.038 |
| | | | | | | 866291 | 12.00 | 13.00 | 1.00 | 2 | 0.002 |
| | | | | | | 866292 | 13.00 | 14.00 | 1.00 | 27 | 0.027 |
| | | | | | | 866293 | 14.00 | 15.00 | 1.00 | 663 | 0.663 |
| | | | | | | 866294 | 15.00 | 16.00 | 1.00 | 2750 | 2.750 |
| | | | | | | 866295 | 16.00 | 17.00 | 1.00 | 954 | 0.954 |
| | | | | | | 866296 | 17.00 | 18.00 | 1.00 | 2360 | 2.360 |
| | | | | | | 866297 | 18.00 | 19.00 | 1.00 | 896 | 0.896 |
| | | | | | | 866298 | 19.00 | 20.00 | 1.00 | 309 | 0.309 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|--------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 866299 | 20.00 | 21.00 | 1.00 | 66 | 0.066 |
| | | | | | | 866300 | 21.00 | 21.55 | 0.55 | 80 | 0.080 |
| | | | | | | 866301 | 21.55 | 22.45 | 0.90 | 10 | 0.010 |
| | | | | | | 866302 | 22.45 | 22.85 | 0.40 | 203 | 0.203 |
| | | | | | | 866303 | 22.85 | 23.15 | 0.30 | 251 | 0.251 |
| 23.1 | 24.1 | QV | | TR | Quartz Vein | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | UC @ 20, LC @ 10 to CA; vein breccia of wh and lt-gry to smokey-grey qtz fragments cemented by lt-gry silica; 0.5% diss py-po. | 866304 | 23.15 | 23.65 | 0.50 | 1890 | 1.890 |
| | | | | | | 866305 | 23.65 | 24.15 | 0.50 | 2050 | 2.050 |
| 24.1 | 51.8 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn, biotite-rich; UC @ 10; LC @ 15 to CA; wk fol'n @ 20 to CA; minor cal stringers along fol'n; occasional wh qtz vnl't; tr diss py; minor cal-py stringers. | 866306 | 24.15 | 24.50 | 0.35 | 97 | 0.097 |
| | | | | | | 866307 | 24.50 | 24.90 | 0.40 | 50 | 0.050 |
| | | | | | | 866308 | 49.60 | 50.80 | 1.20 | 39 | 0.039 |
| | | | | | | 866309 | 50.80 | 51.30 | 0.50 | 583 | 0.583 |
| | | | | | | 866311 | 51.30 | 51.80 | 0.50 | 71 | 0.071 |
| 51.8 | 62.7 | BQET | S Sil | TR | Blue Quartz Eye Tuff Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | KNOLL ZONE - intensely altered; approximate composition would be 90% silica, 5% carbonate, 2% biotite 1% sericite, 1% chlorite, 0.5% sulphides, 0.5% tourmaline | 866312 | 51.80 | 52.30 | 0.50 | | 5.030 |
| | | | | | | 866313 | 52.30 | 53.00 | 0.70 | | 16.500 |
| | | | | | 51.90 55.00 VG milky white qtz vein with 30% grey mottled sulphide rich overprint; fracture controlled brassy pyrite as f.g. aggregates is associated with greyish mottle qtz; minor v.f.g. po>cp | 866314 | 53.00 | 54.00 | 1.00 | | 11.800 |
| | | | | | Two 1mm size specks VG at 54.4 | 866315 | 54.00 | 54.65 | 0.65 | | 27.500 |
| | | | | | | 866316 | 54.65 | 55.00 | 0.35 | | 50.900 |
| | | | | | 55.00 56.20 mottled grey-white silica flooding with yellow beige carb-sericite selveges; minor tourmaline; minor py>po>cp as v.f.g. disseminations | 866317 | 55.00 | 55.70 | 0.70 | | 16.200 |
| | | | | | | 866318 | 55.70 | 56.20 | 0.50 | 442 | 0.442 |
| | | | | | 56.20 61.60 milky white to grey broken or contorted qtz veins with 5 to 15% light to med. green chlorite-carb+/-biotite selveges; locally well mineralized sections with up to 5% f.g. brassy py; 0.5% po>cp throughout with local po>cp stringers; appears to be an increase in po>cp downhole | 866319 | 56.20 | 57.00 | 0.80 | 385 | 0.385 |
| | | | | | | 866320 | 57.00 | 57.50 | 0.50 | 2950 | 2.950 |
| | | | | | | 866321 | 57.50 | 58.00 | 0.50 | 1110 | 1.110 |
| | | | | | | 866322 | 58.00 | 58.50 | 0.50 | 82 | 0.082 |
| | | | | | 60.5 -61.6 1-2% po, 0.5% cp, local tourmaline and local dark grey biotite-tourmaline rich selveges | 866323 | 58.50 | 59.00 | 0.50 | 170 | 0.170 |
| | | | | | | 866324 | 59.00 | 59.50 | 0.50 | 711 | 0.711 |
| | | | | | 61.60 62.70 mottled milky white to grey with yellow beige carb-ser selveges; 1-2% f.g. brassy pyrite stringers | 866325 | 59.50 | 60.00 | 0.50 | 311 | 0.311 |
| | | | | | | 866326 | 60.00 | 60.50 | 0.50 | 386 | 0.386 |
| | | | | | | 866327 | 60.50 | 61.00 | 0.50 | 297 | 0.297 |
| | | | | | | 866328 | 61.00 | 61.60 | 0.60 | 327 | 0.327 |
| | | | | | | 866329 | 61.60 | 62.40 | 0.80 | 553 | 0.553 |
| | | | | | | 866331 | 62.40 | 62.70 | 0.30 | 79 | 0.079 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|-----------|----------|---|---------------------|-------|-------|----------|--------|--------|
| 62.7 | 69.8 | BQET | W Blch | TR | Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | massive, local silica-carb alteration (pervasive) associated with 1 cm white qtz veinlets openly to tightly folded 30 to 60 tca; 1% m.g. euhedral pyrite | 866332 | 62.70 | 63.15 | 0.45 | 36 | 0.036 |
| | | | | | | 866333 | 63.15 | 64.40 | 1.25 | 226 | 0.226 |
| | | | | | | 866334 | 64.40 | 65.50 | 1.10 | 296 | 0.296 |
| | | | | | | 866335 | 65.50 | 66.70 | 1.20 | 27 | 0.027 |
| | | | | | | 866336 | 66.70 | 68.00 | 1.30 | 117 | 0.117 |
| | | | | | | 866337 | 68.00 | 69.00 | 1.00 | 9 | 0.009 |
| | | | | | | 866338 | 69.00 | 69.85 | 0.85 | 18 | 0.018 |
| 69.8 | 99.0 | BQET | S Blch | | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | ALTERATION ZONE - silicified fractures and folded qtz veinlets within strong silica-carb-sericite alteration with yellow-beige colour; patchy f.g. to m.g. pyrite up to 0.5%; MS very low indicating very little pyrrhotite | 866339 | 69.85 | 71.00 | 1.15 | 12 | 0.012 |
| | | | | | | 866340 | 71.00 | 72.20 | 1.20 | 104 | 0.104 |
| | | | | | | 866341 | 72.20 | 73.50 | 1.30 | 8 | 0.008 |
| | | | | | | 866342 | 73.50 | 74.70 | 1.20 | 101 | 0.101 |
| | | | | | 76.00 76.65 minor patches of 0.5% v.f.g. pyrrhotite in massive silica-carb-sericite alteration | 866343 | 74.70 | 76.00 | 1.30 | 20 | 0.020 |
| | | | | | | 866344 | 76.00 | 76.65 | 0.65 | 49 | 0.049 |
| | | | | | 76.65 77.60 QTV quartz tourmaline vein; sharp contact 15 tca; minor po>cp>py, 2% tourmaline, minor carb-ser selveges | 866345 | 76.65 | 77.60 | 0.95 | 41 | 0.041 |
| | | | | | | 866346 | 77.60 | 78.00 | 0.40 | 8 | 0.008 |
| | | | | | 77.60 81.50 set of grey-white 1cm qtz veinlets 35 to 45 tca, slightly folded with black tourmaline-rich margins; strong alteration but weakening toward lower portion of interval; 1% m.g. py; minor po | 866347 | 78.00 | 78.60 | 0.60 | 5 | 0.005 |
| | | | | | | 866348 | 78.60 | 79.50 | 0.90 | 11 | 0.011 |
| | | | | | | 866349 | 79.50 | 80.80 | 1.30 | 36 | 0.036 |
| | | | | | 81.50 90.00 increase in pervasive silica-carb-sericite alteration; minor patchy v.f.g pyrrhotite; minor grey white weakly deformed quartz veins; siliceous fractures toward lower part of interval | 866351 | 80.80 | 81.80 | 1.00 | 19 | 0.019 |
| | | | | | | 866352 | 81.80 | 82.80 | 1.00 | 6 | 0.006 |
| | | | | | 90.00 99.00 patchy weak to moderate alteration; minor white 1 to 2 cm qtz veinlets 60 tca, some openly folded, minor m.g. to c.g. pyrite | 866353 | 82.80 | 83.80 | 1.00 | 9 | 0.009 |
| | | | | | | 866354 | 83.80 | 85.00 | 1.20 | 6 | 0.006 |
| | | | | | | 866355 | 85.00 | 85.50 | 0.50 | 327 | 0.327 |
| | | | | | | 866356 | 85.50 | 86.00 | 0.50 | 26 | 0.026 |
| | | | | | | 866357 | 86.00 | 87.00 | 1.00 | 49 | 0.049 |
| | | | | | | 866358 | 87.00 | 88.00 | 1.00 | 50 | 0.050 |
| | | | | | | 866359 | 88.00 | 89.00 | 1.00 | 28 | 0.028 |
| | | | | | | 866360 | 89.00 | 90.00 | 1.00 | 7 | 0.007 |
| | | | | | | 866361 | 90.00 | 91.00 | 1.00 | 151 | 0.151 |
| | | | | | | 866362 | 91.00 | 92.00 | 1.00 | 188 | 0.188 |
| | | | | | | 866363 | 92.00 | 93.00 | 1.00 | 303 | 0.303 |
| | | | | | | 866364 | 93.00 | 94.00 | 1.00 | 161 | 0.161 |
| | | | | | | 866365 | 94.00 | 95.00 | 1.00 | 8 | 0.008 |
| | | | | | | 866366 | 95.00 | 96.00 | 1.00 | 37 | 0.037 |
| | | | | | | 866367 | 96.00 | 97.00 | 1.00 | 44 | 0.044 |
| | | | | | | 866368 | 97.00 | 98.00 | 1.00 | 42 | 0.042 |
| | | | | | | 866369 | 98.00 | 99.00 | 1.00 | 45 | 0.045 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|--------------|-------------|-------------|-------------------------------|----------------------------|
| 99.0 | 0.0 | EOH | | | End of Hole | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-08 | Az: 264 | Dip: -45 | Length: 120.0 |
| Easting: 474189.68 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879407.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 278.14 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 16-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 16-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 263.9 | -44.4 | 58360.0 | 0.0 |
| 63.0 | 264.1 | -43.6 | 56970.0 | 0.0 |
| 114.0 | 264.3 | -42.5 | 56520.0 | 0.0 |
| 120.0 | 264.7 | -42.4 | 56300.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | |
|----------|--------|--------------|----------|----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|
| 0.0 | 3.8 | CAS | | | Casing | | | | | | | | |
| 3.8 | 35.7 | BQET | | | Blue Quartz Eye Tuff | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | |
| | | | | | massive, c.g. with weak to moderate foliation 50 tca; some feldspar remains in upper portions of unit, grey-green colour with chlorite>>biotite | 866433 | 10.14 | 10.54 | 0.40 | 12 | 0.012 | | |
| | | | | | 10.14 13.26 minor qtz-pyrite stringers at various core angles; no significant bleaching | 866434 | 10.54 | 10.95 | 0.41 | 18 | 0.018 | | |
| | | | | | | 866435 | 10.95 | 11.30 | 0.35 | 2 | 0.002 | | |
| | | | | | 16.00 27.00 local weak bleaching; minor grey-white 1 to 2 cm with tourmaline-pyrite margins locally | 866436 | 11.30 | 12.45 | 1.15 | 271 | 0.271 | | |
| | | | | | | 866437 | 12.45 | 12.84 | 0.39 | 6 | 0.006 | | |
| | | | | | 34.10 35.68 moderate bleaching; one folded 3 cm grey qtz vein with black tourmaline margins at 34.8; 0.5 to 1% v.f.g. Py>po | 866438 | 12.84 | 13.26 | 0.42 | 38 | 0.038 | | |
| | | | | | | 866439 | 17.10 | 17.45 | 0.35 | 2 | 0.002 | | |
| | | | | | | 866440 | 17.45 | 17.80 | 0.35 | 34 | 0.034 | | |
| | | | | | | 866441 | 17.80 | 18.85 | 1.05 | 20 | 0.020 | | |
| | | | | | | 866442 | 34.10 | 34.49 | 0.39 | 1760 | 1.760 | | |
| | | | | | | 866443 | 34.49 | 34.89 | 0.40 | 1780 | 1.780 | | |
| | | | | | | 866444 | 34.89 | 35.29 | 0.40 | 712 | 0.712 | | |
| | | | | | | 866445 | 35.29 | 35.68 | 0.39 | 235 | 0.235 | | |
| 35.7 | 36.2 | MDYKE | | | Mafic Dyke | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | |
| | | | | | typical dyke, contacts 45 tca; calcite veining 35 to 45 tca | 866446 | 35.68 | 36.23 | 0.55 | 73 | 0.073 | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|------------------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 36.2 | 36.8 | BQET | <i>S Blch</i> | TR | Blue Quartz Eye Tuff Strong Bleaching KNOLL ZONE - moderate to strong bleaching; 1% py>po toward lower contact | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866447 | 36.23 | 36.84 | 0.61 | 1700 | 1.700 |
| 36.8 | 37.6 | MDYKE | | | Mafic Dyke contacts sharp 45 tca | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866448 | 36.84 | 37.21 | 0.37 | 300 | 0.300 |
| | | | | | | 866449 | 37.21 | 37.56 | 0.35 | 1120 | 1.120 |
| 37.6 | 39.0 | BQET | <i>S Sil Fld</i> | DISS | Blue Quartz Eye Tuff Strong Silica Flooding KNOLL ZONE - mainly qtz vein material from 37.56 to 38.95; sharp contacts 45 to 50 tca; smokey grey with 1 to 2% py-po as fracture controlled stringers; green chlorite/actinolite stringers associated with pervasive silica-carb alteration 38.45 38.95 strong mottled silica-carb alteration; 1% po-py as disseminations and patches. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866451 | 37.56 | 38.45 | 0.89 | | 9.720 |
| | | | | | | 866452 | 38.45 | 39.00 | 0.55 | | 7.840 |
| 39.0 | 39.2 | MDYKE | | | Mafic Dyke | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866453 | 39.00 | 39.30 | 0.30 | 2990 | 2.990 |
| 39.2 | 39.7 | BQET | <i>S Sil</i> | TR | Blue Quartz Eye Tuff Strong Silicification KNOLL ZONE - grey-white qtz veining with chloritic fractures and tourmaline fractures; patchy and stringer po>py up to 1% locally | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866454 | 39.30 | 39.74 | 0.44 | | 11.100 |
| 39.7 | 45.3 | MDYKE | | | Mafic Dyke massive with minor calcitic fractures; very fresh looking; contacts broken, no core angles discernable | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866455 | 39.74 | 40.14 | 0.40 | 12 | 0.012 |
| | | | | | | 866456 | 44.80 | 45.30 | 0.50 | 22 | 0.022 |
| 45.3 | 47.2 | BQET | <i>S Sil</i> | TR | Blue Quartz Eye Tuff Strong Silicification KNOLL ZONE - grey qtz vein at upper contact to 45.7; tourmaline stylolites 25 tca; minor po>py 45.70 46.50 strong silica-carb alteration with 1 cm QTV at 46.48; 0.5% py>po>cp | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 866457 | 45.30 | 45.70 | 0.40 | 1300 | 1.300 |
| | | | | | | 866458 | 45.70 | 46.50 | 0.80 | 461 | 0.461 |
| | | | | | | 866459 | 46.50 | 47.20 | 0.70 | 37 | 0.037 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|---|---------------------|--------|--------|----------|--------|--------|
| | | | | | | Sample | From | To | Interval | Au ppb | Au g/t |
| 47.2 | 120.0 | BQET | | | Blue Quartz Eye Tuff | | | | | | |
| | | | | | massive, black, coarse grained, becoming feldspar crystal rich downhole | 866460 | 47.20 | 47.60 | 0.40 | 14 | 0.014 |
| | | | | | | 866461 | 70.20 | 70.65 | 0.45 | 44 | 0.044 |
| | | | | | 64.5 angular siltstone rip-ups 2 to 3 cm in diameter | 866462 | 70.65 | 72.00 | 1.35 | 8 | 0.008 |
| | | | | | 66 patchy minor weak bleaching | 866463 | 72.00 | 72.70 | 0.70 | 31 | 0.031 |
| | | | | | 66.8 weak to moderate foliation begins to develop 60 tca, feldspars decrease | 866464 | 72.70 | 73.00 | 0.30 | 53 | 0.053 |
| | | | | | 76.1 1 cm white quartz vein with black tourmaline margins 45 tca; minor py | 866465 | 73.00 | 74.00 | 1.00 | 36 | 0.036 |
| | | | | | 81.00 84.00 weak bleaching; minor white to glassy quartz veining; minor disseminated f.g. to m.g. Pyrite | 866466 | 74.00 | 75.00 | 1.00 | 7 | 0.007 |
| | | | | | 94.90 94.95 5 cm QTV 55 tca with 1% py-po | 866467 | 75.00 | 76.10 | 1.10 | 10 | 0.010 |
| | | | | | 106.00 120.00 weak to moderate bleaching with minor py-po stringers parallel to foliation 45 tca; minor local grey fractures controlling qtz veinlets | 866468 | 76.10 | 76.95 | 0.85 | 84 | 0.084 |
| | | | | | | 866469 | 76.95 | 78.00 | 1.05 | 103 | 0.103 |
| | | | | | | 866471 | 78.00 | 79.00 | 1.00 | 93 | 0.093 |
| | | | | | | 866472 | 79.00 | 79.50 | 0.50 | 23 | 0.023 |
| | | | | | | 866473 | 79.50 | 80.15 | 0.65 | 100 | 0.100 |
| | | | | | | 866474 | 80.15 | 80.70 | 0.55 | 138 | 0.138 |
| | | | | | | 866475 | 80.70 | 81.00 | 0.30 | 268 | 0.268 |
| | | | | | | 866476 | 81.00 | 81.80 | 0.80 | 11 | 0.011 |
| | | | | | | 866477 | 81.80 | 82.30 | 0.50 | 33 | 0.033 |
| | | | | | | 866478 | 82.30 | 82.80 | 0.50 | 13 | 0.013 |
| | | | | | | 866479 | 93.80 | 94.32 | 0.52 | 35 | 0.035 |
| | | | | | | 866480 | 94.32 | 94.97 | 0.65 | 157 | 0.157 |
| | | | | | | 866481 | 94.97 | 95.50 | 0.53 | 368 | 0.368 |
| | | | | | | 866482 | 95.50 | 96.00 | 0.50 | 162 | 0.162 |
| | | | | | | 866483 | 96.00 | 96.50 | 0.50 | 18 | 0.018 |
| | | | | | | 866484 | 96.50 | 97.00 | 0.50 | 12 | 0.012 |
| | | | | | | 866485 | 97.00 | 97.50 | 0.50 | 55 | 0.055 |
| | | | | | | 866486 | 107.18 | 107.76 | 0.58 | 2 | 0.002 |
| | | | | | | 866487 | 107.76 | 108.30 | 0.54 | 5 | 0.005 |
| | | | | | | 866488 | 108.30 | 109.04 | 0.74 | 2 | 0.002 |
| | | | | | | 866489 | 109.04 | 110.00 | 0.96 | 2 | 0.002 |
| | | | | | | 866491 | 110.00 | 110.68 | 0.68 | 2 | 0.002 |
| | | | | | | 866492 | 110.68 | 111.36 | 0.68 | 15 | 0.015 |
| | | | | | | 866493 | 111.36 | 112.43 | 1.07 | 56 | 0.056 |
| | | | | | | 866494 | 112.43 | 113.44 | 1.01 | 2 | 0.002 |
| | | | | | | 866495 | 113.44 | 114.00 | 0.56 | 2 | 0.002 |
| | | | | | | 866496 | 114.00 | 114.55 | 0.55 | 2 | 0.002 |
| | | | | | | 866497 | 114.55 | 115.22 | 0.67 | 7 | 0.007 |
| | | | | | | 866498 | 115.22 | 115.54 | 0.32 | 60 | 0.060 |
| | | | | | | 866499 | 115.54 | 116.00 | 0.46 | 2 | 0.002 |
| | | | | | | 866500 | 116.00 | 116.50 | 0.50 | 2 | 0.002 |
| | | | | | | 1401501 | 116.50 | 117.00 | 0.50 | 2 | 0.002 |
| | | | | | | 1401502 | 117.00 | 117.50 | 0.50 | 10 | 0.010 |
| | | | | | | 1401503 | 117.50 | 118.00 | 0.50 | 2 | 0.002 |
| | | | | | | 1401504 | 118.00 | 119.00 | 1.00 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | | |
|----------|--------|-----------|----------|----------|------------------------|---------------------|--------|--------|------|---|-------|--|--|--|--|
| | | | | | | 1401505 | 119.00 | 120.00 | 1.00 | 2 | 0.002 | | | | |

120.0 **EOH** End of Hole

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-09 | Az: 260 | Dip: -65 | Length: 90.0 |
| Easting: 474189.68 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879407.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 278.14 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 17-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 17-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 12.0 | 260.7 | -65.2 | 57980.0 | 0.0 |
| 63.0 | 264.2 | -65.4 | 57070.0 | 0.0 |
| 90.0 | 264.5 | -65.5 | 56220.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|------------|----------|----------|------------------------|
| 0.0 | 3.0 | CAS | | | Casing |

Geochemical Results

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|---------------|-------------|--|--------|-------|-------|----------|--------|--------|
| 3.0 | 62.6 | BQET | <i>W Blch</i> | DISS | Blue Quartz Eye Tuff Weak Bleaching | | | | | | |
| | | | | | Dk gry-grn-brn; wk fol'n @ 40-50 to CA; minor, wkly bleached patches up to 5 cm wide; v. Minor wh to lt-gry qtz vnlt, 1-1.5 cm wide @ 10-20 to CA; tr cpy in qtz vnlt. | 860907 | 3.00 | 3.85 | 0.85 | 2 | 0.002 |
| | | | | | 25.60 25.61 1cm lt-gry qtz vnlt @ 20 to CA. | 860908 | 17.44 | 17.86 | 0.42 | 36 | 0.036 |
| | | | | | 27.00 27.01 0.5cm lt-gry qtz stringer @ 20 to CA. | 860909 | 17.86 | 18.50 | 0.64 | 353 | 0.353 |
| | | | | | 29.75 29.77 1.5cm lt to med-gry qtz vnlt @ 10 to CA. | 860910 | 18.50 | 19.50 | 1.00 | 2 | 0.002 |
| | | | | | 38.60 38.61 1cm lt-gry qtz @ 50 to CA. | 860911 | 19.50 | 20.50 | 1.00 | 67 | 0.067 |
| | | | | | 41.90 41.91 1cm lt-gry qtz-py vnlt @ 10 to CA. | 860912 | 20.50 | 21.50 | 1.00 | 83 | 0.083 |
| | | | | | 42.10 42.11 0.75cm lt-gry qtz-chl-py vnlt @ 25 to CA. | 860913 | 21.50 | 22.50 | 1.00 | 272 | 0.272 |
| | | | | | 56.00 56.01 1cm lt-gry qtz-chl-py vnlt @ 10 to CA. | 860915 | 22.50 | 23.50 | 1.00 | 22 | 0.022 |
| | | | | | 57.50 62.36 wk beige-grn bleaching. | 860916 | 23.50 | 24.50 | 1.00 | 2 | 0.002 |
| | | | | | | 860917 | 24.50 | 25.50 | 1.00 | 6 | 0.006 |
| | | | | | | 860918 | 25.50 | 26.50 | 1.00 | 5 | 0.005 |
| | | | | | | 860919 | 26.50 | 26.90 | 0.40 | 34 | 0.034 |
| | | | | | | 860920 | 26.90 | 27.25 | 0.35 | 94 | 0.094 |
| | | | | | | 860921 | 27.25 | 27.65 | 0.40 | 24 | 0.024 |
| | | | | | | 860922 | 27.65 | 28.46 | 0.81 | 2 | 0.002 |
| | | | | | | 860923 | 28.46 | 29.25 | 0.79 | 2 | 0.002 |
| | | | | | | 860924 | 29.25 | 29.65 | 0.40 | 2 | 0.002 |
| | | | | | | 860925 | 29.65 | 30.00 | 0.35 | 9 | 0.009 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 860926 | 30.00 | 30.40 | 0.40 | 33 | 0.033 |
| | | | | | | 860927 | 30.40 | 31.40 | 1.00 | 5 | 0.005 |
| | | | | | | 860928 | 31.40 | 32.40 | 1.00 | 317 | 0.317 |
| | | | | | | 860929 | 32.40 | 33.40 | 1.00 | 41 | 0.041 |
| | | | | | | 860930 | 33.40 | 34.20 | 0.80 | 2 | 0.002 |
| | | | | | | 860931 | 34.20 | 35.18 | 0.98 | 16 | 0.016 |
| | | | | | | 860932 | 35.18 | 35.58 | 0.40 | 42 | 0.042 |
| | | | | | | 860933 | 35.58 | 35.83 | 0.25 | 4020 | 4.020 |
| | | | | | | 860935 | 35.83 | 36.23 | 0.40 | 55 | 0.055 |
| | | | | | | 860936 | 36.23 | 37.23 | 1.00 | 2 | 0.002 |
| | | | | | | 860937 | 37.23 | 38.23 | 1.00 | 2 | 0.002 |
| | | | | | | 860938 | 38.23 | 39.24 | 1.01 | 15 | 0.015 |
| | | | | | | 860939 | 39.24 | 40.24 | 1.00 | 15 | 0.015 |
| | | | | | | 860940 | 40.24 | 41.74 | 1.50 | 2 | 0.002 |
| | | | | | | 860941 | 41.74 | 42.22 | 0.48 | 16 | 0.016 |
| | | | | | | 860942 | 42.22 | 43.20 | 0.98 | 20 | 0.020 |
| | | | | | | 860943 | 43.20 | 44.20 | 1.00 | 2 | 0.002 |
| | | | | | | 860944 | 44.20 | 45.20 | 1.00 | 6 | 0.006 |
| | | | | | | 860945 | 55.80 | 56.20 | 0.40 | 34 | 0.034 |
| | | | | | | 860946 | 56.20 | 57.00 | 0.80 | 9 | 0.009 |
| | | | | | | 860947 | 57.00 | 57.50 | 0.50 | 15 | 0.015 |
| | | | | | | 860948 | 57.50 | 58.00 | 0.50 | 20 | 0.020 |
| | | | | | | 860949 | 58.00 | 58.50 | 0.50 | 2 | 0.002 |
| | | | | | | 860950 | 58.50 | 58.75 | 0.25 | 37 | 0.037 |
| | | | | | | 860951 | 58.75 | 59.75 | 1.00 | 15 | 0.015 |
| | | | | | | 860952 | 59.75 | 60.75 | 1.00 | 10 | 0.010 |
| | | | | | | 860953 | 60.75 | 61.43 | 0.68 | 6 | 0.006 |
| | | | | | | 860955 | 61.43 | 61.96 | 0.53 | 141 | 0.141 |
| | | | | | | 860956 | 61.96 | 62.36 | 0.40 | 114 | 0.114 |
| | | | | | | 860957 | 62.36 | 63.83 | 1.47 | 47 | 0.047 |
| 62.6 | 63.8 | MDYKE | | | Mafic Dyke Dk brn-grn; fol'n @ 20 to CA; str carbonate stringers. | | | | | | |
| 63.8 | 64.9 | BQET | | | Blue Quartz Eye Tuff Dk gry-grn-brn; wk fol'n @ 40-50 to CA; minor, wkly bleached patches up to 5 cm wide; v. Minor wh to lt-gry qtz vnlt, 1-1.5 cm wide @ 10-20 to CA; tr cpy in qtz vnlt. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 860958 | 63.83 | 64.24 | 0.41 | 83 | 0.083 |
| | | | | | | 860959 | 64.24 | 65.54 | 1.30 | 311 | 0.311 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|------------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 64.9 | 78.9 | BQET | <i>W Blch</i> | DISS | Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn, very fine-grained, biotite-rich; wk foliation @ 30 to CA; wk-mod, pervasive carbonate alt'n (fe-carb); minor cal and cal-chl stringers. | 860960 | 65.54 | 66.52 | 0.98 | 123 | 0.123 |
| | | | | | 68.6 2 cm light grey qtz veinlet 30 tca | 860961 | 66.52 | 67.49 | 0.97 | 62 | 0.062 |
| | | | | | 69.0 5 cm light grey qtz-pyrite veinlet 20 tca | 860962 | 67.49 | 67.89 | 0.40 | 554 | 0.554 |
| | | | | | 69.4 2 cm grey-green qtz chlorite veinlet 30 tca | 860963 | 67.89 | 68.38 | 0.49 | 4990 | 4.990 |
| | | | | | | 860964 | 68.38 | 68.89 | 0.51 | 711 | 0.711 |
| | | | | | | 860965 | 68.89 | 69.40 | 0.51 | 656 | 0.656 |
| | | | | | | 860966 | 69.40 | 69.80 | 0.40 | 1070 | 1.070 |
| | | | | | | 860967 | 78.48 | 78.90 | 0.42 | 217 | 0.217 |
| 78.9 | 80.4 | QV | <i>S Sil Fld</i> | BLEB | Quartz Vein Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | KNOLL ZONE | 860968 | 78.90 | 79.40 | 0.50 | | 6.220 |
| | | | | | Lt smokey-gry, dirty qtz vein; contacts @ 30 to CA; abund biotite stringers at contact margins; 20cm qtz-py rich core with approx 5% diss and clotty py; minor chl stringers throughout increasing towards contacts; one msv, wh 4cm x-cutting qtz vnl @ 60 to CA. | 860969 | 79.40 | 79.90 | 0.50 | | 10.400 |
| | | | | | | 860970 | 79.90 | 80.40 | 0.50 | 3180 | 3.180 |
| 80.4 | 82.3 | BQET | <i>M Sil Fld</i> | TR | Blue Quartz Eye Tuff Moderate Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Lt beige-grn; str sericite alt'n; relict lt-gry qtz eyes; st silica flooding; one 1.5cm wh qtz-chl vnl running parallel to CA; tr-1% fine diss py. | 860971 | 80.40 | 80.90 | 0.50 | 222 | 0.222 |
| | | | | | | 860972 | 80.90 | 81.40 | 0.50 | 56 | 0.056 |
| | | | | | | 860973 | 81.40 | 81.90 | 0.50 | 28 | 0.028 |
| | | | | | | 860975 | 81.90 | 82.30 | 0.40 | 107 | 0.107 |
| 82.3 | 83.0 | QV | <i>S Sil Fld</i> | TR | Quartz Vein Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Lt-gry, dirty, qtz-bio-chl vein @ 20 to CA; abundant biotite stringers; approx 1% diss py, tr cpy; py increases towards lower contact. | 860976 | 82.30 | 83.00 | 0.70 | 2840 | 2.840 |
| | | | | | 82.50 82.52 1.5cm wh, x-cutting qtz vnl @ 70 to CA | | | | | | |
| 83.0 | 90.0 | BQET | | | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn, fine-grained, biotitic; abund qtz eyes; wk fol'n @ 30 to CA; minor euhedral py stringers; str silica flooding and sericite alteration for first 40 cm. | 860977 | 83.00 | 83.40 | 0.40 | 15 | 0.015 |
| | | | | | 83.00 83.40 strong silica flooding and sericite alteration. | 860978 | 83.40 | 84.00 | 0.60 | 7 | 0.007 |
| 90.0 | 0.0 | EOH | | | End of Hole | | | | | | |

From **To** UNIT ALT Min
(m) **(m)** code code code **Geological Description**

Geochemical Results

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-10 | Az: 275 | Dip: -45 | Length: 63.0 |
| Easting: 474176.06 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879341.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 274.67 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 18-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 18-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 18.0 | 273.3 | -43.5 | 57830.0 | 0.0 |
| 60.0 | 272.9 | -43.4 | 57280.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | | |
|----------|--------|--------------|--------------|-----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|--|
| 0.0 | 8.2 | CAS | | | Casing | | | | | | | | | | |
| 8.2 | 9.4 | MDYKE | | | Mafic Dyke weak alteration as qtz stringers; minor pyrite; broken lower contact; fault gouge along face of next unit; calcitic stringers 40 tca | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | | |
| | | | | | | 866371 | 8.20 | 9.00 | 0.80 | 168 | 0.168 | | | | |
| | | | | | | 866372 | 9.00 | 9.40 | 0.40 | 82 | 0.082 | | | | |
| 9.4 | 21.1 | BQET | <i>S Sil</i> | <i>TR</i> | Blue Quartz Eye Tuff Strong Silicification KNOLL ZONE - strong to intense silica-carb-sericite alteration cut by several greyish white to dark smokey grey quartz veins; fabric in veins and vein contacts 35 to 40 tca; weakly developed foliation fabric | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | | |
| | | | | | 9.40 10.70 50% greyish qtz veins with 1 to 2% brassy f.g. pyrite locally; minor disseminated v.f.g. po>cp | 866373 | 9.40 | 9.85 | 0.45 | | 6.490 | | | | |
| | | | | | 10.70 13.70 yellow beige intense carb-silica-sericite alteration; moderate foliation 45 tca; minor foliation parallel quartz and quartz tourmaline veining | 866374 | 9.85 | 10.25 | 0.40 | | 9.130 | | | | |
| | | | | | 13.70 15.00 mottled black (v.f.g. tourmaline-biotite) to grey carb-silica alteration; 0.5% patch pyrrhotite; minor cm scale qtz stringers, slightly broken; 14.95 is a QTV with 3-4% po-cp | 866375 | 10.25 | 10.73 | 0.48 | 1480 | 1.480 | | | | |
| | | | | | 15.00 18.37 30 to 50% milky white to smokey grey quartz veining, irregular to sharp contacts; up to 1% brassy py>po>cp; host is intense silica-carb-sericite alteration | 866376 | 10.73 | 11.20 | 0.47 | 1830 | 1.830 | | | | |
| | | | | | 18.37 19.00 mainly smokey grey QTV with 0.5 to 1% v.f.g brassy pyrite; 0.5% pyrrhotite as patchy stringers | 866377 | 11.20 | 11.70 | 0.50 | 669 | 0.669 | | | | |
| | | | | | | 866378 | 11.70 | 12.20 | 0.50 | 345 | 0.345 | | | | |
| | | | | | | 866379 | 12.20 | 12.70 | 0.50 | 519 | 0.519 | | | | |
| | | | | | | 866380 | 12.70 | 13.58 | 0.88 | 47 | 0.047 | | | | |
| | | | | | | 866381 | 13.58 | 14.40 | 0.82 | 106 | 0.106 | | | | |
| | | | | | | 866382 | 14.40 | 15.00 | 0.60 | 4020 | 4.020 | | | | |
| | | | | | | 866383 | 15.00 | 15.34 | 0.34 | 942 | 0.942 | | | | |
| | | | | | | 866384 | 15.34 | 15.84 | 0.50 | 717 | 0.717 | | | | |
| | | | | | | 866385 | 15.84 | 16.30 | 0.46 | 1440 | 1.440 | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|---------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | 19.00 | 19.60 | | | black, silicified, massive, 1% v.f.g disseminated po>py | 866386 | 16.30 | 16.80 | 0.50 | 478 | 0.478 |
| | 19.60 | 21.10 | | | intense silica-carb alteration, grey beige colour; 0.5% v.f.g py>po | 866387 | 16.80 | 17.30 | 0.50 | 2140 | 2.140 |
| | | | | | | 866388 | 17.30 | 17.80 | 0.50 | 139 | 0.139 |
| | | | | | | 866389 | 17.80 | 18.37 | 0.57 | 1780 | 1.780 |
| | | | | | | 866391 | 18.37 | 18.97 | 0.60 | | 4.960 |
| | | | | | | 866392 | 18.97 | 19.37 | 0.40 | 1470 | 1.470 |
| | | | | | | 866393 | 19.37 | 20.60 | 1.23 | 251 | 0.251 |
| | | | | | | 866394 | 20.60 | 21.10 | 0.50 | 2 | 0.002 |
| 21.1 | 42.5 | BQET | <i>M Blch</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | variably altered footwall to Knoll Zone; increasing foliation downhole | 866395 | 21.10 | 22.40 | 1.30 | 145 | 0.145 |
| | 24.70 | 26.50 | | | intense silica-carb-alteration, minor smokey grey qtz veining; minor v.f.g pyrite | 866396 | 22.40 | 23.50 | 1.10 | 115 | 0.115 |
| | | | | | | 866397 | 23.50 | 24.10 | 0.60 | 471 | 0.471 |
| | 26.50 | 29.00 | | | patchy weak to moderate bleaching; 1 % po>py | 866398 | 24.10 | 24.70 | 0.60 | 106 | 0.106 |
| | | | | | | 866399 | 24.70 | 25.50 | 0.80 | 517 | 0.517 |
| | 29.00 | 37.60 | | | foliation increasing downhole 45 to 50 tca; locally intense beige silica-carb-sericite bleaching; several darker bands have MS up to 1.0 likely due to increasing pyrrhotite; minor qtz veining generally parallel to foliation; silicification appears to increase downhole with local patchy po associated with siliceous bands | 866400 | 25.50 | 26.50 | 1.00 | 2 | 0.002 |
| | | | | | | 866401 | 26.50 | 27.50 | 1.00 | 9 | 0.009 |
| | | | | | | 866402 | 27.50 | 28.50 | 1.00 | 8 | 0.008 |
| | 37.60 | 40.00 | VG | | intense silica-carb-sericite alteration with grey white and smokey grey quartz veinlets generally parallel to 045 tca foliation | 866403 | 28.50 | 29.50 | 1.00 | 7 | 0.007 |
| | | | | | 38.35 One 1mm speck VG in smokey grey qtz flooding with 1-2% po>cp along 45 tca fractures | 866404 | 29.50 | 30.00 | 0.50 | 2 | 0.002 |
| | | | | | 38.6 Two specks VG in slightly broken 1 cm grey-white qtz veins with tourmaline rich margins 60 tca; 1% po>cp | 866405 | 30.00 | 30.70 | 0.70 | 18 | 0.018 |
| | | | | | 38.6 - 39.15 mainly smokey grey qtz veining 45 to 55 tca; 1 to 2% po>cp>py; black tourmaline laminations at lower contact; One speck VG at 38.9 | 866406 | 30.70 | 31.50 | 0.80 | 2 | 0.002 |
| | | | | | 39.15 - 40.0 foliation at 40 tca; broken grey quartz veining and pyrrhotite-rich green 2 cm quartz vein parallel to foliation | 866407 | 31.50 | 32.15 | 0.65 | 14 | 0.014 |
| | | | | | | 866408 | 32.15 | 33.00 | 0.85 | 22 | 0.022 |
| | | | | | | 866409 | 33.00 | 34.00 | 1.00 | 42 | 0.042 |
| | | | | | | 866411 | 34.00 | 35.00 | 1.00 | 25 | 0.025 |
| | 40.00 | 42.55 | | | slight decrease in alteration downhole | 866412 | 35.00 | 36.00 | 1.00 | 166 | 0.166 |
| | | | | | 40.05 - 40.1 glassy to smokey grey qtz vein 50 tca | 866413 | 36.00 | 37.00 | 1.00 | 12 | 0.012 |
| | | | | | 40.1 - 42.55 strongly foliated 50 tca defined by biotite-carb-silica rich layers; blue qtz eyes still evident; MS elevated to 0.5 to 1.6, locally to 4.0 increasing downhole; po>py up to 1 to 2 % along foliation and as patches and stringers | 866414 | 37.00 | 37.60 | 0.60 | 2 | 0.002 |
| | | | | | 40.1 - 40.6 broken up grey qtz vein (fragmented) indicates high strain | 866415 | 37.60 | 38.00 | 0.40 | 59 | 0.059 |
| | | | | | | 866416 | 38.00 | 38.40 | 0.40 | | 1.610 |
| | | | | | | 866417 | 38.40 | 38.80 | 0.40 | | 11.600 |
| | | | | | | 866418 | 38.80 | 39.15 | 0.35 | | 16.400 |
| | | | | | | 866419 | 39.15 | 39.60 | 0.45 | 134 | 0.134 |
| | | | | | | 866420 | 39.60 | 40.00 | 0.40 | 109 | 0.109 |
| | | | | | | 866421 | 40.00 | 40.50 | 0.50 | 2030 | 2.030 |
| | | | | | | 866422 | 40.50 | 41.00 | 0.50 | 252 | 0.252 |
| | | | | | | 866423 | 41.00 | 41.55 | 0.55 | 347 | 0.347 |
| | | | | | | 866424 | 41.55 | 42.15 | 0.60 | 80 | 0.080 |
| | | | | | | 866425 | 42.15 | 42.55 | 0.40 | 56 | 0.056 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 42.5 | 43.4 | LBIF | | DISS | Lean Iron Formation LEAN SILICATE BIF - bedding 45 tca; 5% v.f.g py>po, (primarily with 1% m.g. pyrite overprinting locally); alternating brown and pale green layers; MS to 55 | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866426 | 42.55 | 42.95 | 0.40 | 34 | 0.034 |
| | | | | | | 866427 | 42.95 | 43.36 | 0.41 | 55 | 0.055 |
| 43.4 | 44.2 | MDYKE | | TR | Mafic Dyke medium green f.g. to m.g. massive, no veining, minor calcite; MS = 0.7 to 1.5; 0.5% disseminated f.g. pyrite; contacts concordant to BIF bedding 45 tca; slightly chilled contacts | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866428 | 43.36 | 43.76 | 0.40 | 2 | 0.002 |
| | | | | | | 866429 | 43.76 | 44.15 | 0.39 | 2 | 0.002 |
| 44.2 | 63.0 | UM | | | Ultramafic Extrusive TALC-CHLORITE SCHIST -wavy foliation at flow core angles; local sections of lost core and badly broken core; fault slips and narrow fault zones throughout; MS up to 40; minor calcite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 866431 | 44.15 | 44.71 | 0.56 | 2 | 0.002 |
| | | | | | | 866432 | 44.71 | 45.70 | 0.99 | 2 | 0.002 |
| 63.0 | 0.0 | EOH | | | End of Hole | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-11 | Az: 270 | Dip: -65 | Length: 87.0 |
| Easting: 474176.06 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879341.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 274.67 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 18-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 19-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 18.0 | 271.1 | -63.4 | 58330.0 | 0.0 |
| 50.0 | 271.5 | -63.3 | 56810.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|--------|--------------|----------|----------|--|---|--------|------|----|----------|--------|--------|---------|-------|-------|------|------|-------|---------|-------|-------|------|------|-------|---------|-------|-------|------|-----|-------|---------|-------|-------|------|-----|-------|---------|-------|-------|------|-----|-------|---------|-------|-------|------|------|-------|---------|-------|-------|------|------|-------|---------|-------|-------|------|-----|-------|---------|-------|-------|------|----|-------|
| 0.0 | 4.2 | CAS | | | Casing | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.2 | 9.3 | BQET | | | Blue Quartz Eye Tuff relatively unaltered, massive, black, biotite rich 9.10 9.30 silicification with minor py>po>cp; sharp lower contact 50 tca | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.3 | 15.0 | MDYKE | | | Mafic Dyke typical mafic dyke, slightly chilled margins with contacts 45 to 50 tca | <table border="1"> <thead> <tr> <th>Sample</th> <th>From</th> <th>To</th> <th>Interval</th> <th>Au ppb</th> <th>Au g/t</th> </tr> </thead> <tbody> <tr> <td>1401677</td> <td>14.50</td> <td>15.00</td> <td>0.50</td> <td>160</td> <td>0.160</td> </tr> </tbody> </table> | Sample | From | To | Interval | Au ppb | Au g/t | 1401677 | 14.50 | 15.00 | 0.50 | 160 | 0.160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sample | From | To | Interval | Au ppb | Au g/t | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401677 | 14.50 | 15.00 | 0.50 | 160 | 0.160 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15.0 | 33.0 | BQET | S Sil | TR | Blue Quartz Eye Tuff Strong Silicification KNOLL ZONE - intense silicification, quartz veining within strong to intense silica-carb-sericite alteration 15.00 15.50 strong silica-carb-sericite alteration, broken, subround to subangular quartz vein fragments with diffuse margins 15.50 16.00 smokey grey quartz tourmaline vein; 0.5 to 1% po>cp>py; internal fabric generally 40 to 45 tca; MS= 1.2 due to pyrrhotite 16.00 20.50 strong silica-carb-alteration with sub cm grey-clear qtz healed fracs/veinlets 30 tca; trace f.g. disseminated pyrite; yellow beige colour | <table border="1"> <thead> <tr> <th>Sample</th> <th>From</th> <th>To</th> <th>Interval</th> <th>Au ppb</th> <th>Au g/t</th> </tr> </thead> <tbody> <tr> <td>1401678</td> <td>15.00</td> <td>15.50</td> <td>0.50</td> <td>2210</td> <td>2.210</td> </tr> <tr> <td>1401679</td> <td>15.50</td> <td>16.10</td> <td>0.60</td> <td>4860</td> <td>4.860</td> </tr> <tr> <td>1401680</td> <td>16.10</td> <td>17.05</td> <td>0.95</td> <td>104</td> <td>0.104</td> </tr> <tr> <td>1401681</td> <td>17.05</td> <td>18.00</td> <td>0.95</td> <td>895</td> <td>0.895</td> </tr> <tr> <td>1401682</td> <td>18.00</td> <td>18.75</td> <td>0.75</td> <td>372</td> <td>0.372</td> </tr> <tr> <td>1401683</td> <td>18.75</td> <td>19.11</td> <td>0.36</td> <td>1170</td> <td>1.170</td> </tr> <tr> <td>1401684</td> <td>19.11</td> <td>19.52</td> <td>0.41</td> <td>1280</td> <td>1.280</td> </tr> <tr> <td>1401685</td> <td>19.52</td> <td>20.10</td> <td>0.58</td> <td>198</td> <td>0.198</td> </tr> <tr> <td>1401686</td> <td>20.10</td> <td>20.50</td> <td>0.40</td> <td>40</td> <td>0.040</td> </tr> </tbody> </table> | Sample | From | To | Interval | Au ppb | Au g/t | 1401678 | 15.00 | 15.50 | 0.50 | 2210 | 2.210 | 1401679 | 15.50 | 16.10 | 0.60 | 4860 | 4.860 | 1401680 | 16.10 | 17.05 | 0.95 | 104 | 0.104 | 1401681 | 17.05 | 18.00 | 0.95 | 895 | 0.895 | 1401682 | 18.00 | 18.75 | 0.75 | 372 | 0.372 | 1401683 | 18.75 | 19.11 | 0.36 | 1170 | 1.170 | 1401684 | 19.11 | 19.52 | 0.41 | 1280 | 1.280 | 1401685 | 19.52 | 20.10 | 0.58 | 198 | 0.198 | 1401686 | 20.10 | 20.50 | 0.40 | 40 | 0.040 |
| Sample | From | To | Interval | Au ppb | Au g/t | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401678 | 15.00 | 15.50 | 0.50 | 2210 | 2.210 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401679 | 15.50 | 16.10 | 0.60 | 4860 | 4.860 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401680 | 16.10 | 17.05 | 0.95 | 104 | 0.104 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401681 | 17.05 | 18.00 | 0.95 | 895 | 0.895 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401682 | 18.00 | 18.75 | 0.75 | 372 | 0.372 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401683 | 18.75 | 19.11 | 0.36 | 1170 | 1.170 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401684 | 19.11 | 19.52 | 0.41 | 1280 | 1.280 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401685 | 19.52 | 20.10 | 0.58 | 198 | 0.198 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1401686 | 20.10 | 20.50 | 0.40 | 40 | 0.040 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|----------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | 20.50 | | | | 21.00 grey-white quartz vein 30 tca; minor tourmaline; minor f.g. pyrite | 1401687 | 20.50 | 21.10 | 0.60 | 1640 | 1.640 |
| | 21.00 | | | | 21.60 white, grey-clear and biotite-rich veinlets cut intense silica-carb-sericite alteration; up to 0.5% v.f.g. to f.g. po>py>cp | 1401688 | 21.10 | 21.60 | 0.50 | 1630 | 1.630 |
| | 21.60 | | | | 23.55 VG Quartz Vein, mainly smokey grey, but locally grey-white with biotite-rich selvages; internal fabric locally 35 tca; patches and stringers of po>cp>py up to 1%; greyish clouds of very very fine grained arsenopyrite needles and granular arsenopyrite locally up to 1%; strongest arsenopyrite between 22.65 and 23.55; at 22.45..Three 1mm specks VG in a cloud of approximately 13 sub mm specks VG; one large speck VG just below core surface. 22.50 Five sub mm specks VG, associated with 0.5% disseminated po>cp in smokey grey qtz with minor patches of v.v.f.g. arsenopyrite needles nearby | 1401689 | 21.60 | 22.10 | 0.50 | 4020 | 4.020 |
| | | | | | | 1401691 | 22.10 | 22.65 | 0.55 | | 20.000 |
| | | | | | | 1401692 | 22.65 | 23.55 | 0.90 | | 17.200 |
| | | | | | | 1401693 | 23.55 | 24.00 | 0.45 | 174 | 0.174 |
| | | | | | | 1401694 | 24.00 | 24.30 | 0.30 | 111 | 0.111 |
| | | | | | | 1401695 | 24.30 | 24.80 | 0.50 | 2880 | 2.880 |
| | | | | | | 1401696 | 24.80 | 25.30 | 0.50 | 1950 | 1.950 |
| | 23.55 | | | | 24.30 intense yellow beige silica-carb-sericite alteration, with sub cm clear to grey qtz veinlets; minor v.f.g pyrite | 1401697 | 25.30 | 25.87 | 0.57 | 67 | 0.067 |
| | 24.30 | | | | 25.30 70% grey-white qtz veining 30 to 40 tca; 1% f.g. po>cp>py; minor tourmaline | 1401698 | 25.87 | 26.50 | 0.63 | 184 | 0.184 |
| | | | | | | 1401699 | 26.50 | 27.00 | 0.50 | 116 | 0.116 |
| | | | | | | 1401700 | 27.00 | 27.57 | 0.57 | | 13.100 |
| | 25.30 | | | | 27.00 intense silica-carb-sericite alteration with numerous silica healed fractures of various ages; earlier tourmaline-sulphide-silica is cut by grey-clear qtz veinlets; local broken grey-white qtz vein fragments; up to 0.5% po>py>cp | 1401701 | 27.57 | 28.57 | 1.00 | 255 | 0.255 |
| | | | | | | 1401702 | 28.57 | 29.57 | 1.00 | 16 | 0.016 |
| | | | | | | 1401703 | 29.57 | 30.50 | 0.93 | 8 | 0.008 |
| | 27.00 | | | | 28.60 grey-white laminated veins 35 tca with 1 to 2% po>py>cp; occurs within intense yellow beige silica-carb-ser alteration | 1401704 | 30.50 | 31.51 | 1.01 | 6 | 0.006 |
| | | | | | | 1401705 | 31.51 | 32.52 | 1.01 | 9 | 0.009 |
| | 28.60 | | | | 33.00 intense silica-carb-ser alteration; minor white and grey-clear qtz veinlets; tourmaline laminae 25 tca | 1401706 | 32.52 | 33.49 | 0.97 | 32 | 0.032 |
| 33.0 | 39.0 | BQET | <i>M Blich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | variably altered, but generally moderately bleached, moderately foliated 25 tca; 0.5% to 1% disseminated py-po; local sections of intense as well as less altered tuff; minor broken white qtz | 1401707 | 33.49 | 34.50 | 1.01 | 10 | 0.010 |
| | | | | | | 1401708 | 34.50 | 36.00 | 1.50 | 16 | 0.016 |
| | | | | | | 1401709 | 36.00 | 37.00 | 1.00 | 10 | 0.010 |
| | | | | | | 1401711 | 37.00 | 38.00 | 1.00 | 2 | 0.002 |
| | | | | | | 1401712 | 38.00 | 39.00 | 1.00 | 7 | 0.007 |
| 39.0 | 64.6 | BQET | <i>S Sil</i> | TR | Blue Quartz Eye Tuff Strong Silicification | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | ALTERATION ZONE - strong to intense silica-carb-sericite alteration with discrete quartz and quartz tourmaline veining | 1401713 | 39.00 | 40.00 | 1.00 | 11 | 0.011 |
| | | | | | | 1401714 | 40.00 | 41.00 | 1.00 | 2 | 0.002 |
| | 39.00 | | | | 43.00 intense yellow-beige sil-carb-ser alteration; no significant veining, massive with minor v.f.g. py>po as disseminations, patches and pseudofragments | 1401715 | 41.00 | 42.00 | 1.00 | 5 | 0.005 |
| | | | | | | 1401716 | 42.00 | 43.00 | 1.00 | 2 | 0.002 |
| | 43.00 | | | | 44.80 early, folded quartz veinlets cut by fracture controlled veinlets within intense sil-carb-ser alteration; minor to 0.5% v.f.g py associated with veinlets | 1401717 | 43.00 | 44.00 | 1.00 | 11 | 0.011 |
| | | | | | | 1401718 | 44.00 | 44.50 | 0.50 | 60 | 0.060 |
| | | | | | | 1401719 | 44.50 | 45.00 | 0.50 | 3290 | 3.290 |
| | 44.80 | | | | 47.00 locally deformed greyish-white quartz vein with black brown biotite-rich selvages; 0.5 to 1% v.f.g disseminated po>cp>py as well as patchy brassy f.g. Pyrite | 1401720 | 45.00 | 45.80 | 0.80 | 2010 | 2.010 |
| | | | | | | 1401721 | 45.80 | 46.30 | 0.50 | 69 | 0.069 |
| | 48.00 | | | | 48.60 Quartz tourmaline vein/quartz vein with biotite-tourmaline-pyrrhotite healed fractures and patches; greyish white dismembered qtz veining along margins | 1401722 | 46.30 | 47.00 | 0.70 | 180 | 0.180 |
| | | | | | | 1401723 | 47.00 | 48.00 | 1.00 | 54 | 0.054 |
| | | | | | | 1401724 | 48.00 | 48.60 | 0.60 | 50 | 0.050 |
| | | | | | | 1401725 | 48.60 | 49.59 | 0.99 | 25 | 0.025 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|--|---------------------|-------|-------|------|-----|-------|
| 48.60 | 50.60 | | | | strong to intense silica-carb-sericite alteration; minor cm quartz veinlets with black margins and po-py; MS up to 1.4 due to po; 1% disseminated and stringer py>po>cp; veining is 35 to 40 tca | 1401726 | 49.59 | 50.60 | 1.01 | 53 | 0.053 |
| | | | | | | 1401727 | 50.60 | 51.68 | 1.08 | 109 | 0.109 |
| | | | | | | 1401728 | 51.68 | 52.71 | 1.03 | 150 | 0.150 |
| 50.60 | 54.75 | | | | patchy, moderate to intense bleaching; minor to 1% cm scale quartz vein parallel to bleached bands 35 to 40 tca | 1401729 | 52.71 | 53.71 | 1.00 | 326 | 0.326 |
| 54.75 | 55.35 | VG | | | Quartz vein/quartz tourmaline vein; smokey grey with 50% brown-black selveges; 40 to 45 tca; 2 to 3% po>cp>py; several v.f.g. specks VG | 1401731 | 53.71 | 54.25 | 0.54 | 336 | 0.336 |
| | | | | | | 1401732 | 54.25 | 54.75 | 0.50 | 53 | 0.053 |
| | | | | | | 1401733 | 54.75 | 55.35 | 0.60 | | 8.710 |
| 55.35 | 58.40 | | | | intense silica-carb-sericite yellow beige alteration; moderately developed foliation (distinctive biotite-tourmaline banding); minor sub cm scale grey-white qtz veinlets; minor v.f.g. po>py> | 1401734 | 55.35 | 55.85 | 0.50 | 95 | 0.095 |
| | | | | | | 1401735 | 55.85 | 56.86 | 1.01 | 184 | 0.184 |
| 58.40 | 59.00 | | | | Quartz tourmaline vein 25 to 30 tca with 2 to 3% po>cp>py as patches, disseminations and contact parallel stringers | 1401736 | 56.86 | 57.80 | 0.94 | 172 | 0.172 |
| | | | | | | 1401737 | 57.80 | 58.40 | 0.60 | 44 | 0.044 |
| 59.00 | 64.60 | | | | strong to intense sil-carb-ser yellow-beige alteration with moderate foliation 30 tca; minor to 1% po as disseminations and stringers along foliation parallel grey-clear qtz veinlets; lower contact is silicified black biotite rich with 2 to 3% po locally | 1401738 | 58.40 | 59.00 | 0.60 | 58 | 0.058 |
| | | | | | | 1401739 | 59.00 | 60.00 | 1.00 | 2 | 0.002 |
| | | | | | | 1401740 | 60.00 | 61.00 | 1.00 | 2 | 0.002 |
| | | | | | | 1401741 | 61.00 | 62.00 | 1.00 | 2 | 0.002 |
| | | | | | | 1401742 | 62.00 | 63.00 | 1.00 | 64 | 0.064 |
| | | | | | | 1401743 | 63.00 | 64.12 | 1.12 | 16 | 0.016 |
| | | | | | | 1401744 | 64.12 | 64.61 | 0.49 | 60 | 0.060 |

| From (m) | To (m) | UNIT code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-----------|--|---------|-------|-------|----------|--------|--------|
| 64.6 | 87.0 | UM | Ultramafic Extrusive | | | | | | |
| | | | Serpentine and talc rich ultramafics; local very high strain | 1401745 | 64.61 | 65.00 | 0.39 | 2 | 0.002 |
| 64.60 | 70.50 | | Talc Chlorite Schist; moderately magnetic, increasingly magnetic downhole; increasing talc and strain downhole; no significant calcite | | | | | | |
| | | | 65.6 - 66 highly magnetic light to medium green unit with 3 to 5% finely disseminated magnetite in serpentine rich matrix; minor magnetite bearing fractures and seams; MS = 60 to 220 | | | | | | |
| | | | 66 - 70.5 strongly foliated talc-chlorite schist 35 to 40 to ca; MS = 10-40; pale white to pale green colour | | | | | | |
| 70.50 | 71.30 | | Massive Chlorite Dyke - v.f.g, green, nearly 100% chlorite | | | | | | |
| 87.0 | 0.0 | EOH | End of Hole | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-12 | Az: 270 | Dip: -75 | Length: 84.0 |
| Easting: 474176.06 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879341.5 | Survey Type: Flexit | Log Date: | |
| Elevation: 274.67 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 19-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 20-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 15.0 | 271.3 | -73.5 | 58300.0 | 0.0 |
| 63.0 | 270.9 | -73.3 | 57160.0 | 0.0 |
| 84.0 | 269.5 | -72.9 | 56720.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|----------|----------|--|---------------------|---------------|-------------|-----------|-----------------|---------------|---------------|--|--|
| 0.0 | 3.3 | CAS | | | Casing | | | | | | | | | |
| 3.3 | 13.4 | BQET | <i>W</i> | | Blue Quartz Eye Tuff Weak Bleaching | <i>Bloch</i> | Sample | From | To | Interval | Au ppb | Au g/t | | |
| | | | | | variably bleached and quartz veined | | 1401506 | 3.30 | 4.30 | 1.00 | 71 | 0.071 | | |
| | | | | | 3.30 4.50 weak to moderate bleaching; minor broken or boudinaged qtz veinlet 25 tca; 1% pyrrhotite associated with qtz veinlets | | 1401507 | 4.30 | 5.50 | 1.20 | 31 | 0.031 | | |
| | | | | | 4.50 6.00 strong bleaching with irregular and folded white 1 to 2 cm quartz veins; 0.5% pyrrhotite associated with quartz veins; trace m.g. pyrite | | 1401508 | 5.50 | 6.00 | 0.50 | 208 | 0.208 | | |
| | | | | | 6.00 8.05 quartz tourmaline vein subparallel tca with 0.5% po>cp | | 1401509 | 6.00 | 7.00 | 1.00 | 893 | 0.893 | | |
| | | | | | 8.05 12.80 very weak to weak bleaching; minor broken or folded 1 cm white qtz veinlets at low angles tca | | 1401511 | 7.00 | 8.05 | 1.05 | 215 | 0.215 | | |
| | | | | | 12.80 13.40 quartz tourmaline veining; trace v.f.g po>py; sharp lower contact 15 tca with mafic dyke | | 1401512 | 8.05 | 8.50 | 0.45 | 8 | 0.008 | | |
| | | | | | | | 1401513 | 8.50 | 9.00 | 0.50 | 10 | 0.010 | | |
| | | | | | | | 1401514 | 9.00 | 10.50 | 1.50 | 27 | 0.027 | | |
| | | | | | | | 1401515 | 10.50 | 11.35 | 0.85 | 373 | 0.373 | | |
| | | | | | | | 1401516 | 11.35 | 12.30 | 0.95 | 43 | 0.043 | | |
| | | | | | | | 1401517 | 12.30 | 12.80 | 0.50 | 43 | 0.043 | | |
| | | | | | | | 1401518 | 12.80 | 13.40 | 0.60 | 3110 | 3.110 | | |
| 13.4 | 20.7 | MDYKE | | | Mafic Dyke | | Sample | From | To | Interval | Au ppb | Au g/t | | |
| | | | | | pale green upper chill margin from 13.4 to 14.0 m; minor fine qtz veinlets in chill 15 tca; main part of dyke typical with calcitic veinlets at low core angles; similar chill margin at lower contact 15 tca. | | 1401519 | 13.40 | 14.00 | 0.60 | 72 | 0.072 | | |
| | | | | | | | 1401520 | 19.50 | 19.90 | 0.40 | 267 | 0.267 | | |
| | | | | | | | 1401521 | 19.90 | 20.70 | 0.80 | 679 | 0.679 | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|-----------|----------|--|---------------------|-------|-------|----------|--------|--------|
| 20.7 | 41.3 | BQET | S Sil Fld | DISS | Blue Quartz Eye Tuff Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | KNOLL ZONE - strong silica-carb-sericite alteration, heavily quartz veined, with contacts and internal fabrics 30 to 35 tca; | 1401522 | 20.70 | 21.21 | 0.51 | | 7.740 |
| | | | | | 20.70 21.70 grey silicification with yellow-beige carb-sericite selveges; minor po-py | 1401523 | 21.21 | 21.71 | 0.50 | | 6.890 |
| | | | | | 21.70 25.50 smokey grey veining/flooding; 1% f.g. po-py disseminated and as minor veinlets | 1401524 | 21.71 | 22.21 | 0.50 | 3290 | 3.290 |
| | | | | | 25.50 26.25 grey fine fractured controlled qtz stringers in yellow-beige silica-carb-sericite alteration; minor to 0.5% v.f.g py-po | 1401525 | 22.21 | 22.71 | 0.50 | | 6.160 |
| | | | | | 26.25 27.23 Grey-white quartz tourmaline veining; 1 to 2% veinlets and patches of po>cp>py; significant po-py at 26.5; pale green tremolite? selvege at 28.7m | 1401526 | 22.71 | 23.22 | 0.51 | | 11.400 |
| | | | | | 27.23 37.74 smokey grey qtz vein with local coarse patches of po>cp; both chloritic and biotite-tourmaline-rich selveges; seems to be one large vein system; significant po>py>cp mineralization at 27.7, 28.7, 29.5, 30.0, 30.6, 31.0, 32.9, 33.5, 33.8, 37.1 | 1401527 | 23.22 | 23.70 | 0.48 | | 6.960 |
| | | | | | 34.97 - 36.8 grey-clear sub cm qtz veinlets 50 tca cuts yellow-beige silica-carb-sericite alteration; 0.5% py>po | 1401528 | 23.70 | 24.13 | 0.43 | 4550 | 4.550 |
| | | | | | 37.74 38.84 white to smokey grey quartz tourmaline vein 35 tca; pale silvery grey chlorite selveges; 0.5% f.g. disseminated and fracture controlled po>py>cp | 1401529 | 24.13 | 24.70 | 0.57 | | 12.900 |
| | | | | | 38.95 39.10 quartz tourmaline vein at 05 tca; strong silica-carb selveges; black tourmaline stylolites parallel tca | 1401531 | 24.70 | 25.24 | 0.54 | | 5.100 |
| | | | | | 39.10 40.84 strong to intense silica-carb alteration; minor qtz and qtz tourmaline veinlets at very low angles tca; minor patchy pyrite | 1401532 | 25.24 | 25.74 | 0.50 | | 7.090 |
| | | | | | 40.84 41.34 quartz vein 15 tca grey-white pyritic silvery chloritic selveges; brassy f.g. pyrite veinlets 15 tca | 1401533 | 25.74 | 26.24 | 0.50 | 700 | 0.700 |
| | | | | | | 1401534 | 26.24 | 26.74 | 0.50 | 3810 | 3.810 |
| | | | | | | 1401535 | 26.74 | 27.23 | 0.49 | | 8.700 |
| | | | | | | 1401536 | 27.23 | 27.73 | 0.50 | | 8.280 |
| | | | | | | 1401537 | 27.73 | 28.23 | 0.50 | 229 | 0.229 |
| | | | | | | 1401538 | 28.23 | 28.74 | 0.51 | 704 | 0.704 |
| | | | | | | 1401539 | 28.74 | 29.25 | 0.51 | 244 | 0.244 |
| | | | | | | 1401540 | 29.25 | 29.75 | 0.50 | 485 | 0.485 |
| | | | | | | 1401541 | 29.75 | 30.28 | 0.53 | 156 | 0.156 |
| | | | | | | 1401542 | 30.28 | 30.79 | 0.51 | 223 | 0.223 |
| | | | | | | 1401543 | 30.79 | 31.31 | 0.52 | 169 | 0.169 |
| | | | | | | 1401544 | 31.31 | 31.82 | 0.51 | 777 | 0.777 |
| | | | | | | 1401545 | 31.82 | 32.32 | 0.50 | | 7.450 |
| | | | | | | 1401546 | 32.32 | 32.82 | 0.50 | | 8.500 |
| | | | | | | 1401547 | 32.82 | 33.57 | 0.75 | | 5.460 |
| | | | | | | 1401548 | 33.57 | 33.97 | 0.40 | 2460 | 2.460 |
| | | | | | | 1401549 | 33.97 | 34.47 | 0.50 | 3950 | 3.950 |
| | | | | | | 1401551 | 34.47 | 34.97 | 0.50 | 2170 | 2.170 |
| | | | | | | 1401552 | 34.97 | 35.47 | 0.50 | 387 | 0.387 |
| | | | | | | 1401553 | 35.47 | 36.00 | 0.53 | 45 | 0.045 |
| | | | | | | 1401554 | 36.00 | 36.80 | 0.80 | 63 | 0.063 |
| | | | | | | 1401555 | 36.80 | 37.20 | 0.40 | 166 | 0.166 |
| | | | | | | 1401556 | 37.20 | 37.74 | 0.54 | 156 | 0.156 |
| | | | | | | 1401557 | 37.74 | 38.24 | 0.50 | 260 | 0.260 |
| | | | | | | 1401558 | 38.24 | 38.84 | 0.60 | 250 | 0.250 |
| | | | | | | 1401559 | 38.84 | 39.34 | 0.50 | 187 | 0.187 |
| | | | | | | 1401560 | 39.34 | 39.84 | 0.50 | 7 | 0.007 |
| | | | | | | 1401561 | 39.84 | 40.34 | 0.50 | 54 | 0.054 |
| | | | | | | 1401562 | 40.34 | 40.84 | 0.50 | 299 | 0.299 |
| | | | | | | 1401563 | 40.84 | 41.34 | 0.50 | 371 | 0.371 |

From (m) To (m) UNIT code ALT code Min code **Geological Description**

Geochemical Results

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-----------|----------|----------|---|---------|-------|-------|----------|---------------|--------|
| 41.3 | 84.0 | BQET | S Sil | TR | Blue Quartz Eye Tuff Strong Silicification | | | | | | |
| | | | | | ALTERATION ZONE - upper contact with Knoll Zone demarcated by weakening in alteration intensity, less silicification and quartz veining; overall silica-carb alteration zone remains strong overall, varying from moderate to intense | 1401564 | 41.34 | 42.32 | 0.98 | 130 | 0.130 |
| | | | | | | 1401565 | 42.32 | 43.32 | 1.00 | 204 | 0.204 |
| | | | | | | 1401566 | 43.32 | 44.32 | 1.00 | 36 | 0.036 |
| | | | | | 45.28 47.70 quartz tourmaline vein subparallel tca cutting yellow-beige silica-carb-sericite alteration; 1% f.g. to m.g. brassy pyrite | 1401567 | 44.32 | 45.28 | 0.96 | 68 | 0.068 |
| | | | | | | 1401568 | 45.28 | 46.30 | 1.02 | 366 | 0.366 |
| | | | | | 47.70 56.10 intense yellow-beige silica-carb-ser alteration; strong foliation and grey-clear Qtz frags/veinlets at 15 tca; trace to 0.5% f.g. to m.g. disseminated pyrite | 1401569 | 46.30 | 47.28 | 0.98 | 24 | 0.024 |
| | | | | | | 1401571 | 47.28 | 48.12 | 0.84 | 96 | 0.096 |
| | | | | | 56.10 58.50 quartz tourmaline veining with contacts and internal fabric 30 tca; minor v.f.g py>po>cp | 1401572 | 48.12 | 49.12 | 1.00 | 29 | 0.029 |
| | | | | | | 1401573 | 49.12 | 50.13 | 1.01 | 7 | 0.007 |
| | | | | | 68.10 70.50 10% grey-white quartz veining with black tourmaline-rich margins 15 tca (parallel to foliation); 1 to 2 % v.f.g po>py>cp | 1401574 | 50.13 | 51.16 | 1.03 | 5 | 0.005 |
| | | | | | | 1401575 | 51.16 | 52.17 | 1.01 | 15 | 0.015 |
| | | | | | 73.80 75.00 clear-grey sub cm Qtz veinlets cut strong silica-carb-ser alteration; Qtz veinlets generally at 15 tca with local tight folding; minor v.f.g pyrite | 1401576 | 52.17 | 53.17 | 1.00 | 9 | 0.009 |
| | | | | | | 1401577 | 53.17 | 54.14 | 0.97 | 11 | 0.011 |
| | | | | | 75.00 75.70 smokey grey quartz tourmaline vein at very low core angles; abundant biotite-chlorite-pyrrhotite selvages | 1401578 | 54.14 | 55.11 | 0.97 | 2 | 0.002 |
| | | | | | | 1401579 | 55.11 | 56.11 | 1.00 | 8 | 0.008 |
| | | | | | 78.00 84.00 strong to intense silica-carb-sericite alteration; strong foliation at 15 tca; minor grey Qtz parallel to foliation from 82 to 84; pyrrhotite locally to 1% foliation parallel stringers | 1401580 | 56.11 | 56.61 | 0.50 | 16 | 0.016 |
| | | | | | | 1401581 | 56.61 | 57.11 | 0.50 | 45 | 0.045 |
| | | | | | | 1401582 | 57.11 | 57.61 | 0.50 | 27 | 0.027 |
| | | | | | | 1401583 | 57.61 | 58.11 | 0.50 | 422 | 0.422 |
| | | | | | | 1401584 | 58.11 | 58.61 | 0.50 | 175 | 0.175 |
| | | | | | | 1401585 | 58.61 | 59.04 | 0.43 | 131 | 0.131 |
| | | | | | | 1401586 | 59.04 | 60.00 | 0.96 | 30 | 0.030 |
| | | | | | | 1401587 | 60.00 | 60.95 | 0.95 | 7 | 0.007 |
| | | | | | | 1401588 | 60.95 | 61.35 | 0.40 | 749 | 0.749 |
| | | | | | | 1401589 | 61.35 | 62.35 | 1.00 | 2 | 0.002 |
| | | | | | | 1401591 | 62.35 | 63.40 | 1.05 | 2 | 0.002 |
| | | | | | | 1401592 | 63.40 | 64.40 | 1.00 | 2 | 0.002 |
| | | | | | | 1401593 | 64.40 | 65.40 | 1.00 | 2 | 0.002 |
| | | | | | | 1401594 | 65.40 | 66.36 | 0.96 | 10 | 0.010 |
| | | | | | | 1401595 | 66.36 | 67.37 | 1.01 | 8 | 0.008 |
| | | | | | | 1401596 | 67.37 | 68.37 | 1.00 | 48 | 0.048 |
| | | | | | | 1401597 | 68.37 | 69.27 | 0.90 | 296 | 0.296 |
| | | | | | | 1401598 | 69.27 | 70.27 | 1.00 | 18.300 | |
| | | | | | | 1401599 | 70.27 | 71.27 | 1.00 | 2 | 0.002 |
| | | | | | | 1401600 | 71.27 | 72.30 | 1.03 | 2 | 0.002 |
| | | | | | | 1401601 | 72.30 | 73.30 | 1.00 | 2 | 0.002 |
| | | | | | | 1401602 | 73.30 | 74.30 | 1.00 | 30 | 0.030 |
| | | | | | | 1401603 | 74.30 | 74.88 | 0.58 | 45 | 0.045 |
| | | | | | | 1401604 | 74.88 | 75.39 | 0.51 | 99 | 0.099 |
| | | | | | | 1401605 | 75.39 | 76.40 | 1.01 | 5 | 0.005 |
| | | | | | | 1401606 | 76.40 | 77.40 | 1.00 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-----------|----------|----------|------------------------|---------------------|-------|-------|------|----|-------|--|--|--|
| | | | | | | 1401607 | 77.40 | 78.42 | 1.02 | 2 | 0.002 | | | |
| | | | | | | 1401608 | 78.42 | 79.42 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 1401609 | 79.42 | 80.43 | 1.01 | 2 | 0.002 | | | |
| | | | | | | 1401611 | 80.43 | 81.40 | 0.97 | 2 | 0.002 | | | |
| | | | | | | 1401612 | 81.40 | 82.40 | 1.00 | 7 | 0.007 | | | |
| | | | | | | 1401613 | 82.40 | 82.86 | 0.46 | 21 | 0.021 | | | |
| | | | | | | 1401614 | 82.86 | 83.34 | 0.48 | 36 | 0.036 | | | |
| | | | | | | 1401615 | 83.34 | 83.78 | 0.44 | 2 | 0.002 | | | |
| | | | | | | 1401616 | 83.78 | 84.00 | 0.22 | 10 | 0.010 | | | |

84.0 0.0 **EOH** **End of Hole**
Hole had to be stopped at 84 metres due to mechanical problems

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-13 | Az: 230 | Dip: -50 | Length: 60.0 |
| Easting: 474176.06 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879341.5 | Survey Type: Flexit | Log Date: 3/13/2014 | |
| Elevation: 274.67 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 20-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 20-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 25.0 | 231.9 | -53.3 | 57890.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | | | | | | | | | | | |
|----------|--------|--------------|----------|-------------|---|--|--------|------|----|----------|--------|--------|--------|-------|-------|------|-----|-------|--------|-------|-------|------|--|--------|
| 0.0 | 7.7 | CAS | | | Casing | | | | | | | | | | | | | | | | | | | |
| 7.7 | 8.9 | MDYKE | | | Mafic Dyke Dk chocolate-brn, biotite-rich; wk fol'n @ 30 to CA; minor cal stringers along fol'n; contacts broken. | | | | | | | | | | | | | | | | | | | |
| 8.9 | 9.0 | BQET | S Ser | | Blue Quartz Eye Tuff Strong Sericite Dk apple-grn; intense fe-carb (no fizz) and strong sericite alteration. | | | | | | | | | | | | | | | | | | | |
| 9.0 | 11.4 | NOREC | | | No Recovery - Lost Core 9-12m = 20% recovery. | | | | | | | | | | | | | | | | | | | |
| 11.4 | 12.0 | BQET | S Ser | DISS | Blue Quartz Eye Tuff Strong Sericite KNOLL ZONE? Med to dk- apple-grn; intense grn fe-carb and sericite alteration; smky-gry qtz vn @ LC; 2-3% fine diss py, 1% fine granular arsenopyrite. | <table border="1"> <thead> <tr> <th>Sample</th> <th>From</th> <th>To</th> <th>Interval</th> <th>Au ppb</th> <th>Au g/t</th> </tr> </thead> <tbody> <tr> <td>545598</td> <td>11.40</td> <td>11.70</td> <td>0.30</td> <td>188</td> <td>0.188</td> </tr> <tr> <td>545599</td> <td>11.70</td> <td>12.00</td> <td>0.30</td> <td></td> <td>13.200</td> </tr> </tbody> </table> | Sample | From | To | Interval | Au ppb | Au g/t | 545598 | 11.40 | 11.70 | 0.30 | 188 | 0.188 | 545599 | 11.70 | 12.00 | 0.30 | | 13.200 |
| Sample | From | To | Interval | Au ppb | Au g/t | | | | | | | | | | | | | | | | | | | |
| 545598 | 11.40 | 11.70 | 0.30 | 188 | 0.188 | | | | | | | | | | | | | | | | | | | |
| 545599 | 11.70 | 12.00 | 0.30 | | 13.200 | | | | | | | | | | | | | | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-----------|-----------|----------|---|---------------------|-------|-------|----------|--------|--------|--|--|--|
| 12.0 | 14.7 | LC | | | 12-15m = 10% recovery. | | | | | | | | | |
| 14.7 | 17.5 | BQET | M Blch | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Lt to med olive-beige with faint lt-gry qtz eyes; intense bleaching and fe-carb-sericite alteration; mod fol'n @ 40 to CA; local wk patchy silica flooding; mod narrow, clear, crack and seal qtz stringers along fol'n; tr diss py. | 545600 | 14.70 | 15.00 | 0.30 | 8 | 0.008 | | | |
| | | | | | | 545602 | 15.00 | 16.00 | 1.00 | 234 | 0.234 | | | |
| | | | | | | 545603 | 16.00 | 17.00 | 1.00 | 9 | 0.009 | | | |
| | | | | | | 545604 | 17.00 | 17.50 | 0.50 | 2 | 0.002 | | | |
| 17.5 | 19.6 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Contacts @ 40 to CA; med to dk-gry-brn with mod lt-blu to gry qtz eyes; minor py stringers along fol'n; tr diss py. | 545605 | 17.50 | 18.00 | 0.50 | 7 | 0.007 | | | |
| | | | | | | 545606 | 18.00 | 19.00 | 1.00 | 7 | 0.007 | | | |
| | | | | | | 545607 | 19.00 | 19.60 | 0.60 | 45 | 0.045 | | | |
| 19.6 | 23.9 | BQET | M Sil Fld | DISS | Blue Quartz Eye Tuff Moderate Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | As 14.70; increased smky-gry qtz veins and vnlt; 2-3% diss py and arsenopyrite | 545608 | 19.60 | 20.30 | 0.70 | 43 | 0.043 | | | |
| | | | | | 21.80 22.10 smky-gry, banded qtz vnlt @ 40 to CA; 0.5% diss py; tr aspy & cpy. | 545609 | 20.30 | 21.00 | 0.70 | 2 | 0.002 | | | |
| | | | | | 22.50 22.80 mod aspy-py-po stringers & minor smky-gry qtz-asy-py-po vnlt; 5-7% diss aspy-py-po; tr cpy. | 545610 | 21.00 | 21.80 | 0.80 | 48 | 0.048 | | | |
| | | | | | | 545611 | 21.80 | 22.10 | 0.30 | 2550 | 2.550 | | | |
| | | | | | | 545612 | 22.10 | 22.45 | 0.35 | 32 | 0.032 | | | |
| | | | | | 23.60 23.90 mod py-asy stringers. | 545613 | 22.45 | 22.80 | 0.35 | 44 | 0.044 | | | |
| | | | | | | 545614 | 22.80 | 23.60 | 0.80 | 8 | 0.008 | | | |
| | | | | | | 545615 | 23.60 | 23.90 | 0.30 | 6 | 0.006 | | | |
| 23.9 | 24.4 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | As 17.50 | 545617 | 23.90 | 24.40 | 0.50 | 90 | 0.090 | | | |
| 24.4 | 30.6 | BQET | S Blch | | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Lt creamy-beige; str bleaching due to proximity to fault; contacts broken; mod fol'n @ 40 to CA; mod "disking" of core; local manganese dendrites and stringers along fol'n; wk-mod, narrow, clear to lt-gry, crack and seal silica stringers; minor oxidized py stringers. | 545618 | 24.40 | 24.87 | 0.47 | 10 | 0.010 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|----------|--------|--------------|----------|----------|---|---------------------|
| 30.6 | 39.0 | FZ | | | Fault Zone Poor recovery; approx 14% recovery; mixture of sheared tuff and clay gouge fragments; shears @ 40-45 to CA; contacts broken. | |
| 39.0 | 52.7 | UM | | | Ultramafic Extrusive Talc-chl ultramafioc; magnetic; med-gry; msv; mod fol'n @ 35-40 to CA. | |
| 52.7 | 54.1 | MDYKE | | | Mafic Dyke UC @ 40, LC @ 80 to CA; boitite-rich; dk-brn; minor cal stringers; wk-mod, pervasive carbonate alt'n. | |
| 54.1 | 60.0 | UM | | | Ultramafic Extrusive As 39.00 | |
| 60.0 | 0.0 | EOH | | | End of Hole | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-14 | Az: 235 | Dip: -80 | Length: 102.0 |
| Easting: 474199.12 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879329 | Survey Type: Flexit | Log Date: | |
| Elevation: 275.58 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 21-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 21-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 24.0 | 234.6 | -79.5 | 57360.0 | 0.0 |
| 75.0 | 227.7 | -77.2 | 56680.0 | 0.0 |
| 102.0 | 234.6 | -76.4 | 56750.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|----------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 9.4 | CAS | | | Casing | | | | | | | | | |
| 9.4 | 14.8 | BQET | S | B1ch | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | strong to intense, beige silica-carbonate alteration, cut by fine clear-grey qtz veinlets 30 tca; minor v.f.g py-po | 1401617 | 9.40 | 10.20 | 0.80 | 26 | 0.026 | | | |
| | | | | | 11.40 12.00 quartz tourmaline vein 20 tca; mainly v.f.g py>po | 1401618 | 10.20 | 11.40 | 1.20 | 10 | 0.010 | | | |
| | | | | | 12.70 12.73 3 cm quartz vein 20 toca with 5% v.f.g po>py>cp | 1401619 | 11.40 | 12.00 | 0.60 | 2700 | 2.700 | | | |
| | | | | | 13.30 14.75 60% quartz tourmaline veining 15 tca; broken core, minor core loss with trace to minor v.f.g py>po | 1401620 | 12.00 | 13.30 | 1.30 | 8 | 0.008 | | | |
| | | | | | | 1401621 | 13.30 | 14.10 | 0.80 | 687 | 0.687 | | | |
| | | | | | | 1401622 | 14.10 | 14.75 | 0.65 | 743 | 0.743 | | | |
| 14.8 | 38.0 | BQET | | | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | relatively unaltered, with weak foliation at very low core angles; black biotite-rich; minor sub cm quartz and quartz tourmaline veinlets parallel to core; minor f.g. disseminated pyrite | 1401623 | 14.75 | 15.20 | 0.45 | 30 | 0.030 | | | |
| | | | | | 27.00 27.04 4 cm glassy white late quartz vein at low angles tca | 1401624 | 37.62 | 38.00 | 0.38 | 129 | 0.129 | | | |
| | | | | | 38.00 38.01 sharp contact with altered BQET 60 tca | | | | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------------------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 38.0 | 51.6 | BQET | S <i>Bld</i> | TR | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | strong to intense grey to yellow beige silica-carb-sericite alteration; no obvious foliation, but grey-clear qtz stringers and qtz tourmaline healed fractures are oriented at 5 to 15 tca; MS is slightly elevated due to patchy po>py>cp associated with darker biotite-tourmaline alteration along fractures (MS = and 0.35 to 0.7) | 1401625 | 38.00 | 39.00 | 1.00 | 230 | 0.230 |
| | | | | | | 1401626 | 39.00 | 40.00 | 1.00 | 47 | 0.047 |
| | | | | | | 1401627 | 40.00 | 41.00 | 1.00 | 423 | 0.423 |
| | | | | | | 1401628 | 41.00 | 42.00 | 1.00 | 61 | 0.061 |
| | | | | | 51.25 51.60 dark biotite-rich band 30 tca; sharp contact with beige alteration is 30 tca, as are po>py>cp bands; 5-8% sulphides | 1401629 | 42.00 | 43.00 | 1.00 | 240 | 0.240 |
| | | | | | | 1401631 | 43.00 | 44.50 | 1.50 | 117 | 0.117 |
| | | | | | | 1401632 | 44.50 | 45.50 | 1.00 | 6 | 0.006 |
| | | | | | | 1401633 | 45.50 | 46.50 | 1.00 | 19 | 0.019 |
| | | | | | | 1401634 | 46.50 | 47.50 | 1.00 | 24 | 0.024 |
| | | | | | | 1401635 | 47.50 | 48.50 | 1.00 | 584 | 0.584 |
| | | | | | | 1401636 | 48.50 | 49.50 | 1.00 | 19 | 0.019 |
| | | | | | | 1401637 | 49.50 | 50.80 | 1.30 | 2 | 0.002 |
| | | | | | | 1401638 | 50.80 | 51.25 | 0.45 | 190 | 0.190 |
| | | | | | | 1401639 | 51.25 | 51.60 | 0.35 | 478 | 0.478 |
| 51.6 | 53.1 | BQET | S Sil | DISS | Blue Quartz Eye Tuff Strong Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | UPPER KNOLL ZONE - sharp upper contact 30 tca; white siliceous bands and beige carb-ser bands (sub cm scale) 30 tca | 1401640 | 51.60 | 52.00 | 0.40 | 310 | 0.310 |
| | | | | | 52.0 sharp 30 tca contact with smokey grey quartz vein | 1401641 | 52.00 | 52.60 | 0.60 | | 15.300 |
| | | | | | 52.00 53.10 VG mottled smokey grey quartz vein or zone of silicification | 1401642 | 52.60 | 53.10 | 0.50 | | 3.720 |
| | | | | | One 3mm dia speck VG plus satellite sub mm specks VG at 52.25 occur in glassy, late 4 cm wide qtz vein 35 tca but crosscutting smokey grey vein; 2 to 3% arsenopyrite needles and v.v.f.g granular asp from 52.6 to 53.1 | | | | | | |
| 53.1 | 59.7 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | pale green chilled upper contact 30 tca; 20% calcitic-amphibole extensional stringers 10 to 30 tca | 1401643 | 53.10 | 53.45 | 0.35 | 817 | 0.817 |
| | | | | | | 1401644 | 53.45 | 54.00 | 0.55 | 183 | 0.183 |
| | | | | | | 1401645 | 54.00 | 55.50 | 1.50 | 99 | 0.099 |
| | | | | | | 1401646 | 55.50 | 57.00 | 1.50 | 8 | 0.008 |
| | | | | | | 1401647 | 57.00 | 58.00 | 1.00 | 124 | 0.124 |
| | | | | | | 1401648 | 58.00 | 58.50 | 0.50 | 369 | 0.369 |
| | | | | | | 1401649 | 58.50 | 59.30 | 0.80 | 147 | 0.147 |
| | | | | | | 1401651 | 59.30 | 59.65 | 0.35 | 417 | 0.417 |
| 59.7 | 67.8 | BQET | M Sil <i>Fld</i> | DISS | Blue Quartz Eye Tuff Moderate Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | KNOLL ZONE - strong silica-carb-sericite alteration cut by numerous 30 to 40 tca grey to smokey grey quartz veins; arsenopyrite as v.v.f.g clouds of needles up to 5% locally; up to 1% po>py>cp as v.f.g disseminations in veining; veining and sulphide mineralization decreases downhole, with main mineralized zone ending at approx. 63m; | 1401652 | 59.65 | 60.15 | 0.50 | 2130 | 2.130 |
| | | | | | | 1401653 | 60.15 | 60.65 | 0.50 | 3130 | 3.130 |
| | | | | | | 1401654 | 60.65 | 61.15 | 0.50 | | 8.220 |
| | | | | | | 1401655 | 61.15 | 61.65 | 0.50 | | 11.900 |
| | | | | | | 1401656 | 61.65 | 62.21 | 0.56 | 712 | 0.712 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | minor tremolite associated with m.g. biotite patches and siliceous bands 40 tca | 1401657 | 62.21 | 62.78 | 0.57 | 760 | 0.760 |
| | | | | | | 1401658 | 62.78 | 63.75 | 0.97 | 10 | 0.010 |
| | | | | | | 1401659 | 63.75 | 64.76 | 1.01 | 15 | 0.015 |
| | | | | | | 1401660 | 64.76 | 65.36 | 0.60 | 11 | 0.011 |
| | | | | | | 1401661 | 65.36 | 65.93 | 0.57 | 285 | 0.285 |
| | | | | | | 1401662 | 65.93 | 66.43 | 0.50 | 264 | 0.264 |
| | | | | | | 1401663 | 66.43 | 66.93 | 0.50 | 17 | 0.017 |
| | | | | | | 1401664 | 66.93 | 67.45 | 0.52 | 631 | 0.631 |
| | | | | | | 1401665 | 67.45 | 68.05 | 0.60 | 327 | 0.327 |
| 67.8 | 75.5 | BQET | <i>W Blich</i> | | Blue Quartz Eye Tuff Weak Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | variably altered; silica-carb bleaching along 30 to 40 tca very weak to weak foliation; minor quartz stringers/silicification | 1401666 | 68.05 | 69.00 | 0.95 | 21 | 0.021 |
| 75.5 | 80.2 | GAB | | | Gabbro | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | emerald green, relatively non-magnetic (MS 0.2 to 0.7), massive, coarse grained; upper contact appears conformable; starburst sheaths of pale green to medium green amphibole throughout; relatively hard, composed of 40% plagioclase with approx 2% biotite and traces of chalcopyrite; weak foliation 50 tca develops toward lower contact | 1401667 | 76.15 | 77.10 | 0.95 | 46 | 0.046 |
| | | | | | | 1401668 | 77.10 | 78.00 | 0.90 | 794 | 0.794 |
| | | | | | | 1401669 | 78.00 | 79.00 | 1.00 | 619 | 0.619 |
| | | | | | 75.50 77.80 milky to greyish white quartz vein/silicification 35 tca; aphanitic brownish blush to some layers adjacent to silicification; no fizz carbonate | | | | | | |
| 80.2 | 80.9 | MDYKE | | | Mafic Dyke | | | | | | |
| | | | | | black, relatively non-magnetic; sharp upper contact 35 tca; no internal veining or structure as Knoll dyke; sharp lower contact 30 tca with slight chill; no fizz carb | | | | | | |
| 80.9 | 91.7 | UM | | | Ultramafic Extrusive | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | Talc-Chlorite Schist - 5 cm serperntine rich pale green massive to strongly foliated with talcose fault gouge at 81m; highly strained talc-schist from 81 to 81.5 including 0.15 m lost core; strong foliation varies from 30 to 45 tca; soft, no fizz carb; minor broken carb veins; MS is very erratic, generally 6 to 12 with local highs of 40 to 80; foliation toward lower contact is 60 tca; sharp lower contact 60 tca | 1401671 | 91.10 | 91.70 | 0.60 | 2 | 0.002 |
| 91.7 | 95.1 | UM | | | Ultramafic Extrusive | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | possibly a different protolith than previous unit; mottled pale emerald green to grey due to green patchy carb-rich (some fizz type) alteration; 0.5% v.f.g pyrite disseminated throughout; MS 2 to 4; 5% white to grey carb veinlets heal irregular fractures | 1401672 | 91.70 | 92.69 | 0.99 | 16 | 0.016 |
| | | | | | | 1401673 | 92.69 | 93.68 | 0.99 | 42 | 0.042 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|------------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| | | | | | | 1401674 | 93.68 | 94.38 | 0.70 | 12 | 0.012 | | | |
| | | | | | | 1401675 | 94.38 | 95.10 | 0.72 | 31 | 0.031 | | | |
| 95.1 | 97.3 | UM | | | Ultramafic Extrusive Talc-Chlorite-Carbonate Schist - strongly spaced foliation defined by black ferromagnesian mineral dominated planes in pale off-white to green unit; RQD of approx 75; MS = 11 to 30 | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | | 1401676 | 95.10 | 95.60 | 0.50 | 10 | 0.010 | | | |
| 97.3 | 102.0 | UM | | | Ultramafic Extrusive coarse-grained 50% pale grey plagioclase and 50% serpentinized olivine/pyroxene; strongly magnetic, increasing downhole, up to MS of 75; massive, serpy feel; RQD approx 90, recovery 90%; minor fine carb (dolomitic?) healed fractures; minor fizz type carbonate | | | | | | | | | |
| 102.0 | 0.0 | EOH | | | End of Hole | | | | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-15 | Az: 235 | Dip: -65 | Length: 57.0 |
| Easting: 474199.12 | Hole Type: Core | Logged by: P.Toth | |
| Northing: 5879329 | Survey Type: Flexit | Log Date: 3/21/2014 | |
| Elevation: 275.58 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 22-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 22-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 21.0 | 235 | -66.1 | 58080.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|----------------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 13.5 | CAS | | | Casing | | | | | | | | | |
| 13.5 | 13.9 | BQET | <i>W Blich</i> | | Blue Quartz Eye Tuff Weak Bleaching Dk-brn with abund lt-blu qtz eyes; wkly bleached; small frag of wh qtz vnlt at start. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | | 545619 | 13.53 | 13.85 | 0.32 | 12 | 0.012 | | | |
| 13.9 | 14.4 | BQET | <i>M Blich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching Med-beige; mod bleached with faint lt-gry qtz eyes; mod sericite alteration; fol'n @ 25 to CA; tr diss py. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | | 545620 | 13.85 | 14.85 | 1.00 | 63 | 0.063 | | | |
| 14.4 | 17.2 | BQET | | TR | Blue Quartz Eye Tuff Dk-brn; abund blu qtz eyes; local, mod-str bleached patches; tr diss py. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | | 545621 | 14.85 | 15.45 | 0.60 | 149 | 0.149 | | | |
| | | | | | | 545622 | 15.45 | 16.45 | 1.00 | 27 | 0.027 | | | |
| | | | | | | 545623 | 16.45 | 17.20 | 0.75 | 28 | 0.028 | | | |
| 17.2 | 22.2 | BQET | <i>M Blich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | | 545624 | 17.20 | 18.00 | 0.80 | 2 | 0.002 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|------------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | Med-beige; mod bleached with mod sericite alt'n; minor lt-gry; dirty qtz-sulphide vnlt; local, patchy zones of silica flooding; fol'n @ 35 to CA; tr-0.5% diss py. | 545625 | 18.00 | 19.10 | 1.10 | 2 | 0.002 |
| | | | | | | 545626 | 19.10 | 19.60 | 0.50 | 6 | 0.006 |
| | | | | | 18.37 18.39 1.5-2cm, smky-gry, dirty qtz vnlt @ 35 to CA; 1% diss py-po. | 545627 | 19.60 | 20.00 | 0.40 | 2 | 0.002 |
| | | | | | 19.10 19.60 strong silica flooding/brecciation; clear to lt-gry qtz with 2% fine diss py-po; tr aspy. | 545628 | 20.00 | 21.00 | 1.00 | 181 | 0.181 |
| | | | | | | 545629 | 21.00 | 22.20 | 1.20 | 63 | 0.063 |
| 22.2 | 23.5 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn; wk patchy bleaching; tr-0.5% diss py. | 545630 | 22.20 | 23.55 | 1.35 | 30 | 0.030 |
| 23.5 | 26.1 | BQET | <i>M Sil Fld</i> | TR | Blue Quartz Eye Tuff Moderate Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | As 13.85; increased clear crack and seal qtz stringers along fol'n; wk-mod patchy silica flooding; tr diss py mostly in clear qtz stringers. | 545632 | 23.55 | 24.50 | 0.95 | 10 | 0.010 |
| | | | | | | 545633 | 24.50 | 25.50 | 1.00 | 19 | 0.019 |
| | | | | | | 545634 | 25.50 | 26.15 | 0.65 | 10 | 0.010 |
| 26.1 | 27.6 | BQET | <i>S Sil Fld</i> | BLEB | Blue Quartz Eye Tuff Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | UPPER KNOLL ZONE | 545635 | 26.15 | 26.50 | 0.35 | 766 | 0.766 |
| | | | | | Lt smky-gry-beige; strly silica flooded and veined; original texture almost completely destroyed; fol'n @ 25 to CA; abund smky-gry, qtz-py-po-asy-cpy vns and vnlt; 7% diss sulphides; abund arsenopyrite. | 545636 | 26.50 | 27.00 | 0.50 | | 19.700 |
| | | | | | 26.15 26.50 smky-gry to milky-wh, dirty qtz vn @ 30 to CA; 2% diss py; tr po-asy-cpy. | 545637 | 27.00 | 27.30 | 0.30 | | 5.560 |
| | | | | | 26.70 26.80 dirty, smky-gry qtz vnlt @ 30 to CA; rimmed by halos of str, fine aspy; 5% py-po-asy; tr cpy. | 545638 | 27.30 | 27.60 | 0.30 | 2650 | 2.650 |
| | | | | | 26.80 26.94 approx 35% fine aspy needles in lt-gry silica flodded tuff. | | | | | | |
| | | | | | 26.94 26.97 2.5cm smky-gry qtz-asy vnlt @ 30 to CA. | | | | | | |
| | | | | | 27.18 27.25 approx 30% aspy needles along fol'n. | | | | | | |
| | | | | | 27.40 27.60 smky-gry qtz vn @ 30 to CA; 5-7% fine diss & needles aspy; 2% diss po-py; tr cpy. | | | | | | |
| 27.6 | 28.5 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn; fine-grained; massive; very broken and fractured. | 545639 | 27.60 | 28.40 | 0.80 | 394 | 0.394 |
| | | | | | | 545640 | 28.40 | 30.00 | 1.60 | 109 | 0.109 |
| 28.5 | 35.2 | FZ | | | Fault Zone | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Contacts broken; very broken with poor recovery; clay and sandy-clay gouge with dike frags. | 545641 | 30.00 | 35.50 | 5.50 | 60 | 0.060 |
| | | | | | Recovery: 27-30m = 65% 39-42m = 33% 51-54m = 41% | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | |
|----------|--------|--------------|--------------------------|-----------|---|------------------------------|--------------|---------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | 30-33m = 40% 33-36m = 27% | 42-45m = 78% 45-48m = 15% | 54-57m = 17% | | | | | | |
| 35.2 | 35.5 | MDYKE | | | Mafic Dyke Broken; grn-brn; biotite-rich. | | | | | | | | |
| 35.5 | 45.3 | BQET | S <i>Blich</i> | TR | Blue Quartz Eye Tuff Strong Bleaching Beige-olive-grn; very broken with str fol'n @ 35-40 to CA; strly bleached; wk, local, patchy silica flooding; minor, milky-wh to lt-gry qtz vnlts; central zone of manganese dendrites; tr diss py. 42.20 42.25 5cm milky-wh to lt-gry qtz vnlit @ 70 to CA; tr diss py. | | | | | | | | |
| | | | | | | | | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | | | 545642 | 35.50 | 36.00 | 0.50 | 639 | 0.639 |
| | | | | | | | | 545643 | 36.00 | 39.00 | 3.00 | 105 | 0.105 |
| | | | | | | | | 545644 | 39.00 | 42.00 | 3.00 | 73 | 0.073 |
| | | | | | | | | 545645 | 42.00 | 45.35 | 3.35 | 756 | 0.756 |
| 45.3 | 53.6 | FZ | | | Fault Zone Very broken mixture of gouge and foliated rock fragments; contacts broken. | | | | | | | | |
| 53.6 | 54.0 | MDYKE | | | Mafic Dyke Dk-brn; fine-grained; biotite-rich. | | | | | | | | |
| 54.0 | 56.5 | NOREC | | | No Recovery - Lost Core Part of the fault zone starting at 28.5 metres | | | | | | | | |
| 56.5 | 56.8 | MDYKE | | | Mafic Dyke Med grn-brn; fine-grained; biotite-rich; contacts broken. | | | | | | | | |
| 56.8 | 57.0 | UM | | | Ultramafic Extrusive Talc-Chlorite Schist | | | | | | | | |
| 57.0 | 0.0 | EOH | | | End of Hole | | | | | | | | |

From **To** UNIT ALT Min
(m) **(m)** code code code ***Geological Description***

Geochemical Results

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-16 | Az: 275 | Dip: -65 | Length: 126.0 |
| Easting: 474203.43 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879336 | Survey Type: Flexit | Log Date: 3/13/2014 | |
| Elevation: 273.27 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 22-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 24-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 15.0 | 273.5 | -65.7 | 58040.0 | 0.0 |
| 66.0 | 279.8 | -65.1 | 56850.0 | 0.0 |
| 90.0 | 275.5 | -65.6 | 56490.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|----------|-----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 4.5 | CAS | | | Casing | | | | | | | | | |
| 4.5 | 66.0 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Dk-brn, fine-grained with abund blue qtz eyes; local, narrow bleached sections; minor calcite stringers and wh, qtz-biotite-py vnlt; wk fol'n @ 30-45 to CA | 545501 | 60.12 | 61.50 | 1.38 | 2 | 0.002 | | | |
| | | | | | 12.90 13.40 mod-strong silica flooding and sericite alteration. | 545502 | 61.50 | 62.50 | 1.00 | 89 | 0.089 | | | |
| | | | | | 29.50 29.55 5cm wh qtz-bio-chl vnlt @ 35 to CA. | 545503 | 62.50 | 63.50 | 1.00 | 157 | 0.157 | | | |
| | | | | | 30.90 30.92 2cm wh qtz-chl vnlt @ 50 to CA. | 545504 | 63.50 | 64.50 | 1.00 | 526 | 0.526 | | | |
| | | | | | 46.40 46.41 1cm wh qtz vnlt @ 30 to CA. | 545505 | 64.50 | 65.65 | 1.15 | 805 | 0.805 | | | |
| | | | | | 61.60 61.61 1cm wh qtz-py vnlt @ 30 to CA. | 545506 | 65.65 | 66.00 | 0.35 | 18 | 0.018 | | | |
| 66.0 | 75.7 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | Dk-brn, biotitic with mod pervasive carb alteration; mod irreg cal stringers; lower contact @ 20 to CA | 545507 | 66.00 | 66.60 | 0.60 | 79 | 0.079 | | | |
| | | | | | | 545508 | 66.60 | 67.20 | 0.60 | 53 | 0.053 | | | |
| | | | | | | 545509 | 67.20 | 68.00 | 0.80 | 85 | 0.085 | | | |
| | | | | | | 545510 | 68.00 | 68.87 | 0.87 | 165 | 0.165 | | | |
| | | | | | | 1401802 | 75.30 | 75.70 | 0.40 | 433 | 0.433 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|--------------|----------|--|---------------------|-------|-------|----------|--------|--------|
| | | | | | | Sample | From | To | Interval | Au ppb | Au g/t |
| 75.7 | 90.7 | BQET | S Sil Fld | DISS | Blue Quartz Eye Tuff Strong Silica Flooding | | | | | | |
| | | | | | Knoll Zone: wide zone of intensely altered tuff; heavily quartz veined and silicified zones grading into each other | 1401803 | 75.70 | 76.02 | 0.32 | 932 | 0.932 |
| | | | | | | 1401804 | 76.02 | 76.53 | 0.51 | 89 | 0.089 |
| | | | | | | 1401805 | 76.53 | 77.30 | 0.77 | 83 | 0.083 |
| | | | | | 75.70 80.48 70 to 80 % quartz and quartz tourmaline veining, varying from massive dark smokey grey to smokey grey-white mottled veins; grey-white veinlets cut alteration at low core angles; internal fabric of larger veins is 40 to 45 tca; 1 to 2 % po>cp>py increasing locally in fractured/mottled veins | 1401806 | 77.30 | 77.59 | 0.29 | 79 | 0.079 |
| | | | | | 80.0 v.v.f.g. arsenopyrite in smokey grey qtz vein | 1401807 | 77.59 | 78.33 | 0.74 | 1680 | 1.680 |
| | | | | | | 1401808 | 78.33 | 79.00 | 0.67 | | 57.900 |
| | | | | | | 1401809 | 79.00 | 79.65 | 0.65 | | 9.310 |
| | | | | | 83.20 87.25 VG 90% quartz and quartz tourmaline veining; vein contacts and internal fabric generally 45 tca; although quartz tourmaline veins are 25 tca; several sections are heavily pyritic as laminations along vein margins; other sections are dominated by blebby po-cp | 1401811 | 79.65 | 79.93 | 0.28 | 127 | 0.127 |
| | | | | | 83.2 - 83.45 grey-white quartz vein 45 tca; 5-8 % f.g. -m.g. pyrite laminations along vein margins | 1401812 | 79.93 | 80.48 | 0.55 | 592 | 0.592 |
| | | | | | 83.4 two clouds of VG consisting of 10 to 20 very fine specks VG | 1401813 | 80.48 | 80.88 | 0.40 | | 7.830 |
| | | | | | | 1401814 | 80.88 | 81.61 | 0.73 | 104 | 0.104 |
| | | | | | 83.45 - 87.1 mainly quartz tourmaline, with grey chlorite and biotite-rich selveges; 2 to 5% po>cp>py blebb disseminations and along fractures between 83.68 -87.25 | 1401815 | 81.61 | 82.34 | 0.73 | 32 | 0.032 |
| | | | | | | 1401816 | 82.34 | 82.97 | 0.63 | 480 | 0.480 |
| | | | | | | 1401817 | 82.97 | 83.37 | 0.40 | 449 | 0.449 |
| | | | | | | 1401818 | 83.37 | 83.78 | 0.41 | | 13.500 |
| | | | | | 87.25 88.31 streaky silica-carb defined foliation 35 tca, dark, sulphidic, strongly silicified | 1401819 | 83.78 | 84.18 | 0.40 | 326 | 0.326 |
| | | | | | | 1401820 | 84.18 | 84.64 | 0.46 | 2490 | 2.490 |
| | | | | | 88.31 90.71 intense yellow-beige silica-carb-sericite alteration cut by 25% white and clear-grey stringers and veins; weak to moderate foliation at 40 to 45 tca; 0.5% pyrite locally in veins and laminations | 1401821 | 84.64 | 85.16 | 0.52 | | 5.730 |
| | | | | | | 1401822 | 85.16 | 85.70 | 0.54 | 534 | 0.534 |
| | | | | | | 1401823 | 85.70 | 86.38 | 0.68 | 74 | 0.074 |
| | | | | | | 1401824 | 86.38 | 86.90 | 0.52 | 1930 | 1.930 |
| | | | | | | 1401825 | 86.90 | 87.25 | 0.35 | 60 | 0.060 |
| | | | | | | 1401826 | 87.25 | 87.60 | 0.35 | 280 | 0.280 |
| | | | | | | 1401827 | 87.60 | 88.31 | 0.71 | 19 | 0.019 |
| | | | | | | 1401828 | 88.31 | 88.91 | 0.60 | 6 | 0.006 |
| | | | | | | 1401829 | 88.91 | 89.52 | 0.61 | 59 | 0.059 |
| | | | | | | 1401831 | 89.52 | 89.82 | 0.30 | 72 | 0.072 |
| | | | | | | 1401832 | 89.82 | 90.29 | 0.47 | 132 | 0.132 |
| | | | | | | 1401833 | 90.29 | 90.71 | 0.42 | 173 | 0.173 |
| 90.7 | 94.8 | BQET | M Bich | | Blue Quartz Eye Tuff Moderate Bleaching | | | | | | |
| | | | | | patchy moderate bleaching, streaky along 45 tca foliation | 1401834 | 90.71 | 91.35 | 0.64 | 15 | 0.015 |
| | | | | | 91.77 92.21 quartz tourmaline vein 30 tca | 1401835 | 91.35 | 91.77 | 0.42 | 6 | 0.006 |
| | | | | | | 1401836 | 91.77 | 92.21 | 0.44 | 565 | 0.565 |
| | | | | | | 1401837 | 92.21 | 92.61 | 0.40 | 63 | 0.063 |
| | | | | | | 1401838 | 92.61 | 93.00 | 0.39 | 378 | 0.378 |
| | | | | | | 1401839 | 93.00 | 93.40 | 0.40 | 127 | 0.127 |
| | | | | | | 1401840 | 93.40 | 93.92 | 0.52 | 535 | 0.535 |
| | | | | | | 1401841 | 93.92 | 94.44 | 0.52 | 406 | 0.406 |
| | | | | | | 1401842 | 94.44 | 94.84 | 0.40 | 148 | 0.148 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 94.8 | 108.4 | BQET | S | Sil | Blue Quartz Eye Tuff Strong Silicification ALTERATION ZONE - strong to intense yellow beige silica-carb-sericite alteration, cut by 25% white and clear-grey quartz veining; moderate foliation 45 tca 108.10 0.00 VG 108.1 One sub mm speck VG in clear-grey qtz veinlet | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 1401843 | 94.84 | 95.84 | 1.00 | 489 | 0.489 |
| | | | | | | 1401844 | 95.84 | 96.55 | 0.71 | 22 | 0.022 |
| | | | | | | 1401845 | 96.55 | 97.23 | 0.68 | 10 | 0.010 |
| | | | | | | 1401846 | 97.23 | 97.72 | 0.49 | 43 | 0.043 |
| | | | | | | 1401847 | 97.72 | 98.30 | 0.58 | 6 | 0.006 |
| | | | | | | 1401848 | 98.30 | 98.70 | 0.40 | 16 | 0.016 |
| | | | | | | 1401849 | 98.70 | 99.18 | 0.48 | 82 | 0.082 |
| | | | | | | 1401851 | 99.18 | 99.59 | 0.41 | 11 | 0.011 |
| | | | | | | 1401852 | 99.59 | 100.59 | 1.00 | 15 | 0.015 |
| | | | | | | 1401853 | 100.59 | 101.54 | 0.95 | 5 | 0.005 |
| | | | | | | 1401854 | 101.54 | 102.00 | 0.46 | 2 | 0.002 |
| | | | | | | 1401855 | 102.00 | 102.30 | 0.30 | 9 | 0.009 |
| | | | | | | 1401856 | 102.30 | 102.70 | 0.40 | 20 | 0.020 |
| | | | | | | 1401857 | 102.70 | 103.71 | 1.01 | 6 | 0.006 |
| | | | | | | 1401858 | 103.71 | 104.70 | 0.99 | 6 | 0.006 |
| | | | | | | 1401859 | 104.70 | 105.58 | 0.88 | 11 | 0.011 |
| | | | | | | 1401860 | 105.58 | 106.14 | 0.56 | 7 | 0.007 |
| | | | | | | 1401861 | 106.14 | 106.54 | 0.40 | 2 | 0.002 |
| | | | | | | 1401862 | 106.54 | 106.89 | 0.35 | 10 | 0.010 |
| | | | | | | 1401863 | 106.89 | 107.30 | 0.41 | 25 | 0.025 |
| | | | | | | 1401864 | 107.30 | 107.88 | 0.58 | 29 | 0.029 |
| | | | | | | 1401865 | 107.88 | 108.49 | 0.61 | | 22.700 |
| 108.4 | 112.4 | BQET | M | Bich | Blue Quartz Eye Tuff Moderate Bleaching patchy moderate bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 1401866 | 108.49 | 108.90 | 0.41 | 169 | 0.169 |
| | | | | | | 1401867 | 108.90 | 109.90 | 1.00 | 9 | 0.009 |
| | | | | | | 1401868 | 109.90 | 110.91 | 1.01 | 398 | 0.398 |
| | | | | | | 1401869 | 110.91 | 111.91 | 1.00 | 67 | 0.067 |
| | | | | | | 1401870 | 111.91 | 112.42 | 0.51 | 92 | 0.092 |
| 112.4 | 126.0 | UM | | | Ultramafic Extrusive Talc-Chlorite Schist, upper contact 30 tca | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 1401871 | 112.42 | 113.38 | 0.96 | 428 | 0.428 |
| 126.0 | 0.0 | EOH | | | End of Hole | | | | | | |

From **To** UNIT ALT Min
(m) **(m)** code code code **Geological Description**

Geochemical Results

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-17 | Az: 75 | Dip: -50 | Length: 69.0 |
| Easting: 473999.68 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879829 | Survey Type: Flexit | Log Date: 3/14/2014 | |
| Elevation: 275.82 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: RvG4 | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977005 | Start Date: 24-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 24-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 18.0 | 73.1 | -50.1 | 59840.0 | 0.0 |
| 69.0 | 77.4 | -48.4 | 56450.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|----------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 9.0 | CAS | | | Casing | | | | | | | | | |
| 9.0 | 33.7 | BQET | <i>W Blich</i> | | Blue Quartz Eye Tuff Weak Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | dark-brown, fine-grained, biotite-rich; abundant blue qtz eyes; moderate-strong foliation @ 30-40 to CA; | 1401873 | 9.12 | 10.11 | 0.99 | 2 | 0.002 | | | |
| | | | | | very minor, irregular calcite stringers; minor white quartz stringers; local patches of moderate, light-beige streaky bleaching. | 1401874 | 12.06 | 12.90 | 0.84 | 2 | 0.002 | | | |
| | | | | | 9.02 10.11 moderately bleached. | 1401875 | 12.90 | 13.76 | 0.86 | 2 | 0.002 | | | |
| | | | | | 12.00 13.76 wk to mod bleaching. | 1401876 | 17.12 | 17.86 | 0.74 | 2 | 0.002 | | | |
| | | | | | 17.10 18.73 mod bleaching with mod cal vnits at 18m. | 1401877 | 17.86 | 18.73 | 0.87 | 13 | 0.013 | | | |
| | | | | | 23.67 25.48 mod beige bleaching. | 1401878 | 23.67 | 24.59 | 0.92 | 2 | 0.002 | | | |
| | | | | | 28.82 32.32 strong, streaky bleaching with local py-rich bands along fol'n. | 1401879 | 24.59 | 25.48 | 0.89 | 2 | 0.002 | | | |
| | | | | | | 1401880 | 28.82 | 29.90 | 1.08 | 40 | 0.040 | | | |
| | | | | | | 1401881 | 29.90 | 31.09 | 1.19 | 23 | 0.023 | | | |
| | | | | | | 1401882 | 31.09 | 32.32 | 1.23 | 9 | 0.009 | | | |
| 33.7 | 48.8 | BQET | <i>M Blich</i> | DISS | Blue Quartz Eye Tuff Moderate Bleaching | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> | | | |
| | | | | | medium dark-brown, biotite-rich with abundant light-grey to light-blue qtz eyes; moderate-strong foliation @ 30 to CA; | 1401883 | 33.65 | 34.65 | 1.00 | 8 | 0.008 | | | |
| | | | | | moderate-strong streaky to patchy beige bleaching following foliation; local zones of up to 10cm wide of disseminated py stringers; very minor calcite stringers; minor, white to light-grey quartz-pyrite stringers and veinlets; | 1401884 | 34.65 | 35.65 | 1.00 | 202 | 0.202 | | | |
| | | | | | | 1401885 | 35.65 | 36.66 | 1.01 | 8 | 0.008 | | | |
| | | | | | | 1401886 | 36.66 | 37.66 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 1401887 | 37.66 | 38.66 | 1.00 | 20 | 0.020 | | | |
| | | | | | | 1401888 | 38.66 | 39.74 | 1.08 | 18 | 0.018 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | 2-3% disseminated pyrite, trace chalcopyrite in quartz stringers. | 1401889 | 39.74 | 40.76 | 1.02 | 200 | 0.200 |
| 48.83 | 48.85 | VG | | | 2cm wide, broken quartz-pyrite-chlorite vnlit with one 1mm speck of V.G. | 1401891 | 40.76 | 41.77 | 1.01 | 52 | 0.052 |
| | | | | | | 1401892 | 41.77 | 42.67 | 0.90 | 35 | 0.035 |
| | | | | | | 1401893 | 42.67 | 43.67 | 1.00 | 208 | 0.208 |
| | | | | | | 1401894 | 43.67 | 44.67 | 1.00 | 237 | 0.237 |
| | | | | | | 1401895 | 44.67 | 45.83 | 1.16 | 314 | 0.314 |
| | | | | | | 1401896 | 45.83 | 46.82 | 0.99 | 882 | 0.882 |
| | | | | | | 1401897 | 46.82 | 47.57 | 0.75 | 726 | 0.726 |
| | | | | | | 1401898 | 47.57 | 48.28 | 0.71 | 66 | 0.066 |
| | | | | | | 1401899 | 48.28 | 48.68 | 0.40 | 79 | 0.079 |
| | | | | | | 1401900 | 48.68 | 48.98 | 0.30 | | 110.000 |
| 48.8 | 52.2 | MDYKE | | | Mafic Dyke UC @ 40, LC @ 50 to CA; dk-brn, fine-grained, biotite-rich with wk-mod, pervasive carb alteration; fol'n @ 30 to CA; mod gry cal stringers along fol'n; mod diss py stringers parallel to fol'n. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 1401901 | 48.98 | 49.38 | 0.40 | 539 | 0.539 |
| | | | | | | 1401902 | 49.38 | 50.38 | 1.00 | 1440 | 1.440 |
| | | | | | | 1401903 | 50.38 | 51.48 | 1.10 | 643 | 0.643 |
| | | | | | | 1401904 | 51.48 | 52.52 | 1.04 | 696 | 0.696 |
| 52.2 | 69.0 | BQET | | | Blue Quartz Eye Tuff Med dk-brn; fine-grained; biotite-rich with abund blu qtz eyes; upper 1.5m wk-mod bleaching; fol'n @ 20-30 to CA; generally massive. 58.55 58.56 1cm lt-gry qtz-chl-py vnlit @ 20 to CA. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 1401905 | 52.52 | 52.89 | 0.37 | 358 | 0.358 |
| | | | | | | 1401906 | 52.89 | 53.19 | 0.30 | | 19.900 |
| | | | | | | 1401907 | 53.19 | 53.59 | 0.40 | 24 | 0.024 |
| | | | | | | 1401908 | 53.59 | 54.48 | 0.89 | 32 | 0.032 |
| | | | | | | 1401909 | 54.48 | 55.48 | 1.00 | 16 | 0.016 |
| | | | | | | 1401911 | 55.48 | 56.48 | 1.00 | 2 | 0.002 |
| | | | | | | 1401912 | 56.48 | 57.21 | 0.73 | 2 | 0.002 |
| | | | | | | 1401913 | 57.21 | 57.97 | 0.76 | 2 | 0.002 |
| | | | | | | 1401914 | 57.97 | 58.37 | 0.40 | 2 | 0.002 |
| | | | | | | 1401915 | 58.37 | 58.67 | 0.30 | 2 | 0.002 |
| | | | | | | 1401916 | 58.67 | 59.07 | 0.40 | 2 | 0.002 |
| 69.0 | 0.0 | EOH | | | End of Hole | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-18 | Az: 110 | Dip: -50 | Length: 90.0 |
| Easting: 473999.68 | Hole Type: Core | Logged by: D. Jamieson | |
| Northing: 5879829 | Survey Type: Flexit | Log Date: | |
| Elevation: 275.82 | | Sampled by: D. Jamieson | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: RvG4 | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977005 | Start Date: 24-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 25-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 21.0 | 108.5 | -47.6 | 57450.0 | 0.0 |
| 90.0 | 111.2 | -47.5 | 56570.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|------------|----------|----------|------------------------|
| 0.0 | 11.7 | CAS | | | Casing |

Geochemical Results

| From (m) | To (m) | UNIT | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|--|---------|-------|-------|----------|--------|---------------|
| 11.7 | 64.9 | BQET | Blue Quartz Eye Tuff | | | | | | |
| | | | generally a very weak to moderately foliated unit; foliation defined by biotite-rich planes, stretched feldspars or bleached planes/sections; foliation is generally parallel to core axis, always less than 10 tca; BQET is very similar to BQET at Knoll and Bernadette | 1401746 | 35.68 | 36.69 | 1.01 | 2 | 0.002 |
| | | | 11.70 29.00 numerous sections of badly broken core and redrill; latching problems with core barrel; 75 to 85% core recovery; core is relatively competent along foliation planes (no wedging due to low core angles); unit appears to be simply badly fractured near surface; very minor bleached sections | 1401747 | 36.69 | 37.69 | 1.00 | 2 | 0.002 |
| | | | 29.00 36.00 excellent recovery and RQD; foliation and calcitic fractures 0 to 05 tca; minor bleaching | 1401748 | 37.69 | 38.73 | 1.04 | 2 | 0.002 |
| | | | 36.00 40.70 alteration parallel to foliation; core angles remain at 05 tca | 1401749 | 38.73 | 39.69 | 0.96 | 11 | 0.011 |
| | | | 40.70 42.00 core angles begin to rotate to between 10 to 20 tca; foliation defined mainly by bleached bands | 1401751 | 39.69 | 40.70 | 1.01 | 42 | 0.042 |
| | | | 42.00 43.60 core angles back to approximately 05 tca | 1401752 | 40.70 | 41.71 | 1.01 | 7 | 0.007 |
| | | | 43.60 43.75 glassy quartz vein 35 tca; pale green chloritic inclusions and selveges; trace v.f.g pyrite; no significant alteration halo | 1401753 | 41.71 | 42.44 | 0.73 | 226 | 0.226 |
| | | | 43.75 44.36 moderate to strong bleaching as silica-carb bands; banding/foliation rotates to 10 to 20 tca | 1401754 | 42.44 | 43.13 | 0.69 | 88 | 0.088 |
| | | | | 1401755 | 43.13 | 43.56 | 0.43 | 78 | 0.078 |
| | | | | 1401756 | 43.56 | 43.96 | 0.40 | | 50.600 |
| | | | | 1401757 | 43.96 | 44.36 | 0.40 | 98 | 0.098 |
| | | | | 1401758 | 44.36 | 44.93 | 0.57 | 603 | 0.603 |
| | | | | 1401759 | 44.93 | 45.32 | 0.39 | | 10.400 |
| | | | | 1401760 | 45.32 | 45.71 | 0.39 | 80 | 0.080 |
| | | | | 1401761 | 45.71 | 46.18 | 0.47 | 303 | 0.303 |
| | | | | 1401762 | 46.18 | 46.62 | 0.44 | | 31.400 |
| | | | | 1401763 | 46.62 | 47.53 | 0.91 | | 58.500 |
| | | | | 1401764 | 47.53 | 47.93 | 0.40 | 578 | 0.578 |
| | | | | 1401765 | 47.93 | 48.89 | 0.96 | 275 | 0.275 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|--|---------------------|-------|-------|------|------|--------|
| 44.36 | 45.32 | VG | | | intense silica-carb-sericite yellow-beige alteration; 3 to 4% v.v.f.g to f.g. brassy pyrite along 010 tca | 1401766 | 48.89 | 49.89 | 1.00 | 36 | 0.036 |
| | | | | | 45.0 One speck VG in 0.5 cm qtz band in smokey grey altered section; 3 to 5% pyrite; banding 10 tca | 1401767 | 49.89 | 51.20 | 1.31 | 34 | 0.034 |
| | | | | | | 1401768 | 51.20 | 52.50 | 1.30 | 44 | 0.044 |
| 45.32 | 46.18 | PY | | | core angles rotate slightly to 20 tca; unit is weakly bleached but with 2 to 3% f.g. brassy pyrite disseminated along alteration planes; boudinaged 1 cm grey-white pyritic quartz vein 05 tca (slightly cross cutting) | 1401769 | 52.50 | 53.26 | 0.76 | 36 | 0.036 |
| | | | | | | 1401771 | 53.26 | 53.57 | 0.31 | 33 | 0.033 |
| | | | | | | 1401772 | 53.57 | 53.89 | 0.32 | 24 | 0.024 |
| 46.18 | 46.62 | PY | | | foliation parallel grey-white 1-2 cm quartz veins in silica-biotite alteration; 2 to 3% brassy v.f.g to c.g. euhedral pyrite; foliation is slightly crenulated but overall approximately 20 tca | 1401773 | 53.89 | 54.23 | 0.34 | 109 | 0.109 |
| | | | | | | 1401774 | 54.23 | 55.53 | 1.30 | 79 | 0.079 |
| | | | | | | 1401775 | 55.53 | 56.55 | 1.02 | 99 | 0.099 |
| 46.62 | 47.53 | VG | | | grey-white quartz vein with 2 to 3 % stringers of v.f.g. to f.g. brassy to pale pyrite; qtz is weakly brecciated, healed with black biotite-tourmaline; internal fabric 25 tca; NOTE: no pyrrhotite, chalcopyrite or arsenopyrite observed. | 1401776 | 56.55 | 57.00 | 0.45 | 134 | 0.134 |
| | | | | | 47.0 Four 1 mm specks VG on one side of core; 10-12 very fine specks and clouds of VG on opposite side of core | 1401777 | 57.00 | 57.39 | 0.39 | 371 | 0.371 |
| | | | | | 47.1 One group of 8 fine specks VG and one group of 5 small specks VG | 1401778 | 57.39 | 57.89 | 0.50 | 1250 | 1.250 |
| | | | | | | 1401779 | 57.89 | 58.29 | 0.40 | 1950 | 1.950 |
| | | | | | | 1401780 | 58.29 | 59.29 | 1.00 | 369 | 0.369 |
| | | | | | | 1401781 | 59.29 | 60.26 | 0.97 | 120 | 0.120 |
| | | | | | 47.2 Two clouds of v.v.f.g specks VG plus 5 to 10 very fine specks to pale pyrite; qtz is weakly brecciated, healed with black biotite-tourmaline; internal fabric 25 tca; NOTE: no pyrrhotite, chalcopyrite or arsenopyrite observed. | 1401782 | 60.26 | 60.66 | 0.40 | 308 | 0.308 |
| | | | | | 42.25 broken fracture face has 2 fine specks VG and a cloud of VG; opposite face has a 1 cm long VG cloud that includes 5 - 10 fine VG specks | 1401783 | 60.66 | 61.40 | 0.74 | | 37.000 |
| | | | | | 47.3 Four areas of VG: 1. Eight fine specks near a biotite-pyrite healed fracture. 2. Four 1 mm specks in pyrite cluster. 3. Two 2 mm aggregations associated with pyrite seam along fracture. 4. cloudy four mm long stringer of fine VG specks in chlorite-biotite selvege | 1401784 | 61.40 | 61.78 | 0.38 | 416 | 0.416 |
| | | | | | | 1401785 | 61.78 | 62.24 | 0.46 | 77 | 0.077 |
| | | | | | | 1401786 | 62.24 | 62.70 | 0.46 | 30 | 0.030 |
| | | | | | | 1401787 | 62.70 | 63.00 | 0.30 | 304 | 0.304 |
| | | | | | | 1401788 | 63.00 | 63.40 | 0.40 | 2 | 0.002 |
| 47.53 | 48.90 | PY | | | upper contact with quartz vein at 25 tca; moderate to strongly bleached along foliation; foliation rapidly rotates from 25 tca to 05 tca at 47.75; 2 to 3% pyrite locally to 5% v.f.g to f.g disseminated brassy to pale pyrite | 1401789 | 63.40 | 63.90 | 0.50 | 226 | 0.226 |
| | | | | | | 1401791 | 63.90 | 64.41 | 0.51 | 85 | 0.085 |
| | | | | | | 1401792 | 64.41 | 64.92 | 0.51 | 340 | 0.340 |
| 48.90 | 51.00 | | | | gradual decrease in bleaching; relatively fresh rock at 51m; core angle remains at 0 to c.a. | | | | | | |
| 51.00 | 53.25 | | | | foliation 0 to 10 tca; minor crenulation foliation near qtz filled fractures; very weak to weakly bleached bands along foliation; local 0.5 to 1% f.g. to m.g. euhedral pyrite | | | | | | |
| 53.25 | 57.40 | | | | increasing in bleaching to weak, locally moderate, very patchy; 1 to 2 % f.g to m.g. disseminated pyrite; minor cm to sub cm scale cross cutting white qtz veinlets 30 to 40 tca | | | | | | |
| 57.40 | 60.66 | | | | increase in bleaching and pyrite and cm scale qtz veinlets.; core angles remain very low | | | | | | |
| | | | | | 59.29 - 60.66 intense bleaching, fine crosscutting silicified fractures generally at high core angles (60 to 90 tca); yellow beige silica-carb-sericite; foliation is 0 to 05 tca | | | | | | |
| 60.66 | 61.40 | VG | | | 90% of unit is quartz and quartz tourmaline; veining cuts yellow beige alteration; incipient brecciation of veining, healed by biotite-tourmaline; foliation rotates rapidly at upper vein contact from 05 to 30 tca; vein carries 3 to 5% pyrite as v.f.g to f.g brassy veinlets and 0.5% m.g. to c.g. euhedral disseminated pyrite | | | | | | |
| | | | | | 61.1 VG; A 1.5 cm streak of VG consists of five 1 to 2 mm VG flakes, 10 to 15 sub mm VG specks and several VG clouds; VG occurs in white quartz vein with no nearby sulphides; three small VG clouds occur on fracture face at 61.05m | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|----------|--------|-----------|----------|----------|---|---------------------|
| 61.40 | 62.70 | | | | intense silica-carb-sericite yellow-beige alteration; minor patches of f.g. to m.g. euhedral pyrite; core angles 05 to c.a. | |
| 62.70 | 63.00 | | | | cross cutting folded broken biotite-rich alteration quartz veining; upper contact 25 tca; cuts intense silica-carb-sericite alteration along foliation; 2% f.g. to m.g. euhedral pyrite | |
| 63.00 | 63.55 | | | | intense silica-carb-sericite alteration 63.55 cross cutting tourmaline-rich quartz veining 50 tca; marks change in foliation in altered BQET from 0 to 20 tca | |
| 63.90 | 64.90 | | | | intense silica-carb-sericite alteration with cross cutting white quartz tourmaline veins 25 to 40 tca; trace to 0.5% f.g. to m.g.; patchy euhedral pyrite 64.6 - 64.85 quartz and quartz tourmaline veining 25 tca; pyritic carb bleached selvages and black biotite-tourmaline margins; 2 to 3 % f.g. to m.g. brassy pyrite | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|------------|----------|----------|--|---------|-------|-------|----------|--------|--------|
| 64.9 | 65.9 | SED | | | DISS Sediments massive black argillite with 5% v.f.g disseminated pyrite; very weak fracture foliation 25 tca; upper and lower contacts 25 tca; MS = 0.2 | 1401793 | 64.92 | 65.32 | 0.40 | 77 | 0.077 |
| | | | | | | 1401794 | 65.32 | 66.00 | 0.68 | 78 | 0.078 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|----------|----------|---|---------|-------|-------|----------|--------|--------|
| 65.9 | 74.5 | BQET | | | TR Blue Quartz Eye Tuff ALTERED - intense yellow-beige silica-carb-sericite alteration; trace pyrite; foliation 0 tca; local patches and stringers of m.g. to c.g. euhedral pyrite up to 0.5%; foliation is defined by black biotite-tourmaline healed fractures. | 1401795 | 66.00 | 67.30 | 1.30 | 2 | 0.002 |
| | | | | | | 1401796 | 67.30 | 68.62 | 1.32 | 2 | 0.002 |
| | | | | | | 1401797 | 68.62 | 69.95 | 1.33 | 2 | 0.002 |
| | | | | | | 1401798 | 69.95 | 71.25 | 1.30 | 19 | 0.019 |
| | | | | | | 1401799 | 71.25 | 72.50 | 1.25 | 19 | 0.019 |
| | | | | | | 1401800 | 72.50 | 73.80 | 1.30 | 2 | 0.002 |
| | | | | | | 1401801 | 73.80 | 75.00 | 1.20 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-------------|----------|----------|---|
| 74.5 | 90.0 | BQET | | | Blue Quartz Eye Tuff massive, relatively fresh, local very weak foliation 0 tca |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|------------|----------|----------|------------------------|
| 90.0 | 0.0 | EOH | | | End of Hole |

General Comments:

| | | | |
|--------------------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-19 | Az: 210 | Dip: -65 | Length: 195.0 |
| Easting: 473033 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879963 | Survey Type: Flexit | Log Date: 3/28/2014 | |
| Elevation: 275.82 | | Sampled by: P. Toth | |
| | | Relogged by: | |
| Project: Weebigee | Drill Operator: Minotaur | ReLog Date: | |
| Location: Fold Nose | Hole Diameter: NQ | | |
| Grid: | Units: metres | Storage: | |
| Claim: 977018/977025 | Start Date: 26-Feb-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 26-Feb-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |
| Initial recon test of fold nose area | | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 90.0 | 211.5 | -64.4 | 56570.0 | 0.0 |
| 141.0 | 211.7 | -63.4 | 57140.0 | 0.0 |
| 192.0 | 210.4 | -65.0 | 60260.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|----------|--------|-----------|----------|----------|------------------------|---------------------|
|----------|--------|-----------|----------|----------|------------------------|---------------------|

| | | | | | | |
|-----|------|------------|--|--|---------------|--|
| 0.0 | 27.0 | CAS | | | Casing | |
|-----|------|------------|--|--|---------------|--|

| | | | | | | |
|------|------|--------------|--|--|-------------------------------------|--|
| 27.0 | 67.1 | CBSCH | | | DISS Chlorite-Biotite Schist | |
|------|------|--------------|--|--|-------------------------------------|--|

Med grn-brn with str schistosity @ 15-20 to CA; mixed bands of schistose chlorite and biotite; local, more msv chl-rich sections up to 1m wide; non to locally very weakly magnetic; minor, broken cal vnlt in upper 6m; remaining unit devoid of any vnlt; minor wk, lean iron fomatoin interbeds in upper 3m; overall 1-2% platy py along fracs & schistosity planes.

27.25 31.50 intermixing of small patches of lean iron formation up to 50cm wide.

33.80 33.82 2cm cal vnlt @ 70 to CA.

44.20 44.21 broken cal vnlt.

65.30 67.10 increased magnetic, more msv & consolidated; chill zone from UM dike at lower ctc.

| | | | | | | |
|------|------|-----------|--|--|-----------------------------|--|
| 67.1 | 69.3 | UM | | | Ultramafic Extrusive | |
|------|------|-----------|--|--|-----------------------------|--|

Talc-chl ultramafic dike; UC @ 50 to CA; LC broken; narrow py stringers at UC margin.

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|-------------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 69.3 | 72.2 | MSED | | | TR Mafic Sediments Meta-greywacke? Med-gry to dk-brn; fine grained; chl-lined frags @ 20 to CA; tr-1% oxidized py on frags; very local groupings of "hair pyrite" (millerite?). | | | | | | | | | |
| 72.2 | 79.1 | UM | | | TR Ultramafic Extrusive UC @ 45 to CA; mottled, lt to med-gry, msv with local or-rd patches of fe-carb staining with wk, patchy silica flooding; mod fol'n @ 40 to CA. 72.15 74.70 mod-str fe-carb staining. 74.70 75.00 wk silica flooding with 1% fine diss py. | | | | | | | | | |
| 79.1 | 80.3 | FZ | | | Fault Zone Broken, faulted ultramafics; UC @ 20-25 to CA; LC broken. | | | | | | | | | |
| 80.3 | 119.2 | UM | | | Ultramafic Extrusive Talc-chl-epidote flows; med gry with local patches of mod fe-carb alteration & staining; does not react to acid; epidote increasing downhole; numerous, narrow networks of irreg, x-cutting fe-carb stringers; fe-carb staining appears as halos around these stringers. 84.60 95.00 mod, patchy fe-carb staining. | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | | 545647 | 83.40 | 84.00 | 0.60 | 10 | 0.010 | | | |
| | | | | | | 545648 | 84.00 | 84.60 | 0.60 | 8 | 0.008 | | | |
| | | | | | | 545649 | 84.60 | 85.30 | 0.70 | 31 | 0.031 | | | |
| | | | | | | 545650 | 85.30 | 86.00 | 0.70 | 8 | 0.008 | | | |
| | | | | | | 545651 | 86.00 | 87.00 | 1.00 | 11 | 0.011 | | | |
| | | | | | | 545652 | 87.00 | 88.00 | 1.00 | 16 | 0.016 | | | |
| | | | | | | 545653 | 88.00 | 89.00 | 1.00 | 9 | 0.009 | | | |
| | | | | | | 545654 | 89.00 | 90.00 | 1.00 | 54 | 0.054 | | | |
| | | | | | | 545655 | 90.00 | 91.00 | 1.00 | 8 | 0.008 | | | |
| | | | | | | 545656 | 91.00 | 92.00 | 1.00 | 18 | 0.018 | | | |
| | | | | | | 545657 | 92.00 | 93.00 | 1.00 | 9 | 0.009 | | | |
| | | | | | | 545658 | 93.00 | 94.00 | 1.00 | 15 | 0.015 | | | |
| | | | | | | 545659 | 94.00 | 95.00 | 1.00 | 11 | 0.011 | | | |
| | | | | | | 545660 | 95.00 | 96.00 | 1.00 | 9 | 0.009 | | | |
| | | | | | | 545662 | 96.00 | 97.00 | 1.00 | 8 | 0.008 | | | |
| 119.2 | 169.6 | SERP | | | TR Serpentinite Apple to olive-grn-gry; msv; contacts gradational; local med-gry bleached patches; local sections of str magnetite veining & replacement; tr diss py; x-cut by minor, irreg cal vnlt. 122.20 125.00 abund magnetite micro-vnlt & fracture fillings. 154.30 156.40 lt-gry bleaching. 158.50 164.50 lt-gry bleaching. 164.80 169.60 increase in magnetite stringers & fracture fillings. | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | | 545663 | 120.00 | 120.65 | 0.65 | 6 | 0.006 | | | |
| | | | | | | 545664 | 120.65 | 121.30 | 0.65 | 2 | 0.002 | | | |
| | | | | | | 545665 | 121.30 | 122.20 | 0.90 | 2 | 0.002 | | | |
| | | | | | | 545666 | 122.20 | 123.00 | 0.80 | 2 | 0.002 | | | |
| | | | | | | 545667 | 123.00 | 124.00 | 1.00 | 7 | 0.007 | | | |
| | | | | | | 545668 | 124.00 | 125.00 | 1.00 | 2 | 0.002 | | | |
| | | | | | | 545669 | 125.00 | 126.00 | 1.00 | 2 | 0.002 | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|----------------------|---------------------|---------------------|---|----------------------------|
| 169.6 | 173.9 | UM | | | Ultramafic Extrusive Talc-chl flow; med to dk-gry; msv. | |
| 173.9 | 182.5 | SERP | | | Serpentinite Med olive-grn-gry; msv; ctc's gradational; lower 1.5m contains abund, narrow magnetite stringers & fracture fillings. | |
| 182.5 | 192.0 | UM | | | Ultramafic Extrusive Talc-chl flows; dk-grn-gry; msv; epidote on fractures; minor fe-carb stringers; local patches of fe-carb staining. | |
| 192.0 | 195.0 | SERP | | | Serpentinite UC gradational; lt-gry-grn; wkly serpentized ultramafic; mod hairline magnetite stringers. | |
| 195.0 | 0.0 | EOH | | | End of Hole | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-20 | Az: 60 | Dip: -45 | Length: 90.0 |
| Easting: 473992 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879813 | Survey Type: Flexit | Log Date: 3/15/2014 | |
| Elevation: 275.82 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: RvG4 | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977005/977006 | Start Date: 13-Mar-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 13-Mar-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 36.0 | 61.1 | -47.3 | 57080.0 | 0.0 |
| 87.0 | 59.6 | -45.7 | 56500.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-----------|----------|----------|------------------------|
|----------|--------|-----------|----------|----------|------------------------|

Geochemical Results

| | | | | | |
|-----|------|------------|--|--|--------|
| 0.0 | 21.6 | CAS | | | Casing |
|-----|------|------------|--|--|--------|

| | | | | | |
|------|------|-------------|----------------|-------------|-------------------------------------|
| 21.6 | 64.3 | BQET | <i>W Blich</i> | DISS | Blue Quartz Eye Tuff Weak Bleaching |
|------|------|-------------|----------------|-------------|-------------------------------------|

Dk-brn, fine-grained, biotitic tuff with abund lt-gry to blue qtz eyes; mod-str fol'n @ 30-40 to CA; local zones of banded, wk-strong bleaching along foliation; minor cal-carb vnlt and lt-gry, boudinaged qtz vnlt parallel to fol'n; overall 1-3% py as diss and bands

28.60 29.00 strly bleached zone with a 1cm, boudinaged, lt-gry, qtz-py vnlt.

31.00 33.75 mod, med-beige bleaching.

37.75 38.70 strong beige bleaching.

38.70 39.00 strong beige bleaching with 5% diss py bands.

43.43 43.73 gry-grn cal vnlt with 1% euhedral py cubes.

44.40 47.50 wk to locally mod bleached bands parallel to fol'n.

50.00 51.60 very str beige-grn bleaching.

51.90 52.55 very str beige-grn bleaching with mod sericite alteration.

52.55 53.65 mod banded bleaching.

54.40 56.40 mod to locally str, banded bleaching.

60.45 62.70 mod banded, bleached alteration along fol'n; increae in diss py stringers.

62.70 64.30 mod silica flooding; increased py (5%) as diss stringers along fol'n.

| Sample | From | To | Interval | Au ppb | Au g/t |
|--------|-------|-------|----------|--------|--------|
| 544760 | 28.00 | 28.60 | 0.60 | 8 | 0.008 |
| 544761 | 28.60 | 29.00 | 0.40 | 143 | 0.143 |
| 544762 | 29.00 | 30.00 | 1.00 | 2 | 0.002 |
| 544763 | 30.00 | 31.00 | 1.00 | 6 | 0.006 |
| 544765 | 31.00 | 32.00 | 1.00 | 2 | 0.002 |
| 544766 | 32.00 | 33.00 | 1.00 | 7 | 0.007 |
| 544767 | 33.00 | 33.75 | 0.75 | 2 | 0.002 |
| 544768 | 33.75 | 35.00 | 1.25 | 2 | 0.002 |
| 544769 | 35.00 | 36.00 | 1.00 | 2 | 0.002 |
| 544770 | 36.00 | 36.30 | 0.30 | 500 | 0.500 |
| 544771 | 36.30 | 37.05 | 0.75 | 2 | 0.002 |
| 544772 | 37.05 | 37.75 | 0.70 | 7 | 0.007 |
| 544773 | 37.75 | 38.70 | 0.95 | 2 | 0.002 |
| 544774 | 38.70 | 39.00 | 0.30 | 71 | 0.071 |
| 544775 | 39.00 | 39.50 | 0.50 | 2 | 0.002 |
| 544776 | 39.50 | 40.50 | 1.00 | 2 | 0.002 |
| 544777 | 40.50 | 41.50 | 1.00 | 2 | 0.002 |
| 544778 | 41.50 | 42.60 | 1.10 | 2 | 0.002 |
| 544779 | 42.60 | 43.43 | 0.83 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 544780 | 43.43 | 43.73 | 0.30 | 84 | 0.084 |
| | | | | | | 544781 | 43.73 | 44.40 | 0.67 | 2 | 0.002 |
| | | | | | | 544782 | 44.40 | 45.40 | 1.00 | 5 | 0.005 |
| | | | | | | 544783 | 45.40 | 46.40 | 1.00 | 2 | 0.002 |
| | | | | | | 544785 | 46.40 | 47.50 | 1.10 | 2 | 0.002 |
| | | | | | | 544786 | 47.50 | 48.50 | 1.00 | 2 | 0.002 |
| | | | | | | 544787 | 48.50 | 49.50 | 1.00 | 12 | 0.012 |
| | | | | | | 544788 | 49.50 | 50.00 | 0.50 | 10 | 0.010 |
| | | | | | | 544789 | 50.00 | 51.00 | 1.00 | 2 | 0.002 |
| | | | | | | 544790 | 51.00 | 51.60 | 0.60 | 2 | 0.002 |
| | | | | | | 544791 | 51.60 | 51.90 | 0.30 | 2 | 0.002 |
| | | | | | | 544792 | 51.90 | 52.55 | 0.65 | 2 | 0.002 |
| | | | | | | 544793 | 52.55 | 53.65 | 1.10 | 2 | 0.002 |
| | | | | | | 544794 | 53.65 | 54.40 | 0.75 | 2 | 0.002 |
| | | | | | | 544795 | 54.40 | 55.40 | 1.00 | 2 | 0.002 |
| | | | | | | 544796 | 55.40 | 56.40 | 1.00 | 2 | 0.002 |
| | | | | | | 544797 | 56.40 | 57.40 | 1.00 | 31 | 0.031 |
| | | | | | | 544798 | 57.40 | 58.45 | 1.05 | 19 | 0.019 |
| | | | | | | 544799 | 58.45 | 59.47 | 1.02 | 2 | 0.002 |
| | | | | | | 544800 | 59.47 | 60.45 | 0.98 | 139 | 0.139 |
| | | | | | | 544801 | 60.45 | 61.50 | 1.05 | 291 | 0.291 |
| | | | | | | 544802 | 61.50 | 62.70 | 1.20 | 15 | 0.015 |
| | | | | | | 544803 | 62.70 | 63.50 | 0.80 | 124 | 0.124 |
| | | | | | | 544805 | 63.50 | 64.30 | 0.80 | 237 | 0.237 |
| <hr/> | | | | | | | | | | | |
| 64.3 | 67.5 | MDYKE | | DISS | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Contacts @ 35 to CA; dk-brn, biotite-rich; abund hornblende? Xtalls along fol'n; fol'n @ 40 to CA; minor silica flooded BQET frags; 2-3% fn diss py along fol'n; mod narrow cal stringers. | 544806 | 64.30 | 65.32 | 1.02 | 7 | 0.007 |
| | | | | | 65.32 65.95 silica flooded block of BQET with 3-5% diss py stringers along fol'n; contacts @ 45 to CA. | 544807 | 65.32 | 65.95 | 0.63 | 138 | 0.138 |
| | | | | | 66.63 66.73 10cm inclusion of BQET. | 544808 | 65.95 | 66.75 | 0.80 | 16 | 0.016 |
| | | | | | | 544809 | 66.75 | 67.53 | 0.78 | 5 | 0.005 |
| <hr/> | | | | | | | | | | | |
| 67.5 | 69.6 | BQET | M Sil | DISS | Blue Quartz Eye Tuff Moderate Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | dk-brn-gry; mod-strong silica flooding; fol'n @ 40 to CA; minor cal stringers and irreg qtz vnls parallel to fol'n; 3% diss py stringers and dustings along fol'n. | 544810 | 67.53 | 68.55 | 1.02 | 1230 | 1.230 |
| | | | | | 68.55 68.56 1cm wide, irreg qtz-py boudin. | 544811 | 68.55 | 69.55 | 1.00 | 934 | 0.934 |
| <hr/> | | | | | | | | | | | |
| 69.6 | 71.8 | BQET | S Blich | TR | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Mod-str banded bleaching parallel to fol'n; fol'n @ 40 to CA; tr diss py. | 544812 | 69.55 | 70.65 | 1.10 | 8 | 0.008 |
| | | | | | | 544813 | 70.65 | 71.85 | 1.20 | 39 | 0.039 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|--------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 71.8 | 76.4 | BQET | <i>M Sil</i> | DISS | Blue Quartz Eye Tuff Moderate Silicification | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | Dk-brn-beige; mod-str silica flooding with mod patchy, bleached alteration parallel to fol'n @ 40 to CA; cut by minor lt-gry Qtz-py-cpy vnlts up to 5 cm wide; local diss py stringers along fol'n; overall 3% diss sulphides. | 544814 | 71.85 | 72.15 | 0.30 | 37 | 0.037 |
| | | | | | | 544815 | 72.15 | 72.45 | 0.30 | | 6.630 |
| | | | | | 72.25 72.26 1cm, boudinaged, lt-gry Qtz-py vnlts; well defined py stringers on LC. | 544816 | 72.45 | 72.75 | 0.30 | 280 | 0.280 |
| | | | | | | 544817 | 72.75 | 73.10 | 0.35 | 3830 | 3.830 |
| | | | | | 72.85 72.86 1cm wide, lt-gry, dirty Qtz vnlts parallel to fol'n; 1% diss py stringers. | 544818 | 73.10 | 73.50 | 0.40 | 24 | 0.024 |
| | | | | | | 544819 | 73.50 | 74.20 | 0.70 | 88 | 0.088 |
| | | | | | 73.25 73.30 5cm lt-gry, xtaline to sucrr Qtz vnlts parallel to fol'n; mod chl stringers; tr py and cpy. | 544820 | 74.20 | 74.90 | 0.70 | 33 | 0.033 |
| | | | | | | 544821 | 74.90 | 75.30 | 0.40 | 348 | 0.348 |
| | | | | | 75.13 75.14 1cm lt-gry Qtz-py vnlts parallel to fol'n. | 544822 | 75.30 | 75.70 | 0.40 | | 11.700 |
| | | | | | | 544823 | 75.70 | 76.45 | 0.75 | 74 | 0.074 |
| | | | | | 75.30 75.70 several lt-gry, xtaline Qtz vnlts parallel to fol'n; locally wkly bleached; local wk sericite alteration; locally boudinaged; 5% diss py stringers; tr cpy. | | | | | | |
| 76.4 | 90.0 | BQET | | TR | Blue Quartz Eye Tuff | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | Dk-brn and lt-beige, banded along fol'n @ 35-40 to CA; abund lt-gry to blue Qtz eyes; euhedral feldspars towards bottom; minor Qtz vnlts near start; tr diss py. | 544825 | 76.45 | 76.70 | 0.25 | 451 | 0.451 |
| | | | | | | 544826 | 76.70 | 77.20 | 0.50 | 13 | 0.013 |
| | | | | | 76.65 76.66 1cm lt-gry, xtaline Qtz vnlts parallel to fol'n; tr euhedral py; surrounded by approx 5% fn diss py dustings. | | | | | | |
| 90.0 | 0.0 | EOH | | | End of Hole | | | | | | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|---------------------|
| Hole ID: BK14-21 | Az: 7 | Dip: -55 | Length: 75.0 |
| Easting: 473992 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879813 | Survey Type: Flexit | Log Date: 3/15/2014 | |
| Elevation: 275.82 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: RvG4 | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977005/977006 | Start Date: 13-Mar-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 14-Mar-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 24.0 | 6.9 | -57.5 | 57280.0 | 0.0 |
| 75.0 | 4.7 | -57.0 | 56390.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | | | | |
|----------|--------|--------------|----------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|--|--|--|
| 0.0 | 14.4 | CAS | | | Casing | | | | | | | | | |
| 14.4 | 64.7 | BQET | | | Blue Quartz Eye Tuff Dk-brn-gry; abund lt-gry to blue qtz eyes; generally massive; wk to locally mod foliated @ 35-40 to CA; local wk epidote on fractures and in minor vugs; minor cal-py vnlt parallel to fol'n; very minor, 0.5cm wide qtz stringers x-cutting fol'n @ 40 to CA; minor, localized beige bleached patches; tr-0.5% fine diss py. 21.25 21.60 several irreg cal-py vnlt after qtz; sub-parallel to CA; 7% diss py stringers. 27.00 27.50 sevral ragged cal vnlt up to 1cm wide. 37.75 38.10 mod, patchy, beige bleaching parallel to fol'n; 1cm ragged cal vnlt in middle. 49.44 49.46 1-2cm wide, msv magnetite vnlt. 52.50 52.80 wkly silica flooded with 3% diss py and tr cpy. | Sample | From | To | Interval | Au ppb | Au g/t | | | |
| | | | | | | 544827 | 20.75 | 21.25 | 0.50 | 2 | 0.002 | | | |
| | | | | | | 544828 | 21.25 | 21.60 | 0.35 | 6 | 0.006 | | | |
| | | | | | | 544829 | 21.60 | 22.10 | 0.50 | 2 | 0.002 | | | |
| | | | | | | 544830 | 37.25 | 37.75 | 0.50 | 8 | 0.008 | | | |
| | | | | | | 544831 | 37.75 | 38.10 | 0.35 | 21 | 0.021 | | | |
| | | | | | | 544832 | 38.10 | 38.60 | 0.50 | 28 | 0.028 | | | |
| | | | | | | 544833 | 52.00 | 52.50 | 0.50 | 9 | 0.009 | | | |
| | | | | | | 544834 | 52.50 | 52.80 | 0.30 | 393 | 0.393 | | | |
| | | | | | | 544835 | 52.80 | 53.40 | 0.60 | 2 | 0.002 | | | |
| 64.7 | 65.1 | MDYKE | | | Mafic Dyke UC @ 30, LC @ 15 to CA; med-brn, biotite-rich, msv with mod hornblende laths. | | | | | | | | | |
| 65.1 | 66.0 | BQET | | | Blue Quartz Eye Tuff Med to dk-brn-gry; msv with abund blue to lt-gry qtz eyes. | | | | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|----------------------|---------------------|---------------------|--|----------------------------|
| 66.0 | 66.6 | MDYKE | | | Mafic Dyke UC sub-parallel to CA, LC @ 20 to CA; as 64.70. | |
| 66.6 | 67.3 | BQET | | | Blue Quartz Eye Tuff Same as 65.08. | |
| 67.3 | 67.8 | MDYKE | | | Mafic Dyke Contacts @ 40 to CA; as 64.70. | |
| 67.8 | 75.0 | BQET | | | Blue Quartz Eye Tuff Same as 65.08. | |
| 75.0 | 0.0 | EOH | | | End of Hole | |

General Comments:

| | | | |
|--------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-22 | Az: 95 | Dip: -50 | Length: 102.0 |
| Easting: 473994 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879809 | Survey Type: Flexit | Log Date: 3/16/2014 | |
| Elevation: 275.82 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: RvG4 | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977006 | Start Date: 15-Mar-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 15-Mar-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 39.0 | 95.4 | -50.3 | 57050.0 | 0.0 |
| 90.0 | 96.3 | -49.6 | 57970.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|-----------|----------|----------|------------------------|
|----------|--------|-----------|----------|----------|------------------------|

| | | | | | |
|-----|------|------------|--|--|--------|
| 0.0 | 24.3 | CAS | | | Casing |
|-----|------|------------|--|--|--------|

Geochemical Results

| | | | | |
|---|------|-------------|-------------|-----------------------------|
| 24.3 | 32.7 | BQET | DISS | Blue Quartz Eye Tuff |
| Mixture of "zebra" stripes of dk-brn, biotite bands and wisps intermixed with bleached, lt-beige-grn bands; faint, lt-gry qtz eyes visible; mod fol'n @ 20-25 to CA; 5-7% py as narrow stringers parallel to fol'n and as fine dissemination; some py stringers x-cut fol'n @ 60 to CA; very minor, narrow, lt-gry, sucrosic qtz vnfts. | | | | |

| Sample | From | To | Interval | Au ppb | Au g/t |
|--------|-------|-------|----------|--------|--------|
| 544836 | 24.30 | 25.30 | 1.00 | 9 | 0.009 |
| 544837 | 25.30 | 26.30 | 1.00 | 20 | 0.020 |
| 544838 | 26.30 | 27.30 | 1.00 | 10 | 0.010 |
| 544839 | 27.30 | 28.30 | 1.00 | 15 | 0.015 |
| 544840 | 28.30 | 29.30 | 1.00 | 30 | 0.030 |
| 544841 | 29.30 | 30.30 | 1.00 | 76 | 0.076 |
| 544842 | 30.30 | 31.30 | 1.00 | 80 | 0.080 |
| 544843 | 31.30 | 32.00 | 0.70 | 136 | 0.136 |
| 544845 | 32.00 | 32.65 | 0.65 | 181 | 0.181 |

| | | | | | |
|---|-------|-------------|----------------|-------------|--|
| 32.7 | 40.7 | BQET | S Blich | DISS | Blue Quartz Eye Tuff Strong Bleaching |
| Lt to med grn-beige; str to intensely bleached; minor wisps of biotitic material; faint fol'n @ 20 to CA; faint, lt-gry to lt-blu qtz eyes; 3-5% fine disseminated and stringer py. | | | | | |
| | 35.25 | 35.90 | | | intensely bleached with almost no biotite. |
| | 37.54 | 38.20 | | | intensely bleached with almost no biotite. |

| Sample | From | To | Interval | Au ppb | Au g/t |
|--------|-------|-------|----------|--------|--------|
| 544846 | 32.65 | 33.65 | 1.00 | 22 | 0.022 |
| 544847 | 33.65 | 34.65 | 1.00 | 44 | 0.044 |
| 544848 | 34.65 | 35.25 | 0.60 | 29 | 0.029 |
| 544849 | 35.25 | 35.90 | 0.65 | 10 | 0.010 |
| 544850 | 35.90 | 36.90 | 1.00 | 23 | 0.023 |
| 544851 | 36.90 | 37.54 | 0.64 | 11 | 0.011 |
| 544852 | 37.54 | 38.20 | 0.66 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|---------------|----------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 544853 | 38.20 | 39.20 | 1.00 | 2 | 0.002 |
| | | | | | | 544854 | 39.20 | 40.20 | 1.00 | 2 | 0.002 |
| | | | | | | 544855 | 40.20 | 40.67 | 0.47 | 8 | 0.008 |
| 40.7 | 43.7 | BQET | | | TR Blue Quartz Eye Tuff Dk-brn-beige; mixture of boi-rich bands and lt-beige bleached bands; wk fol'n @ 20 to CA; lt-gry qtz eyes more prevalent; sulphide content drops off dramatically; tr- 1% fine diss py. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544856 | 40.67 | 41.55 | 0.88 | 15 | 0.015 |
| | | | | | | 544857 | 41.55 | 42.60 | 1.05 | 25 | 0.025 |
| | | | | | | 544858 | 42.60 | 43.70 | 1.10 | 2 | 0.002 |
| 43.7 | 49.0 | BQET | | | Blue Quartz Eye Tuff Dk-gry-brn; very minor bleached stringers; abund lt blu-gry qtz eyes; wk fol'n @ 20 to CA; minor qtz-bio-chl vnlt, locally boudinaged; tr-1% diss, stringers and euhedral py. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544859 | 43.70 | 44.50 | 0.80 | 2 | 0.002 |
| | | | | | | 544860 | 44.50 | 45.05 | 0.55 | 2 | 0.002 |
| | | | | | 45.12 45.13 1cm lt-gry qtz vnlt; wkly boudinaged @ 50 to CA. | 544861 | 45.05 | 45.75 | 0.70 | 7 | 0.007 |
| | | | | | 45.12 45.13 1cm lt-gry qtz vnlt; wkly boudinaged @ 50 to CA. | 544862 | 45.75 | 46.75 | 1.00 | 2 | 0.002 |
| | | | | | 45.48 45.50 1.5cm lt-gry qtz vnlt; wkly boudinaged @ 20 to CA; bleached alteration rim; tr py and cpy. | 544863 | 46.75 | 47.75 | 1.00 | 2 | 0.002 |
| | | | | | | 544865 | 47.75 | 48.50 | 0.75 | 6 | 0.006 |
| | | | | | 45.48 45.50 1.5cm lt-gry qtz vnlt; wkly boudinaged @ 20 to CA; bleached alteration rim; tr py & cpy. | 544866 | 48.50 | 49.00 | 0.50 | 2 | 0.002 |
| | | | | | 45.67 45.68 1cm lt-gry to wh sucrosic qtz vnlt @ 25 to CA; x-cuts fol'n. | | | | | | |
| | | | | | 45.67 45.68 1cm lt-gry to wh, sucrosic qtz vnlt @ 25 to CA; x-cuts fol'n. | | | | | | |
| 49.0 | 51.0 | BQET | <i>M Bich</i> | | TR Blue Quartz Eye Tuff Moderate Bleaching Mod-str bleached; mod lt-gry qtz eyes; wk fol'n @ 20 to CA; tr diss py. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544867 | 49.00 | 50.00 | 1.00 | 2 | 0.002 |
| | | | | | | 544868 | 50.00 | 51.00 | 1.00 | 2 | 0.002 |
| 51.0 | 52.0 | BQET | | | Blue Quartz Eye Tuff Dk-brn, very minor bands of bleached rock; mod lt-blu qtz eyes; tr diss and euhedral py. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544869 | 51.00 | 52.00 | 1.00 | 2 | 0.002 |
| 52.0 | 54.1 | BQET | | | Blue Quartz Eye Tuff As 49.00; minor wh sucrosic qtz-chl vnlt; fol'n @ 20 to CA. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544870 | 52.00 | 53.00 | 1.00 | 2 | 0.002 |
| | | | | | 52.69 52.70 1cm wh qtz-chl vnlt @ 55 to CA; tr py. | 544871 | 53.00 | 54.10 | 1.10 | 2 | 0.002 |
| | | | | | 54.05 54.10 5cm wh to lt-gry, sucrosic qtz vn; tr py. | | | | | | |
| 54.1 | 59.0 | BQET | | | Blue Quartz Eye Tuff As 51.00 | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544872 | 54.10 | 55.00 | 0.90 | 2 | 0.002 |
| | | | | | | 544873 | 55.00 | 56.00 | 1.00 | 2 | 0.002 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|----------------|-------------|---|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 544874 | 56.00 | 57.00 | 1.00 | 2 | 0.002 |
| | | | | | | 544875 | 57.00 | 58.00 | 1.00 | 2 | 0.002 |
| | | | | | | 544876 | 58.00 | 59.00 | 1.00 | 2 | 0.002 |
| 59.0 | 70.6 | BQET | <i>W Blich</i> | TR | Blue Quartz Eye Tuff Weak Bleaching "Zebra stripes"; intermixture of dk-brn biotite bands and beige, bleached bands and whisps; wk to locally moderate, lt-blu qtz eyes; fol'n @ 20 to CA; tr-0.5% py as disseminations and the occasional stringer. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544898 | 59.00 | 60.50 | 1.50 | 2 | 0.002 |
| | | | | | | 544899 | 60.50 | 62.00 | 1.50 | 2 | 0.002 |
| | | | | | | 544900 | 62.00 | 63.50 | 1.50 | 2 | 0.002 |
| | | | | | | 544901 | 63.50 | 65.00 | 1.50 | 2 | 0.002 |
| | | | | | | 544902 | 65.00 | 66.50 | 1.50 | 2 | 0.002 |
| | | | | | | 544903 | 66.50 | 68.00 | 1.50 | 2 | 0.002 |
| | | | | | | 544905 | 68.00 | 69.50 | 1.50 | 2 | 0.002 |
| | | | | | | 544906 | 69.50 | 70.64 | 1.14 | 2 | 0.002 |
| 70.6 | 76.4 | BQET | <i>S Blich</i> | | Blue Quartz Eye Tuff Strong Bleaching Str to intensely bleached with very minor biotite whisps and bands; wk lt-blu qtz eyes; tr py usually in the biotite bands. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544907 | 70.64 | 72.00 | 1.36 | 2 | 0.002 |
| | | | | | | 544908 | 72.00 | 73.50 | 1.50 | 89 | 0.089 |
| | | | | | | 544909 | 73.50 | 75.00 | 1.50 | 6 | 0.006 |
| | | | | | | 544910 | 75.00 | 76.45 | 1.45 | 2 | 0.002 |
| 76.4 | 82.5 | BQET | <i>W Blich</i> | DISS | Blue Quartz Eye Tuff Weak Bleaching Banded with biotite and bleached patches; minor qtz-chl-py vnlt up to 6cm wide; fol'n @ 25-30 to CA; noticable increase in sulphide content; 3-5% diss and stringer py; minor lt-gry to lt-blu qtz eyes. 77.12 77.13 1cm lt-gry, crystalline qtz vnlt @ 25 to CA; py stringer near UC. 79.55 79.90 2cm lt-gry qtz vnlt x-cutting fol'n @ 15 to CA; 0.5% euhedral py & tr cpy. 80.85 80.91 6cm lt-gry, xtaline qtz-chl vnlt x-cutting fol'n @ 40 to CA; 1% euhedral py & tr cpy. 81.15 81.19 4cm wh to lt-gry qtz-bio vnlt @ 20 to CA; abundant diss py stringers along ctc's & in internal bio stringers. | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | | 544877 | 76.45 | 76.97 | 0.52 | 60 | 0.060 |
| | | | | | | 544878 | 76.97 | 77.27 | 0.30 | 8 | 0.008 |
| | | | | | | 544879 | 77.27 | 78.00 | 0.73 | 16 | 0.016 |
| | | | | | | 544880 | 78.00 | 79.00 | 1.00 | 579 | 0.579 |
| | | | | | | 544881 | 79.00 | 79.55 | 0.55 | 229 | 0.229 |
| | | | | | | 544882 | 79.55 | 79.90 | 0.35 | 109 | 0.109 |
| | | | | | | 544883 | 79.90 | 80.70 | 0.80 | 51 | 0.051 |
| | | | | | | 544885 | 80.70 | 81.00 | 0.30 | 47 | 0.047 |
| | | | | | | 544886 | 81.00 | 81.30 | 0.30 | 782 | 0.782 |
| | | | | | | 544887 | 81.30 | 82.00 | 0.70 | 2 | 0.002 |
| | | | | | | 544888 | 82.00 | 83.50 | 1.50 | 59 | 0.059 |
| 82.5 | 83.5 | BQET | | DISS | Blue Quartz Eye Tuff Dk brn-beige; generally massive with abund lt-blu qtz eyes; minor lt-gry, barren qtz stringers x-cutting fol'n; 2-3% fine diss py. | | | | | | |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------|-----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 83.5 | 88.3 | BQET | S | | Blue Quartz Eye Tuff Strong Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | Bldh | | | 544889 | 83.50 | 84.50 | 1.00 | 2 | 0.002 |
| | | | | | Lt beige-gry; intensely bleached with mod, lt-gry qtz eyes; minor biotite bands and stringers; generally devoid of sulphides in bleached portions; minor lt-gry qtz vnlt increasing near lower contact; wk fol'n @ 20 to CA. | 544890 | 84.50 | 85.50 | 1.00 | 2 | 0.002 |
| | | | | | 83.82 83.83 1cm lt-gry, barren qtz vnlt x-cutting fol'n @ 50 to CA. | 544891 | 85.50 | 87.00 | 1.50 | 2 | 0.002 |
| | | | | | 85.13 85.50 1.5cm lt-gry, boudinaged qtz vnlt in bio-rich material @ 50 to CA; tr diss py. | 544892 | 87.00 | 87.68 | 0.68 | 6 | 0.006 |
| | | | | | 87.75 88.15 lt-gry to smky-gry qtz-bio-chl-py vnlt @ 25 to CA; 5-7% diss & stringer py; tr cpy. | 544893 | 87.68 | 88.35 | 0.67 | | 5.510 |
| 88.3 | 89.2 | MDYKE | | | DISS Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Contacts @ 20 to CA; dk chocolate brn; msv with 2% diss py increasing to 5% near contacts as diss py syringers. | 544894 | 88.35 | 89.15 | 0.80 | 107 | 0.107 |
| | | | | | 83.82 83.83 | | | | | | |
| | | | | | 85.13 85.15 | | | | | | |
| | | | | | 87.75 88.15 | | | | | | |
| 89.2 | 96.2 | BQET | W | TR | Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | Bldh | | | 544895 | 89.15 | 90.15 | 1.00 | 8 | 0.008 |
| | | | | | Interbanded biotitic and bleached patches; wk fol'n @ 25 to CA; local intensely bleached bands; minor, wh qtz vnlt up to 4cm wide; mod lt-gry qtz eyes; 0.5% diss py as fine stringers in biotitic material. | 544896 | 90.15 | 90.55 | 0.40 | 2 | 0.002 |
| | | | | | 90.15 90.55 irreg wh qtz-chl-bio vnlt with tr diss & cubic py along ctc's. | 544897 | 90.55 | 91.55 | 1.00 | 110 | 0.110 |
| | | | | | 91.77 91.78 1cm sucrosic qtz vnlt @ 30 to CA; x-cuts fol'n. | | | | | | |
| | | | | | 96.97 96.99 1.5cm wh sucrosic qtz vnlt @ 40 to CA. | | | | | | |
| 96.2 | 102.0 | BQET | | TR | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Med-gry-brn, msv with abund lt-blu qtz eyes; wk fol'n @ 20 to CA; minor whqtz-chl vnlt near end; tr diss py. | 544911 | 101.00 | 101.45 | 0.45 | 2 | 0.002 |
| | | | | | 101.60 101.64 4cm wide lt-gry qtz-chl-bio vnlt @ 25 to CA; str chl-rich core. | 544912 | 101.45 | 102.00 | 0.55 | 2 | 0.002 |
| 102.0 | 0.0 | EOH | | | End of Hole | | | | | | |

General Comments:

| | | | |
|----------------------------|---------------------------------------|--|----------------------|
| Hole ID: BK14-23 | Az: 270 | Dip: -45 | Length: 206.5 |
| Easting: 474260 | Hole Type: Core | Logged by: P. Toth | |
| Northing: 5879382 | Survey Type: Flexit | Log Date: 3/17/2014 | |
| Elevation: 275.82 | | Sampled by: P.Toth | |
| Project: Weebigee | Drill Operator: Minotaur | Relogged by: | |
| Location: Bernadette/Knoll | Hole Diameter: NQ | ReLog Date: | |
| Grid: | Units: metres | Storage: | |
| Claim: 977009 | Start Date: 16-Mar-14 | Sandy Lake core shack beside Power Plant | |
| MapSheet 53F/3 | End Date: 17-Mar-14 | | |
| Purpose/Comments | Left Casing: <input type="checkbox"/> | | |

SURVEY

| Depth: | Azimuth: | Dip: | Mag: | Temp (C): |
|--------|----------|-------|---------|-----------|
| 15.0 | 271.5 | -45.7 | 58730.0 | 0.0 |
| 65.0 | 272.6 | -45.6 | 56530.0 | 0.0 |
| 117.0 | 272.4 | -45.7 | 56670.0 | 0.0 |
| 164.0 | 272.6 | -45.8 | 56970.0 | 0.0 |
| 201.0 | 272.8 | -46.1 | 57970.0 | 0.0 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description |
|----------|--------|------------|----------|----------|------------------------|
| 0.0 | 5.9 | CAS | | | Casing |

Geochemical Results

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|---------------|-----------|--|--------|-------|-------|----------|--------|---------|
| 5.9 | 39.5 | BQET | <i>M Blch</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | | | | | | |
| | | | | | Banded, med-brn to med-gry-beige; wk fol'n @ 30-35 to CA; local patches of strong to intense bleaching; minor, localized lt-gry qtz-py-po-cpy vnlt's up to 3cm wide; approx 2% py as fine diss throughout & as fine diss stringers within the darker bands; minor cal vnlt's & patchy silica flooding. | 544913 | 7.85 | 8.35 | 0.50 | 923 | 0.923 |
| | | | | | 8.35 8.65 zone of narrow, boudinaged, lt-gry qtz-py & cal vnlt's; tr diss euhedral py stringers @ 50 to CA. | 544914 | 8.35 | 8.65 | 0.30 | 638 | 0.638 |
| | | | | | 9.08 9.09 0.5cm lt-gry qtz-py stringer @ 40 to CA. | 544915 | 8.65 | 9.00 | 0.35 | 94 | 0.094 |
| | | | | | 9.30 11.05 mod, banded bleached alteration with minor, narrow, lt-gry qtz stringers; 2-3% diss py. | 544916 | 9.00 | 9.30 | 0.30 | 892 | 0.892 |
| | | | | | 11.45 11.65 3 lt-gry, qtz-py-po vnlt's @ 35 to CA; 0.5 -2cm wide; widest contains majority of sulphides; fine diss py stringers between vnlt's. | 544917 | 9.30 | 10.30 | 1.00 | 610 | 0.610 |
| | | | | | 12.20 12.21 1cm lt-gry qtz vnlt @ 30 to CA; tr diss py. | 544918 | 10.30 | 11.05 | 0.75 | 1100 | 1.100 |
| | | | | | 12.30 12.34 4cm lt-gry qtz-py-po-cpy vnlt @ 40 to CA. | 544920 | 11.05 | 11.40 | 0.35 | 590 | 0.590 |
| | | | | | 12.50 12.54 2-4cm wide lt-gry, irreg, qtz vnlt @ 45 to CA; tr diss py along ctc's. | 544921 | 11.40 | 11.70 | 0.30 | | 131.000 |
| | | | | | 16.10 16.15 5cm wh to lt-gry qtz vnlt @ 40 to CA; mod shredded by fol'n. | 544922 | 11.70 | 12.10 | 0.40 | 269 | 0.269 |
| | | | | | | 544923 | 12.10 | 12.60 | 0.50 | 282 | 0.282 |
| | | | | | | 544924 | 12.60 | 13.60 | 1.00 | 160 | 0.160 |
| | | | | | | 544925 | 13.60 | 14.60 | 1.00 | 298 | 0.298 |
| | | | | | | 544926 | 14.60 | 15.40 | 0.80 | 233 | 0.233 |
| | | | | | | 544927 | 15.40 | 15.95 | 0.55 | 42 | 0.042 |
| | | | | | | 544928 | 15.95 | 16.25 | 0.30 | 959 | 0.959 |
| | | | | | | 544929 | 16.25 | 17.25 | 1.00 | 45 | 0.045 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|---|---------------------|-------|-------|----------|--------|--------|
| 19.45 | 19.50 | | | | 5cm wh to lt-gry qtz vnl @ 40 to CA; tr py. | 544930 | 17.25 | 18.30 | 1.05 | 839 | 0.839 |
| 20.47 | 20.52 | | | | 8cm lt-gry qtz vnl @ 30 to CA; core replaced by cal & biotite; diss py stringer at upper contact. | 544931 | 18.30 | 19.30 | 1.00 | 1050 | 1.050 |
| | | | | | | 544932 | 19.30 | 19.60 | 0.30 | 388 | 0.388 |
| 23.50 | 23.80 | | | | 2 lt-gry qtz vnls @ 35 to CA; separated by cal & bio fill; tr diss py in fine stringers. | 544933 | 19.60 | 20.36 | 0.76 | 41 | 0.041 |
| | | | | | | 544935 | 20.36 | 20.66 | 0.30 | 368 | 0.368 |
| 27.90 | 27.92 | | | | 2cm cal vnl after qtz @ 40 to CA; lower ctc area silic'd with mod py stringers. | 544936 | 20.66 | 21.50 | 0.84 | 10 | 0.010 |
| | | | | | | 544937 | 21.50 | 22.50 | 1.00 | 10 | 0.010 |
| 31.40 | 31.75 | | | | mod silic'd with minor, irreg & boudinaged, lt-gry qtz-py vnls @ 45 to CA; 5-7% diss py stringers. | 544938 | 22.50 | 23.50 | 1.00 | 172 | 0.172 |
| 35.74 | 35.79 | VG | | | 5cm smky-gry, chalcedonic, qtz-py-po-cpy-aspy vnl @ 35 to CA; small specks of V.G. | 544939 | 23.50 | 23.80 | 0.30 | | 5.930 |
| | | | | | | 544940 | 23.80 | 24.80 | 1.00 | 18 | 0.018 |
| 37.70 | 39.45 | | | | str to intense bleaching; tr diss py stringers. | 544941 | 24.80 | 25.80 | 1.00 | 94 | 0.094 |
| | | | | | | 544942 | 25.80 | 26.80 | 1.00 | 40 | 0.040 |
| | | | | | | 544943 | 26.80 | 27.70 | 0.90 | 203 | 0.203 |
| | | | | | | 544944 | 27.70 | 28.00 | 0.30 | 17 | 0.017 |
| | | | | | | 544945 | 28.00 | 29.00 | 1.00 | 5 | 0.005 |
| | | | | | | 544946 | 29.00 | 30.00 | 1.00 | 2 | 0.002 |
| | | | | | | 544947 | 30.00 | 30.70 | 0.70 | 702 | 0.702 |
| | | | | | | 544948 | 30.70 | 31.40 | 0.70 | 927 | 0.927 |
| | | | | | | 544950 | 31.40 | 31.75 | 0.35 | 67 | 0.067 |
| | | | | | | 544951 | 31.75 | 32.75 | 1.00 | 53 | 0.053 |
| | | | | | | 544952 | 32.75 | 33.75 | 1.00 | 56 | 0.056 |
| | | | | | | 544953 | 33.75 | 34.75 | 1.00 | 43 | 0.043 |
| | | | | | | 544954 | 34.75 | 35.60 | 0.85 | 14 | 0.014 |
| | | | | | | 544955 | 35.60 | 35.90 | 0.30 | | 4.010 |
| | | | | | | 544956 | 35.90 | 36.90 | 1.00 | 16 | 0.016 |
| | | | | | | 544957 | 36.90 | 37.70 | 0.80 | 34 | 0.034 |
| | | | | | | 544958 | 37.70 | 38.70 | 1.00 | 12 | 0.012 |
| | | | | | | 544959 | 38.70 | 39.45 | 0.75 | 29 | 0.029 |
| 39.5 | 70.8 | BQET | W Sil | TR | Blue Quartz Eye Tuff Weak Silicification | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Gry-brn, msv with very wk fol'n @ 30-35 to CA; local, patchy silica flooding; occ qtz, qtz-py & qtz-cal vnls; minor, patchy bleached alt'n; overall 1% diss py. | 544960 | 39.45 | 40.00 | 0.55 | 2 | 0.002 |
| | | | | | | 544961 | 40.00 | 40.75 | 0.75 | 468 | 0.468 |
| 40.97 | 41.00 | | | | 3cm boudinaged, wh, qtz-py vnl @ 50 to CA. | 544962 | 40.75 | 41.25 | 0.50 | 205 | 0.205 |
| 42.44 | 42.48 | | | | 4cm wh, banded qtz-py vnl @ 40 to CA; 10% cubic py stringers. | 544963 | 41.25 | 41.75 | 0.50 | 24 | 0.024 |
| 48.20 | 48.21 | | | | 0.5cm wh qtz vnl @ 55 to CA. | 544965 | 41.75 | 42.25 | 0.50 | 481 | 0.481 |
| 51.51 | 51.52 | | | | 0.5cm clear qtz-py vnl @ 50 to CA. | 544966 | 42.25 | 42.55 | 0.30 | 33 | 0.033 |
| 52.00 | 52.02 | | | | 2cm wh, sucr, qtz vnl @ 35 to CA. | 544967 | 42.55 | 43.05 | 0.50 | 48 | 0.048 |
| 59.00 | 60.75 | | | | mod-str, patchy silica flooding with increased py as fine dustings & narrow stringers. | 544968 | 43.05 | 43.55 | 0.50 | 2 | 0.002 |
| | | | | | | 544969 | 58.00 | 58.50 | 0.50 | 37 | 0.037 |
| 63.16 | 63.18 | | | | 2cm wh to lt-gry qtz-py vnl @ 60 to CA; folded. | 544970 | 58.50 | 59.00 | 0.50 | 16 | 0.016 |
| 63.53 | 63.57 | | | | 4cm banded qtz & qtz-cal vnls @ 45 to CA; 1% diss & cubic py. | 544971 | 59.00 | 59.50 | 0.50 | 159 | 0.159 |
| 64.08 | 64.15 | | | | 7cm lt-gry qtz vnl @ 45 to CA; py stringers at upper contact. | 544972 | 59.50 | 60.00 | 0.50 | 38 | 0.038 |
| | | | | | | 544973 | 60.00 | 60.75 | 0.75 | 161 | 0.161 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-----------|----------|----------|---|---------------------|-------|-------|------|-----|-------|
| 64.38 | 64.39 | | | | 1cm cal-qtz-py vnlt @ 50 to CA. | 544974 | 60.75 | 61.50 | 0.75 | 12 | 0.012 |
| 67.55 | 67.59 | | | | 4cm mafic, biotitic dike @ 20 to CA; cal-rich core. | 544975 | 61.50 | 62.00 | 0.50 | 12 | 0.012 |
| 68.25 | 68.27 | | | | 2cm wh, sucr qtz vnlt @ 50 to CA. | 544976 | 62.00 | 62.50 | 0.50 | 14 | 0.014 |
| | | | | | | 544977 | 62.50 | 63.00 | 0.50 | 56 | 0.056 |
| | | | | | | 544978 | 63.00 | 63.30 | 0.30 | 15 | 0.015 |
| | | | | | | 544980 | 63.30 | 63.60 | 0.30 | 67 | 0.067 |
| | | | | | | 544981 | 63.60 | 63.98 | 0.38 | 2 | 0.002 |
| | | | | | | 544982 | 63.98 | 64.28 | 0.30 | 137 | 0.137 |
| | | | | | | 544983 | 64.28 | 64.58 | 0.30 | 9 | 0.009 |
| | | | | | | 544984 | 64.58 | 65.08 | 0.50 | 2 | 0.002 |
| | | | | | | 544985 | 65.08 | 65.85 | 0.77 | 2 | 0.002 |

70.8 71.4 **MDYKE** **Mafic Dyke**
 Biotite-rich with mod, pervasive carb alteration @ 30 to CA.

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|----------|----------|---|--------|--------|--------|----------|--------|--------|
| 71.4 | 122.5 | BQET | | | TR Blue Quartz Eye Tuff | | | | | | |
| | | | | | Med-gry-brn, msv; wk fol'n @ 35 to CA; minor wh to lt-gry, qtz vnlt; tr fine diss py. | 544986 | 71.45 | 71.75 | 0.30 | 43 | 0.043 |
| | | | | | 71.84 71.91 7cm lt-gry, xtaline qtz-bio-py vnlt @ 70 to CA. | 544987 | 71.75 | 72.05 | 0.30 | 39 | 0.039 |
| | | | | | 73.35 73.43 8 cm mafic dike @ 20 to CA; broken. | 544988 | 72.05 | 72.55 | 0.50 | 19 | 0.019 |
| | | | | | 76.36 76.40 4cm wh, sucrosic qtz vnlt @ 70 to CA. | 544989 | 77.15 | 77.65 | 0.50 | 11 | 0.011 |
| | | | | | 77.75 77.81 6cm wh qtz vnlt @ 65 to CA; 1% diss py. | 544990 | 77.65 | 77.95 | 0.30 | 378 | 0.378 |
| | | | | | 84.10 84.20 two 4cm, irreg, lt-gry to wh, qtz-py vnlt @ 40 to CA; wallrock mod silica flooded. | 544991 | 77.95 | 78.45 | 0.50 | 33 | 0.033 |
| | | | | | 85.72 85.73 1cm lt-gry to wh qtz-py vnlt @ 50 to CA; footwall rock mod-str silica flooded with 7% fine diss py. | 544992 | 82.90 | 83.40 | 0.50 | 11 | 0.011 |
| | | | | | | 544994 | 83.40 | 83.90 | 0.50 | 16 | 0.016 |
| | | | | | | 544995 | 83.90 | 84.20 | 0.30 | 18 | 0.018 |
| | | | | | 85.89 85.90 1cm wh qtz-py vnlt @ 80 to CA. | 544996 | 84.20 | 85.00 | 0.80 | 19 | 0.019 |
| | | | | | 90.35 93.90 wkly bleached. | 544997 | 85.00 | 85.65 | 0.65 | 13 | 0.013 |
| | | | | | 94.62 94.67 5cm wh, sucr qtz vnlt @ 20 to CA; lt-gry cal core. | 544998 | 85.65 | 86.00 | 0.35 | 91 | 0.091 |
| | | | | | 97.78 97.80 1.5cm lt-gry qtz-py vnlt @ 20 to CA; 5% py stringers. | 544999 | 86.00 | 86.50 | 0.50 | 18 | 0.018 |
| | | | | | 101.53 101.57 4cm clear to wh, sucr qtz vnlt @ 70 to CA. | 545000 | 86.50 | 87.00 | 0.50 | 2 | 0.002 |
| | | | | | 104.64 104.65 1cm wh qtz vnlt @ 30 to CA. | 545512 | 120.00 | 120.30 | 0.30 | 14 | 0.014 |
| | | | | | | 545513 | 120.30 | 121.00 | 0.70 | 18 | 0.018 |
| | | | | | | 545514 | 121.00 | 121.60 | 0.60 | 2 | 0.002 |
| | | | | | | 545515 | 121.60 | 122.00 | 0.40 | 24 | 0.024 |
| | | | | | | 545516 | 122.00 | 122.54 | 0.54 | 11 | 0.011 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Sample | From | To | Interval | Au ppb | Au g/t |
|----------|--------|-------------|-----------|----------|---|--------|--------|--------|----------|--------|--------|
| 122.5 | 125.2 | BQET | S Sil Fld | | TR Blue Quartz Eye Tuff Strong Silica Flooding | | | | | | |
| | | | | | UPPER KNOLL ZONE | 545517 | 122.54 | 123.04 | 0.50 | 43 | 0.043 |
| | | | | | Med gry-beige; mod-str, patchy bleaching; mod-intense silioca flooding increasing | 545518 | 123.04 | 123.34 | 0.30 | 2070 | 2.070 |
| | | | | | | 545519 | 123.34 | 123.84 | 0.50 | 2520 | 2.520 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|------------------|----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | downhole; minor, lt, smky-gry qtz-sulphide vnlt; occasional diss py stringers in more mafic rich material. | 545520 | 123.84 | 124.42 | 0.58 | 1510 | 1.510 |
| | | | | | | 545521 | 124.42 | 124.73 | 0.31 | 1150 | 1.150 |
| | | | | | 123.84 123.89 5cm lt- smky-gry qtz-py-po-cpy vnlt @ 30 to CA; 2-3 fine diss py; tr po-cpy. | 545522 | 124.73 | 125.16 | 0.43 | 4510 | 4.510 |
| | | | | | 123.84 123.90 very str silica flooding; abundant, med-gry, x-cutting silica stringers; 0.5% fine diss py. | | | | | | |
| | | | | | 123.89 124.42 very str silica flooding; abundant, med-gry, x-cutting silica stringers; 0.5% fine diss py. | | | | | | |
| | | | | | 124.62 124.65 3cm dirty wh to lt-gry qtz vnlt @ 40 to CA; tr diss py-po-asy. | | | | | | |
| | | | | | 124.92 125.16 dirty-wh qtz vein/intensely siliced tuff; upper contact @ 50 to CA; tr diss py & fine aspy needles; med-beige-gry with smky-gry qtz frags. | | | | | | |
| 125.2 | 128.9 | MDYKE | | | Mafic Dyke | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | UC @ 40, LC @50 to CA; med chocolate-brn; str pervasive carb alteration; mod, narrow cal-chl vnlt, 0.5-2cm wide generally @ 40 to CA; tr diss py. | 545523 | 125.16 | 125.70 | 0.54 | 475 | 0.475 |
| | | | | | | 545524 | 125.70 | 126.50 | 0.80 | 19 | 0.019 |
| | | | | | | 545525 | 126.50 | 127.50 | 1.00 | 41 | 0.041 |
| | | | | | | 545527 | 127.50 | 128.50 | 1.00 | 84 | 0.084 |
| | | | | | | 545528 | 128.50 | 128.90 | 0.40 | 975 | 0.975 |
| 128.9 | 129.5 | QV | | | DISS Quartz Vein | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | UC @ 50, LC @ 45 to CA; lt to med smky-gry, mottled; mod hairline fractures filled with chl-py stringers; 2% fine diss py, tr po-cpy. | 545529 | 128.90 | 129.50 | 0.60 | 2580 | 2.580 |
| 129.5 | 132.3 | BQET | S Sil Fld | | DISS Blue Quartz Eye Tuff Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | KNOLL ZONE | 545530 | 129.50 | 129.85 | 0.35 | 251 | 0.251 |
| | | | | | Strly bleached & sericitized; str silica flooding with abundant, dirty-wh to lt-gry, anastomizing qtz vnlt; local zones of mod py stringers; fol'n @ 45 to CA. | 545531 | 129.85 | 130.45 | 0.60 | 335 | 0.335 |
| | | | | | 129.50 129.58 8cm dirty-wh qtz vnlt @ 45 to CA; tr diss py. | 545532 | 130.45 | 131.00 | 0.55 | 1730 | 1.730 |
| | | | | | 129.78 129.80 1.5m shredded, dirty-wh qtz vnlt @ 45 to CA; tr diss py. | 545533 | 131.00 | 131.60 | 0.60 | 2440 | 2.440 |
| | | | | | 130.45 131.00 several, boudinaged, dirty-wh to lt, smky-gry qtz vnlt in a ser-py matrix; 7% diss & stringery py; tr po-cpy. | 545534 | 131.60 | 131.90 | 0.30 | 618 | 0.618 |
| | | | | | 131.00 131.60 abundant, intermixed py-bio and tuff stringers; 5-7% diss and stringery py; minor lt-gry qtz stringers. | 545535 | 131.90 | 132.30 | 0.40 | 2010 | 2.010 |
| | | | | | 131.90 132.17 lt-gry, mottled & shredded qtz vein; UC @ 60, LC @ 45 to CA; strly silic'd tuff x-cut by later wh qtz stringers; 1-2% diss fracture fill py. | | | | | | |
| 132.3 | 138.0 | BQET | W Blch | | TR Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-brn with local patches of beige bleaching up to 20cm wide; minor, narrow, wh qtz | 545536 | 132.30 | 132.70 | 0.40 | 2550 | 2.550 |
| | | | | | | 545537 | 132.70 | 133.10 | 0.40 | 2010 | 2.010 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|------------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | vnlt; wk fol'n @ 40 to CA; tr-0.5% diss & stringery py. | 545538 | 133.10 | 134.00 | 0.90 | 271 | 0.271 |
| | | | | | 134.00 134.01 1cm dirty-wh qtz vnlt @ 75 to CA. | 545539 | 134.00 | 135.00 | 1.00 | 50 | 0.050 |
| | | | | | | 545540 | 135.00 | 136.00 | 1.00 | 10 | 0.010 |
| | | | | | | 545542 | 136.00 | 137.00 | 1.00 | 9 | 0.009 |
| | | | | | | 545543 | 137.00 | 138.00 | 1.00 | 6 | 0.006 |
| 138.0 | 142.6 | BQET | <i>M Blich</i> | DISS | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Med gry-brn-beige with mod to locally str bleaching; local zones of str, lt-gry to wh qtz veining & ser alteration; tr-3% diss & stringery py in strly altered zones. | 545544 | 138.00 | 139.00 | 1.00 | 15 | 0.015 |
| | | | | | 141.30 142.20 str ser alteration & mod silica flooding; cut by abundant lt-gry to dirty-wh, irreg qtz & qtz-py vnlt; 3% diss py; tr cpy. | 545545 | 139.00 | 140.00 | 1.00 | 70 | 0.070 |
| | | | | | | 545546 | 140.00 | 140.70 | 0.70 | 196 | 0.196 |
| | | | | | | 545547 | 140.70 | 141.30 | 0.60 | 319 | 0.319 |
| | | | | | | 545548 | 141.30 | 142.10 | 0.80 | 571 | 0.571 |
| | | | | | 142.20 142.55 milky-wh to lt-gry qtz vein; UC @ 45, LC @ 60 to CA; x-cut by clear, sugary qtz vnlt @ 45 to CA; mod tuff frags & hairline stringers; tr diss py & cpy blebs. | 545549 | 142.10 | 142.55 | 0.45 | 424 | 0.424 |
| 142.6 | 148.1 | BQET | <i>W Blich</i> | DISS | Blue Quartz Eye Tuff Weak Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Med gry-brn; wkly bleached; minor, irreg wh to lt-gry qtz stringers; local zones of up to 5-7% fine diss py. | 545550 | 142.55 | 143.00 | 0.45 | 126 | 0.126 |
| | | | | | | 545551 | 143.00 | 144.00 | 1.00 | 66 | 0.066 |
| | | | | | | 545552 | 144.00 | 145.00 | 1.00 | 59 | 0.059 |
| | | | | | 146.00 146.50 mod bleached; cut by one qtz-py vnlt @ 30 to CA | 545553 | 145.00 | 145.50 | 0.50 | 53 | 0.053 |
| | | | | | | 545554 | 145.50 | 146.00 | 0.50 | 263 | 0.263 |
| | | | | | | 545555 | 146.00 | 146.50 | 0.50 | | 0.080 |
| | | | | | | 545557 | 146.50 | 146.90 | 0.40 | 96 | 0.096 |
| | | | | | | 545558 | 146.90 | 147.30 | 0.40 | 100 | 0.100 |
| | | | | | | 545559 | 147.30 | 148.05 | 0.75 | 19 | 0.019 |
| 148.1 | 149.4 | BQET | <i>M Blich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Med-beige-gry; mod bleached; minor lt-gry, irreg qtz stringers; 1-2% diss py. | 545560 | 148.05 | 148.90 | 0.85 | 170 | 0.170 |
| | | | | | | 545561 | 148.90 | 149.40 | 0.50 | 48 | 0.048 |
| 149.4 | 150.0 | QV | | DISS | Quartz Vein | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Milky-wh to lt-gry with mod inclusions of bleached & bio-rich tuff; x-cut by minor, clear qtz stringers; ctc's @ 50 to CA; 1% fine diss py; tr-0.5% aspy. | 545562 | 149.40 | 150.00 | 0.60 | 793 | 0.793 |
| 150.0 | 151.4 | BQET | <i>M Sil Fld</i> | TR | Blue Quartz Eye Tuff Moderate Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Med beige-gry; mod bleached; mod silica flooding increasing with depth; minor clear to lt-gry qtz-py stringers near LC; wk fol'n @ 35 to CA; local py-cpy stringers associated with qtz vnlt; 0.5% diss py & tr cpy. | 545563 | 150.00 | 150.50 | 0.50 | 60 | 0.060 |
| | | | | | | 545564 | 150.50 | 151.45 | 0.95 | 50 | 0.050 |

| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|-------------|--------------|-------------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| 151.4 | 157.6 | BQET | S Sil Fld | DISS | Blue Quartz Eye Tuff Strong Silica Flooding | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Olive-beige; intense silica flooding; wk fol'n @ 40 to CA; minor, dirty-wh, xtaline qtz vnlt; mod, narrow, clear silica stringers; local bands of up to 15% diss py-po-cpy; tr cpy stringers; overall 2-3% diss py-po; tr cpy. | 545565 | 151.45 | 152.00 | 0.55 | 108 | 0.108 |
| | | | | | 152.97 152.99 1.5cm dirty-wh qtz vnlt @ 35 to CA; tr diss py. | 545566 | 152.00 | 153.00 | 1.00 | 23 | 0.023 |
| | | | | | 154.50 154.54 4cm band of 15% diss py-po-cpy @ 40 to CA. | 545567 | 153.00 | 154.00 | 1.00 | 273 | 0.273 |
| | | | | | 155.40 155.43 2.5cm, irreg diss sulphide band with 7% py-po-cpy. | 545568 | 154.00 | 155.00 | 1.00 | 301 | 0.301 |
| | | | | | 157.00 157.01 1cm dirty qtz vnlt @ 40 to CA; tr diss cpy-py. | 545569 | 155.00 | 156.00 | 1.00 | 225 | 0.225 |
| | | | | | | 545570 | 156.00 | 156.80 | 0.80 | 419 | 0.419 |
| | | | | | | 545572 | 156.80 | 157.60 | 0.80 | 34 | 0.034 |
| 157.6 | 188.5 | BQET | | | Blue Quartz Eye Tuff | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Dk-gry-brn; minor, wkly bleached patches; fol'n @ 40 to CA; minor milky-wh qtz vnlt; tr diss py. | 545573 | 157.60 | 158.30 | 0.70 | 119 | 0.119 |
| | | | | | 159.83 159.84 0.5-1cm milky-wh qtz vnlt @ 35 to CA. | 545574 | 158.30 | 159.00 | 0.70 | 2 | 0.002 |
| | | | | | 166.05 166.06 0.5-1cm, leached qtz-cal-py vnlt @ 15 to CA; 10% py xtals. | 545575 | 159.00 | 160.00 | 1.00 | 2 | 0.002 |
| | | | | | 177.00 177.01 1cm, lt-gry, intensely folded qtz vnlt @ 70 to CA. | 545576 | 187.40 | 188.00 | 0.60 | 34 | 0.034 |
| | | | | | 181.70 182.00 2 irreg, milky-wh qtz vnlt; tr diss py. | 545577 | 188.00 | 188.50 | 0.50 | 40 | 0.040 |
| | | | | | 182.00 185.00 wk, patchy bleaching. | | | | | | |
| 188.5 | 191.8 | BQET | M Blch | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Wk-mod bleached; mod silica flooding; fol'n @ 35 to CA; minor lt-gry qtz vnlt. | 545578 | 188.50 | 189.00 | 0.50 | 187 | 0.187 |
| | | | | | 191.71 191.76 5cm lt-gry qtz-py-po-cpy vnlt @ 30 to CA; 1% sulphides. | 545579 | 189.00 | 190.00 | 1.00 | 60 | 0.060 |
| | | | | | | 545580 | 190.00 | 191.00 | 1.00 | 30 | 0.030 |
| | | | | | | 545581 | 191.00 | 191.80 | 0.80 | 96 | 0.096 |
| 191.8 | 194.7 | BQET | S Ser | TR | Blue Quartz Eye Tuff Strong Sericite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | Str to intense ser-carb alteration; local, patchy silica flooding; tr diss py. | 545582 | 191.80 | 192.90 | 1.10 | 63 | 0.063 |
| | | | | | 192.60 192.85 6cm, dirty lt-gry qtz vnlt @ 25 to CA; 1% diss py-po-cpy. | 545583 | 192.90 | 194.00 | 1.10 | 18 | 0.018 |
| | | | | | | 545584 | 194.00 | 194.70 | 0.70 | 37 | 0.037 |
| 194.7 | 196.6 | BQET | M Blch | TR | Blue Quartz Eye Tuff Moderate Bleaching | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | As 188.50 | 545585 | 194.70 | 195.70 | 1.00 | 22 | 0.022 |
| | | | | | | 545587 | 195.70 | 196.60 | 0.90 | 2 | 0.002 |
| 196.6 | 199.9 | BQET | S Ser | TR | Blue Quartz Eye Tuff Strong Sericite | Sample | From | To | Interval | Au ppb | Au g/t |
| | | | | | As 191.8 | 545588 | 196.60 | 197.00 | 0.40 | 13 | 0.013 |
| | | | | | 198.00 198.33 abundant lt-gry, parallel qtz-py-po-cpy vnlt @ 50 to CA. | 545589 | 197.00 | 197.35 | 0.35 | 497 | 0.497 |


| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results | | | | | |
|----------|--------|--------------|----------------|-----------|--|---------------------|-------------|-----------|-----------------|---------------|---------------|
| | | | | | | 545590 | 197.35 | 198.00 | 0.65 | 11 | 0.011 |
| | | | | | | 545591 | 198.00 | 199.00 | 1.00 | 18 | 0.018 |
| | | | | | | 545592 | 199.00 | 199.85 | 0.85 | 9 | 0.009 |
| 199.9 | 202.9 | BQET | <i>M Blich</i> | TR | Blue Quartz Eye Tuff Moderate Bleaching As 188.50; minor patches of str silica flooding. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 545593 | 199.85 | 201.00 | 1.15 | 2 | 0.002 |
| | | | | | | 545594 | 201.00 | 202.00 | 1.00 | 2 | 0.002 |
| | | | | | | 545595 | 202.00 | 202.90 | 0.90 | 2 | 0.002 |
| 202.9 | 204.4 | BQET | <i>S Ser</i> | TR | Blue Quartz Eye Tuff Strong Sericite As 191.8. | <i>Sample</i> | <i>From</i> | <i>To</i> | <i>Interval</i> | <i>Au ppb</i> | <i>Au g/t</i> |
| | | | | | | 545596 | 202.90 | 204.00 | 1.10 | 8 | 0.008 |
| | | | | | | 545597 | 204.00 | 204.45 | 0.45 | 2 | 0.002 |
| 204.4 | 204.7 | MDYKE | | | Mafic Dyke Ctc's @ 35 to CA; dk grn-brn; 1cm coarse biotite vnlt at lower ctc. | | | | | | |
| 204.7 | 204.9 | LBIF | | | Lean Iron Formation Med-gry; magnetite-rich bands; str perv carb alteration; ctc's @ 35 to CA. | | | | | | |
| 204.9 | 205.0 | MDYKE | | | Mafic Dyke As 204.45; 2cm core of iron formation. | | | | | | |
| 205.0 | 205.4 | LBIF | | | Lean Iron Formation As 204.70. | | | | | | |
| 205.4 | 206.1 | MDYKE | | | Mafic Dyke As 204.45; ctc's @ 35 to CA; coarse biotite at lower ctc. | | | | | | |
| 206.1 | 206.3 | LBIF | | | Lean Iron Formation Med-grn; banded; mod magnetic; ctc's @ 35 to CA. | | | | | | |


| From (m) | To (m) | UNIT code | ALT code | Min code | Geological Description | Geochemical Results |
|---------------------|-------------------|----------------------|---------------------|---------------------|---|----------------------------|
| 206.3 | 206.5 | UM | | | Ultramafic Extrusive Talc-chl Ultramafic flows. | |
| 206.5 | 0.0 | EOH | | | End of Hole | |

General Comments:

MAPS: DRILL PLANS AND SECTIONS

| | |
|--------|---|
| Map 1 | Key Map 2014 Drilling 1:10,000 |
| Map 2 | Knoll and Bernadette Drill Plan 1:1,000 |
| Map 3 | RvG4 Drill Plan 1:500 |
| Map 4 | Drill Plan BK14-19 1:2000 |
| Map 5 | Section 0+25S 1:250 |
| Map 6 | Section 0+25N 1:250 |
| Map 7 | Section 0+50N 1:250 |
| Map 8 | Section BK14-13, BK14-14, BK14-15 1:250 |
| Map 9 | Section BK14-03, BK14-04 1:250 |
| Map 10 | Section BK14-17, BK14-20 1:250 |
| Map 11 | Section BK14-19 1:250 |
| Map 12 | Section BK14-18, BK14-22 1:250 |
| Map 13 | Section BK14-21 1:250 |





Weebigee Project
 Knoll and Bernadette Zones
 Drill Plan

UTM Zone 15, NAD83
 June 20, 2014


0 metres 20
 Scale 1:1,000

N
 Magnetic north is 1° West

Legend

- Water
- Drill Hole collar and trace projected to surface

| Hole ID | Easting | Northing | Azimuth | Dip | Length |
|---------|----------|----------|---------|-----|--------|
| BK14-01 | 474178.7 | 5879388 | 260 | -45 | 93 |
| BK14-02 | 474178.7 | 5879388 | 260 | -70 | 51 |
| BK14-03 | 474194.8 | 5879393 | 75 | -45 | 123 |
| BK14-04 | 474194.8 | 5879393 | 75 | -65 | 81 |
| BK14-05 | 474177.9 | 5879362 | 270 | -45 | 93 |
| BK14-06 | 474177.9 | 5879362 | 270 | -70 | 60 |
| BK14-07 | 474177.9 | 5879362 | 275 | -80 | 99 |
| BK14-08 | 474189.7 | 5879408 | 264 | -45 | 120 |
| BK14-09 | 474189.7 | 5879408 | 260 | -65 | 90 |
| BK14-10 | 474176.1 | 5879342 | 275 | -45 | 63 |
| BK14-11 | 474176.1 | 5879342 | 270 | -65 | 87 |
| BK14-12 | 474176.1 | 5879342 | 270 | -75 | 84 |
| BK14-13 | 474176.1 | 5879342 | 230 | -50 | 60 |
| BK14-14 | 474199.1 | 5879329 | 235 | -80 | 102 |
| BK14-15 | 474199.1 | 5879329 | 235 | -65 | 57 |
| BK14-16 | 474203.5 | 5879336 | 275 | -65 | 126 |
| BK14-23 | 474260 | 5879382 | 270 | -45 | 206.5 |




Legend

- IR 88
- Water
- Drill Hole collar and trace projected to surface
- Estimated claim boundary


| Hole ID | Easting | Northing | Azimuth | Dip | Length |
|---------|----------|----------|---------|-----|--------|
| BK14-17 | 473999.7 | 5879829 | 75 | -50 | 69 |
| BK14-18 | 473999.7 | 5879829 | 110 | -50 | 90 |
| BK14-20 | 473992 | 5879813 | 60 | -45 | 90 |
| BK14-21 | 473992 | 5879813 | 7 | -55 | 75 |
| BK14-22 | 473994 | 5879809 | 95 | -50 | 102 |

Weebigee Project
RvG4 Zone
Drill Plan

UTM Zone 15, NAD83
 June 20, 2014







Scale 1:500



N
Magnetic north is 1° West

Legend

-  IR 88
-  Water
-  Drill Hole collar and trace projected to surface
-  Estimated claim boundary

| Hole ID | Easting | Northing | Azimuth | Dip | Length |
|---------|---------|----------|---------|-----|--------|
| BK14-19 | 473033 | 5879963 | 210 | -65 | 195 |

5,880,000 mN

472,900 mE

473,000 mE

473,100 mE

473,200 mE

977018

BK14-19

5,879,900 mN

977025

977026


5,879,800 mN

Weebigee Project BK14-19 Drill Plan

UTM Zone 15, NAD83
June 20, 2014



Scale 1:2,000




Magnetic north is 1° West

474100E


474150E

474200E



Plan View

Vertical Section View



250m elv

225m elv

200m elv


175m elv



Scale 1:250



Assay Results



Weebigee Project

Section 0+25S Facing North

Gold Assay Results in g/t

BK14-10, BK14-11, BK14-12, & BK14-16

UTM Zone 15, NAD83

April 2, 2014

474100E

474150E

474200E

BK 14-05

BK 14-07

BK 14-06

5879360N

Plan View

Vertical Section View

275m elv

250m elv

225m elv

200m elv

175m elv

BK 14-05

Talc carbonate schist

Banded iron formation

FW Zone

BK 14-06




Blue quartz-eye tuff

BK 14-07


Knoll Zone

Mafic dyke

Blue quartz-eye tuff



Assay Results



Weebigee Project
 Section 0+00N Facing North
 Gold Assay Results in g/t
 BK14-05, BK14-06, & BK14-07

UTM Zone 15, NAD83
 April 2, 2014




Scale 1:250

474100E


474150E

474200E

474250E



Vertical Section View



474100E

474150E

474200E


5879410N

Plan View


BK 14-08

BK 14-09

Vertical Section View



Assay Results







Weebigee Project
 Section 0+50N Facing North
 Gold Assay Results in g/t
 BK14-08, BK14-09

UTM Zone 15, NAD83
 April 3, 2014




Scale 1:250



Goldeye
EXPLORATIONS
LIMITED

Assay Results





Scale 1:250


Weebigee Project

Vertical Sections
Facing 320° Northwest
Gold Assay Results in g/t
BK14-13, BK14-14, & BK14-15

UTM Zone 15, NAD83
April 16, 2014






Assay Results



Scale 1:250



Weebigee Project

Vertical Section
 Facing 344° Northwest
 Gold Assay Results in g/t
 BK14-03, BK14-04
 UTM Zone 15, NAD83
 April 30, 2014




Weebigee Project
 Vertical Section
 Facing 325° Northwest
 Gold Assay Results in g/t
 BK14-17, BK14-20
 UTM Zone 15, NAD83
 April 16, 2014







Assay Results



Weebigee Project

Vertical Section
Facing 300° Northwest
Gold Assay Results in g/t
BK14-19
UTM Zone 15, NAD83
June 20, 2014








Weebigee Project

Vertical Section
Facing 010° Northeast
Gold Assay Results in g/t
BK14-18, BK14-22
UTM Zone 15, NAD83
April 22, 2014





Assay Results



Scale 1:250

Weebigee Project

Vertical Section Facing West
Gold Assay Results in g/t
BK14-21

UTM Zone 15, NAD83
April 22, 2014