ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE SD21190072

This report is for 6 samples of Rock submitted to our lab in Sudbury, ON, Canada on 22-JUL-2021.

The following have access to data associated with this certificate:

JEAN PAUL VIENNEAU		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
PGM-ICP23	Pt, Pd, Au 30g FA ICP	ICP-AES
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number.Results apply to samples as submitted.All pages of this report have been checked and approved for release.
***** See Appendix Page for comments regarding this certificate *****

Signature:
Saa Traxler, General Manager, North Vancouver

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description / Method / Analyte / Units / LOD	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05
STANDARDS															
EMOG-17	69.7	4.84	616	270	1.81	5.48	1.98	20.8	47.1	788	58	7.32	8460	5.03	12.20
Target Range - Lower Bound	60.9	4.18	522	310	1.60	5.31	1.72	18.15	42.9	686	49	6.56	7750	4.42	10.75
Upper Bound	74.5	5.13	638	440	2.06	6.51	2.12	22.2	52.5	838	62	8.12	8910	5.42	13.25
KIP-19															
Target Range - Lower Bound															
Upper Bound															
OREAS 252b															
Target Range - Lower Bound															
Upper Bound															
OREAS 681															
Target Range - Lower Bound															
Upper Bound															
OREAS 920	0.10	7.68	5.1	550	2.88	0.83	0.49	0.06	88.2	15.3	86	8.36	113.5	4.00	20.1
Target Range - Lower Bound	<0.01	6.91	4.4	450	2.54	0.61	0.44	<0.02	84.6	13.9	70	7.72	104.0	3.72	18.65
Upper Bound	0.02	8.47	5.8	640	3.22	0.77	0.56	0.04	103.5	17.3	88	9.54	120.0	4.56	22.9
OREAS-45d	0.14	8.25	13.6	190	0.74	0.28	0.19	0.03	36.2	29.9	545	3.81	368	14.10	20.6
Target Range - Lower Bound	0.17	7.33	12.2	140	0.65	0.27	0.16	<0.02	33.5	26.5	493	3.47	345	13.05	19.05
Upper Bound	0.23	8.98	15.4	220	0.93	0.35	0.21	0.09	40.9	32.6	605	4.35	397	16.00	23.4
PK03															
Target Range - Lower Bound															
Upper Bound															
SY-4	0.04	8.21	0.4	350	2.58	0.02	5.62	0.08	69.8	2.4	7	1.43	6.0	4.06	33.9
Target Range - Lower Bound	<0.01	853	<0.2	280	2.29	<0.01	4.88	<0.02	59.9	2.4	5	1.30	6.3	3.53	31.7
Upper Bound	0.02	50.0	0.5	400	2.91	0.03	5.98	0.09	73.2	3.2	10	1.70	7.7	4.33	38.8
BLANKS															
BLANK	<0.01	<0.01	0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
Target Range - Lower Bound	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
Upper Bound	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02	0.10
BLANK															
Target Range - Lower Bound															
Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1
STANDARDS																
EMOG-17		0.14	1.9	0.904	1.71	24.2	24.6	1.01	767	1105	1.13	15.2	7890	830	7450	112.5
Target Range - Lower Bound		0.06	1.6	0.823	1.49	20.7	23.9	0.86	670	997	0.99	12.7	6820	700	6570	98.9
Upper Bound		0.30	2.2	1.015	1.85	26.4	29.7	1.08	830	1220	1.23	15.7	8330	880	8030	121.0
KIP-19																
Target Range - Lower Bound																
Upper Bound																
OREAS 252b																
Target Range - Lower Bound																
Upper Bound																
OREAS 681																
Target Range - Lower Bound																
Upper Bound																
OREAS 920		0.20	4.4	0.087	2.89	42.9	30.1	1.36	598	0.37	0.64	17.9	40.3	740	23.5	167.5
Target Range - Lower Bound		<0.05	4.0	0.070	2.59	41.0	26.0	1.23	<5	0.34	0.56	15.6	37.4	<10	20.7	158.5
Upper Bound		0.10	5.2	0.098	3.19	51.2	32.2	1.53	10	0.58	0.71	19.2	46.2	20	26.4	193.5
OREAS-45d		0.12	3.9	0.089	0.41	17.0	21.5	0.23	472	2.38	0.09	14.8	232	410	19.2	42.3
Target Range - Lower Bound		0.08	3.3	0.081	0.36	14.7	19.2	0.21	436	2.20	0.08	13.0	208	370	19.1	37.8
Upper Bound		0.32	4.3	0.111	0.46	19.1	23.9	0.28	544	2.80	0.13	16.1	254	470	24.5	46.4
PK03																
Target Range - Lower Bound																
Upper Bound																
SY-4		0.22	1.3	0.038	1.32	26.7	40.2	0.21	804	0.67	5.19	12.8	8.1	510	10.3	29.3
Target Range - Lower Bound		<0.05	9.4	0.024	1.15	22.6	33.1	0.17	732	0.08	4.54	11.6	7.9	<10	8.5	24.5
Upper Bound		0.26	11.8	0.048	1.42	28.7	40.9	0.23	906	0.30	5.58	14.4	10.1	20	11.5	30.1
BLANKS																
BLANK		<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Target Range - Lower Bound		<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Upper Bound		0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0	0.2
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description / Method / Analyte / Units / LOD	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1
STANDARDS															
EMOG-17	0.304	3.32	816	8.0	6	2.7	213	0.96	1.36	11.35	0.331	2.19	3.1	75	4.1
Target Range - Lower Bound	0.286	2.91	643	7.2	4	2.2	184.5	0.78	1.10	10.35	0.294	1.89	2.8	67	3.3
Upper Bound	0.354	3.57	869	9.0	9	3.2	226	1.08	1.46	12.65	0.370	2.61	3.7	84	4.7
KIP-19															
Target Range - Lower Bound															
Upper Bound															
OREAS 252b															
Target Range - Lower Bound															
Upper Bound															
OREAS 681															
Target Range - Lower Bound															
Upper Bound															
OREAS 920	<0.002	0.03	1.39	13.8	<1	5.1	80.4	1.31	<0.05	18.15	0.482	0.92	3.5	98	3.1
Target Range - Lower Bound	<0.002	<0.01	1.22	12.8	<1	4.3	73.6	1.08	<0.05	17.35	0.434	0.76	3.3	86	2.5
Upper Bound	0.004	0.05	1.76	15.8	2	5.7	90.4	1.43	0.10	21.2	0.542	1.08	4.2	108	3.7
OREAS-45d	<0.002	0.05	0.75	51.4	3	2.5	31.5	1.04	0.09	14.05	0.761	0.24	2.4	225	1.7
Target Range - Lower Bound	<0.002	0.03	0.64	44.3	<1	2.2	28.0	0.87	<0.05	13.50	0.691	0.20	2.3	211	1.3
Upper Bound	0.007	0.07	1.00	54.3	5	3.2	34.6	1.17	0.23	16.50	0.855	0.34	3.0	260	2.0
PK03															
Target Range - Lower Bound															
Upper Bound															
SY-4	0.002	0.02	0.31	0.7	<1	7.4	1225	0.73	<0.05	0.74	0.161	0.27	0.3	5	<0.1
Target Range - Lower Bound	<0.002	<0.01	<0.05	0.5	<1	6.4	1070	0.76	<0.05	0.71	0.139	0.17	0.3	3	<0.1
Upper Bound	0.006	0.03	0.12	0.9	5	8.3	1310	1.05	0.12	0.89	0.181	0.30	0.7	8	0.3
BLANKS															
BLANK	<0.002	<0.01	0.11	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
Target Range - Lower Bound	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	<0.1
Upper Bound	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2	0.2
BLANK															
Target Range - Lower Bound															
Upper Bound															

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03
STANDARDS																
EMOG-17		16.3	7660	65.2	3.03	1.73	0.85	3.18	0.58	0.24	21.1	5.48	3.93	0.50	0.25	1.62
Target Range - Lower Bound		14.3	6800	55.6	2.53	1.41	0.71	2.85	0.48	0.19	17.8	4.65	3.40	0.41	0.19	1.30
Upper Bound		17.7	8320	76.4	3.53	1.97	1.03	3.97	0.68	0.27	24.3	6.37	4.66	0.57	0.29	1.82
KIP-19																
Target Range - Lower Bound																
Upper Bound																
OREAS 252b																
Target Range - Lower Bound																
Upper Bound																
OREAS 681																
Target Range - Lower Bound																
Upper Bound																
OREAS 920		32.9	120	155.5	6.02	3.58	1.35	6.22	1.18	0.48	39.7	10.30	7.88	1.00	0.50	3.36
Target Range - Lower Bound		29.8	102	128.0	5.42	3.11	1.25	5.87	1.06	0.42	34.2	9.24	6.63	0.89	0.45	2.80
Upper Bound		36.6	130	174.0	7.46	4.27	1.76	8.07	1.46	0.59	46.6	12.55	9.05	1.23	0.63	3.86
OREAS-45d		10.4	44	149.0	2.17	1.31	0.55	2.24	0.45	0.21	14.4	3.82	2.96	0.36	0.19	1.88
Target Range - Lower Bound		8.5	39	119.5	1.87	1.14	0.45	2.01	0.38	0.14	11.3	3.12	2.35	0.33	0.15	1.10
Upper Bound		10.6	52	162.5	2.65	1.62	0.69	2.83	0.54	0.22	15.5	4.29	3.25	0.47	0.23	1.56
PK03																
Target Range - Lower Bound																
Upper Bound																
SY-4		76.6	106	72.5	14.70	12.15	1.28	10.50	3.35	1.81	36.3	8.70	9.19	1.92	1.90	13.00
Target Range - Lower Bound		68.8	82	59.1	11.80	9.52	1.05	8.10	2.84	1.39	28.2	6.89	6.85	1.59	1.51	10.15
Upper Bound		84.3	104	81.2	16.10	12.95	1.49	11.10	3.87	1.90	38.4	9.39	9.33	2.18	2.07	13.80
BLANKS																
BLANK		<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01	<0.03
Target Range - Lower Bound		<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01	<0.01	<0.03
Upper Bound		0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02	0.02	0.06
BLANK																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001
STANDARDS				
EMOG-17				
Target Range - Lower Bound				
Upper Bound				
KIP-19		2.45	<0.005	0.001
Target Range - Lower Bound		2.28	<0.005	<0.001
Upper Bound		2.58	0.010	0.002
OREAS 252b		0.797	<0.005	0.001
Target Range - Lower Bound		0.786		
Upper Bound		0.888		
OREAS 681		0.050	0.536	0.240
Target Range - Lower Bound		0.047	0.489	0.227
Upper Bound		0.055	0.563	0.259
OREAS 920				
Target Range - Lower Bound				
Upper Bound				
OREAS-45d				
Target Range - Lower Bound				
Upper Bound				
PK03		5.11	4.39	6.13
Target Range - Lower Bound		4.73	4.03	5.67
Upper Bound		5.34	4.55	6.39
SY-4				
Target Range - Lower Bound				
Upper Bound				
BLANKS				
BLANK				
Target Range - Lower Bound				
Upper Bound				
BLANK		<0.001	<0.005	0.001
Target Range - Lower Bound		<0.001	<0.005	<0.001
Upper Bound		0.002	0.010	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2	ME-MS61r Fe % 0.01	ME-MS61r Ga ppm 0.05
		DUPLICATES														
Sample #3																
DUP																
Target Range - Lower Bound																
Upper Bound																
Sample #5		<0.01	3.77	0.8	10	0.13	0.01	0.60	<0.02	3.52	30.1	42	0.16	5.1	9.14	13.25
DUP		<0.01	3.80	1.1	20	0.14	0.01	0.61	0.02	3.55	29.8	44	0.15	5.1	9.23	13.20
Target Range - Lower Bound		<0.01	3.59	0.7	<10	0.08	<0.01	0.56	<0.02	3.35	28.4	40	0.10	4.7	8.72	12.50
Upper Bound		0.02	3.98	1.2	20	0.19	0.02	0.65	0.04	3.72	31.5	46	0.21	5.5	9.65	13.95
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	ME-MS61r Ge ppm 0.05	ME-MS61r Hf ppm 0.1	ME-MS61r In ppm 0.005	ME-MS61r K % 0.01	ME-MS61r La ppm 0.5	ME-MS61r Li ppm 0.2	ME-MS61r Mg % 0.01	ME-MS61r Mn ppm 5	ME-MS61r Mo ppm 0.05	ME-MS61r Na % 0.01	ME-MS61r Nb ppm 0.1	ME-MS61r Ni ppm 0.2	ME-MS61r P ppm 10	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1
		DUPLICATES														
Sample #3																
DUP																
Target Range - Lower Bound																
Upper Bound																
Sample #5		0.05	0.1	0.016	0.05	1.5	10.1	2.31	1360	0.23	0.13	1.3	28.9	120	0.7	3.9
DUP		0.05	0.1	0.017	0.05	1.5	9.7	2.35	1380	0.23	0.14	1.3	28.0	120	0.8	3.8
Target Range - Lower Bound		<0.05	<0.1	0.011	0.04	0.9	9.2	2.20	1295	0.17	0.12	1.1	26.8	100	<0.5	3.6
Upper Bound		0.10	0.2	0.022	0.06	2.1	10.6	2.46	1445	0.29	0.15	1.5	30.1	140	1.0	4.1
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method Analyte Units LOD	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1
		DUPLICATES														
Sample #3																
DUP																
Target Range - Lower Bound																
Upper Bound																
Sample #5		<0.002	0.01	0.28	7.1	<1	0.2	11.1	0.08	<0.05	0.21	0.109	0.02	<0.1	169	0.2
DUP		<0.002	0.01	0.30	7.0	<1	0.2	11.2	0.08	<0.05	0.21	0.108	<0.02	0.1	171	0.2
Target Range - Lower Bound		<0.002	<0.01	0.22	6.6	<1	<0.2	10.4	<0.05	<0.05	0.19	0.098	<0.02	<0.1	161	<0.1
Upper Bound		0.004	0.02	0.36	7.5	2	0.4	11.9	0.10	0.10	0.23	0.119	0.04	0.2	180	0.3
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method / Analyte / Units / LOD	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03
		DUPLICATES														
Sample #3																
DUP																
Target Range - Lower Bound																
Upper Bound																
Sample #5		3.1	89	4.7	0.61	0.36	0.15	0.55	0.12	0.04	2.0	0.45	0.48	0.10	0.05	0.30
DUP		3.1	91	5.6	0.60	0.35	0.14	0.56	0.12	0.04	2.0	0.46	0.52	0.10	0.05	0.28
Target Range - Lower Bound		2.8	84	4.4	0.51	0.30	0.10	0.46	0.10	0.03	1.8	0.39	0.43	0.08	0.04	0.24
Upper Bound		3.4	97	5.9	0.70	0.41	0.19	0.65	0.14	0.05	2.3	0.52	0.57	0.12	0.06	0.34
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

Sample Description	Method Analyte Units LOD	PGM-ICP23 Au ppm 0.001	PGM-ICP23 Pt ppm 0.005	PGM-ICP23 Pd ppm 0.001
		DUPLICATES		
Sample #3		0.011	<0.005	0.001
DUP		0.013	<0.005	0.001
Target Range - Lower Bound		0.010	<0.005	<0.001
Upper Bound		0.014	0.010	0.002
Sample #5				
DUP				
Target Range - Lower Bound				
Upper Bound				
ORIGINAL		0.605	<0.005	0.001
DUP		0.663	<0.005	0.001
Target Range - Lower Bound		0.601	<0.005	<0.001
Upper Bound		0.667	0.010	0.002
ORIGINAL		0.020	0.204	1.315
DUP		0.023	0.209	1.305
Target Range - Lower Bound		0.019	0.191	1.245
Upper Bound		0.024	0.222	1.375

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: JEAN PAUL VIENNEAU
525 SECORD STREET
ESPANOLA ON P5E 1L9

Finalized Date: 11-AUG-2021
Account: JPVNVMAK

QC CERTIFICATE OF ANALYSIS SD21190072

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REEs may not be totally soluble in this method.
ME-MS61r

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61r	PGM-ICP23