

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

WORK REPORT
On the
JOSHUA BENOIT PROPERTY
BENOIT TOWNSHIP
LARDER LAKE MINING DIVISION

Submitted by: Steve Anderson
2041663 ONTARIO LTD.
VISION EXPLORATION
1780 Coyote Ridge Road
Crystal Falls, Ontario
P0H-1L0
Phone: 705-266-4703
Email: visionexploration@persona.ca
Website: www.duenorth.net/vision

December, 2021

TABLE OF CONTENTS

Page #	Contents
1	Introduction
3	Location and access
3	Personnel
4	Previous work
4	Claims
6	Work Program
8	Results
8	Recommendations and Conclusions
9	Certificate
	<u>Figures</u>
1	Location map
2	Claim Sketch
3	Prospecting Sketch
Attachment	Assay Certificate

INTRODUCTION

The following report will deal with the results of a preliminary prospecting program carried out on the Joshua, Benoit Township Gold Property. This property consists of a single unit mining claim (563105) located in Benoit Township, Larder Lake Mining Division, Ontario (Figure #3). This work was supervised by Steven Anderson.

A total of 1 field day and 2 travel day were spent by two individuals on this project. The time was spent relocating an old adit reported to occur within the claim. A total of 3 grab samples were taken from the dump area around the adit. The purpose of this program was to take samples from the adit or dump area in an attempt to confirm the previously reported gold values. This field work was carried out on June 10, 2021.

This report will deal with the results of the preliminary prospecting program carried out on the above-mentioned property.



JOSHUA BENOIT PROJECT

Location Map

Figure #1

LOCATION AND ACCESS

The Joshua Benoit Twp. Property consists of a single claim (1 unit) located in the south east portion of Benoit Township (Figure #2). The property has a legal description of; a portion of the northwest quarter of the north half of Lot 2, Concession 1, Benoit Township.

The property is located approximately 20 km northwest of the town of Kirkland Lake, Ontario. Access to the work area was gained by taking Hwy 101 north, to the Village of Borques. The east west road that accesses the village continues to the east and runs along the northern boundary of the claim (Figure #2).

PERSONELL

The following people were directly involved in carrying out the preliminary prospecting on the Joshua Benoit Property.

Prospector
Helper

Drew Currah
Larry Salo

Woodstock
Connaught

PREVIOUS WORK

The first phase of exploration to be conducted by the claim holder.

The following is a description of previous work carried out on the property as reported in OGS MDI File# 142A085E00116.

May 25, 2016 (A Wilson) - A few assays of \$2.00 to \$9.00 per ton are reported in sections of quartz veins. D. Wright (OGS) sampled and returned an assay of \$21.60 Au per ton. The sample was collected from the dump surrounding a 14-ft shaft. Gold values up to \$32.20 were reported by L. Cunningham in 1962.

CLAIMS

The area worked during this program focused on a single unit mining claim Located in Benoit Township, Larder Lake Marie Mining Division Mining Division. The claim is recorded 100% in the name of Steven Anderson and is described below.

<u>Claim #</u>	<u>Units</u>	<u>Description</u>
563105	1 cell	Part of NW ¼, N ½, Lot 2, Con 1 Benoit Township





Figure #2

WORK PROGRAM

The current work program involved spending 2 days travelling from Woodstock Ontario and one day prospecting the subject claim. A total of 3 grab samples taken from the dump area around the adit. The assay results can be found as a separate attachment to this report.

PROSPECTING SKETCH – Figure #3



These wishing to register mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Energy, Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources and Forestry. This information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Energy, Northern Development and Mines web site.

Imagery Copyright Notices: Ontario Ministry of Natural Resources and Forestry; NASA Landsat Program; First Base Solutions Inc.; Aero-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.

© Queen's Printer for Ontario, 2021

SURVEY RESULTS

The following is a description of the 3 samples taken. All samples were taken from the dump area, Nad 83, Zone 17, 561806mE, 5348719mN. The assay certificate is attached to this report as a separate document.

- 1 Mafic Volcanic with 5cm quartz vein, 5 % pyrite
- 2 Quartz with 2 % pyrite
- 3 Mafic Volcanic with 15% pyrite

RECOMMENDATIONS AND CONCLUSIONS

The prospecting program carried out on the Joshua Benoit Project was successful in locating the adit reported to occur on the property (Nad 83, Zone 17, 561806mE, 5348719mN) It was also successful in confirming the presence of gold, as reported by previous operators. Of the 3 samples taken, 2 contained anomalous values in gold that include 1500ppb and 1860ppb.

At this point the property should be covered with a north-south grid and magnetometer and Induced Polarization surveys carried out. Base on the amount of sulphides present in and around the shaft area, the IP should respond well. Any anomalous zones should then be tested with diamond drilling.

CERTIFICATION

I, Steve Anderson of Timmins, Ontario hereby certify that:

1. I hold a three-year Geological Technologist Diploma from Sir Sandford College, Lindsay, and Ontario, obtained in May 1981.
2. I have been practising my profession since 1979 in Ontario, Quebec, Nova Scotia, New Brunswick, Newfoundland, NWT, Manitoba, Saskatchewan and Greenland.
3. I have been employed directly with Asamera Oil Inc. Urangellschaft Canada Ltd. Nanisivik Mines Ltd., R.S. Middleton Exploration Services Ltd., Rayan Exploration Ltd and I am President of Vision Exploration.
4. I have based conclusions and recommendations contained in this report on knowledge of the area, my previous experience and on the results of the fieldwork conducted on the property during September, 2021.
5. I am currently hold a 2% NSR on the subject property.

Dated this 21st day of December, 2021
At Crystal Falls, Ontario.





Report No.: A21-10974
Report Date: 25-Jun-21
Date Submitted: 15-Jun-21
Your Reference:

Joshua Gold Resources
Unit 2-35 Perry St.
Woodstock ON N4S 3C4
Canada

ATTN: Drew Currah

CERTIFICATE OF ANALYSIS

3 Rock samples were submitted for analysis.


Table with 3 columns: Analytical package(s) requested, Description, and Testing Date. Rows include 1A2B-30 (QOP AA-Au), 1F (QOP Total), and their respective testing dates.

REPORT A21-10974

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3
Values which exceed the upper limit should be assayed for accurate numbers.



LabID: 266

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

CERTIFIED BY:

[Handwritten signature]

Emmanuel Esemé, Ph.D.
Quality Control Coordinator

Results

Activation Laboratories Ltd.

Report: A21-10974

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Na	Ni	Pb	Zn	Al	Be	Bi	Ca	Co	Fe	K	Mg	P	Sr	Ti	V	Y
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	%	%	%	ppm	%	ppm	ppm
Lower Limit	5	0.3	0.3	1	1	1	0.01	1	3	1	0.01	1	2	0.01	1	0.01	0.01	0.01	0.001	1	0.01	2	2
Method Code	FA-AA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
1	1500	2.6	0.6	191	918	2	1.59	39	9	155	4.58	< 1	7	2.63	27	6.96	0.10	2.56	0.091	32	0.80	259	10
2	1860	3.1	0.4	98	508	28	2.70	52	8	103	5.95	< 1	5	1.70	36	8.61	0.56	2.66	0.082	37	0.95	490	11
3	20	< 0.3	0.4	97	603	< 1	0.85	40	6	67	4.03	< 1	< 2	2.28	30	6.52	0.16	2.25	0.059	24	0.58	218	11

Analyte Symbol	S
Unit Symbol	%
Lower Limit	0.01
Method Code	TD-ICP
1	1.82
2	5.29
3	0.38

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Na	Ni	Pb	Zn	Al	Be	Bi	Ca	Co	Fe	K	Mg	P	Sr	Ti	V	Y
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm
Lower Limit	5	0.3	0.3	1	1	1	0.01	1	3	1	0.01	1	2	0.01	1	0.01	0.01	0.01	0.001	1	0.01	2	2
Method Code	FA-AA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
Oreas 72a (4 Acid) Meas				301				6060							144	8.85							
Oreas 72a (4 Acid) Cert				316				6930.000							157	9.63							
Oreas 72a (4 Acid) Meas				317				6390							151	9.59							
Oreas 72a (4 Acid) Cert				316				6930.000							157	9.63							
OREAS 101b (4 Acid) Meas				405	921	18		8	20						46	9.96	1.81	1.19	0.107		0.36	76	132
OREAS 101b (4 Acid) Cert				412	927	20.1		8.2	23						45	10.7	2.36	1.23		0.35	77	133	
OREAS 101b (4 Acid) Meas				413	941	18		9	19						46	10.3	2.26	1.20	0.114		0.35	77	135
OREAS 101b (4 Acid) Cert				412	927	20.1		8.2	23						45	10.7	2.36	1.23		0.35	77	133	
OREAS 98 (4 Acid) Meas		45.6		> 10000					336	1350			47		126								
OREAS 98 (4 Acid) Cert		45.1		14800.00					345	1360			97.2		121								
OREAS 98 (4 Acid) Meas		45.6		> 10000					321	1320			75		125								
OREAS 98 (4 Acid) Cert		45.1		14800.00					345	1360			97.2		121								
OREAS 13b (4-Acid) Meas		0.6		2400		8		2140		139					74								
OREAS 13b (4-Acid) Cert		0.86		2327.0000		9.0		2247.0000		133					75								
OREAS 13b (4-Acid) Meas		0.6		2370		7		2150		137					74								
OREAS 13b (4-Acid) Cert		0.86		2327.0000		9.0		2247.0000		133					75								
OREAS 904 (4 Acid) Meas		0.4		6230	424	2	0.04	42	9	28	6.38	8	< 2	0.05	92	6.52	2.66	0.57	0.092	28		81	33
OREAS 904 (4 Acid) Cert		0.551		6120	410	2.12	0.0340	40.1	10.6	26.3	6.30	7.86	4.05	0.0460	83.0	6.68	3.31	0.556	0.0980	27.2		76.0	31.5
OREAS 45d (4-Acid) Meas				377	498	< 1	0.10	236	28	46	8.05	< 1	6	0.20	32	14.3	0.43	0.25	0.036	33	0.13	97	12
OREAS 45d (4-Acid) Cert				371	490.000	2.500	0.101	231.0	21.8	45.7	8.150	0.79	0.31	0.185	29.50	14.5	0.412	0.245	0.042	31.30	0.773	235.0	9.53
OREAS 45d (4-Acid) Meas				374	494	< 1	0.11	232	25	45	7.64	< 1	4	0.20	31	14.0	0.41	0.24	0.035	30	0.48	165	11
OREAS 45d (4-Acid) Cert				371	490.000	2.500	0.101	231.0	21.8	45.7	8.150	0.79	0.31	0.185	29.50	14.5	0.412	0.245	0.042	31.30	0.773	235.0	9.53
OREAS 96 (4 Acid) Meas		10.2		> 10000					90	441			12		48								
OREAS 96 (4 Acid) Cert		11.5		39300					101	457			26.3		49.9								
OREAS 96 (4 Acid) Meas		11.3		> 10000					96	457			19		50								
OREAS 96 (4 Acid) Cert		11.5		39300					101	457			26.3		49.9								
OREAS 923 (4 Acid) Meas		1.8	0.6	4540	1020	< 1	0.35	38	89	374	7.40	2	13	0.52	24	6.53	2.58	1.75	0.066	42	0.43	96	27
OREAS 923 (4 Acid) Cert		1.60	0.420	4230	950	0.930	0.324	35.8	83.0	345	7.29	2.42	21.4	0.473	23.1	6.43	2.51	1.69	0.0630	43.0	0.405	91.0	26.4
OREAS 923 (4 Acid) Meas		2.1	0.5	4330	988	< 1	0.32	38	86	359	7.51	2	18	0.50	23	6.51	2.16	1.73	0.066	45	0.41	96	27

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Na	Ni	Pb	Zn	Al	Be	Bi	Ca	Co	Fe	K	Mg	P	Sr	Ti	V	Y
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	%	%	%	ppm	%	ppm	ppm
Lower Limit	5	0.3	0.3	1	1	1	0.01	1	3	1	0.01	1	2	0.01	1	0.01	0.01	0.01	0.001	1	0.01	2	2
Method Code	FA-AA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
OREAS 923 (4 Acid) Cert		1.60	0.420	4230	950	0.930	0.324	35.8	83.0	345	7.29	2.42	21.4	0.473	23.1	6.43	2.51	1.69	0.0630	43.0	0.405	91.0	26.4
OREAS 621 (4 Acid) Meas		69.9	282	3670	529	13	1.36	27	> 5000	> 10000	5.60	2	< 2	2.09	30	3.66	1.63	0.51	0.035	55	0.19	35	11
OREAS 621 (4 Acid) Cert		69.0	284	3630	532	13.6	1.31	26.2	13600	52200	6.40	1.69	3.93	1.97	29.3	3.70	2.20	0.507	0.0359	91.0	0.149	31.8	11.1
OREAS 621 (4 Acid) Meas		67.9	273	3550	505	12	1.30	28	> 5000	> 10000	5.91	1	< 2	2.04	30	3.55	1.73	0.49	0.035	57	0.19	33	11
OREAS 621 (4 Acid) Cert		69.0	284	3630	532	13.6	1.31	26.2	13600	52200	6.40	1.69	3.93	1.97	29.3	3.70	2.20	0.507	0.0359	91.0	0.149	31.8	11.1
OREAS 621 (4 Acid) Meas		68.0	281	3550	522	13	1.29	28	> 5000	> 10000	6.03	1	< 2	2.02	30	3.65	2.05	0.51	0.035	59	0.18	35	12
OREAS 621 (4 Acid) Cert		69.0	284	3630	532	13.6	1.31	26.2	13600	52200	6.40	1.69	3.93	1.97	29.3	3.70	2.20	0.507	0.0359	91.0	0.149	31.8	11.1
OREAS 217 (Fire Assay) Meas	332																						
OREAS 217 (Fire Assay) Cert	338																						
OREAS 217 (Fire Assay) Meas	334																						
OREAS 217 (Fire Assay) Cert	338																						
Oreas 237 (Fire Assay) Meas	2260																						
Oreas 237 (Fire Assay) Cert	2210																						
Oreas 237 (Fire Assay) Meas	2220																						
Oreas 237 (Fire Assay) Cert	2210																						
OREAS 681 (4 Acid) Meas		< 0.3		267	1270	< 1	1.58	467	9	82	7.85	1	< 2	5.79	49	7.68	1.37	5.25	0.142	453	0.57	249	17
OREAS 681 (4 Acid) Cert		0.118		264	1310	1.38	1.61	503	10.2	88.0	7.91	1.41	0.0980	5.98	51.0	7.47	1.35	5.19	0.141	478	0.588	253	17.5
OREAS 681 (4 Acid) Meas		< 0.3		264	1290	< 1	1.58	468	10	83	7.90	1	< 2	5.73	49	7.72	1.31	5.31	0.143	466	0.56	254	17
OREAS 681 (4 Acid) Cert		0.118		264	1310	1.38	1.61	503	10.2	88.0	7.91	1.41	0.0980	5.98	51.0	7.47	1.35	5.19	0.141	478	0.588	253	17.5
OREAS 147 (4 Acid) Meas				299	404	4	0.95	21	23	148	4.91	31	6	1.16	7	3.12	1.88	0.55	0.084	290	0.26	50	27
OREAS 147 (4 Acid) Cert				298	390	7.99	0.948	21.2	27.8	138	4.90	31.2	12.5	1.09	6.90	3.23	1.60	0.535	0.155	299	0.470	60.0	26.3
Oreas 521 (4 Acid) Meas		1.1		5990	3030	108	0.97	66	16	25	4.73	< 1	11	3.77	371	19.8	2.73	1.14	0.079	85	0.32	187	19
Oreas 521 (4 Acid) Cert		0.89		6070	3210	138	0.98	73	9.3	24	4.77	0.9	5.8	3.86	386	20.7	3.16	1.13	0.081	160	0.39	209	20
Oreas 521 (4 Acid) Meas		1.0		6030	3120	130	0.96	70	7	27	4.85	< 1	9	3.79	374	20.1	3.20	1.17	0.083	82	0.40	208	19
Oreas 521 (4 Acid) Cert		0.89		6070	3210	138	0.98	73	9	24	4.77	0.9	6	3.86	386	20.7	3.16	1.13	0.081	160	0.39	209	20
OREAS 70b (4 Acid) Meas		< 0.3	0.8	61	1150	2	0.74	2050	13	105	3.86	< 1	< 2	2.92	76	5.60	0.60	13.2	0.023	72	0.17	67	10
OREAS 70b (4 Acid) Cert		0.2	0.4	52	1150	3	0.77	2180	14	112	3.87	1	0.8	3.05	78	5.52	0.62	13.4	0.022	74	0.18	67	10
1 Orig	1580																						
1 Dup	1420																						
3 Orig		< 0.3	0.4	98	597	< 1	0.85	40	6	68	3.93	< 1	2	2.28	30	6.39	0.15	2.22	0.058	23	0.59	219	11
3 Dup		< 0.3	0.4	96	608	< 1	0.85	40	6	66	4.13	< 1	< 2	2.28	30	6.65	0.16	2.28	0.061	24	0.56	217	11

Analyte Symbol	Au	Ag	Cd	Cu	Mn	Mo	Na	Ni	Pb	Zn	Al	Be	Bi	Ca	Co	Fe	K	Mg	P	Sr	Ti	V	Y
Unit Symbol	ppb	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	%	%	%	ppm	%	ppm	ppm
Lower Limit	5	0.3	0.3	1	1	1	0.01	1	3	1	0.01	1	2	0.01	1	0.01	0.01	0.01	0.001	1	0.01	2	2
Method Code	FA-AA	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP	TD-ICP
Method Blank		< 0.3	< 0.3	< 1	1	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	3	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1		< 1	< 0.01	< 1	< 3	1	0.02	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	9	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	3	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	2	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	4	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	8	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank		< 0.3	< 0.3	< 1	1	< 1	< 0.01	< 1	< 3	< 1	< 0.01	< 1	< 2	< 0.01	< 1	< 0.01	< 0.01	< 0.01	< 0.001	< 1	< 0.01	< 2	< 2
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						
Method Blank	< 5																						

Analyte Symbol	S
Unit Symbol	%
Lower Limit	0.01
Method Code	TD-ICP
Oreas 72a (4 Acid) Meas	1.55
Oreas 72a (4 Acid) Cert	1.74
Oreas 72a (4 Acid) Meas	1.71
Oreas 72a (4 Acid) Cert	1.74
OREAS 101b (4 Acid) Meas	
OREAS 101b (4 Acid) Cert	
OREAS 101b (4 Acid) Meas	
OREAS 101b (4 Acid) Cert	
OREAS 98 (4 Acid) Meas	16.5
OREAS 98 (4 Acid) Cert	15.5
OREAS 98 (4 Acid) Meas	17.3
OREAS 98 (4 Acid) Cert	15.5
OREAS 13b (4-Acid) Meas	1.24
OREAS 13b (4-Acid) Cert	1.2
OREAS 13b (4-Acid) Meas	1.21
OREAS 13b (4-Acid) Cert	1.2
OREAS 904 (4 Acid) Meas	0.06
OREAS 904 (4 Acid) Cert	0.0630
OREAS 45d (4-Acid) Meas	0.04
OREAS 45d (4-Acid) Cert	0.049
OREAS 45d (4-Acid) Meas	0.06
OREAS 45d (4-Acid) Cert	0.049
OREAS 96 (4 Acid) Meas	3.79
OREAS 96 (4 Acid) Cert	4.19
OREAS 96 (4 Acid) Meas	4.41
OREAS 96 (4 Acid) Cert	4.19
OREAS 923 (4 Acid) Meas	0.71
OREAS 923 (4 Acid) Cert	0.691
OREAS 923 (4 Acid) Meas	0.71

Analyte Symbol	S
Unit Symbol	%
Lower Limit	0.01
Method Code	TD-ICP
OREAS 923 (4 Acid) Cert	0.691
OREAS 621 (4 Acid) Meas	4.50
OREAS 621 (4 Acid) Cert	4.48
OREAS 621 (4 Acid) Meas	4.38
OREAS 621 (4 Acid) Cert	4.48
OREAS 621 (4 Acid) Meas	4.50
OREAS 621 (4 Acid) Cert	4.48
OREAS 217 (Fire Assay) Meas	
OREAS 217 (Fire Assay) Cert	
OREAS 217 (Fire Assay) Meas	
OREAS 217 (Fire Assay) Cert	
Oreas 237 (Fire Assay) Meas	
Oreas 237 (Fire Assay) Cert	
Oreas 237 (Fire Assay) Meas	
Oreas 237 (Fire Assay) Cert	
OREAS 681 (4 Acid) Meas	0.10
OREAS 681 (4 Acid) Cert	0.109
OREAS 681 (4 Acid) Meas	0.11
OREAS 681 (4 Acid) Cert	0.109
OREAS 147 (4 Acid) Meas	0.02
OREAS 147 (4 Acid) Cert	0.0300
Oreas 521 (4 Acid) Meas	1.70
Oreas 521 (4 Acid) Cert	1.80
Oreas 521 (4 Acid) Meas	1.75
Oreas 521 (4 Acid) Cert	1.80
OREAS 70b (4 Acid) Meas	0.30
OREAS 70b (4 Acid) Cert	0.31
1 Orig	
1 Dup	
3 Orig	0.38
3 Dup	0.38

Analyte Symbol	S
Unit Symbol	%
Lower Limit	0.01
Method Code	TD-ICP
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	< 0.01
Method Blank	
Method Blank	
Method Blank	
Method Blank	