

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

Prospecting Report
on the
Graphic Lake Property
Kenora, Ontario

Claim Cells 586180 586093
Work Township
Kenora Mining Division

Work conducted from
July 9, 2021 to July 13, 2020

Prepared by:
Troy Gallik P. Geo
Thunder Bay, Ontario
&
David Clement
Timmins, Ontario

Report Completed: February 18, 2022



Table of Contents

1.0 EXECUTIVE SUMMARY	4
2.0 INTRODUCTION.....	4
3.0 LOCATION, ACCESS AND PHYSIOGRAPHY	4
4.0 CLAIMS AND OWNERSHIP	6
5.0 REGIONAL GEOLOGY	8
6.0 PROPERTY GEOLOGY	8
7.0 EXPLORATION WORK PERFORMED	10
8.0 RESULTS	10
9.0 CONCLUSIONS AND RECOMMENDATIONS	12
10.0 REFERENCES.....	12
Appendix	13

Figures:

Figure 1 Graphic Lake Property location map..... 5
Figure 2 Graphic Lake claim cells 7
Figure 3 Gibi Lake area regional geology 9
Figure 4 Map of Graphic Lake showing the distribution of measured Li values..... 11

Tables:

Table 1: Expenditures per Claim Cell 4
Table 2: All samples taken with Lithium (Li) in ppm 10

1.0 EXECUTIVE SUMMARY

This report was prepared to summarize exploration work performed by David Clement during the summer of 2020. Expenditures of \$9347 are being submitted for assessment credit, incurred for approximately 5 days of prospecting and outcrop sampling on claims 586180 and 586093 including 7 days for report writing. This assessment was written by David Clement and Troy Gallik (P. Geo).

2.0 INTRODUCTION

The current report summarizes exploration work performed by David Clement during the summer of 2020. This property covers a previously identified strongly fractionated Li-CS-Ta bearing pegmatite which could host a significant amount rare earth elements. Expenditures of \$4147 are being submitted for assessment credit, incurred for approximately 5 days of grass-roots prospecting along with \$5200 for report writing. All of this work was conducted by foot traverse and 13 rock grab samples were collected. The claims were accessed by truck. Table 1 illustrates allocations for expenditures.

Table 1: Expenditures per Claim Cell

Claims	Samples Taken	Percentage of Samples	Total Expenses Allocated
586180	5	38%	\$ 3,595.00
586093	8	62%	\$ 5,752.00

3.0 LOCATION, ACCESS AND PHYSIOGRAPHY

The Graphic Lake Pegmatite's are located in the Code and Work townships of the Kenora Mining District. Access to the property is from Highway #71 to local gravel roads trending east and west.

The area is heavily tree covered with a layer of moss up to 1 foot in depth. Areas without overburden are usually moss covered.




Figure 1 Graphic Lake Property Location Map.

4.0 CLAIMS AND OWNERSHIP

In April 28-29, 2020, David Clement staked claims 586180, 586093, 586181 held 100% ownership of these claims while the prospecting work was performed. David Clement and Troy Gallik became partners of these claims, a 50/50% ownership, including several newly staked claims, as seen in Appendix A.

In February 8, 2022, Critical Resources Limited completed an option agreement for 100% of the claims found in Appendix A. The key transaction terms are set out below.

- A\$80,000 cash payment (inc A\$10,000 paid as an option fee),
- A\$120,000 fully paid ordinary shares in Critical Resources Limited (calculated at a 20-day VWAP), and
- 1.5% Net Smelter Royalty (“NSR”) capped at C\$500,000 with the option to purchase at any time for C\$500,000




Figure 2: Graphic Lake Claim Cells

5.0 REGIONAL GEOLOGY

Rare-element mineralization is distributed along a 70 km strike length of the Sioux Lookout domain (Beakhouse 1988; Breaks and Moore 1992, p.836), between the Gullwing-Tot lakes pegmatite group southwest to the Temple Bay pegmatite (with Nb greater than Ta) near Eagle Lake. Although the rare-element pegmatites of the Dryden field have previously been described in detail (Breaks 1989; Breaks and Janes 1991; Breaks and Moore 1992), the present survey establishes a newly recognized wide distribution of metasedimentary-hosted, rare-element pegmatite mineralization within the Minnitaki, Warclub and Abram metasedimentary groups of Blackburn et al. (1991). These host rocks have likely been subjected to minimal exploration since prior work has mainly focussed upon rare-element deposits contained within mafic metavolcanic host rocks in the Mavis Lake and Gullwing Lake areas.

6.0 PROPERTY GEOLOGY

A large number of white to pale pink pegmatites intrude the metasediments and metavolcanics in this area. They are roughly parallel to the foliation of the host rocks (040 to 050 degrees). Rudimentary zoning is evident in one pegmatite observed near the south end of Graphic Lake, where small quartz segregations were observed. The remainder of the pegmatites are homogeneous but some of the large ones have minor replacement or fracture filling zones. The major minerals present are pale green muscovite, biotite, quartz, white to pale pink microcline and microcline graphic granite. Trowell (1979) tentatively identified beryl from some of these pegmatites. Xenoliths of the host rocks are common (Storey, 1990). The beryl-bearing pegmatites are hosted in the Royal Island group metasedimentary rocks that are possibly correlative with nearby Warclub group metasedimentary rocks (Breaks et al., 2003).




Figure 3: Gibi Lake Area Regional Geology

7.0 EXPLORATION WORK PERFORMED

From July 9 to July 13, 202, prospector, David Clement, performed a grassroots prospecting program on the Graphic Lake Claim Group. The purpose of the program is to identify strongly fractionated pegmatites within the property and to take outcrop samples to identify potential rare earth elements mineralization. A total of 13 grab samples were taken (Table 2).

More details on the exploration performed are shown in the work logs are located within Appendix B.

8.0 RESULTS

Overall the samples yield relatively low lithium results, likely no lithium minerals were sampled. But, most of these samples, except for two, have higher than minimal background lithium ppm. This could indicate that the lithium minerals are likely proximal to where the sample the samples are located.

The elevated and anomalous levels of Rubidium (Rb), Cesium (Cs), Gallium (Ga), Nobidium (Nb), and Tantalum (Ta) provide evidence for significant fractionation within these pegmatites. Assays are located in Appendix C.

Table 2: All samples taken with Lithium (Li) in ppm

Date	Sample ID	Cell ID	Easting	Northing	Comment	Li (ppm)
10-07-2020	GL850867	586180	421500	5494567	float	28
10-07-2020	GL850868	586093	421900	5494886	grab	15
11-07-2020	GL850869	586093	422206	5495122	grab	25
11-07-2020	GL850870	586093	422219	5495090	grab	58
11-07-2020	GL850871	586093	422246	5495009	grab	86
11-07-2020	GL850872	586093	421885	5494749	grab	29
11-07-2020	GL850873	586093	421877	5494745	grab	44
11-07-2020	GL850874	586093	422282	5495079	grab	22
12-07-2020	GL850875	586093	421889	5494735	grab	67
12-07-2020	GL850876	586180	421688	5494338	grab	15
12-07-2020	GL850877	586180	421672	5494356	grab	23
12-07-2020	GL850878	586180	421684	5494362	grab	22
12-07-2020	GL850879	586180	421649	5494534	grab	78




Figure 4: Map of Graphic Lake showing the distribution of measured Li values with David Clement Traverses

9.0 CONCLUSIONS AND RECOMMENDATIONS

The current report summarizes exploration work performed by David Clement during the summer of 2021. This property covers a previously identified strongly fractionated Li-CS-Ta bearing pegmatite which could host a significant amount rare earth elements. A total of 5 days of prospecting were performed and a total of 13 grab samples were taken and submitted for assay.

The assay results indicated that these pegmatites are highly fractionated and could be part of a larger rare earth system. The follow recommendations are suggested:

- Perform larger scale prospecting and soil sampling programs.
- Small-scale geophysics such as magnetic and gravity to aid in identifying possible pegmatites located within the sedimentary units.

10.0 REFERENCES

Breaks, F.W., Selway, J.B., and Tindle, A.G. (2003): Fertile Peraluminous Granites and Related Rare-Element Mineralization in Pegmatites, Superior Province, Northwest and Northeast Ontario: Operation Treasure Hunt; p. 65-68

Trowell, N.F. (1979): Gibi Lake Area, District of Kenora; In: Summary of Field Work, 1979, p. 33

APPENDIX

Appendix A: Claim List

Claim Number	Township	Registration Date	Anniversary Date	Tenure Status	Mining Claim Type	Holder
586180	Work	2020-04-29	2022-04-29	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686986	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659236	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686987	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659241	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686994	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659238	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659225	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
687003	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
687004	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686999	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
662346	Work	2021-06-11	2023-06-11	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659242	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686985	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659224	Code	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659235	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686995	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
586093	Work	2020-04-28	2022-04-28	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659227	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659228	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686997	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686990	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
687000	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686993	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659243	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659233	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686992	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK

687001	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659232	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686998	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659229	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
586181	Work	2020-04-29	2022-04-29	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686996	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659226	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686988	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659237	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659234	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659239	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686991	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
667824	Work	2021-07-09	2023-07-09	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659230	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659240	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
659231	Work	2021-06-01	2023-06-01	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
686989	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK
687002	Work	2021-11-24	2023-11-24	Active	Single Cell Mining Claim	(50) DAVID PAUL CLEMENT, (50) TROY ALBERT GALLIK

Appendix B: Daily Prospecting Work Logs

Graphic Lake Prospecting July 2021, Daily Log

Day 1 July 09

Travel from Thunder bay to Nestor Falls. Mobilized. Got a room at Helliar's Resort.
In the evening, went over some maps, files and made a plan for the prospecting program.

Day 2, July 10

Drive to property. Establish a physical baseline, GPS, blaze and flag. The baseline was run from the northeast corner of claim 586093 to the southwest corner of claim 586180 and is 1300 metres in length. Once the baseline was completed I walked north to the lake and followed the shore back, weaving in and out, investigating and sampling outcrops encountered along the way. Collected two samples. The baseline was established to have a control on the traverses, the sampling, a physical reference and easy path to trek back out.

Day 3, July 11

Treked three traverses, GPS navigation, at an azimuth of generally 90 degrees from baseline. I gave the traverses a designation of, T-1W, T-2W, T-3W. A total of five samples were collected. Once done I walked back on the baseline, to the truck. At the Hwy, I took a sample of a pegmatite dyke in the rock cut, for a total of six samples for the day.

Day 4, July 12

Completed four traverses, T-4W to T-7W. A total of five samples were collected.

Day 5, July 13

Demob. Drove back to Thunder Bay.

5 days total. 3 days prospecting, 2 days for mob & demob.

3 days prospecting at \$350 per day. \$1050.00

2 days mob & demob at \$250 per day. \$ 500.00

Total work credits **\$1550.00**

David Clement Prospector's Lic.# 1012340, Client# 119003, 35 years experience, Geotech, Prospector

Appendix C: Assay Certificates



Report No.: A21-22448
Report Date: 25-Jan-22
Date Submitted: 02-Dec-21
Your Reference: Graphic Lake Li

David Clement
83 Maple St. S
Timmins Ontario P4N 1Y6

ATTN: David Clement

CERTIFICATE OF ANALYSIS


13 Rock samples were submitted for analysis.

Table with 2 columns: Analytical package(s) requested and Testing Date. Row 1: UT-7, QOP Sodium Peroxide (Sodium Peroxide Fusion ICPOES + ICPMS), 2022-01-14 15:30:10

REPORT A21-22448

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:



LabID: 266

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

CERTIFIED BY:

Handwritten signature of Emmanuel Esemé

Emmanuel Esemé, Ph.D.
Quality Control Coordinator

Analyte Symbol	Li	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Lower Limit	15	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10
Method Code	FUS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
GL850867	28	7.31	< 5	10	12	3	< 2	0.06	< 2	5.7	< 0.2	50	20.7	4	0.3	0.3	< 0.1	0.48	38.9	0.9	1.9	< 0.2	< 10
GL850868	< 15	4.93	< 5	< 10	7	< 3	< 2	0.11	< 2	< 0.8	1.5	70	11.1	< 2	0.6	0.2	< 0.1	0.37	21.2	0.9	2.2	0.2	< 10
GL850869	25	7.90	< 5	< 10	39	< 3	< 2	0.14	< 2	0.9	1.7	140	16.7	15	< 0.3	0.1	< 0.1	0.33	35.4	0.4	2.3	< 0.2	< 10
GL850870	58	7.58	< 5	10	20	6	3	0.19	< 2	4.3	0.8	70	22.5	< 2	< 0.3	0.2	< 0.1	0.66	43.0	0.6	3.2	< 0.2	< 10
GL850871	86	8.13	< 5	90	684	< 3	< 2	1.11	< 2	55.3	14.2	200	19.1	18	3.1	1.2	1.2	4.51	19.5	4.3	1.4	0.5	< 10
GL850872	29	7.75	6	10	5	< 3	9	0.07	< 2	3.0	1.2	70	29.0	11	< 0.3	0.1	< 0.1	0.57	40.9	0.9	2.6	< 0.2	< 10
GL850873	44	7.56	< 5	< 10	6	3	6	0.16	< 2	7.0	0.4	40	43.0	< 2	1.5	1.0	< 0.1	0.57	32.9	2.1	2.4	0.2	< 10
GL850874	22	7.15	< 5	10	15	4	5	0.07	< 2	10.2	1.2	50	16.3	4	3.3	0.8	< 0.1	0.83	41.0	2.5	3.6	0.2	< 10
GL850875	67	7.56	< 5	60	286	11	< 2	0.48	< 2	8.8	2.4	60	44.9	3	0.6	0.2	0.4	0.93	41.8	1.0	3.2	< 0.2	< 10
GL850876	< 15	7.24	< 5	< 10	9	< 3	33	0.44	< 2	4.7	1.0	50	14.8	< 2	1.7	0.8	< 0.1	0.69	30.5	0.8	2.1	0.4	1520
GL850877	23	7.00	< 5	< 10	< 3	< 3	9	0.11	< 2	11.9	< 0.2	40	16.2	4	2.7	1.4	< 0.1	0.57	41.1	2.0	2.3	0.7	1650
GL850878	22	7.67	< 5	20	19	3	< 2	0.11	< 2	8.4	< 0.2	40	28.4	13	0.6	0.2	< 0.1	0.60	52.4	1.5	2.0	< 0.2	< 10
GL850879	78	7.54	< 5	10	4	4	14	0.24	< 2	8.5	0.7	40	20.7	16	2.8	0.6	< 0.1	0.69	33.1	1.1	2.4	0.5	< 10

Analyte Symbol	In	K	La	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.2	0.1	0.4	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
GL850867	< 0.2	3.3	2.0	0.05	484	4	77.4	3.7	< 10	18.4	0.9	863	< 0.01	< 2	< 8	> 30.0	1.4	7.1	22	24.9	0.1	< 6	4.3
GL850868	< 0.2	2.0	< 0.4	0.02	420	2	55.5	0.7	30	10.5	0.1	306	< 0.01	< 2	38	> 30.0	0.8	4.2	15	29.9	0.1	6	2.2
GL850869	< 0.2	5.1	0.5	0.03	75	6	44.6	< 0.4	110	20.2	0.1	825	< 0.01	< 2	18	> 30.0	0.3	6.2	33	6.7	< 0.1	< 6	0.6
GL850870	< 0.2	2.7	1.5	0.05	611	3	51.5	1.1	30	11.5	0.5	557	< 0.01	< 2	9	> 30.0	0.5	9.0	27	11.5	0.1	6	2.9
GL850871	< 0.2	2.7	27.6	1.55	592	6	7.7	23.6	70	24.4	6.1	120	< 0.01	< 2	9	> 30.0	4.2	4.8	180	0.8	0.7	< 6	8.6
GL850872	< 0.2	5.1	1.0	0.03	448	4	63.5	1.4	40	14.2	0.5	1010	< 0.01	< 2	18	> 30.0	1.1	6.0	11	10.5	< 0.1	< 6	1.9
GL850873	< 0.2	3.3	3.6	0.04	279	5	66.3	4.8	30	19.5	0.8	652	< 0.01	< 2	< 8	> 30.0	1.1	5.7	14	8.0	0.3	< 6	3.2
GL850874	< 0.2	2.4	3.1	0.04	2070	5	111.0	5.4	20	17.7	1.2	487	< 0.01	< 2	< 8	> 30.0	1.1	6.8	20	18.7	0.4	< 6	7.5
GL850875	< 0.2	2.5	4.2	0.22	768	4	51.9	3.9	20	11.6	1.2	593	< 0.01	< 2	< 8	> 30.0	1.3	12.4	95	46.2	0.1	< 6	4.6
GL850876	< 0.2	4.5	2.2	0.08	675	4	31.1	1.6	10	24.3	0.5	530	< 0.01	< 2	< 8	> 30.0	0.5	7.8	19	3.9	0.3	< 6	2.4
GL850877	< 0.2	3.0	4.3	0.03	1110	2	76.2	6.0	< 10	12.6	1.3	487	< 0.01	< 2	28	> 30.0	3.1	14.5	13	7.6	0.4	10	5.1
GL850878	< 0.2	3.8	3.7	0.05	332	2	103.9	3.2	< 10	12.0	1.2	638	< 0.01	< 2	< 8	> 30.0	1.1	43.0	14	12.5	< 0.1	< 6	4.8
GL850879	< 0.2	1.7	3.6	0.04	665	3	54.7	5.3	20	12.9	0.7	293	< 0.01	< 2	< 8	> 30.0	1.3	12.5	13	8.5	0.4	< 6	6.1

Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
GL850867	< 0.01	5.0	< 0.1	2.1	< 5	2.5	3.9	< 0.1	40
GL850868	< 0.01	1.5	< 0.1	2.0	5	3.2	6.6	0.3	< 30
GL850869	< 0.01	4.7	< 0.1	0.5	< 5	1.3	1.4	0.6	< 30
GL850870	0.01	2.3	< 0.1	2.8	5	3.9	3.5	0.5	< 30
GL850871	0.32	0.8	0.2	2.2	121	1.9	12.4	1.3	90
GL850872	< 0.01	5.6	< 0.1	1.1	< 5	2.9	0.9	0.3	50
GL850873	0.01	3.7	0.1	2.0	< 5	2.4	8.6	1.1	60
GL850874	< 0.01	2.4	0.2	11.2	< 5	3.3	12.9	1.2	40
GL850875	0.05	2.0	< 0.1	5.2	17	1.9	4.2	0.7	80
GL850876	0.02	3.0	0.2	2.2	< 5	2.1	11.4	1.9	< 30
GL850877	0.02	3.0	0.4	5.4	< 5	1.8	24.3	5.1	< 30
GL850878	0.02	2.8	< 0.1	2.8	< 5	5.3	6.4	0.6	< 30
GL850879	0.02	1.7	0.3	4.9	6	2.1	11.7	1.8	40

Analyte Symbol	Li	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Lower Limit	15	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10
Method Code	FUS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
PTM-1a Meas			2080								> 5000			> 10000									
PTM-1a Cert			2200								20500.00			249600.00									
NIST 696 Meas		> 25.0										310											
NIST 696 Cert		28.9										321.0											
Oreas 74a (Fusion) Meas			47								555	1700		1190				13.9					
Oreas 74a (Fusion) Cert			50								581	1800.00		1240.00				13.7					
OREAS 101a (Fusion) Meas										1450	43.8			439	33.5	19.7	8.1	10.9		36.9		6.2	
OREAS 101a (Fusion) Cert										1396	48.8			434	33.3	19.5	8.06	11.06		43.4		6.46	
NCS DC73304 (GBW 07106) Meas																							
NCS DC73304 (GBW 07106) Cert																							
NCS DC86314 Meas	> 10000												2640										
NCS DC86314 Cert	18100.00												2830										
CZN-4 Meas		0.07	340								2580			85.0				3920					
CZN-4 Cert		0.0715	356.00								2604.000			93.5				4030.00					
OREAS 183 (Fusion ICP) Meas												207											
OREAS 183 (Fusion ICP) Cert												222											
OREAS 922 (Peroxide Fusion) Meas		7.66						0.46										5.91					
OREAS 922 (Peroxide Fusion) Cert		7.59						0.49										5.71					
OREAS 621 (Peroxide Fusion) Meas		6.75	83		2600	< 3	5	2.04	277	57.9	30.7	80	3.7	3890				3.69	25.6				
OREAS 621 (Peroxide Fusion) Cert		6.63	85		2610	2	4	2.00	295	52.0	31.4	50	3.6	3680				3.71	26.5				
CCU-1e Meas		0.14	1070						76		302			> 10000				> 30.0					
CCU-1e Cert		0.139	1010						74.2		301			229000				30.7					
OREAS 680 (Peroxide Fusion) Meas		7.17						5.68										11.4					
OREAS 680 (Peroxide Fusion) Cert		7.19						5.80										11.9					
OREAS 139 (Peroxide Fusion) Meas		3.66	318			3	6	1.18	263	45.9	25.2		2.7	263		1.4		11.9	12.3				
OREAS 139 (Peroxide Fusion) Cert		3.70	332			3.17	6.64	1.20	296	49.4	26.0		3.21	274		1.69		11.9	10.2				

Analyte Symbol	Li	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Dy	Er	Eu	Fe	Ga	Gd	Ge	Ho	Hf
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
Lower Limit	15	0.01	5	10	3	3	2	0.01	2	0.8	0.2	30	0.1	2	0.3	0.1	0.1	0.05	0.2	0.1	0.7	0.2	10
Method Code	FUS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
OREAS 624 (Peroxide Fusion) Meas		4.24	110		1070		21	1.45	124	30.7	263		1.7	> 10000				16.7	23.4				
OREAS 624 (Peroxide Fusion) Cert		4.32	115		1070		21.3	1.49	133	32.9	273		1.32	30800				16.3	22.1				
OREAS 124 (Peroxide Fusion) Meas		4.66						0.04										1.57					
OREAS 124 (Peroxide Fusion) Cert		4.62						0.0880										1.56					
AMIS 0346 (Peroxide Fusion) Meas																		> 30.0					
AMIS 0346 (Peroxide Fusion) Cert																		44.3					
NCS DC73520 Meas																							
NCS DC73520 Cert																							
OREAS 148 (Peroxide Fusion) Meas	4970	5.42						0.89										3.14					
OREAS 148 (Peroxide Fusion) Cert	4760	5.37						0.90										3.06					
GL850876 Orig	< 15	7.20	< 5	< 10	9	< 3	33	0.43	< 2	5.4	1.0	50	14.7	< 2	1.6	1.1	< 0.1	0.69	30.9	1.1	1.7	0.4	1420
GL850876 Dup	< 15	7.28	< 5	< 10	8	< 3	33	0.44	< 2	4.0	1.1	50	15.0	3	1.8	0.5	0.1	0.68	30.0	0.5	2.6	0.4	1610
Method Blank		< 0.01	< 5	10	< 3	< 3	< 2	< 0.01	< 2	< 0.8	0.4	40	< 0.1	5	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 0.2	< 10
Method Blank		< 0.01	< 5	< 10	< 3	< 3	< 2	< 0.01	< 2	< 0.8	1.2	< 30	0.4	6	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 0.2	< 10
Method Blank		< 0.01	< 5	10	< 3	< 3	< 2	< 0.01	< 2	< 0.8	1.4	70	0.4	3	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 0.2	< 10
Method Blank			< 5	< 10	< 3	< 3	< 2		< 2	< 0.8	1.1	40	0.2	< 2	< 0.3	< 0.1	< 0.1		< 0.2	< 0.1	< 0.7	< 0.2	< 10
Method Blank		< 0.01	< 5	10	4	< 3	< 2	< 0.01	< 2	< 0.8	1.9	50	0.1	9	< 0.3	< 0.1	< 0.1	< 0.05	0.3	0.2	< 0.7	< 0.2	< 10
Method Blank			< 5	< 10	< 3	< 3	< 2		< 2	< 0.8	1.4	< 30	0.5	< 2	< 0.3	< 0.1	< 0.1		0.6	< 0.1	< 0.7	< 0.2	< 10
Method Blank		< 0.01	< 5	50	4	< 3	< 2	< 0.01	< 2	< 0.8	1.2	40	0.3	12	< 0.3	< 0.1	< 0.1	< 0.05	< 0.2	< 0.1	< 0.7	< 0.2	< 10
Method Blank		< 0.01						< 0.01										< 0.05					
Method Blank		0.02						< 0.01										< 0.05					

Analyte Symbol	In	K	La	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.2	0.1	0.4	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
PTM-1a Meas									> 10000				22.7										
PTM-1a Cert									474400.00				22.4										
NIST 696 Meas																							
NIST 696 Cert																							
Oreas 74a (Fusion) Meas									> 10000				7.52			15.3							
Oreas 74a (Fusion) Cert									32400.00				7.25			15.14							
OREAS 101a (Fusion) Meas		2.5	800	1.19	929	23		440			133						51.0				5.7		36.0
OREAS 101a (Fusion) Cert		2.34	816	1.23	964	21.9		403			134						48.8				5.92		36.6
NCS DC73304 (GBW 07106) Meas													0.08			> 30.0							
NCS DC73304 (GBW 07106) Cert													0.09			42.24							
NCS DC86314 Meas												> 5000						144					
NCS DC86314 Cert												11400						152					
CZN-4 Meas										1740			> 25.0		101	0.27							
CZN-4 Cert										1861.000			33.07		86.7	0.295							
OREAS 183 (Fusion ICP) Meas									9460														
OREAS 183 (Fusion ICP) Cert									9830.00														
OREAS 922 (Peroxide Fusion) Meas		2.6		1.61									0.36			> 30.0							
OREAS 922 (Peroxide Fusion) Cert		2.60		1.61									0.389			30.51							
OREAS 621 (Peroxide Fusion) Meas	2.4	2.3	28.5	0.49	588	9	10.9	24.9		> 5000	5.9	79.4	4.30	137		27.9			93				8.4
OREAS 621 (Peroxide Fusion) Cert	1.9	2.23	26.1	0.516	554	10	10.4	24.2		13300	6.64	89.0	4.51	146		28.1			101				8.6
CCU-1e Meas				0.74	102					> 5000			> 25.0	115									67
CCU-1e Cert				0.706	96.0					7030			35.3	104									61.8
OREAS 680 (Peroxide Fusion) Meas		1.3		3.58									4.90			20.2							
OREAS 680 (Peroxide Fusion) Cert		1.29		3.71									5.14			20.6							
OREAS 139 (Peroxide Fusion) Meas	0.7	3.2	24.1	0.49	6210	11				> 5000		131	15.7	60		16.0			476		0.4		8.1
OREAS 139 (Peroxide Fusion) Cert	0.690	3.30	23.1	0.501	6570	11.1				22000		145	16.04	63.0		16.34			479		0.500		7.54

Analyte Symbol	In	K	La	Mg	Mn	Mo	Nb	Nd	Ni	Pb	Pr	Rb	S	Sb	Se	Si	Sm	Sn	Sr	Ta	Tb	Te	Th
Unit Symbol	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.2	0.1	0.4	0.01	3	1	2.4	0.4	10	0.8	0.1	0.4	0.01	2	8	0.01	0.1	0.5	3	0.2	0.1	6	0.1
Method Code	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2	FUS-MS-Na2O2
OREAS 624 (Peroxide Fusion) Meas	4.8	0.9	16.2	1.31	705	15	7.0	17.7		> 5000	3.9	38.6	12.7	71		19.9		50					4.0
OREAS 624 (Peroxide Fusion) Cert	4.14	0.991	17.3	1.31	660	17.8	5.78	16.8		6120	4.27	33.0	13.2	72.0		20.5		47.6					4.12
OREAS 124 (Peroxide Fusion) Meas		2.6		0.22												> 30.0							
OREAS 124 (Peroxide Fusion) Cert		2.62		0.224												38.2							
AMIS 0346 (Peroxide Fusion) Meas																							
AMIS 0346 (Peroxide Fusion) Cert																							
NCS DC73520 Meas													0.42										
NCS DC73520 Cert													0.44										
OREAS 148 (Peroxide Fusion) Meas		1.6		0.47												> 30.0							
OREAS 148 (Peroxide Fusion) Cert		1.5		0.47												36.0							
GL850876 Orig	< 0.2	4.4	2.1	0.08	667	5	29.6	2.2	20	23.5	0.5	520	< 0.01	2	< 8	> 30.0	0.8	7.5	19	4.0	0.3	< 6	2.5
GL850876 Dup	< 0.2	4.6	2.4	0.08	682	4	32.5	1.0	10	25.1	0.5	540	< 0.01	< 2	28	> 30.0	0.3	8.0	18	3.7	0.3	6	2.2
Method Blank	< 0.2	< 0.1	< 0.4	< 0.01	< 3	2	< 2.4	< 0.4	20	4.0	< 0.1	1.3	< 0.01	< 2	15	< 0.01	0.3	0.7	7	0.2	< 0.1	< 6	< 0.1
Method Blank	< 0.2	< 0.1	< 0.4	< 0.01	< 3	< 1	2.8	< 0.4	< 10	4.6	< 0.1	3.4	< 0.01	< 2	< 8	< 0.01	< 0.1	0.6	10	0.2	< 0.1	< 6	< 0.1
Method Blank	< 0.2	< 0.1	< 0.4	< 0.01	9	1	< 2.4	< 0.4	100	5.4	< 0.1	2.4	< 0.01	< 2	< 8	< 0.01	< 0.1	0.9	8	< 0.2	< 0.1	< 6	< 0.1
Method Blank	< 0.2		< 0.4		16	2	2.4	< 0.4	60	4.7	< 0.1	3.3		< 2	< 8		< 0.1	1.2	9	0.2	< 0.1	< 6	< 0.1
Method Blank	< 0.2	< 0.1	< 0.4	< 0.01	8	2	< 2.4	< 0.4	30	4.0	< 0.1	1.7	< 0.01	< 2	< 8	0.01	0.2	< 0.5	5	< 0.2	< 0.1	< 6	< 0.1
Method Blank	< 0.2		< 0.4		3	4	2.5	< 0.4	10	< 0.8	< 0.1	1.8		< 2	< 8		< 0.1	< 0.5	4	0.2	< 0.1	6	< 0.1
Method Blank	< 0.2	< 0.1	< 0.4	< 0.01	9	< 1	< 2.4	< 0.4	20	7.8	< 0.1	0.6	< 0.01	< 2	< 8	< 0.01	< 0.1	1.3	3	< 0.2	< 0.1	< 6	< 0.1
Method Blank		< 0.1		< 0.01									< 0.01			< 0.01							
Method Blank		< 0.1		< 0.01									< 0.01			0.34							

Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
PTM-1a Meas									
PTM-1a Cert									
NIST 696 Meas					382				
NIST 696 Cert					403.00 00				
Oreas 74a (Fusion) Meas									
Oreas 74a (Fusion) Cert									
OREAS 101a (Fusion) Meas	0.39		2.6	412	76		180	18.2	
OREAS 101a (Fusion) Cert	0.395		2.90	422	83		183	17.5	
NCS DC73304 (GBW 07106) Meas	0.16								
NCS DC73304 (GBW 07106) Cert	0.16								
NCS DC86314 Meas						68.2			
NCS DC86314 Cert						79.0			
CZN-4 Meas									> 10000
CZN-4 Cert									550700 .00
OREAS 183 (Fusion ICP) Meas									100
OREAS 183 (Fusion ICP) Cert									82
OREAS 922 (Peroxide Fusion) Meas	0.44								
OREAS 922 (Peroxide Fusion) Cert	0.439								
OREAS 621 (Peroxide Fusion) Meas	0.18	1.8		2.8	36	4.4	14.5	1.4	> 10000
OREAS 621 (Peroxide Fusion) Cert	0.181	2.0		3.0	36.3	2.6	13.9	1.03	52200
CCU-1e Meas		2.5							> 10000
CCU-1e Cert		2.69							30200
OREAS 680 (Peroxide Fusion) Meas	0.52								
OREAS 680 (Peroxide Fusion) Cert	0.523								
OREAS 139 (Peroxide Fusion) Meas	0.16	31.8		12.0			17.5		> 10000
OREAS 139 (Peroxide Fusion) Cert	0.157	35.4		12.2			17.1		133600 .00

Analyte Symbol	Ti	Tl	Tm	U	V	W	Y	Yb	Zn
Unit Symbol	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.1	0.1	0.1	5	0.7	0.1	0.1	30
Method Code	FUS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2	FUS- MS- Na2O2
OREAS 624 (Peroxide Fusion) Meas	0.15	0.7		1.1	32	5.6	15.7	2.2	> 10000
OREAS 624 (Peroxide Fusion) Cert	0.146	0.940		1.34	43.3	4.58	17.3	1.94	24100
OREAS 124 (Peroxide Fusion) Meas	0.26								
OREAS 124 (Peroxide Fusion) Cert	0.254								
AMIS 0346 (Peroxide Fusion) Meas	14.8				2820				
AMIS 0346 (Peroxide Fusion) Cert	15.0				2700				
NCS DC73520 Meas									
NCS DC73520 Cert									
OREAS 148 (Peroxide Fusion) Meas	0.36								
OREAS 148 (Peroxide Fusion) Cert	0.35								
GL850876 Orig	0.02	3.0	0.1	2.2	< 5	3.4	11.7	1.9	< 30
GL850876 Dup	0.02	3.0	0.2	2.2	8	0.9	11.1	1.9	< 30
Method Blank	< 0.01	< 0.1	< 0.1	< 0.1	< 5	0.9	< 0.1	< 0.1	< 30
Method Blank	< 0.01	< 0.1	< 0.1	0.1	< 5	0.9	0.1	< 0.1	< 30
Method Blank	< 0.01	< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank		< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	< 0.1	< 30
Method Blank	< 0.01	< 0.1	< 0.1	0.1	< 5	0.7	< 0.1	< 0.1	30
Method Blank		< 0.1	< 0.1	< 0.1	< 5	< 0.7	< 0.1	0.2	< 30
Method Blank	< 0.01	< 0.1	< 0.1	< 0.1	< 5	0.8	0.2	< 0.1	< 30
Method Blank	< 0.01								
Method Blank	< 0.01								

Appendix D: Expenditure Table

Graphic Lake Prospecting, Expenses, Costs & Work credits (wc from daily log)

1] Lodging;		
Room at Helliar's Resort	\$339.00	
2] Food	\$111.00	
3] Supplies	\$ 61.00	
4] Travel (\$0.60 per km)		
a) Thunder Bay to Nestor Falls and back (441 km x 2) _____	882 km	
b) Nestor Falls to Graphic Lake claims and back (120 km x3)	360 km	
Total 1,242 km at \$0.60 per km _____	\$ 745.00	
5] Assays _____	\$ 841.00	
6] Report writing _____	\$ 500.00	
Total _____	\$2,597.00	
Plus work credits _____	\$1,550.00	
Total applied _____	\$4,147.00	

(x2 for grassroots work)

David Clement
Prospector's Licence No. 1012340
Client No. 119003
35 years, consecutive, Geotech, Prospector

Troy Gallik Expenditures:

Work Conducted	Daily Rate	Rate	Total Expenses
Report Writing	\$ 520	10	\$ 5,200.00

Total Expenditures:

Person	Expenses
David Clement	\$ 4,147
Troy Gallik	\$ 5,200
Total	\$ 9,347