ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
This copy reported on
10-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19091138

Project: Gowganda

This report is for 44 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 16-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
15801		1.76	0.05	6.11	6.6	240	0.97	0.15	0.47	<0.02	46.5	8.1	58	0.83	4.3	1.28
15802		1.72	0.26	6.85	20.6	280	1.06	0.32	0.27	0.02	57.1	16.6	65	0.92	451	1.83
15803		1.43	0.12	5.78	84.9	220	0.77	0.19	0.19	0.02	48.0	60.7	47	0.84	28.4	1.00
15804		1.78	0.12	6.15	36.3	230	0.81	0.19	0.49	<0.02	36.9	51.2	52	0.86	9.9	1.21
15805		1.69	0.08	5.73	36.9	200	0.63	0.14	0.93	<0.02	45.8	50.5	42	0.76	26.7	0.93
15806		1.97	0.09	5.80	4.0	190	0.54	0.13	1.03	<0.02	49.6	10.9	44	0.67	48.0	0.78
15807		1.58	0.11	6.10	14.8	190	0.56	0.15	0.88	<0.02	44.9	16.5	46	0.69	54.5	0.88
15808		1.77	0.43	6.55	19.0	250	0.74	0.23	0.42	<0.02	44.7	15.8	57	0.77	1265	1.45
15809		1.77	0.68	7.08	11.0	300	1.14	0.36	0.23	<0.02	69.4	22.0	69	0.96	1870	2.25
15810		1.66	0.89	7.22	15.0	330	1.22	0.25	0.24	0.03	69.3	24.1	65	1.10	1255	2.40
15811		1.70	1.32	7.14	5.9	310	1.36	0.39	0.23	0.05	61.7	19.4	70	1.04	1995	2.32
15812		1.74	0.50	7.03	7.6	320	1.20	0.42	0.24	0.02	72.2	14.0	68	1.05	763	2.44
15813		1.67	0.26	7.06	37.3	380	1.48	0.29	0.25	0.10	64.9	35.8	69	1.26	377	2.81
15814		2.04	0.14	6.67	26.1	330	1.21	0.34	0.30	0.03	43.7	23.5	57	1.08	107.5	2.03
15844		2.12	0.18	6.61	20.9	280	1.16	0.38	0.28	0.06	43.4	30.0	60	0.90	293	1.79
15815		0.06	>100	4.31	678	400	0.68	57.4	0.62	24.7	29.6	10.3	32	2.56	5000	2.16
15816		1.89	0.31	5.61	17.0	190	0.84	0.21	0.64	0.04	11.90	10.4	41	0.61	583	0.88
15817		2.13	0.12	6.64	10.3	310	1.05	0.26	0.35	0.02	42.0	12.5	63	0.95	54.4	1.82
15818		2.08	0.09	6.17	8.4	250	0.72	0.22	0.28	0.02	22.8	6.9	48	0.80	10.9	1.15
15819		2.00	0.15	5.93	13.0	230	0.59	0.40	0.39	<0.02	9.28	20.6	46	0.79	3.4	1.02
15820		2.02	0.27	5.62	26.0	230	0.57	0.63	0.33	<0.02	11.15	25.8	35	0.86	4.0	0.82
15821		2.06	0.35	5.76	27.5	220	0.59	1.14	0.79	<0.02	12.00	33.3	36	0.89	4.2	0.93
15822		1.90	0.34	5.81	29.1	240	0.57	1.91	0.74	<0.02	14.25	46.0	36	0.90	6.3	0.90
15823		1.87	0.51	5.65	23.8	230	0.54	2.17	0.81	<0.02	16.15	31.7	37	0.86	4.6	0.89
15824		2.14	0.52	5.59	28.1	230	0.50	3.12	0.77	<0.02	17.15	24.5	33	0.82	2.6	0.76
15825		0.51	0.01	0.10	0.3	20	0.05	0.02	32.2	<0.02	0.86	0.6	4	<0.05	1.1	0.10
15826		2.19	0.11	5.55	23.1	230	0.57	0.48	0.55	<0.02	18.50	35.5	37	0.82	4.5	0.90
15827		1.71	0.07	5.63	11.9	240	0.54	0.37	0.76	<0.02	29.6	22.5	38	0.84	2.9	1.05
15828		1.68	0.15	6.15	21.9	250	0.78	0.86	0.22	<0.02	59.5	50.0	63	0.82	6.9	1.54
15829		1.71	0.37	6.01	10.6	230	0.56	2.26	0.44	<0.02	25.7	22.8	45	0.68	2.8	1.13
15830		1.77	2.10	6.64	12.6	200	0.72	16.65	1.80	<0.02	17.30	24.3	36	0.76	6.9	1.38
15831		1.88	3.19	6.36	14.8	160	0.72	53.3	3.24	<0.02	22.1	36.7	38	0.57	14.9	1.62
15832		1.66	2.86	7.42	17.4	150	0.72	89.5	1.28	0.83	18.25	32.7	43	0.59	93.6	1.26
15833		1.81	1.07	6.24	50.1	220	0.71	2.51	0.41	0.04	19.05	58.2	54	0.74	340	1.45
15834		1.71	0.42	5.98	124.0	210	0.74	1.88	0.87	0.21	16.50	81.3	47	0.82	676	1.35
15835		1.64	0.59	5.70	643	200	0.95	5.99	1.69	<0.02	22.1	411	46	0.96	14.4	1.65
15836		1.90	6.74	9.36	2910	320	3.21	92.2	0.86	<0.02	41.8	1780	90	1.41	17.5	4.09
15837		1.53	1.32	8.10	600	210	2.23	14.90	4.26	0.03	37.1	363	67	1.08	44.5	3.98
15838		1.33	1.96	7.57	375	350	3.12	5.53	3.16	0.10	19.10	246	130	1.43	1630	8.05
15839		1.36	0.28	4.93	75.2	500	1.48	0.20	7.47	0.04	28.7	59.0	527	0.71	335	6.50

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
15801		12.20	0.09	3.5	0.011	1.40	22.0	9.3	0.64	146	1.45	3.85	4.5	20.2	500	6.7
15802		14.85	0.10	4.2	0.030	1.64	27.4	12.1	0.90	190	1.40	4.03	5.4	26.0	580	9.5
15803		11.15	0.08	2.8	0.015	1.46	22.4	6.7	0.47	135	1.16	3.69	3.7	73.4	390	10.5
15804		12.55	0.08	3.3	0.014	1.53	17.7	7.8	0.59	192	1.12	3.83	4.3	66.2	460	17.2
15805		10.95	0.10	2.5	0.013	1.38	21.9	6.2	0.43	206	1.17	3.64	3.4	60.2	340	10.1
15806		10.20	0.08	2.3	0.013	1.40	23.4	5.1	0.37	173	1.22	3.79	3.4	12.0	380	7.4
15807		11.05	0.09	2.3	0.011	1.38	21.3	5.4	0.41	165	1.17	4.02	3.7	18.4	420	6.5
15808		13.75	0.09	3.0	0.063	1.57	20.7	8.5	0.71	156	1.43	4.15	4.3	22.6	520	7.5
15809		19.35	0.11	4.5	0.087	1.68	33.0	12.9	1.12	196	1.26	4.09	5.4	32.3	660	13.2
15810		19.40	0.11	3.5	0.072	1.78	32.5	15.8	1.27	202	1.31	3.91	4.8	41.2	600	16.7
15811		18.50	0.10	4.8	0.129	1.67	29.7	14.2	1.13	183	1.41	4.07	5.7	37.7	620	11.0
15812		20.3	0.11	4.8	0.058	1.66	34.8	14.4	1.32	197	1.52	3.85	5.8	33.9	640	9.4
15813		22.0	0.11	3.9	0.043	1.89	30.8	19.3	1.55	234	1.21	3.55	6.0	74.1	600	18.4
15814		16.45	0.08	2.9	0.030	1.79	20.9	12.3	1.08	198	1.19	3.73	4.2	49.6	500	9.9
15844		15.25	0.10	2.4	0.037	1.55	20.9	11.6	0.97	167	1.26	3.90	4.0	55.1	590	9.5
15815		22.3	0.17	2.5	5.53	0.66	14.8	18.6	0.19	228	4.43	0.44	8.0	57.3	560	1020
15816		10.15	0.05	1.8	0.063	1.28	5.4	5.6	0.42	136	1.04	3.77	2.9	17.6	400	9.7
15817		16.50	0.08	3.2	0.019	1.68	19.4	11.5	0.99	179	1.76	3.85	4.9	26.0	580	13.2
15818		12.75	0.08	2.2	0.012	1.55	11.2	7.2	0.60	118	1.99	3.77	3.4	17.2	410	8.7
15819		11.30	0.06	2.1	0.010	1.60	3.6	5.1	0.49	121	2.92	3.68	3.2	31.1	340	8.7
15820		11.20	0.07	1.5	0.015	1.68	4.3	4.8	0.40	124	1.30	3.49	2.7	47.2	240	5.9
15821		11.00	0.08	1.4	0.018	1.62	4.7	4.9	0.43	184	6.75	3.50	2.6	43.0	230	6.4
15822		11.35	0.07	1.4	0.013	1.71	6.0	5.0	0.44	158	7.57	3.49	2.7	99.2	250	7.5
15823		10.65	0.09	1.4	0.011	1.65	7.0	4.8	0.40	159	15.15	3.40	2.5	27.9	230	6.7
15824		10.20	0.07	1.3	0.009	1.69	7.3	4.2	0.37	139	31.1	3.42	2.2	18.2	230	6.8
15825		0.28	0.09	0.1	<0.005	0.03	1.0	0.9	1.07	84	0.36	0.05	0.2	0.7	50	<0.5
15826		10.65	0.12	1.5	0.009	1.68	8.3	4.9	0.44	120	1.28	3.34	2.8	31.7	260	5.5
15827		10.80	0.07	1.5	0.009	1.70	13.4	5.1	0.50	135	1.58	3.31	2.8	16.7	270	6.3
15828		14.30	0.10	4.4	0.011	1.58	28.6	7.8	0.78	127	2.13	3.61	4.9	36.4	540	15.7
15829		11.15	0.07	2.1	0.010	1.60	12.0	5.3	0.56	131	10.95	3.74	3.1	16.0	400	13.3
15830		13.45	0.08	1.7	0.019	1.52	7.7	8.9	0.72	279	116.0	4.17	2.7	22.0	300	23.9
15831		17.00	0.08	2.4	0.033	1.27	8.9	8.7	0.80	475	177.5	4.95	3.9	27.0	470	64.7
15832		15.65	0.07	2.6	0.067	1.29	7.9	6.9	0.65	220	104.5	5.51	4.2	23.0	500	118.5
15833		12.95	0.07	4.1	0.051	1.52	9.3	7.1	0.76	141	36.5	3.76	4.3	25.9	470	21.4
15834		12.90	0.07	2.7	0.093	1.49	7.5	7.1	0.65	195	12.15	3.59	3.6	38.5	380	26.1
15835		14.45	0.10	2.2	0.027	1.41	9.9	13.2	0.90	318	30.9	3.22	3.5	82.9	320	21.2
15836		28.9	0.12	7.0	0.058	1.87	16.7	37.5	2.47	446	602	5.41	8.1	395	920	196.5
15837		23.5	0.11	5.4	0.108	1.26	15.0	35.4	2.32	1180	97.8	5.01	7.0	124.0	730	48.7
15838		23.1	0.09	1.7	0.253	0.82	8.8	79.3	4.48	1120	11.90	2.43	2.8	127.0	380	986
15839		12.30	0.11	1.1	0.075	0.41	13.3	41.4	7.47	1340	0.81	0.88	1.6	182.5	740	195.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
15801		55.8	<0.002	0.07	0.20	4.6	<1	0.7	101.5	0.43	<0.05	8.87	0.166	0.29	3.2	35
15802		63.1	<0.002	0.15	0.33	5.8	<1	0.9	113.5	0.52	<0.05	10.45	0.201	0.33	3.2	48
15803		56.1	<0.002	0.02	0.45	4.6	<1	0.5	89.0	0.37	<0.05	7.02	0.137	0.29	2.0	32
15804		58.6	<0.002	0.05	0.36	4.7	<1	0.7	96.5	0.42	<0.05	8.20	0.158	0.29	2.5	40
15805		53.1	<0.002	0.06	0.27	4.7	<1	0.6	86.1	0.33	<0.05	5.23	0.122	0.28	1.6	31
15806		49.0	<0.002	0.08	0.13	4.7	<1	0.4	79.7	0.33	<0.05	4.49	0.128	0.26	1.2	27
15807		50.6	<0.002	0.07	0.16	5.4	<1	0.5	81.2	0.34	<0.05	4.90	0.137	0.25	1.4	30
15808		56.3	0.002	0.22	0.21	5.1	<1	0.7	97.1	0.40	<0.05	7.59	0.164	0.31	2.0	41
15809		63.4	<0.002	0.32	0.25	6.8	1	0.9	124.5	0.51	<0.05	10.20	0.206	0.33	3.6	57
15810		67.3	<0.002	0.23	0.29	7.1	<1	1.1	138.0	0.48	<0.05	9.36	0.186	0.37	3.2	55
15811		65.9	<0.002	0.33	0.32	7.1	1	1.0	133.0	0.53	<0.05	12.30	0.208	0.36	4.8	56
15812		64.0	<0.002	0.21	0.26	7.4	<1	0.8	134.5	0.54	<0.05	11.80	0.215	0.33	4.7	63
15813		70.5	<0.002	0.14	0.41	8.5	<1	1.3	155.0	0.53	<0.05	10.35	0.215	0.36	3.6	63
15814		65.0	<0.002	0.14	0.28	6.9	<1	0.9	132.5	0.38	<0.05	7.77	0.178	0.34	2.5	52
15844		60.2	<0.002	0.08	0.27	6.2	<1	0.6	120.0	0.35	<0.05	5.72	0.158	0.31	2.1	44
15815		28.8	0.002	2.11	87.5	3.9	34	5.5	448	0.58	42.4	5.72	0.214	1.56	2.4	33
15816		46.9	<0.002	0.08	0.28	4.2	<1	0.4	82.1	0.25	<0.05	3.58	0.111	0.24	0.9	23
15817		65.0	<0.002	0.06	0.19	6.6	<1	0.8	127.5	0.46	<0.05	8.59	0.187	0.35	2.2	51
15818		58.7	<0.002	0.04	0.13	4.2	<1	0.4	102.0	0.32	<0.05	5.21	0.127	0.31	1.8	35
15819		58.2	0.002	0.05	0.17	3.7	<1	0.3	87.2	0.32	<0.05	4.78	0.121	0.31	1.6	31
15820		65.1	<0.002	<0.01	0.22	4.0	<1	0.3	87.8	0.27	<0.05	3.80	0.098	0.34	1.1	26
15821		62.5	<0.002	0.03	0.20	4.3	<1	0.3	93.8	0.26	<0.05	3.55	0.096	0.34	1.2	27
15822		66.0	0.002	0.04	0.31	3.8	<1	0.2	97.0	0.27	<0.05	3.73	0.101	0.35	1.0	27
15823		62.8	0.002	0.04	0.14	3.5	<1	0.2	88.5	0.24	<0.05	3.28	0.093	0.35	1.0	25
15824		61.3	0.003	0.04	0.12	3.0	<1	0.2	85.4	0.22	<0.05	3.35	0.088	0.33	1.0	23
15825		0.9	<0.002	<0.01	<0.05	0.2	<1	<0.2	84.6	<0.05	<0.05	0.08	0.005	<0.02	0.1	1
15826		62.8	<0.002	0.04	0.14	3.2	1	0.3	86.6	0.28	<0.05	3.78	0.107	0.32	1.0	26
15827		60.7	<0.002	0.07	0.13	3.3	<1	0.3	89.2	0.29	<0.05	3.71	0.107	0.31	0.9	29
15828		62.4	<0.002	0.15	0.34	4.3	<1	0.5	101.0	0.50	<0.05	10.05	0.171	0.32	3.4	45
15829		55.3	0.005	0.06	0.24	3.4	<1	0.3	84.9	0.31	<0.05	4.56	0.124	0.30	1.7	32
15830		53.5	0.153	0.07	0.22	6.7	<1	0.3	99.8	0.27	<0.05	3.61	0.101	0.38	2.7	38
15831		28.5	0.331	0.10	0.33	6.7	<1	0.4	103.0	0.36	<0.05	2.90	0.140	0.38	3.1	44
15832		43.5	0.264	0.09	0.45	5.6	<1	0.5	97.0	0.39	<0.05	4.79	0.152	0.32	4.4	38
15833		55.8	0.108	0.17	0.46	3.8	<1	0.5	94.7	0.43	<0.05	9.70	0.157	0.35	4.7	41
15834		52.6	0.032	0.13	0.33	4.5	<1	0.5	91.5	0.38	<0.05	6.12	0.120	0.31	2.7	32
15835		48.3	0.103	0.08	1.06	6.0	<1	0.5	101.0	0.35	<0.05	5.41	0.118	0.36	2.8	40
15836		42.8	3.52	0.21	6.36	12.5	1	1.3	162.5	0.81	<0.05	10.55	0.267	1.12	11.9	103
15837		27.0	0.671	0.21	1.42	16.6	<1	0.9	159.0	0.76	<0.05	7.64	0.228	0.46	8.8	81
15838		15.0	0.004	0.60	1.46	38.1	2	0.7	91.7	0.23	<0.05	1.94	0.429	0.46	1.1	251
15839		12.1	0.004	0.07	0.41	37.9	<1	0.5	158.5	0.09	<0.05	1.80	0.324	0.17	0.4	183

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
15801		0.4	8.6	11	133.0		78.6	93.9
15802		0.5	7.8	16	163.5			94.5
15803		0.4	8.7	9	108.5			
15804		0.5	8.8	8	125.5			
15805		0.4	9.7	6	95.7			
15806		0.2	11.1	8	88.3			96.4
15807		0.2	12.1	7	89.8			95.2
15808		0.3	9.8	11	116.0			
15809		0.4	8.8	17	169.0			
15810		0.4	8.6	19	129.0			
15811		0.4	10.1	21	182.5			
15812		0.4	8.0	19	185.0			
15813		0.5	10.7	31	141.5			
15814		0.5	9.6	19	111.5			
15844		0.3	8.8	21	91.9			
15815		12.5	6.7	4100	88.9	113		
15816		0.2	6.9	12	67.3			
15817		0.4	8.6	16	122.0			
15818		0.3	5.5	9	87.6			
15819		0.2	7.6	7	78.8			
15820		0.1	7.9	6	56.2			
15821		0.1	8.1	6	52.3			
15822		0.1	7.4	6	53.6			
15823		0.1	6.9	6	50.8			
15824		0.1	6.8	5	49.2			
15825		<0.1	2.0	4	1.7			
15826		0.1	7.3	5	58.4			
15827		0.1	5.8	6	56.1			
15828		0.5	9.0	9	174.0			
15829		0.2	7.2	7	83.6			
15830		0.2	12.8	9	66.3			
15831		0.2	14.8	12	93.9			
15832		0.2	14.4	69	105.0			
15833		0.4	9.4	12	157.5			
15834		0.3	6.9	22	89.3			
15835		0.5	7.6	14	78.6			
15836		0.8	18.1	38	229			
15837		0.7	20.9	35	179.5			
15838		1.0	15.2	95	57.9			
15839		0.4	13.1	99	37.5		79.7	89.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
15840		0.94	1.04	6.43	25.0	310	0.39	0.10	6.13	0.19	14.90	45.4	178	0.54	2830	7.86
15841		1.13	0.82	6.58	25.0	340	0.38	0.10	6.13	0.36	15.00	48.0	167	0.50	1860	7.94
15842		0.06	>100	4.08	640	150	0.72	57.1	0.58	24.0	28.2	10.1	28	2.73	4880	2.03
15843		2.05	0.20	6.89	9.8	60	0.29	0.03	6.56	0.07	7.54	51.6	127	0.29	386	8.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
15840		14.55	0.07	1.2	0.055	0.34	6.5	28.8	5.06	1320	0.64	1.73	1.7	84.7	410	122.0
15841		14.60	0.06	1.2	0.054	0.34	6.4	28.2	4.89	1320	0.79	1.77	1.8	85.3	410	129.0
15842		21.3	0.12	2.7	4.99	0.61	14.0	19.9	0.18	213	4.50	0.41	8.1	55.6	520	960
15843		14.70	0.08	1.1	0.063	0.17	2.9	32.0	4.47	1500	0.82	1.37	1.7	88.4	280	66.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
15840		10.8	0.003	0.68	0.59	41.9	<1	0.5	210	0.11	<0.05	0.70	0.431	0.15	0.2	239
15841		10.8	0.002	0.64	0.64	42.6	<1	0.5	211	0.11	<0.05	0.71	0.435	0.18	0.2	240
15842		27.5	<0.002	2.00	79.8	4.2	33	5.5	419	0.64	36.7	6.24	0.199	1.77	2.7	31
15843		4.7	0.002	0.13	0.29	48.9	<1	0.5	102.5	0.10	<0.05	0.24	0.478	0.05	0.1	269

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
15840		0.6	15.9	143	36.4			
15841		0.9	16.5	175	36.0			
15842		12.9	6.1	3860	82.7	120		
15843		0.4	19.3	122	27.2			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091138

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	ME-MS61	ME-OG62