ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
This copy reported on
10-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19091136

Project: Gowganda

This report is for 82 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 16-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
16751		1.82	0.09	5.99	165.5	260	1.10	1.46	1.09	<0.02	49.2	116.5	69	0.97	5.6	1.39
16752		0.60	0.37	6.84	1740	310	1.48	84.6	0.79	0.03	95.4	1155	97	1.25	5.6	2.50
16753		2.20	0.11	6.90	211	350	1.25	1.84	0.27	<0.02	62.3	161.5	84	1.17	51.7	2.25
16754		1.78	0.10	6.83	65.4	350	1.52	0.45	0.34	0.03	55.5	78.7	81	1.23	11.4	2.31
16755		1.77	0.08	6.26	8.9	280	1.33	0.23	0.87	0.02	53.9	20.3	70	0.98	15.9	1.56
16756		1.63	0.17	7.73	39.0	430	1.96	0.24	0.31	0.02	72.1	94.6	94	1.83	141.5	4.02
16757		1.79	0.17	7.63	27.2	400	1.86	0.20	0.30	0.02	79.0	39.3	93	1.69	124.0	3.90
16758		1.84	0.49	6.87	11.9	330	1.24	0.28	0.24	0.02	46.7	25.9	69	1.17	1425	2.33
16759		0.83	0.47	6.77	9.9	310	1.18	0.39	0.32	0.06	47.6	21.3	71	1.08	1245	2.01
16760		0.78	0.55	7.27	10.3	350	1.22	0.40	0.27	0.05	50.5	22.7	68	1.04	1365	2.19
16761		0.06	>100	4.38	680	260	0.75	62.2	0.63	25.1	33.4	10.0	32	2.47	5020	2.19
16762		1.71	0.21	6.91	8.1	310	1.10	0.34	0.39	0.03	64.8	20.3	61	0.94	26.9	1.86
16763		1.78	0.10	6.79	5.5	290	1.04	0.27	0.54	0.02	57.0	13.5	60	0.91	132.5	1.72
16764		1.75	0.07	6.92	9.3	320	1.38	0.27	0.23	0.02	59.3	20.7	63	1.01	75.7	2.20
16765		1.89	0.04	7.03	1.9	330	1.40	0.23	0.23	<0.02	61.0	12.4	65	1.07	2.2	2.13
16766		1.83	0.02	7.12	1.4	340	1.37	0.19	0.23	<0.02	66.2	11.0	66	1.15	1.9	2.41
16767		2.01	0.04	6.73	1.0	280	1.19	0.18	0.33	<0.02	59.1	7.2	62	0.93	1.9	1.67
16768		2.00	0.03	6.92	4.1	290	1.29	0.18	0.31	<0.02	64.8	7.7	64	0.96	2.2	1.85
16769		2.14	0.03	7.18	1.9	340	1.33	0.19	0.25	<0.02	69.7	11.5	69	1.13	1.5	2.61
16770		2.06	0.03	7.11	6.2	330	1.27	0.19	0.22	<0.02	64.2	28.0	68	1.09	2.2	2.50
16771		2.05	0.03	7.12	3.2	330	1.22	0.20	0.22	<0.02	54.6	10.2	64	1.06	1.1	2.32
16772		2.08	0.05	7.06	5.1	340	1.23	0.18	0.23	<0.02	55.6	10.8	64	1.09	1.5	2.35
16773		1.94	0.04	6.92	3.8	300	1.25	0.17	0.30	0.02	62.9	13.1	63	0.98	1.3	2.08
16774		2.11	0.04	6.78	8.1	270	1.04	0.14	0.26	0.02	51.7	20.7	59	0.85	1.8	1.84
16775		0.48	<0.01	0.20	<0.2	20	0.09	0.01	33.0	<0.02	1.47	0.6	2	0.06	0.7	0.13
16776		1.40	0.03	7.24	8.5	280	1.20	0.13	0.27	<0.02	56.3	20.6	73	0.90	1.2	2.77
16777		1.94	0.03	6.94	8.0	270	0.99	0.13	0.58	<0.02	35.3	9.9	60	0.84	1.0	2.34
16778		1.99	0.03	6.12	9.1	180	0.54	0.13	0.70	<0.02	39.5	12.4	45	0.65	2.4	0.96
16779		0.87	0.02	5.89	1.0	190	0.51	0.09	0.87	0.02	33.7	3.9	37	0.68	1.3	0.86
16780		0.69	0.03	5.92	1.1	190	0.53	0.10	0.79	0.02	32.6	4.2	38	0.71	1.8	0.96
16781		0.06	>100	4.32	683	220	0.73	62.5	0.63	27.5	33.6	10.6	28	2.49	5050	2.18
16782		1.74	0.22	6.42	3.8	230	0.73	0.19	0.49	0.04	18.90	6.6	48	0.73	8.0	1.59
16783		1.68	0.09	6.13	1.6	200	0.58	0.11	0.82	0.02	32.9	4.5	45	0.64	2.7	1.15
16784		1.85	0.08	7.07	9.0	320	1.15	0.14	0.23	<0.02	59.5	26.3	62	0.92	2.3	2.55
16785		1.78	0.07	7.37	7.6	310	1.22	0.15	0.23	0.02	48.1	18.5	65	0.95	2.5	2.79
16786		1.78	0.05	6.73	6.8	250	0.93	0.13	0.61	<0.02	34.9	10.6	55	0.77	1.7	1.77
16787		1.82	0.04	6.06	7.3	210	0.77	0.10	0.94	<0.02	32.6	13.1	51	0.71	3.3	1.38
16788		1.78	0.05	6.38	9.3	250	0.89	0.12	0.30	<0.02	28.9	19.2	51	0.78	3.7	1.49
16789		1.91	0.04	6.80	3.7	310	1.13	0.16	0.21	0.02	40.0	10.8	60	0.90	1.8	2.09
16790		1.72	0.06	7.46	4.1	370	1.32	0.17	0.26	<0.02	75.5	13.2	70	1.19	3.0	3.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
16751		14.35	0.11	3.5	0.021	1.54	22.8	8.4	0.69	274	2.51	3.86	4.6	123.0	470	8.6
16752		20.7	0.17	4.7	0.030	1.71	44.1	18.0	1.33	332	36.4	3.73	6.7	1050	600	9.1
16753		18.00	0.16	4.1	0.022	1.90	29.4	15.4	1.16	203	8.12	3.71	5.5	107.0	560	9.9
16754		20.1	0.15	4.2	0.021	1.89	25.8	17.8	1.20	224	2.36	3.76	6.1	112.0	580	14.2
16755		14.75	0.14	3.6	0.021	1.66	25.8	10.1	0.79	232	2.09	3.94	4.9	26.2	540	11.8
16756		27.0	0.19	3.4	0.042	2.21	32.7	32.1	2.16	347	1.99	3.29	8.5	125.0	650	15.2
16757		25.9	0.19	3.5	0.036	2.03	36.9	30.1	2.07	332	2.15	3.33	8.2	68.4	640	12.6
16758		17.70	0.14	3.5	0.065	1.87	21.9	16.2	1.13	185	1.32	3.78	5.5	35.8	560	12.3
16759		15.90	0.15	3.6	0.063	1.81	22.5	12.0	0.92	173	1.85	3.91	5.0	25.9	560	14.0
16760		15.20	0.09	3.3	0.064	1.87	23.1	12.5	1.02	185	1.74	4.14	5.0	26.0	620	12.6
16761		22.6	0.15	2.4	5.35	0.67	15.8	19.4	0.19	229	4.54	0.45	8.5	58.2	580	1025
16762		14.15	0.08	3.2	0.018	1.71	29.6	11.0	0.90	185	1.46	4.00	4.6	24.0	570	9.9
16763		13.70	0.10	3.3	0.020	1.63	25.7	10.8	0.83	187	1.30	4.06	4.4	20.4	550	8.0
16764		15.75	0.10	3.2	0.020	1.71	27.0	13.3	1.09	190	1.17	3.86	4.6	32.2	600	7.8
16765		15.80	0.10	3.4	0.016	1.75	27.7	13.4	1.06	185	1.45	3.93	4.7	25.8	580	8.1
16766		17.70	0.11	3.4	0.020	1.79	30.3	15.8	1.22	198	1.21	3.85	4.8	29.0	600	7.1
16767		13.90	0.10	3.3	0.012	1.62	26.8	10.2	0.81	164	1.37	4.03	4.1	20.2	540	6.8
16768		14.95	0.10	3.3	0.013	1.66	29.4	11.2	0.89	175	1.40	4.07	4.3	22.6	560	6.9
16769		18.85	0.11	3.7	0.019	1.77	32.2	17.3	1.36	210	1.25	3.83	4.8	30.8	610	7.4
16770		17.65	0.11	3.6	0.016	1.70	29.0	15.9	1.27	202	1.28	3.83	5.0	43.5	590	7.3
16771		17.70	0.09	3.5	0.015	1.79	24.5	14.6	1.20	188	1.26	3.92	4.4	26.3	590	7.4
16772		18.25	0.10	3.4	0.012	1.80	25.3	15.3	1.19	193	1.22	3.86	4.5	27.3	590	8.7
16773		17.25	0.09	3.4	0.015	1.70	28.7	14.2	1.07	188	1.28	4.00	4.3	26.4	570	8.3
16774		14.80	0.08	3.1	0.012	1.56	23.5	12.4	0.91	161	1.29	4.02	4.3	30.1	540	7.3
16775		0.58	<0.05	0.1	<0.005	0.08	1.2	1.3	1.32	87	0.30	0.10	0.2	0.8	50	<0.5
16776		20.8	0.09	3.8	0.016	1.61	25.2	21.0	1.47	233	1.25	3.97	5.5	41.7	630	6.1
16777		18.35	0.08	3.2	0.017	1.52	15.7	16.2	1.26	229	1.10	3.94	4.1	26.2	610	5.6
16778		11.05	0.08	2.2	0.011	1.34	17.7	5.9	0.43	143	1.25	4.03	3.5	16.3	410	6.3
16779		10.25	0.07	1.6	0.008	1.43	14.8	5.7	0.40	146	1.23	3.81	2.8	9.7	300	6.2
16780		10.60	0.07	1.7	0.009	1.45	14.3	6.0	0.41	148	1.10	3.86	3.1	10.8	310	6.5
16781		21.5	0.13	2.5	5.68	0.66	15.6	19.7	0.19	224	4.60	0.44	8.3	57.7	570	1025
16782		13.80	0.06	2.5	0.017	1.46	8.6	11.2	0.81	173	1.12	3.88	3.4	18.2	450	8.0
16783		10.95	0.06	2.1	0.011	1.40	14.7	6.9	0.53	169	1.45	3.86	3.2	12.3	380	8.0
16784		18.55	0.09	3.3	0.017	1.73	27.0	19.4	1.36	211	1.25	3.76	4.4	44.1	600	10.3
16785		21.0	0.08	3.9	0.016	1.71	21.5	21.3	1.47	230	1.25	3.83	5.0	36.5	630	10.9
16786		14.30	0.08	3.0	0.014	1.51	16.4	12.3	0.90	209	1.10	4.03	3.9	21.1	510	8.0
16787		11.95	0.07	2.2	0.013	1.34	14.9	8.9	0.66	224	1.41	3.86	3.3	22.0	380	5.9
16788		12.50	0.06	2.5	0.009	1.54	12.9	10.4	0.75	143	1.28	3.81	3.4	28.7	450	6.4
16789		14.75	0.07	3.2	0.012	1.64	18.1	14.5	1.08	164	1.12	3.91	4.2	23.9	550	9.1
16790		20.7	0.11	3.0	0.022	1.83	34.0	23.8	1.76	241	1.10	3.59	4.8	35.8	620	9.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
16751		59.7	<0.002	0.07	0.91	7.3	<1	0.5	126.0	0.44	<0.05	8.73	0.161	0.34	3.5	40
16752		68.9	0.212	0.11	5.09	9.3	1	1.1	152.0	0.64	<0.05	12.75	0.227	0.39	5.6	75
16753		69.8	0.039	0.09	2.72	7.2	1	0.9	154.0	0.52	<0.05	11.05	0.197	0.38	4.3	59
16754		75.6	<0.002	0.06	0.73	8.3	<1	1.1	156.5	0.54	<0.05	11.00	0.202	0.41	3.9	60
16755		62.4	<0.002	0.07	0.47	7.1	<1	0.6	131.0	0.45	<0.05	8.78	0.174	0.34	3.5	44
16756		79.9	<0.002	0.04	0.74	13.4	<1	2.1	166.5	0.68	<0.05	11.70	0.279	0.46	4.0	82
16757		77.6	0.002	0.05	0.58	12.6	<1	1.9	169.5	0.67	<0.05	12.10	0.267	0.42	4.0	80
16758		72.2	<0.002	0.25	0.55	7.4	1	1.2	145.0	0.49	<0.05	9.66	0.191	0.39	3.6	52
16759		67.9	<0.002	0.24	0.48	6.7	1	0.9	135.0	0.45	<0.05	9.14	0.179	0.37	3.0	45
16760		69.6	<0.002	0.26	0.50	6.4	<1	0.8	140.5	0.47	<0.05	9.83	0.189	0.35	3.3	50
16761		28.2	<0.002	2.14	86.5	4.0	34	5.5	465	0.56	41.8	6.96	0.216	1.56	2.4	33
16762		63.8	<0.002	0.10	0.43	6.6	<1	0.7	131.5	0.43	0.06	9.14	0.174	0.33	2.9	46
16763		59.0	<0.002	0.11	0.33	6.3	1	0.6	119.5	0.41	<0.05	9.05	0.169	0.29	3.1	42
16764		65.1	<0.002	0.08	0.24	7.0	<1	0.8	135.5	0.43	<0.05	8.81	0.175	0.34	3.3	51
16765		66.5	<0.002	0.08	0.21	6.9	<1	0.8	137.0	0.43	<0.05	9.60	0.174	0.34	3.4	50
16766		71.2	<0.002	0.07	0.18	7.7	<1	0.9	143.5	0.43	<0.05	9.43	0.177	0.34	3.0	58
16767		62.2	<0.002	0.07	0.16	5.9	<1	0.6	116.5	0.38	<0.05	8.43	0.153	0.30	3.1	41
16768		63.6	<0.002	0.07	0.16	6.1	<1	0.7	120.5	0.39	<0.05	8.96	0.158	0.30	3.1	44
16769		67.1	<0.002	0.07	0.18	7.6	<1	1.0	144.5	0.44	<0.05	10.10	0.181	0.37	3.2	62
16770		66.6	0.002	0.07	0.21	7.3	<1	1.0	139.5	0.45	<0.05	9.97	0.184	0.35	3.2	58
16771		65.3	<0.002	0.07	0.20	6.7	<1	0.7	137.5	0.41	<0.05	9.52	0.171	0.33	3.4	54
16772		66.1	<0.002	0.07	0.18	6.9	<1	0.7	139.0	0.42	<0.05	9.51	0.170	0.33	3.2	54
16773		64.1	<0.002	0.07	0.16	6.9	<1	0.7	125.0	0.39	<0.05	9.15	0.162	0.33	3.0	50
16774		59.5	<0.002	0.05	0.15	6.1	<1	0.7	110.5	0.39	<0.05	8.28	0.156	0.29	2.7	45
16775		1.9	<0.002	<0.01	0.08	0.2	1	<0.2	78.8	<0.05	<0.05	0.18	<0.005	0.02	0.2	1
16776		58.1	<0.002	0.04	0.15	7.7	<1	0.9	113.5	0.47	<0.05	9.81	0.204	0.30	2.9	71
16777		56.3	<0.002	0.05	0.13	6.5	<1	0.7	117.0	0.38	<0.05	7.68	0.158	0.29	2.4	57
16778		50.1	<0.002	0.04	0.12	5.1	1	0.4	75.6	0.33	<0.05	4.95	0.128	0.25	1.5	25
16779		51.5	<0.002	0.06	0.08	4.0	1	0.3	75.6	0.27	<0.05	3.93	0.105	0.24	1.2	23
16780		52.0	<0.002	0.06	0.09	4.1	<1	0.4	77.7	0.29	<0.05	4.13	0.110	0.26	1.3	23
16781		28.6	<0.002	2.13	88.5	4.2	35	5.6	458	0.57	41.7	7.35	0.215	1.54	2.4	33
16782		54.3	<0.002	0.07	0.22	4.9	1	0.5	96.6	0.31	0.08	5.64	0.127	0.27	1.9	40
16783		48.8	<0.002	0.06	0.12	5.0	1	0.4	81.2	0.29	<0.05	4.64	0.121	0.24	1.6	28
16784		63.9	<0.002	0.06	0.15	6.7	<1	0.8	130.0	0.41	<0.05	9.06	0.167	0.31	2.8	55
16785		65.7	<0.002	0.05	0.26	7.6	<1	1.0	128.5	0.45	<0.05	9.78	0.187	0.34	3.0	61
16786		58.1	<0.002	0.06	0.14	6.5	<1	0.6	104.5	0.36	<0.05	7.59	0.146	0.27	2.5	41
16787		50.3	<0.002	0.06	0.11	6.1	<1	0.5	91.4	0.32	<0.05	5.21	0.120	0.26	1.9	34
16788		56.5	<0.002	0.05	0.15	5.2	<1	0.5	97.6	0.30	<0.05	6.60	0.126	0.29	1.9	36
16789		59.3	<0.002	0.06	0.15	6.3	<1	0.7	121.5	0.37	<0.05	7.76	0.161	0.30	2.7	47
16790		67.6	<0.002	0.05	0.16	9.7	<1	1.2	158.0	0.43	<0.05	8.73	0.190	0.35	2.7	67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
16751		0.4	9.3	13	119.0		81.0	95.3
16752		0.7	14.4	24	159.5			94.5
16753		0.5	10.0	19	134.5			
16754		0.5	10.9	21	145.5			
16755		0.3	11.0	15	122.0			
16756		1.2	12.2	33	114.0			
16757		1.0	12.6	31	115.0			
16758		0.9	9.4	19	124.0		70.4	
16759		0.8	8.8	18	123.0			
16760		0.8	8.9	18	134.0			
16761		11.7	6.6	4150	90.2	118		
16762		0.6	8.3	16	121.5			
16763		0.4	8.7	14	131.0			
16764		0.3	9.9	18	133.0			
16765		0.3	9.5	15	132.5			
16766		0.3	8.8	17	136.0			
16767		0.3	8.8	14	133.0			
16768		0.3	9.4	13	133.0			
16769		0.4	8.9	19	140.5			
16770		0.4	8.8	17	144.0			
16771		0.3	7.8	16	140.5			
16772		0.3	8.3	17	132.0			
16773		0.3	9.5	16	132.5			
16774		0.3	9.0	13	123.0			
16775		<0.1	2.3	3	2.3			
16776		0.3	9.7	21	153.0			
16777		0.3	7.0	17	124.0			
16778		0.1	11.7	7	88.2			
16779		0.1	9.3	6	63.4			
16780		0.1	9.5	6	69.0			
16781		12.2	6.8	4130	90.9	113		
16782		0.3	6.4	15	103.0			
16783		0.2	8.0	9	86.4			
16784		0.4	8.0	18	129.0			
16785		0.4	7.9	20	155.0			
16786		0.3	6.9	12	119.5			
16787		0.3	8.0	9	86.1			
16788		0.3	7.0	9	103.0			
16789		0.4	7.5	16	125.5			
16790		0.5	8.6	23	116.5		78.4	97.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
16791		1.74	0.09	7.17	1.5	310	1.23	0.14	0.22	<0.02	42.2	9.2	61	0.98	2.5	2.38
16792		1.73	0.06	6.57	1.4	280	1.34	0.18	0.21	<0.02	26.7	8.6	54	0.84	1.7	1.83
16793		1.98	0.05	6.07	1.2	230	1.47	0.15	0.16	<0.02	11.85	6.9	50	0.70	4.4	1.13
16794		1.68	0.08	6.67	7.3	270	1.18	0.14	0.19	<0.02	19.95	18.9	58	0.80	10.6	1.77
16795		1.01	0.23	7.64	33.2	370	1.59	0.41	0.27	0.05	71.3	71.4	88	1.05	44.5	4.20
16796		1.90	0.08	7.46	3.8	340	1.34	0.21	0.28	0.07	66.8	17.0	76	1.23	22.8	3.04
16797		1.93	0.06	7.69	2.4	320	1.54	0.20	0.26	0.03	54.8	14.0	67	1.04	29.3	2.69
16798		1.87	0.10	6.85	1.3	290	1.49	0.28	0.22	0.02	45.8	10.5	63	0.92	139.0	1.94
16799		0.98	0.06	7.24	2.7	320	1.37	0.20	0.24	0.05	76.6	12.3	70	1.18	29.1	2.57
16800		0.87	0.05	7.30	2.3	320	1.36	0.20	0.24	0.05	72.7	11.7	70	1.13	21.0	2.62
16801		0.06	>100	4.44	694	220	0.82	58.7	0.64	24.8	30.6	9.4	31	2.59	5190	2.22
16802		1.98	0.13	6.42	3.7	270	1.01	0.18	0.18	0.05	30.7	8.1	51	0.92	19.9	1.29
16803		2.18	0.30	6.06	4.8	190	0.77	0.14	0.51	0.03	26.9	7.2	48	0.76	772	1.33
16804		2.17	0.44	6.46	12.8	250	1.01	0.24	0.18	0.03	22.3	19.9	58	0.85	1140	1.47
16805		1.95	0.20	7.03	5.5	300	1.12	0.22	0.23	0.04	54.1	18.0	65	1.05	806	2.51
16806		2.32	0.19	7.13	2.2	320	2.72	0.20	0.25	<0.02	74.3	15.2	67	1.09	619	2.63
16807		1.75	0.16	7.38	3.3	320	1.46	0.18	0.25	0.02	80.9	13.9	65	1.12	535	2.57
16808		1.50	0.11	6.93	1.3	300	1.11	0.17	0.22	<0.02	44.7	12.8	64	0.99	148.5	1.98
16809		1.70	0.23	6.72	2.9	250	1.18	0.16	0.30	0.06	16.40	9.2	56	0.79	330	1.67
16810		1.74	0.48	5.99	3.6	170	1.19	0.16	0.33	<0.02	20.7	6.6	45	0.61	1020	0.93
16811		1.75	0.44	6.39	7.4	230	2.22	0.26	0.18	0.02	22.7	11.8	54	0.75	993	1.66
16812		1.61	0.61	6.28	3.7	200	1.03	0.19	0.27	<0.02	24.3	7.4	46	0.73	1365	1.17
16813		1.94	0.15	7.10	4.3	310	1.25	0.19	0.24	0.04	55.6	14.4	66	1.05	234	2.75
16814		2.24	0.19	7.11	1.1	320	1.44	0.16	0.24	0.02	51.1	12.8	70	1.01	490	2.62
16815		1.88	0.10	7.42	2.7	350	1.39	0.15	0.28	0.05	76.1	16.6	77	1.22	166.0	3.18
16816		1.97	0.20	7.28	2.8	350	1.42	0.23	0.28	0.03	58.8	19.2	72	1.18	524	3.14
16817		1.88	0.16	6.95	2.1	340	1.44	0.26	0.26	0.02	57.7	19.0	73	1.09	467	2.79
16818		1.55	0.10	7.18	4.5	350	1.23	0.25	0.26	0.04	53.1	17.7	63	1.12	161.5	2.49
16819		1.04	0.08	6.77	2.5	330	1.15	0.29	0.22	0.02	55.4	20.3	62	1.06	7.7	2.14
16820		0.89	0.09	6.79	2.6	330	1.08	0.31	0.22	0.02	58.8	20.8	62	1.08	6.3	2.18
16821		0.06	>100	4.41	695	220	0.82	61.2	0.64	25.5	30.9	10.3	30	2.65	5170	2.21
16822		1.83	0.21	6.48	2.5	290	1.01	0.27	0.24	0.07	39.2	13.1	50	0.90	21.9	1.35
16823		1.94	0.10	6.11	1.7	220	0.93	0.20	1.50	0.03	33.4	12.0	45	0.85	41.3	1.14
16824		1.90	0.22	6.09	4.8	230	0.69	0.57	1.10	0.10	60.4	37.9	66	0.85	87.1	1.86
16825		0.44	<0.01	0.06	0.2	10	<0.05	0.02	32.7	<0.02	0.75	0.6	3	<0.05	0.9	0.10
16826		1.90	0.13	6.00	2.3	250	0.73	0.33	0.93	0.06	44.0	18.4	51	0.90	55.0	1.45
16827		1.99	0.13	6.04	2.5	240	0.84	0.30	0.73	0.02	38.1	16.9	47	0.84	82.5	1.40
16828		1.93	0.11	6.18	3.7	250	1.27	0.29	0.55	0.02	32.5	16.5	50	0.83	44.1	1.67
16829		2.12	0.09	6.14	6.7	250	1.13	0.30	0.80	<0.02	37.9	18.0	46	0.84	17.9	1.76
16830		2.14	0.08	6.12	16.7	250	1.29	0.31	1.16	<0.02	27.6	24.6	48	0.96	7.1	2.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
16791		16.00	0.07	2.5	0.014	1.59	18.8	18.0	1.27	194	1.35	3.95	4.4	27.4	560	6.9
16792		14.10	0.06	2.4	0.008	1.58	12.2	11.5	0.98	160	1.24	3.82	4.0	23.0	570	6.1
16793		10.90	0.05	2.1	0.006	1.43	5.5	6.9	0.57	103	1.58	4.02	3.5	14.7	490	9.3
16794		13.45	0.06	2.2	0.010	1.54	9.4	11.5	0.92	152	1.14	3.91	4.1	34.8	540	8.4
16795		25.8	0.11	6.1	0.028	1.81	29.4	35.7	2.38	345	1.18	3.50	7.6	127.5	730	23.9
16796		19.90	0.12	3.5	0.020	1.77	32.1	21.8	1.66	245	1.81	3.69	5.0	40.5	620	16.8
16797		18.70	0.14	3.5	0.018	1.73	26.2	18.2	1.48	215	1.27	4.19	5.3	34.2	670	9.1
16798		14.15	0.11	3.4	0.017	1.61	21.6	11.2	1.00	160	4.76	3.94	4.2	22.7	560	7.9
16799		19.80	0.14	3.5	0.016	1.77	36.7	18.3	1.42	208	2.22	3.88	5.0	33.6	590	8.0
16800		18.45	0.14	3.4	0.018	1.76	34.3	18.2	1.42	212	2.06	3.81	5.0	33.2	590	7.7
16801		20.9	0.17	2.6	5.28	0.68	15.0	20.4	0.19	230	4.54	0.45	8.3	57.0	590	1040
16802		12.35	0.10	2.5	0.010	1.66	14.9	8.1	0.65	113	1.41	4.04	3.4	16.6	440	9.4
16803		11.15	0.10	1.8	0.031	1.33	13.6	8.0	0.61	161	1.56	3.83	2.8	15.2	310	7.1
16804		12.75	0.10	3.5	0.039	1.59	11.0	8.3	0.68	115	1.60	4.13	4.0	18.8	490	16.3
16805		18.70	0.14	4.0	0.032	1.67	25.8	16.5	1.29	191	1.32	3.88	4.9	30.7	560	11.7
16806		18.05	0.15	3.5	0.032	1.71	35.7	16.7	1.41	204	1.35	3.77	4.9	31.4	610	9.9
16807		18.85	0.17	3.7	0.030	1.74	39.1	16.0	1.37	205	1.09	3.93	5.3	30.8	630	8.5
16808		15.05	0.11	3.7	0.015	1.72	21.8	11.9	1.06	162	1.28	4.00	4.6	23.6	590	10.6
16809		13.60	0.12	2.9	0.021	1.55	7.4	9.4	0.86	148	1.08	4.16	4.6	20.8	600	9.2
16810		9.40	0.10	2.3	0.036	1.27	9.8	4.7	0.39	89	1.19	4.08	3.3	10.4	420	19.1
16811		13.20	0.11	3.4	0.040	1.49	10.3	9.6	0.81	132	1.08	4.08	4.2	20.5	560	17.6
16812		10.75	0.10	2.5	0.046	1.43	11.5	6.2	0.51	100	1.46	4.15	3.5	13.0	410	28.6
16813		17.95	0.13	3.3	0.023	1.74	26.4	19.0	1.50	223	1.22	3.63	5.0	32.1	580	11.6
16814		15.95	0.14	3.4	0.027	1.73	23.9	16.7	1.43	202	1.34	3.64	4.6	27.9	580	10.0
16815		19.90	0.17	3.8	0.026	1.77	35.6	23.1	1.76	255	1.22	3.59	5.5	37.4	620	9.0
16816		19.50	0.15	4.6	0.034	1.80	27.5	22.4	1.71	236	1.31	3.60	5.7	36.5	640	11.3
16817		17.05	0.16	4.9	0.026	1.79	27.3	18.4	1.49	219	1.42	3.48	5.5	31.6	610	9.2
16818		15.70	0.13	4.2	0.019	1.93	24.9	15.5	1.34	201	1.07	3.68	4.6	27.7	610	11.0
16819		14.85	0.13	4.0	0.013	1.86	26.5	13.3	1.12	176	1.51	3.61	4.7	24.8	560	10.7
16820		15.25	0.15	4.4	0.013	1.88	27.7	14.0	1.17	176	1.32	3.60	4.7	26.0	580	10.3
16821		21.7	0.16	2.7	5.62	0.68	15.3	21.0	0.19	231	4.62	0.45	8.3	59.3	580	1050
16822		11.40	0.12	2.3	0.017	1.87	18.9	7.4	0.68	124	1.25	3.82	3.4	15.9	420	11.0
16823		10.55	0.12	2.0	0.019	1.57	16.0	6.2	0.56	238	1.38	3.70	3.2	13.8	330	18.1
16824		12.25	0.15	3.5	0.020	1.54	27.6	8.3	0.86	226	1.08	3.44	6.8	22.7	450	42.5
16825		0.23	0.13	<0.1	<0.005	0.01	0.9	1.1	0.87	90	0.17	0.03	0.1	0.2	50	<0.5
16826		11.65	0.18	2.7	0.018	1.70	20.4	7.5	0.76	195	1.14	3.41	4.3	18.0	370	24.0
16827		11.45	0.18	2.3	0.018	1.55	17.4	6.8	0.73	178	1.23	3.55	3.8	17.1	380	19.5
16828		12.55	0.16	2.7	0.016	1.59	14.8	8.0	0.90	175	1.15	3.53	4.1	20.2	450	13.5
16829		12.20	0.17	2.4	0.014	1.55	17.1	7.6	0.94	200	1.42	3.40	3.6	19.4	390	14.7
16830		14.10	0.13	2.4	0.020	1.54	13.0	9.6	1.19	288	1.35	3.17	3.3	25.7	360	11.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
16791		61.5	<0.002	0.04	0.13	7.5	<1	1.0	131.5	0.38	<0.05	6.56	0.167	0.29	2.2	50
16792		59.3	<0.002	0.04	0.10	6.1	<1	0.5	123.0	0.35	<0.05	5.50	0.152	0.29	2.7	43
16793		52.1	<0.002	0.04	0.10	4.2	<1	0.5	91.7	0.29	<0.05	4.78	0.131	0.25	2.1	26
16794		57.8	<0.002	0.03	0.14	5.9	<1	0.7	109.0	0.35	<0.05	5.78	0.157	0.29	2.2	39
16795		47.1	0.002	0.05	0.53	12.7	<1	1.4	143.0	0.67	<0.05	11.20	0.261	0.37	3.9	89
16796		65.5	<0.002	0.08	0.43	9.0	<1	1.0	160.5	0.48	<0.05	9.17	0.201	0.38	5.1	65
16797		62.4	<0.002	0.06	0.19	8.0	1	0.9	140.5	0.49	<0.05	9.44	0.199	0.34	4.8	62
16798		57.7	0.014	0.09	0.19	5.9	<1	0.6	124.0	0.41	<0.05	8.21	0.173	0.33	3.6	46
16799		66.8	0.006	0.08	0.21	7.9	<1	0.9	147.5	0.47	<0.05	9.27	0.188	0.37	3.7	64
16800		63.9	0.006	0.07	0.21	7.9	<1	1.0	145.5	0.49	<0.05	9.09	0.192	0.36	3.5	64
16801		27.4	<0.002	2.15	86.2	4.0	35	5.6	470	0.59	40.3	6.44	0.223	1.65	2.3	34
16802		61.0	<0.002	0.06	0.16	4.2	<1	0.5	109.5	0.32	<0.05	5.78	0.131	0.34	2.6	34
16803		46.8	<0.002	0.14	0.13	5.4	1	0.6	89.2	0.27	<0.05	4.58	0.109	0.27	1.7	31
16804		56.4	<0.002	0.22	0.19	4.2	1	0.8	103.0	0.38	<0.05	8.05	0.148	0.32	3.1	34
16805		61.1	<0.002	0.19	0.14	6.7	<1	0.7	138.0	0.45	<0.05	9.68	0.178	0.36	3.2	58
16806		64.0	<0.002	0.13	0.14	7.6	<1	0.9	146.5	0.45	<0.05	8.77	0.191	0.35	3.1	59
16807		65.6	<0.002	0.11	0.16	7.9	1	1.0	146.5	0.48	<0.05	9.52	0.193	0.36	3.4	60
16808		63.6	<0.002	0.09	0.18	6.4	<1	0.9	139.5	0.44	<0.05	8.76	0.180	0.35	3.5	49
16809		55.7	<0.002	0.07	0.23	5.5	<1	0.7	103.0	0.39	<0.05	6.26	0.170	0.31	2.8	40
16810		44.4	<0.002	0.16	0.16	4.5	<1	0.9	71.5	0.31	<0.05	4.43	0.127	0.24	2.0	20
16811		56.0	<0.002	0.18	0.19	4.9	1	0.7	95.6	0.39	<0.05	7.44	0.155	0.32	2.6	39
16812		51.7	<0.002	0.20	0.15	4.9	1	0.9	85.1	0.32	<0.05	4.57	0.124	0.28	1.9	25
16813		64.4	<0.002	0.08	0.14	7.9	<1	0.8	141.5	0.46	<0.05	8.62	0.193	0.36	2.9	61
16814		61.3	<0.002	0.11	0.16	7.4	<1	0.8	138.5	0.42	<0.05	8.54	0.180	0.35	3.1	57
16815		68.1	<0.002	0.07	0.17	9.5	<1	1.2	154.0	0.51	<0.05	9.73	0.212	0.37	3.9	66
16816		65.2	<0.002	0.13	0.17	8.8	<1	1.1	156.5	0.53	<0.05	10.95	0.208	0.36	4.0	62
16817		65.7	<0.002	0.14	0.16	7.6	1	1.0	143.5	0.53	<0.05	10.70	0.205	0.36	4.3	56
16818		67.3	<0.002	0.10	0.15	6.7	<1	0.8	147.0	0.46	<0.05	9.85	0.181	0.38	4.0	53
16819		67.8	<0.002	0.11	0.13	5.9	<1	0.7	130.5	0.45	<0.05	9.55	0.174	0.38	3.6	48
16820		68.0	<0.002	0.12	0.14	6.1	<1	0.7	130.5	0.45	<0.05	9.89	0.177	0.39	3.8	50
16821		27.3	<0.002	2.14	87.0	4.1	37	5.8	464	0.61	41.3	7.16	0.220	1.75	2.5	34
16822		65.0	<0.002	0.08	0.25	3.7	<1	0.5	103.5	0.34	0.07	5.31	0.129	0.37	2.2	33
16823		56.4	<0.002	0.09	0.15	5.1	<1	0.4	95.1	0.32	<0.05	4.66	0.120	0.30	1.7	30
16824		55.9	<0.002	0.35	0.26	6.0	<1	0.5	97.6	0.75	<0.05	9.42	0.216	0.33	3.0	47
16825		0.2	<0.002	<0.01	<0.05	0.1	1	<0.2	85.0	<0.05	<0.05	0.07	<0.005	<0.02	0.2	1
16826		61.2	<0.002	0.14	0.24	4.6	<1	0.5	102.0	0.45	<0.05	6.56	0.156	0.34	2.3	37
16827		56.0	<0.002	0.11	0.18	4.2	1	0.4	95.5	0.40	<0.05	5.32	0.139	0.32	2.0	32
16828		57.4	<0.002	0.09	0.29	4.3	<1	0.5	95.8	0.39	<0.05	6.07	0.150	0.34	2.3	35
16829		55.7	<0.002	0.10	0.21	4.2	<1	0.4	93.8	0.37	<0.05	5.03	0.134	0.32	1.9	34
16830		59.4	<0.002	0.10	0.18	5.4	<1	0.4	107.5	0.32	<0.05	5.49	0.119	0.32	2.3	36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
16791		0.5	8.6	18	99.7			
16792		0.3	9.6	13	94.3			
16793		0.3	10.0	8	83.0			
16794		0.4	8.3	12	87.9			
16795		0.6	12.0	34	230			
16796		0.5	8.6	33	129.0			
16797		0.5	8.0	26	131.0			
16798		0.4	8.1	17	127.5			
16799		0.5	6.5	27	130.5			
16800		0.5	6.3	28	126.0			
16801		12.5	6.5	4200	90.2	122		
16802		0.4	5.1	17	93.5			
16803		0.3	5.3	14	63.8			
16804		0.4	7.1	14	131.5			
16805		0.5	4.9	20	147.0			
16806		0.4	12.9	20	132.0			
16807		0.4	6.2	24	135.5			
16808		0.4	5.6	16	136.0			
16809		0.4	7.9	19	110.0			
16810		0.2	8.7	7	85.1			
16811		0.4	14.4	13	129.5			
16812		0.2	7.6	10	92.1			
16813		0.4	6.8	25	125.0			
16814		0.4	7.9	23	126.0			
16815		0.6	8.5	29	135.5			
16816		0.6	10.0	25	169.5			
16817		0.6	9.1	23	176.0			
16818		0.5	7.6	22	159.0			
16819		0.5	6.0	18	151.0			
16820		0.5	6.1	19	160.0			
16821		13.1	6.5	4190	91.0	121		
16822		0.5	6.1	22	86.4			
16823		0.4	9.6	13	73.2			
16824		0.5	17.5	19	130.0			
16825		<0.1	1.7	2	1.3			
16826		0.5	12.3	17	97.3			95.1
16827		0.4	10.5	13	84.3			96.3
16828		0.4	12.9	14	102.5			
16829		0.3	11.7	13	87.1			
16830		0.5	8.9	16	91.6		75.6	93.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
16831		2.14	0.06	6.83	9.5	300	1.62	0.35	0.40	<0.02	56.1	22.8	82	1.31	15.4	3.76
16832		2.27	0.53	7.24	24.6	100	3.30	0.52	1.61	0.05	26.4	44.0	83	2.17	888	7.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
16831		18.05	0.15	2.9	0.030	1.55	26.9	22.9	2.30	345	1.41	2.85	4.3	52.9	500	13.0
16832		20.3	0.08	2.7	0.141	0.60	12.2	53.1	4.82	865	0.66	2.70	5.1	77.2	570	15.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
16831		60.6	<0.002	0.09	0.22	7.9	<1	0.7	139.0	0.40	<0.05	6.39	0.204	0.34	2.1	62
16832		14.1	0.003	0.17	0.63	30.2	1	0.9	79.5	0.35	<0.05	1.81	0.684	0.14	0.8	278

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
16831		0.9	7.8	32	106.5			
16832		0.7	23.7	65	106.5			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 1-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091136

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	ME-MS61	ME-OG62