ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **BATTERY MINERAL RESOURCES LTD.**
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
This copy reported on
10-MAY-2019
Account: BMRPLLBW

CERTIFICATE SD19091132

Project: Gowganda

This report is for 47 Drill Core samples submitted to our lab in Sudbury, ON, Canada on 16-APR-2019.

The following have access to data associated with this certificate:

PETER DOYLE IAN PRINGLE	MIKE HENDRICKSON	FRANK PLOEGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Co-OG62	Ore Grade Co - Four Acid	
Cu-OG62	Ore Grade Cu - Four Acid	
Ni-OG62	Ore Grade Ni - Four Acid	
As-OG62	Ore Grade As - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:
Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
16956		1.45	0.06	7.10	7.1	330	1.49	0.21	0.26	0.02	60.9	25.7	77	1.51	2.1	3.13
16957		1.56	0.05	6.75	16.6	310	1.35	0.27	0.22	0.02	69.0	52.3	74	1.30	6.5	3.00
16958		1.23	0.05	6.29	24.0	220	1.14	0.28	0.32	0.02	46.1	28.5	66	0.92	4.9	1.49
16959		0.83	0.03	4.79	2.6	120	0.63	0.06	3.01	0.02	19.80	5.8	35	0.67	2.2	0.68
16960		0.57	0.03	4.45	1.7	120	0.64	0.07	2.86	0.02	17.90	5.8	33	0.65	2.5	0.64
16961		0.07	>100	3.98	1860	140	0.76	152.5	0.33	58.0	26.1	17.2	33	1.93	10000	2.81
16962		0.74	0.08	5.70	25.2	130	0.73	0.45	0.74	<0.02	30.7	132.0	38	0.63	18.4	0.77
16963		0.92	0.12	7.03	7.6	290	1.25	0.21	0.33	<0.02	69.0	31.8	73	1.19	3.9	2.59
16964		1.58	0.10	6.92	2.9	280	1.19	0.23	0.19	<0.02	53.8	12.9	63	1.08	2.9	1.94
16965		1.82	0.11	6.74	3.0	280	1.34	0.28	0.20	<0.02	49.2	14.7	61	1.11	4.0	1.84
16966		1.89	0.12	7.00	6.6	290	1.35	0.26	0.20	0.02	52.1	23.2	62	1.12	90.9	2.07
16967		1.82	0.09	7.21	17.6	310	1.29	0.24	0.21	0.02	55.6	36.7	70	1.21	63.9	2.69
16968		1.80	0.14	6.82	23.7	280	1.14	0.26	0.21	<0.02	49.8	31.0	62	1.08	185.0	1.91
16969		1.79	0.23	6.63	22.5	240	1.35	0.29	0.45	0.02	45.8	33.0	61	0.96	379	1.76
16970		1.78	0.59	6.66	4.9	240	1.38	0.29	0.25	0.03	43.0	17.7	61	0.98	1550	1.89
16971		1.54	0.20	6.23	53.3	220	1.09	0.22	0.76	0.04	36.6	35.9	54	0.83	362	1.25
16972		1.86	0.12	6.28	6.2	230	1.39	0.22	1.13	0.02	38.7	9.6	57	0.89	32.7	1.34
16973		2.03	0.08	6.91	11.6	350	1.52	0.24	0.25	<0.02	66.0	15.1	65	1.44	3.8	2.65
16974		2.28	0.11	7.17	25.9	340	1.44	0.36	0.26	0.02	63.3	30.8	77	1.38	5.9	2.59
16975		0.53	0.02	0.07	<0.2	10	0.07	0.01	33.1	0.02	1.90	0.7	2	<0.05	0.9	0.11
16976		2.32	0.07	7.05	18.0	360	1.40	0.30	0.29	0.06	66.5	18.1	77	1.48	2.5	3.26
16977		1.57	0.14	7.02	592	360	1.54	2.49	0.33	0.02	76.6	409	73	1.51	4.4	3.00
16978		1.15	0.15	7.11	2080	350	1.63	8.22	0.27	<0.02	75.4	1225	71	1.51	3.1	3.43
16979		0.43	0.41	6.17	>10000	300	1.57	538	0.25	<0.02	77.2	>10000	62	1.28	3.3	3.02
16980		0.53	0.03	0.09	78.3	10	0.09	0.82	31.1	<0.02	1.32	22.8	2	<0.05	1.8	0.12
16981		0.07	>100	5.22	1655	230	0.65	17.55	0.28	13.60	21.8	89.7	31	1.71	>10000	3.56
16982		0.85	0.12	7.08	2830	350	1.66	8.58	0.60	<0.02	77.1	1760	73	1.26	3.9	2.96
16983		1.28	0.63	7.23	793	340	1.61	15.20	1.61	0.03	85.4	490	70	1.28	8.9	3.41
16984		1.76	0.18	6.54	129.0	330	1.30	1.45	0.30	0.07	51.6	88.2	67	1.32	4.3	2.33
16985		2.17	0.11	6.74	28.2	330	1.24	0.45	0.26	0.05	46.3	25.8	112	1.33	4.5	2.33
16986		2.10	0.21	6.67	23.6	320	1.43	0.40	0.24	0.05	45.5	22.1	328	1.32	482	3.07
16987		2.29	0.14	6.71	33.7	340	1.38	0.34	0.25	0.07	55.4	30.5	70	1.32	12.0	2.44
16988		2.05	1.18	7.33	46.8	330	1.64	0.45	0.26	0.09	43.7	34.0	86	1.80	1330	4.28
16989		2.20	0.26	7.27	30.6	370	1.61	0.40	0.28	0.03	54.9	29.5	82	1.64	398	4.09
16990		2.22	0.45	6.39	11.8	310	1.67	0.21	0.73	0.04	34.8	16.9	57	1.28	526	2.29
16991		2.15	0.43	6.83	44.0	340	1.96	0.34	0.54	0.04	56.9	39.7	69	1.31	456	3.03
16992		1.37	1.09	7.95	22.0	70	2.07	0.19	0.53	0.03	18.85	29.8	80	1.93	1765	7.19
16993		1.31	0.23	6.78	12.9	310	1.71	0.32	0.36	<0.02	61.6	29.7	71	1.39	180.5	3.96
16994		1.64	0.23	6.85	13.4	190	1.86	0.30	1.94	0.06	48.5	32.1	293	1.55	305	5.12
16995		1.54	0.12	6.77	12.4	200	1.95	0.21	2.00	0.05	41.0	35.6	108	1.59	206	6.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
16956		22.4	0.15	3.6	0.020	1.75	28.4	23.7	1.70	261	1.49	3.46	5.4	54.4	580	11.0
16957		21.5	0.12	4.2	0.024	1.65	31.3	22.3	1.59	251	1.36	3.49	5.9	87.0	590	9.6
16958		13.95	0.12	4.6	0.012	1.41	21.7	9.7	0.71	155	1.56	3.85	4.6	42.7	500	10.3
16959		8.78	0.12	1.4	0.029	1.00	9.2	4.4	0.23	477	1.23	3.61	2.0	11.8	210	6.4
16960		8.76	0.13	1.3	0.030	0.99	8.2	4.2	0.22	455	1.22	3.52	2.1	11.7	200	6.3
16961		24.8	0.22	2.8	12.05	0.61	12.6	21.5	0.08	138	6.71	0.42	8.4	114.5	520	1995
16962		8.83	0.10	1.2	0.041	1.00	15.2	4.0	0.28	284	1.33	3.87	1.6	199.0	210	7.5
16963		19.90	0.12	4.3	0.017	1.71	32.6	18.3	1.35	244	1.31	3.78	5.2	60.2	580	12.3
16964		16.90	0.12	4.1	0.013	1.70	25.9	12.8	0.96	171	1.42	3.95	4.8	26.8	550	12.8
16965		16.05	0.12	3.7	0.013	1.70	23.2	12.4	0.93	162	1.27	3.91	4.4	26.2	540	13.3
16966		16.95	0.12	4.1	0.012	1.74	24.7	13.6	1.03	175	1.38	3.97	4.7	39.9	560	10.0
16967		19.75	0.12	4.5	0.019	1.76	25.8	21.2	1.42	227	1.24	3.80	5.3	89.9	580	10.5
16968		16.20	0.12	3.7	0.018	1.71	23.8	12.2	0.95	170	1.54	3.94	4.7	58.8	540	16.3
16969		15.35	0.11	3.6	0.023	1.55	21.2	10.4	0.87	181	1.40	3.89	4.3	58.3	530	16.1
16970		15.50	0.11	3.0	0.065	1.47	20.0	11.6	0.86	162	1.71	3.93	4.7	25.6	500	18.2
16971		12.65	0.09	3.2	0.033	1.41	17.3	7.4	0.61	185	1.60	3.99	3.9	108.5	480	16.1
16972		13.10	0.11	3.0	0.019	1.44	18.0	7.8	0.67	238	1.98	3.92	4.0	18.4	460	13.5
16973		20.4	0.13	3.5	0.014	1.88	30.8	18.8	1.46	224	1.66	3.46	5.4	35.8	560	10.0
16974		20.0	0.13	5.9	0.016	1.96	28.8	20.0	1.40	220	1.71	3.66	6.3	63.5	650	10.2
16975		0.29	0.09	<0.1	<0.005	0.01	1.6	1.6	1.21	88	0.08	0.03	0.1	<0.2	40	0.5
16976		22.2	0.16	4.3	0.026	1.84	28.7	23.9	1.79	286	1.94	3.50	6.3	45.5	620	11.9
16977		22.0	0.15	4.0	0.023	1.75	35.0	22.6	1.68	264	3.08	3.37	5.8	213	580	12.3
16978		23.4	0.15	4.1	0.033	1.71	34.0	28.3	1.94	299	6.07	3.27	6.3	750	600	9.6
16979		19.95	0.22	3.4	0.120	1.51	36.5	23.1	1.69	375	21.7	2.80	4.8	>10000	520	10.2
16980		0.29	<0.05	0.1	<0.005	0.01	1.3	1.6	1.70	86	0.17	0.04	0.1	32.2	60	<0.5
16981		32.2	0.29	2.8	4.11	0.98	9.4	21.3	0.04	87	5.21	0.55	7.4	1485	480	1360
16982		19.20	0.13	3.7	0.040	1.70	35.3	19.5	1.68	323	6.92	3.37	4.7	660	590	8.6
16983		20.1	0.17	3.8	0.099	1.66	39.6	21.6	2.02	882	66.6	3.34	5.2	281	610	17.7
16984		17.90	0.11	4.3	0.023	1.77	24.1	16.1	1.26	227	5.08	3.43	5.5	65.8	570	15.8
16985		19.85	0.10	5.0	0.014	1.85	21.3	14.9	1.28	221	1.75	3.52	5.8	80.4	580	13.6
16986		19.60	0.10	3.7	0.058	1.63	20.4	20.9	1.72	269	1.98	3.22	5.1	61.7	560	13.6
16987		18.45	0.12	3.9	0.013	1.74	26.4	15.7	1.30	223	1.59	3.44	5.8	59.9	570	14.4
16988		22.3	0.13	4.3	0.112	1.67	19.3	32.8	2.39	371	1.22	3.17	6.5	71.0	600	31.9
16989		22.3	0.15	4.0	0.049	1.74	24.6	32.9	2.28	363	1.20	3.14	6.9	64.9	610	37.2
16990		15.25	0.11	3.2	0.044	1.62	16.3	15.9	1.21	273	0.99	3.20	4.6	31.6	500	16.7
16991		18.80	0.16	3.5	0.050	1.74	26.1	22.1	1.71	320	3.07	3.38	5.1	93.0	610	16.9
16992		27.6	0.14	5.0	0.159	0.55	7.3	54.6	4.10	718	0.98	3.59	9.8	71.2	1050	10.0
16993		20.1	0.17	4.1	0.039	1.53	28.2	27.8	2.41	415	1.18	3.04	5.5	44.8	560	19.9
16994		19.45	0.17	3.4	0.082	0.91	23.2	34.6	3.23	803	1.12	2.89	6.0	85.1	570	23.5
16995		18.50	0.14	2.9	0.080	0.89	19.1	32.3	3.43	855	1.41	2.40	5.3	68.9	600	19.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
16956		68.9	<0.002	0.05	0.25	10.5	<1	1.3	164.5	0.46	<0.05	9.21	0.184	0.40	3.6	68
16957		60.4	<0.002	0.06	0.25	9.8	<1	1.2	148.5	0.50	<0.05	9.30	0.195	0.38	3.7	69
16958		55.2	<0.002	0.07	0.26	6.2	<1	0.6	98.8	0.44	<0.05	10.90	0.151	0.31	4.2	37
16959		32.1	<0.002	0.03	0.07	6.8	<1	0.2	73.4	0.19	<0.05	2.84	0.070	0.22	1.3	16
16960		30.8	<0.002	0.03	0.10	6.2	<1	0.2	73.9	0.19	<0.05	2.62	0.069	0.23	1.2	16
16961		26.4	<0.002	3.67	217	4.7	63	12.9	461	0.57	62.3	5.46	0.196	4.55	2.9	31
16962		42.0	<0.002	<0.01	0.27	6.7	<1	0.2	75.5	0.16	<0.05	3.19	0.070	0.23	1.4	17
16963		67.0	<0.002	0.07	0.22	9.2	<1	0.8	130.5	0.43	<0.05	10.35	0.176	0.41	3.2	67
16964		65.9	<0.002	0.08	0.20	7.0	<1	0.7	121.5	0.42	<0.05	8.85	0.157	0.38	3.6	45
16965		65.9	<0.002	0.09	0.19	7.0	<1	0.7	118.0	0.39	<0.05	9.23	0.150	0.36	3.7	44
16966		66.3	<0.002	0.10	0.20	7.3	<1	0.6	123.5	0.42	<0.05	9.03	0.160	0.37	3.7	47
16967		69.3	<0.002	0.09	0.31	9.0	1	0.9	135.5	0.49	<0.05	10.00	0.178	0.39	3.8	62
16968		64.2	<0.002	0.10	0.30	7.1	<1	0.7	121.5	0.41	<0.05	8.80	0.155	0.39	3.5	45
16969		59.3	<0.002	0.11	0.27	7.1	<1	0.8	111.5	0.38	<0.05	8.68	0.148	0.33	3.4	40
16970		58.3	<0.002	0.24	0.24	7.3	<1	0.7	110.5	0.38	<0.05	7.39	0.155	0.32	3.0	40
16971		52.2	<0.002	0.08	0.41	6.5	<1	0.5	98.2	0.32	<0.05	7.21	0.133	0.30	2.9	32
16972		53.8	0.002	0.05	0.26	7.6	<1	0.5	109.5	0.37	<0.05	6.46	0.143	0.33	2.9	34
16973		71.1	<0.002	0.06	0.25	9.6	<1	1.1	166.5	0.45	<0.05	8.79	0.177	0.41	3.6	62
16974		69.6	<0.002	0.08	0.37	9.5	<1	1.1	160.5	0.58	<0.05	11.40	0.210	0.41	4.6	62
16975		0.3	<0.002	<0.01	<0.05	0.2	1	<0.2	83.1	<0.05	<0.05	0.09	<0.005	<0.02	0.2	1
16976		55.3	<0.002	0.06	0.28	9.6	<1	1.4	166.5	0.56	<0.05	8.69	0.219	0.43	4.3	69
16977		67.1	<0.002	0.09	0.75	9.2	<1	1.1	172.0	0.50	<0.05	9.49	0.198	0.39	4.2	62
16978		64.7	0.003	0.14	3.12	9.8	<1	1.2	173.0	0.56	<0.05	10.65	0.209	0.40	4.8	65
16979		59.0	0.008	1.51	93.6	9.1	1	0.9	150.5	0.40	<0.05	8.98	0.159	0.38	4.7	67
16980		0.5	<0.002	<0.01	0.16	0.2	1	<0.2	77.7	<0.05	<0.05	0.11	0.005	<0.02	0.2	1
16981		30.5	<0.002	8.13	293	5.1	77	2.8	332	0.52	35.0	4.48	0.171	15.85	2.9	38
16982		68.2	0.003	0.13	2.31	7.4	<1	0.9	179.0	0.45	<0.05	8.71	0.195	0.38	4.0	61
16983		64.5	0.033	0.09	1.49	10.5	1	1.0	179.0	0.50	<0.05	9.13	0.211	0.38	3.9	80
16984		66.5	0.003	0.09	0.46	8.2	<1	0.8	157.5	0.48	<0.05	9.72	0.180	0.41	4.2	53
16985		66.9	0.002	0.07	0.61	7.8	<1	0.8	156.0	0.54	<0.05	11.80	0.196	0.41	4.5	50
16986		59.4	<0.002	0.12	0.41	12.1	<1	0.8	153.5	0.42	<0.05	8.41	0.188	0.34	4.0	64
16987		67.4	<0.002	0.05	0.61	8.7	<1	0.8	166.0	0.48	<0.05	9.65	0.193	0.36	3.7	55
16988		53.9	<0.002	0.21	0.63	19.8	<1	1.2	145.5	0.55	<0.05	8.00	0.349	0.36	3.7	127
16989		57.3	<0.002	0.13	0.56	14.8	<1	1.5	154.0	0.57	<0.05	9.01	0.289	0.36	4.1	91
16990		62.7	<0.002	0.09	0.26	8.0	<1	0.7	149.5	0.40	<0.05	7.93	0.155	0.37	3.2	44
16991		65.7	0.004	0.07	0.70	9.3	<1	0.9	159.5	0.45	<0.05	8.56	0.205	0.38	2.7	70
16992		8.3	0.002	0.18	1.02	42.9	1	1.8	52.0	0.58	<0.05	2.45	1.170	0.11	1.7	490
16993		57.0	<0.002	0.10	0.33	9.9	<1	1.1	150.0	0.48	<0.05	9.83	0.198	0.32	3.5	72
16994		34.4	0.002	0.17	0.57	22.0	1	1.0	138.5	0.47	<0.05	4.65	0.442	0.22	1.9	150
16995		34.9	0.003	0.19	0.59	22.8	1	0.9	148.0	0.42	0.05	4.90	0.417	0.24	1.8	155

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	As-OG62 As % 0.001	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
16956		0.6	9.5	26	124.5						70.6	97.5
16957		0.5	9.2	23	144.0							98.9
16958		0.4	9.8	16	160.0							
16959		0.2	8.5	7	45.0							
16960		0.2	7.9	7	46.6							
16961		16.5	6.3	9030	88.9	283			0.970			
16962		0.2	8.2	8	45.1							
16963		0.5	8.4	22	149.5							
16964		0.3	8.3	16	141.0							
16965		0.4	8.1	17	128.0							
16966		0.3	8.5	18	139.5							
16967		0.4	9.9	23	152.5							
16968		0.3	8.1	16	129.0							
16969		0.3	10.2	16	124.0							
16970		0.3	9.3	17	106.5							
16971		0.3	9.9	14	106.5							
16972		0.3	12.2	15	101.0							
16973		0.5	8.7	23	124.5							
16974		0.6	10.5	22	197.5							
16975		0.1	2.3	4	1.7							
16976		0.7	9.0	31	143.5							
16977		0.7	10.3	25	140.5							
16978		0.8	11.3	28	143.0							
16979		0.5	13.1	24	118.0		6.16	1.755		2.23		
16980		<0.1	2.1	4	2.6							
16981		27.7	4.6	2070	91.1	981			5.00			
16982		0.6	11.6	23	134.0							
16983		0.6	15.8	30	141.5							
16984		0.6	9.9	28	146.5							
16985		0.5	9.7	23	169.0							
16986		0.5	7.7	35	127.0							
16987		0.5	9.1	29	135.5							
16988		0.9	12.3	44	142.0							
16989		0.9	11.6	38	131.0							
16990		0.4	10.6	26	106.5							
16991		0.5	12.7	33	116.0							
16992		1.8	27.2	65	179.0							
16993		0.5	11.3	41	141.0							
16994		0.9	18.5	64	117.5							
16995		0.8	17.9	70	98.5						76.1	95.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
16996		1.42	0.07	5.21	44.9	40	0.85	0.04	7.53	0.10	15.00	102.5	344	0.41	193.0	10.25
16997		1.92	0.04	5.03	7.3	40	0.49	0.02	8.13	0.06	13.95	61.9	343	0.14	160.0	9.79
16998		3.09	0.05	4.92	7.0	40	0.49	0.03	8.45	0.06	18.90	63.3	347	0.08	143.0	9.83
16999		3.17	0.03	4.92	5.7	50	0.56	0.03	8.24	0.06	16.85	64.0	355	0.16	157.0	10.05
17000		2.12	0.07	4.58	0.7	530	2.20	0.02	9.23	0.05	45.7	53.1	664	4.71	203	7.62
15751		2.18	0.05	5.13	1.1	410	2.40	0.02	9.23	0.06	49.9	51.2	669	4.06	146.0	8.06
15752		2.60	0.03	5.05	0.8	380	2.47	0.04	8.11	0.06	60.2	53.8	458	5.92	110.5	7.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
16996		15.90	0.13	1.2	0.077	0.09	5.5	21.0	5.86	1440	0.58	1.41	4.4	232	380	29.4
16997		14.45	0.11	1.1	0.066	0.09	4.9	10.5	5.39	1510	0.56	1.49	3.9	151.0	350	1.6
16998		14.70	0.12	1.2	0.067	0.08	7.4	14.5	5.40	1520	0.47	1.61	4.2	152.0	340	1.6
16999		14.70	0.10	1.1	0.069	0.10	6.7	14.9	5.61	1560	0.34	1.60	4.2	156.5	360	1.4
17000		12.25	0.14	2.3	0.057	1.75	19.4	19.1	8.52	1260	0.05	1.15	7.3	245	1310	3.7
15751		12.90	0.14	2.4	0.063	1.34	20.7	16.2	6.85	1310	0.08	1.98	8.0	165.5	1600	3.9
15752		14.05	0.16	1.8	0.044	1.20	25.9	30.9	8.31	1400	<0.05	1.22	8.8	294	1720	2.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
16996		2.1	<0.002	0.07	0.63	43.1	1	0.7	124.0	0.27	<0.05	0.44	0.683	0.05	0.2	254
16997		1.0	<0.002	0.09	0.21	38.2	1	0.7	146.0	0.24	<0.05	0.39	0.634	0.03	0.1	238
16998		0.7	<0.002	0.09	0.14	40.1	1	0.7	174.5	0.24	<0.05	0.46	0.645	0.02	0.1	240
16999		1.2	<0.002	0.12	0.15	39.9	1	0.7	161.5	0.25	<0.05	0.47	0.642	0.03	0.1	241
17000		78.4	<0.002	0.02	0.23	36.2	1	0.6	512	0.24	<0.05	0.65	0.469	0.90	0.1	171
15751		59.5	<0.002	0.02	0.33	36.5	1	0.7	697	0.32	<0.05	0.75	0.490	0.77	0.1	203
15752		59.2	<0.002	0.03	0.15	22.3	1	0.6	736	0.40	<0.05	0.91	0.403	0.77	0.1	184

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

Sample Description	Method / Analyte / Units / LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	As-OG62 As % 0.001	Co-OG62 Co % 0.0005	Cu-OG62 Cu % 0.001	Ni-OG62 Ni % 0.001	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
16996		0.4	21.2	118	30.8							
16997		0.3	20.8	108	30.8							
16998		0.3	21.5	112	46.2							
16999		0.3	20.8	114	35.8							
17000		0.1	12.4	90	70.8							
15751		0.1	14.1	96	77.8							
15752		0.1	14.6	99	69.0							

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: BATTERY MINERAL RESOURCES LTD.
THE PACIFIC BUILDING
SUITE 400, 744 WEST HASTINGS STREET
VANCOUVER BC V6C 1A5

Finalized Date: 2-MAY-2019
Account: BMRPLLBW

Project: Gowganda

CERTIFICATE OF ANALYSIS SD19091132

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

REE's may not be totally soluble in this method.

Applies to Method: ME-MS61

LABORATORY ADDRESSES

Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.

Applies to Method:

CRU-31	CRU-QC	LOG-22	LOG-24
PUL-31	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:

Ag-OG62	As-OG62	Co-OG62	Cu-OG62
ME-MS61	ME-OG62	Ni-OG62	