

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

Keyed To : Technical Standards for Reporting Assessment Work Under the Provisions of the Mining Act, R.S.O. 1990, July 5, 2018

2. BEDROCK TRENCHING, BEDROCK PITTING, OVERBURDEN STRIPPING AND RELATED MANUAL WORK

2.(i)

Vernon Marble Project
Claim 282581

Vernon Township
NTS - 41 I/05
81°45'11"W 46°29'23"N
0442195E 5148735N
NAD 83 Datum Zone 17t



prepared by: E. Marion
May 1st, 2022

Technical Standards for Reporting Assessment Work – version 2 – July 5, 2018

2. BEDROCK TRENCHING, BEDROCK PITTING, OVERBURDEN STRIPPING AND RELATED MANUAL WORK

A technical report in respect of bedrock trenching, bedrock pitting, overburden stripping and related manual work including outcrop mapping, outcrop washing and brushing and sampling associated with this work such as channel sampling and plugger sampling, shall:

- 2.(i) contain a title page, with the name of the technical report, the property name, the date of completion of the report, and clearly identifying the author(s);
- 2.(ii) give the names of the persons who performed the work;
- 2.(iii) identify the mining lands on which the work was performed, using the Township name, the cell number(s) on the Provincial Grid, as well as the claim numbers, lease numbers, Licences of Occupation numbers or Patent numbers, and identify the ownership of the land;
- 2.(iv) identify the means of access to the land from the nearest population centre;
- 2.(v) state the purpose for which the work was performed;
- 2.(vi) contain a key map showing the land worked in relation to identifiable topographic features and township boundaries or established grid lines, stations or markers;
- 2.(vii) provide a daily log describing in detail the nature and content of the work and the observations made during the performance of the work, the nature of rocks and mineralization exposed, as well as the type of equipment used, the dates and hours of use of the equipment, the dates and hours worked by the equipment operator and the hourly rates for equipment use and for the operator;
- 2.(viii) provide the number of any applicable exploration permit issued or exploration plan filed pursuant to O. Reg 308/12;
- 2.(ix) describe the dimensions of the work areas and the total area and volume of material stripped, and/or pitted, and/or trenched;
- 2.(x) summarize the number of samples collected, and the number of samples analysed;
- 2.(xi) provide a description and GPS location of all samples collected;
- 2.(xii) include all assays and analyses with their corresponding certificates;
- 2.(xiii) provide a legend of all symbols or abbreviations used in the technical report;
- 2.(xiv) include a map at a scale between 1:100 and 1:5,000 showing,
 - a. the location of trenches, pits, and stripped areas, in relation to the land disposition boundaries;
 - b. lakes, streams and other notable topographic features, and railways, roads, trails, power lines, pipelines and buildings;
 - c. Provincial Grid cell boundary lines, claim boundary lines, township boundary lines, base lines, established grid lines, if any, and grid stations;
 - d. the cell number(s) on the Provincial Grid, the mining claim, leases, patent or parcel numbers of all mining lands on which the bedrock trenching, bedrock pitting, overburden stripping and related manual work was performed;
 - e. a graphic or bar scale and the north direction;
- 2.(xv) include a detailed map of each of the trenches, pits, and/or stripped areas at a scale between 1:10 and 1:500,
 - a. showing the dimensions of the trenches, pits, or stripped areas and of overburden storage areas, and clearly identifying areas previously worked, if applicable, and new surface stripping, bedrock trenching and known rock outcrops;
 - b. showing the nature of the rocks and mineralization exposed during the performance of the work;
 - c. clearly identifying the location of each sample by number, letter or grid coordinate designation;
 - d. showing a graphic or bar scale and the north direction; and
 - e. showing a descriptive list of all symbols used; and
- 2.(xvi) include photographs of each of the trenched, pitted, and/or stripped areas, including a GPS receiver screen photograph with legible coordinates, and captioned with the trench, pit or stripped area identifier.

2.(ii) WORKERS

The work was performed by M. Weirmeir, V. Weirmeir and V. Cerelli, with Stephen Skjonsby of Lively Ontario providing blast hole services.

2. (iii) CLAIMS

Work was performed on mining claim 282581, being grid cell #41105K060 in Vernon Township, with the geographic center at about 0442195E 5148735N. The cell is registered 100% to 1154077 Ontario Ltd.


2.(iv) ACCESS

Heading west on Hwy #17 at Paris Street from Sudbury for approximately 42 kilometers, then north on Manninen Road for 2.6 kilometers to Coutu Road then north (left) for about 2.5 kilometers to Hwy #5. Turn east on Hwy #5 travelling about 800 meters then turn north (left) onto High Falls Road and travel 2.7 kilometers to Agnew Lake Mine Road. Turn North (right) and follow the main road for about 24 kilometers. At this point turn west (left) onto a log haulage road which will bring you onto the claim at about 1.5 kilometers. see map at section 2.(vi).

2.(v) PURPOSE

The work was performed to assess the mineral potential of the selected location by minor stripping, cleaning and breaking out a sample of the underlying bedrock.

2.(vi) KEY MAP



2.(vii) LOG/WORK PERFORMED

On August 15, 2021, light manual stripping and outcrop cleaning with shovel and bristle broom was performed to clear the target area. A total of 3 sixty five centimeter length by three centimeter diameter holes were drilled by a gas powered rock drill. These holes received the blasting agent which was used to break fresh sample. The rock exposed is mapped as undifferentiated Bruce formation on Map P2845 of the Precambrian Geology of Porter and Vernon Townships. At the site, the rock consists of a grey to buff somewhat silicified? wacke or siltstone with no discernable bedding or foliation in the samples. There is about 1% to 2% brassy/yellowish to silvery pyrites, as mostly very fine disseminations and odd specks to 1 millimeter throughout. Scratch does not react to 7% hydrochloric acid. Hardness about equal to knife blade.

2.(viii) REGULATORY REQUIREMENTS

Activities performed under Permit # PR-21-000090.

2.(ix) WORK AREA DETAIL

The three blast holes were spaced approximately twenty five centimeters apart roughly east west in alignment, along a gently south sloping section of the exposed bedrock so that a triangular section forming a "step" in the outcrop was formed. The total amount of rock broken was an east-west wedge shaped section approximately 1 meter wide being about 50 centimeters deep at the west and about 20 centimeters deep at the east side. As one moves from north to south the depth likewise decreases to nil along the slope of the outcrop. Total rock moved is about 0.08 cubic meters or about 6 cubic feet. Much of the fly rock was not retrieved. Approximately 2 kilograms were selected from the fresh surfaces in 3 samples.

2.(x)

3 samples, SR01, SR02 and SR03 were collected, and the 3 samples were submitted for analysis.

2.(xi)

All 3 samples were collected at gps location 0442135E 5148612N, NAD 83 datum, Zone 17t. All 3 samples were of a medium grey/buff somewhat silicified appearing, non magnetic, perhaps a wacke or siltstone, with no discernable bedding or foliation in the samples. There is about 1% to 2% brassy/yellowish to silvery pyrites as very fine disseminations and odd specks to 1 millimeter throughout.

2.(xii)	Ag ppm	Co ppm	Cu ppm	Cs ppm	Hg ppm	Li ppm	Pb ppm	Rb ppm	Zn ppm
SR01	0.81	11.9	63.5	5.17	1.11	10.1	120.5	122.5	186
SR02	4.09	27.2	99.5	5.01	2.53	10.7	745	116.5	454
SR03	1.35	24.4	111.0	5.49	44.9	12.2	118.0	138.0	8220

2.(xiii)


Symbols or abbreviations may used in the text are as follows:

- HCL - hydrochloric acid (usu. 7.5%)
- N A - on maps - north astronomical
- ppb - parts per billion
- ppm - parts per million
- Au - gold
- Ag - silver
- As -arsenic
- Co - cobalt
- Cu - copper
- Mo - molybdenum
- Ni - nickel
- Pb - lead
- Zn - zinc
- Twp - township
- qz - quartz


See individual illustration legends for their respective legend.

All UTM coordinates used herein refer to NAD83 datum and are in zone 17t.

2.(xiv) WORK LOCATION MAP



WORK LOCATION - LOCAL GEOLOGY



2.(xv) Detailed map of each of the trenches, pits, and/or stripped area



2.(xvi) Photograph of Work Area & GPS Screen





ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **WLMS LIMITED**
565 QUEEN ELIZABETH STREET
LIVELY ON P3Y 1N1

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 This copy reported on
 13-SEP-2021
 Account: SZF

CERTIFICATE SD21222188

This report is for 3 samples of Rock submitted to our lab in Sudbury, ON, Canada on 23-AUG-2021.
 The following have access to data associated with this certificate:
 MICHEAL WEIRMEIR

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
SR-01		0.15	0.81	1.34	4.3	<0.02	<10	160	0.51	0.22	0.12	0.66	18.20	11.9	50	5.17
SR-02		0.60	4.09	1.30	13.9	0.02	<10	120	0.63	1.22	0.11	1.57	63.2	27.2	41	5.01
SR-03		0.91	1.35	1.36	3.2	<0.02	<10	120	0.56	0.18	0.11	33.1	54.9	24.4	43	5.49



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

CERTIFICATE OF ANALYSIS SD21222188

		ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
Sample Description	Method Analyte Units LOD	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
SR-01		63.5	2.88	4.46	0.05	1.75	1.11	0.027	0.98	7.2	10.1	0.65	157	1.59	0.04	0.42
SR-02		99.5	3.31	4.34	0.10	1.77	2.53	0.046	1.00	29.4	10.7	0.57	131	1.76	0.03	0.47
SR-03		111.0	3.96	4.75	0.09	1.48	44.9	0.657	1.10	26.9	12.2	0.76	192	0.98	0.04	0.38

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

CERTIFICATE OF ANALYSIS SD21222188

		ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
Sample Description	Method Analyte Units LOD	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
SR-01		44.7	510	120.5	122.5	0.012	0.79	0.81	2.8	2.0	0.4	5.7	<0.01	0.21	20.7	0.131
SR-02		72.5	500	745	116.5	0.016	1.82	2.55	2.7	5.1	0.4	5.1	<0.01	1.31	21.3	0.119
SR-03		53.2	460	118.0	138.0	0.009	2.07	1.13	2.4	3.6	0.4	4.5	<0.01	0.26	13.8	0.143

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	CRU-QC Pass2mm % 0.01	PUL-QC Pass75um % 0.01
SR-01		0.82	5.16	29	0.22	10.20	186	66.4	75.7	95.5
SR-02		0.76	5.65	27	0.25	13.10	454	67.8		
SR-03		0.92	3.47	26	0.20	9.71	8220	54.1		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: WLMS LIMITED
565 QUEEN ELIZABETH STREET
LIVELY ON P3Y 1N1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-SEP-2021
Account: SZF

CERTIFICATE OF ANALYSIS SD21222188

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
CRU-31 CRU-QC LOG-22 PUL-31
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **WLMS LIMITED**
565 QUEEN ELIZABETH STREET
LIVELY ON P3Y 1N1

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 This copy reported on
 13-SEP-2021
 Account: SZF

QC CERTIFICATE SD21222188

This report is for 3 samples of Rock submitted to our lab in Sudbury, ON, Canada on 23-AUG-2021.
 The following have access to data associated with this certificate:
 MICHEAL WEIRMEIR

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **WLMS LIMITED**
565 QUEEN ELIZABETH STREET
LIVELY ON P3Y 1N1

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

QC CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.01	0.01	0.1	0.02	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
STANDARDS																
MRCeo08		4.10	2.71	31.1	<0.02	<10	440	0.75	0.62	1.10	2.12	69.2	18.3	92	10.85	623
Target Range	-Lower Bound	4.00	2.44	29.6	<0.02	<10	370	0.67	0.58	1.00	2.01	66.2	17.0	81	9.40	587
	Upper Bound	4.92	3.00	36.4	0.04	20	530	0.95	0.73	1.24	2.47	81.0	21.0	102	11.60	675
OREAS 905		0.47	0.88	31.2	0.36	<10	250	0.88	5.30	0.34	0.32	76.3	12.8	17	1.33	1550
Target Range	-Lower Bound	0.45	0.73	28.4	0.33	<10	200	0.78	4.97	0.29	0.30	69.7	12.4	15	1.05	1450
	Upper Bound	0.58	0.91	35.0	0.45	20	300	1.08	6.10	0.38	0.38	85.3	15.4	20	1.39	1670
BLANKS																
BLANK		<0.01	<0.01	<0.1	<0.02	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
Target Range	-Lower Bound	<0.01	<0.01	<0.1	<0.02	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2
	Upper Bound	0.02	0.02	0.2	0.04	20	20	0.10	0.02	0.02	0.02	0.04	0.2	2	0.10	0.4
DUPLICATES																
ORIGINAL		0.07	0.45	0.6	<0.02	<10	50	0.22	0.09	0.18	0.11	28.8	2.9	13	0.29	13.1
DUP		0.12	0.47	0.8	<0.02	<10	50	0.24	0.09	0.19	0.13	34.6	3.1	14	0.32	13.5
Target Range	-Lower Bound	0.08	0.43	0.6	<0.02	<10	40	0.17	0.08	0.17	0.10	30.1	2.8	12	0.24	12.6
	Upper Bound	0.11	0.49	0.8	0.04	20	60	0.29	0.10	0.20	0.14	33.3	3.3	15	0.37	14.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

QC CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
STANDARDS																
MRCeo08		3.62	9.29	0.14	0.65	0.07	0.146	1.27	34.4	31.4	1.17	422	13.35	0.36	0.83	702
Target Range	-Lower Bound	3.22	8.73	0.07	0.64	0.04	0.137	1.12	33.2	29.6	1.03	378	13.10	0.30	0.75	622
	Upper Bound	3.96	10.80	0.29	0.83	0.10	0.179	1.40	41.0	36.4	1.29	473	16.10	0.39	1.13	760
OREAS 905		3.50	6.24	0.09	1.15	0.01	0.567	0.34	38.0	5.0	0.15	354	2.72	0.10	0.32	8.3
Target Range	-Lower Bound	3.14	5.45	<0.05	1.02	<0.01	0.517	0.28	34.7	4.0	0.13	310	2.65	0.07	0.18	7.8
	Upper Bound	3.86	6.77	0.22	1.29	0.04	0.643	0.36	42.9	5.2	0.19	390	3.35	0.12	0.44	10.0
BLANKS																
BLANK		<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	0.01	<0.05	<0.2
Target Range	-Lower Bound	<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
	Upper Bound	0.02	0.10	0.10	0.04	0.02	0.010	0.02	0.4	0.2	0.02	10	0.10	0.02	0.10	0.4
DUPLICATES																
ORIGINAL		0.97	4.17	0.07	0.02	0.03	0.015	0.04	13.8	2.1	0.14	163	0.83	0.02	1.43	5.1
DUP		0.98	4.54	0.07	0.02	0.05	0.017	0.05	16.8	2.3	0.15	164	0.89	0.03	1.56	5.2
Target Range	-Lower Bound	0.92	4.09	<0.05	<0.02	0.03	0.010	0.03	14.3	2.0	0.13	150	0.77	<0.01	1.33	4.7
	Upper Bound	1.03	4.62	0.10	0.04	0.05	0.022	0.06	16.3	2.4	0.16	177	0.95	0.04	1.66	5.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

QC CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
		10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
STANDARDS																
MRCeo08		1000	1040	142.5	0.008	0.30	2.93	7.1	0.6	3.2	82.0	0.01	0.02	20.5	0.382	0.74
Target Range	-Lower Bound	900	959	132.0	0.006	0.27	2.80	6.7	0.6	2.8	72.1	<0.01	<0.01	19.1	0.338	0.64
	Upper Bound	1130	1175	162.0	0.010	0.35	3.90	8.4	1.5	4.0	88.5	0.03	0.04	23.7	0.424	0.92
OREAS 905		250	15.6	20.0	<0.001	0.06	0.96	1.7	2.2	1.2	12.8	<0.01	0.05	9.1	0.023	0.11
Target Range	-Lower Bound	200	14.4	16.3	<0.001	0.04	0.83	1.5	1.8	0.8	10.9	<0.01	0.04	7.4	0.008	0.05
	Upper Bound	260	18.0	20.1	0.002	0.09	1.23	2.0	2.8	1.7	13.7	0.03	0.09	9.4	0.030	0.15
BLANKS																
BLANK		<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
Target Range	-Lower Bound	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
	Upper Bound	20	0.4	0.2	0.002	0.02	0.10	0.2	0.4	0.4	0.4	0.02	0.02	0.4	0.010	0.04
DUPLICATES																
ORIGINAL		710	8.8	4.4	<0.001	0.02	<0.05	1.2	0.2	1.0	10.1	<0.01	0.01	0.6	0.094	0.04
DUP		740	9.4	4.8	0.001	0.02	0.05	1.3	<0.2	1.1	11.0	<0.01	0.01	0.9	0.096	0.04
Target Range	-Lower Bound	680	8.4	4.3	<0.001	<0.01	<0.05	1.1	<0.2	0.8	9.8	<0.01	<0.01	0.5	0.085	<0.02
	Upper Bound	770	9.8	4.9	0.002	0.03	0.10	1.4	0.4	1.3	11.3	0.02	0.02	1.0	0.105	0.06



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: WLMS LIMITED
 565 QUEEN ELIZABETH STREET
 LIVELY ON P3Y 1N1

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-SEP-2021
 Account: SZF

QC CERTIFICATE OF ANALYSIS SD21222188

Sample Description	Method Analyte Units LOD	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
STANDARDS							
MRCeo08		5.40	101	2.51	18.60	790	20.8
Target Range	-Lower Bound	4.93	90	2.44	17.50	708	18.1
	Upper Bound	6.13	112	3.42	21.5	870	25.7
OREAS 905		2.31	6	0.54	6.80	67	44.4
Target Range	-Lower Bound	1.92	4	0.41	6.32	56	39.9
	Upper Bound	2.46	8	0.73	7.84	72	55.1
BLANKS							
BLANK		<0.05	<1	<0.05	<0.05	<2	<0.5
Target Range	-Lower Bound	<0.05	<1	<0.05	<0.05	<2	<0.5
	Upper Bound	0.10	2	0.10	0.10	4	1.0
DUPLICATES							
ORIGINAL		0.48	23	0.07	5.04	25	0.6
DUP		0.53	23	0.13	5.45	27	0.7
Target Range	-Lower Bound	0.43	21	<0.05	4.93	23	<0.5
	Upper Bound	0.58	25	0.16	5.56	29	1.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: WLMS LIMITED
565 QUEEN ELIZABETH STREET
LIVELY ON P3Y 1N1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-SEP-2021
Account: SZF

QC CERTIFICATE OF ANALYSIS SD21222188

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Sudbury located at 1351-B Kelly Lake Road, Unit #1, Sudbury, ON, Canada.
CRU-31 CRU-QC LOG-22 PUL-31
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41