

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

BOLD VENTURES INC.

2021 DIAMOND DRILLING REPORT TRAXXIN GOLD PROJECT BEDIVERE AND EDWARDS LAKE AREAS ATIKOKAN AREA

THUNDER BAY MINING DIVISION NORTHWESTERN ONTARIO, CANADA NTS 52B/15D, 15E, 15F

Work completed by
Forage M3 Drilling Services Inc.
from
January 9 to 26, 2021
For
Bold Ventures Inc.
22 Adelaide Street West, Suite 3600
Toronto, Ontario M5H 4E3



Gerald D. White, BSc., P.Geo.

December 12, 2022

TABLE OF CONTENTS

- i. Title Page
- ii. Table of Contents
- iii. List of Abbreviations

1. INTRODUCTION	1
2. LOCATION AND ACCESS	1
3. CLIMATE AND PHYSIOGRAPHY	2
4. LOCAL INFRASTRUCTURE	2
5. PROPERTY DESCRIPTION.....	3
6. GEOLOGICAL SETTING AND MINERALIZATION	5
7. EXPLORATION HISTORY	7
8. CURRENT WORK	9
9. RESULTS AND CONCLUSION.....	12
10. RECOMMENDATIONS	15
11. REFERENCES.....	16
12. STATEMENT OF QUALIFICATIONS	18
13. APPENDIX I, EXPLORATION PERMIT AND PERMIT COVERAGE AREA	
13. APPENDIX II, DIAMOND DRILL LOGS AND ASSAY RESULTS	
14. APPENDIX III, ASSAY CERTIFICATES	
15. APPENDIX IV, DRILL HOLE CROSS SECTIONS	
16. APPENDIX V, STATEMENT OF EXPENDITURES	

LIST OF FIGURES

- 1. Traxxin Gold Project, Location Map
- 2. Traxxin Gold Project, Detailed Claim Map
- 3. Traxxin Gold Project, Regional Geology
- 4. Traxxin Gold Project, Detailed Bedrock Geology
- 5. Traxxin Gold Project, Geology and Historical Exploration
- 6. Traxxin Gold Project, 2021 Diamond Drill Hole Locations
- 7. Longitudinal Section, Traxxin Main Zone Drill Hole Locations

LIST OF TABLES

- 1. Bold Ventures Inc., 2021 Diamond Drill Holes Locations
- 2. Assay Results, Traxxin 2021 Diamond Drilling Program, Bold Ventures Inc.

LIST OF ABBREVIATIONS

AEM	Airborne Electromagnetic Anomalies
Ag	Silver
Au	Gold
BIF	Banded Iron Formation
ch	Channel (geophysical term)
cm	Centimeter
°C	Centigrade
Cu	Copper
DDH	Diamond Drill Hole
EM	Electromagnetic (geophysical survey)
GIS	Geographic Information System
GPS	Global Positioning System
GSC	Geological Survey of Canada
g/t	Grams per tonne (Metric ton, 1,000 kg)
ha	Hectare
ILDZ	Iron Lake Deformation Zone
IP	Induced Polarization
Kg	Kilogram
Km	Kilometer
KV	Kilovolt (electricity grid)
m	Meter
MAG	Magnetometer (geophysical survey)
MDI	Mineral Deposit Inventory
MENDM	Ministry of Energy, Northern Development and Mines
Mlbs	Million pounds
mm	Millimeter
MMI	Mobile Metal Ions (geochemical analysis term)
MNDM	Ministry of Northern Development and Mines
Moz	Million ounces
NAD-83	North American Datum 1983
NI	National Instrument
nT	Units of Measure (geophysical surveys)
NTS	National Topographic System
OGS	Ontario Geological Survey
Ounce	Troy ounce (used for precious metals) = 31.103 grams
oz	Ounces
Pd	Palladium
PGE	Platinum Group Elements
ppb	Parts Per Billion
ppm	Parts Per Million
QAQC	Quality Assurance Quality Control
TAU	Calculated Time Constant (geophysical survey term)
TDEM	Time-Domain Electromagnetic (airborne geophysical survey)
UTM	Universal Transverse Mercator (map projection)
VMS	Volcanogenic Massive Sulphide
VTEM	Versatile Time Domain Electromagnetic (airborne geophysical survey)
WAT	Wawa-Abitibi Terrane

1.0 INTRODUCTION

In January 2021, Bold Ventures Inc. contracted Forage M3 Drilling Services Inc. of Dubreuilville, Ontario, to complete a 4-hole, 745 m diamond drilling program on the Main Zone of the Traxxin Gold Property west of Thunder Bay, Ontario. This road-accessible property is located 53 km east of the community of Atikokan within the Thunder Bay Mining Division in Northwestern Ontario (Figure 1). The diamond drilling work was conducted from January 9 to January 26, 2021.




Figure 1. Bold Ventures Inc. Traxxin Gold Project, Location Map

2.0 LOCATION AND ACCESS

The Traxxin Gold Project consists of 154 contiguous unpatented mining Cell and Boundary claims along a northeast trend in the western Bedivere Lake area (centered on UTM Zone 15, 654437E, 5412621N) (Figure 2). Operator Bold Ventures Inc. holds the property under a joint venture agreement with the Lac des Mille Lacs First Nation. The Trans-Canada Highway 11 connects Atikokan with the City of Thunder Bay to the east and the towns of Fort Frances and Rainy River to the west. The property is accessible via the all-weather Brule Creek Road north from Trans-

Canada Highway 11, approximately 128 km west of Thunder Bay. The east-central portion of the Traxxin claim group can be accessed from new logging roads at km 22 and the termination of the Brule Creek Road south of Bedivere Lake.

3.0 CLIMATE AND PYSIOGRAPHY

The climate is typical of northern Ontario, with cold winters and warm summers. The average recorded temperature in the Atikokan area over the last 30 years varies from a low of -21°C in January to a high of 25°C in July. The average precipitation over the 30 years on record ranges from a low of 13 mm in March to a high of 91 mm in June.

<https://weatherspark.com/y/14897/Average-Weather-at-Wawa-Airport-Canada-Year-Round>

The terrain is typical of glaciated Precambrian shield, with smooth to locally rugged hills separated by ice-gouged depressions along fault zones and areas of softer lithology. Lower-lying areas are occupied by lakes, swamps, or peat- bogs. The topographic relief in the area surrounding the Traxxin Gold Property varies from 460 m to 500 m above sea-level. The higher ground tends to have abundant outcrops separated by areas of thin glacial till. The lower ground tends to be covered in thicker till often with a surface layer of organic overburden.

Primary forest is a typical boreal forest dominated by white spruce, black spruce, jack pine, balsam fir, aspen (poplar), birch, eastern white cedar, and tamarack. Tag alders and willows tend to grow thickly along creeks and in swamps. White and red pine, although common in the region, are not observed on the property. Reforested areas are dominated by jack pine. With the fastest growth-rate of the local conifers, jack pine is favored for replanting where future timber harvest is anticipated.

4.0 LOCAL INFRASTRUCTURE

There is a skilled workforce in the neighboring towns of Atikokan, Fort Frances and Thunder Bay. The two largest nearby centers are Atikokan with a population of 2600 and Thunder Bay with a population of approximately 109,000 (2016, 2021 Census, Statistics Canada).

Key infrastructure includes the existing east-west 230 KV transmission line and Canadian National Railway southern line along Highway 11. Currently under development, the Waasigan Transmission Line project (announced in 2019), is also

projected to run along Highway 11 to Atikokan and north to the Dryden area and other northern communities. This will provide more secure access to electricity and bring an additional 350 megawatts of power to the region for future economic development.

Support services including accommodations, supplies, equipment rentals and operators are available in the nearby communities of Atikokan, Fort Frances, and in the City of Thunder Bay located approximately 130 km east of the Traxxin Gold Property along Trans-Canada Highway 11-17.

5.0 PROPERTY DESCRIPTION

The Traxxin Gold Property consists of 154 unpatented contiguous mining claims recorded in good standing in the Thunder Bay Mining Division within the Bedivere and Edwards Lake Areas (claim list provided below) (Figure 2).

Claim Numbers:

103990, 103992, 105024, 110300, 111096, 120238, 121932, 122174, 142378,
147052, 147053, 148284, 151534, 152166, 156423, 161153, 168429, 175872,
181506, 184644, 185944, 187918, 187919, 188990, 193616, 193618, 195180,
195776, 196397, 196398, 201117, 201167, 202238, 205508, 219486, 221800,
221801, 224482, 224483, 226786, 234768, 235747, 235748, 237307, 237614,
241819, 241820, 244664, 250267, 252601, 256594, 258962, 258963, 262322,
262433, 262436, 272428, 272429, 272430, 276996, 281534, 281748, 283211,
283491, 284125, 290897, 292882, 306090, 312834, 318592, 325067, 325068,
337284, 337305, 337723, 337427, 103991, 105025, 110534, 111097, 118679,
119250, 119251, 121931, 123904, 126088, 128483, 128484, 130957, 130480,
137593, 137594, 595466, 595467, 595468, 143601, 142377, 142379, 142380,
142381, 147665, 147666, 151796, 156422, 159090, 161152, 159089, 163004,
166472, 165708, 179129, 179130, 182793, 181863, 183630, 187920, 191887,
191888, 191889, 190096, 193713, 193714, 208454, 212996, 213166, 221802,
224481, 235749, 235750, 232464, 237308, 244663, 250386, 250398, 260322,
258964, 262435, 262434, 261866, 267742, 267743, 269168, 273854, 279418,
280449, 285386, 306091, 309666, 310251, 310252, 312835, 316968, 328573,
330988




Figure 2. Traxxin Gold Project, Detailed Claim Map

6.0 GEOLOGICAL SETTING AND MINERALIZATION

The Traxxin claim group lies on the contact between the northern portion of the Lac des Mille Lacs Greenstone Belt (LDMLGB) and rocks of the Marmion Lake Batholith (MLB). This area is part of the Marmion Terrane in the southern Wabigoon Subprovince (Stott 2011) (Figure 3).




Figure 3. Traxxin Gold Project, Regional Geology (OGS 1991)

The Hammond Reef Gold Deposit owned by Agnico Eagle Mines Limited, is located 44 km west of the Traxxin main zone at Bedivere Lake and represents the only NI 43-101-compliant mineral resource in the immediate area. The current stated resource presented on Agnico Eagle’s website (Dec. 2022), is as follows:

“Open pit mineral reserves are estimated at 3.3 million ounces of gold (123.5 million tonnes grading 0.84 g/t gold). In addition, the project contains 0.8 million ounces of measured mineral resources (47.1 million tonnes grading 0.54 g/t gold) and 1.5 million ounces of indicated mineral resources (86.3 million tonnes grading 0.53 g/t gold).”

The northern portion of the Traxxin Property hosting the Main Zone and Hammond Reef deposit, are both located in the MLB and exhibit shear-hosted lode gold, quartz vein-type mineralization (Rennie et al. 2009). Gold-bearing quartz stockwork is centered on northeast-trending regional fracture systems (Figure 4 and 5). The main northeast structure that appears to be controlling the gold mineralization at the Traxxin Property is a splay or secondary fault associated with the main east-west trending Quetico Fault to the south (Pye and Fenwick 1965, Fenwick 1976, Wilkinson 1982). The MLB, in addition to the Hammond Reef deposit, hosts numerous historical gold occurrences in the area between the Traxxin Property and Hammond Reef. The character of these occurrences is consistent with other showings in the batholith described as fracture or shear systems hosting mineralized quartz veins (Pye and Fenwick 1965, Wilkinson 1982, Schneiders and Dutka 1985).




Figure 4. Traxxin Gold Project, Detailed Bedrock Geology (OGS 1991)

The southern portion of the Traxxin Gold Property (south of Teardrop Lake) is underlain by volcanic rocks of the Lac des Mille Lacs Greenstone Belt (Stone 2005, 2005a, 2010). The character and nature of the mineralization associated with the shear zone in this region of the property, may vary from the Main Traxxin zone in the MLB. However, this area is underexplored and will be targeted for further

exploration work by Bold Ventures (detailed prospecting, mapping, geochemical sampling and geophysics) including follow-up diamond drilling along the main northeast structure.

7.0 EXPLORATION HISTORY

The exploration history covering the Traxxin Gold Property and surrounding area is limited, despite the relatively easy access provided by Highway 11 and the connecting logging road system (Figure 2 and 5). The only specific mention of gold mineralization associated with the main Traxxin zone was reported by Fern Elizabeth Gold Exploration in 1989 from a trench sample assaying 3.1 g/t Au (Ontario assessment file report No. 52B15SE0030). Prospecting and sampling by the current vendors of the Traxxin property in this area was initiated in 2011 and culminated in the 2016 discovery of a high-grade quartz vein hosting visible gold (VG) with assays up to 1281 g/t Au (41 oz/t Au) (Sims 2019). The property was subsequently optioned to Benton Resources Inc. in October 2016. From 2017 to 2018 Benton completed a \$1.1M CAD exploration program consisting of airborne geophysical surveys, prospecting, stripping and trenching and 2940 m of diamond drilling. In 2020 the property was optioned to partners Bold Ventures Inc. and Lac des Mille Lacs First Nation and renamed the Traxxin Gold Project.

The Chief Peter Lake Cu-Ni occurrences hosted in metasedimentary rocks of the Quetico Subprovince south of the Traxxin claim group have been known since the early 1930's (Tanton 1938).

1930's – Tanton (1938) of the Geological Survey of Canada was the first to provide a detailed map of the 'Quetico' area which included the Lac des Mille Lacs and Bedivere Lakes area. Tanton was also the first to document the known Cu-Ni occurrences south of Chief Peter Lake and the Traxxin Gold Property.

1960 – Irvine (1963) of the Ontario Department of Mines (now the Ontario Geological Survey - OGS) completed mapping of the Western Lac des Mille Lacs area.

1969 – Kemins Exploration Limited conducted an airborne magnetic and EM survey located east and south of the Traxxin Property, focused on the Chief Peter Lake area and the associated Cu- Ni occurrences.




Figure 5. Traxxin Gold Project, Geology and Historical Exploration (OGS 1991)

1979 – Rio Tinto Canadian Exploration Limited completed a large Aerodat airborne magnetic survey in an east-west belt covering metavolcanics rocks within the main portion of the Lac des Mille Lacs Greenstone Belt. The survey included the central and southern portion of the Traxxin claims.

1982 to 1983 – Phantom Exploration Services Ltd. completed ground VLF and Max Min Geophysical Surveys over the Sandy Lake area in the southern portion of the Traxxin Property. Weak to moderate conductive trends were outlined but not explained.

1989 – Fern Elizabeth Gold Exploration Ltd. conducted trenching and sampling over a 14-claim property covering a portion of what is now the Traxxin main zone. Trench 1 on the north end of the Traxxin peninsula at Bedivere Lake, returned assay results up to 3.1 g/t Au (0.1 oz/t Au) (Ontario assessment file report 52B15SE0030).

2004 – Stone (2005, 2005a) of the OGS completed geological mapping over the western Lac des Mille Lacs–Bedivere Lakes area including the Traxxin Gold Property.

2011 – Prospectors Frymire and Brown conducted prospecting and sampling at Sandy Lake in the southern portion of the Traxxin Gold Property. Grab sample assay highlights include 1.47% Cu with low gold values (Frymire and Brown 2012).

2012 – Frymire and Brown completed minimal prospecting and sampling on a claim (TB4246324) covering the Traxxin main zone.

2016 – Frymire and partners continued prospecting and sampling on the Traxxin main zone area (Frymire and Schneider 2016). This work resulted in the discovery of spectacular visible gold in a quartz vein grading as high as 1281 g/t Au (41 oz/t Au), located at coordinates UTM Zone 15, 654279E, 5412688N (Sims 2019).

2016 to 2017 – Benton Resources Inc. optioned the Traxxin Property in late 2016 from Frymire and partners and staked additional claims in the surrounding area. The company initiated an airborne MAG and EM survey, prospecting and sampling, completed trenching and channel sampling, a soil geochemical survey and a ground IP (induced polarization) geophysical survey.

Rio Tinto Exploration Canada Inc. completed an airborne TDEM survey covering their Chief Peter Property south of the Traxxin Gold Property and Chief Peter Lake during the same period (Puumala 2017).

2017 to 2018 – Benton Resources Inc. completed three phases of diamond drilling focused primarily on the main Traxxin zone along the Bedivere Lake peninsula near the southwest shore. Additional drilling was conducted along the southwest trend of the main shear structure at Teardrop, Pistol and Sandy Lakes. The drill program consisted of 29 holes totaling 2939.8 m. Highlights include 4.76 g/t Au over 3.8 m (Hole BED-17-016), 1.06 g/t Au over 22.2 m (Hole BED-17-005) and up to 37.3 g/t Au over 1 m (Sims 2019).

2019 – Benton Resources terminated their option agreement and returned all claims to the original vendors, M. Frymire and partners.

2020 – Bold Ventures Inc. and partner Lac des Mille Lacs First Nation, optioned the Traxxin Gold Property from M. Frymire and partners.

8.0 CURRENT WORK

From January 9 to 26, 2021, Bold Ventures completed a 4-hole, 745 m diamond

drilling program at the Main Zone in the central portion of the Traxxin Gold Property under Exploration Permit PR-20-000236 (See Appendix I for coverage area). The objective of this program was to test the continuity of the main gold-bearing structure(s) at depth below the area tested by Benton Resources in 2017 to 2018. The longitudinal section displayed in Figure 7 demonstrates the program's success.

In early January 2021, a contractor (Steve Ward Contracting, Thunder Bay, Ontario) was hired to plough the trail from the Brule Creek Road into the Main Zone area. The site was prepared and cleared of snow to allow easy transport and setup of the drilling equipment. 'Base of Operations' for both the drilling and geological crews was located at the Quetico Lodge and Conference Centre on Eva Lake (Hwy 633) approximately 30 km west of the Traxxin Property. The drilling was conducted by Forage M3 Drilling Services Inc. of Dubreuilville, Ontario on a 24-hour basis with a 12-hour shift rotation and crew change. At the end of each shift, the recovered drill core (NQ-size) was delivered to the company geologist at the Quetico Center for logging, processing and sampling. Samples were then transported east via Highway 11 / Highway 11-17 to AGAT Laboratories in the City of Thunder Bay for analysis of gold and trace element geochemistry. A total of 217 split core section samples were collected and analyzed. Also, for QAQC purposes, 29 samples consisting of Standards (OREAS), Pulp Duplicates and Blanks, were randomly inserted into the sample train.

Coordinates for each of the 4 diamond drill holes are given with respect to NAD-83 datum in UTM projection zone 15N (Table 1). The location of the drill holes immediately south of Bedivere Lake on the Traxxin Property claims 120238, 151534, and 196397, are shown in Figure 6 below.

Table 1. Bold Ventures Inc. 2021 Diamond Drill Hole locations

Traxxin Property Drill Hole Data					
Drill Hole	Location	Azimuth	Dip	Length (m)	No. of Samples Assayed
BV-21-01	UTM Zone 15 654085E, 5412570N	115°	-55°	146	52
BV-21-02	UTM Zone 15 654070E, 5412600N	115°	-70°	236	55
BV-21-03	UTM Zone 15 654060E, 5412560N	115°	-65°	192.5	54
BV-21-04	UTM Zone 15 654101E, 5412604N	115°	-65°	170	67

Following completion of the diamond drilling, the site was monitored for clean-up and rehabilitation, with company personnel (Bold Ventures Inc.) also conducting a final inspection once all equipment was removed from the area. The drill hole casing with wooden plugs was left in place to allow for future downhole geophysical survey testing and will be removed once this work is complete.




Figure 6. Traxxin Gold Project, 2021 Diamond Drill Hole Locations

Expenditures related to the Traxxin Gold Project diamond drilling program conducted from January 9 to 26, 2021 totaled \$174,980.07 (see ‘Statement of Expenditures’ in Appendix IV for complete details).

9.0 RESULTS AND CONCLUSION

The detailed results of this work, including the geology, alteration, mineralization and highlights of the assay results (Table 2) are provided as follows:

Table 2. Assay Results, Traxxin 2021 Diamond Drilling Program, Bold Ventures Inc.

Bold Ventures Traxxin Drill Holes	From (m)	To (m)	Interval (m)	Grade (Au g/t)
BV-21-01	100.07	101.12	1.05	5.46
Incl	100.07	100.64	0.57	9.87
	103.50	104.50	1.00	0.87
	115.00	116.00	1.00	0.53
	120.40	120.89	0.49	3.34
	125.00	127.16	2.16	0.54
incl	125.60	126.13	0.53	1.33
	129.58	131.59	2.01	3.87
incl	130.65	131.59	0.94	7.38
BV-21-02	204.30	205.00	0.70	0.12
	206.96	207.30	0.34	0.13
BV-21-03	18.18	19.00	0.82	0.43
	170.33	171.07	0.74	0.92
BV-21-04	119.35	131.64	12.29	3.57
Incl	119.35	120.25	0.9	15.0
Incl	122.55	123.28	0.73	10.5
incl	119.35	124.23	4.88	6.13
incl	121.82	124.23	2.41	6.17
incl	127	131.64	4.64	2.65
incl	127	130	3	3.26
	152.38	153	0.62	5.83

The Traxxin Shear Zone is highlighted by a thin (2-40m) wedge of altered mafic volcanics (exhibiting a diorite texture) within a granodioritic felsic intrusive. The mafic volcanic wedge is generally in fault contact with the granodiorite denoted by

considerable fault gouge and breccia material. The mafic volcanic wedge has provided a less competent host (compared to a granodiorite host) for shear, strain and hydrothermal fluid path in a brittle-ductile environment. The ductile nature of the host mafic volcanic in a brittle granodiorite environment, has led to a 'pinch and swell' effect on the Traxxin shear zone, accounting for its variability in width.

Under this brittle-ductile environment, the mafic volcanics and hanging wall granodiorite, in some cases, has undergone intense shearing, alteration and quartz-veining. Intense shearing (foliation) is highlighted by strongly foliated and sheared mafic volcanics with boudined and fragmented grey quartz veins. Chlorite, sericite, silicification, carbonate and albite alteration parallel to foliation and shearing accentuate the strain in an almost pseudo-banded appearance. Pyrite mineralization as fine disseminations is also commonly deposited parallel to schistosity.

Intense alteration and strain are also in places taken up by the hanging wall granodiorite. Here primary equi-granular textures are completely destroyed. Sericite is the dominant alteration with minor rare fuchsite. Smokey grey quartz veinlets and stringers are also common. Bleaching from silicification and sericite alteration sometimes makes differentiation between altered mafic volcanics and altered sheared granodiorite difficult.

In addition to the ductile strain effects on the mafic volcanic and granodiorite hosts, the Traxxin Shear Zone can also host wide intersections (0.5-5m) of bull white to light grey quartz veins. These are usually hosted in the footwall or hanging wall of the shear zone and are rarely mineralized with sulphides. Black chlorite stylolites and thick masses (<1 to 10cm) of black chlorite are associated with some of the veining.

Gold-mineralization in the Traxxin Shear Zone appears to be intimately associated with pyrite mineralization. Pyrite mineralization occurs as fine disseminations and blebs commonly along foliations planes with silicified, fragmented grey quartz veins and along edges of larger multi-cm quartz veins. Pyrite rarely exceeds 5% and is more common in the 1-3% range. However, some exceptions were noted where pyrite content is at trace levels and gold values are significant. This is possibly due to a coarse gold effect however visible gold is very rare. Further work on the nature of the gold mineralization needs to be conducted.

Of note in the Traxxin Shear Zone, the hanging wall granodiorite has a greater intensity of alteration and anomalous gold than the footwall for several tens of meters. The footwall granodiorite is less altered with a thinner alteration halo,

generally less than 10 m.

The longitudinal section from the Traxxin Main Zone provided in Figure 7, displays significant assay results from Bold Ventures recent diamond drilling program and key historical drilling results.

The widest intersection of gold mineralization in Bold Ventures recent (January 2021) diamond drilling program was encountered in Hole BV-21-04 – 3.57 g/t Au over 12.29 m, including 4.88 g/t Au over 6.13 m (Table 2). This represents the best intersection yet obtained from the property, which includes results from historical drilling conducted at the Main Zone up to 2018. Lower grade, anomalous gold values were obtained in Holes BV-21-02 and BV-21-03, ranging from <0.002 g/t Au to as high as 0.92 g/t Au over 0.74 m. Assay results from Hole BV-21-01 ranged from <0.002 to 5.46 g/t Au over 1.05 m and 7.38 g/t Au over 0.94 m. These holes were targeting gold mineralization down-dip and at a greater depth than previous drilling (Bold Ventures News Release, April 12, 2021) (Figure 7). Cross sections for each of the 4 diamond drill holes with geology and assay results (histogram format), are provided in Appendix III.




Figure 7. Longitudinal Section, Traxxin Main Zone Drill Hole Locations

Gold mineralization encountered in the recent drilling program is most often

associated with quartz veining occupying shear zones within granitic rocks of the Marmion Lake Batholith (MLB). Silicification, fine grained pyrite, occasional fuchsite and intense chlorite-sericite alteration are common to the highest gold values. In general, gold assay results vary from <0.002 g/t Au in areas of least alteration away from the quartz veining up to 15.0 g/t in zones of intense quartz flooding, shearing and sericite alteration.

The Main Zone at Traxxin is interpreted to be of epigenetic hydrothermal lode gold origin. In general, the Main Zone appears to consist of an envelope of highly anomalous gold mineralization hosting occasional course free gold. This persistent mineralization is indicative of a strong hydrothermal system. The determination of mineralizing controls, both structural and mineralogical, will be important to understand as the project knowledge advances.

10.0 RECOMMENDATIONS

To date, most of the exploration work has been focused on the Main Zone and the Teardrop Zone (Figure 4), both located in the central portion of the Traxxin claim group. From 2016 to 2018, in addition to a limited, widely spaced (400 m) IP geophysical survey, historical work included prospecting, trenching, sampling and the completion of 21 diamond drill holes primarily focused in the Main Zone area. During this same period, 3 additional holes were drilled along the southern extension of the main shear structure (Traxxin Shear Zone) in the Teardrop Lake area, approximately 1 km to the southwest. Bold Ventures initial diamond drilling program in 2021 targeted the down dip extension of the gold-mineralized veins in the Main Zone along the Traxxin Shear.

The success of Bold Ventures preliminary diamond drill program (Table 2 assay results) indicates continued drilling in the Main Zone at depth and along strike, is warranted. The pinch and swell nature of the Traxxin Shear Zone in three dimensions (strike and depth), makes predictability of thickness and thus gold content difficult at this stage. Modeling thicknesses and grades for possible plunge trends is currently at an early stage and further drilling will assist in defining these parameters.

An IP geophysical survey conducted over the central portion of the claim group in 2017 along widely spaced lines (up to 400 m) suggests the Traxxin Shear Zone has considerable strike length. Only a limited amount of prospecting has been conducted along the southwest and northeast extension of the Traxxin Shear from the Main

zone area. Additional IP is recommended at closer line spacing in both directions to the property boundaries. Resistivity and chargeability responses can possibly aid in vectoring drilling efforts by comparing known gold content and zone thickness in unknown sections of the IP survey. In addition, further detailed prospecting, geological mapping and sampling should be conducted across the property to better define the structural controls, rock types and alteration related to the gold mineralization in bedrock exposures.

It should be noted that there has not been any drill testing between the Main Zone and the Teardrop Zone. The I.P. conductive trend that extends south from the “Main Zone” to the Teardrop Zone for approximately 1 km, continues south for a further 1 km, where it appears to be offset to the west. The anomaly then trends almost north – south to the southern extent of the survey area for 1.2 km. (Figure 2). These conductive trends should be explored in more detail on the surface and additional infill geophysical surveys should be considered.

11.0 REFERENCES

- Fenwick, K.G. 1976. Geology of the Finlayson Lake Area, District of Rainy River; Ontario Division of Mines, Geoscience Report 145, 86p. Accompanied by Maps 2297 and 2298, Scales 1:31 680 or 1 inch to ½ mile.
- Frymire, M and Brown, J. 2012. Claim No. 4245638; Sandy Lake Final Report: Assessment Work Performed on Mining Lands Submission. MNDM Assessment File Report 20000006373, 14p.
- Frymire, M and Schneider, A. 2016. Claim No. 4246324; Bedivere Lake Final Report: Assessment Work Performed on Mining Lands Submission. MNDM Assessment File Report 20000014120, 37p.
- Irvine, T.N. 1963. Western Lac des Mille Lacs area; Ontario Department of Mines, Geological Report 12, 24p.
- Ontario Assessment File Report No. 52B15SE0030, 1989. Fern Elizabeth Gold Exploration Ltd., Assay Report, 11p.
- Ontario Geological Survey 1991. Bedrock Geology of Ontario, west-central sheet; Ontario Geological Survey, Map 2542, scale 1: 1 000 000.
- Puumala, M.A., Campbell, D.A., Tuomi, R.D., Tims, A. and Brunelle, M.R. 2017. Report of Activities 2016, Resident Geologist Program, Thunder Bay South Regional Resident Geologist Report: Thunder Bay South District; Ontario Geological Survey, Open File Report 6326, 96p.

- Pye, E.G. and Fenwick, K.G. 1965. Atikokan–Lakehead sheet, Kenora, Rainy River and Thunder Bay Districts; Ontario Department of Mines, Map 2065, Geological Compilation Series, scale 1 inch to 4 miles. Geological Compilation 1962-1963.
- Rennie, D.W., Lambert, R.J. and Krutzeimann, H. 2009. Preliminary Assessment of the Hammond Reef Gold Deposit, Atikokan, Ontario, Canada, prepared for Brett Resources Inc., Scott, Wilson, Roscoe, Postle Associates Inc., 176p.
- Schneider, B.R. and Dutka, R.J. 1985. Property visits and reports of the Atikokan Economic Geologist, 1979–1983; Ontario Geological Survey, Open File Report 5539, 512p.
- Sims, N. 2019. Report on Drilling at the Bedivere Lake Project; Benton Resources Inc., Internal Report, 233p.
- Stone, D. 2005a. Geology of the Lac des Mille Lacs area; in Summary of Field Work and Other Activities 2004, Ontario Geological Survey, p.12-1 to 12-11.
- Stone, D. 2005. Precambrian geology, Bedivere Lake area; Ontario Geological Survey, Preliminary Map P.3523, scale 1:50 000
- 2010. Precambrian geology of the central Wabigoon Subprovince area, northwestern Ontario; Ontario Geological Survey, Open File Report 5422, 130p. Accompanied by Preliminary Map P.2229, scale 1:250 000.
- Stott, G.M. 2011. A revised terrane subdivision of the Superior Province in Ontario; Ontario Geological Survey, Miscellaneous Release—Data 278.
- Tanton, T. L. 1938. Quetico sheet (east half), Thunder Bay and Rainy River Districts, Ontario; Geological Survey of Canada, Map No. 432A
- Wilkinson, S.J. 1982. Gold Deposits of the Atikokan Area; Ontario Geological Survey, Mineral Deposits Circular 24, 54p.

12.0 Statement of Qualifications

AUTHOR'S CERTIFICATE

I, Gerald Dewar White, do hereby certify as follows:

1. I am an independent consulting geologist, and I reside and carry-on business at 28 Hill Street South, Thunder Bay, Ontario, P7B 3T5 under Superior Rift Geoconsulting Inc.;
2. That I have the degree of Bachelor of Science in Geology, 1979, from the University of Manitoba;
3. That I am a member in good standing of the Professional Geoscientists of Ontario (Member No. 0184, effective June 22, 2002)
4. That I have been practicing my profession in Canada continuously since 1979;
5. That I am the author of a report entitled "2021 Diamond Drilling Report, Traxxin Gold Project, Bedivere and Edwards Lake Areas, Atikokan Area, Thunder Bay Mining Division, Northwestern Ontario, Canada" prepared for Bold Ventures Inc, with an effective date of December 12, 2022, and that I am responsible for all sections of the Report;
6. That, as at the effective date of the Report, to the best of my knowledge, information and belief, the Report contains all scientific and technical information that is required to be disclosed to make the Report not misleading.

Dated at Thunder Bay, Ontario
This 9th day of December 2022



Gerald White, BSc., P.Geol.

13.0 Appendix I: Work Permit and Permit Coverage Area

Number/Numero:

PR-20-000236

This permit is issued under the authority of section 78.3 of the *Mining Act* and the Exploration Plans and Exploration Permits Regulation (O. Reg. 308/12). It is subject to the provisions of the Act and regulation as well as the terms and conditions included in this permit.

Ce permis est émis conformément aux dispositions de section 78.3 de la *Loi sur les mines* et des règlements et est sujet aux restrictions et dispositions de ce lois et règlements ainsi qu'aux conditions ci-énoncées.

Note: The issuance of this permit does not relieve the applicant from the responsibility of acquiring any other agency, board, government, etc. approval as may be required nor does it relieve the permittee from the requirements of any other legislation or guarantee access to the land.

Remarque : La délivrance de ce permis n'exempte pas le demandeur de l'obligation d'obtenir l'autorisation de tout autre organisme, commission, gouvernement, etc. qui pourrait être exigée, n'exempte pas le titulaire des dispositions de toute autre loi et ne garantit pas l'accès à la terre.

Project Details/ Détails sur le projet

Project Name/ Titre du projet

Traxxin

Qualified Supervisor/Superviseur qualifié

David Graham

This Permit is issued to: Ce Permis est délivré a:

Name of Permittee:/Nom du détenteur:

Michael Frymire

Mailing Address:/Adresse postale:

806 Brant-Waterloo Road, Ayr, ON, N0B 1E0

To conduct early exploration activities from/ Pour effectuer des activités d'exploration du (yyyy/mm/dd):

2020/09/15

to:

2023/09/14

On claim/lease/licence of occupation number(s):/Sur le numéro(s) du claim/bail/permis d'occupation:

103990 103991 103992 110300 110534 111096 111097 119250 119251 120238 122174 128483 128484 130480
130957 142377 142378 142379 142380 142381 147052 147053 147665 147666 148284 151534 156422 156423
159089 159090 161152 161153 163004 165708 175872 179129 179130 181506 183630 191887 191888 191889
193713 193714 195180 195776 196397 196398 201117 208454 212996 213166 221800 221801 221802 224481
224482 224483 232464 237614 241819 241820 244663 244664 250386 250398 258962 258963 258964 260322
261866 262433 262434 262435 262436 267742 267743 269168 273854 276996 279418 280449 281534 283491
290897 292882 309666 310251 310252 316968 325067 325068 328573 337284 337305 337427

as per your exploration permit application date:/conformément a la demande de permis d'exploration en date du:

2020/07/17

for the purpose of Permit activities:

- Mechanized Drilling (assembled weight >150kg)/ Forage mécanisé (poids assemblé >150 kg)
- Mechanized Stripping (>100m² in 200m radius)/ Décapage mécanisé (>100 m² dans un rayon de 200 m)
- Pitting and Trenching (>3m³ in 200m radius)/ Creusement de fosses et de tranchées (>3 m³ dans un rayon de 200 m)
- Line Cutting (>1.5m width)/ Découpage des quadrillages (>1,5 m de largeur)

Other (Early exploration activities for which Director has required a permit)/Autre (Activités d'exploration préliminaires pour laquelle le Directeur a demandé un permis):

for the purpose of Plan activities:

Ground geophysical survey requiring a generator (Les levés géophysiques au sol qui nécessitent l'utilisation d'une génératrice)

Mechanized Drilling (assembled weight <150kg)/ Forage mécanisé (poids assemblé <150 kg)

Mechanized Stripping (<100m² in 200m radius)/ Décapage mécanisé (<100 m² dans un rayon de 200 m)

Pitting and Trenching (1-3m³ in 200m radius)/ Creusement de fosses et de tranchées (1-3 m³ dans un rayon de 200 m)

Line Cutting (<1.5m width)/ Découpage des quadrillages (<1,5 m de largeur)

Subject to the following conditions:/Et sous les conditions suivantes:

1. The Permittee shall keep this permit or a true copy thereof on the permit area./Le détenteur conserver ce permis ou une copie conforme sur les lieux des travaux.
2. The person in charge of the operation conducted under this permit shall produce and show this permit or the true copy kept on the exploration permit area to any inspector whenever requested by the officer./Le responsable des travaux couverts par ce permis doit produire le permis ou sa copie conforme si un inspecteur lui demande.
3. The requirements outlined in Schedule 1 of Ontario Regulation 308/12 and applicable Provincial Standards for Early Exploration/ Les exigences générales identifier à l'annexe 1 du Règlement de l'Ontario 308/12 et les normes provinciales relatives à l'exploration préliminaire.
4. Other terms and conditions as listed on this permit./Autres termes et conditions énoncées sur ce permis.

Place of Issue/Emis a:

Thunder Bay

Issued by/Emis par:

Scott Burgess, Director of Exploration

Date of Issue/Date émis (yyyy/mm/dd, aaaa/mm/jj):

2020/09/15

Signature of Director/Signature du directeur:




Additional Terms and Conditions:

Autre termes et conditions:

Traxxin Gold Project - Project Map

Bold Ventures Inc. - Lac des Mille Lacs First Nation Joint Venture



649262 46 651262 46 653262 46 655262 46


Legend

Traxxin Early Exploration Boundary	Possible Areas of Mechanized Stripping and Pitting and Trenching of Bedrock	Non-Mining Land Disposition
Traxxin Early Exploration Claims	MNR Roads	MSR
Traxxin Potential Drill Pad	Major Fault	SR
Traxxin Exploration Camp	MENDM Administrative	
Contours	Other Traxxin Project Claims	
Grid Reference Line for Linecutting	Waterbodies	
Traxxin Linecutting	Other Claims	
Traxxin Previous Exploration Trails		

Reference data from Land Information Ontario and Ministry of Energy Northern Development and Mines.

Projection: NAD83 Zone 15N

Map by D. Thomson
July 23, 2020



BOLD VENTURES INC.
Breaking New Ground

14.0 Appendix II: Diamond Drill Logs and Assay Results

Note: Key intersections from each of the 4 holes are stored at Bold Ventures locker in Thunder Bay and the remaining core is stored in a sheltered safe location on Quetico North Conference Center Lodge's property at Eva Lake east of Atikokan (north of Hwy 11, adjacent to secondary Hwy 633).

DIAMOND DRILL LOG

DRILLING COMPANY		COLLAR ELEVATION	@	DIP	BEARING	@	DIP	BEARING	CLAIM NO.	LOCATION (ZONE 15 UTM N,E)	HOLE NO.	Page					
M3 Forage		453	COLLAR	-55	115		M	°	°	5412570n	BV-21-01	1 of 3					
START DATE	COMPLETION DATE	DATE LOGGED	110M	-56.5	114.9		M	°	°	MAP NO.	COMMENTS						
January 10, 2021	January 13, 2021	January 10-14, 2021	146M	-56.1	117.2		M	°	°		Intersected Traxxin Shear from 119-136.73m (17.73m)						
EXPLORATION CO.; OWNER; OPTIONEE		LOGGED BY	M	°	°		M	°	°	TOTAL FOOTAGE	TARGET NAME						
Bold Ventures Inc.		Mike Kilbourne, P.Geo.	M	°	°		M	°	°	146m	Traxxin Shear Zone						
FOOTAGE		ROCK TYPE	DESCRIPTION							SAMPLE FOOTAGE			VISUAL % ESTIMATES / ASSAYS				
FROM	TO								Sample No.	FROM	TO	SAMPLE LENGTH	Py	Au ppm	Au g/t		
0.00	3.00	Overburden/Casing															
3.00	25.72	Granodiorite	greyish in colour, medium to very coarse grained phases, generally massive to weakly foliated 45 TCA, minor late pegmatitic phases/possible dykes but contacts not sharp but diffused, some minor porphyritic phases with >50% mafic ferro-mag component, minor late quartz veinlets/veins/coarse pegmatite material with sometimes large K-spar crystals up to 5cm across, rare trace minute py associated with felsic-silica flooding/veins														
			9.3m, 16cm cream coloured qv 45 TCA														
			13.05-13.73m, more finer grained mafic phase with moderate bleaching, sericite and qtz-albite crackle veinlets														
			15.39-15.51m, pegmatite dyke with large k-spar xtls and greenish hue albite xtls														
			15.51-25.72m, coarse grained granodiorite with 15% pegmatitic phases with large k-spar xtls, xtls are fairly diffuse though and not typical of a pegmatite dyke per se														
25.72	35.68	Feldspar Porphyry	mostly fine to medium grained, light cream to darker grey in colour, increase in mafic content over preceding granodiorite, up to 10-15% mm scale feldspar pheno's, fairly massive, some minor bleached sections sub-meter in length where ferro-mags are altered, contacts a little diffused but fairly sharp, lower contact 45 TCA DC (downcore)														
35.68	56.12	Granodiorite	coarse grained, massive, inhomogeneous with more mafic looking sections versus more feldspathic looking areas (feldspathization),														
			42.28-43.9m, pegmatized with larger k-spar diffused xtls in a quartz-albite groundmass and 5-10% blotchy ferro-mags,														
			47.93-48.35m, pegmatite dyke, mostly large weakly greenish albite xtls with minor mafic material, contacts wavy but sharp														
			49.19-49.66m pegmatite dyke, sharp contacts 30 TCA, coarse grained, k-spar xtls diffuse and up to 2cm across														
56.12	68.20	Feldspar Porphyry	massive, medium grained to fine grained, darker grey from more mafic content, feldspar pheno's up to 5mm across and about 10% in mafic siliceous groundmass, minor sub-meter sections of more siliceous feldspathic sections which could be granodiorite rafts, usually sharp contacts between varieties, contact between fp and granodiorite not sharp but rather gradational/diffuse														
			59.38-61.78m, section of poorly defined granodiorite with more mafic fp rafts, variable contacts from 45 TCA DC to parallel TCA														
68.20	82.14	Granodiorite	coarse grained, massive to very weakly foliated 60 TCA, fairly homogeneous, minor sub-meter sections where pegmatized, noticeable slight increase in muscovite down core towards contact, lower contact fairly sharp 45 TCA DC														
82.14	89.91	Feldspar Porphyry	more mafic content, massive, grey, medium grained, moderately porphyritic with 5-15% mm scale pheno's, possible phase of granodiorite but slightly distinctively different texture, minor feldspathized sections up to 50 cm across consisting of k-spar, albite and quartz with more mafic partings, lower contact fairly sharp but not knife sharp														
89.91	94.80	Granodiorite	coarse grained, massive to very weakly foliated, minor feldspathized sections with pink k-spar, weak spotty sericitization of groundmass in places up to 35cm across, lower contact sharp at 85 TCA, 93.7m to contact moderately sericitized														
94.80	100.07	Diorite	fine grained, weakly to strongly foliated to pseudo-banded in more strongly sheared sections with up to 5mm wide qtz-carb veinlets/bands 75 TCA DC, trace cubic looking pyrite up to 2-3mm across,							E6212101	93.96	94.80	0.84		<0.002		

FOOTAGE		ROCK TYPE	DESCRIPTION	SAMPLE FOOTAGE			SAMPLE LENGTH	VISUAL % ESTIMATES / ASSAYS		
FROM	TO			Sample No.	FROM	TO		Py	Au ppm	Au g/t
			94.8-95.03m, 23cm shear zone with a 15cm wide white qtz-carb vein with hairline wide chl strolites, rest of shear made up of intensely to strongly sericitized diorite with chlorite and 1-2% fine to blebby pyrite	E6212102	94.80	95.18	0.38	2	0.168	
			95.03-96.67m, moderately to strongly foliated diorite with qtz-carb veinlets/partings up to 5mm across, veining/foliation 65-80 TCA, trace py	E6212103	95.18	96.67	1.49		0.097	
			96.67-98m, weakly foliated diorite, minor qtz-albite veinlets 30-45 TCA DC	E6212104	96.67	98.00	1.33		0.004	
			98-98.18m, diorite section with 2x 2mm grey qtz veinlets with chloritic rims and coarse py blebs up to 5mm across in veinlet small veinlets at 30 and 45 TCA, different generation than the veinlets above?	E6212105	98.00	98.30	0.30	3	0.547	
			98.18-99.11m, diorite, tr py	E6212106	98.30	99.11	0.81		0.022	
			99.11-100.07m, diorite, tr py	E6212107	99.11	100.07	0.96		0.013	
100.07	100.64	Shear Zone/Fault	intensely sheared sericitized diorite with qtz-carb veining and 2-3% fine pyrite, contains 20cm white qtz-carb vein with fine chl partings 90 TCA, also contains 17cm of fault gouge 90 TCA, intense sericitization of host upper diorite and lower granodiorite, strong shear/fault between two rock units, fault gouge talcy also	E6212108	100.07	100.64	0.57	2	9.870	
100.64	118.52	Granodiorite	coarse grained, massive grey washed colour to pale lime green where strongly sericitized, primary textures are diffuse from alteration throughout, minor thin mm scale grey qtz-chl veinlets/fractures both 45 TCA and 45 TCA DC, trace pyrite mostly associated with later grey qtz fractures/veinlets							
			100.64-101.12, grey pseudo-millrock next to fault zone, strongly chloritic and micro fractured	E6212109	100.64	101.12	0.48		0.281	
				E6212110	blank				<0.002	
			101.12-105.30m, strongly sericitic with minor grey to white qtz+carb+/-albite+/-tourm veinlets/veins up to 6cm wide (1) fine pyrite associated with these veinlets, no sulphides in host rock	E6212111	101.12	102.15	1.03	tr	0.009	
				E6212112	102.15	102.90	0.75	tr	0.049	
			1x6cm qtz-carb+/-alb+tourm vein 90 TCA with 3% fine py, sample contains subordinate off-shoot qtz- clots/veinlets	E6212113	102.90	103.50	0.60	1	0.082	
				E6212114	103.50	104.50	1.00	tr	0.874	
				E6212115	104.50	105.30	0.80	tr	0.095	
			105.3-114m, granodiorit3, moderately to strongly chloritic groundmass and diffuse feldspar xtls, massive	E6212116	105.30	106.33	1.03		0.024	
				E6212117	112.00	113.00	1.00		0.036	
			114-117.52m, pale green to cream coloured, strong sericite alteration, micro-fractured to weakly brecciated appearance with grey and white qtz+carb+/-chl fractures and veinlets, rare pyrite	E6212118	113.00	114.00	1.00	tr	0.283	
				E6212119	114.00	115.00	1.00		0.042	
				E6212120	pulp replicate of E6212119				0.094	
				E6212121	115.00	116.00	1.00		0.534	
				E6212122	116.00	116.78	0.78	tr	0.045	
				E6212123	116.78	117.52	0.74		0.011	
			strongly chloritic altered granodiorite with moderate brecciation by qtz-carb, rare py	E6212124	117.52	118.52	1.00	tr	0.050	
118.52	119.00	Fault	fault gouge, mush							
119.00	129.58	Traxxin Shear Zone	strongly sheared and intermittently brecciated with subordinate fault gouge, dark grey black to light pale green, intense chloritization where darker black, foliation generally 45 TCA but in places parallel TCA, brecciated phases consist of angular pieces of white grey qtz in a chl+/-weak sericite matrix, trace to rare py, unit is very damaged, brecciated and faulted							
				E6212125	standard OREAS 222				1.170	
			breccia, grey brecciated qtx vein with 10% chl matrix	E6212126	119.00	119.66	0.66	tr	0.051	
			intensely sheared diorite with 5cm fault gouge at top, foliation parallel TCA in rock, fault gouge at 35 TCA	E6212127	119.66	120.40	0.74		0.089	
			breccia, grey brecciated qtx vein with 30% chl+ser matrix, minor blebby py in matrix	E6212128	120.40	120.89	0.49	tr	3.340	
			breccia, mostly dark soft chl-ser with angular pieces of qtz-carb, minor fault gouge, foliated weakly in places 45 TCA	E6212129	120.89	122.00	1.11		0.163	

DIAMOND DRILL LOG

DRILLING COMPANY		COLLAR ELEVATION	@	DIP	BEARING	@	DIP	BEARING	CLAIM NO.	LOCATION (ZONE 15 UTM N,E)	HOLE NO.	Page				
M3 Forage		455								5412600n	BV-21-02	1 of 3				
START DATE	COMPLETION DATE	DATE LOGGED	COLLAR	DIP	BEARING				MAP NO.	654070e	COMMENTS					
January 13, 2021	January 18, 2021	January 14-19, 2021	200M	-71.2	112.4		M	°			Intersected Traxxin Shear from 204.3-207.3m (3m)					
EXPLORATION CO.; OWNER; OPTIONEE		LOGGED BY	236M	-71.9	120.6		M	°	TOTAL FOOTAGE	TARGET NAME						
Bold Ventures Inc.		Mike Kilbourne, P.Geo.	M	°	°		M	°	236m	Traxxin Shear Zone						
FOOTAGE		ROCK TYPE	DESCRIPTION							SAMPLE FOOTAGE			VISUAL % ESTIMATES / ASSAYS			
FROM	TO								Sample No.	FROM	TO	SAMPLE LENGTH	Py	Au ppm		
0.00	7.30	Overburden/Casing														
7.30	16.50	Granodiorite	massive, coarse grained, intermittent albization +/- silica alteration, minor pegmatite or k-spar-rich veins up to 10cm across 50 TCA, variably albite rich groundmass to ferro-mag rich groundmass													
16.50	23.52	Diorite	fine grained, grey, generally massive, non-magnetic, intermittently finely porphyritic, upper sharp contact at 50 TCA contains numerous granodiorite veins and sections from 2-90cm wide, orientation very variable													
23.52	67.92	Granodiorite	coarse grained, massive to weakly foliated, variable groundmass to qtz-albite rich to more ferro-mag rich groundmass, 26-27.5m, streaky foliated appearance 35 TCA DC by richer ferro-mag bands, increase in muscovite in groundmass 2%, at 34m, a mafic porphyritic phase as upper contact very gradational over 0.5m, porphyritic phase to about 39.7m where possible fault (blocky), porphyritic phase consists of 10-15% mm scale pheno's in a ferro-mag-siliceous groundmass, minor pegmatite dykelets up to 20cm across 41.25-44.16m, mostly a pegmatite dyke with granodiorite sections and possible digested rafts, large up to 3cm wide pink k-spar xls plus large albite in a quartzo-felspathic groundmass 44.16-49.7m, massive to weakly foliated granodiorite, 2-3% muscovite, weak foliation accentuated by ferro-mags at 60 TCA DC from 49.7m on, groundmass becoming weakly sericitic and more mafic, albite and ferro-mags becoming more diffuse, 52.13-52.77m, felsite dyke, fine grained, light tan colour with 12-13cm rims of coarse albite-quartz, fine diss py 1% 52.77-67.92m, granodiorite, moderately chloritic and intermittently weakly sericitic, generally massive to a weakly pseudo-banded appearance by more ferro-mag rich cm scale bands at 45 TCA DC, minor veins up to 5cm across with coarse albite and k-spar													
67.92	71.00	Diorite	grey, fine grained, intermittently porphyritic but may be due to granodiorite intrusive effect, minor hairline width qtz-carb filled fractures/stringers, non-magnetic, contacts a little diffuse, upper 45 TCA, lower lost at meterage marker													
71.00	113.87	Granodiorite	generally massive, coarse grained, intermittently chloritic with diffused primary textures, minor pegmatized sections up to 30cm across with coarse albite-k-spar-qtz 82.15-83.11m, strongly sheared/foliated diorite with minor grey qtz boudins and one wavy vein 3cm across, foliation 50 TCA, 2-3% very fine pyrite							E6212153	81.45	82.15	0.70		<0.002	
										E6212154	82.15	83.11	0.96	2	0.025	
										E6212155	83.11	84.00	0.89		0.003	
			85.03-87.73m, light grey to pale olive feldspar porphyry, medium grained, massive, fairly distinguishable contacts 45 TCA, weakly sericitic, grey 2-3cm qtz veins near upper and lower contact, rare fine py, weakly chl in sections													
			91.95-92.17m, 17cm shear 50 TCA with grey qtz boudins and discontinuous grey qtz veins, 1-2% fine pyrite													
			111.9-112.9m, moderately pegmatized with k-spar introduction into groundmass and as pegmatite dyklets up to 10cm							E6212156	113.16	113.87	0.71		<0.002	
113.87	117.27	Diorite	fine grained, grey, moderately foliated 70 TCA, strongly chloritized with very weak sericite, pseudo-banded appearance with lighter more strongly carbonated bands mm scale to 2-3cm, minor late qtz-carb veinlets generally along foliation planes, strongly sheared and veined at contacts, tr-1% fine py throughout							E6212157	113.87	114.35	0.48	3	0.021	
										E6212158	114.35	115.14	0.79	tr	0.007	
										E6212159	115.14	115.84	0.70	tr	<0.002	

FOOTAGE		ROCK TYPE	DESCRIPTION	SAMPLE FOOTAGE			SAMPLE LENGTH	VISUAL % ESTIMATES / ASSAYS	
FROM	TO			Sample No.	FROM	TO		Py	Au ppm
				E6212160	standard OREAS 222			1.19	
				E6212161	115.84	116.97	1.13	tr	<0.002
			1x 10cm qtz-carb vein plus 2 other subordinate veinlets <1cm across, strongly sheared	E6212162	116.97	117.27	0.30	tr	0.161
117.27	126.90	Granodiorite	sample strongly sericitized especially first 20cm, primary textures very faint, moderately strongly sericitized to weakly sericitic to 119m	E6212163	117.27	118.04	0.77		0.007
			119-126.9m, coarse grained, massive, subordinate pegmatized sections up to 10cm, also contains distinct pegmatite dykelets, up to 3-4cm, variable orientation, upper portions closer to shear weakly sericitic with weak to moderate destruction of primary textures						
126.90	142.08	Feldspar Porphyry	massive, medium grained with 5-10% mm scale white pheno's in a chloritic quartz-feldspar matrix, variable k-spar alteration of groundmass to pinkish hue, contacts sharp, upper 60 TCA and lower 30 TCA DC, fine muscovite up to 3%						
			133.22-134.3m, granodiorite, upper contact area moderately sericitized for about 50cm						
			135.08-137.75m, granodiorite, lower contact 15 TCA DC, 136.5-136.67m, blocky, weakly sheared and strongly chloritic,						
142.08	204.30	Granodiorite	coarse grained, massive, intermittently strongly sericitic to strongly chloritic where primary textures diffuse and destroyed, moderately fractured with mm scale chlorite-rich +/- muscovite fractures, groundmass with 3-5% muscovite, minor qtz veining up to 10cm wide as white qtz-carb veins, later, possible other series where qtz is more grey with chl-musc +/- tourm rims and clots and possible biotite, granodiorite well altered but sulphides rare and fine and associated with the grey qtz veinlets although variably						
				E6212164	142.80	143.39	0.59		<0.002
			20cm fractured section filled with chl-bio-musco and a 2cm qtz-carb boudin with rare py	E6212165	143.39	143.73	0.34		0.002
			143.73-148m, strongly sericitized with chl-musco-bio filled fractures, rare py	E6212166	143.73	145.00	1.27		<0.002
				E6212167	145.00	146.00	1.00		<0.002
				E6212168	146.00	147.00	1.00		<0.002
				E6212169	147.00	148.00	1.00		<0.002
				E6212170	pulp replicate of E6212169				<0.002
			silicified groundmass, 1x6cm qtz vein 60 TCA with blebby py, subordinate qtz veinlets with minor py, 1-2% overall	E6212171	148.00	149.00	1.00	1	0.008
				E6212172	149.00	149.50	0.50		<0.002
			strongly fractured hosting chl-musco-bio +/- silica, contains 20cm diorite raft with 3cm qtz boudin, weak py	E6212173	149.50	150.35	0.85	tr	0.006
			2-3cm qtz vein sub-parallel TCA with perpendicular offshoots with minor blebby py in veins and fine diss py in host rock	E6212174	150.35	151.00	0.65	2	0.003
				E6212175	standard OREAS 216b			2	6.730
			variably altered strong sericite with possible intense altered diorite rafts, grano silicified groundmass, blebby py in raft	E6212176	151.00	152.00	1.00	tr	0.004
			silicified sericitic to chloritic micaceous groundmass, one qtz vnlit 30 TCA DC	E6212177	152.00	152.60	0.60		<0.002
			strong sericite, silicified groundmass, 1x8cm white qc vein 40 TCA DC, subordinate grey mm scale vnlt with fine py	E6212178	152.60	153.42	0.82	tr	0.005
				E6212179	153.42	154.22	0.80		0.002
				E6212180	blank				<0.002
				E6212181	154.22	155.24	1.02		<0.002
				E6212182	164.42	164.82	0.40		<0.002
			1x3m chl-sericite shear 10 TCA with one grey qtz boudin, rare py	E6212183	164.82	165.85	1.03	tr	<0.002
				E6212184	165.85	166.32	0.47		<0.002
				E6212185	166.32	167.90	1.58		0.013
			intensely silicified, strong sericite, 15cm shear 90 TCA @ 169m, rare py	E6212186	167.90	169.17	1.27		0.010
				E6212187	169.17	170.00	0.83		0.010

DIAMOND DRILL LOG

DRILLING COMPANY		COLLAR ELEVATION	@	DIP	BEARING	@	DIP	BEARING	CLAIM NO.	LOCATION (ZONE 15 UTM N,E)	HOLE NO.	Page				
M3 Forage		454								5412560n	BV-21-03	1 of 3				
START DATE	COMPLETION DATE	DATE LOGGED	COLLAR	DIP	BEARING		DIP	BEARING	MAP NO.		COMMENTS					
January 18, 2021	January 22, 2021	January 19-23, 2021	17M	-65.4	115.6		M	°		654060e	Intersected Traxxin Shear from 169.63-178.29m (8.66m)					
EXPLORATION CO.; OWNER; OPTIONEE		LOGGED BY	M	°	°		M	°	TOTAL FOOTAGE	TARGET NAME						
Bold Ventures Inc.		Mike Kilbourne, P.Geo.	M	°	°		M	°	192.5m	Traxxin Shear Zone						
FOOTAGE		ROCK TYPE	DESCRIPTION							SAMPLE FOOTAGE			VISUAL % ESTIMATES / ASSAYS			
FROM	TO								Sample No.	FROM	TO	SAMPLE LENGTH	Py	Au ppm	Au g/t	
0.00	3.00	Overburden														
3.00	5.44	Diorite	grey, massive, non-magnetic, fine grained, sharp contacts, lower 45 TCA DC													
5.44	19.70	Granodiorite	massive, coarse grained, good primary texture until 14.8m, upper contact with 35cm pegmatite dykelet, minor sub-meter sections albitized with subordinate silica													
			14.8-15.88m, pegmatite dyke, coarse xtls of qtz, k-spar and albite													
			15.88-19.7m, primary textures diffuse, moderate chlorite alteration of groundmass, weakly bleached							E6212204	17.30	18.18	0.88	tr	0.003	
			18.18m, blocky with weak fault gouge, in upper contact with 23cm white qtz vein with 1-2 fine stylonites with							E6212205	18.18	19.00	0.82	2	0.431	
			fine pyrite, minor blebby aspy in qv, beyond qv granodiorite moderately silicified with 2x2cm qv 45 TCA with							E6212206	19.00	19.70	0.70	tr	0.141	
			associated py, minor py in altered granodiorite also							E6212207	19.70	20.41	0.71		0.067	
19.70	21.37	Diorite	grey, fine grained, massive, 1x6cm section with qtz-calcite veining and weak breccia with chl													
21.37	59.00	Granodiorite	coarse grained, massive, intermittent diffused primary texture by chl-weak sericite alteration, minor sub-meter sections of diorite, minor late qtz-albite veins/fractures generally <2cm and 45 TCA													
			24.46-25m, diorite, contacts sharp 40 TCA													
			25.53-27.18m, diorite, upper contact sharp at 30 TCA													
			26.37-27.18m, strong sericite alteration, 1x 5cm vein 25 TCA DC, subordinate discontinuous grey qtz veins/boudins, rare pyrite							E6212208	26.37	27.18	0.81		0.007	
			29.2-30.74m, feldspar porphyry, grey, massive sharp contacts both pointing downcore 45-60 TCA							E6212209	32.46	33.10	0.64		0.010	
			33.1-35.65m, strongly sericitic, primary textures destroyed, minor chloritic fractures with coarse py, one 90 TCA and 2cm across, another mm scale and 25 TCA DC							E6212210	blank				<0.002	
										E6212211	33.10	34.21	1.11	3	0.045	
										E6212212	34.21	35.00	0.79	tr	0.004	
			35-35.65m, strong sericite, grey qtz veining 25 TCA 2cm wide with chl-py rims, thin 3cm shear 30 TCA DC also							E6212213	35.00	35.65	0.65	tr	0.035	
										E6212214	35.65	36.34	0.69	1	0.015	
			35.65-41.5m, strongly chloritic granodiorite													
			41.5-59m, good primary textures, coarse grained, minor pegmatite dykelets up to 40cm wide													
59.00	62.46	Feldspar Porphyry	grey, massive, 10-15% pheno's up to 5mm across in mafic-quartzo-plagioclase groundmass, sharp contacts, upper 80 TCA, lower 60 TCA													
62.46	72.04	Granodiorite	massive to weakly foliated, fairly good primary textures, weakly porphyritic in places, minor albitization of groundmass in places													
			70.7-72m, albite dyke, white, medium grained, <5% ferro-mags, qtz-albite groundmass, contacts coarse grained with albite and qtz over 5-10cm, sharp variable contacts													
72.04	79.79	Feldspar Porphyry	generally massive, medium grained, equigranular groundmass with 15-20% pheno's, albite-quartz-ferro-mag groundmass, light grey in colour, could be just a porphyritic phase of the granodiorite, sub-meter sections where silicified and albitized white with little ferro-mags but still has a porphyritic appearance													

FOOTAGE		ROCK TYPE	DESCRIPTION	SAMPLE FOOTAGE			SAMPLE LENGTH	VISUAL % ESTIMATES / ASSAYS		
FROM	TO			Sample No.	FROM	TO		Py	Au ppm	Au g/t
79.79	100.62	Granodiorite	mix of typical granodiorite, porphyritic granodiorite to possible feldspar porphyry, sub-meter albitized sections, subordinate pegmatite dykelets up to 10cm across							
			from 96.34 to lower contact, increase in sericite alteration to strong plus sections strongly chloritized, from 96.83m minute pale olive green xtls about 5% (leucoxene?), no visible sulphides	E6212215	100.00	100.62	0.62		0.004	
100.62	105.68	Diorite	green grey, fine grained, moderately foliated 70 TCA accentuated by lighter fine sericite and qtz-carb along foliation planes, trace cubic pyrite, strongly sheared at upper contact for 10cm with 3cm qtz carb vein, 3mm wavy grey qtz veinlets parallel TCA to 101.13m, upper contact 85 TCA	E6212216	100.62	101.40	0.78		0.023	
				E6212217	101.40	102.30	0.90		<0.002	
				E6212218	102.30	103.00	0.70		<0.002	
				E6212219	103.00	104.00	1.00		<0.002	
				E6212220	pulp replicate of E6212219				0.002	
				E6212221	104.00	104.85	0.85		0.044	
			qtz-carb-albite vein with rafts and partings of host rock plus mm stylonites, some sericite of partings, trace py	E6212222	104.85	105.68	0.83		0.182	
105.68	120.20	Granodiorite	coarse grained, strongly chloritized groundmass, weakly sericitized, primary textures diffuse, blocky from 108-117m massive to sporadically weakly foliated 45 TCA, lower contact broken	E6212223	105.68	106.60	0.92		0.005	
120.20	123.00	Feldspar Porphyry	definitive porphyritic texture, massive, green grey, 10-15% mm scale pheno's in siliceous-feldspar ferro-mag groundmass lower contact appears gradational							
123.00	156.81	Granodiorite	coarse grained, diffused primary textures from chlorite and weak sericite alteration, massive to locally weakly foliated over sub-meter sections, local moderate 2-3% muscovite, minor thin mm scale fracture with qtz-carb-chl-muscovite, 135.35-135.76m, coarse brecciated by qtz-chl-calcite+/- tourm+/- bluish mica							
			135.76-137m, strong sericite alteration, weakly albitized, weak foliation by ferro-mag streaks							
			142.86-143.49m, feldspar porphyry, sharp contacts 45 TCA							
			151.87-156.91m, becoming increasingly foliated, weak 30-60TCA, minor fractures to mm qtz veinlet with chloritic rims	E6212224	151.87	152.45	0.58	2	0.143	
			+/- bluish mica+muscovite plus associated py	E6212225	Oreas 222				1.200	
				E6212226	152.45	153.45	1.00		0.008	
				E6212227	153.45	154.62	1.17	tr	0.014	
				E6212228	154.62	155.57	0.95		<0.002	
				E6212229	155.57	156.81	1.24	tr	0.004	
				E6212230	1/4 core duplicate of E6212229				0.004	
156.81	169.63	Granodiorite	from 156.81-169.63m, strongly altered sericitized micaceous granodiorite, intermittent sections of bleaching with qtz-tourm-chlorite-silica veinlets/fractures with associated blebby pyrite, disseminated py in groundmass along with 5% muscovite, minor fingers or rafts(?) of diorite, subordinate millrock where strongly brecciated with vuggy silica, pyrite also closely linked to areas of chl clots, upper fault contact but sharp at 70 TCA							
			grey bleached millrock-breccia with 5cm fault gouge at upper contact, trace py	E6212231	156.81	157.59	0.78		0.008	
			chloritic altered granodiorite with 29cm bleached sericitized albite rich section with 20cm diorite, tr py	E6212232	157.59	158.45	0.86		<0.002	
			sericitic-chl-musco grano with 6cm whitish qtz vein 45 TCA DC, 1-2% fine pyrite in groundmass	E6212233	158.45	158.96	0.51		<0.002	
			40cm of weakly brecciated bleached grano with tourmaline-rich fractures/veinlets/clots with blebby py, strong mica	E6212234	158.96	160.14	1.18	5	0.005	
			fresh looking diorite finger	E6212235	160.14	160.62	0.48		0.003	
			strongly bleached grano with tourm-chl fractures and clots with coarse py, mica rich groundmass, 13cm sliver of diorite	E6212236	160.62	161.56	0.94	3	0.003	
			fresh looking diorite finger	E6212237	161.56	161.95	0.39		0.002	
			bleached altered grano with 2cm tourmaline vein 70 TCA,	E6212238	161.95	162.33	0.38	1	0.004	
			strongly sericitic grano with diffuse textures plus more chl altered sections, only minor fractures, tr py	E6212239	162.33	163.08	0.75	tr	<0.002	
				E6212240	OREAS 216b				6.420	

DIAMOND DRILL LOG

DRILLING COMPANY		COLLAR ELEVATION	@	DIP	BEARING	@	DIP	BEARING	CLAIM NO.	LOCATION (ZONE 15 UTM N,E)	HOLE NO.	Page			
M3 Forage		454								5412604n	BV-21-04	1 of 3			
START DATE	COMPLETION DATE	DATE LOGGED	COLLAR	DIP	BEARING		DIP	BEARING	MAP NO.		COMMENTS				
January 22, 2021	January 24, 2021	January 23-25, 2021	20M	-65	115		M	°		654101e	Intersected Traxxin Shear from 119.35-159m (39.65m)				
EXPLORATION CO.; OWNER; OPTIONEE		LOGGED BY	M	°	°		M	°	TOTAL FOOTAGE	TARGET NAME					
Bold Ventures Inc.		Mike Kilbourne, P.Geo.	M	°	°		M	°	170m	Traxxin Shear Zone					
FOOTAGE		ROCK TYPE	DESCRIPTION						SAMPLE FOOTAGE			VISUAL % ESTIMATES / ASSAYS			
FROM	TO							Sample No.	FROM	TO	SAMPLE LENGTH	Py	Au ppm	Au g/t	
0.00	10.00	Overbruden													
10.00	24.69	Granodiorite	coarse grained, fairly good primary textures, strong 1-1.5m sections of moderate chlorite in groundmass, minor sub-meter sections where ferro-mags washed out or bleached (albitized?), pegmatite dykelets up to 50cm across, 5cm fault gouge at 15.9m												
24.69	30.95	Feldspar Porphyry	massive to weakly foliated, distinct porphyritic texture with 5-10% mm scale pheno's on grey siliceous ferro-mag groundmass, upper contact 30 TCA, lower 45 TCA												
30.95	46.00	Granodiorite	coarse grained, generally massive, diffused primary textures by bleaching and or chloritization of groundmass, pegmatite dykelets up to 60cm, 38.52-39.15m, diorite or mafic dyke with a raft of pegmatite in it, unaltered, sharp contacts 45 TCA DC very blocky at 32m, variable bleaching and chlorite alteration of groundmass, lower contact 60 TCA												
46.00	54.95	Feldspar Porphyry	medium to fine grained, weak fine porphyritic texture, grey to pale olive green, fine minute pheno's in a siliceous feldspar ferro-mag groundmass, massive, contains 20cm pegmatite dykelet and possible granodiorite rafts, lower contact kind of diffused												
54.95	65.95	Granodiorite	coarse grained, generally massive, minor bleached sections where ferro-mags are washed out, subordinate pegmatite sections up to 35cm, intermittently coarse porphyritic texture 64.48-65m, moderately foliated green grey, fine grained, sharp contacts at 65 TCA, diorite(?)												
65.95	69.34	Feldspar Porphyry	massive to weakly foliated, grey to pale olive green, 5-10% minute pheno's in siliceous feldspar ferro-mag groundmass, foliation 45 TCA, lower contact 60 TCA, one 6cm pegmatite dykelet with foliation												
69.34	74.69	Granodiorite	coarse grained, minor sub meter to sub decameter bleached sections, massive to very weakly foliated, contains 60cm pegmatite dykelet												
74.69	77.62	Feldspar Porphyry	10-15% fine to 3mm pheno's in siliceous feldspar ferro-mag groundmass, massive to very weak foliation in places, same grey pale olive green colour, upper contact kind of diffused to possible bleaching of granodiorite in contact, lower contact sharp at 55 TCA, weakly locally sericitic												
77.62	100.70	Granodiorite	coarse grained, massive to very weakly foliated 45 TCA, some bleached sections were ferro-mags washed out, intermittent coarse porphyritic textures, minor sub-meter feldspar porphyry intervals, increase in muscovite in groundmass to 2-3% pegmatite intervals up to 1.25m across 85.42-85.90m, strong shear, textures destroyed, strong sericite and brownish mica (phlogopite?), 2% fine pyrite, shear at 35 TCA, however another small 3cm shear at 86.16m of similar make-up 35 TCA DC E6212264 96.44 97.06 0.62 0.003						E6212264	96.44	97.06	0.62		0.003	
			97.06-98.28m, intensely altered granodiorite, strong sericite, moderate mica, primary textures destroyed, moderately sheared, 2-3% fine pyrite, upper contact 30 TCA DC and unit next to a 30cm white pegmatite dykelet, lower contact E6212265 97.06 98.28 1.22 0.088						E6212265	97.06	98.28	1.22	2	0.088	
			diffused and gradational E6212266 98.28 99.30 1.02 0.004						E6212266	98.28	99.30	1.02		0.004	
			E6212267 99.30 100.70 1.40 0.005						E6212267	99.30	100.70	1.40		0.005	

FOOTAGE		ROCK TYPE	DESCRIPTION	SAMPLE FOOTAGE			SAMPLE LENGTH	VISUAL % ESTIMATES / ASSAYS		
FROM	TO			Sample No.	FROM	TO		Py	Au ppb	Au g/t
100.70	106.79	Diorite	grey, fine grained, intensely sheared to weakly foliated, gradually decrease downcore, upper contact 85 TCA with 7cm white qtz-carb vein, granodiorite next to it for 4cm with 50% tourmaline, minor qtz-carb veins up to 3cm across, lower contact with fault gouge and qc veining over 30cm, strong sericite to 102.5m associated with stronger shearing, foliation varies from 45 near contact to 85 TCA							
			intense shearing near upper contact for 30cm, intense sericite and minor qc along foliations planes, 1% py	E6212268	100.70	101.40	0.70	1	0.248	
			weaker sericite alteration, still strongly foliated, 5 qc veinlets 0.5-1cm across, 2% py	E6212269	101.40	102.49	1.09	2	0.145	
				E6212270	pulp replicate of E6212269				0.188	
			weakly foliated, no qc veinlets, 3% fine py	E6212271	102.49	103.50	1.01	3	0.042	
			weakly foliated, weak sericite, 3% py	E6212272	103.50	104.43	0.93	3	0.042	
			generally massive to weakly foliated, little sericite, 1-2% fine py	E6212273	104.43	105.58	1.15	1	0.015	
			strongly foliated as approaching contact which is in fault with grano, moderate sericite, 2% fine py	E6212274	105.58	106.79	1.21	2	0.150	
				E6212275	OREAS 216b				6.410	
106.79	119.35	Granodiorite	strongly sericitic to 108.12m, tr py, upper fault contact 90 TCA	E6212276	106.79	108.12	1.33	tr	0.014	
			108.12-119.35m, medium grained massive granodiorite, strongly chloritic to moderately bleached and sericitic, diffused destroyed primary textures, 114.7-118m, moderate to strong sericite							
			chill margin (?) from 118-119.35m,	E6212277	118.4	119.35	0.95		0.03	
119.35	159.00	Traxxin Shear Zone	this section of the Traxxin Shear Zone is considerably wide, upper portion to ???m is a granodiorite protolith intensely sheared, sericitized, bleached, qtz veined with 2-4% fine pyrite, intermittent fuchsite alteration, micro-breccia's, qtz-carb clots/veins/boudins plus grey qtz veining, foliation variable from 0-45 TCA but generally around 30 TCA, upper contact appears to be lost but sharp at 35 TCA, large white-grey qtz vein with numerous chl-sericite fractures in almost a boxwork fashion from 119.78-122.33m, strong intermittent tourmaline also in large qtz veins							
			sheared and brecciated grd with 40% grey qtz clasts/fragments/veins, 1x2cm fault gouge, strong ser, tr-1% py	E6212278	119.35	120.25	0.90	1	>10	15
			whitish grey crackled qtz vein with ser-chl hairline fractures, no visible sulphides	E6212279	120.25	121.10	0.85		1.470	
				E6212280	blank				0.012	
			whitish grey qtz vein, strongly fractured to box-work breccia, no visible sulphides	E6212281	121.1	121.82	0.72		0.897	
			80% white greyish qtz vein with rafts of sheared sericitic host, abundant tourmaline with vein, tr py	E6212282	121.82	122.55	0.73	tr	2.700	
			70-30 split between intense sericitized grd and grey white fractured qtz veining, sulphides in altered host rock, 2%	E6212283	122.55	123.28	0.73	2	>10	10.5
			90-10 split between intensely ser grd and brecciated white qtz vein over 21cm plus subordinate veinlets and boudins, 1% py	E6212284	123.28	124.23	0.95	1	5.530	
			124.23-131.64m, intense sericite altered grd, subordinate silicification, weak chlorite filled fractures, 2-4% py	E6212285	124.23	125.00	0.77	3	0.950	
				E6212286	125.00	126.00	1.00	3	0.924	
				E6212287	126.00	127.00	1.00	3	0.605	
			10cm fault gouge at 128m	E6212288	127.00	128.00	1.00	3	1.930	
				E6212289	128.00	129.00	1.00	3	8.570	
				E6212290	1/4 core duplicate of E6212289				2.880	
			from 129-131.64m, increase in chl-tourm clots and fractures and qtz carb veinlets +/- subordinate k-spar	E6212291	129.00	130.00	1.00	2	2.120	
				E6212292	130.00	131.00	1.00	3	0.725	
			10cm white qv 45 TCA, 5% py in section	E6212293	131.00	131.64	0.64	5	2.420	
			131.64-135.54m, grey to pale olive green chl-ser grd with minor fuchsite, strongly foliated still minor qc veinlets with foliation planes, pyrite has fallen off in this section to trace, still a very altered grd	E6212294	131.64	132.47	0.83	tr	0.037	
				E6212295	132.47	133.12	0.65	tr	0.013	
			this particular sample is almost a weak breccia with qtz-carb clots/boudins/fragments with chl-fuchsite altered matrix	E6212296	133.12	133.57	0.45	tr	0.025	
				E6212297	133.57	134.50	0.93	tr	0.012	
			more chloritic, weak sericite, minor grey qtz veinlets 0-45 TCA, 1-2 cm wide, tr py	E6212298	134.50	135.54	1.04	tr	0.033	
			135.54-137.55m, rock changes abruptly to a grey-qtz-chl-brownish mica-pyrite schist, contacts sharp at 30 TCA, 5-7% py	E6212299	135.54	136.00	0.46	7	0.085	
				E6212300	OREAS 222				1.220	

15.0 Appendix III: Assay Certificates



CLIENT NAME: BOLD VENTURES INC
22 ADELAIDE STREET WEST SUITE 3600
TORONTO, ON M5H 4E3
416-435-4418

ATTENTION TO: David Graham & Gerry White

PROJECT:

AGAT WORK ORDER: 21T702923

SOLID ANALYSIS REVIEWED BY: Jing Xiao, Data Reviewer

DATE REPORTED: Mar 10, 2021

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 04, 2021

DATE RECEIVED: Jan 22, 2021

DATE REPORTED: Mar 10, 2021

SAMPLE TYPE: Rock

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212101 (2057615)		1.8205
E6212102 (2057616)		0.8631
E6212103 (2057617)		2.5277
E6212104 (2057618)		4.0404
E6212105 (2057619)		0.6989
E6212106 (2057620)		1.8348
E6212107 (2057621)		2.2091
E6212108 (2057622)		1.1673
E6212109 (2057623)		1.0784
E6212110 (2057624)		0.7957
E6212111 (2057625)		2.2451
E6212112 (2057626)		1.7658
E6212113 (2057627)		1.4051
E6212114 (2057628)		2.0049
E6212115 (2057629)		1.6581
E6212116 (2057630)		2.2358
E6212117 (2057631)		2.1798
E6212118 (2057632)		2.0623
E6212119 (2057633)		2.0157
E6212120 (2057634)		C DUP
E6212121 (2057635)		2.1817
E6212122 (2057636)		1.5963
E6212123 (2057637)		1.5332
E6212124 (2057638)		2.1537
E6212125 (2057639)		0.0786
E6212126 (2057640)		1.0328
E6212127 (2057641)		1.1061
E6212128 (2057642)		1.2349
E6212129 (2057643)		0.7569
E6212130 (2057644)		0.7332
E6212131 (2057645)		2.4891

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 04, 2021 DATE RECEIVED: Jan 22, 2021 DATE REPORTED: Mar 10, 2021 SAMPLE TYPE: Rock

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212132 (2057646)		3.1659
E6212133 (2057647)		1.2357
E6212134 (2057648)		1.1919
E6212135 (2057649)		1.0939
E6212136 (2057650)		2.4743
E6212137 (2057651)		2.2562
E6212138 (2057652)		3.1261
E6212139 (2057653)		2.0793
E6212140 (2057654)		0.0769
E6212141 (2057655)		2.0946
E6212142 (2057656)		2.2166
E6212143 (2057657)		1.5707
E6212144 (2057658)		2.5909
E6212145 (2057659)		3.2333
E6212146 (2057660)		1.5512
E6212147 (2057661)		1.6527
E6212148 (2057662)		2.9311
E6212149 (2057663)		1.0549
E6212150 (2057664)		1.1196
E6212151 (2057665)		1.3181
E6212152 (2057666)		2.2207

Comments: RDL - Reported Detection Limit
 Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 04, 2021 DATE RECEIVED: Jan 22, 2021 DATE REPORTED: Mar 10, 2021 SAMPLE TYPE: Rock

Sample ID (AGAT ID)	Analyte: Au Unit: ppm RDL: 0.002
E6212101 (2057615)	<0.002
E6212102 (2057616)	0.168
E6212103 (2057617)	0.097
E6212104 (2057618)	0.004
E6212105 (2057619)	0.547
E6212106 (2057620)	0.022
E6212107 (2057621)	0.013
E6212108 (2057622)	9.87
E6212109 (2057623)	0.281
E6212110 (2057624)	<0.002
E6212111 (2057625)	0.009
E6212112 (2057626)	0.049
E6212113 (2057627)	0.082
E6212114 (2057628)	0.874
E6212115 (2057629)	0.095
E6212116 (2057630)	0.024
E6212117 (2057631)	0.036
E6212118 (2057632)	0.283
E6212119 (2057633)	0.042
E6212120 (2057634)	0.094
E6212121 (2057635)	0.534
E6212122 (2057636)	0.045
E6212123 (2057637)	0.011
E6212124 (2057638)	0.050
E6212125 (2057639)	1.17
E6212126 (2057640)	0.051
E6212127 (2057641)	0.089
E6212128 (2057642)	3.34
E6212129 (2057643)	0.163
E6212130 (2057644)	0.198
E6212131 (2057645)	0.054
E6212132 (2057646)	0.110

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 04, 2021	DATE RECEIVED: Jan 22, 2021	DATE REPORTED: Mar 10, 2021	SAMPLE TYPE: Rock
Analyte: Au	Unit: ppm	RDL: 0.002	
Sample ID (AGAT ID)			
E6212133 (2057647)		0.020	
E6212134 (2057648)		0.392	
E6212135 (2057649)		1.33	
E6212136 (2057650)		0.226	
E6212137 (2057651)		0.009	
E6212138 (2057652)		0.032	
E6212139 (2057653)		0.746	
E6212140 (2057654)		6.50	
E6212141 (2057655)		7.38	
E6212142 (2057656)		0.027	
E6212143 (2057657)		0.020	
E6212144 (2057658)		0.003	
E6212145 (2057659)		0.019	
E6212146 (2057660)		0.096	
E6212147 (2057661)		0.036	
E6212148 (2057662)		<0.002	
E6212149 (2057663)		<0.002	
E6212150 (2057664)		<0.002	
E6212151 (2057665)		0.178	
E6212152 (2057666)		0.011	

Comments: RDL - Reported Detection Limit

Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Crushing)

DATE SAMPLED: Feb 04, 2021	DATE RECEIVED: Jan 22, 2021	DATE REPORTED: Mar 10, 2021	SAMPLE TYPE: Rock
Analyte: Pass %	Unit: %	RDL: 0.01	
Sample ID (AGAT ID)			
E6212101 (2057615)		77.81	
E6212111 (2057625)		78.33	
E6212121 (2057635)		77.75	
E6212131 (2057645)		78.17	
E6212143 (2057657)		77.23	

Comments: RDL - Reported Detection Limit
Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T702923

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Pulverizing)

DATE SAMPLED: Feb 04, 2021

DATE RECEIVED: Jan 22, 2021

DATE REPORTED: Mar 10, 2021

SAMPLE TYPE: Rock

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212101 (2057615)		85.04
E6212119 (2057633)		89.90
E6212137 (2057651)		87.18

Comments: RDL - Reported Detection Limit

Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)																
	REPLICATE #1				REPLICATE #2				REPLICATE #3				REPLICATE #4			
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD
Au	2057615	< 0.002	0.002		2057630	0.0240	0.0259	7.6%	2057640	0.0510	0.0569	10.9%	2057655	7.38	7.03	4.9%
	REPLICATE #5															
Parameter	Sample ID	Original	Replicate	RPD												
Au	2057665	0.178	0.189	6.0%												



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	CRM #1 (ref.GS4L)				CRM #2 (ref.GS4L)				CRM #3 (ref.GS4L)							
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Au	4.01	4.18	104%	90% - 110%	4.01	4.14	103%	90% - 110%	4.01	4.11	102%	90% - 110%				



Method Summary

CLIENT NAME: BOLD VENTURES INC

AGAT WORK ORDER: 21T702923

PROJECT:

ATTENTION TO: David Graham & Gerry White

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-12019, MIN-12004	Fletcher, WK: Handbook of Exploration Geochem	AA
Pass %			BALANCE



CLIENT NAME: BOLD VENTURES INC
22 ADELAIDE STREET WEST SUITE 3600
TORONTO, ON M5H 4E3
416-435-4418

ATTENTION TO: David Graham & Gerry White

PROJECT: Traxxin

AGAT WORK ORDER: 21T707035

SOLID ANALYSIS REVIEWED BY: Jing Xiao, Data Reviewer

DATE REPORTED: Mar 24, 2021

PAGES (INCLUDING COVER): 12

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021

DATE RECEIVED: Jan 26, 2021

DATE REPORTED: Mar 24, 2021

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg 0.01
E6212153 (2045169)		1.68
E6212154 (2045170)		1.94
E6212155 (2045171)		1.83
E6212156 (2045172)		1.50
E6212157 (2045173)		1.06
E6212158 (2045174)		1.77
E6212159 (2045175)		1.56
E6212160 (2045176)		0.07
E6212161 (2045177)		2.55
E6212162 (2045178)		0.72
E6212163 (2045179)		1.66
E6212164 (2045180)		1.18
E6212165 (2045181)		0.71
E6212166 (2045182)		2.75
E6212167 (2045183)		2.03
E6212168 (2045184)		2.20
E6212169 (2045185)		2.09
E6212170 (2045186)		2.09
E6212171 (2045187)		2.25
E6212172 (2045188)		1.13
E6212173 (2045189)		1.96
E6212174 (2045190)		1.35
E6212175 (2045191)		0.07
E6212176 (2045192)		2.27
E6212177 (2045193)		1.25
E6212178 (2045194)		1.64
E6212179 (2045195)		1.73
E6212180 (2045196)		0.81
E6212181 (2045197)		2.18
E6212182 (2045198)		0.90
E6212183 (2045199)		2.04

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg 0.01
E6212184 (2045200)		1.12
E6212185 (2045201)		3.33
E6212186 (2045202)		2.51
E6212187 (2045203)		1.95
E6212188 (2045204)		1.30
E6212189 (2045205)		0.57
E6212190 (2045206)		0.69
E6212191 (2045207)		2.03
E6212192 (2045208)		1.43
E6212193 (2045209)		1.99
E6212194 (2045210)		1.68
E6212195 (2045211)		1.45
E6212196 (2045212)		1.55
E6212197 (2045213)		3.43
E6212198 (2045214)		1.46
E6212199 (2045215)		1.91
E6212200 (2045216)		0.07
E6212201 (2045217)		1.87
E6212202 (2045218)		1.23
E6212203 (2045219)		1.41
E6212204 (2045220)		1.95
E6212205 (2045221)		1.48
E6212206 (2045222)		1.35
E6212207 (2045223)		1.49
E6212208 (2045224)		1.92
E6212209 (2045225)		1.18
E6212210 (2045226)		1.13
E6212211 (2045227)		2.55
E6212212 (2045228)		1.45
E6212213 (2045229)		1.42
E6212214 (2045230)		1.37

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212215 (2045231)		1.38
E6212216 (2045232)		1.64
E6212217 (2045233)		1.99
E6212218 (2045234)		1.25
E6212219 (2045235)		2.21
E6212220 (2045236)		2.21
E6212221 (2045237)		1.78
E6212222 (2045238)		1.68
E6212223 (2045239)		1.73
E6212224 (2045240)		1.22

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021	DATE RECEIVED: Jan 26, 2021	DATE REPORTED: Mar 24, 2021	SAMPLE TYPE: Drill Core
Analyte: Au	Unit: ppm	RDL: 0.002	
Sample ID (AGAT ID)			
E6212153 (2045169)	<0.002		
E6212154 (2045170)	0.025		
E6212155 (2045171)	0.003		
E6212156 (2045172)	<0.002		
E6212157 (2045173)	0.021		
E6212158 (2045174)	0.007		
E6212159 (2045175)	<0.002		
E6212160 (2045176)	1.19		
E6212161 (2045177)	<0.002		
E6212162 (2045178)	0.161		
E6212163 (2045179)	0.007		
E6212164 (2045180)	<0.002		
E6212165 (2045181)	0.002		
E6212166 (2045182)	<0.002		
E6212167 (2045183)	<0.002		
E6212168 (2045184)	<0.002		
E6212169 (2045185)	<0.002		
E6212170 (2045186)	<0.002		
E6212171 (2045187)	0.008		
E6212172 (2045188)	<0.002		
E6212173 (2045189)	0.006		
E6212174 (2045190)	0.003		
E6212175 (2045191)	6.73		
E6212176 (2045192)	0.004		
E6212177 (2045193)	<0.002		
E6212178 (2045194)	0.005		
E6212179 (2045195)	0.002		
E6212180 (2045196)	<0.002		
E6212181 (2045197)	<0.002		
E6212182 (2045198)	<0.002		
E6212183 (2045199)	<0.002		
E6212184 (2045200)	<0.002		

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Au Unit: ppm RDL: 0.002
E6212185 (2045201)	0.013
E6212186 (2045202)	0.010
E6212187 (2045203)	0.010
E6212188 (2045204)	0.002
E6212189 (2045205)	0.003
E6212190 (2045206)	<0.002
E6212191 (2045207)	0.007
E6212192 (2045208)	0.004
E6212193 (2045209)	<0.002
E6212194 (2045210)	0.006
E6212195 (2045211)	0.013
E6212196 (2045212)	0.002
E6212197 (2045213)	<0.002
E6212198 (2045214)	<0.002
E6212199 (2045215)	0.007
E6212200 (2045216)	1.25
E6212201 (2045217)	<0.002
E6212202 (2045218)	0.070
E6212203 (2045219)	<0.002
E6212204 (2045220)	0.003
E6212205 (2045221)	0.431
E6212206 (2045222)	0.141
E6212207 (2045223)	0.067
E6212208 (2045224)	0.007
E6212209 (2045225)	0.010
E6212210 (2045226)	<0.002
E6212211 (2045227)	0.045
E6212212 (2045228)	0.004
E6212213 (2045229)	0.035
E6212214 (2045230)	0.015
E6212215 (2045231)	0.004
E6212216 (2045232)	0.023

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Unit:	RDL:	Value
	Au	ppm	0.002	
E6212217 (2045233)				<0.002
E6212218 (2045234)				<0.002
E6212219 (2045235)				<0.002
E6212220 (2045236)				0.002
E6212221 (2045237)				0.044
E6212222 (2045238)				0.182
E6212223 (2045239)				0.005
E6212224 (2045240)				0.143

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Crushing)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212153 (2045169)		94.8
E6212172 (2045188)		83.5
E6212192 (2045208)		90.5
E6212212 (2045228)		78.5
E6212213 (2045229)		82.8

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON

Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Pulverizing)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212153 (2045169)		90.78
E6212172 (2045188)		89.68
E6212192 (2045208)		89.38
E6212212 (2045228)		91.72

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON

Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

	REPLICATE #1				REPLICATE #2				REPLICATE #3				REPLICATE #4			
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD
Au	2045169	< 0.002	< 0.002	0.0%	2045183	< 0.002	0.009		2045194	0.005	0.005	0.0%	2045208	0.0035	0.0030	15.4%
	REPLICATE #5				REPLICATE #6											
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD								
Au	2045219	< 0.002	< 0.002	0.0%	2045233	< 0.002	< 0.002	0.0%								



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	CRM #1 (ref.GS4L)				CRM #2 (ref.GS4L)				CRM #3 (ref.GSP5H)							
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Au	4.01	4.04	101%	90% - 110%	4.01	4.09	102%	90% - 110%	0.497	0.52	105%	90% - 110%				



Method Summary

CLIENT NAME: BOLD VENTURES INC

AGAT WORK ORDER: 21T707035

PROJECT: Traxxin

ATTENTION TO: David Graham & Gerry White

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-12019, MIN-12004	Fletcher, WK: Handbook of Exploration Geochem	AA
Pass %	MIN-12010	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE
Pass %	MIN-200-12012	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE



CLIENT NAME: BOLD VENTURES INC
22 ADELAIDE STREET WEST SUITE 3600
TORONTO, ON M5H 4E3
416-435-4418

ATTENTION TO: David Graham & Gerry White

PROJECT: Traxxin

AGAT WORK ORDER: 21T707038

SOLID ANALYSIS REVIEWED BY: Jing Xiao, Data Reviewer

DATE REPORTED: Mar 24, 2021

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021

DATE RECEIVED: Jan 26, 2021

DATE REPORTED: Mar 24, 2021

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg 0.01
E6212225 (2045249)		0.06
E6212226 (2045250)		2.17
E6212227 (2045251)		2.27
E6212228 (2045252)		2.06
E6212229 (2045253)		1.18
E6212230 (2045254)		1.01
E6212231 (2045255)		1.66
E6212232 (2045256)		1.83
E6212233 (2045257)		0.96
E6212234 (2045258)		2.25
E6212235 (2045259)		0.99
E6212236 (2045260)		1.92
E6212237 (2045261)		1.02
E6212238 (2045262)		0.82
E6212239 (2045263)		1.51
E6212240 (2045264)		0.06
E6212241 (2045265)		1.10
E6212242 (2045266)		1.30
E6212243 (2045267)		0.97
E6212244 (2045268)		2.12
E6212245 (2045269)		1.17
E6212246 (2045270)		2.16
E6212247 (2045271)		0.72
E6212248 (2045272)		2.15
E6212249 (2045273)		1.64
E6212250 (2045274)		1.66
E6212251 (2045275)		1.42
E6212252 (2045276)		1.51
E6212253 (2045277)		1.90
E6212254 (2045278)		2.17
E6212255 (2045279)		1.74

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212256 (2045280)		1.49
E6212257 (2045281)		1.85
E6212258 (2045282)		1.01
E6212259 (2045283)		1.61
E6212260 (2045284)		0.07
E6212261 (2045285)		1.61
E6212262 (2045286)		1.88
E6212263 (2045287)		1.52

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Au Unit: ppm RDL: 0.002
E6212225 (2045249)	1.20
E6212226 (2045250)	0.008
E6212227 (2045251)	0.014
E6212228 (2045252)	<0.002
E6212229 (2045253)	0.004
E6212230 (2045254)	0.004
E6212231 (2045255)	0.008
E6212232 (2045256)	<0.002
E6212233 (2045257)	<0.002
E6212234 (2045258)	0.005
E6212235 (2045259)	0.003
E6212236 (2045260)	0.003
E6212237 (2045261)	0.002
E6212238 (2045262)	0.004
E6212239 (2045263)	<0.002
E6212240 (2045264)	6.42
E6212241 (2045265)	0.003
E6212242 (2045266)	0.002
E6212243 (2045267)	<0.002
E6212244 (2045268)	0.007
E6212245 (2045269)	0.002
E6212246 (2045270)	0.035
E6212247 (2045271)	0.012
E6212248 (2045272)	0.041
E6212249 (2045273)	0.023
E6212250 (2045274)	<0.002
E6212251 (2045275)	0.068
E6212252 (2045276)	0.920
E6212253 (2045277)	0.180
E6212254 (2045278)	0.210
E6212255 (2045279)	0.307
E6212256 (2045280)	0.033

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Analyte:	Unit:	RDL:
Au	ppm	0.002
Sample ID (AGAT ID)		
E6212257 (2045281)		0.018
E6212258 (2045282)		0.054
E6212259 (2045283)		0.069
E6212260 (2045284)		1.26
E6212261 (2045285)		0.113
E6212262 (2045286)		0.053
E6212263 (2045287)		0.006

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Crushing)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212226 (2045250)		85.3
E6212244 (2045268)		87.9
E6212246 (2045270)		76.1

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Pulverizing)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 26, 2021 DATE REPORTED: Mar 24, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212225 (2045249)		90.74
E6212244 (2045268)		89.24

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



AGAT Laboratories

Quality Assurance - Replicate
 AGAT WORK ORDER: 21T707038
 PROJECT: Traxxin

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	REPLICATE #1				REPLICATE #2				REPLICATE #3							
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD				
Au	2045250	0.0077	0.0060	24.8%	2045263	< 0.002	0.003		2045275	0.0682	0.0735	7.5%				



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	CRM #1 (ref.GS4L)				CRM #2 (ref.GS1P5T)				CRM #3 (ref.GS4L)							
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Au	4.01	3.78	94%	90% - 110%	1.75	1.72	98%	90% - 110%	4.01	4.08	102%	90% - 110%				



Method Summary

CLIENT NAME: BOLD VENTURES INC

AGAT WORK ORDER: 21T707038

PROJECT: Traxxin

ATTENTION TO: David Graham & Gerry White

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-12019, MIN-12004	Fletcher, WK: Handbook of Exploration Geochem	AA
Pass %	MIN-12010	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE
Pass %	MIN-200-12012	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE



CLIENT NAME: BOLD VENTURES INC
22 ADELAIDE STREET WEST SUITE 3600
TORONTO, ON M5H 4E3
416-435-4418

ATTENTION TO: David Graham & Gerry White

PROJECT:

AGAT WORK ORDER: 21T707049

SOLID ANALYSIS REVIEWED BY: Jing Xiao, Data Reviewer

DATE REPORTED: Apr 01, 2021

PAGES (INCLUDING COVER): 13

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021

DATE RECEIVED: Jan 27, 2021

DATE REPORTED: Apr 01, 2021

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg 0.01
E6212264 (2045308)		1.24
E6212265 (2045309)		2.72
E6212266 (2045310)		1.91
E6212267 (2045311)		3.17
E6212268 (2045312)		1.49
E6212269 (2045313)		2.24
E6212270 (2045314)		2.24
E6212271 (2045315)		2.08
E6212272 (2045316)		1.92
E6212273 (2045317)		2.31
E6212274 (2045318)		1.75
E6212275 (2045319)		0.07
E6212276 (2045320)		2.63
E6212277 (2045321)		1.91
E6212278 (2045322)		2.13
E6212279 (2045323)		1.67
E6212280 (2045324)		1.25
E6212281 (2045325)		1.39
E6212282 (2045326)		1.47
E6212283 (2045327)		1.48
E6212284 (2045328)		2.35
E6212285 (2045329)		1.47
E6212286 (2045330)		2.16
E6212287 (2045331)		2.09
E6212288 (2045332)		1.71
E6212289 (2045333)		0.85
E6212290 (2045334)		0.85
E6212291 (2045335)		2.37
E6212292 (2045336)		2.39
E6212293 (2045337)		1.40
E6212294 (2045338)		1.81

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021

DATE RECEIVED: Jan 27, 2021

DATE REPORTED: Apr 01, 2021

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Unit: RDL:	Sample Login Weight kg 0.01
E6212295 (2045339)		1.48
E6212296 (2045340)		1.07
E6212297 (2045341)		2.00
E6212298 (2045342)		2.25
E6212299 (2045343)		0.99
E6212300 (2045344)		0.07
E6212301 (2045345)		1.81
E6212302 (2045346)		1.58
E6212303 (2045347)		2.00
E6212304 (2045348)		2.17
E6212305 (2045349)		1.40
E6212306 (2045350)		1.07
E6212307 (2045351)		2.17
E6212308 (2045352)		0.67
E6212309 (2045353)		1.88
E6212310 (2045354)		1.35
E6212311 (2045355)		1.12
E6212312 (2045356)		1.80
E6212313 (2045357)		2.19
E6212314 (2045358)		2.03
E6212315 (2045359)		1.22
E6212316 (2045360)		2.13
E6212317 (2045361)		1.99
E6212318 (2045362)		1.70
E6212319 (2045363)		2.24
E6212320 (2045364)		2.24
E6212321 (2045365)		2.55
E6212322 (2045366)		2.45
E6212323 (2045367)		1.33
E6212324 (2045368)		1.40
E6212325 (2045369)		0.07

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Apr 01, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212326 (2045370)		1.78
E6212327 (2045371)		1.28
E6212328 (2045372)		1.61
E6212329 (2045373)		0.73
E6212330 (2045374)		0.70
E6212331 (2045375)		1.33
E6212332 (2045376)		1.44
E6212333 (2045377)		0.74
E6212334 (2045378)		0.63
E6212335 (2045379)		1.72

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Apr 01, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Au	Unit: ppm	RDL: 0.002
E6212264 (2045308)		0.003	
E6212265 (2045309)		0.088	
E6212266 (2045310)		0.004	
E6212267 (2045311)		0.005	
E6212268 (2045312)		0.248	
E6212269 (2045313)		0.145	
E6212270 (2045314)		0.188	
E6212271 (2045315)		0.042	
E6212272 (2045316)		0.042	
E6212273 (2045317)		0.015	
E6212274 (2045318)		0.150	
E6212275 (2045319)		6.41	
E6212276 (2045320)		0.014	
E6212277 (2045321)		0.030	
E6212278 (2045322)		>10	
E6212279 (2045323)		1.47	
E6212280 (2045324)		0.012	
E6212281 (2045325)		0.897	
E6212282 (2045326)		2.70	
E6212283 (2045327)		>10	
E6212284 (2045328)		5.53	
E6212285 (2045329)		0.950	
E6212286 (2045330)		0.924	
E6212287 (2045331)		0.605	
E6212288 (2045332)		1.93	
E6212289 (2045333)		8.57	
E6212290 (2045334)		2.88	
E6212291 (2045335)		2.12	
E6212292 (2045336)		0.725	
E6212293 (2045337)		2.42	
E6212294 (2045338)		0.037	
E6212295 (2045339)		0.013	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Apr 01, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte: Au	Unit: ppm	RDL: 0.002
E6212296 (2045340)		0.025	
E6212297 (2045341)		0.012	
E6212298 (2045342)		0.033	
E6212299 (2045343)		0.085	
E6212300 (2045344)		1.22	
E6212301 (2045345)		0.162	
E6212302 (2045346)		0.2949	
E6212303 (2045347)		0.047	
E6212304 (2045348)		0.051	
E6212305 (2045349)		0.196	
E6212306 (2045350)		0.204	
E6212307 (2045351)		0.706	
E6212308 (2045352)		0.163	
E6212309 (2045353)		0.274	
E6212310 (2045354)		0.004	
E6212311 (2045355)		0.011	
E6212312 (2045356)		0.028	
E6212313 (2045357)		0.023	
E6212314 (2045358)		0.025	
E6212315 (2045359)		0.136	
E6212316 (2045360)		0.073	
E6212317 (2045361)		0.102	
E6212318 (2045362)		0.044	
E6212319 (2045363)		0.047	
E6212320 (2045364)		0.053	
E6212321 (2045365)		0.039	
E6212322 (2045366)		0.126	
E6212323 (2045367)		5.83	
E6212324 (2045368)		0.041	
E6212325 (2045369)		1.25	
E6212326 (2045370)		0.055	
E6212327 (2045371)		0.021	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Apr 01, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Unit:	RDL:
	Au	ppm	0.002
E6212328 (2045372)			0.055
E6212329 (2045373)			0.034
E6212330 (2045374)			0.044
E6212331 (2045375)			0.062
E6212332 (2045376)			0.013
E6212333 (2045377)			0.015
E6212334 (2045378)			0.013
E6212335 (2045379)			0.049

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-564) Fire Assay - Au Ore Grade, Gravimetric finish (50g charge)

DATE SAMPLED: Feb 02, 2021	DATE RECEIVED: Jan 27, 2021	DATE REPORTED: Apr 01, 2021	SAMPLE TYPE: Drill Core
----------------------------	-----------------------------	-----------------------------	-------------------------

Analyte:	Au-Grav
Unit:	g/t
RDL:	0.5
Sample ID (AGAT ID)	
E6212278 (2045322)	15.0
E6212283 (2045327)	10.5

Comments: RDL - Reported Detection Limit
These samples were pulverized at 35 General Aviation, Timmins, ON
Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Crushing)

DATE SAMPLED: Feb 02, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Apr 01, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212264 (2045308)		89.67
E6212283 (2045327)		81.53
E6212303 (2045347)		82.33
E6212323 (2045367)		79.8

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON

Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707049

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Pulverizing)

DATE SAMPLED: Feb 02, 2021	DATE RECEIVED: Jan 27, 2021	DATE REPORTED: Apr 01, 2021	SAMPLE TYPE: Drill Core
----------------------------	-----------------------------	-----------------------------	-------------------------

Sample ID (AGAT ID)	Analyte:	Pass %
	Unit:	%
	RDL:	0.01
E6212264 (2045308)		91.12
E6212283 (2045327)		92.26
E6212303 (2045347)		89.94
E6212323 (2045367)		89.00

Comments: RDL - Reported Detection Limit
These samples were pulverized at 35 General Aviation, Timmins, ON

Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

	REPLICATE #1				REPLICATE #2				REPLICATE #3				REPLICATE #4			
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD
Au	2045308	0.003	0.003	0.0%	2045322	>10	>10	0.0%	2045333	8.74	7.16	19.9%	2045347	0.047	0.05	6.2%
	REPLICATE #5				REPLICATE #6											
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD								
Au	2045358	0.025	0.016		2045372	0.055	0.061	10.3%								

(202-564) Fire Assay - Au Ore Grade, Gravimetric finish (50g charge)

	REPLICATE #1															
Parameter	Sample ID	Original	Replicate	RPD												
Au-Grav	2045322	15.0	14.8	1.3%												



CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	CRM #1 (ref.GS4L)				CRM #2 (ref.GS1P5T)				CRM #3 (ref.GS4L)				CRM #4 (ref.GSP5H)			
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits
Au	4.01	4.19	104%	90% - 110%	1.75	1.79	102%	90% - 110%	4.01	4.19	104%	90% - 110%	0.497	0.524	105%	90% - 110%

(202-564) Fire Assay - Au Ore Grade, Gravimetric finish (50g charge)

Parameter	CRM #1				CRM #2 (ref.GS1P5T)				CRM #3 (ref.GS4L)				CRM #4 (ref.GSP5H)			
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits
Au-Grav	13.28	13.3	100%	90% - 110%												



Method Summary

CLIENT NAME: BOLD VENTURES INC

AGAT WORK ORDER: 21T707049

PROJECT:

ATTENTION TO: David Graham & Gerry White

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-12019, MIN-12004	Fletcher, WK: Handbook of Exploration Geochem	AA
Au-Grav	MIN-12004		BALANCE
Pass %	MIN-12010	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE
Pass %	MIN-200-12012	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE



CLIENT NAME: BOLD VENTURES INC
22 ADELAIDE STREET WEST SUITE 3600
TORONTO, ON M5H 4E3
416-435-4418

ATTENTION TO: David Graham & Gerry White

PROJECT:

AGAT WORK ORDER: 21T707255

SOLID ANALYSIS REVIEWED BY: Sherin Moussa, Senior Technician

DATE REPORTED: Feb 22, 2021

PAGES (INCLUDING COVER): 8

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

*NOTES

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 21T707255

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(200-) Sample Login Weight

DATE SAMPLED: Feb 03, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Feb 22, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Sample Login Weight
	Unit:	kg
	RDL:	0.01
E6212336 (2048093)		2.31
E6212337 (2048094)		2.50
E6212338 (2048095)		2.21
E6212339 (2048096)		1.32
E6212340 (2048097)		0.07
E6212341 (2048098)		1.27
E6212342 (2048099)		1.44
E6212343 (2048100)		2.52
E6212344 (2048101)		1.69
E6212345 (2048102)		1.13
E6212346 (2048103)		1.78

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707255

PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

DATE SAMPLED: Feb 03, 2021 DATE RECEIVED: Jan 27, 2021 DATE REPORTED: Feb 22, 2021 SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Unit:	RDL:
	Au	ppm	0.002
E6212336 (2048093)			0.004
E6212337 (2048094)			<0.002
E6212338 (2048095)			<0.002
E6212339 (2048096)			0.003
E6212340 (2048097)			5.98
E6212341 (2048098)			0.012
E6212342 (2048099)			0.119
E6212343 (2048100)			0.117
E6212344 (2048101)			0.008
E6212345 (2048102)			0.125
E6212346 (2048103)			<0.002

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 5623 McAdam Rd., Mississauga, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707255

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Crushing)

DATE SAMPLED: Feb 03, 2021	DATE RECEIVED: Jan 27, 2021	DATE REPORTED: Feb 22, 2021	SAMPLE TYPE: Drill Core
----------------------------	-----------------------------	-----------------------------	-------------------------

Analyte:	Pass %
Unit:	%
Sample ID (AGAT ID)	RDL:
E6212336 (2048093)	85.3

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 21T707255

PROJECT:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

Sieving - % Passing (Pulverizing)

DATE SAMPLED: Feb 03, 2021	DATE RECEIVED: Jan 27, 2021	DATE REPORTED: Feb 22, 2021	SAMPLE TYPE: Drill Core
----------------------------	-----------------------------	-----------------------------	-------------------------

Analyte:	Pass %
Unit:	%
Sample ID (AGAT ID)	RDL:
E6212336 (2048093)	98.2

Comments: RDL - Reported Detection Limit
 These samples were pulverized at 35 General Aviation, Timmins, ON
 Analysis performed at AGAT 150 Jaguar Drive, Timmins, ON and 35 General Aviation Road, Timmins, ON (unless marked by *)

Certified By:



AGAT Laboratories

Quality Assurance - Replicate
 AGAT WORK ORDER: 21T707255
 PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	REPLICATE #1				REPLICATE #2											
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD								
Au	2048093	0.004	0.004	0.0%	2048103	< 0.002	0.002									



AGAT Laboratories

Quality Assurance - Certified Reference materials
 AGAT WORK ORDER: 21T707255
 PROJECT:

5623 McADAM ROAD
 MISSISSAUGA, ONTARIO
 CANADA L4Z 1N9
 TEL (905)501-9998
 FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: BOLD VENTURES INC

ATTENTION TO: David Graham & Gerry White

(202-551) Fire Assay - Trace Au, AAS finish (50g Charge)

Parameter	CRM #1 (ref.GS7K)													
	Expect	Actual	Recovery	Limits										
Au	7.06	6.87	97%	90% - 110%										



Method Summary

CLIENT NAME: BOLD VENTURES INC

AGAT WORK ORDER: 21T707255

PROJECT:

ATTENTION TO: David Graham & Gerry White

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-12019, MIN-12004	Fletcher, WK: Handbook of Exploration Geochem	AA
Pass %	MIN-12010	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE
Pass %	MIN-200-12012	Johnson, W.: Laboratory Sampling and Sample Prep	BALANCE

16.0 Appendix IV: Drill Hole Cross Sections

BV-21-01
 654085mE,
 5412570mN,
 Elev: 453m ASL
 Az: 115°
 Dip: -55°

SURFACE

BV-21-01
 EOH: 146.00m

claim #120238
 claim #196397

claim #196397
 claim #151534

Rock Type	rock code
Overburden/Casing	OVB
Diorite	6b
Granodiorite	8GD
Feldspar Porphyry	8w
Shear Zone/Fault	FZ
Quartz Vein	QV

Legend


Lithology

- Overburden / Casing
- Metamorphosed Mafic Intrusives
- Felsic to Intermediate Intrusive Rocks
- Felsic to Intermediate Intrusive Rocks, +/-Feld., +/-Qtz. Porphyries
- Fault Zone
- Quartz Vein, Quartz Vein Zones/Systems

Gold assay histograms
 at 1:500 scale

1,000 ppb Au = 10mm

(Only assays >100 ppb are shown)



BOLD VENTURES INC.

Traxxin Gold Project


Diamond Drill Hole Section - Looking Azimuth 25°
 Hole BV-21-01

Date: Dec, 2022 section_20N.mxd

By: EGS Projection: NAD 1983 UTM Zone 15N

BV-21-02
 654070mE,
 5412600mN,
 Elev: 455m ASL
 Az: 115°
 Dip: -70°

SURFACE



claim #120238
 claim #196397

claim #196397
 claim #151534

Rock Type	rock code
Overburden/Casing	OVB
Diorite	6b
Granodiorite	8GD
Feldspar Porphyry	8w
Shear Zone/Fault	FZ
Quartz Vein	QV

Legend


Lithology

- Overburden / Casing
- Metamorphosed Mafic Intrusives
- Felsic to Intermediate Intrusive Rocks
- Felsic to Intermediate Intrusive Rocks, +/-Feld., +/-Qtz. Porphyries
- Fault Zone
- Quartz Vein, Quartz Vein Zones/Systems

Gold assay histograms
 at 1:500 scale

1,000 ppb Au = 10mm

(Only assays >100 ppb are shown)



BV-21-02
 EOH: 236.00m

BOLD VENTURES INC.


Traxxin Gold Project
 Diamond Drill Hole Section - Looking Azimuth 25°
 Hole BV-21-02

Date: Dec, 2022 section_40N.mxd

By: EGS Projection: NAD 1983 UTM Zone 15N

BV-21-03
 654060mE,
 5412560mN,
 Elev: 454m ASL
 Az: 115°
 Dip: -65°

SURFACE



claim #120238
 claim #196397

claim #196397
 claim #151534

BV-21-03
 EOH: 192.50m

Rock Type	rock code
Overburden/Casing	OVB
Diorite	6b
Granodiorite	8GD
Feldspar Porphyry	8w
Shear Zone/Fault	FZ
Quartz Vein	QV

Legend


Lithology

- Overburden / Casing
- Metamorphosed Mafic Intrusives
- Felsic to Intermediate Intrusive Rocks
- Felsic to Intermediate Intrusive Rocks, +/-Feld., +/-Qtz. Porphyries
- Fault Zone
- Quartz Vein, Quartz Vein Zones/Systems

Gold assay histograms
 at 1:500 scale

1,000 ppb Au = 10mm

(Only assays >100 ppb are shown)



BOLD VENTURES INC.


Traxxin Gold Project
 Diamond Drill Hole Section - Hole BV-21-03
 +/- 10 metres - Looking Azimuth 25°

Date: Dec, 2022 section_0N.mxd

By: EGS Projection: NAD 1983 UTM Zone 15N

BV-21-04
 654101mE,
 5412604mN,
 Elev: 454m ASL
 Az: 115°
 Dip: -65°

SURFACE



claim #196397
 claim #151534

BV-21-04
 EOH: 170.00m

Rock Type	rock code
Overburden/Casing	OVB
Diorite	6b
Granodiorite	8GD
Feldspar Porphyry	8w
Shear Zone/Fault	FZ
Quartz Vein	QV

Legend


Lithology

- Overburden / Casing
- Metamorphosed Mafic Intrusives
- Felsic to Intermediate Intrusive Rocks
- Felsic to Intermediate Intrusive Rocks, +/-Feld., +/-Qtz. Porphyries
- Fault Zone
- Quartz Vein, Quartz Vein Zones/Systems

Gold assay histograms
 at 1:500 scale

1,000 ppb Au = 10mm

(Only assays >100 ppb are shown)



BOLD VENTURES INC.

Traxxin Gold Project
 Diamond Drill Hole Section - Hole BV-21-04
 +/- 10 metres - Looking Azimuth 25°

Date: Dec, 2022 section_60N.mxd

By: EGS Projection: NAD 1983 UTM Zone 15N

17.0 Appendix V: Statement of Expenditures

Bold Ventures Inc. Project Allocation Detail 01-12-2020 to 31-03-2021

Acct. Code	Description	Date	Payee	Amount	Invoice
52304101	Site Geologist	02-02-2021	Mike Kilbourne	15,455.00	1
52304103	Labourers	01-02-2021	Dan Chartrand	6,900.00	1
52304104	Consulting Geologist	05-02-2021	Bruce Mackie	800.00	
52304110	Mobilization	15-01-2021	Forage M3	6,570.00	1756
		31-01-2021	Forage M3	26,070.00	1772
52304112	Drill Move	15-01-2021	Forage M3	1,950.00	1756
		19-01-2021	Forage M3	682.50	1757
		31-01-2021	Forage M3	1,560.00	1771
		31-01-2021	Forage M3	780.00	1772
52304113	Drilling	15-01-2021	Forage M3	11,581.00	1756
		19-01-2021	Forage M3	16,015.00	1757
		26-01-2021	forage M3	15,432.00	1760
		31-01-2021	Forage M3	1,758.00	1771
		31-01-2021	Forage M3	13,561.00	1772
52304116	Contractor Materials	15-01-2021	Forage M3	1,330.00	1756
		19-01-2021	Forage M3	1,930.00	1757
		26-01-2021	Forage M3	1,490.00	1760
		31-01-2021	Forage M3	2,010.00	1772
52304118	Crew Change/Travel	15-01-2021	Forage M3	2,550.00	1756
		19-01-2021	Forage M3	2,400.00	1757
		26-01-2021	Forage M3	1,800.00	1760
		31-01-2021	Forage M3	300.00	1771
		31-01-2021	Forage M3	1,500.00	1772
52304124	Contractors Devco	15-01-2021	Forage M3	200.00	1756
		19-01-2021	Forage M3	200.00	1757
52304125	Contractors Tractor	26-01-2021	Forage M3	975.00	1760
52304126	Tractor Lease	19-01-2021	Forage M3	1,170.00	1757
52304204	Commercial Travel	30-01-2021	Mike Kilbourne	22.79	
52304231	Road Vehicle Rentals	06-01-2021	Mike Kilbourne	293.76	
		30-01-2021	Mike Kilbourne	2,488.80	
52304233	Transportation Fuel	06-01-2021	Mike Kilbourne	212.45	
		14-01-2021	Mike Kilbourne	253.60	
		23-01-2021	Mike Kilbourne	215.85	
		30-01-2021	Mike Kilbourne	271.92	
52304241	Road Maintenance	11-01-2021	Steve Ward	33,165.00	11893
52304320	Lodging	06-01-2021	Mike Kilbourne	176.00	
		30-01-2021	Mike Kilbourne	198.00	

		18-02-2021	Quetico Lodge	4,200.00	
52304321	Restaurant Meals	06-01-2021	Mike Kilbourne	126.98	
		30-01-2021	Mike Kilbourne	94.00	
52304322	Rentals	18-02-2021	Quetico Lodge	1,500.00	
52304323	Food & Beverage	06-01-2021	Mike Kilbourne	38.69	
		14-01-2021	Mike Kilbourne	37.62	
		18-02-2021	Quetico Lodge	2,650.00	
52304401	Material/Supplies	06-01-2021	Mike Kilbourne	423.49	
		14-01-2021	Mike Kilbourne	128.94	
52304404	Assay	06-01-2021	Mike Kilbourne	161.35	Oreas
		22-02-2021	Agat Labs	212.00	21784609M
		10-03-2021	Agat Labs	1,440.00	21790180M
		24-03-2021	Agat Labs	1,416.00	21793895M
		24-03-2021	Agat Labs	756.00	21793939M
52304406	Core Trays	02-12-2020	Garden Lake Tim	3,000.00	59289
52304407	Core Saw Rental	19-01-2021	Mike Kilbourne	540.00	
		29-01-2021	Clean AER	1,461.25	
		30-01-2021	Mike Kilbourne	250.00	
52304408	Equipment Rental	15-01-2021	Forage M3	300.00	1756
		19-01-2021	Forage M3	375.00	1757
		26-01-2021	Forage M3	300.00	1760
52304409	Fuel Inventory	15-01-2021	Forage M3	660.00	1756
		19-01-2021	Forage M3	990.00	1757
		26-01-2021	Forage M3	495.00	1760
		31-01-2021	Forage M3	660.00	1772
52511104	Consulting Geologist	04-12-2020	Superior Rift	2,275.00	
			Total	198,758.99	

The spreadsheet in the original work report highlighted the expenditures in yellow and was incorrectly calculated as \$174,980.07.

The total expenditures were \$198,986.90. This amount was submitted and the credit was adjusted to \$195,995.00.

The revised total (changes for amounts highlighted in red) is \$198,758.99, as explained by the comments below.

Bold Ventures Inc. Project Allocation Detail 01-12-2020 to 31-03-2021

Acct. Code	Description	Date	Payee	Invoice	Amount
52304101	Site Geologist	02-02-2021	Mike Kilbourne	1	15,455.00
52304103	Labourers	01-02-2021	Dan Chartrand	1	6,900.00
52304104	Consulting Geologist	05-02-2021	Bruce Mackie		800.00
52304110	Mobilization	15-01-2021	Forage M3	1756	6,570.00
		31-01-2021	Forage M3	1772	26,070.00
52304112	Drill Move	15-01-2021	Forage M3	1756	1,950.00
		19-01-2021	Forage M3	1757	682.50
		31-01-2021	Forage M3	1771	1,560.00
		31-01-2021	Forage M3	1772	780.00
52304113	Drilling	15-01-2021	Forage M3	1756	11,581.00
		19-01-2021	Forage M3	1757	16,015.00
		26-01-2021	forage M3	1760	15,432.00
		31-01-2021	Forage M3	1771	1,758.00
		31-01-2021	Forage M3	1772	13,561.00
52304116	Contractor Materials	15-01-2021	Forage M3	1756	1,330.00
		19-01-2021	Forage M3	1757	1,930.00
		26-01-2021	Forage M3	1760	1,490.00
		31-01-2021	Forage M3	1772	2,010.00
52304118	Crew Change/Travel	15-01-2021	Forage M3	1756	2,550.00
		19-01-2021	Forage M3	1757	2,400.00
		26-01-2021	Forage M3	1760	1,800.00
		31-01-2021	Forage M3	1771	300.00
		31-01-2021	Forage M3	1772	1,500.00
52304124	Contractors Devco	15-01-2021	Forage M3	1756	200.00
		19-01-2021	Forage M3	1757	200.00
52304125	Contractors Tractor	26-01-2021	Forage M3	1760	975.00
52304126	Tractor Lease	19-01-2021	Forage M3	1757	1,170.00
52304204	Commercial Travel	30-01-2021	Mike Kilbourne		22.79
52304231	Road Vehicle Rentals	06-01-2021	Mike Kilbourne		293.76

		30-01-2021	Mike Kilbourne		2,488.80
52304233	Transportation Fuel	06-01-2021	Mike Kilbourne		212.45
		14-01-2021	Mike Kilbourne		253.60
		23-01-2021	Mike Kilbourne		215.85
		30-01-2021	Mike Kilbourne		271.92
52304241	Road Maintenance	11-01-2021	Steve Ward	11893	33,165.00
52304320	Lodging	06-01-2021	Mike Kilbourne		176.00
		30-01-2021	Mike Kilbourne		198.00
		18-02-2021	Quetico Lodge		4,200.00
52304321	Restaurant Meals	06-01-2021	Mike Kilbourne		126.98
		30-01-2021	Mike Kilbourne		94.00
52304322	Rentals	18-02-2021	Quetico Lodge		1,500.00
52304323	Food & Beverage	06-01-2021	Mike Kilbourne		38.69
		14-01-2021	Mike Kilbourne		37.62
		18-02-2021	Quetico Lodge		2,650.00
52304401	Material/Supplies	06-01-2021	Mike Kilbourne		423.49
		14-01-2021	Mike Kilbourne		128.94
52304404	Assay	06-01-2021	Mike Kilbourne	Oreas	161.35
		22-02-2021	Agat Labs	21784609M	212.00
		10-03-2021	Agat Labs	21790180M	1,440.00
		24-03-2021	Agat Labs	21793895M	1,416.00
		24-03-2021	Agat Labs	21793939M	756.00
52304406	Core Trays	02-12-2020	Garden Lake Timber	59289	3,000.00
52304407	Core Saw Rental	19-01-2021	Mike Kilbourne		540.00
		29-01-2021	Clean AER		1,461.25
		30-01-2021	Mike Kilbourne		250.00
52304408	Equipment Rental	15-01-2021	Forage M3	1756	300.00
		19-01-2021	Forage M3	1757	375.00
		26-01-2021	Forage M3	1760	300.00
52304409	Fuel Inventory	15-01-2021	Forage M3	1756	660.00
		19-01-2021	Forage M3	1757	990.00
		26-01-2021	Forage M3	1760	495.00
		31-01-2021	Forage M3	1772	660.00
52511104	Consulting Geologist	04-12-2020	Superior Rift		2,275.00
Total					198,758.99

Comments

52304104	800.00	Not highlighted in the original spreadsheet
52304320	198.00	Was incorrectly entered as \$398 in the original spreadsheet
52304321	94.00	HST removed from the original submission
52304404	161.35	HST removed from the original submission

1440.00	These 3 were assays done by Agat Labs
1416.00	HST removed from the original submission
756.00	Not highlighted in the original spreadsheet and were incorrectly assigned code 52309104
