

We are committed to providing [accessible customer service](#).

If you need accessible formats or communications supports, please [contact us](#).

Nous tenons à améliorer [l'accessibilité des services à la clientèle](#).

Si vous avez besoin de formats accessibles ou d'aide à la communication, veuillez [nous contacter](#).

**ASSESSMENT REPORT  
COPPER RANGE PROPERTY  
GOULD TOWNSHIP  
CLAIM 700810**

**BY  
GEORGE LUCUIK (161280)  
AUG 02, 2023**

**PROSPECT COPPER RANGE PROPERTY**

**DATE:** OCT 03, 2022

**UTM:** ZONE 17 317877E 5152530N

**DISTANCE TRAVELLED:** 300 KM ROUND TRIP @0.50 PER KM = \$150.00

2 SAMPLES MAILED TO ACTLABS FOR ASSAY \$23.71

PAID TO ACTLABS FOR ASSAY \$176.51

PAID KEN FORREST (LIMBERLOST COTTAGES) FOR BOAT AND MOTOR RENTAL. \$150.00


**LOG:** TRAVELLED FROM SAULT STE MARIE TO LIMBERLOST ON CHUB LAKE 60 KM NORTH OF THESSALON, ON. AND THEN BY BOAT 1.5 KM EAST ON CHUB LAKE, THEN TRAVERSED 400 M SOUTH TO THE SHAFT, SPENDING A TOTAL OF ABOUT 4 HRS PROSPECTING AND LOOKING LFOR THE OLD SHAFT

PROSPECTING ON THE COPPER RANGE PROPERTY CONSISTED MAINLY OF LOCATING AN OLD SHAFT ON THE PROPERTY AND TAKING SAMPLES.

WORK WAS CARRIED OUT BY **GEORGE LUCUIK (161280)** AND **JIM RALPH (185626)**

THE SHAFT WAS LOCATED AT **UTM ZONE 17 317877E 5155230N** AND THE TWO SAMPLES CR1 AND CR2 WERE TAKEN FROM THIS LOCATION FOR ANALYSES.

CHALCOPYRYTE AND QUARTZ WERE THE ONLY MINERALIZATION NOTED AND THE ROCK TYPE WAS ARGILLITE.



### Legend

- Provincial Grid Cell**
  - Available
  - Pending
  - Unavailable
- Mining Claim**
  - Mining Claim
  - Boundary Claim
- Alienation**
  - Withdrawal
  - Notice
- MINES Administrative Boundaries**
  - MINES Townships and Areas
  - Geographic Lot Fabric
  - UTM Grid 1K
  - UTM Grid 10K
  - Mining Division
  - Mineral Exploration and Development Region
  - CLUPA Protected Area - Far North
  - Resident Geologist District
  - Federal Land Other
  - Native Reserves
- AMIS Sites**
  - AMIS Sites
  - AMIS Features
  - Drill Hole
  - Mineral Occurrences
- MLAS Mining History**
  - Withdrawal - History
  - Notice - History
  - Mining Claim - History
  - Mining Land Tenure - History
  - Legacy Claim
- Provincial Grid**
  - Provincial Grid 250K
  - Provincial Grid 50K
  - Provincial Grid Group
- Land Tenure**
  - Surface Rights
  - Mining Rights
  - Mining and Surface Rights
  - Order-in-Council

Those wishing to register mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Mines (MINES) for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources and Forestry. The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Mines (MINES) web site.

0 0.63 km

Projection: Web Mercator



Imagery Copyright Notices: Ministry of Natural Resources and Forestry (MNR); NASA Landsat Program; First Base Solutions Inc.; Aéro-Photo (1961) Inc.; DigitalGlobe Inc.; U.S. Geological Survey.) web site.

© King's Printer for Ontario, 2023



want to...



⊗ LIMERLOST  
COTTAGES.


CHUB LAKE

Hwy 129


BOAT LAUNCH

HIKE TRAIL

SHAFT



Cheney Lake




500


LOT 7

LOT 6





ST'S  
ON'S  
HILD 370  
280



0 Chains = 1 Inch



**LEGEND**

-  Drift and swamp
-  Olivine diabase
-  Nipissing diabase
-  Gowganda formation. Conglomerate, quartzite and argillite

AREA OF SHAFT



Report No.: A22-18023
Report Date: 19-Dec-22
Date Submitted: 01-Dec-22
Your Reference:

GEORGE LUCUIK
30 CARLBERT ST
SAULT STE MARIE ON P6A 5S5
Canada

ATTN: GEORGE LUCUIK

CERTIFICATE OF ANALYSIS

4 Rock samples were submitted for analysis.


Table with 2 columns: Analytical package(s) requested, Testing Date. Row 1: UT-1-0.5g, QOP Ultratrace-1 (Aqua Regia ICPMS), 2022-12-14 13:54:28

REPORT A22-18023

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

Assays are recommended for values above the upper limit. The Au from AR-MS is for information purposes, for accurate Au fire assay 1A2 should be requested.



LabID: 266

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

CERTIFIED BY:

Handwritten signature of Mark Vandergeest

Mark Vandergeest
Quality Control Coordinator

Results

Activation Laboratories Ltd.

Report: A22-18023

Analyte Symbol	Ti	S	P	Li	Be	B	Na	Mg	Al	K	Bi	Ca	Sc	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge
Unit Symbol	%	%	%	ppm	ppm	ppm	%	%	%	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	1	0.001	0.1	0.1	1	0.001	0.01	0.01	0.01	0.02	0.01	0.1	1	1	1	0.01	0.1	0.1	0.2	0.1	0.02	0.1
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
CL-1	0.692	< 1	0.082	11.2	0.5	9	0.119	1.40	1.94	0.19	0.05	2.36	11.1	232	9	782	7.10	34.1	13.5	51.3	63.2	8.61	0.1
CR-1	< 0.001	9	< 0.001	1.1	0.1	4	0.015	1.26	0.03	< 0.01	33.3	4.39	42.9	16	2	6010	14.7	303	18.2	> 10000	8.9	0.42	0.3
CR-2	0.131	3	0.002	1.8	< 0.1	2	0.048	0.43	1.05	0.08	0.54	0.06	2.8	16	52	309	7.32	6.4	12.2	3760	26.7	6.12	< 0.1
FL-1	0.003	< 1	0.020	2.0	0.3	6	0.036	0.82	0.30	0.13	0.35	2.22	8.2	19	14	1130	2.41	1.2	3.1	9720	2.8	1.65	< 0.1



Results

Activation Laboratories Ltd.

Report: A22-18023

Analyte Symbol	As	Rb	Sr	Y	Zr	Nb	Mo	Ag	In	Sn	Sb	Te	Cs	Ba	La	Ce	Cd	Pr	Nd	Sm	Se	Eu	Gd
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	0.5	0.01	0.1	0.1	0.01	0.002	0.02	0.05	0.02	0.02	0.02	0.5	0.5	0.01	0.01	0.1	0.02	0.1	0.1	0.1	0.1
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
CL-1	2.7	8.9	63.5	15.9	22.3	1.5	0.83	0.060	0.03	0.68	0.06	< 0.02	0.40	48.0	17.7	35.5	0.04	4.4	17.3	3.7	0.6	0.8	3.5
CR-1	1080	0.2	28.1	11.9	1.0	< 0.1	0.81	1.80	0.57	0.32	6.68	0.14	0.13	4.2	1.2	2.88	0.01	0.5	2.51	1.5	14.5	0.6	2.3
CR-2	16.6	3.4	5.6	0.27	3.5	0.9	2.71	4.51	0.22	6.83	0.06	0.22	0.12	13.2	0.8	1.25	0.03	0.1	0.47	0.1	1.3	< 0.1	< 0.1
FL-1	2.0	6.3	10.1	22.8	5.7	< 0.1	0.13	0.142	0.08	0.35	0.24	< 0.02	0.17	21.2	14.5	31.9	< 0.01	4.3	17.8	5.7	2.7	1.9	6.4

Analyte Symbol	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Ta	W	Re	Au	Tl	Pb	Th	U	Hg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppb
Lower Limit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.05	0.1	0.001	0.5	0.02	0.1	0.1	0.1	10
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
CL-1	0.6	3.4	0.7	1.9	0.2	1.6	0.2	0.6	< 0.05	3.2	0.001	< 0.5	0.05	3.3	5.3	0.6	40
CR-1	0.4	2.6	0.5	1.4	0.2	1.8	0.3	< 0.1	< 0.05	0.4	0.002	214	0.03	77.1	< 0.1	< 0.1	620
CR-2	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	0.1	< 0.05	> 200	0.002	15.1	0.05	21.2	5.3	1.6	340
FL-1	1.0	4.9	0.9	2.2	0.3	1.7	0.2	0.2	< 0.05	0.7	< 0.001	13.2	0.03	4.3	2.3	6.4	130

Analyte Symbol	Ti	S	P	Li	Be	B	Na	Mg	Al	K	Bi	Ca	Sc	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge
Unit Symbol	%	%	%	ppm	ppm	ppm	%	%	%	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.001	1	0.001	0.1	0.1	1	0.001	0.01	0.01	0.01	0.02	0.01	0.1	1	1	1	0.01	0.1	0.1	0.2	0.1	0.02	0.1
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
OREAS 45d (Aqua Regia) Meas		< 1	0.035	16.9			0.031	0.17	5.56	0.10	0.25	0.11	41.5	191	469	429	14.9	27.1	189	339	39.1	15.3	
OREAS 45d (Aqua Regia) Cert		0.045	0.035	11.9			0.031	0.144	4.86	0.097	0.30	0.089	41.50	201	467	400	13.7	26.2	176	345	30.6	17.9	
OREAS 45d (Aqua Regia) Meas		< 1	0.034	17.2			0.031	0.18	6.01	0.11	0.27	0.12	44.0	184	474	388	14.3	27.5	193	334	38.2	17.0	
OREAS 45d (Aqua Regia) Cert		0.045	0.035	11.9			0.031	0.144	4.86	0.097	0.30	0.089	41.50	201	467	400	13.7	26.2	176	345	30.6	17.9	
OREAS 907 (Aqua Regia) Meas	0.025	< 1	0.018	4.6	0.9		0.076	0.21	1.11	0.29	20.8	0.26	2.2	5	10	328	8.08	42.3	4.8	6550	148	14.9	
OREAS 907 (Aqua Regia) Cert	0.0170	0.0660	0.0240	4.05	0.870		0.0860	0.221	0.945	0.286	22.3	0.280	2.16	5.12	8.59	330	8.18	43.7	4.74	6370	139	14.7	
OREAS 263 (Aqua Regia) Meas		< 1	0.041	20.3	1.1		0.071	0.63	1.97	0.34	0.55	1.10	3.5	24	56	519	3.84	32.3	72.5	86.4	133	6.15	
OREAS 263 (Aqua Regia) Cert		0.126	0.0410	20.1	1.22		0.0790	0.593	1.29	0.288	0.570	1.03	3.52	22.8	48.0	490	3.68	31.0	72.0	87.0	127	4.92	
OREAS 130 (Aqua Regia) Meas	0.038	6	0.088	31.2				0.88	1.16	0.52	3.27	1.50	3.7	35	25	1660	7.87	28.7	34.2	227	> 5000	4.81	
OREAS 130 (Aqua Regia) Cert	0.0270	6.02	0.0860	29.9				0.892	1.10	0.500	3.05	1.81	3.42	33.1	23.2	1630	7.27	27.1	35.2	226	16900	4.78	
OREAS 521 (Aqua Regia) Meas	0.174	1	0.077	14.5	0.4		0.047	1.02	1.32	0.41	5.69	2.92	9.0	185	32	3270	20.1	392	63.1	5750	24.5	10.4	0.3
OREAS 521 (Aqua Regia) Cert	0.141	2	0.081	16.7	0.5		0.045	1.10	1.44	0.53	5.84	3.66	10	200	33	3000	20.0	374	68.0	5990	23.6	14.3	0.3
Oreas 620 (Aqua Regia) Meas		3	0.031	8.9	0.6		0.123	0.25	1.20	0.28	1.86	1.41		8	18	435	2.86	13.2	14.4	1870	> 5000	5.64	
Oreas 620 (Aqua Regia) Cert		2	0.031	9.3	0.6		0.117	0.27	1.12	0.31	1.88	1.29		7	17	414	2.58	12.2	14.4	1750	31200	6.44	
Oreas 620 (Aqua Regia) Meas		3	0.027	9.4	0.6		0.118	0.24	1.17	0.33	1.87	1.40		9	20	455	2.92	13.7	14.7	1880	> 5000	6.28	
Oreas 620 (Aqua Regia) Cert		2	0.031	9.3	0.6		0.117	0.27	1.12	0.31	1.88	1.29		7	17	414	2.58	12.2	14.4	1750	31200	6.44	
Oreas 620 (Aqua Regia) Meas		3	0.028	9.7	0.7		0.130	0.26	1.29	0.32	1.84	1.53		9	20	440	2.75	13.1	14.7	1790	> 5000	6.38	
Oreas 620 (Aqua Regia) Cert		2	0.031	9.3	0.6		0.117	0.27	1.12	0.31	1.88	1.29		7	17	414	2.58	12.2	14.4	1750	31200	6.44	
Method Blank	< 0.001	< 1	< 0.001	< 0.1	< 0.1	3	0.005	< 0.01	< 0.01	< 0.01	< 0.02	< 0.01	< 0.1	2	2	< 1	< 0.01	< 0.1	< 0.1	< 0.2	0.7	0.13	< 0.1
Method Blank	< 0.001	< 1	< 0.001	< 0.1	< 0.1	2	0.005	< 0.01	< 0.01	< 0.01	< 0.02	< 0.01	< 0.1	1	2	< 1	< 0.01	< 0.1	< 0.1	< 0.2	0.2	0.12	< 0.1

Analyte Symbol	As	Rb	Sr	Y	Zr	Nb	Mo	Ag	In	Sn	Sb	Te	Cs	Ba	La	Ce	Cd	Pr	Nd	Sm	Se	Eu	Gd
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.1	0.5	0.01	0.1	0.1	0.01	0.002	0.02	0.05	0.02	0.02	0.02	0.5	0.5	0.01	0.01	0.1	0.02	0.1	0.1	0.1	0.1
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
OREAS 45d (Aqua Regia) Meas	4.8	17.9	12.3	4.03					0.08	1.61				66.9	9.4	21.5							
OREAS 45d (Aqua Regia) Cert	6.50	20.9	11.0	5.08					0.085	1.95				80	10.0	24.8							
OREAS 45d (Aqua Regia) Meas	4.9	20.6	13.6	4.42					0.08	1.86				77.6	11.3	25.1							
OREAS 45d (Aqua Regia) Cert	6.50	20.9	11.0	5.08					0.085	1.95				80	9.96	24.8							
OREAS 907 (Aqua Regia) Meas	34.2	18.4	12.2	6.87	8.2		5.37	1.26	2.28	2.55	2.59	0.26	1.41	235	37.4	71.8	0.45	8.4	29.4	4.9	9.2	1.0	3.6
OREAS 907 (Aqua Regia) Cert	37.0	16.7	11.7	6.52	43.7		5.64	1.30	2.35	2.34	2.28	0.230	1.17	225	36.1	73.0	0.540	7.36	27.8	4.79	9.05	0.950	3.45
OREAS 263 (Aqua Regia) Meas	29.6		19.9	12.1			0.64	0.298	0.03		8.83	0.24		182			0.30			5.1		0.8	3.6
OREAS 263 (Aqua Regia) Cert	30.8		16.9	12.0			0.570	0.285	0.0290		7.37	0.210		175			0.270			4.41		0.850	3.89
OREAS 130 (Aqua Regia) Meas	204	41.6	19.4	12.2	25.2		8.04	6.15	0.20		4.65	0.21	2.90		22.3	44.5	29.6	5.5					3.2
OREAS 130 (Aqua Regia) Cert	205	41.6	23.2	13.0	19.0		8.25	6.27	0.200		4.69	0.170	2.96		26.4	54.0	28.8	5.93					3.53
OREAS 521 (Aqua Regia) Meas	318	27.4	35.6	13.7	39.8	0.6	137	0.864	0.16	5.98	4.14	0.81	0.54		119	108					2.2		
OREAS 521 (Aqua Regia) Cert	333	31.8	54.0	15.0	38.3	0.5	133	0.817	0.17	5.78	3.65	0.74	0.55		147	121					2.4		
Oreas 620 (Aqua Regia) Meas	46.3		18.6	7.17	51.8		8.34	36.6	1.08	1.94	64.3		1.08	12.2	24.3	49.2	145						
Oreas 620 (Aqua Regia) Cert	47.2		19.7	6.90	57.0		8.97	38.4	1.07	1.95	62.0		1.22	447	25.1	51.0	161						
Oreas 620 (Aqua Regia) Meas	49.7		19.6	7.63	33.3		8.65	37.5	1.10	2.00	68.4		1.17	7.6	25.0	50.6	156						
Oreas 620 (Aqua Regia) Cert	47.2		19.7	6.90	57.0		8.97	38.4	1.07	1.95	62.0		1.22	450	25.1	51.0	161						
Oreas 620 (Aqua Regia) Meas	46.9		18.7	7.37	22.7		7.82	35.1	1.07	1.91	62.5		1.22	5.9	23.7	47.1	140						
Oreas 620 (Aqua Regia) Cert	47.2		19.7	6.90	57.0		8.97	38.4	1.07	1.95	62.0		1.22	450	25.1	51.0	161						
Method Blank	0.4	< 0.1	< 0.5	< 0.01	< 0.1	< 0.1	< 0.01	< 0.002	< 0.02	< 0.05	< 0.02	< 0.02	< 0.02	1.8	< 0.5	< 0.01	< 0.01	< 0.1	< 0.02	< 0.1	0.3	< 0.1	< 0.1
Method Blank	0.4	< 0.1	< 0.5	< 0.01	< 0.1	< 0.1	< 0.01	< 0.002	< 0.02	< 0.05	< 0.02	< 0.02	< 0.02	2.0	< 0.5	< 0.01	< 0.01	< 0.1	< 0.02	< 0.1	0.2	< 0.1	< 0.1

Analyte Symbol	Tb	Dy	Ho	Er	Tm	Yb	Lu	Hf	Ta	W	Re	Au	Tl	Pb	Th	U	Hg
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppb
Lower Limit	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.05	0.1	0.001	0.5	0.02	0.1	0.1	0.1	10
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
OREAS 45d (Aqua Regia) Meas												18.4		17.4	11.5	1.5	
OREAS 45d (Aqua Regia) Cert												21		17.0	11.3	1.64	
OREAS 45d (Aqua Regia) Meas												17.8		17.8	11.7	1.5	
OREAS 45d (Aqua Regia) Cert												21		17.0	11.3	1.64	
OREAS 907 (Aqua Regia) Meas	0.4	1.6	0.2	0.5	< 0.1	0.3	< 0.1	0.1		1.0		96.1	0.13	32.5	8.6	2.0	
OREAS 907 (Aqua Regia) Cert	0.430	1.63	0.210	0.430	0.0490	0.290	0.0390	1.09		0.980		101	0.120	34.1	8.04	2.15	
OREAS 263 (Aqua Regia) Meas	0.5	2.3	0.5	1.2		0.9							0.56	35.5	12.0	1.2	210
OREAS 263 (Aqua Regia) Cert	0.500	2.64	0.430	1.29		0.990							0.530	34.0	10.6	1.28	170
OREAS 130 (Aqua Regia) Meas			0.5				0.2	0.8		1.4			5.42	1440	9.9	8.4	670
OREAS 130 (Aqua Regia) Cert			0.480				0.150	0.610		1.40			5.92	1300	10.3	8.36	670
OREAS 521 (Aqua Regia) Meas	0.5					1.4	0.2	1.1		68.5		386	0.11	8.2	6.4	24.7	
OREAS 521 (Aqua Regia) Cert	0.5					1.5	0.2	1.0		71.0		365	0.11	9.0	7.8	28.2	
Oreas 620 (Aqua Regia) Meas	0.4					0.4	< 0.1	1.3		0.8		699	0.67	> 5000	7.8	2.3	1930
Oreas 620 (Aqua Regia) Cert	0.4					0.4	0.05	1.4		0.8		666	0.51	7740	7.5	2.2	2140
Oreas 620 (Aqua Regia) Meas	0.4					0.4	< 0.1	0.7		0.9		718	0.72	> 5000	8.2	2.4	2090
Oreas 620 (Aqua Regia) Cert	0.4					0.4	0.05	1		0.8		666	0.51	7740	7.5	2.2	2140
Oreas 620 (Aqua Regia) Meas	0.4					0.4	< 0.1	0.3		0.7		714	0.69	> 5000	7.7	2.3	2000
Oreas 620 (Aqua Regia) Cert	0.4					0.4	0.05	1		0.8		666	0.51	7740	7.5	2.2	2140
Method Blank	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.05	< 0.1	< 0.001	< 0.5	< 0.02	< 0.1	< 0.1	< 0.1	30
Method Blank	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.05	< 0.1	< 0.001	< 0.5	< 0.02	< 0.1	< 0.1	< 0.1	40