



31M04SW0028 24 STRATHCONA

010

Diamond Drilling

Township OF STRATHCONA

Report N^o: 24

Work performed by: Clifford Marshall Hames (Royal Mining Corp.)

Claim N ^o	Hole N ^o	Footage	Date	Note
L 291336	S-1	200'	Jan/73	(1)(2)
L 317855	S-2 <i>1/2</i>	200' <i>400'</i>	Jan/73	(1)(2)

Notes:

- (1) #39/73
- (2) Mineral Exploration Assistance Program (Contract CG-44)

CLAIM 323275

CLAIM 291336

*Stratona Trwp.
Report # 39
Clifford Marshall James*

15 FEET.

COLLAR D.D.H. S-1

AZ. 190°. 200 FEET AT -45°

POST NO. 2

POST NO. 3

POST NO. 1

POST NO. 4

Pit
CLAIM 317855

PIT
CLAIM 319856

ROYAL MINING CORP.
STRATONA TRAMP
DIAMOND DRILL HOLE S-1
DRILLED JAN. 1915
SCALE 1" = 100'

Shub

Royal Mining Corp.
Strathcona Township Property
Larder Lake Mining Division

Diamond Drillhole S-1

Claim No L 29.1336

Az. 190°, Dip -45°, Depth 200ft.

Footage	Remarks
0 - 9	Casing
9 - 33	altered greenstone
33 - 40	grey cherty rhyolite
40 - 49	med. grained grey meta gs, little qtz. flow contact? at 49'
49 - 55	grey green greenstone
55 - 62	cherty siliceous rhyolite
62 - 95	med. to fine grained andesite becoming coarser grained down hole. finer grained from 93-95.
95 - 108	cherty rhyolite banded 50° to low
108 - 128.5	fine grained meta gs. some sections porphyritic
128.5 - 146	grey meta gs. with qtz. threads at all angles
146 - 160	grey meta gs. porphyritic w/ white phenocrysts
160 - 168	fine grd dark grey gs. with fine qtz. threads
168 - 181	porphyritic grey green gs.
181 - 200	grey fine grained meta gs, qtz threads

Samples	
19'-6" - 20.8"	14" Sample No 7028, massive porphyritic qtzite
21'-6" - 23-0	18" Sample No 7029, gs with 10-15% pyrite



T. Heale

CLAIM 323275

CLAIM 291336

POST NO. 2

POST NO. 3.

POST NO. 1

POST NO. 4.

CLAIM 317855

Pit

CLAIM 319856

Pit

200'

COLLAR

120'

D.D. HOLE S-2
AZ. 10° , 200 FT AT -45°

ROYAL MINING CORP.
STRATHCONA TOWNSHIP
DIAMOND DRILL HOLE S-2.
DRILLED JAN. 1973
SCALE 1"=100'

Scale

Royal Manning Corp
Strathcona Township Property
Larder Lake Mining Division

Diamond Drill Hole S-2

Claim L317855

Az. 10° , Dip- 45° , Depth 200 ft.

Footage

Remarks

0-9

Casing

9-106

grey fine grained greenstone
with occasional spot of pyrrhotite
some alteration, narrow veinlets of
qtz. $\frac{1}{8}$ " to $\frac{1}{4}$ " at varied angles to core

106-112

porphyritic greenstone, indefinite
contact at 112'

112-128

fine to med. gr. dark grey gss.
flow contact? at 127'-128'.

128-170

med grained dark grey greenstone

170-200

fine grained dark grey greenstone
threads of qtz. at all angles from
176-178 an old shear: sealed with qtz.
and carbonate.



T. R. Heale